

Checklist of Leafhopper Species 1758-1955 (Hemiptera: Membracoidea: Cicadellidae and Myserslopiidae) with Synonymy and Distribution [Catalogue of the Homoptera, Fascicle 6, Abridged]

Stuart H. McKamey

USDA Agricultural Research Service, Systematic Entomology Laboratory, National Museum of Natural History, MRC-168, Smithsonian Institution, Washington, D.C. 20560 USA, e-mail;
smckamey@sel.barc.usda.gov

Abstract.— The species classification and synonymy of the Catalogue of the Homoptera Fascicle 6 are revised to conform with the current International Code of Zoological Nomenclature. This 516-page abridgment of Fascicle 6 includes a new 104-page index. The original 7,041-page catalogue covered all citations, on all subjects, to the 11,007 leafhopper species described from 1758-1955, and is still the starting point for all taxonomic research on Cicadellidae. The present checklist is disseminated electronically to broaden access to the information. Current country-level distribution of each species is also given, usually based on the localities listed in the original catalogue. The index to species is provided so that useful hardcopies of this checklist can be printed, which is encouraged.

Introduction

To obtain information and communicate effectively, it is essential that everyone use the same name for a given species. Without periodic, updated checklists, the scattered nature of extensive changes severely impedes access to the valid names and therefore to all other information stored in the literature. It also impedes research and can lead to duplication of effort.

The Catalogue of the Homoptera, covering all literature from 1758 through 1955, is and will always be the starting point for research on Auchenorrhyncha. Unfortunately, the catalogue is long out of print and some sections are now difficult to obtain. McKamey (1998) updated Fascicle 1, the treehoppers (then Membracoidea; currently membracoid families Membracidae, Aetalionidae, and Melizoderidae). A database is underway on Fascicle 4, the planthoppers (Fulgoroidea) (Bourgoin et al. 2000; <http://flow.snv.jussieu.fr>). Selected other important WWW-based projects on Auchenorrhyncha can be found through the TYMBAL website (Fletcher 2000; <http://farrer.agric.nsw.gov.au/Hort/aschu/tymbal>).

Fascicle 6 of the Catalogue of the Homoptera (Metcalf 1962a, 1962b, 1962c, 1962d, 1963a, 1963b, 1963c, 1963d, 1964b, 1965a, 1965b, 1966a, 1966b, 1966c, 1966d, 1967a, 1967b, 1967c, 1968a) dealt with the leafhoppers (then Cicadelloidea; currently membracoid families Cicadellidae and Myerslopiidae). In 1955, Cicadellidae, the largest hemipteran family, included 9,673 valid species. Oman et al. (1990) provided a thorough bibliography and checklist of genera described through 1985.

The area in greatest need of updating is leafhopper species. Since 1955, the cut-off date of Z.P. Metcalf's catalogue, the number of described leafhopper species has doubled and approximately 25% of all species names have been revised due to changes in specific or generic synonymy. However, there is no compilation of these changes. A modern database is sorely needed so that additions and changes since 1956 can be stored, updated, and accessed easily.

Such a database is being developed for leafhoppers and is well underway. The Catalogue of the Homoptera was the logical starting point for this endeavor. Consequently, although the first products with post-1955 information will be available in a few years, an abridged electronic version of the Catalogue of the Homoptera Fascicle 6 classification is presented here. Status reports on the progress of the up-to-date database will be posted on the TYMBAL website (see above).

Below, the 7,041-page Catalogue of the Homoptera Fascicle 6, containing 11,007 available names, is condensed down to a 412-page synonymous species checklist with country level distribution data inferred from localities given by Metcalf unless noted otherwise. The taxa are arranged alphabetically by genus and species, irrespective of the higher classification, which is now largely out-of-date (Oman et al. 1990 provided a more recent higher classification). The Metcalf catalogue page citation

is given for each name. In Metcalf's catalogue, species were sometimes listed twice, either as nominotypical subspecies or, in a few instances, unintentional duplicate listings or separate citations for the male and female. In this checklist, such species are listed only once, although both pages in Metcalf's catalogue are cited. Not surprisingly, some nomenclatural practices followed by Metcalf were not in accordance with the International Code of Zoological Nomenclature, first published years after Metcalf's death but before publication of his catalogue. For example, some of the 'obvious misspellings' in the original descriptions of species names must be treated as the correct original spellings. Also, new replacement names compete in priority with their own author and date, rather than the date of the name they replaced. In the checklist below, the synonymy of Metcalf's catalogue is therefore sometimes changed to bring it into alignment with the current International Code of Zoological Nomenclature (International Commission on Zoological Nomenclature 1999).

The original combination of every name can be unambiguously inferred from the synonymy listing. Nevertheless, it is not always straightforward for subspecies that are valid and have changed status since their description. Explanation by example is given below.

The first entry below shows a subspecies that was originally described as such. The second entry below is for a subspecies that was originally described as a full species, as *Ciccus cinctipes*. The third entry below shows a subspecies that was originally described under a different nominate species, as *Cicadella gothica atra*. The last entry below shows a species that was originally described as a subspecies, as *Cicadella hieroglyphica inscripta*.

Teletusa excavata atra Melichar

Teletusa excavata atra Melichar 1925a: 345 [n.subsp. of *excavata*]; Metcalf 1965a, 6(1): 525 [Cat.]

Teletusa excavata cinctipes (Walker)

Ciccus cinctipes Walker 1851b: 803 [n.sp.]; Metcalf 1965a, 6(1): 525 [Cat.]

Neokolla hieroglyphica atra (Barber)

Cicadella hieroglyphica atra Barber 1921b: 130 [n.subsp. of *gothica*]; Metcalf 1965a, 6(1): 277 [Cat.]

Neokolla inscripta (Olsen)

Cicadella inscripta Olsen 1922a: 362 [n.subsp. of *heiroglyphica*]; Metcalf 1965a, 6(1): 277 [Cat.]

Papers are cited by author, year, and key letter, corresponding to the key letters given in the bibliography (Metcalf 1964a). Limited numbers of the bibliography are still available upon request to the above address. An electronic version of Metcalf's bibliography of the Auchenorrhyncha is being prepared at North Carolina State University and will be posted on the NCSU Libraries website (<http://www.lib.ncsu.edu/archives>).

The 104-page index of species and subspecies is essentially the same as provided for the catalogue (Burnside 1971) except that it usually lists the original spellings even when Metcalf treated them as 'obvious misspellings,' as mentioned above.

As with any work of this detail, it is difficult to eliminate all errors. I would appreciate notification of any errors so that they can be corrected. Other comments, and reprints of recent papers for inclusion in the contemporary database in progress, are always welcome.

Acknowledgments

The majority of the data was initially input as part of a planned USDA/ARS Systematic Entomology Laboratory's project on the insects of North America. This project was variously headed by R.W. Poole, R.W. Hodges, and T.J. Henry and the data on Homoptera largely input by A.L. Hicks. M.A. Touchet transcribed and input the distribution information. Data was managed using the BIOTA software by Colwell (1996). L.L. Deitz and M.A. Solis made helpful suggestions on an earlier draft of the manuscript. Encouragement for this checklist from L.L. Deitz, C.H. Dietrich, K.G.A. Hamilton, M.W.

Nielson, and others provided the inspiration and motivation to put in the time and care needed to assure detailed accuracy for such a project.

References

- Bourgoin, T. et al. 2000. *FLOW: Fulgoromorpha Lists On the Web*. Laboratoire Classification, Evolution et Systématique, Université Pierre et Marie Curie –Paris. URL: <http://flow.snv.jussieu.fr>
- Burnside, V.W[ade]. 1971. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Index to Genera and Species with Addenda and Corrigenda to Parts 1-17*. U.S. Department of Agriculture, Agriculture Research Service. 269 pp.
- Colwell, R.K. 1996. *Biota: The Biodiversity Database Manager*. Sinauer Associates, Sunderland. Massachusetts. xxv + 574 pp.
- Fletcher, M.J. 2000. *TYMBAL, the Auchenorrhyncha Website*. ASCU, Orange Agricultural Institute, NSW Agriculture. URL: <http://farrer.agric.nsw.gov.au/Hort/ascu/tymbal>
- International Commission on Zoological Nomenclature. 1999. *International Code of Zoological Nomenclature, 4th Edition*. International Trust for Zoological Nomenclature, London. xxix + 306 pp.
- McKamey, S.H. 1998. Taxonomic catalogue of the Membracoidea (exclusive of leafhoppers). Second supplement to fascicle 1--Membracidae of the general catalogue of the Hemiptera. *Memoirs of the American Entomological Institute* 60: [1]-377.
- Metcalf, Z.P. 1962a. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 2. Hylicidae*. U.S. Department of Agriculture, Agriculture Research Service. 18 pp.
- Metcalf, Z.P. 1962b. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 3. Gyponidae*. U.S. Department of Agriculture, Agriculture Research Service. 229 pp.
- Metcalf, Z.P. 1962c. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 4. Ledridae*. U.S. Department of Agriculture, Agriculture Research Service. 147 pp.
- Metcalf, Z.P. 1962d. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 5. Ulopidae*. U.S. Department of Agriculture, Agriculture Research Service. 95 pp.
- Metcalf, Z.P. 1963a. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 6. Evacanthidae*. U.S. Department of Agriculture, Agriculture Research Service. 63 pp.
- Metcalf, Z.P. 1963b. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 7. Niryanidae*. U.S. Department of Agriculture, Agriculture Research Service. 35 pp.
- Metcalf, Z.P. 1963c. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 8. Aphrodidae*. U.S. Department of Agriculture, Agriculture Research Service. 268 pp.
- Metcalf, Z.P. 1963d. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 9. Hecalidae*. U.S. Department of Agriculture, Agriculture Research Service. 123 pp.
- Metcalf, Z.P. 1964a. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Bibliography of the Cicadelloidea (Homoptera: Auchenorrhyncha)*. U.S. Department of Agriculture, Agriculture Research Service. 349 pp.
- Metcalf, Z.P. 1964b. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 11. Coelidiidae*. U.S. Department of Agriculture, Agriculture Research Service. 182 pp.
- Metcalf, Z.P. 1965a. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 1. Tettigellidae*. U.S. Department of Agriculture, Agriculture Research Service. 730 pp.
- Metcalf, Z.P. 1965b. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 12. Eurymelidae*. U.S. Department of Agriculture, Agriculture Research Service. 43 pp.
- Metcalf, Z.P. 1966a. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 14. Agalliidae*. U.S. Department of Agriculture, Agriculture Research Service. 173 pp.
- Metcalf, Z.P. 1966b. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 13. Macropsidae*. U.S. Department of Agriculture, Agriculture Research Service. 261 pp.
- Metcalf, Z.P. 1966c. *General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 15. Iassidae*. U.S. Department of Agriculture, Agriculture Research Service. 229 pp.

- Metcalf, Z.P. 1966d. General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 16.
Idioceridae. U.S. Department of Agriculture, Agriculture Research Service. 237 pp.
- Metcalf, Z.P. 1967a. General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 10.
Section I. Euscelidae. U.S. Department of Agriculture, Agriculture Research Service. 1077 pp.
- Metcalf, Z.P. 1967b. General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 10.
Section II. Euscelidae. U.S. Department of Agriculture, Agriculture Research Service. pp. 1078-2074.
- Metcalf, Z.P. 1967c. General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 10.
Section III. Euscelidae. U.S. Department of Agriculture, Agriculture Research Service. pp. 2075-2695.
- Metcalf, Z.P. 1968a. General Catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 17.
Cicadellidae. U.S. Department of Agriculture, Agriculture Research Service. 1513 pp.
- Oman, P.W., W.J. Knight & M.W. Nielson. 1990. Leafhoppers (Cicadellidae): a Bibliography, Generic Check-list and Index to the World Literature 1956-1985. CAB International Institute of Entomology, Wallingford, UK. [iv] + 368 pp.

Checklist of Species and Subspecies

[Alphabetized by genus]

- Abana puella Schmidt
 Abana puella Schmidt 1928a:51 [n.sp.]; Metcalf
 1965a,6(1):644 [Cat.]
 DISTRIBUTION: Ecuador (Metcalf Cat.)
- Abana (Abana) dives (Walker)
 Aulacizes dives Walker 1851b:791 [n.sp.]; Metcalf
 1965a,6(1):644 [Cat.]
 DISTRIBUTION: Colombia, Ecuador (Metcalf Cat.)
- Abana (Abana) drusilla Distant
 Abana drusilla Distant 1908b:73 [n.sp.]; Metcalf
 1965a,6(1):645 [Cat.]
 DISTRIBUTION: Ecuador (Metcalf Cat.)
- Abana (Abana) gigas (Fowler)
 Amblydisca gigas Fowler 1898a:212 [n.sp.]; Metcalf
 1965a,6(1):645 [Cat.]
 DISTRIBUTION: Costa Rica, Panama (Metcalf Cat.)
- Abana (Abana) tissa Distant
 Abana tissa Distant 1908b:73 [n.sp.]; Metcalf
 1965a,6(1):645 [Cat.]
 DISTRIBUTION: Ecuador (Metcalf Cat.)
- Abana (Mesobana) haupti Melichar
 Abana haupti Melichar 1926a:324 [n.sp.]; Metcalf
 1965a,6(1):645 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Abana (Mesobana) horvathi (Jacobi)
 Amblydisca horvathi Jacobi 1905c:166 [n.sp.];
 Metcalf 1965a,6(1):645 [Cat.]
 DISTRIBUTION: Peru, Bolivia, Ecuador (Metcalf
 Cat.)
- Abana (Mesobana) pomposula (Jacobi)
 Amblydisca pomposula Jacobi 1905c:167 [n.sp.];
 Metcalf 1965a,6(1):646 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Abana (Mesobana) regia Melichar
 Abana regia Melichar 1926a:324 [n.sp.]; Metcalf
 1965a,6(1):646 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Abana (Mesobana) sonora Melichar
 Abana sonora Melichar 1926a:324 [n.sp.]; Metcalf
 1965a,6(1):646 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Abana (Mesobana) subfasciata Melichar
 Abana subfasciata Melichar 1926a:325 [n.sp.];
 Metcalf 1965a,6(1):646 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Abana (Mesobana) subfasciata albidiipennis Melichar
 Abana subfasciata albidiipennis Melichar 1926a:325
 [n.subsp. of subfasciata]; Metcalf 1965a,6(1):646
 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Aceratagallia (Aceratagallia) abrupta Oman
 Aceratagallia abrupta Oman 1933b:52 [n.sp.]; Metcalf
 1966a,6(14):112 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) accola Oman
 Aceratagallia accola Oman 1933b:57 [n.sp.]; Metcalf
 1966a,6(14):112 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) arida Oman
 Aceratagallia arida Oman 1933b:64 [n.sp.]; Metcalf
 1966a,6(14):113 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Aceratagallia (Aceratagallia) calcaris Oman
 Aceratagallia calcaris Oman 1933b:50 [n.sp.]; Metcalf
 1966a,6(14):113 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) californica (Baker)
 Agallia californica Baker 1898b:199 [n.sp.]; Metcalf
 1966a,6(14):113 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Aceratagallia (Aceratagallia) cinerea (Osborn & Ball)
 Agallia cinerea Osborn & Ball 1898d:48 [n.sp.];
 Metcalf 1966a,6(14):114 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Aceratagallia (Aceratagallia) compacta Oman
 Aceratagallia robusta compacta Oman 1933b:51
 [n.sp.]; Metcalf 1966a,6(14):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) curta Oman
 Aceratagallia curta Oman 1933b:64 [n.sp.]; Metcalf
 1966a,6(14):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) curvata Oman
 Aceratagallia curvata Oman 1933b:61 [n.sp.]; Metcalf
 1966a,6(14):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aceratagallia (Aceratagallia) fuscoscripta Oman
 Aceratagallia fuscoscripta Oman 1933b:61 [n.sp.];
 Metcalf 1966a,6(14):116 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Aceratagallia (Aceratagallia) gillettei (Osborn & Ball)
 Agallia gillettei Osborn & Ball 1898d:60 [n.sp.];
 Metcalf 1966a,6(14):117 [Cat.]
 DISTRIBUTION: United States, Mexico, West Indies
 (Metcalf Cat.)
- Aceratagallia (Aceratagallia) helveola Oman
 Aceratagallia cinerea helveola Oman 1933b:54 [n.sp.];
 Metcalf 1966a,6(14):118 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) humilis Oman
Aceratagallia humilis Oman 1933b:49 [n.sp.]; Metcalf 1966a,6(14):118 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) inconspicua (Baker)
Agallia inconspicua Baker 1898b:198 [n.subsp. of *sanguinolenta*]; Metcalf 1966a,6(14):118 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) longula (Van Duzee)
Agallia longula Van Duzee 1894b:92 [n.sp.]; Metcalf 1966a,6(14):119 [Cat.]
- Agallia lyrata* Baker 1898b:199 [n.sp.]; Metcalf 1966a,6(14):119 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Aceratagallia (Aceratagallia) nana Oman
Aceratagallia nana Oman 1933b:55 [n.sp.]; Metcalf 1966a,6(14):120 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) nanella Oman
Aceratagallia nanella Oman 1933b:56 [n.sp.]; Metcalf 1966a,6(14):120 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) nitidula Oman
Aceratagallia nitidula Oman 1933b:52 [n.sp.]; Metcalf 1966a,6(14):121 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) obscura Oman
Aceratagallia obscura Oman 1933b:63 [n.sp.]; Metcalf 1966a,6(14):121 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) pallida Oman
Aceratagallia pallida Oman 1933b:53 [n.sp.]; Metcalf 1966a,6(14):121 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) poudris Oman
Aceratagallia robusta poudris Oman 1933b:57 [n.sp.]; Metcalf 1966a,6(14):122 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) robusta Oman
Aceratagallia robusta Oman 1933b:48 [n.sp.]; Metcalf 1966a,6(14):122 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) sanguinolenta (Provancher)
Bythoscopus sanguinolentus Provancher 1872c:376 [n.sp.]; Metcalf 1966a,6(14):122 [Cat.]
- Bythoscopus siccifolius* Uhler 1876a:359 [n.sp.]; Metcalf 1966a,6(14):122 [Cat.]
- DISTRIBUTION:** United States, Canada, Mexico, Atlantic Ocean: Bermuda Island, Argentina, West Indies (Metcalf Cat.)
Aceratagallia (Aceratagallia) sordida Oman
Aceratagallia sordida Oman 1933b:58 [n.sp.]; Metcalf 1966a,6(14):132 [Cat.]
- DISTRIBUTION:** Mexico, United States, Guatemala, Costa Rica, Honduras (Metcalf Cat.)
Aceratagallia (Aceratagallia) texana Oman
Aceratagallia texana Oman 1933b:51 [n.sp.]; Metcalf 1966a,6(14):133 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) truncata Oman
Aceratagallia humilis truncata Oman 1935a:13 [n.sp.]; Metcalf 1966a,6(14):133 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) uhleri (Van Duzee)
Agallia uhleri Van Duzee 1894b:91 [n.sp.]; Metcalf 1966a,6(14):133 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Aceratagallia) vulgaris Oman
Aceratagallia vulgaris Oman 1933b:60 [n.sp.]; Metcalf 1966a,6(14):135 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Aceratagallia (Ionia) triunata (Ball)
Ionia triunata Ball 1933c:226 [n.sp.]; Metcalf 1966a,6(14):111 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Acharista maculata Melichar
Acharista maculata Melichar 1925a:369 [n.sp.]; Metcalf 1965a,6(1):558 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
Acharista variolata Melichar
Acharista variolata Melichar 1925a:369 [n.sp.]; Metcalf 1965a,6(1):559 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
Achrus flavovirens Lindberg
Achrus flavovirens Lindberg 1925a:110 [n.sp.]; Metcalf 1966a,6(14):165 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
Achrus nigrorufus Lindberg
Achrus nigrorufus Lindberg 1925a:110 [n.sp.]; Metcalf 1966a,6(14):165 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Achrus robustus Lindberg
Achrus robustus Lindberg 1929a:51 [n.sp.]; Metcalf 1966a,6(14):166 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Acinopterus acuminatus Van Duzee
Acinopterus acuminatus Van Duzee 1892e: 308 [n.sp.]; Metcalf 1967a, 6(10a): 1008 [Cat.]
- DISTRIBUTION:** United States, West Indies, Mexico (Metcalf Cat.)
Acinopterus angulatus Lawson
Acinopterus angulatus Lawson 1922b: 119 [n.sp.]; Metcalf 1967a, 6(10a): 1011 [Cat.]

- Acinopterus spatus* Lawson 1930a: 136 [n.sp.];
Metcalf 1967a, 6(10a): 1011 [Cat.]

DISTRIBUTION: United States, West Indies, Mexico,
Brazil, Colombia (Metcalf Cat.)

Acinopterus brunneus Ball
Acinopterus brunneus Ball 1903b: 231 [n.subsp. of
acuminatus]; Metcalf 1967a, 6(10a): 1012 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus corniger Beamer & Lawson
Acinopterus corniger Beamer & Lawson 1938a: 481
[n.sp.]; Metcalf 1967a, 6(10a): 1013 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus excavatus Beamer & Lawson
Acinopterus excavatus Beamer & Lawson 1938a: 482
[n.sp.]; Metcalf 1967a, 6(10a): 1013 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus fuscifrons Lawson
Acinopterus fuscifrons Lawson 1931b: 59 [n.sp.];
Metcalf 1967a, 6(10a): 1014 [Cat.]

DISTRIBUTION: United States, Mexico (Metcalf
Cat.)

Acinopterus inflatus Lawson
Acinopterus bakeri Lawson 1927b: 233 [n.sp.];
Metcalf 1967a, 6(10a): 1014 [Cat.]

Acinopterus inflatus Lawson 1927b: 233 [n.sp.];
Metcalf 1967a, 6(10a): 1014 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus inornatus (Baker)
Phlepsius inornatus Baker 1895b: 13 [n.sp.]; Metcalf
1967a, 6(10a): 1014 [Cat.]

Acinopterus aridellus Osborn 1925a: 22 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

Acinopterus arizonicus Lawson 1927b: 234 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

Acinopterus balli Lawson 1927b: 236 [n.sp.]; Metcalf
1967a, 6(10a): 1015 [Cat.]

Acinopterus catalinanus Lawson 1927b: 237 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

Acinopterus lactus Lawson 1927b: 233 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

Acinopterus parvulus Lawson 1927b: 237 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

Acinopterus pruinosus Lawson 1927b: 235 [n.sp.];
Metcalf 1967a, 6(10a): 1015 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus molestus Beamer & Lawton
Acinopterus molestus Beamer & Lawton 1938a: 484
[n.sp.]; Metcalf 1967a, 6(10a): 1017 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus morongoensis Knoll
Acinopterus morongoensis Knoll 1944a: 62 [n.sp.];
Metcalf 1967a, 6(10a): 1017 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus obtutus Lawson
Acinopterus obtutus Lawson 1922b: 127 [n.sp.];
Metcalf 1967a, 6(10a): 1017 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus parallelus Beamer
Acinopterus parallelus Beamer 1944a: 21 [n.sp.];
Metcalf 1967a, 6(10a): 1017 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus pennatus Beamer & Lawson
Acinopterus pennatus Beamer & Lawson 1938a: 481
[n.sp.]; Metcalf 1967a, 6(10a): 1018 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus plenus Beamer & Lawson
Acinopterus plenus Beamer & Lawson 1938a: 480
[n.sp.]; Metcalf 1967a, 6(10a): 1018 [Cat.]

DISTRIBUTION: United States, Mexico (Metcalf
Cat.)

Acinopterus productus Lawson
Acinopterus productus Lawson 1922b: 122 [n.sp.];
Metcalf 1967a, 6(10a): 1018 [Cat.]

Acinopterus albidus Lawson 1927b: 236 [n.subsp. of
productus]; Metcalf 1967a, 6(10a): 1018 [Cat.]

Acinopterus doeringi Lawson 1927b: 235 [n.sp.];
Metcalf 1967a, 6(10a): 1018 [Cat.]

Acinopterus fulvus Lawson 1927b: 236 [n.subsp. of
productus]; Metcalf 1967a, 6(10a): 1018 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus pulchellus Lawson
Acinopterus pulchellus Lawson 1927b: 232 [n.sp.];
Metcalf 1967a, 6(10a): 1019 [Cat.]

DISTRIBUTION: United States, Mexico (Metcalf
Cat.)

Acinopterus quadricornis Beamer & Lawson
Acinopterus quadricornis Beamer & Lawson 1938a:
485 [n.sp.]; Metcalf 1967a, 6(10a): 1019 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus reticulatus Beamer & Lawson
Acinopterus reticulatus Beamer & Lawson 1938a: 482
[n.sp.]; Metcalf 1967a, 6(10a): 1020 [Cat.]

DISTRIBUTION: United States, Mexico (Metcalf
Cat.)

Acinopterus rileyi Lawson
Acinopterus rileyi Lawson 1927b: 233 [n.sp.]; Metcalf
1967a, 6(10a): 1020 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus rostratus Beamer & Lawson
Acinopterus rostratus Beamer & Lawson 1938a: 481
[n.sp.]; Metcalf 1967a, 6(10a): 1020 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus rubicundus Beamer & Lawson
Acinopterus rubicundus Beamer & Lawson 1938a:
477 [n.sp.]; Metcalf 1967a, 6(10a): 1020 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Acinopterus rubrus Lawson
Acinopterus longipennis Lawson 1931b: 60 [n.sp.];
Metcalf 1967a, 6(10a): 1020 [Cat.]

Acinopterus rubrus Lawson 1931b: 59 [n.sp.]; Metcalf
1967a, 6(10a): 1020 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

- Acinopterus viridis* Ball
Acinopterus viridis Ball 1903b: 231 [n.subsp. of *acuminatus*]; Metcalf 1967a, 6(10a): 1021 [Cat.]
DISTRIBUTION: United States, Mexico, Canada (Metcalf Cat.)
- Acinopterus viridis variegatus* Ball (erroneously headed as *acuminatus* [sic] *variegatus*)
Acinopterus viridis variegatus Ball 1903b: 231 [n.subsp. of *acuminatus*]; Metcalf 1967a, 6(10a): 1022 [Cat.]
- Acinopterus pallidus* Lawson 1922b: 116 [n.sp.]; Metcalf 1967a, 6(10a): 1023 [Cat.]
- Acinopterus elongatus* Lawson 1927b: 233 [n.sp.]; Metcalf 1967a, 6(10a): 1023 [Cat.]
- Acinopterus latus* Lawson 1927b: 233 [n.sp.]; Metcalf 1967a, 6(10a): 1023 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acocoelidia anomala* DeLong
Acocoelidia anomala DeLong 1953a: 131 [n.sp.]; Metcalf 1964b, 6(11): 113 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Acocoelidia unipuncta* DeLong
Acocoelidia unipuncta DeLong 1953a: 130 [n.sp.]; Metcalf 1964b, 6(11): 114 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Aconura acuminata* Naudé
Aconura acuminata Naudé 1926a: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1588 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Aconura amitina* (Melichar)
Deltocephalus amitina Melichar 1902c: 143 [n.sp.]; Metcalf 1967b, 6(10b): 1588 [Cat.]
DISTRIBUTION: Iran, Afghanistan, Russia, Georgia, Azerbaijan, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Aconura atrata* Distant
Aconura atrata Distant 1918b: 77 [n.sp.]; Metcalf 1967b, 6(10b): 1589 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Aconura biglumis* Matsumura
Aconura biglumis Matsumura 1914a: 231 [n.sp.]; Metcalf 1967b, 6(10b): 1589 [Cat.]
DISTRIBUTION: Japan, Taiwan, Hong Kong, China (Metcalf Cat.)
- Aconura bipunctella* Matsumura
Aconura bipunctella Matsumura 1914a: 232 [n.sp.]; Metcalf 1967b, 6(10b): 1589 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Aconura breviceps* Matsumura
Aconura breviceps Matsumura 1914a: 230 [n.sp.]; Metcalf 1967b, 6(10b): 1589 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Aconura ceresensis* Naudé
Aconura ceresensis Naudé 1926a: 54 [n.sp.]; Metcalf 1967b, 6(10b): 1589 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Aconura colombensis* Melichar
Aconura colombensis Melichar 1903b: 187 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: Sri Lanka, East Indonesia (Metcalf Cat.)
- Aconura compta* Naudé
Aconura compta Naudé 1926a: 56 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Aconura diminuta* Matsumura
Aconura diminuta Matsumura 1914a: 231 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Aconura dindorensis* Singh-Pruthi
Aconura dindorensis Singh-Pruthi 1930a: 38 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Aconura grandis* Matsumura
Aconura grandis Matsumura 1914a: 229 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: Japan, Taiwan, Hong Kong, China (Metcalf Cat.)
- Aconura hispana* Puton
Aconura hispana Puton 1895a: 90 [n.sp.]; Metcalf 1967b, 6(10b): 1590 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Aconura ingrata* Jacobi
Aconura ingrata Jacobi 1941a: 307 [n.sp.]; Metcalf 1967b, 6(10b): 1591 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Aconura instabilis* Ribaut
Aconura instabilis Ribaut 1948a: 7 [n.sp.]; Metcalf 1967b, 6(10b): 1591 [Cat.]
DISTRIBUTION: Cyprus, Greece (Metcalf Cat.)
- Aconura jakowlefi* Lethierry
Aconura jakowlefi Lethierry 1876a: Ixxxv [n.sp.]; Metcalf 1967b, 6(10b): 1591 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Aconura nitobei* Matsumura
Aconura nitobei Matsumura 1914a: 229 [n.sp.]; Metcalf 1967b, 6(10b): 1592 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Aconura ogloblini* Kusnezov
Aconura ogloblini Kusnezov 1928c: 48 [n.sp.]; Metcalf 1967b, 6(10b): 1592 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Aconura pallifrons* Horváth
Aconura margaritacea Horváth 1897b: 630 [n.sp.]; Metcalf 1967b, 6(10b): 1592 [Cat.]
- Aconura pallifrons* Horváth 1897b: 630 [n.sp.]; Metcalf 1967b, 6(10b): 1592 [Cat.]
- Aconura acuticeps* Ribaut 1948a: 9 [n.sp.]; Metcalf 1967b, 6(10b): 1593 [Cat.]
DISTRIBUTION: Hungary, Serbia, Cyprus, Iraq (Metcalf Cat.)
- Aconura pictiventris* Kusnezov

- Aconura pictiventris* Kusnezov 1929b: 178 [n.sp.];
 Metcalf 1967b, 6(10b): 1593 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Aconura producta* Matsumura
Aconura producta Matsumura 1902a: 385 [n.sp.];
 Metcalf 1967b, 6(10b): 1593 [Cat.]
DISTRIBUTION: Japan, China, Taiwan, Korea
 (Metcalf Cat.)
- Aconura quadrum* (Herrick-Schaeffer)
Jassus quadrum Herrick-Schaeffer 1838a: 2 [n.sp.];
 Metcalf 1967b, 6(10b): 1594 [Cat.]
- Aconura putoni* Lethierry 1885a: 111 [n.sp.]; Metcalf
 1967b, 6(10b): 1594 [Cat.]
DISTRIBUTION: Hungary, Yugoslavia (Metcalf Cat.)
- Aconura ragusai* Melichar
Aconura ragusai Melichar 1914c: 260 [n.sp.]; Metcalf
 1967b, 6(10b): 1594 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Aconura rubrofasciata* Matsumura
Aconura rubrofasciata Matsumura 1914a: 230 [n.sp.];
 Metcalf 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Aconura sagittaria* Naudé
Aconura sagittaria Naudé 1926a: 54 [n.sp.]; Metcalf
 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Aconura sibirica* Lethierry
Aconura sibirica Lethierry 1888b: 252 [n.sp.]; Metcalf
 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Aconura solitaria* Melichar
Aconura solitaria Melichar 1903b: 188 [n.sp.]; Metcalf
 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Aconura terauchii* Matsumura
Aconura terauchii Matsumura 1915a: 163 [n.sp.];
 Metcalf 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Aconura tolla* Singh-Pruthi
Aconura tolla Singh-Pruthi 1930a: 39 [n.sp.]; Metcalf
 1967b, 6(10b): 1595 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Aconura volgensis* Lethierry
Aconura volgensis Lethierry 1876a: lxxxvi [n.sp.];
 Metcalf 1967b, 6(10b): 1596 [Cat.]
DISTRIBUTION: Russia, Turkey, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan
 (Metcalf Cat.)
- Aconurella prolixa* (Lethierry)
Thamnotettix prolixa Lethierry 1885b: 102 [n.sp.];
 Metcalf 1967b, 6(10b): 1597 [Cat.]
- Thamnotettix sanguisuga* Lindberg 1927c: 88 [n.sp.];
 Metcalf 1967b, 6(10b): 1597 [Cat.]
DISTRIBUTION: France, Russia, Georgia,
 Azerbaijan, Serbia, Spain, Sudan, Iraq, France,
- Canary Islands, Italy, Romania, Portugal (Metcalf
 Cat.)
- Aconuromimus flavidiventris* (Stål)
Jassus (*Deltocephalus*) *flavidiventris* Stål 1859b: 294
 [n.sp.]; Metcalf 1967b, 6(10b): 1598 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Acopsis viridicans* Amyot & Serville
Acopsis viridicans Amyot & Serville 1843a:574
 [n.sp.]; Metcalf 1965a, 6(1): 428 [Cat.]
DISTRIBUTION: Mauritius, Madagascar (Young
 1986a)
- Acostemana albida* Evans
Acostemana albida Evans 1954a: 117 [n.sp.]; Metcalf
 1966c, 6(15): 207 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma bicolorata* Evans
Acostemma bicolorata Evans 1954a: 117 [n.sp.];
 Metcalf 1966c, 6(15): 194 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma gardineri* (Distant)
Acropona gardineri Distant 1917a: 315 [n.sp.]; Metcalf
 1966c, 6(15): 194 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands
 (Metcalf Cat.)
- Acostemma indigena* (Jacobi)
Acropona indigena Jacobi 1917a: 550 [n.sp.]; Metcalf
 1966c, 6(15): 194 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma lucida* (Schaum)
Selenocephalus lucidus Schaum 1853a: 359 [n.sp.];
 Metcalf 1966c, 6(15): 194 [Cat.]
DISTRIBUTION: Mozambique, Tanzania,
 Madagascar (Metcalf Cat.)
- Acostemma marginalis* Signoret
Acostemma marginalis Signoret 1860a: 205 [n.sp.];
 Metcalf 1966c, 6(15): 195 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma sladeni* (Distant)
Acropona sladeni Distant 1917a: 315 [n.sp.]; Metcalf
 1966c, 6(15): 195 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands
 (Metcalf Cat.)
- Acostemma subcoeca* (Jacobi)
Acropona subcoeca Jacobi 1917a: 551 [n.sp.]; Metcalf
 1966c, 6(15): 195 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma sulcifrons* (Signoret)
Selenocephalus sulcifrons Signoret 1886a: 29 [n.sp.];
 Metcalf 1966c, 6(15): 195 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma viridipennis* Signoret
Acostemma viridipennis Signoret 1860a: 205 [n.sp.];
 Metcalf 1966c, 6(15): 196 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acostemma walkeri* (Kirkaldy)

- Gypona prasina* Walker 1858b:258 [n.sp.]; Metcalf 1966c,6(15):196 [Cat.]
- Titia walkeri* Kirkaldy 1900d:294 [nom.nov. for *Gypona prasina* Walker 1858]; Metcalf 1966c,6(15):196 [Cat.]
- DISTRIBUTION: Sri Lanka, Indian Ocean; Seychelles Islands, Oceania; Maldives Islands, India, Zaire (Metcalf Cat.)
- Acostemmella rubra* Evans
- Acostemmella rubra Evans 1954a:120 [n.sp.]; Metcalf 1966c,6(15):207 [Cat.]
- DISTRIBUTION: Madagascar (Metcalf Cat.)
- Acrobelus delphinus* Noualhier
- Acrobelus delphinus Noualhier 1896a:258 [n.sp.]; Metcalf 1965a,6(1):472 [Cat.]
- DISTRIBUTION: Indo-China (Metcalf Cat.)
- Acrobelus reflexus* (Signoret)
- Raphirhinus [sic] attenuatus Walker 1851b:806 [n.sp.]; Metcalf 1965a,6(1):471 [Cat.; priority error]
- Tettigonia reflexa* Signoret 1855c:524 [nom.nov. of Raphirhinus attenuatus Walker 1851b:806]; Metcalf 1965a,6(1):471 [Cat.; priority error, ICZN Art. 59b]
- DISTRIBUTION: Costa Rica (Young 1968a)
- Acrocampa dorsivitta* (Walker)
- Cicus dorsivitta Walker 1851b:802 [n.sp.]; Metcalf 1965a,6(1):518 [Cat.]
- DISTRIBUTION: Suriname, French Guiana, Brazil (Young 1968a)
- Acrocampa integra* Melichar
- Acrocampa integra Melichar 1925a:339 [n.sp.]; Metcalf 1965a,6(1):519 [Cat.]
- DISTRIBUTION: Venezuela, Trinidad (Young 1968a)
- Acrocampa maculata* (Walker)
- Cicus maculatus Walker 1851b:801 [n.sp.]; Metcalf 1965a,6(1):519 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Acrocampa olivacea* Stål
- Acrocampa olivacea Stål 1869a:67 [n.sp.]; Metcalf 1965a,6(1):519 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Acrocampa pallipes* (Fabricius)
- Fulgora pallipes Fabricius 1787a:261 [n.sp.]; Metcalf 1965a,6(1):519 [Cat.]
 - Cicada rutilans Fabricius 1803a:64 [n.sp.]; Metcalf 1965a,6(1):520 [Cat.]
- Cicus diminutus* Walker 1851b:801 [n.sp.]; Metcalf 1965a,6(1):520 [Cat.]
- DISTRIBUTION: Venezuela, French Guiana, Trinidad (Young 1968a)
- Acrocampa rufa* Melichar
- Acrocampa rufa Melichar 1925a:339 [n.sp.]; Metcalf 1965a,6(1):521 [Cat.]
- DISTRIBUTION: French Guiana, Brazil, Guyana (Metcalf Cat.)
- Acrogonia fabricii* Metcalf
- Cicada lateralis Fabricius 1803a:5,64 [n.sp.]; Metcalf 1965a,6(1):415 [Cat.]
- Acrogonia fabricii* Metcalf 1965a:415 [nom.nov. for Cicada lateralis Fabricius 1803]; Metcalf 1965a,6(1):415 [Cat.]
- DISTRIBUTION: South America (Metcalf Cat.)
- Acrogonia flaveola* (Fabricius)
- Cicada flaveola Fabricius 1803a:5,65 [n.sp.]; Metcalf 1965a,6(1):415 [Cat.]
- DISTRIBUTION: South America (Young 1968a)
- Acrogonia plana* (Fabricius)
- Fulgora plana Fabricius 1787a:261 [n.sp.]; Metcalf 1965a,6(1):416 [Cat.]
 - Cicada punctata Fabricius 1803a:64 [n.sp.]; Metcalf 1965a,6(1):416 [Cat.]
 - Cicada pustulata Fabricius 1803a:6 [nom.nov. for Cicada punctata Fabricius 1803a:64]; Metcalf 1965a,6(1):416 [Cat.]
- DISTRIBUTION: French Guiana, Brazil (Metcalf Cat.)
- Acunasus brunneus* DeLong
- Acunasus brunneus DeLong 1945f: 200 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus capitatus* DeLong
- Acunasus capitatus DeLong 1945f: 204 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus clavatus* DeLong
- Acunasus clavatus DeLong 1945f: 204 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus cruciatus* DeLong
- Acunasus cruciatus DeLong 1945f: 200 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus hyalinus* DeLong
- Acunasus hyalinus DeLong 1945f: 202 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus luteus* DeLong
- Acunasus luteus DeLong 1945f: 205 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus nigriviridis* DeLong
- Acunasus nigriviridis DeLong 1945f: 199 [n.sp.]; Metcalf 1967c, 6(10c): 2177 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acunasus venosus* DeLong
- Acunasus venosus DeLong 1945f: 199 [n.sp.]; Metcalf 1967c, 6(10c): 2177 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Acurhinus maculatus* (Osborn)

- Dorydium maculatum* Osborn 1909a: 464 [n.sp.]; Metcalf 1967c, 6(10c): 2340 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Acusana condensa* DeLong
Acusana condensa DeLong 1942d:62 [n.sp.]; Metcalf 1962b,6(3):120 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana frondosa* DeLong
Acusana frondosa DeLong 1942d:63 [n.sp.]; Metcalf 1962b,6(3):120 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana generosa* DeLong
Acusana generosa DeLong 1942d:59 [n.sp.]; Metcalf 1962b,6(3):121 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana insignita* DeLong
Acusana insignita DeLong 1942d:60 [n.sp.]; Metcalf 1962b,6(3):121 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana insignita fastigor* DeLong
Acusana fastigor DeLong 1942d:61 [n.subsp. of *insignita*]; Metcalf 1962b,6(3):121 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana meditabunda* (Spångberg)
Gypona meditabunda Spångberg 1878a:39 [n.sp.]; Metcalf 1962b,6(3):121 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana nigromarginata* Metcalf & Bruner
Acusana nigromarginata Metcalf & Bruner 1949a:96 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Acusana prostrata* DeLong
Acusana prostrata DeLong 1942d:59 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana rota* DeLong
Acusana rota DeLong 1942d:60 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana teres* DeLong
Acusana teres DeLong 1942d:61 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana tympana* DeLong
Acusana tympana DeLong 1942d:63 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Acusana veprecula* DeLong
Acusana veprecula DeLong 1942d:58 [n.sp.]; Metcalf 1962b,6(3):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Adarrus falcatus* Linnavuori
Adarrus falcatus Linnavuori 1952d: 40 [n.sp.]; Metcalf 1967b, 6(10b): 1427 [Cat.]
DISTRIBUTION: Yugoslavia (Metcalf Cat.)
- Adarrus pygmaeus* (Horváth)
Deltocephalus pygmaeus Horváth 1897b: 634 [n.sp.]; Metcalf 1967b, 6(10b): 1427 [Cat.]
Deltocephalus tenuiculus Dlabola 1946b: 100 [n.sp.]; Metcalf 1967b, 6(10b): 1427 [Cat.]
DISTRIBUTION: Hungary, Czech Republic (Metcalf Cat.)
- Adarrus* (*Adarrus*) *exornatus* Ribaut
Adarrus (*Adarrus*) *exornatus* Ribaut 1952a: 267 [n.sp.]; Metcalf 1967b, 6(10b): 1428 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Adarrus* (*Adarrus*) *multinotatus* (Boheman)
Deltocephalus multinotatus Boheman 1847b: 264 [n.sp.]; Metcalf 1967b, 6(10b): 1428 [Cat.]
- Jassus* (*Deltocephalus*) *micantulus* Kirschbaum 1868b: 145 [n.sp.]; Metcalf 1967b, 6(10b): 1428 [Cat.]
- Deltocephalus thoracicus* Fieber 1869a: 207 [n.sp.]; Metcalf 1967b, 6(10b): 1428 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain, Russia, Northern Africa, Turkey, Korea (Metcalf Cat.)
- Adarrus* (*Adarrus*) *multinotatus mayri* (Fieber)
Deltocephalus multinotatus mayri Fieber 1869a: 207 [n.sp.]; Metcalf 1967b, 6(10b): 1433 [Cat.]
DISTRIBUTION: Austria, France, Germany, Italy, Belgium, Hungary, Netherlands (Metcalf Cat.)
- Adarrus* (*Belaunus*) *bellevoyei* (Puton)
Deltocephalus bellevoyei Puton 1877a: xxv [n.sp.]; Metcalf 1967b, 6(10b): 1435 [Cat.]
DISTRIBUTION: France, Russia, Belgium, Germany, Bulgaria (Metcalf Cat.)
- Adarrus* (*Belaunus*) *duodecimguttatus* (Cerutti)
Deltocephalus duodecimguttatus Cerutti 1938a: 191 [n.sp.]; Metcalf 1967b, 6(10b): 1436 [Cat.]
DISTRIBUTION: Switzerland, France (Metcalf Cat.)
- Adarrus* (*Belaunus*) *geniculatus* Ribaut
Adarrus (*Belaunus*) *geniculatus* Ribaut 1952a: 268 [n.sp.]; Metcalf 1967b, 6(10b): 1436 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Adarrus* (*Belaunus*) *taurus* Ribaut
Adarrus (*Belaunus*) *taurus* Ribaut 1952a: 269 [n.sp.]; Metcalf 1967b, 6(10b): 1436 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Adelungia breviceps* Kusnezov
Adelungia breviceps Kusnezov 1931d:103 [n.sp.]; Metcalf 1966a,6(14):170 [Cat.]
DISTRIBUTION: Kazakhstan, Turkmenistan (Metcalf Cat.)
- Adelungia calligoni* Oshanin
Adelungia calligoni Oshanin 1908a:467 [n.sp.]; Metcalf 1966a,6(14):170 [Cat.]
DISTRIBUTION: Kazakhstan, Turkmenistan, Turkey (Metcalf Cat.)
- Adelungia elegans* Melichar
Adelungia elegans Melichar 1902c:135 [n.sp.]; Metcalf 1966a,6(14):170 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)

- Adiaerotoma eupelicooides* Spinola
Adiaerotoma eupelicooides Spinola 1850b: 131 [n.sp.]; Metcalf 1966d, 6(16): 234 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Aeternus hieroglyphicus* Distant
Aeternus hieroglyphicus Distant 1918b:50 [n.sp.]; Metcalf 1964b,6(11):86 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Aethiopulopa bambiensis* Evans
Aethiopulopa bambiensis Evans 1947c:143 [n.sp.]; Metcalf 1962d,6(5):95 [Cat.]
DISTRIBUTION: Senegal (Metcalf Cat.)
- Aflexia rubranura* (DeLong)
Flexamia rubranura DeLong 1935a: 154 [n.sp.]; Metcalf 1967b, 6(10b): 1740 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Afrolimnus ribauti* Evans
Afrolimnus ribauti Evans 1955a: 38 [n.sp.]; Metcalf 1967b, 6(10b): 1891 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Afronirvana abrupta* Evans
Afronirvana abrupta Evans 1955b:8 [n.sp.]; Metcalf 1963b,6(7):19 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Agallia abnormis* Oman
Agallia abnormis Oman 1938a:391 [n.sp.]; Metcalf 1966a,6(14):16 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Agallia acuticauda* Oman
Agallia acuticauda Oman 1933b:28 [n.sp.]; Metcalf 1966a,6(14):16 [Cat.]
DISTRIBUTION: West Indies: Haiti (Metcalf Cat.)
- Agallia aegyptiaca* Nast
Agallia aegyptiaca Nast 1939b:34 [n.sp.]; Metcalf 1966a,6(14):16 [Cat.]
DISTRIBUTION: Egypt (Metcalf Cat.)
- Agallia albidula* Uhler
Agallia albidula Uhler 1895a:84 [n.sp.]; Metcalf 1966a,6(14):16 [Cat.]
- Agallia basiflava* Van Duzee 1907a:55 [n.sp.]; Metcalf 1966a,6(14):16 [Cat.]
DISTRIBUTION: West Indies, Brazil, Argentina, United States, Bolivia (Metcalf Cat.)
- Agallia albovenosa* Fieber
Agallia albovenosa Fieber 1868a:462 [n.sp.]; Metcalf 1966a,6(14):17 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Agallia aliena* Fieber
Agallia aliena Fieber 1868a:462 [n.sp.]; Metcalf 1966a,6(14):18 [Cat.]
DISTRIBUTION: Ukraine, Germany, Austria, Yugoslavia, Italy (Metcalf Cat.)
- Agallia antoniae* Melichar
Agallia antoniae Melichar 1907a:1036 [n.sp.]; Metcalf 1966a,6(14):18 [Cat.]
- DISTRIBUTION:** Spain, Portugal, France (Metcalf Cat.)
- Agallia arisana* Matsumura
Agallia arisana Matsumura 1912b:314 [n.sp.]; Metcalf 1966a,6(14):19 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Agallia assimilis* (Stål)
Bythoscopus assimilis Stål 1862e:55 [n.sp.]; Metcalf 1966a,6(14):19 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Agallia atra* Oman
Agallia atra Oman 1934c:454 [n.sp.]; Metcalf 1966a,6(14):19 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Agallia atromaculata* Oman
Agallia atromaculata Oman 1938a:375 [n.sp.]; Metcalf 1966a,6(14):19 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Agallia barretti* Ball
Agallia barretti Ball 1900d:128 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Agallia basalis* Oman
Agallia basalis Oman 1938a:375 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Agallia basifusca* Oman
Agallia basifusca Oman 1938a:374 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Agallia bicolor* Oman
Agallia bicolor Oman 1933b:28 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: West Indies (Metcalf Cat.)
- Agallia bidactylata* Oman
Agallia bidactylata Oman 1933b:42 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Agallia bidigitata* Oman
Agallia bidigitata Oman 1933b:36 [n.sp.]; Metcalf 1966a,6(14):20 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Agallia bifurcata* Oman
Agallia bifurcata Oman 1938a:386 [n.sp.]; Metcalf 1966a,6(14):21 [Cat.]
DISTRIBUTION: Bolivia, Paraguay, Argentina (Metcalf Cat.)
- Agallia biplagiata* Melichar
Agallia biplagiata Melichar 1903b:150 [n.sp.]; Metcalf 1966a,6(14):21 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Agallia blanda* Oman
Agallia blanda Oman 1938a:381 [n.sp.]; Metcalf 1966a,6(14):21 [Cat.]

- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Agallia brevicauda* Oman
Agallia brevicauda Oman 1938a:377 [n.sp.]; Metcalf 1966a,6(14):21 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Metcalf Cat.)
- Agallia breviceps* Matsumura
Agallia breviceps Matsumura 1912b:317 [n.sp.]; Metcalf 1966a,6(14):21 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Agallia campbelli* Distant
Agallia campbelli Distant 1916a:229 [n.sp.]; Metcalf 1966a,6(14):22 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Agallia carpathica* Melichar
Agallia carpathica Melichar 1898a:65 [n.sp.]; Metcalf 1966a,6(14):22 [Cat.]
- DISTRIBUTION:** Czech Republic, Romania, Hungary, Slovakia (Metcalf Cat.)
- Agallia caudata* Oman
Agallia caudata Oman 1938a:384 [n.sp.]; Metcalf 1966a,6(14):22 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Agallia clara* Oman
Agallia clara Oman 1938a:379 [n.sp.]; Metcalf 1966a,6(14):22 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Agallia configurata* Oman
Agallia configurata Oman 1933b:36 [n.sp.]; Metcalf 1966a,6(14):22 [Cat.]
- DISTRIBUTION:** West Indies, Brazil (Metcalf Cat.)
- Agallia consobrina* Curtis
Agallia consobrina Curtis 1833a:193 [n.sp.]; Metcalf 1966a,6(14):23 [Cat.]
- Jassus puncticeps* Germar 1837b:pl.12 [n.sp.]; Metcalf 1966a,6(14):23 [Cat.]
- Agallia versicolor* Flor 1861a:550 [n.sp.]; Metcalf 1966a,6(14):23 [Cat.]
- DISTRIBUTION:** Widespread Europe, Western Mediterranean, Great Britain, Russia, Scandinavia, Mongolia (Metcalf Cat.)
- Agallia constricta* Van Duzee
Agallia constricta Van Duzee 1894b:90 [n.sp.]; Metcalf 1966a,6(14):29 [Cat.]
- DISTRIBUTION:** United States, Cuba (Metcalf Cat.)
- Agallia constricta* cubana Oman
Agallia cubana Oman 1933b:38 [n.subsp. of *constricta*]; Metcalf 1966a,6(14):32 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
- Agallia corumba* Oman
Agallia corumba Oman 1938a:389 [n.sp.]; Metcalf 1966a,6(14):33 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Agallia cuneata* Cogan
Agallia cuneata Cogan 1916a:181 [n.sp.]; Metcalf 1966a,6(14):33 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Agallia deleta* Van Duzee
Agallia deleta Van Duzee 1909a:210 [n.sp.]; Metcalf 1966a,6(14):33 [Cat.]
- Agallia immaculata* Lathrop 1917a:120 [n.sp.]; Metcalf 1966a,6(14):33 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agallia depleta* Oman
Agallia depleta Oman 1938a:383 [n.sp.]; Metcalf 1966a,6(14):34 [Cat.]
- DISTRIBUTION:** Guyana, Brazil, Bolivia, Argentina, Venezuela (Metcalf Cat.)
- Agallia dorsalis* Lethierry
Agallia dorsalis Lethierry 1876a:lxix [n.sp.]; Metcalf 1966a,6(14):34 [Cat.]
- DISTRIBUTION:** Algeria (Metcalf Cat.)
- Agallia dorsata* Oman
Agallia dorsata Oman 1938a:369 [n.sp.]; Metcalf 1966a,6(14):34 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Agallia elongata* Lindberg
Agallia elongata Lindberg 1926c:20 [n.sp.]; Metcalf 1966a,6(14):35 [Cat.]
- DISTRIBUTION:** Siberia (Metcalf Cat.)
- Agallia excavata* Oman
Agallia excavata Oman 1933b:41 [n.subsp. of *quadripunctata*]; Metcalf 1966a,6(14):35 [Cat.]
- DISTRIBUTION:** United States, Mexico (Metcalf Cat.)
- Agallia extensa* Oman
Agallia extensa Oman 1938a:385 [n.sp.]; Metcalf 1966a,6(14):35 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Agallia fascigera* Uhler
Agallia capitata Uhler 1895a:83 [n.sp.]; Metcalf 1966a,6(14):35 [Cat.]
- Agallia fascigera* Uhler 1895a:82 [n.sp.]; Metcalf 1966a,6(14):35 [Cat.]
- DISTRIBUTION:** West Indies: Saint Vincent Island (Metcalf Cat.)
- Agallia formosana* Matsumura
Agallia formosana Matsumura 1912b:313 [n.sp.]; Metcalf 1966a,6(14):35 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Agallia frisia* Wagner
Agallia frisia Wagner 1939b:112 [n.sp.]; Metcalf 1966a,6(14):36 [Cat.]
- DISTRIBUTION:** Netherlands, Germany (Metcalf Cat.)
- Agallia fumida* Oman
Agallia fumida Oman 1938a:380 [n.sp.]; Metcalf 1966a,6(14):36 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela (Metcalf Cat.)
- Agallia halophila* Lindberg
Agallia halophila Lindberg 1954a:197 [n.sp.]; Metcalf 1966a,6(14):36 [Cat.]

- DISTRIBUTION: Canary Islands (Metcalf Cat.)
Agallia harrarensis Melichar
 Agallia harrarensis Melichar 1911a:112 [n.sp.]; Metcalf 1966a,6(14):36 [Cat.]
 DISTRIBUTION: Ethiopia (Metcalf Cat.)
Agallia hispanica Horváth
 Agallia hispanica Horváth 1900a:128 [n.sp.]; Metcalf 1966a,6(14):36 [Cat.]
 DISTRIBUTION: Spain, Portugal, Morocco (Metcalf Cat.)
Agallia hyalina Oman
 Agallia hyalina Oman 1938a:376 [n.sp.]; Metcalf 1966a,6(14):37 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Agallia hystricula Oman
 Agallia hystricula Oman 1933b:45 [n.sp.]; Metcalf 1966a,6(14):37 [Cat.]
 DISTRIBUTION: Costa Rica (Metcalf Cat.)
Agallia incerta Oman
 Agallia incerta Oman 1938a:380 [n.sp.]; Metcalf 1966a,6(14):37 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
Agallia incisa Oman
 Agallia incisa Oman 1938a:368 [n.sp.]; Metcalf 1966a,6(14):37 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Agallia incongrua Oman
 Agallia incongrua Oman 1938a:369 [n.sp.]; Metcalf 1966a,6(14):37 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
Agallia ingens Oman
 Agallia ingens Oman 1933b:43 [n.sp.]; Metcalf 1966a,6(14):38 [Cat.]
 DISTRIBUTION: Panama, Costa Rica (Metcalf Cat.)
Agallia inornata Oman
 Agallia inornata Oman 1938a:385 [n.sp.]; Metcalf 1966a,6(14):38 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Agallia insularis Berg
 Agallia insularis Berg 1884a:39 [n.sp.]; Metcalf 1966a,6(14):38 [Cat.]
 DISTRIBUTION: Argentina, Chile (Metcalf Cat.)
Agallia intermedia Lethierry
 Agallia intermedia Lethierry 1874b:444 [n.sp.]; Metcalf 1966a,6(14):38 [Cat.]
 DISTRIBUTION: Algeria, Kazakhstan, Turkmenistan (Metcalf Cat.)
Agallia interrogationis Osborn
 Agallia interrogationis Osborn 1923b:11 [n.sp.]; Metcalf 1966a,6(14):38 [Cat.]
 DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
Agallia janaka Distant
 Agallia janaka Distant 1916a:230 [n.sp.]; Metcalf 1966a,6(14):39 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Agallia lauta (Stål)
 Bythoscopus laetus Stål 1862e:55 [n.sp.]; Metcalf 1966a,6(14):39 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
Agallia limbata Kirschbaum
 Agallia dimorpha Löw 1855a:344 [n.sp.]; Metcalf 1966a,6(14):39 [Cat.]
Agallia limbata Kirschbaum 1868b:151 [n.sp.]; Metcalf 1966a,6(14):39 [Cat.]
 DISTRIBUTION: Germany, Austria, Croatia, Hungary, Serbia, Bosnia, Czech Republic (Metcalf Cat.)
Agallia lindbergi Metcalf
 Agallia insularis Lindberg 1954a:196 [n.sp.]; Metcalf 1966a,6(14):40 [Cat.]
Agallia lindbergi Metcalf 1955a:266 [nom.nov. for Agallia insularis Lindberg 1954]; Metcalf 1966a,6(14):40 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
Agallia lineata Osborn
 Agallia lineata Osborn 1923b:11 [n.sp.]; Metcalf 1966a,6(14):40 [Cat.]
 DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
Agallia lingula Van Duzee
 Agallia lingula Van Duzee 1907a:54 [n.sp.]; Metcalf 1966a,6(14):41 [Cat.]
 DISTRIBUTION: West Indies, Mexico, United States, Panama, Costa Rica, El Salvador (Metcalf Cat.)
Agallia lingulata Olsen
 Agallia lingulata Olsen 1922b:127 [n.sp.]; Metcalf 1966a,6(14):41 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Agallia liturata Van Duzee
 Agallia liturata Van Duzee 1908a:56 [n.sp.]; Metcalf 1966a,6(14):41 [Cat.]
 DISTRIBUTION: West Indies (Metcalf Cat.)
Agallia manaosa Oman
 Agallia manaosa Oman 1938a:388 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Agallia mera Van Duzee
 Agallia mera Van Duzee 1937a:123 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]
 DISTRIBUTION: Galapagos Islands (Metcalf Cat.)
Agallia minuenda Oman
 Agallia minuenda Oman 1938a:388 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Agallia minuta Melichar
 Agallia minuta Melichar 1896b:176 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]
 DISTRIBUTION: Herzegovina, Hunagry, Bosnia, Austria, Cyprus (Metcalf Cat.)
Agallia modesta Osborn & Ball
 Agallia mexicana Baker 1898b:200 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]

- Agallia modesta Osborn & Ball 1898d:47 [n.sp.]; Metcalf 1966a,6(14):42 [Cat.]
 DISTRIBUTION: Mexico, Panama, Honduras, Costa Rica, Brazil (Metcalf Cat.)
- Agallia munda Oman
 Agallia munda Oman 1933b:31 [n.sp.]; Metcalf 1966a,6(14):43 [Cat.]
 DISTRIBUTION: West Indies: Saint Vincent Island, Grenada (Metcalf Cat.)
- Agallia mutilata Breddin
 Agallia mutilata Breddin 1897a:20 [n.sp.]; Metcalf 1966a,6(14):43 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Agallia neoalbidula Oman
 Agallia neoalbidula Oman 1938a:371 [n.sp.]; Metcalf 1966a,6(14):43 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Agallia nigerrima Oman
 Agallia nigerrima Oman 1938a:390 [n.sp.]; Metcalf 1966a,6(14):43 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Agallia nigra Matsumura
 Agallia nigra Matsumura 1915a:172 [n.sp.]; Metcalf 1966a,6(14):44 [Cat.]
 DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Agallia nigrasterna Cogan
 Agallia nigrasterna Cogan 1916a:180 [n.sp.]; Metcalf 1966a,6(14):44 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Agallia nigricans Uhler
 Agallia nigricans Uhler 1895a:82 [n.sp.]; Metcalf 1966a,6(14):44 [Cat.]
 DISTRIBUTION: West Indies, Panama, Colombia (Metcalf Cat.)
- Agallia nitobei Matsumura
 Agallia nitobei Matsumura 1912b:316 [n.sp.]; Metcalf 1966a,6(14):44 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Agallia obesa Oman
 Agallia obesa Oman 1933b:40 [n.sp.]; Metcalf 1966a,6(14):45 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Agallia obscuripennis (Blanchard)
 Bythoscopus obscuripennis Blanchard 1852 [in Spinola 1852a:298] [n.sp.]; Metcalf 1966a,6(14):45 [Cat.]
 DISTRIBUTION: Chile, Colombia (Metcalf Cat.)
- Agallia obsoleta Fieber
 Agallia obsoleta Fieber 1868a:463 [n.sp.]; Metcalf 1966a,6(14):45 [Cat.]
 DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Agallia paraobusta Singh-Pruthi
 Agallia paraobusta Singh-Pruthi 1936a:104 [n.sp.]; Metcalf 1966a,6(14):45 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Agallia penaeconstricta Oman
 Agallia penaeconstricta Oman 1933b:39 [n.sp.]; Metcalf 1966a,6(14):45 [Cat.]
 DISTRIBUTION: Honduras (Metcalf Cat.)
- Agallia peregrinans (Stål)
 Bythoscopus peregrinans Stål 1859b:291 [n.sp.]; Metcalf 1966a,6(14):46 [Cat.]
 DISTRIBUTION: United States, Canada, Oceania: Hawaii Islands, Tahiti, Bolivia, Paraguay, Argentina (?) (Metcalf Cat.)
- Agallia phalerata (Stål)
 Bythoscopus phalerata Stål 1859b:292 [n.sp.]; Metcalf 1966a,6(14):47 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Agallia plana (Butler)
 Jassus planus Butler 1877c:91 [n.sp.]; Metcalf 1966a,6(14):47 [Cat.]
 DISTRIBUTION: Atlantic Ocean: Azores (Metcalf Cat.)
- Agallia plotina Distant
 Agallia plotina Distant 1908g:194 [n.sp.]; Metcalf 1966a,6(14):47 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Agallia producta Osborn & Ball
 Agallia heydei Baker 1898b:199 [n.sp.]; Metcalf 1966a,6(14):47 [Cat.]
 Agallia producta Osborn & Ball 1898d:52 [n.sp.]; Metcalf 1966a,6(14):47 [Cat.]
 DISTRIBUTION: Mexico, Honduras, United States (Metcalf Cat.)
- Agallia pulchra DeLong & Wolcott
 Agallia pulchra DeLong & Wolcott 1923 [in Wolcott 1923b:259] [n.sp.]; Metcalf 1966a,6(14):48 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Agallia pulchra alta Caldwell
 Agallia pulchra alta Caldwell 1952 [in Caldwell & Martorell 1952a:33] [n.subsp. of pulchra]; Metcalf 1966a,6(14):48 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Agallia quadrata Oman
 Agallia quadrata Oman 1938a:382 [n.sp.]; Metcalf 1966a,6(14):49 [Cat.]
 DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Agallia quadripunctata (Provancher)
 Bythoscopus quadripunctatus Provancher 1872c:376 [n.sp.]; Metcalf 1966a,6(14):49 [Cat.]
 Ulopa canadensis Van Duzee 1892d:301 [n.sp.]; Metcalf 1966a,6(14):49 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico, Cuba (Metcalf Cat.)
- Agallia repleta Van Duzee
 Agallia repleta Van Duzee 1907a:57 [n.sp.]; Metcalf 1966a,6(14):55 [Cat.]
 DISTRIBUTION: Panama, Honduras, Costa Rica, Colombia, West Indies (Metcalf Cat.)
- Agallia reticulata (Herrick-Schaeffer)

- Jassus reticulatus* Herrich-Schaeffer 1834d:4 [n.sp.];
 Metcalf 1966a,6(14):55 [Cat.]
 DISTRIBUTION: Widespread Europe,
 Mediterranean, Russia, Korea (Metcalf Cat.)
- Agallia robusta* Singh-Pruthi
 Agallia robustus Singh-Pruthi 1930a:10 [n.sp.];
 Metcalf 1966a,6(14):58 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Agallia rubicundula* Berg
 Agallia rubicundula Berg 1884a:40 [n.sp.]; Metcalf
 1966a,6(14):58 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Agallia rugosa* Distant
 Agallia rugosa Distant 1912e:607 [n.sp.]; Metcalf
 1966a,6(14):58 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Agallia sabulicola* Lindberg
 Agallia sabulicola Lindberg 1948b:137 [n.sp.];
 Metcalf 1966a,6(14):58 [Cat.]
 DISTRIBUTION: Cyprus (Metcalf Cat.)
- Agallia sinica* Jacobi
 Agallia sinica Jacobi 1944a:47 [n.sp.]; Metcalf
 1966a,6(14):58 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Agallia striolaris* (Butler)
 Jassus striolaris Butler 1877c:91 [n.sp.]; Metcalf
 1966a,6(14):59 [Cat.]
 DISTRIBUTION: Atlantic Ocean: Azores (Metcalf
 Cat.)
- Agallia tappana* Matsumura
 Agallia tappana Matsumura 1912b:313 [n.sp.];
 Metcalf 1966a,6(14):59 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Agallia teapae* Oman
 Agallia teapae Oman 1934c:453 [n.sp.]; Metcalf
 1966a,6(14):59 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Agallia tenuis* Matsumura
 Agallia tenuis Matsumura 1912b:315 [n.sp.]; Metcalf
 1966a,6(14):59 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Agallia valdiviana* Berg
 Agallia valdiviana Berg 1881b:271 [n.sp.]; Metcalf
 1966a,6(14):60 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Agalliana ancora* Oman
 Agalliana ancora Oman 1934b:334 [n.sp.]; Metcalf
 1966a,6(14):152 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Agalliana ensigera* Oman
 Agalliana ensigera Oman 1934b:336 [n.sp.]; Metcalf
 1966a,6(14):152 [Cat.]
 DISTRIBUTION: Mexico, Bolivia, Argentina, Brazil,
 Puerto Rico (Metcalf Cat.)
- Agalliana fusca* Oman 1934b:338 [n.sp.]; Metcalf
 1966a,6(14):152 [Cat.]
 DISTRIBUTION: Brazil, Bolivia, Argentina (Metcalf
 Cat.)
- Agalliana grossa* Oman
 Agalliana grossa Oman 1934b:335 [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Agalliana mediana* Oman
 Agalliana mediana Oman 1933a:407 [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Agalliana pauliana* Evans
 Agalliana pauliana Evans 1954a:105 [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Agalliana puella* Oman
 Agalliana puella Oman 1938a:406 [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Agalliana sticticollis* (Stål)
 Bythoscopus sticticollis Stål 1859b:291 [n.sp.];
 Metcalf 1966a,6(14):153 [Cat.]
- Agallia ustulata* Uhler 1895a:81 [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
- Agallia carrotovora* DeLong & Wolcott 1923 [in
 Wolcott 1923b:258] [n.sp.]; Metcalf
 1966a,6(14):153 [Cat.]
 DISTRIBUTION: Brazil, West Indies, Bolivia,
 Argentina, Uruguay, Guyana (Metcalf Cat.)
- Agalliopsis acuminata* Oman
 Agalliopsis acuminata Oman 1934c:451 [n.sp.];
 Metcalf 1966a,6(14):88 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis agrestis* Oman
 Agalliopsis agrestis Oman 1934c:449 [n.sp.]; Metcalf
 1966a,6(14):89 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis ancoralis* Oman
 Agalliopsis ancoralis Oman 1933b:21 [n.sp.]; Metcalf
 1966a,6(14):89 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis anomala* (Baker)
 Agallia anomala Baker 1898b:200 [n.sp.]; Metcalf
 1966a,6(14):89 [Cat.]
 DISTRIBUTION: Mexico, Costa Rica, Guatemala
 (Metcalf Cat.)
- Agalliopsis balli* (Baker)
 Agallia balli Baker 1900a:152 [nom.nov. for *Agallia*
 reticulata Ball 1900]; Metcalf 1966a,6(14):89
 [Cat.]
- Agallia reticulata* Ball 1900d:127 [n.sp.]; Metcalf
 1966a,6(14):89 [Cat.]
 DISTRIBUTION: West Indies: Haiti, Dominica
 Republic (Metcalf Cat.)
- Agalliopsis brunnea* Oman

- Agallia producta Baker 1898b:200 [n.sp.]; Metcalf 1966a,6(14):90 [Cat.]
- Agalliopsis brunnea Oman 1933b:19 [nom.nov. for Agallia producta Baker 1898]; Metcalf 1966a,6(14):90 [Cat.]
- DISTRIBUTION: Mexico, Honduras (Metcalf Cat.)
- Agalliopsis clitellaria (Ball)
- Agallia clitellaria Ball 1900d:127 [n.sp.]; Metcalf 1966a,6(14):90 [Cat.]
- DISTRIBUTION: West Indies: Haiti (Metcalf Cat.)
- Agalliopsis conformis Oman
- Agalliopsis conformis Oman 1933b:11 [n.sp.]; Metcalf 1966a,6(14):90 [Cat.]
- DISTRIBUTION: West Indies: Dominican Republic (Metcalf Cat.)
- Agalliopsis disparilis Oman
- Agalliopsis disparilis Oman 1938a:357 [n.sp.]; Metcalf 1966a,6(14):90 [Cat.]
- DISTRIBUTION: Colombia (Metcalf Cat.)
- Agalliopsis distincta Oman
- Agalliopsis distincta Oman 1934c:447 [n.sp.]; Metcalf 1966a,6(14):90 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis elegans Oman
- Agalliopsis elegans Oman 1938a:360 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Agalliopsis fasciata Osborn
- Agalliopsis fasciatus Osborn 1934a:164 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: Oceania: Western Samoa Islands (Metcalf Cat.)
- Agalliopsis gracilis Oman
- Agalliopsis gracilis Oman 1934c:448 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: Mexico, North America (Metcalf Cat.)
- Agalliopsis inscripta Oman
- Agalliopsis inscripta Oman 1934c:450 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: Guatemala, Honduras (Metcalf Cat.)
- Agalliopsis longipennis Oman
- Agalliopsis longipennis Oman 1934c:446 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: Mexico, North America (Metcalf Cat.)
- Agalliopsis maculata (Osborn)
- Agallia maculata Osborn 1926c:339 [n.sp.]; Metcalf 1966a,6(14):91 [Cat.]
- DISTRIBUTION: West Indies: Cuba (Metcalf Cat.)
- Agalliopsis magnifica Oman
- Agalliopsis magnifica Oman 1933b:20 [n.sp.]; Metcalf 1966a,6(14):92 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis majesta Oman
- Agalliopsis majesta Oman 1934c:452 [n.sp.]; Metcalf 1966a,6(14):92 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Agalliopsis neopepino Oman
- Agalliopsis neopepino Oman 1935a:9 [n.sp.]; Metcalf 1966a,6(14):92 [Cat.]
- DISTRIBUTION: Cuba (Metcalf Cat.)
- Agalliopsis ornata Oman
- Agalliopsis ornata Oman 1938a:359 [n.sp.]; Metcalf 1966a,6(14):92 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Agalliopsis ornaticollis Oman
- Agalliopsis ornaticollis Oman 1938a:359 [n.sp.]; Metcalf 1966a,6(14):93 [Cat.]
- DISTRIBUTION: Argentina (Metcalf Cat.)
- Agalliopsis pepino (DeLong & Wolcott)
- Agallia pepino DeLong & Wolcott 1923 [in Wolcott 1923b:258] [n.sp.]; Metcalf 1966a,6(14):93 [Cat.]
- DISTRIBUTION: West Indies (Metcalf Cat.)
- Agalliopsis peruviana Oman
- Agalliopsis peruviana Oman 1938a:355 [n.sp.]; Metcalf 1966a,6(14):94 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Agalliopsis pulchella Oman
- Agalliopsis pulchella Oman 1938a:358 [n.sp.]; Metcalf 1966a,6(14):94 [Cat.]
- DISTRIBUTION: Argentina (Metcalf Cat.)
- Agalliopsis scorea (Van Duzee)
- Agallia scorea Van Duzee 1907a:56 [n.sp.]; Metcalf 1966a,6(14):94 [Cat.]
- DISTRIBUTION: Jamaica, Cuba (Metcalf Cat.)
- Agalliopsis similis Oman
- Agalliopsis similis Oman 1934c:451 [n.sp.]; Metcalf 1966a,6(14):94 [Cat.]
- DISTRIBUTION: Mexico, North America (Metcalf Cat.)
- Agalliopsis tenella (Osborn & Ball)
- Agallia tenella Osborn & Ball 1898d:56 [n.sp.]; Metcalf 1966a,6(14):94 [Cat.]
- DISTRIBUTION: Mexico, Puerto Rico (Metcalf Cat.)
- Agalliopsis tincta Oman
- Agalliopsis tincta Oman 1938a:356 [n.sp.]; Metcalf 1966a,6(14):95 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Agalliopsis vonella Oman
- Agalliopsis vonella Oman 1938a:361 [n.sp.]; Metcalf 1966a,6(14):95 [Cat.]
- DISTRIBUTION: Colombia (Metcalf Cat.)
- Agalliopsis (Agallaria) cervina Oman
- Agalliopsis cervina Oman 1933b:16 [n.sp.]; Metcalf 1966a,6(14):102 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Agalliopsis (Agallaria) cincta Oman
- Agalliopsis cincta Oman 1933b:14 [n.sp.]; Metcalf 1966a,6(14):103 [Cat.]

- DISTRIBUTION:** United States, Jamaica, Cuba
(Metcalf Cat.)
- Agalliopsis (Agallaria) dubiosa Oman**
Agalliopsis dubiosa Oman 1933b:18 [n.sp.]; Metcalf 1966a,6(14):103 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agallaria) exilis Oman**
Agalliopsis exilis Oman 1933b:21 [n.sp.]; Metcalf 1966a,6(14):103 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agallaria) florida Oman**
Agalliopsis florida Oman 1935a:10 [n.sp.]; Metcalf 1966a,6(14):103 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agallaria) fuscosignata Oman**
Agalliopsis fuscosignata Oman 1933b:15 [n.sp.]; Metcalf 1966a,6(14):104 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agallaria) huachucae Oman**
Agalliopsis huachucae Oman 1933b:14 [n.sp.]; Metcalf 1966a,6(14):104 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agallaria) minor Oman**
Agalliopsis minor Oman 1933b:16 [n.subsp. of fuscosignata]; Metcalf 1966a,6(14):104 [Cat.]
- DISTRIBUTION:** United States, Mexico (Metcalf Cat.)
- Agalliopsis (Agallaria) oculata (Van Duzee)**
Agallia oculata Van Duzee 1890d:38 [n.sp.]; Metcalf 1966a,6(14):105 [Cat.]
- DISTRIBUTION:** United States, Canada, Mexico (Metcalf Cat.)
- Agalliopsis (Agallaria) peneoculata Oman**
Agalliopsis peneoculata Oman 1933b:17 [n.sp.]; Metcalf 1966a,6(14):106 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Agalliopsis (Agalliopsis) novella (Say)**
Jassus novellus Say 1830b:309 [n.sp.]; Metcalf 1966a,6(14):95 [Cat.]
- Macropsis nobilis** Glover 1878a:2 [n.sp.]; Metcalf 1966a,6(14):96 [Cat.]
- DISTRIBUTION:** United States, Canada, Jamaica (Metcalf Cat.)
- Agalliopsis (Agalliopsis) novella emulata Oman**
Agalliopsis emulata Oman 1938a:361 [n.subsp. of novella]; Metcalf 1966a,6(14):100 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Agalliopsis (Agalliopsis) novella tropicalis (Van Duzee)**
Agallia tropicalis Van Duzee 1907a:53 [n.subsp. of novella]; Metcalf 1966a,6(14):100 [Cat.]
- DISTRIBUTION:** Jamaica, Mexico, Costa Rica (Metcalf Cat.)
- Agalliopsis (Agalliopsis) novella vicosa Oman**
Agalliopsis vicosa Oman 1938a:362 [n.subsp. of novella]; Metcalf 1966a,6(14):101 [Cat.]
- DISTRIBUTION:** Argentina, Brazil (Metcalf Cat.)
- Agalliopsis (Agalliopsis) novellina Oman**
Agalliopsis novellina Oman 1935a:12 [n.sp.]; Metcalf 1966a,6(14):101 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agalliopsis) saxosa Ball**
Agalliopsis saxosa Ball 1936f:649 [n.sp.]; Metcalf 1966a,6(14):101 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agalliopsis (Agalliopsis) variabilis Oman**
Agalliopsis variabilis Oman 1933b:22 [n.sp.]; Metcalf 1966a,6(14):102 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Agallia punctata Oman**
Agallia punctata Oman 1938b: 393 [n.sp.]; Metcalf 1967c, 6(10c): 2462 [Cat.]
- DISTRIBUTION:** Argentina, Brazil, Paraguay (Metcalf Cat.)
- Aglena ornata (Herrich-Schaeffer)**
Jassus ornatus Herrich-Schaeffer 1838b:1 [n.sp.]; Metcalf 1965a,6(1):93 [Cat.]
- DISTRIBUTION:** Italy, Spain, Romania, France, Russia, Germany, Turkey, Morocco, Ukraine, Iran, Albania, Greece (Metcalf Cat.)
- Aglena ornata ornatula Kirkaldy**
Tettigonia pallida Walker 1851b:781 [n.sp.]; Metcalf 1965a,6(1):94 [Cat.]
- Aglena ornata ornatula Kirkaldy** 1906c:319 [n.subsp.]; nom.nov. for Tettigonia pallida Walker 1851b:781; Metcalf 1965a,6(1):94 [Cat.]
- DISTRIBUTION:** Italy, Spain (Metcalf Cat.)
- Agenita bipunctata Spinola**
Agenita bipunctata Spinola 1850b: 134 [n.sp.]; Metcalf 1966d, 6(16): 233 [Cat.]
- DISTRIBUTION:** French Guiana, Brazil (Metcalf Cat.)
- Agrica arisana (Matsumura)**
Horvathiella arisana Matsumura 1914a:235 [n.sp.]; Metcalf 1963c,6(8):224 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Aguana imbricata (Signoret)**
Tettigonia imbricata Signoret 1854d:719 [n.sp.]; Metcalf 1965a,6(1):604 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Agudus griseus Linnauori**
Agudus griseus Linnauori 1955b: 121 [n.sp.]; Metcalf 1967c, 6(10c): 2242 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Agudus longiceps (Berg)**
Platymetopius longiceps Berg 1879d: 267 [n.sp.]; Metcalf 1967c, 6(10c): 2242 [Cat.]
- DISTRIBUTION:** Argentina, Paraguay (Metcalf Cat.)

- Agudus typicus* Oman
Agudus typicus Oman 1938b: 372 [n.sp.]; Metcalf 1967c, 6(10c): 2242 [Cat.]
DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Aidola erota* (Distant)
Typhlocyba erota Distant 1908g:410 [n.sp.]; Metcalf 1968a,6(17):1480 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Aidola fumistriga* Melichar
Aidola fumistriga Melichar 1914b:143 [n.sp.]; Metcalf 1968a,6(17):1481 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Aidola orbata* (Melichar)
Typhlocyba orbata Melichar 1903b:216 [n.sp.]; Metcalf 1968a,6(17):1481 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Akotettix akonis* Matsumura
Akotettix akonis Matsumura 1931b:77 [n.sp.]; Metcalf 1968a,6(17):267 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Alaca longicauda* Oman
Alaca longicauda Oman 1938b: 386 [n.sp.]; Metcalf 1967a, 6(10a): 811 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Alaca multipunctata* (Osborn)
Agallia multipunctata Osborn 1923b: 10 [n.sp.]; Metcalf 1967a, 6(10a): 811 [Cat.]
DISTRIBUTION: Bolivia, Paraguay (Metcalf Cat.)
- Alaca wygodzinskyi* Linnauvoi
Alaca wygodzinskyi Linnauvoi 1954a: 61 [n.sp.]; Metcalf 1967a, 6(10a): 812 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Alahana erichsoni* (Distant)
Tettigoniella erichsoni Distant 1908f:137 [n.sp.]; Metcalf 1965a,6(1):261 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Alanus albidus* DeLong & Hershberger
Alanus albidus DeLong & Hershberger 1947d: 231 [n.sp.]; Metcalf 1967b, 6(10b): 1237 [Cat.]
DISTRIBUTION: Panama, Canal Zone, Mexico (Metcalf Cat.)
- Alapus acutus* Beamer & Tuthill
Alapus acutus Beamer & Tuthill 1935a: 528 [n.sp.]; Metcalf 1967b, 6(10b): 1774 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alapus angulatus* Beamer & Tuthill
Alapus angulatus Beamer & Tuthill 1935a: 529 [n.sp.]; Metcalf 1967b, 6(10b): 1774 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alapus attenuatus* Lawson
Alapus attenuatus Lawson 1932a: 29 [n.sp.]; Metcalf 1967b, 6(10b): 1775 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alapus elongatus* Beamer & Tuthill
Alapus elongatus Beamer & Tuthill 1935a: 531 [n.sp.]; Metcalf 1967b, 6(10b): 1775 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Alapus fraternus* (Ball)
Deltacephalus fraternus Ball 1911a: 201 [n.sp.]; Metcalf 1967b, 6(10b): 1775 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alapus marcidus* Beamer & Tuthill
Alapus marcidus Beamer & Tuthill 1934a: 1 [n.sp.]; Metcalf 1967b, 6(10b): 1776 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alapus mendosus* (Ball)
Deltacephalus mendosus Ball 1911a: 202 [n.subsp. of *fraternus*]; Metcalf 1967b, 6(10b): 1776 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Albicostella albicosta* (Matsumura)
Thamnotettix albicosta Matsumura 1914a: 178 [n.sp.]; Metcalf 1967a, 6(10a): 504 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Alconeura albavulata* DeLong & Ruppel
Alconeura albavulata DeLong & Ruppel 1952a:249 [n.sp.]; Metcalf 1968a,6(17):210 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura asymmetrica* [sic] DeLong & Ruppel
Alconeura asymmetrica DeLong & Ruppel 1952a:246 [n.sp.]; Metcalf 1968a,6(17):210 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura bicornella* Ruppel & DeLong
Alconeura bicornella Ruppel & DeLong 1952e:243 [n.sp.]; Metcalf 1968a,6(17):210 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura cinctella* DeLong & Ruppel
Alconeura cinctella DeLong & Ruppel 1951c:60 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura colimae* Ruppel & DeLong
Alconeura colimae Ruppel & DeLong 1952e:244 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura dimorpha* DeLong & Ruppel
Alconeura dimorpha DeLong & Ruppel 1952a:250 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura eborea* Ruppel & DeLong
Alconeura eborea Ruppel & DeLong 1952e:244 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura glauca* Ruppel & DeLong
Alconeura languida DeLong & Ruppel 1951c:57 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
Alconeura glauca Ruppel & DeLong 1952e:241 [nom.nov. for *Alconeura languida* DeLong & Ruppel 1951]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura griffithi* Ruppel & DeLong
Alconeura griffithi Ruppel & DeLong 1952e:243 [n.sp.]; Metcalf 1968a,6(17):211 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)

- Alconeura micropunctata* DeLong & Ruppel
Alconeura micropunctata DeLong & Ruppel
 1952a:247 [n.sp.]; Metcalf 1968a,6(17):212 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura nigroscuta* Ruppel & DeLong
Alconeura nigroscuta Ruppel & DeLong 1952e:245
 [n.sp.]; Metcalf 1968a,6(17):212 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura osborni* DeLong & Ruppel
Alconeura osborni DeLong & Ruppel 1952a:246
 [n.sp.]; Metcalf 1968a,6(17):212 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura rossi* Ruppel & DeLong
Alconeura rossi Ruppel & DeLong 1954a:13 [n.sp.];
 Metcalf 1968a,6(17):212 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura rubella* DeLong & Ruppel
Alconeura rubella DeLong & Ruppel 1951c:61 [n.sp.];
 Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura rubramaculata* Caldwell
Alconeura rubramaculata Caldwell 1952 [in Caldwell
 & Martorell 1952a:109] [n.sp.]; Metcalf
 1968a,6(17):213 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Alconeura rubranota* DeLong & Ruppel
Alconeura rubranota DeLong & Ruppel 1951c:59
 [n.sp.]; Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura rutilivitta* DeLong & Ruppel
Alconeura rutilivitta DeLong & Ruppel 1952a:249
 [n.sp.]; Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura separata* DeLong & Ruppel
Alconeura separata DeLong & Ruppel 1951c:58
 [n.sp.]; Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura sigmaforma* Ruppel & DeLong
Alconeura sigmaforma Ruppel & DeLong 1954a:13
 [n.sp.]; Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura similis* DeLong & Ruppel
Alconeura similis DeLong & Ruppel 1951c:62 [n.sp.];
 Metcalf 1968a,6(17):213 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura socorroana* Knoll
Alconeura socorroana Knoll 1945b:103 [n.sp.];
 Metcalf 1968a,6(17):214 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura splendida* Knoll
Alconeura splendida Knoll 1951b:169 [n.sp.]; Metcalf
 1968a,6(17):214 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura torosa* Ruppel & DeLong
Alconeura torosa Ruppel & DeLong 1952e:241
 [n.sp.]; Metcalf 1968a,6(17):214 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Alconeura (Alconeura) balli* Beamer
Alconeura balli Beamer 1934b:17 [n.sp.]; Metcalf
 1968a,6(17):214 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) bisagittata* (Beamer)
Dikraneura bisagittata Beamer 1943b:63 [n.sp.];
 Metcalf 1968a,6(17):215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) centrosemiae* (Oman)
Dikraneura centrosemiae Oman 1937d:568 [n.sp.];
 Metcalf 1968a,6(17):215 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Alconeura (Alconeura) cornigera* Griffith
Alconeura cornigera Griffith 1938a:332 [n.sp.];
 Metcalf 1968a,6(17):215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) derecta* Griffith
Alconeura derecta Griffith 1938a:325 [n.sp.]; Metcalf
 1968a,6(17):215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) dodonana* Beamer
Alconeura dodonana Beamer 1934b:17 [n.sp.];
 Metcalf 1968a,6(17):216 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) dorsalis* (DeLong)
Dikraneura dorsalis DeLong 1924a:67 [n.subsp. of
 unipuncta]; Metcalf 1968a,6(17):216 [Cat.]
DISTRIBUTION: United States, Cuba, Puerto Rico
 (Metcalf Cat.)
- Alconeura (Alconeura) flavigaster* (Osborn)
Dikraneura (Hyloidea) flavigaster Osborn 1928a:277
 [n.sp.]; Metcalf 1968a,6(17):217 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Alconeura (Alconeura) fulminea* Lawson
Alconeura fulminea Lawson 1930d:40 [n.sp.]; Metcalf
 1968a,6(17):217 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) insulae* Griffith
Alconeura insulae Griffith 1938a:325 [n.sp.]; Metcalf
 1968a,6(17):217 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) languida* Griffith
Alconeura languida Griffith 1938a:317 [n.sp.];
 Metcalf 1968a,6(17):218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) lappa* Griffith
Alconeura lappa Griffith 1938a:327 [n.sp.]; Metcalf
 1968a,6(17):218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) luculenta* Griffith
Alconeura luculenta Griffith 1938a:331 [n.sp.];
 Metcalf 1968a,6(17):218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura (Alconeura) macra* Griffith

- Alconeura macra* Griffith 1938a:327 [n.sp.]; Metcalf 1968a,6(17):218 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *necopinata* Griffith
Alconeura necopinata Griffith 1938a:318 [n.sp.]; Metcalf 1968a,6(17):219 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *nudata* Ball & DeLong
Alconeura nudata Ball & DeLong 1925a:336 [n.subsp. of *unipuncta*]; Metcalf 1968a,6(17):219 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *obliquata* (Osborn)
Dikraneura obliquata Osborn 1928a:270 [n.sp.]; Metcalf 1968a,6(17):219 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Alconeura* (*Alconeura*) *planata* Ball & DeLong
Alconeura planata Ball & DeLong 1925a:337 [n.sp.]; Metcalf 1968a,6(17):219 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *pseudomaculata* (Baker)
Typhlocyba pseudomaculata Baker 1903d:8 [n.sp.]; Metcalf 1968a,6(17):220 [Cat.]
 DISTRIBUTION: Guatemala, Jamaica (Metcalf Cat.)
- Alconeura* (*Alconeura*) *pseudoobliqua* (Baker)
Typhlocyba pseudoobliqua Baker 1903d:9 [n.sp.]; Metcalf 1968a,6(17):220 [Cat.]
 DISTRIBUTION: Nicaragua, Guatemala (Metcalf Cat.)
- Alconeura* (*Alconeura*) *quadrimaculata* Lawson
Alconeura quadrimaculata Lawson 1930d:45 [n.sp.]; Metcalf 1968a,6(17):220 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *quadrivittata* (Gillette)
Dicraneura quadrivittata Gillette 1898a:723 [n.sp.]; Metcalf 1968a,6(17):221 [Cat.]
 DISTRIBUTION: Bahamas (Metcalf Cat.)
- Alconeura* (*Alconeura*) *rotundata* Ball & DeLong
Alconeura rotundata Ball & DeLong 1925a:335 [n.sp.]; Metcalf 1968a,6(17):221 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *santaritana* Young
Alconeura beameri Griffith 1938a:319 [n.sp.]; Metcalf 1968a,6(17):222 [Cat.]
Alconeura (*Alconeura*) *santaritana* Young 1952b:58 [nom.nov. for *Alconeura beameri* Griffith 1938]; Metcalf 1968a,6(17):222 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *tricolor* (Van Duzee)
Dicraneura tricolor Van Duzee 1914a:56 [n.sp.]; Metcalf 1968a,6(17):222 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Alconeura*) *unipuncta* (Gillette)
Dicraneura unipuncta Gillette 1898a:718 [n.sp.]; Metcalf 1968a,6(17):223 [Cat.]
 DISTRIBUTION: United States, Cuba (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *bakeri* (Ruppel & DeLong)
Hyloidea bakeri Ruppel & DeLong 1952d:108 [n.sp.]; Metcalf 1968a,6(17):226 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *beameri* (Lawson)
Dikraneuroidea beameri Lawson 1929d:307 [n.sp.]; Metcalf 1968a,6(17):226 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *candida* (Ruppel & DeLong)
Hyloidea candida Ruppel & DeLong 1952d:109 [n.sp.]; Metcalf 1968a,6(17):226 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *depressa* (McAtee)
Dikraneura (*Hyloidea*) *depressa* McAtee 1926b:162 [n.sp.]; Metcalf 1968a,6(17):226 [Cat.]
 DISTRIBUTION: Puerto Rico, Cuba (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *lineata* (Osborn)
Dikraneura (*Hyloidea*) *lineata* Osborn 1928a:278 [n.sp.]; Metcalf 1968a,6(17):227 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *longitudina* (Ruppel & DeLong)
Hyloidea longitudina Ruppel & DeLong 1952d:110 [n.sp.]; Metcalf 1968a,6(17):227 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *montealegrei* (Baker)
Erythria montealegrei Baker 1903c:4 [n.sp.]; Metcalf 1968a,6(17):228 [Cat.]
 DISTRIBUTION: Guatemala, Nicaragua, Mexico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *orphanda* (Caldwell)
Dikraneura (*Hyloidea*) *orphanda* Caldwell 1952 [in Caldwell & Martorell 1952a:109] [n.sp.]; Metcalf 1968a,6(17):228 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *pistola* (Caldwell)
Dikraneura (*Hyloidea*) *pistola* Caldwell 1952 [in Caldwell & Martorell 1952a:108] [n.sp.]; Metcalf 1968a,6(17):228 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *portoricensis* Metcalf
Dikraneura (*Hyloidea*) *delicata* Osborn 1935a:190 [n.sp.]; Metcalf 1968a,6(17):228 [Cat.]
Alconeura portoricensis Metcalf 1968a:228 [nom.nov. for *Dikraneura delicata* Osborn 1935]; Metcalf 1968a,6(17):228 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Alconeura* (*Hyloidea*) *praeclarata* (Ruppel & DeLong)
Hyloidea praeclarata Ruppel & DeLong 1952d:109 [n.sp.]; Metcalf 1968a,6(17):228 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Alebra* *arisana* (Matsumura)
Nesopteryx arisana Matsumura 1931b:64 [n.sp.]; Metcalf 1968a,6(17):36 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Alebra* *kuyania* (Matsumura)
Nesopteryx kuyania Matsumura 1932a:103 [n.sp.]; Metcalf 1968a,6(17):37 [Cat.]

- DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Alebra neglecta Wagner
Alebra neglecta Wagner 1940a:112 [n.sp.]; Metcalf 1968a,6(17):37 [Cat.]
- DISTRIBUTION: Germany (Metcalf Cat.)
Alebra sorbi Wagner
Alebra sorbi Wagner 1949a:43 [n.sp.]; Metcalf 1968a,6(17):38 [Cat.]
- DISTRIBUTION: Austria (Metcalf Cat.)
Alebra terminalis Osborn
Alebra terminalis Osborn 1924c:451 [n.sp.]; Metcalf 1968a,6(17):38 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
Alebra typica (Distant)
Shaddai typicus Distant 1918b:15 [n.sp.]; Metcalf 1968a,6(17):38 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Alebra wahlbergi (Bohemian)
Typhlocyba wahlbergi Boheman 1845b:160 [n.sp.]; Metcalf 1968a,6(17):38,43 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain, Canada, United States, Scandinavia, Italy, Netherlands (Metcalf Cat.)
Alebra wahlbergi pallescens Ribaut
Alebra wahlbergi pallescens Ribaut 1936b:198 [n.subsp. of *wahlbergi*]; Metcalf 1968a,6(17):42 [Cat.]
- DISTRIBUTION: France, Switzerland, Germany, Netherlands, Serbia, Great Britain, Czech Republic, Sweden, Slovakia, Hungary (Metcalf Cat.)
Alebra (Afralebra) chrysoptera Paoli
Alebra (Afralebra) chrysoptera Paoli 1941a:42 [n.sp.]; Metcalf 1968a,6(17):80 [Cat.]
- DISTRIBUTION: Somalia (Metcalf Cat.)
Alebra (Alebra) albostriella (Fallén)
Cicada albostriella Fallén 1826a:54 [n.sp.]; Metcalf 1968a,6(17):43,60 [Cat.]
- Cicada elegantula* Zetterstedt 1828a:536 [n.sp.]; Metcalf 1968a,6(17):60 [Cat.]
- Eupteryx fasciata* Curtis 1837d:640 [n.sp.]; Metcalf 1968a,6(17):44 [Cat.]
- Typhlocyba fastuosa* Graaf, Six & Snellen 1862a:86 [n.sp.]; Metcalf 1968a,6(17):44 [Cat.]
- Typhlocyba aurovittata* Douglas 1875c:76 [n.sp.]; Metcalf 1968a,6(17):45 [Cat.]
- Alebra flavocephala* Kupka 1899a:33 [n.sp.]; Metcalf 1968a,6(17):49 [Cat.]
- Alebra eburnea* DeLong 1918b:241 [n.sp.]; Metcalf 1968a,6(17):52 [Cat.]
- Alebra brunnea* Ribaut 1936b:198 [n.subsp. of *wahlbergi*]; Metcalf 1968a,6(17):55 [Cat.]
- Alebra diluta* Ribaut 1936b:196 [n.subsp. of *albostriella*]; Metcalf 1968a,6(17):55 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Northern Africa, Russia, Japan, United States, Canada, Atlantic Ocean: Azores (Metcalf Cat.)
- Alebra (Alebra) albostriella agresta* McAtee
Alebra albostriella agresta McAtee 1926b:143 [n.subsp. of *albostriella*]; Metcalf 1968a,6(17):59 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Alebra (Alebra) albostriella bicincta DeLong
Alebra bicincta DeLong 1918b:240 [n.sp.]; Metcalf 1968a,6(17):64 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Alebra (Alebra) albostriella binotata (Walsh)
Typhlocyba albostriella binotata Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):64 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Alebra (Alebra) albostriella costatella Matsumura
Alebra costatella Matsumura 1931b:67 [n.subsp. of *albostriatella* (sic)]; Metcalf 1968a,6(17):65 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
Alebra (Alebra) albostriella discicollis (Herrick-Schaeffer)
Typhlocyba albostriella discicollis Herrick-Schaeffer 1834b:8 [n.sp.]; Metcalf 1968a,6(17):65 [Cat.]
- Typhlocyba eximia* Hardy 1850a:417 [n.sp.]; Metcalf 1968a,6(17):66 [Cat.]
- DISTRIBUTION: Austria, Germany, France, Czech Republic, Netherlands, Switzerland, Hungary, Sweden, Ukraine, Poland, Great Britain, United States (Metcalf Cat.)
Alebra (Alebra) albostriella dufouri Ribaut
Alebra albostriella dufouri Ribaut 1936b:197 [n.subsp. of *albostriella*]; Metcalf 1968a,6(17):70 [Cat.]
- DISTRIBUTION: France, Netherlands, Great Britain, Italy (Metcalf Cat.)
Alebra (Alebra) albostriella fulveola (Herrick-Schaeffer)
Typhlocyba albostriella fulveola Herrick-Schaeffer 1838c:16 [n.sp.]; Metcalf 1968a,6(17):70 [Cat.]
- Typhlocyba aurea* Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):70 [Cat.]
- DISTRIBUTION: United States, Canada, Germany, France, Italy, Belgium, Czech Republic, Hungary, Great Britain, Russia (Metcalf Cat.)
Alebra (Alebra) albostriella fumida Gillette
Alebra fumida Gillette 1898a:714 [n.sp.]; Metcalf 1968a,6(17):75 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
Alebra (Alebra) albostriella insignita McAtee
Alebra albostriella insignita McAtee 1926b:144 [n.subsp. of *albostriella*]; Metcalf 1968a,6(17):76 [Cat.]
- DISTRIBUTION: England, Netherlands (Metcalf Cat.)
Alebra (Alebra) albostriella pallidula (Walsh)

- Typhlocyba pallidula* Walsh 1864a:315 [n.sp.];
 Metcalf 1968a,6(17):76 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alebra (Alebra) albostriella rubrafrons* DeLong
 Alebra rubrafrons DeLong 1918b:240 [n.subsp. of
 albostriella]; Metcalf 1968a,6(17):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alebra (Alebra) albostriella scopula* McAtee
 Alebra albostriella scopula McAtee 1926b:145 [n.subsp.
 of *albostriella*]; Metcalf 1968a,6(17):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alebra (Alebra) albostriella tincta* McAtee
 Alebra albostriella tincta McAtee 1926b:143 [n.subsp.
 of *albostriella*]; Metcalf 1968a,6(17):79 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Alebra (Alebra) albostriella viridis* Rey
 Alebra albostriella viridis Rey 1894c:46 [n.subsp. of
 albostriella]; Metcalf 1968a,6(17):79 [Cat.]
 DISTRIBUTION: France, Netherlands, Switzerland,
 Great Britain, Poland (Metcalf Cat.)
- Alebroides akashiana* Matsumura
 Alebroides akashiana Matsumura 1931b:69 [n.sp.];
 Metcalf 1968a,6(17):95 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Alebroides boninensis* Matsumura
 Alebroides boninensis Matsumura 1931b:68 [n.sp.];
 Metcalf 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides capitata* (Kato)
 Empoasca capitata Kato 1940p:697 [n.sp.]; Metcalf
 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides flavifrons* Matsumura
 Alebroides flavifrons Matsumura 1931b:69 [n.sp.];
 Metcalf 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides hachijonis* Matsumura
 Alebroides hachijonis Matsumura 1931b:69 [n.sp.];
 Metcalf 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides iwatensis* Matsumura
 Alebroides iwatensis Matsumura 1931b:71 [n.sp.];
 Metcalf 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides marginata* Matsumura
 Alebroides marginata Matsumura 1931b:68 [n.sp.];
 Metcalf 1968a,6(17):96 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides rubicunda* Ishihara
 Alebroides rubicunda Ishihara 1953b:28 [n.sp.];
 Metcalf 1968a,6(17):97 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Alebroides shokana* Matsumura
 Alebroides shokana Matsumura 1931b:70 [n.sp.];
 Metcalf 1968a,6(17):97 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Alebroides toroensis* Matsumura
 Alebroides toroensis Matsumura 1931b:70 [n.sp.];
 Metcalf 1968a,6(17):97 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Aletta africana* (Melichar)
 Palicus africanus Melichar 1904a:40 [n.sp.]; Metcalf
 1964b,6(11):18 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aletta conjuncta* (Melichar)
 Palicus conjunctus Melichar 1904a:41 [n.sp.]; Metcalf
 1964b,6(11):18 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aletta conspersifrons* (Stål)
 Palicus conspersifrons Stål 1866a:120 [n.sp.]; Metcalf
 1964b,6(11):18 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aletta constricta* (Jacobi)
 Palicus constrictus Jacobi 1910b:130 [n.sp.]; Metcalf
 1964b,6(11):19 [Cat.]
 DISTRIBUTION: Tanzania, Uganda, Zaire, Zambia
 (Nielson 1982e)
- Aletta fuscovaria* (Stål)
 Coelidia fuscovaria Stål 1855a:99 [n.sp.]; Metcalf
 1964b,6(11):19 [Cat.]
 Iassus setifer Walker 1858b:271 [n.sp.]; Metcalf
 1964b,6(11):19 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aletta joannae* Evans
 Aletta joannae Evans 1955a:27 [n.sp.]; Metcalf
 1964b,6(11):19 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Aletta lineoligera* (Stål)
 Coelidia lineoligera Stål 1855a:98a:98 [n.sp.]; Metcalf
 1964b,6(11):19 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aletta pulchra* Evans
 Aletta pulchra Evans 1955a:27 [n.sp.]; Metcalf
 1964b,6(11):20 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Aligia acutata* Hepner
 Aligia acutata Hepner 1939a: 109 [n.sp.]; Metcalf
 1967b, 6(10b): 1726 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aligia atrivena* Hepner
 Aligia atrivena Hepner 1939a: 113 [n.sp.]; Metcalf
 1967b, 6(10b): 1726 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aligia bifasciata* Hepner
 Aligia bifasciata Hepner 1939a: 112 [n.sp.]; Metcalf
 1967b, 6(10b): 1726 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aligia bifurcata* Hepner
 Aligia bifurcata Hepner 1939a: 108 [n.sp.]; Metcalf
 1967b, 6(10b): 1727 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Aligia californica* Van Duzee

- Aligia californica* Van Duzee 1925b: 411 [n.sp.]; Metcalf 1967b, 6(10b): 1727 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia chiricana* Ball
Aligia chiricana Ball 1931b: 121 [n.sp.]; Metcalf 1967b, 6(10b): 1727 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia chiricana alta* Hepner
Aligia alta Hepner 1939a: 107 [n.subsp. of chiricana]; Metcalf 1967b, 6(10b): 1728 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia colei* Van Duzee
Aligia colei Van Duzee 1925b: 412 [n.sp.]; Metcalf 1967b, 6(10b): 1728 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia curtipennis* Hepner
Aligia curtipennis Hepner 1939a: 116 [n.sp.]; Metcalf 1967b, 6(10b): 1728 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia dellana* Ball
Aligia dellana Ball 1931b: 120 [n.subsp. of manitou]; Metcalf 1967b, 6(10b): 1728 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia dellana suffusca* Hepner
Aligia dellana suffusca Hepner 1939a: 105 [n.subsp. of dellana]; Metcalf 1967b, 6(10b): 1729 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia descripta* Ball
Aligia descripta Ball 1931b: 119 [n.sp.]; Metcalf 1967b, 6(10b): 1729 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia falcata* Hepner
Aligia falcata Hepner 1939a: 115 [n.sp.]; Metcalf 1967b, 6(10b): 1729 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia inscripta* (Van Duzee)
Allygus inscriptus Van Duzee 1890g: 92 [n.sp.]; Metcalf 1967b, 6(10b): 1729 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia jucunda* (Uhler)
Jassus jucundus Uhler 1877a: 469 [n.sp.]; Metcalf 1967b, 6(10b): 1730 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Aligia lutea* Hepner
Aligia lutea Hepner 1939a: 106 [n.sp.]; Metcalf 1967b, 6(10b): 1732 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia magna* Hepner
Aligia magna Hepner 1939a: 114 [n.sp.]; Metcalf 1967b, 6(10b): 1732 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia manitou* (Ball)
Eutetix manitou Ball 1901d: 49 [n.sp.]; Metcalf 1967b, 6(10b): 1732 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia meridiana* Hepner
Aligia meridiana Hepner 1939a: 108 [n.sp.]; Metcalf 1967b, 6(10b): 1733 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia modesta* (Osborn & Ball)
Eutetix modesta Osborn & Ball 1898f: 98 [n.sp.]; Metcalf 1967b, 6(10b): 1733 [Cat.]
DISTRIBUTION: United States, Costa Rica (Metcalf Cat.)
- Aligia munda* (Ball)
Eutetix munda Ball 1901d: 49 [n.sp.]; Metcalf 1967b, 6(10b): 1734 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia obesa* Hepner
Aligia obesa Hepner 1939a: 110 [n.sp.]; Metcalf 1967b, 6(10b): 1735 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia obtusa* Hepner
Aligia obtusa Hepner 1939a: 114 [n.sp.]; Metcalf 1967b, 6(10b): 1735 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia occidentalis* Van Duzee
Aligia occidentalis Van Duzee 1925b: 413 [n.subsp. of modesta]; Metcalf 1967b, 6(10b): 1736 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia oculea* (Ball)
Eutetix oculea Ball 1901d: 50 [n.sp.]; Metcalf 1967b, 6(10b): 1736 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia pallida* Hepner
Aligia pallida Hepner 1939a: 106 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia pallidinota* Hepner
Aligia pallidinota Hepner 1939a: 110 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia reticulata* Hepner
Aligia reticulata Hepner 1939a: 112 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia riscoana* Knoll
Aligia riscoana Knoll 1951b: 175 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia rotunda* Hepner
Aligia rotunda Hepner 1939a: 111 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia santana* Ball
Aligia santana Ball 1931b: 121 [n.sp.]; Metcalf 1967b, 6(10b): 1737 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Aligia turbinata* Ball
Aligia turbinata Ball 1931b: 120 [n.sp.]; Metcalf 1967b, 6(10b): 1738 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Aligia utahna Hepner
 Aligia utahna Hepner 1939a: 117 [n.sp.]; Metcalf 1967b, 6(10b): 1738 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Allictus notatus Distant
 Allictus notatus Distant 1918b: 76 [n.sp.]; Metcalf 1967b, 6(10b): 1583 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Allogonia concinnula (Fowler)
 Tettigonia concinnula Fowler 1900d:287 [n.sp.]; Metcalf 1965a,6(1):266 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Allogonia pectoralis (Fowler)
 Tettigonia pectoralis Fowler 1900d:285 [n.sp.]; Metcalf 1965a,6(1):267 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Allogonia robustula (Fowler)
 Tettigonia robustula Fowler 1900d:288 [n.sp.]; Metcalf 1965a,6(1):267 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Allogonia teres (Fowler)
 Tettigonia teres Fowler 1900d:287 [n.sp.]; Metcalf 1965a,6(1):267 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Allophleps indicus Singh-Pruthi
 Allophleps indicus Singh-Pruthi 1936a: 120 [n.sp.]; Metcalf 1967b, 6(10b): 1892 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Allophleps inspersa Bergroth
 Allophleps inspersa Bergroth 1920a: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1892 [Cat.]
- DISTRIBUTION:** Kenya (Metcalf Cat.)
Alloproctus amandatus Bergroth
 Alloproctus amandatus Bergroth 1924a:400 [n.sp.]; Metcalf 1966c,6(15):21 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
Allygianus gutturosus (Ball)
 Thamnotettix gutturosa Ball 1910c: 307 [n.sp.]; Metcalf 1967a, 6(10a): 933 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Allygianus merus Beamer
 Allygianus merus Beamer 1938e: 153 [n.sp.]; Metcalf 1967a, 6(10a): 934 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Allygianus varius Beamer
 Allygianus varius Beamer 1938e: 154 [n.sp.]; Metcalf 1967a, 6(10a): 934 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Allygiella clathrata (Ball)
 Allygianus clathratus Ball 1936g: 431 [n.sp.]; Metcalf 1967a, 6(10a): 944 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Allygus alticola (Horváth)
 Jassus alticola Horváth 1903c: 474 [n.sp.]; Metcalf 1967a, 6(10a): 965 [Cat.]
- DISTRIBUTION:** Hungary, Czech Republic (Metcalf Cat.)
Allygus caucasicus Melichar
 Allygus caucasicus Melichar 1914a: 136 [n.sp.]; Metcalf 1967a, 6(10a): 965 [Cat.]
- DISTRIBUTION:** Russia, Georgia, Azerbaijan (Metcalf Cat.)
Allygus gussakovskii (Kusnezov)
 Jassus gussakovskii Kusnezov 1929a: 320 [n.sp.]; Metcalf 1967a, 6(10a): 966 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Allygus lotophagorum Kirkaldy
 Allygus lotophagorum Kirkaldy 1907d: 62 [n.sp.]; Metcalf 1967a, 6(10a): 967 [Cat.]
- DISTRIBUTION:** Oceania: Fiji Islands (Metcalf Cat.)
Allygus maculatus Ribaut
 Allygus maculatus Ribaut 1952a: 204 [n.sp.]; Metcalf 1967a, 6(10a): 967 [Cat.]
- DISTRIBUTION:** France, Italy, Germany (Metcalf Cat.)
Allygus mixtus (Fabricius)
 Cicada mixta Fabricius 1794a: 39 [n.sp.]; Metcalf 1967a, 6(10a): 967 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Great Britain, Russia, western Mediterranean region, northern Africa, eastern Baltic states (Metcalf Cat.)
Allygus mixtus communis (Ferrari)
 Jassus mixtus communis Ferrari 1882a: 139 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 978 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
Allygus mixtus corisipennis (Ferrari)
 Jassus mixtus corisipennis Ferrari 1882a: 139 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 978 [Cat.]
- DISTRIBUTION:** Italy, Germany, Sweden, France, Spain, Austria, Hungary, Romania, Finland, Russia, Estonia, Latvia, Netherlands, Great Britain, Algeria, Tunisia (Metcalf Cat.)
Allygus mixtus gracilis (Rey)
 Jassus mixtus gracilis Rey 1894c: 45 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 978 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
Allygus mixtus immunis (Rey)
 Jassus mixtus immunis Rey 1894c: 45 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 979 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
Allygus mixtus margaritinus (Ferrari)
 Jassus mixtus margaritinus Ferrari 1882a: 139 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 979 [Cat.]

- DISTRIBUTION:** Italy, Germany, Netherlands
(Metcalf Cat.)
- Allygus modestus** Scott
Allygus modestus Scott 1876g: 172 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 980 [Cat.]
- Jassus juvenis** Ferrari 1882a: 139 [n.subsp. of mixtus]; Metcalf 1967a, 6(10a): 979 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, western Mediterranean, United States, Russia (Metcalf Cat.)
- Allygus nemurensis** (Matsumura)
Jassus nemurensis Matsumura 1908a: 28 [n.sp.]; Metcalf 1967a, 6(10a): 983 [Cat.]
- Jassus nemurensis Oshanin 1910a: 166 [n.sp.]; Metcalf 1967a, 6(10a): 983 [Cat.]
- DISTRIBUTION:** Algeria (Metcalf Cat.)
- Allygus praestans** Jacobi
Allygus praestans Jacobi 1943a: 29 [n.sp.]; Metcalf 1967a, 6(10a): 983 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Allygus provincialis** (Ferrari)
Jassus provincialis Ferrari 1882a: 139 [n.sp.]; Metcalf 1967a, 6(10a): 984 [Cat.]
- DISTRIBUTION:** France, Italy, Belgium (Metcalf Cat.)
- Allygus somalianus** Lallemand
Allygus somalianus Lallemand 1929b: 3 [n.sp.]; Metcalf 1967a, 6(10a): 984 [Cat.]
- DISTRIBUTION:** Somalia, Libya (Metcalf Cat.)
- Allygus theryi** (Horváth)
Jassus theryi Horváth 1907a: 317 [n.sp.]; Metcalf 1967a, 6(10a): 984 [Cat.]
- DISTRIBUTION:** Algeria, Israel, Morocco, Italy (Metcalf Cat.)
- Allygus triguttatus** Melichar
Allygus triguttatus Melichar 1911a: 108 [n.sp.]; Metcalf 1967a, 6(10a): 985 [Cat.]
- DISTRIBUTION:** Kenya (Metcalf Cat.)
- Allygus (Allygus) abbreviatus** Lethierry
Allygus abbreviatus Lethierry 1878a: 128 [n.sp.]; Metcalf 1967a, 6(10a): 985 [Cat.]
- DISTRIBUTION:** Widespread Europe, Northern Africa (Metcalf Cat.)
- Allygus (Allygus) atomarius** (Fabricius)
Cicada reticulata Thunberg 1784a: 21 [n.sp.]; Metcalf 1967a, 6(10a): 986 [Cat.]
- Cicada atomaria Fabricius 1794a: 37 [n.sp.]; Metcalf 1967a, 6(10a): 986 [Cat.]
- Cicada conspicillaris Schrank 1801a: 48 [n.sp.]; Metcalf 1967a, 6(10a): 986 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, western Mediterranean, Russia (Metcalf Cat.)
- Allygus (Allygus) atomarius** heydenii (Kirschbaum)
Jassus (Thamnotettix) atomarius heydenii Kirschbaum 1868b: 83 [n.sp.]; Metcalf 1967a, 6(10a): 993 [Cat.]
- DISTRIBUTION:** Austria, Germany, Russia, Turkey (Metcalf Cat.)
- Allygus (Allygus) commutatus** Fieber
Allygus commutatus Fieber 1872a: 13 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 994 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Great Britain, Russia, Northern Africa, western Mediterranean region (Metcalf Cat.)
- Allygus (Allygus) detectus** (Ribaut)
Allygidius (Allygidius) detectus Ribaut 1952a: 212 [n.sp.]; Metcalf 1967a, 6(10a): 999 [Cat.]
- DISTRIBUTION:** France, Italy (Metcalf Cat.)
- Allygus (Dicrallygus) furcatus** (Ferrari)
Jassus furcatus Ferrari 1882a: 136 [n.sp.]; Metcalf 1967a, 6(10a): 1000 [Cat.]
- DISTRIBUTION:** Widespread Europe, Russia, Algeria, Israel, western Mediterranean region (Metcalf Cat.)
- Allygus (Dicrallygus) mayri** (Kirschbaum)
Jassus (Thamnotettix) mayri Kirschbaum 1868b: 84 [n.sp.]; Metcalf 1967a, 6(10a): 1001 [Cat.]
- DISTRIBUTION:** Widespread Europe, Russia, Algeria, Israel, western Mediterranean region, Turkey (Metcalf Cat.)
- Alocha sordida** (Signoret)
Tettigonia sordida Signoret 1855d: 781 [n.sp.]; Metcalf 1965a, 6(1): 262 [Cat.]
- DISTRIBUTION:** Guyana, French Guiana, Suriname, Brazil (Young 1977a)
- Alocoelidia fulva** Evans
Alocoelidia fulva Evans 1954a: 109 [n.sp.]; Metcalf 1964b, 6(11): 82 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Alseis osborni** Kirkaldy
Alseis osborni Kirkaldy 1907d: 38 [n.sp.]; Metcalf 1962c, 6(4): 133 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Amahuaka angustula** (Fowler)
Tettigonia angustula Fowler 1900d: 291 [n.sp.]; Metcalf 1965a, 6(1): 420 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Amahuaka angustula** fowleri Metcalf
Tettigonia angustula immaculata Fowler 1900d: 292 [n.subsp. of angustula]; Metcalf 1965a, 6(1): 420 [Cat.]
- Amahuaka angustula fowleri Metcalf 1955a: 264 [n.subsp., nom.nov. for Tettig. angustula immaculata Fowl. 1900]; Metcalf 1965a, 6(1): 420 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Amalfia latipennis** (Walker)
Scaris latipennis Walker 1851b: 833 [n.sp.]; Metcalf 1965a, 6(1): 605 [Cat.]
- DISTRIBUTION:** Philippines: Luzon (Young 1986a)
- Amberbakia bispecularis** (Walker)

- Petalocephala bispecularis* Walker 1870b:307 [n.sp.];
 Metcalf 1962b,6(3):213 [Cat.]
- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Aamberbakia specularia* (Walker)
 Petalocephala specularia Walker 1870b:307 [n.sp.];
 Metcalf 1962b,6(3):213 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
- Amblydisca amida* Distant
 Amblydisca amida Distant 1908b:70 [n.sp.]; Metcalf 1965a,6(1):606 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca aulaeata* Fowler
 Amblydisca aulaeata Fowler 1898a:212 [n.sp.];
 Metcalf 1965a,6(1):606 [Cat.]
- DISTRIBUTION:** Nicaragua (Young 1968a)
- Amblydisca bugabensis* Fowler
 Amblydisca bugabensis Fowler 1898a:210 [n.sp.];
 Metcalf 1965a,6(1):606 [Cat.]
- DISTRIBUTION:** Guatemala, Panama (Young 1968a)
- Amblydisca cinerea* Osborn
 Amblydisca cinerea Osborn 1926b:164 [n.sp.];
 Metcalf 1965a,6(1):606 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Young 1968a)
- Amblydisca cirta* Distant
 Amblydisca cirta Distant 1908b:70 [n.sp.]; Metcalf 1965a,6(1):606 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca corticata* (Signoret)
 Tettigonia corticata Signoret 1855b:226 [n.sp.];
 Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Ecuador, Peru (Young 1968a)
- Amblydisca cumingi* Schmidt
 Amblydisca cumingi Schmidt 1928a:49 [n.sp.];
 Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Colombia, Ecuador, Peru (Young 1968a)
- Amblydisca discreta* Melichar
 Amblydisca discreta Melichar 1926a:296 [n.sp.];
 Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca ezba* Distant
 Amblydisca ezba Distant 1908b:69 [n.sp.]; Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca fluctuosa* Fowler
 Amblydisca fluctuosa Fowler 1898a:211 [n.sp.];
 Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Panama (Young 1968a)
- Amblydisca frenata* Melichar
 Amblydisca frenata Melichar 1926a:295 [n.sp.];
 Metcalf 1965a,6(1):607 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Amblydisca incarnatula* Melichar
 Amblydisca incarnatula Melichar 1926a:294 [n.sp.];
 Metcalf 1965a,6(1):608 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca laboulbenii* (Signoret)
 Tettigonia laboulbenii Signoret 1855a:52 [n.sp.];
 Metcalf 1965a,6(1):608 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela (Young 1968a)
- Amblydisca latipennis* Melichar
 Amblydisca latipennis Melichar 1926a:293 [n.sp.];
 Metcalf 1965a,6(1):608 [Cat.]
- DISTRIBUTION:** Costa Rica (Metcalf Cat.)
- Amblydisca lugubris* Fowler
 Amblydisca lugubris Fowler 1898a:210 [n.sp.];
 Metcalf 1965a,6(1):608 [Cat.]
- DISTRIBUTION:** Costa Rica, Panama (Young 1968a)
- Amblydisca luridescens* (Walker)
 Aulacizes luridescens Walker 1858b:240 [n.sp.];
 Metcalf 1965a,6(1):608 [Cat.]
- DISTRIBUTION:** Venezuela (Metcalf Cat.)
- Amblydisca maculata* Schmidt
 Amblydisca maculata Schmidt 1928a:50 [n.sp.];
 Metcalf 1965a,6(1):609 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
- Amblydisca nativa* Melichar
 Amblydisca nativa Melichar 1926a:294 [n.sp.];
 Metcalf 1965a,6(1):609 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Amblydisca nitidipennis* (Stål)
 Aulacizes nitidipennis Stål 1864a:79 [n.sp.]; Metcalf 1965a,6(1):609 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Amblydisca ofella* Distant
 Amblydisca ofella Distant 1908b:71 [n.sp.]; Metcalf 1965a,6(1):609 [Cat.]
- DISTRIBUTION:** Bolivia, Peru (Metcalf Cat.)
- Amblydisca postfumata* Fowler
 Amblydisca postfumata Fowler 1898a:210 [n.sp.];
 Metcalf 1965a,6(1):609 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Amblydisca pullula* Jacobi
 Amblydisca pullula Jacobi 1905c:166 [n.sp.]; Metcalf 1965a,6(1):610 [Cat.]
- DISTRIBUTION:** Peru, Bolivia, Colombia (Young 1968a)
- Amblydisca punctipennis* Schmidt
 Amblydisca punctipennis Schmidt 1928a:48 [n.sp.];
 Metcalf 1965a,6(1):610 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
- Amblydisca punctulifera* Melichar
 Amblydisca punctulifera Melichar 1926a:291 [n.sp.];
 Metcalf 1965a,6(1):610 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Amblydisca rubriventris* (Signoret)
 Tettigonia rubriventris Signoret 1855a:52 [n.sp.];
 Metcalf 1965a,6(1):610 [Cat.]
- Aulacizes stellaris* Walker 1858b:238 [n.sp.]; Metcalf 1965a,6(1):610 [Cat.]

- DISTRIBUTION:** Mexico, Costa Rica (Young 1968a)
Amblydisca sulcata (Signoret)
Tettigonia sulcata Signoret 1855a:58 [n.sp.]; Metcalf
 1965a,6(1):611 [Cat.]
- DISTRIBUTION:** Venezuela, Bolivia (Young 1968a)
Amblydisca tapes Fowler
Amblydisca tapes Fowler 1898a:211 [n.sp.]; Metcalf
 1965a,6(1):611 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Metcalf Cat.)
Amblyscarta albigitta (Walker)
Tettigonia albigitta Walker 1851b:753 [n.sp.];
 Metcalf 1965a,6(1):211 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta albomaculata (Distant)
Tettigonia albomaculata Distant 1879b:62 [n.sp.];
 Metcalf 1965a,6(1):211 [Cat.]
- DISTRIBUTION:** Costa Rica, Panama (Young 1977a)
Amblyscarta approximata (Stål)
Tettigonia approximata Stål 1862e:39 [n.sp.]; Metcalf
 1965a,6(1):211 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta aurulenta (Fabricius)
Cicada aurulenta Fabricius 1787a:269 [n.sp.]; Metcalf
 1965a,6(1):211 [Cat.]
- DISTRIBUTION:** West Indonesia: Sumatra (Young
 1986a)
Amblyscarta bicincta (Germar)
Cicada bifasciata Fabricius 1803a:70 [n.sp.]; Metcalf
 1965a,6(1):212 [Cat.]
- DISTRIBUTION:** Brazil, Guyana, French Guiana
 (Metcalf Cat.)
Amblyscarta biscuta (Signoret)
Tettigonia biscuta Signoret 1853c:684 [n.sp.]; Metcalf
 1965a,6(1):213 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta cachabensis (Distant)
Tettigoniella (*Amblyscarta*) *cachabensis* Distant
 1908a:517 [n.sp.]; Metcalf 1965a,6(1):213 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
Amblyscarta carminata (Signoret)
Tettigonia rutilans Walker 1851b:752 [n.sp.]; Metcalf
 1965a,6(1):213 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta carminata melanopyrrha (Walker)
Tettigonia carminata melanopyrrha Walker 1858b:214
 [n.sp.]; Metcalf 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta cavifrons (Stål)
Tettigonia cavifrons Stål 1862e:41 [n.sp.]; Metcalf
 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Venezuela, Colombia, Peru,
 Bolivia, Brazil, Paraguay, Argentina (Young
 1977a)
Amblyscarta cazicula (Breddin)
Tettigonia (*Amblyscarta*) *cazicula* Breddin 1901d:84
 [n.sp.]; Metcalf 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
Amblyscarta cervicula (Jacobi)
Tettigoniella (*Amblyscarta*) *cervicula* Jacobi
 1905c:172 [n.sp.]; Metcalf 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Bolivia (Young 1977a)
Amblyscarta circumducta (Signoret)
Tettigonia circumducta Signoret 1854b:360 [n.sp.];
 Metcalf 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
Amblyscarta clepsydra (Fowler)
Tettigonia clepsydra Fowler 1900b:270 [n.sp.];
 Metcalf 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Mexico, Honduras, Guatemala,
 Nicaragua, Costa Rica, Panama (Young 1977a)
Amblyscarta coctilis (Fowler)
Tettigonia coctilis Fowler 1899c:238 [n.sp.]; Metcalf
 1965a,6(1):214 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Amblyscarta contaminata (Fabricius)
Cicada contaminata Fabricius 1803a:72 [n.sp.];
 Metcalf 1965a,6(1):215 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Tettigonia ruficauda Walker 1851b:763 [n.sp.];
 Metcalf 1965a,6(1):215 [Cat.]
- DISTRIBUTION:** Peru, Ecuador, Bolivia (Young
 1977a)
Amblyscarta coronata (Signoret)
Tettigonia coronata Signoret 1853b:348 [n.sp.];
 Metcalf 1965a,6(1):215 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta coronulifera (Stål)
Tettigonia coronulifera Stål 1862e:39 [n.sp.]; Metcalf
 1965a,6(1):215 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta crocea Metcalf
Tettigonia aestuans Walker 1851b:750 [n.sp.]; Metcalf
 1965a,6(1):216 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
Amblyscarta crocea Metcalf 1955a:264 [nom.nov. for
Tettigonia aestuans Walker 1851]; Metcalf
 1965a,6(1):216 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
Amblyscarta crocipennis (Signoret)
Tettigonia crocipennis Signoret 1853b:351 [n.sp.];
 Metcalf 1965a,6(1):216 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta decorata (Walker)
Tettigonia decorata Walker 1851b:761 [n.sp.]; Metcalf
 1965a,6(1):216 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Tettigonia walkeri Signoret 1853b:362 [nom.nov. for
Tettigonia decorata Walker 1851]; Metcalf
 1965a,6(1):216 [Cat.]

- DISTRIBUTION:** Ecuador, Colombia (Metcalf Cat.)
Amblyscarta divisa (Signoret)
Tettigonia divisa Signoret 1853b:354 [n.sp.]; Metcalf
 1965a,6(1):217 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta duodecimpunctata (Germar)
Tettigonia duodecimpunctata Germar 1821a:66
 [n.sp.]; Metcalf 1965a,6(1):217 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta elegantissima (Blanchard)
Tettigonia elegantissima Blanchard 1840a:190 [n.sp.];
 Metcalf 1965a,6(1):217 [Cat.]
- Tettigonia albofasciata* Walker 1851b:756 [n.sp.];
 Metcalf 1965a,6(1):217 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta episcopalis [sic] (Signoret)
Tettigonia fpiscopalis Signoret 1853b:332 [n.sp.];
 Metcalf 1965a,6(1):218 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta flavopunctata (Blanchard)
Tettigonia flavopunctata Blanchard 1852 [in spinola
 1852a:285] [n.sp.]; Metcalf 1965a,6(1):218 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
Amblyscarta frontaliana Metcalf
Tettigonia frontalis Germar 1821a:64 [n.sp.]; Metcalf
 1965a,6(1):218 [Cat.]
- Amblyscarta frontaliana* Metcalf 1955a:264 [nom.nov.
 for *Tettigonia frontalis* Germar 1821]; Metcalf
 1965a,6(1):218 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta geniculata (Signoret)
Tettigonia geniculata Signoret 1853b:351 [n.sp.];
 Metcalf 1965a,6(1):218 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta glaucomaculata (Germar)
Tettigonia glaucomaculata Germar 1821a:65 [n.sp.];
 Metcalf 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta gryllula (Breddin)
Tettigonia gryllula Breddin 1901e:90 [n.sp.]; Metcalf
 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
Amblyscarta hapticula (Jacobi)
Tettigoniella hapticula Jacobi 1905c:176 [n.sp.];
 Metcalf 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Peru (Young 1977a)
Amblyscarta hulda (Distant)
Tettigoniella (*Amblyscarta*) *hulda* Distant 1908a:518
 [n.sp.]; Metcalf 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Bolivia (Young 1986a)
Amblyscarta inca (Distant)
Tettigoniella (*Amblyscarta*) *inca* Distant 1908a:517
 [n.sp.]; Metcalf 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
Amblyscarta incarnata (Germar)
- Tettigonia incarnata* Germar 1821a:69 [n.sp.]; Metcalf
 1965a,6(1):219 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta incula (Breddin)
Tettigonia incula Breddin 1901f:101 [n.sp.]; Metcalf
 1965a,6(1):220 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
Amblyscarta latercula (Breddin)
Tettigonia latercula Breddin 1901e:90 [n.sp.]; Metcalf
 1965a,6(1):220 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
Amblyscarta leucomelas (Walker)
Tettigonia leucomelas Walker 1851b:764 [n.sp.];
 Metcalf 1965a,6(1):220 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil, Paraguay,
 Argentina (Young 1977a)
Amblyscarta luteomaculata (Signoret)
Tettigonia luteomaculata Signoret 1853b:350 [n.sp.];
 Metcalf 1965a,6(1):220 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
Amblyscarta melliguttula (Breddin)
Tettigonia melliguttula Breddin 1901e:91 [n.sp.];
 Metcalf 1965a,6(1):220 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
Amblyscarta mirabilis (Signoret)
Tettigonia mirabilis Signoret 1853b:334 [n.sp.];
 Metcalf 1965a,6(1):221 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
Amblyscarta modesta (Fabricius)
Cicada modesta Fabricius 1803a:70 [n.sp.]; Metcalf
 1965a,6(1):221 [Cat.]
- DISTRIBUTION:** South America (Young 1977a)
Amblyscarta moesta (Fabricius)
Cicada moesta Fabricius 1803a:74 [n.sp.]; Metcalf
 1965a,6(1):221 [Cat.]
- DISTRIBUTION:** Guyana, Suriname, French Guiana,
 Brazil, Ecuador, Peru, Bolivia (Young 1977a)
Amblyscarta monstruosa (Signoret)
Tettigonia monstruosa Signoret 1853b:335 [n.sp.];
 Metcalf 1965a,6(1):222 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Amblyscarta mucidula (Jacobi)
Tettigoniella mucidula Jacobi 1905c:176 [n.sp.];
 Metcalf 1965a,6(1):222 [Cat.]
- DISTRIBUTION:** Peru (Young 1977a)
Amblyscarta multilunatula (Breddin)
Tettigonia multilunatula Breddin 1901e:91 [n.sp.];
 Metcalf 1965a,6(1):222 [Cat.]
- DISTRIBUTION:** Panama, Ecuador (Young 1977a)
Amblyscarta nigrifascia (Walker)
Tettigonia nigrifascia Walker 1851b:776 [n.sp.];
 Metcalf 1965a,6(1):222 [Cat.]
- DISTRIBUTION:** Mexico, Colombia (Young 1977a)
Amblyscarta nigrifascia albidissima Metcalf
Tettigonia albida Walker 1851b:777 [n.sp.]; Metcalf
 1965a,6(1):223 [Cat.]

- Amblyscarta nigrifascia albidissima* Metcalf
1955a:264 [n.subsp., nom.nov. for *Tettigonia albida*
Walker 1851]; Metcalf 1965a,6(1):224 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Amblyscarta nigrifascia pallida* (Walker)
Tettigonia pallida Walker 1851b:776 [n.sp.]; Metcalf
1965a,6(1):224 [Cat.]
DISTRIBUTION: Mexico, America (?) (Metcalf Cat.)
- Amblyscarta nigripes* (Signoret)
Tettigonia nigripes Signoret 1853b:370 [n.sp.];
Metcalf 1965a,6(1):224 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta novemnotata* (Lethierry)
Tettigonia novemnotata Lethierry 1890a:158 [n.sp.];
Metcalf 1965a,6(1):225 [Cat.]
DISTRIBUTION: Colombia, Venezuela (Young
1977a)
- Amblyscarta obesula* (Jacobi)
Tettigoniella obesula Jacobi 1905c:175 [n.sp.];
Metcalf 1965a,6(1):225 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Amblyscarta obsoleta* (Signoret)
Tettigonia obsoleta Signoret 1854a:15 [n.sp.]; Metcalf
1965a,6(1):225 [Cat.]
DISTRIBUTION: Venezuela (Young 1977a)
- Amblyscarta opulenta* (Walker)
Tettigonia opulenta Walker 1851b:747 [n.sp.]; Metcalf
1965a,6(1):225 [Cat.]
DISTRIBUTION: Venezuela, Colombia (Metcalf
Cat.)
- Amblyscarta partitula* (Jacobi)
Tettigoniella (Amblyscarta) partitula Jacobi 1905c:172
[n.sp.]; Metcalf 1965a,6(1):225 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Amblyscarta picta* (Distant)
Tettigoniella (Amblyscarta) picta Distant 1908a:517
[n.sp.]; Metcalf 1965a,6(1):225 [Cat.]
DISTRIBUTION: Ecuador, Peru, Bolivia (Young
1977a)
- Amblyscarta praetextatula* (Jacobi)
Tettigoniella praetextatula Jacobi 1905c:184 [n.sp.];
Metcalf 1965a,6(1):225 [Cat.]
DISTRIBUTION: Peru, Bolivia, Brazil (Young
1977a)
- Amblyscarta pulchra* [sic] (Fabricius)
Cicada pulcra Fabricius 1803a:69 [n.sp.]; Metcalf
1965a,6(1):226 [Cat.]
DISTRIBUTION: French Guiana, Guyana, Brazil
(Young 1977a)
- Amblyscarta pumicata* (Fowler)
Tettigonia pumicata Fowler 1899d:246 [n.sp.];
Metcalf 1965a,6(1):226 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
- Amblyscarta pyrrhoptera* (Stål)
Tettigonia pyrrhoptera Stål 1862e:43 [n.sp.]; Metcalf
1965a,6(1):226 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Amblyscarta resecta* (Signoret)
Tettigonia resecta Signoret 1853b:327 [n.sp.]; Metcalf
1965a,6(1):226 [Cat.]
DISTRIBUTION: French Guiana, Brazil, Colombia
(Metcalf Cat.)
- Amblyscarta rosenbergi* (Distant)
Tettigoniella (Amblyscarta) rosenbergi Distant
1908a:518 [n.sp.]; Metcalf 1965a,6(1):226 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Amblyscarta rubricollis* (Fowler)
Tettigonia rubricollis Fowler 1900a:260 [n.sp.];
Metcalf 1965a,6(1):226 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Amblyscarta ruficeps* (Walker)
Tettigonia ruficeps Walker 1858b:196 [n.sp.]; Metcalf
1965a,6(1):227 [Cat.]
DISTRIBUTION: Mexico, Belize, Guatemala, Costa
Rica, Panama (Young 1977a)
- Amblyscarta ruficeps deficiens* (Fowler)
Tettigonia ruficeps deficiens Fowler 1899c:236
[n.subsp. of *ruficeps*]; Metcalf 1965a,6(1):227
[Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Amblyscarta ruficeps resolubilis* (Fowler)
Tettigonia resolubilis Fowler 1899c:236 [n.sp.];
Metcalf 1965a,6(1):227 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Costa Rica,
Panama, Colombia (Young 1977a)
- Amblyscarta ruficeps trilineata* (Fowler)
Tettigonia ruficeps trilineata Fowler 1899c:236
[n.subsp. of *ruficeps*]; Metcalf 1965a,6(1):227
[Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Amblyscarta rufipes* (Fabricius)
Cicada rufipes Fabricius 1803a:68 [n.sp.]; Metcalf
1965a,6(1):227 [Cat.]
Tettigonia decora Walker 1851b:744 [n.sp.]; Metcalf
1965a,6(1):227 [Cat.]
DISTRIBUTION: Guyana, Suriname, French Guiana,
Trinidad, Venezuela, Colombia, Peru (Young
1977a)
- Amblyscarta salamandra* (Signoret)
Tettigonia salamandra Signoret 1855d:787 [n.sp.];
Metcalf 1965a,6(1):228 [Cat.]
DISTRIBUTION: French Guiana, Venezuela,
Colombia, Bolivia (Young 1977a)
- Amblyscarta schaumii* (Signoret)
Tettigonia schaumii Signoret 1853b:327 [n.sp.];
Metcalf 1965a,6(1):228 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta semivitta* (Walker)
Tettigonia semivitta Walker 1851b:752 [n.sp.];
Metcalf 1965a,6(1):228 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta septemfasciata* (Signoret)

- Tettigonia septemfasciata* Signoret 1853b:332 [n.sp.];
 Metcalf 1965a,6(1):228 [Cat.]
 DISTRIBUTION: Venezuela (Young 1977a)
- Amblyscarta serenula* (Breddin)
 Tettigonia serenula Breddin 1901c:76 [n.sp.]; Metcalf
 1965a,6(1):228 [Cat.]
 DISTRIBUTION: Ecuador (Young 1977a)
- Amblyscarta servillei* (Signoret)
 Tettigonia trifasciata Amyot & Serville 1843a:570
 [n.sp.]; Metcalf 1965a,6(1):228 [Cat.]
 Tettigonia servillei Signoret 1853b:330 [nom.nov. for
 Tettigonia trifasciata A.&S. 1843]; Metcalf
 1965a,6(1):228 [Cat.]
 DISTRIBUTION: Guyana, Brazil, Colombia,
 Ecuador, Peru, Bolivia (Young 1977a)
- Amblyscarta signiceps* (Stål)
 Tettigonia signiceps Stål 1862e:39 [n.sp.]; Metcalf
 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta sobrina* (Stål)
 Tettigonia sobrina Stål 1862e:41 [n.sp.]; Metcalf
 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Young 1977a)
- Amblyscarta stillifera* (Stål)
 Tettigonia stillifera Stål 1862e:39 [n.sp.]; Metcalf
 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta stipata* (Walker)
 Tettigonia stipata Walker 1851b:749 [n.sp.]; Metcalf
 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Ecuador (Young 1977a)
- Amblyscarta tarsalis* (Signoret)
 Tettigonia tarsalis Signoret 1855d:769 [n.sp.]; Metcalf
 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta testudinaria* (Fowler)
 Tettigonia testudinaria Fowler 1899e:251 [n.sp.];
 Metcalf 1965a,6(1):229 [Cat.]
 DISTRIBUTION: Panama, Colombia (Young 1977a)
- Amblyscarta tolosa* (Distant)
 Tettigoniella tolosa Distant 1908a:521 [n.sp.]; Metcalf
 1965a,6(1):230 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Amblyscarta transversalis* Metcalf
 Tettigonia transversa Signoret 1853b:342 [n.sp.];
 Metcalf 1965a,6(1):230 [Cat.]
 Amblyscarta transversalis Metcalf 1955a:264
 [nom.nov. for *Tettigonia transversa* Signoret
 1853]; Metcalf 1965a,6(1):230 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Amblyscarta uniguttata* (Walker)
 Tettigonia uniguttata Walker 1851b:778 [n.sp.];
 Metcalf 1965a,6(1):230 [Cat.]
 DISTRIBUTION: Mexico, North America (Metcalf
 Cat.)
- Amblyscarta variabilis* (Signoret)
 Tettigonia variabilis Signoret 1854a:14 [n.sp.];
 Metcalf 1965a,6(1):230 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Amblyscarta varicolor* (Signoret)
 Tettigonia varicolor Signoret 1854a:15 [n.sp.];
 Metcalf 1965a,6(1):231 [Cat.]
 DISTRIBUTION: Peru, Hawaii (?) (Young 1977a)
- Amblyscarta venosa* (Signoret)
 Tettigonia venosa Signoret 1853b:334 [n.sp.]; Metcalf
 1965a,6(1):231 [Cat.]
 DISTRIBUTION: Colombia (Young 1977a)
- Amblyscarta vermiculata* (Signoret)
 Tettigonia vermiculata Signoret 1855d:785 [n.sp.];
 Metcalf 1965a,6(1):231 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Young 1968a)
- Amblyscarta verticalis* (Signoret)
 Tettigonia verticalis Signoret 1853b:369 [n.sp.];
 Metcalf 1965a,6(1):231 [Cat.]
 DISTRIBUTION: Guyana, French Guiana (Young
 1977a)
- Amblyscarta vittifacies* (Signoret)
 Tettigonia vittifacies Signoret 1855d:774 [n.sp.];
 Metcalf 1965a,6(1):231 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Amblyscarta westwoodi* (Signoret)
 Tettigonia westwoodi Signoret 1853b:364 [n.sp.];
 Metcalf 1965a,6(1):232 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Amblysellus curtisii* (Fitch)
 Amblycephalus curtisii Fitch 1851a: 61 [n.sp.];
 Metcalf 1967a, 6(10a): 117 [Cat.]
 Jassus nervatus Provancher 1872c: 378 [n.sp.];
 Metcalf 1967a, 6(10a): 118 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Amblytelinus insularis* Lindberg
 Amblytelinus insularis Lindberg 1954a: 213 [n.sp.];
 Metcalf 1967a, 6(10a): 794 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Amimenus mojiensis* (Matsumura)
 Scaphoideus mojiensis Matsumura 1914a: 220 [n.sp.];
 Metcalf 1967a, 6(10a): 942 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Amplicephalus albivenosus* (Osborn)
 Deltocephalus albivenosus Osborn 1926c: 345 [n.sp.];
 Metcalf 1967b, 6(10b): 1574 [Cat.]
 DISTRIBUTION: Cuba, Puerto Rico (Metcalf Cat.)
- Amplicephalus faminei* (Stål)
 Jassus (Deltocephalus) faminei Stål 1859b: 293
 [n.sp.]; Metcalf 1967b, 6(10b): 1574 [Cat.]
 DISTRIBUTION: Chile, Argentina (Metcalf Cat.)
- Amplicephalus faminoides* Linnauvori
 Amplicephalus marginellanus faminoides Linnauvori
 1955b: 126 [n.sp.]; Metcalf 1967b, 6(10b): 1575
 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)

- Amplicephalus kansiensis* (Tuthill)
Polyamius [sic] *kansiensis* Tuthill 1930a: 46 [n.sp.];
 Metcalf 1967b, 6(10b): 1575 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Amplicephalus lawsoni* (DeLong)
Deltoccephalus lawsoni DeLong 1926b: 89 [n.sp.];
 Metcalf 1967b, 6(10b): 1575 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Amplicephalus lineatus* (Osborn)
Euscelis lineata Osborn 1923c: 46 [n.sp.]; Metcalf
 1967b, 6(10b): 1576 [Cat.]
 DISTRIBUTION: Bolivia, Brazil, Paraguay (Metcalf
 Cat.)
- Amplicephalus littoralis* (Ball)
Deltoccephalus littoralis Ball 1905a: 120 [n.sp.];
 Metcalf 1967b, 6(10b): 1576 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Amplicephalus osborni* (Van Duzee)
Deltoccephalus osborni Van Duzee 1892d: 304 [n.sp.];
 Metcalf 1967b, 6(10b): 1577 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Amplicephalus simplex* (Van Duzee)
Deltoccephalus simplex Van Duzee 1892d: 304 [n.sp.];
 Metcalf 1967b, 6(10b): 1580 [Cat.]
- Athysanus simplarius* Osborn & Ball 1902a: 249
 [nom.nov. for *Deltoccephalus simplex* Van Duzee
 1892]; Metcalf 1967b, 6(10b): 1580 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Amplicephalus simpliciusculus* Linnavuori
Amplicephalus simpliciusculus Linnavuori 1955b: 127
 [n.sp.]; Metcalf 1967b, 6(10b): 1582 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Anaceratagallia austriaca* Wagner
Anaceratagallia austriaca Wagner 1955a:171 [n.sp.];
 Metcalf 1966a,6(14):62 [Cat.]
 DISTRIBUTION: Austria (Metcalf Cat.)
- Anaceratagallia brachyptera* (Boheman)
Athysanus brachypterus Boheman 1847b:264 [n.sp.];
 Metcalf 1966a,6(14):62 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Western Mediterranean,
 Russia, Algeria (Metcalf Cat.)
- Anaceratagallia laevis* (Ribaut)
Agallia laevis Ribaut 1935a:35 [n.sp.]; Metcalf
 1966a,6(14):66,67 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Canary Islands, Western Mediterranean, Russia
 (Metcalf Cat.)
- Anaceratagallia laevis acuteangulata* Zachvatkin
Anaceratagallia laevis acuteangulata Zachvatkin
 1946b:159 [n.subsp. of *laevis*]; Metcalf
 1966a,6(14):66 [Cat.]
 DISTRIBUTION: Turkey, Greece, Italy (Metcalf Cat.)
- Anaceratagallia ribauti* (Ossiannilsson)
Agallia ribauti Ossiannilsson 1938b:77,78 [n.sp.,not
 nom.nov.]; Metcalf 1966a,6(14):67 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Western Mediterranean (Metcalf
 Cat.)
- Anaceratagallia uncigera* (Ribaut)
Agallia uncigera Ribaut 1935a:35 [n.sp.]; Metcalf
 1966a,6(14):68 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Anaceratagallia venosa* (Fourcroy)
Cicada venosa Fourcroy 1785a:188 [n.sp.]; Metcalf
 1966a,6(14):68 [Cat.]
- Agallia aspera* Ribaut 1935a:36 [n.sp.]; Metcalf
 1966a,6(14):76 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Western Mediterranean,
 Baltic region, Northern Africa, Canary Islands
 (Metcalf Cat.)
- Anaceratagallia venosa aciculata* (Horváth)
Agallia venosa aciculata Horváth 1894a:186 [n.subsp.
 of *venosa*]; Metcalf 1966a,6(14):79 [Cat.]
 DISTRIBUTION: Georgia, Hungary, Armenia,
 Azerbaijan, Georgia, Russia, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan
 (Metcalf Cat.)
- Anaceratagallia venosa eleganta* (Vismara)
Agallia venosa elegantus Vismara 1878a:40 [n.subsp.
 of *venosa*]; Metcalf 1966a,6(14):79 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Anacornutipo lignosa* (Walker)
Eurymela lignosa Walker 1858b:166 [n.sp.]; Metcalf
 1965b,6(12):28 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Anacotis hackeri* Evans
Anacotis hackeri Evans 1937b:162 [n.sp.]; Metcalf
 1962c,6(4):120 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Andamarca physocephala* (Signoret)
Tettigonia physocephala Signoret 1854d:720 [n.sp.];
 Metcalf 1965a,6(1):655 [Cat.]
 DISTRIBUTION: Paraguay, Argentina (Young
 1968a)
- Anemochrea mitis* Kirkaldy
Anemochrea mitis Kirkaldy 1906c: 330 [n.sp.];
 Metcalf 1967a, 6(10a): 423 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Anemolua hanuala* Kirkaldy
Anemolua hanuala Kirkaldy 1906c: 329 [n.sp.];
 Metcalf 1967a, 6(10a): 420 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Aneono pulcherrima* Kirkaldy
Aneono pulcherrima Kirkaldy 1906c:359 [n.sp.];
 Metcalf 1968a,6(17):106 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Aneono venusta* Evans

- Aneono venusta* Evans 1941f:148 [n.sp.]; Metcalf 1968a,6(17):106 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo brunneus* Evans
Anipo brunneus Evans 1934a:160 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo darwini* Evans
Anipo darwini Evans 1941f:144 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo flavens* Evans
Anipo flavens Evans 1941f:144 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo fusca* Evans
Anipo fusca Evans 1941f:143 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo pallescens* Evans
Anipo pallescens Evans 1947f:226 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Anipo porriginosa* (Signoret)
Eurymerla porriginosa Signoret 1850c:512 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
Bythoscopus luridus Walker 1851b:870 [n.sp.]; Metcalf 1965b,6(12):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Anipo unimaculata* Evans
Anipo unimaculata Evans 1934a:160 [n.sp.]; Metcalf 1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Annidion pulcherrimum* Kirkaldy
Annidion pulcherrimum Kirkaldy 1905a:268 [n.sp.]; Metcalf 1963d,6(9):24 [Cat.]
DISTRIBUTION: Ivory Coast (Metcalf Cat.)
- Anoplotettix bitaeniatus* Ribaut
Anoplotettix bitaeniatus Ribaut 1948a: 9 [n.sp.]; Metcalf 1967a, 6(10a): 216 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Anoplotettix fuscovenosus* (Ferrari)
Thamnotettix fuscovenosa Ferrari 1882a: 124 [n.sp.]; Metcalf 1967a, 6(10a): 216 [Cat.]
Thamnotettix loewii Horvath 1884a: 318 [n.sp.]; Metcalf 1967a, 6(10a): 216 [Cat.]
DISTRIBUTION: Widespread Europe, western Mediterranean region, Northern Africa, Greece, Turkey (Metcalf Cat.)
- Anoplotettix fuscovenosus bipunctus* (Ferrari)
Thamnotettix fuscovenosus bipuncta Ferrari 1882a: 125 [n.subsp. of *fuscovenosus*]; Metcalf 1967a, 6(10a): 219 [Cat.]
DISTRIBUTION: Italy, Hungary, Tunisia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Anoplotettix fuscovenosus horváthi* [sic] Metcalf
Thamnotettix inornatus Horváth 1895a: 165 [n.subsp. of *fuscovenosus*]; Metcalf 1967a, 6(10a): 220 [Cat.]
- Anoplotettix fuscovenosus horvathi* Metcalf 1955a: 265 [n.subsp.; nom.nov. for *Thamno. fuscovenosus inornatus* Horv. 1895]; Metcalf 1967a, 6(10a): 220 [Cat.]
DISTRIBUTION: Hungary, Tunisia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Romania, Italy, Croatia (Metcalf Cat.)
- Anoplotettix putoni* Ribaut
Anoplotettix putoni Ribaut 1952a: 143 [n.sp.]; Metcalf 1967a, 6(10a): 221 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Anoterostemma ivanhofi* (Lethierry)
Doratura ivanhofi Lethierry 1876b:26 [n.sp.]; Metcalf 1963c,6(8):222 [Cat.]
Anoterostemma henschii Löw 1885a:354 [n.sp.]; Metcalf 1963c,6(8):222 [Cat.]
Doratura fusca Ivanoff 1885a:144 [n.sp.]; Metcalf 1963c,6(8):222 [Cat.]
DISTRIBUTION: Russia, Croatia, Hungary, Germany, Ukraine, Austria, Italy (Metcalf Cat.)
- Aphanalebra unipuncta* (Baker)
Protalebra unipuncta Baker 1899b:404 [n.sp.]; Metcalf 1968a,6(17):19 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Apheliona bioculata* (Melichar)
Heliona bioculata Melichar 1903b:216 [n.sp.]; Metcalf 1968a,6(17):597 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Aphrodes albifrons* (Linnaeus)
Cicada albifrons Linnaeus 1758a:437 [n.sp.]; Metcalf 1963c,6(8):73 [Cat.]
Acocephalus albifrons fuliginosus Ferrari 1882a:113 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):76 [Cat.]
Acocephalus circumflexus Provancher 1889a:282 [n.sp.]; Metcalf 1963c,6(8):77 [Cat.]
Acocephalus limicola maculata Edwards 1908a:58 [n.subsp. of *limicola*]; Metcalf 1963c,6(8):89 [Cat.]
DISTRIBUTION: Widespread North America, Scandinavia, Great Britain, Europe, Asia, Western Mediterranean, Canary Islands, Atlantic Ocean: Azores (Metcalf Cat.)
- Aphrodes albifrons affinis* (Fallén)
Cicada albifrons affinis Fallén 1806a:13 [n.sp.]; Metcalf 1963c,6(8):87 [Cat.]
DISTRIBUTION: Sweden (Metcalf Cat.)
- Aphrodes albifrons apicalis* (Signoret)
Acocephalus albifrons apicalis Signoret 1879a:80 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):88 [Cat.]

- DISTRIBUTION:** Germany, Netherlands, Western Mediterranean (Metcalf Cat.)
- Aphrodes albifrons arcuata* (Kirschbaum)
- Acocephalus* (*Acocephalus*) *albifrons arcuata*
Kirschbaum 1868b:75 [n.sp.]; Metcalf 1963c,6(8):88 [Cat.]
- Acocephalus* (*Anoscopus*) *pelas* Signoret 1879a:87 [n.sp.]; Metcalf 1963c,6(8):88 [Cat.]
- Acocephalus* *limicola* Edwards 1908a:57 [n.sp.]; Metcalf 1963c,6(8):89 [Cat.]
- Aphrodes* *albifrons irritans* Wagner 1937b:65,70 [n.subsp., nom.nov. for *Aphrodes albifrons arcuatus* (in part)]; Metcalf 1963c,6(8):90 [Cat.]
- DISTRIBUTION:** Europe, United Kingdom, Western Mediterranean, Sweden (Metcalf Cat.)
- Aphrodes* *albifrons bifasciata* (Melichar)
- Acocephalus* *albifrons bifasciata* Melichar 1896a:195 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):91 [Cat.]
- DISTRIBUTION:** Netherlands, Portugal (Metcalf Cat.)
- Aphrodes* *albifrons confusa* (Kirschbaum)
- Acocephalus* (*Anoscopus*) *albifrons confusus* Kirschbaum 1868b:78 [n.sp.]; Metcalf 1963c,6(8):91 [Cat.]
- DISTRIBUTION:** Germany, Austria, Netherlands, Ukraine (Metcalf Cat.)
- Aphrodes* *albifrons conspersa* (Signoret)
- Acocephalus* *albifrons conspersus* Signoret 1879a:80 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):93 [Cat.]
- Acocephalus* *argus* Rey 1891a:245 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):93 [Cat.]
- DISTRIBUTION:** France, Germany, Netherlands, United States, Canada (Metcalf Cat.)
- Aphrodes* *albifrons dimidiata* Ribaut
- Aphrodes* *albifrons dimidiata* Ribaut 1952a:337 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):93 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Aphrodes* *albifrons dispar* (Zetterstedt)
- Cicada* *albifrons dispar* Zetterstedt 1828a:520 [n.sp.]; Metcalf 1963c,6(8):94 [Cat.]
- Aphrodes* *testudo* Curtis 1833b:pl.633 [n.sp.]; Metcalf 1963c,6(8):94 [Cat.]
- Aphrodes* *concinna* Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):94 [Cat.]
- Acocephalus* *interruptus* Scott 1873b:264 [n.sp.]; Metcalf 1963c,6(8):95 [Cat.]
- Acocephalus* *polystolus* Scott 1873b:265 [n.sp.]; Metcalf 1963c,6(8):95 [Cat.]
- DISTRIBUTION:** Widespread Scandinavia, Europe, Western Mediterranean (Metcalf Cat.)
- Aphrodes* *albifrons germari* Wagner
- Aphrodes* *albifrons germari* Wagner 1937b:65,70 [n.subsp., nom.nov. for *Aphrodes albifrons albiger* (in part)]; Metcalf 1963c,6(8):103 [Cat.]
- DISTRIBUTION:** France, Scandinavia, Netherlands (Metcalf Cat.)
- Aphrodes* *albifrons subrustica* (Fallén)
- Cicada* *albifrons subrustica* Fallén 1806a:10 [n.sp.]; Metcalf 1963c,6(8):103 [Cat.]
- DISTRIBUTION:** Sweden, Germany, Switzerland, France, Portugal, Netherlands (Metcalf Cat.)
- Aphrodes* *albifrons* var. *blotei* Metcalf
- Aphrodes* *albifrons* *dispar* Blöte 1927b:72 [n.subsp. of *albifrons*]; Metcalf 1963c,6(8):91 [Cat.]
- Aphrodes* *albifrons* *blotei* Metcalf 1963c:91[nom.nov.;n.var.for *Aphrodes albifrons dispar* Blöte1927, preoc.]; Metcalf 1963c,6(8):91 [Cat.]
- DISTRIBUTION:** Netherlands, Scandinavia (Metcalf Cat.)
- Aphrodes* *albiger* (Germar)
- Jassus* *albiger* Germar 1821a:88 [n.sp.]; Metcalf 1963c,6(8):105 [Cat.]
- DISTRIBUTION:** Germany, England, France, Spain, Netherlands, Czech Republic, Poland (Metcalf Cat.)
- Aphrodes* *albigena* deleta Ribaut
- Aphrodes* *albigena* *deleta* Ribaut 1952a:340 [n.subsp. of *albiger*]; Metcalf 1963c,6(8):107 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Aphrodes* *albigena* *kirschbaumi* (Edwards)
- Anoscopus* *albigena* *kirschbaumi* Edwards 1920a:55 [n.sp.]; Metcalf 1963c,6(8):107 [Cat.]
- DISTRIBUTION:** England, Germany, France (Metcalf Cat.)
- Aphrodes* *albigena* nudus Wagner
- Aphrodes* *albigena* *nudus* Wagner 1937b:70 [n.subsp. of *albigena*]; Metcalf 1963c,6(8):107 [Cat.]
- DISTRIBUTION:** Germany (Metcalf Cat.)
- Aphrodes* *albigena* salinus Wagner
- Aphrodes* *albigena* *salinus* Wagner 1937b:69 [n.subsp. of *albigena*]; Metcalf 1963c,6(8):107 [Cat.]
- DISTRIBUTION:** Germany (Metcalf Cat.)
- Aphrodes* *alboguttata* (Kato)
- Acocephalus* *alboguttata* Kato 1933b:pl.27 [n.sp.]; Metcalf 1963c,6(8):108 [Cat.]
- DISTRIBUTION:** Japan, China (Metcalf Cat.)
- Aphrodes* *alpina* Wagner
- Aphrodes* *alpina* Wagner 1955a:172 [n.sp.]; Metcalf 1963c,6(8):108 [Cat.]
- DISTRIBUTION:** Austria (Metcalf Cat.)
- Aphrodes* *assimilis* (Signoret)
- Acocephalus* *assimilis* Signoret 1872a:75 [n.sp.]; Metcalf 1963c,6(8):108 [Cat.]
- DISTRIBUTION:** France, Algeria, Tunisia, Italy, Western Mediterranean, Netherlands, Northern Africa, Romania (Metcalf Cat.)

- Aphrodes bicincta* (Schrank)
Cicada striata Linnaeus 1761a:241 [n.sp.]; Metcalf
1963c,6(8):109 [Cat.]
Cercopsis rustica Fabricius 1775a:689 [n.sp.]; Metcalf
1963c,6(8):109 [Cat.]
Cicada bicincta Schrank 1776a:75 [n.sp.]; Metcalf
1963c,6(8):109,142 [Cat.]
Cicada striata Fabricius 1787a:271 [n.sp.]; Metcalf
1963c,6(8):109 [Cat.]
Cicada ochromelas Gmelin 1789a:2107 [nom.nov. for
Cicada striata Fabricius 1787]; Metcalf
1963c,6(8):110 [Cat.]
Cercopsis striatella Fabricius 1794a:56 [n.sp.]; Metcalf
1963c,6(8):110 [Cat.]
Cercopsis variegata Fabricius 1794a:55 [n.sp.]; Metcalf
1963c,6(8):110 [Cat.]
Cercopsis transversa Fabricius 1798a:523 [n.sp.];
Metcalf 1963c,6(8):110 [Cat.]
Cicada strigata Turton 1802a:587 [nom.nov. for
Cercopsis variegata Fabricius 1794]; Metcalf
1963c,6(8):110 [Cat.]
Acucephalus fasciatus Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
Acucephalus obscurus Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
Acucephalus pallidus Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
Acucephalus rugosus Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
Acucephalus sparsus Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
Acucephalus unicolor Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
DISTRIBUTION: Widespread Europe, United
Kingdom, Scandinavia, Russia, Mediterranean,
Baltic region, Africa, North America (Metcalf
Cat.)
Aphrodes bicincta aestuarina (Edwards)
Acocephalus bicincta aestuarinus Edwards 1908a:57
[n.sp.]; Metcalf 1963c,6(8):140 [Cat.]
DISTRIBUTION: England, Germany, Poland
(Metcalf Cat.)
Aphrodes bicincta alpina (Prohaska)
Acocephalus bicincta alpinus Prohaska 1923a:84
[n.subsp. of *nervosus*]; Metcalf 1963c,6(8):141
[Cat.]
DISTRIBUTION: Austria, Scandinavia (Metcalf Cat.)
Aphrodes bicincta brevior (Melichar)
Acocephalus bicincta brevior Melichar 1914a:130
[n.subsp. of *nervosus*]; Metcalf 1963c,6(8):142
[Cat.]
DISTRIBUTION: Widespread United Kingdom,
Europe, Asia, Mediterranean, Northern Africa,
North America, Oriental region (Metcalf Cat.)
Aphrodes bicincta diminuta Ribaut
Aphrodes bicincta diminutus Ribaut 1952a:334
[n.subsp. of *bicincta*]; Metcalf 1963c,6(8):143
[Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
Aphrodes bicincta obtusifrons (Kirschbaum)
Acocephalus (*Acocephalus*) *bicincta obtusifrons*
Kirschbaum 1868b:74 [n.sp.]; Metcalf
1963c,6(8):143 [Cat.]
DISTRIBUTION: Germany, Switzerland, Austria,
France, Denmark, Netherlands (Metcalf Cat.)
Aphrodes bicincta signifrons (Rey)
Acocephalus bicincta signifrons Rey 1894b:30
[n.subsp. of *striatus*]; Metcalf 1963c,6(8):144
[Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Aphrodes bifasciata (Linnaeus)
Cicada bifasciata Linnaeus 1758a:436 [n.sp.]; Metcalf
1963c,6(8):145 [Cat.]
Cicada trifasciata De Geer 1773a:186 [nom.nov. for
Cicada bifasciata Linnaeus 1758]; Metcalf
1963c,6(8):145 [Cat.]
Cicada bifasciata spuria Fallén 1806a:13 [n.subsp. of
bifasciata]; Metcalf 1963c,6(8):146 [Cat.]
Jassus obliquus Germar 1821a:89 [n.sp.]; Metcalf
1963c,6(8):146 [Cat.]
DISTRIBUTION: Widespread United Kingdom,
Scandinavia, Europe, Asia, Oriental Region,
Mediterranean and Baltic regions (Metcalf Cat.)
Aphrodes bifasciata simulans Ribaut
Aphrodes simulans Ribaut 1952a:344 [n.subsp. of
bifasciata]; Metcalf 1963c,6(8):159 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Aphrodes bolivari (Melichar)
Acocephalus bolivari Melichar 1902b:79 [n.sp.];
Metcalf 1963c,6(8):159 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
Aphrodes brachyptera (China)
Acocephalus brachyptera China 1938c:45 [n.sp.];
Metcalf 1963c,6(8):159 [Cat.]
DISTRIBUTION: Portugal (Metcalf Cat.)
Aphrodes carinata (Stål)
Acucephalus carinatus Stål 1864b:64 [n.sp.]; Metcalf
1963c,6(8):160 [Cat.]
DISTRIBUTION: Algeria, Italy, France, Spain,
Scotland, Portugal, Tunisia, Morocco, Albania,
Austria, Switzerland (Metcalf Cat.)
Aphrodes costata (Panzer)
Cicada costata Panzer 1799a:14 [n.sp.]; Metcalf
1963c,6(8):161 [Cat.]
Acucephalus cardui Curtis 1836a:pl.620 [n.sp.];
Metcalf 1963c,6(8):113 [Cat.]
DISTRIBUTION: Austria, Netherlands, Russia,
Switzerland, France, Germany, England, Romania,
United States, Canada (Metcalf Cat.)
Aphrodes elongata (Lethierry)

- Acocephalus elongatus* Lethierry 1876a:lxviii [n.sp.]; Metcalf 1963c,6(8):166 [Cat.]
DISTRIBUTION: Russia, Romania, Czech Republic, Slovakia, Syria (Metcalf Cat.)
- Aphrodes falklandica* (Enderlein)
Acocephalus falklandica Enderlein 1912a:52 [n.sp.]; Metcalf 1963c,6(8):166 [Cat.]
DISTRIBUTION: Atlantic Ocean: Falkland Islands (Metcalf Cat.)
- Aphrodes flavigera* Evans
Aphrodes flavigera Evans 1955a:15 [n.sp.]; Metcalf 1963c,6(8):167 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Aphrodes flavostriata* (Donovan)
Cicada flavostriata Donovan 1799a:88 [n.sp.]; Metcalf 1963c,6(8):167 [Cat.]
Jassus rivularis Germar 1821a:89 [n.sp.]; Metcalf 1963c,6(8):167 [Cat.]
Selenocephalus placidus Provancher 1889a:280 [n.sp.]; Metcalf 1963c,6(8):169 [Cat.]
DISTRIBUTION: Widespread United Kingdom, Europe, Asia, Mediterranean, North America (Metcalf Cat.)
- Aphrodes guttata* (Matsumura)
Acocephalus guttata Matsumura 1912b:289 [n.subsp. of *bifasciatus*]; Metcalf 1963c,6(8):176 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Aphrodes histrionica* (Fabricius)
Cercopis histrionica Fabricius 1794a:56 [n.sp.]; Metcalf 1963c,6(8):176 [Cat.]
Acocephalus arenicola Marshall 1866a:180 [n.sp.]; Metcalf 1963c,6(8):178 [Cat.]
DISTRIBUTION: Widespread United Kingdom, Scandinavia, Europe, Asia, Mediterranean, Baltic region (Metcalf Cat.)
- Aphrodes insularis* Curtis
Aphrodes insularis Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):183 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes lata* Curtis
Aphrodes lata Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):184 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes maculipennis* Curtis
Aphrodes maculipennis Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):184 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes maculipes* Curtis
Aphrodes maculipes Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):184 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes nigricans* (Matsumura)
Acocephalus nigricans Matsumura 1912b:289 [n.subsp. of *bifasciatus*]; Metcalf 1963c,6(8):185 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Aphrodes olivacea* (Walker)
Acocephalus olivaceus Walker 1851b:846 [n.sp.]; Metcalf 1963c,6(8):185 [Cat.]
DISTRIBUTION: Borneo, Malaysia, Philippines (Metcalf Cat.)
- Aphrodes pallidipennis* Curtis
Aphrodes pallidipennis Curtis 1837a:222 [n.sp.]; Metcalf 1963c,6(8):185 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes peltastes* (Burmeister)
Eupelix peltastes Burmeister 1835a:112 [n.sp.]; Metcalf 1963c,6(8):186 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Aphrodes petrophilus* Lindberg
Aphrodes petrophilus Lindberg 1954a:205 [n.sp., not nom.nov.]; Metcalf 1963c,6(8):186 [Cat.]
DISTRIBUTION: Canary Islands, Europe, Northern Africa, Palearctic region, Nearctic region (Metcalf Cat.)
- Aphrodes prominens* (Walker)
Acocephalus prominens Walker 1858b:261 [n.sp.]; Metcalf 1963c,6(8):186 [Cat.]
DISTRIBUTION: Senegal (Metcalf Cat.)
- Aphrodes puella* (Curtis)
Aprodes puella Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):186 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Aphrodes sahlbergii* (Signoret)
Acocephalus sahlbergii Signoret 1879a:72 [n.sp.]; Metcalf 1963c,6(8):187 [Cat.]
DISTRIBUTION: China, Russia (Metcalf Cat.)
- Aphrodes serratulae* (Fabricius)
Cicada serratulae Fabricius 1775a:686 [n.sp.]; Metcalf 1963c,6(8):187 [Cat.]
Cicada fuscofasciata Goeze 1778a:161 [n.sp.]; Metcalf 1963c,6(8):187 [Cat.]
Cicada transversalis Fourcroy 1785a:190 [n.sp.]; Metcalf 1963c,6(8):187 [Cat.]
Cicada bistrigata Gmelin 1789a:2116 [n.sp.]; Metcalf 1963c,6(8):187 [Cat.]
Acocephalus (Anoscopus) brunneobifasciatus Signoret 1879a:82 [n.sp.]; Metcalf 1963c,6(8):190 [Cat.]
DISTRIBUTION: Widespread Scandinavia, Europe, North America (Metcalf Cat.)
- Aphrodes serratulae* vicaria (Horváth)
Acocephalus serratulae vicarius Horváth 1897b:627 [n.subsp. of *fuscofasciatus*]; Metcalf 1963c,6(8):196 [Cat.]
DISTRIBUTION: Hungary, Germany (Metcalf Cat.)
- Aphrodes siracusae* (Matsumura)
Acocephalus siracusae Matsumura 1908a:41 [n.sp.]; Metcalf 1963c,6(8):196 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Aphrodes taeniola* Curtis
Aphrodes taeniola Curtis 1837b:pl.633 [n.sp.]; Metcalf 1963c,6(8):196 [Cat.]

- DISTRIBUTION:** England (Metcalf Cat.)
- Aphrodes tricincta* (Curtis)
Acucephalus tricinctus Curtis 1836a:pl.620 [n.sp.];
 Metcalf 1963c,6(8):197 [Cat.]
- Acocephalus* (*Acocephalus*) *nigritus* Kirschbaum
 1868b:76 [n.sp.]; Metcalf 1963c,6(8):197 [Cat.]
- DISTRIBUTION:** Widespread Europe, United Kingdom, Scandinavia (Metcalf Cat.)
- Aphrodes tricincta integra* Wagner
Aphrodes tricincta integra Wagner 1937b:68 [n.subsp. of *tricincta*]; Metcalf 1963c,6(8):201 [Cat.]
- DISTRIBUTION:** Italy, Austria (Metcalf Cat.)
- Aphrodes trifasciata* (Fourcroy)
Cicada trifasciata Fourcroy 1785a:190 [n.sp.]; Metcalf 1963c,6(8):201 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia (Metcalf Cat.)
- Aphrodes trifasciata laevis* (Rey)
Acocephalus trifasciata laevis Rey 1891a:245
 [n.subsp. of *trifasciatus*]; Metcalf 1963c,6(8):207 [Cat.]
- DISTRIBUTION:** Switzerland, Greece, Germany, France, Netherlands (Metcalf Cat.)
- Aphrodes trifasciata nigra* (Kusnezov)
Acocephalus trifasciata niger Kusnezov 1929b:176
 [n.subsp. of *trifasciatus*]; Metcalf 1963c,6(8):207 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Aphrodes unimaculata* Curtis
Aphrodes unimaculata Curtis 1837b:pl.633 [n.sp.];
 Metcalf 1963c,6(8):207 [Cat.]
- DISTRIBUTION:** England (Metcalf Cat.)
- Aplanus albidus* (Ball)
Phlepsius albidus Ball 1900b: 203 [n.sp.]; Metcalf 1967a, 6(10a): 528 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Aplanus pauperculus* (Ball)
Phlepsius pauperculus Ball 1903b: 228 [n.sp.];
 Metcalf 1967a, 6(10a): 529 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Apogonalia albostriata* (Signoret)
Tettigonia albostriata Signoret 1853b:366 [n.sp.];
 Metcalf 1965a,6(1):288 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Apogonalia basimacula* (Walker)
Tettigonia basimacula Walker 1851b:746 [n.sp.];
 Metcalf 1965a,6(1):288 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Apogonalia bilunata* (Signoret)
Tettigonia bilunata Signoret 1855d:771 [n.sp.];
 Metcalf 1965a,6(1):288 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Apogonalia blanchardii* (Signoret)
Tettigonia blanchardii Signoret 1855d:788 [n.sp.];
 Metcalf 1965a,6(1):288 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Young 1977a)
- Apogonalia chevrolatii* (Signoret)
Tettigonia chevrolatii Signoret 1855d:778 [n.sp.];
 Metcalf 1965a,6(1):288 [Cat.]
- DISTRIBUTION:** Venezuela (Young 1977a)
- Apogonalia conspissata* (Fowler)
Tettigonia conspissata Fowler 1899d:241 [n.sp.];
 Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Guatemala (Metcalf Cat.)
- Apogonalia dallasi* (Signoret)
Tettigonia dallasi Signoret 1853b:367 [n.sp.]; Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Apogonalia drewseni* (Stål)
Tettigonia drewseni Stål 1855b:192 [n.sp.]; Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Apogonalia edwardsii* (Signoret)
Tettigonia edwardsii Signoret 1855d:780 [n.sp.];
 Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, El Salvador, Costa Rica (Young 1977a)
- Apogonalia geographica* (Signoret)
Tettigonia geographica Signoret 1855d:780 [n.sp.];
 Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Brazil, Argentina (Young 1977a)
- Apogonalia grandis* (Walker)
Tettigonia grandis Walker 1851b:745 [n.sp.]; Metcalf 1965a,6(1):289 [Cat.]
- DISTRIBUTION:** Brazil, Paraguay (Young 1977a)
- Apogonalia granulata* (Walker)
Tettigonia granulata Walker 1858b:195 [n.sp.];
 Metcalf 1965a,6(1):290 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Metcalf Cat.)
- Apogonalia gratiosa* (Blanchard)
Tettigonia gratiosa Blanchard 1840a:191 [n.sp.];
 Metcalf 1965a,6(1):290 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia, Paraguay, Argentina (Young 1977a)
- Apogonalia grossa* (Signoret)
Tettigonia grossa Signoret 1854a:25 [n.sp.]; Metcalf 1965a,6(1):290 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil, Paraguay, Argentina (Young 1977a)
- Apogonalia humeralis* (Signoret)
Tettigonia humeralis Signoret 1853b:369 [n.sp.];
 Metcalf 1965a,6(1):290 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Apogonalia inspergata* (Signoret)
Tettigonia inspergata Signoret 1855d:779 [n.sp.];
 Metcalf 1965a,6(1):291 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Young 1977a)
- Apogonalia limitata* (Signoret)
Tettigonia limitata Signoret 1853b:344 [n.sp.];
 Metcalf 1965a,6(1):291 [Cat.]
- DISTRIBUTION:** Brazil, Paraguay, Argentina (Young 1977a)

- Apogonalia magica* (Stål)
Tettigonia magica Stål 1864a:77 [n.sp.]; Metcalf
1965a,6(1):291 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Apogonalia mexicana* (Signoret)
Tettigonia mexicana Signoret 1855d:789 [n.sp.];
Metcalf 1965a,6(1):291 [Cat.]
DISTRIBUTION: United States, Mexico (Young
1977a)
- Apogonalia oculata* (Signoret)
Tettigonia oculata Signoret 1853b:344 [n.sp.]; Metcalf
1965a,6(1):292 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Colombia,
Venezuela, Guyana, Brazil, Paraguay, Brazil,
Argentina (Young 1977a)
- Apogonalia perrisi* (Signoret)
Tettigonia perrisi Signoret 1855d:779 [n.sp.]; Metcalf
1965a,6(1):292 [Cat.]
DISTRIBUTION: Brazil, Paraguay (Young 1977a)
- Apogonalia praeterita* (Fowler)
Tettigonia praeterita Fowler 1899d:243 [n.sp.];
Metcalf 1965a,6(1):292 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Apogonalia reichii* (Signoret)
Tettigonia reichii Signoret 1855d:797 [n.sp.]; Metcalf
1965a,6(1):292 [Cat.]
DISTRIBUTION: Venezuela (Young 1977a)
- Apogonalia semiguttata* (Signoret)
Tettigonia semiguttata Signoret 1853b:367 [n.sp.];
Metcalf 1965a,6(1):292 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Apogonalia spinolae* (Signoret)
Tettigonia spinolae Signoret 1853b:365 [n.sp.];
Metcalf 1965a,6(1):292 [Cat.]
Tettigonia discrepans Walker 1858b:212 [n.sp.];
Metcalf 1965a,6(1):293 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Apogonalia stalii* (Signoret)
Tettigonia stalii Signoret 1855d:787 [n.sp.]; Metcalf
1965a,6(1):293 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Honduras,
Nicaragua, Costa Rica, El Salvador (Young 1977a)
- Apogonalia stalii fractinota* (Fowler)
Tettigonia fractinota Fowler 1899d:246 [n.subsp. of
stalii]; Metcalf 1965a,6(1):293 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Belize,
Honduras, Nicaragua, Costa Rica, Panama (Young
1977a)
- Apogonalia tessellata* (Signoret)
Tettigonia tessellata Signoret 1855d:790 [n.sp.];
Metcalf 1965a,6(1):293 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Apulia amalda* Distant
Apulia amalda Distant 1908a:527 [n.sp.]; Metcalf
1965a,6(1):424 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Apulia cleora* Distant
Apulia cleora Distant 1908a:527 [n.sp.]; Metcalf
1965a,6(1):425 [Cat.]
DISTRIBUTION: India (Young 1986a)
- Apulia elongata* (Signoret)
Tettigonia elongata Signoret 1854c:495 [n.sp.];
Metcalf 1965a,6(1):425 [Cat.]
DISTRIBUTION: Colombia, Ecuador (Young 1977a)
- Apulia excelsa* Distant
Apulia excelsa Distant 1908a:525 [n.sp.]; Metcalf
1965a,6(1):425 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Apulia flora* Distant
Apulia flora Distant 1908a:526 [n.sp.]; Metcalf
1965a,6(1):425 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Apulia hyacinthinula* (Jacobi)
Tettigoniella hyacinthinula Jacobi 1905c:170 [n.sp.];
Metcalf 1965a,6(1):425 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Apulia hyala* Distant
Apulia hyala Distant 1908a:526 [n.sp.]; Metcalf
1965a,6(1):425 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Apulia marquardti* (Jacobi)
Tettigoniella marquardti Jacobi 1905c:171 [n.sp.];
Metcalf 1965a,6(1):425 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Apulia ostrina* (Fowler)
Tettigonia ostrina Fowler 1900a:257 [n.sp.]; Metcalf
1965a,6(1):425 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Apulia quadrimacula* (Walker)
Tettigonia pruinosa Walker 1851b:743 [n.sp.]; Metcalf
1965a,6(1):426 [Cat.]
Tettigonia quadrimacula Walker 1851b:741 [n.sp.];
Metcalf 1965a,6(1):426 [Cat.]
DISTRIBUTION: Colombia (Young 1977a)
- Arezzia anachoreta* Metcalf & Bruner
Arezzia anachoreta Metcalf & Bruner 1936a:961
[n.sp.]; Metcalf 1965a,6(1):394 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Arezzia baracoa* Metcalf & Bruner
Arezzia baracoa Metcalf & Bruner 1936a:962 [n.sp.];
Metcalf 1965a,6(1):394 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Arezzia maestralis* Metcalf & Bruner
Arezzia maestralis Metcalf & Bruner 1936a:957
[n.sp.]; Metcalf 1965a,6(1):394 [Cat.]

- DISTRIBUTION:** Cuba (Metcalf Cat.)
Arezzia omaja Metcalf & Bruner
Arezzia omaja Metcalf & Bruner 1936a:959 [n.sp.];
 Metcalf 1965a,6(1):394 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
Arezzia rangeliana Metcalf & Bruner
Arezzia rangeliana Metcalf & Bruner 1936a:965
 [n.sp.]; Metcalf 1965a,6(1):394 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
Arezzia viridipennis Metcalf & Bruner
Arezzia viridipennis Metcalf & Bruner 1936a:964
 [n.sp.]; Metcalf 1965a,6(1):395 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
Argaterma alticola White
Argaterma alticola White 1878a:474 [n.sp.]; Metcalf
 1963c,6(8):220 [Cat.]
- DISTRIBUTION:** South Atlantic Ocean: St.Helena
 (Metcalf Cat.)
- Argaterma multisignata* White
Argaterma multisignata White 1878a:474 [n.sp.];
 Metcalf 1963c,6(8):220 [Cat.]
- DISTRIBUTION:** South Atlantic Ocean: St.Helena
 (Metcalf Cat.)
- Arocephalus (Ariellus) punctum* (Flor)
Jassus (*Deltoccephalus*) *punctum* Flor 1861a: 247
 [n.sp.]; Metcalf 1967b, 6(10b): 1448 [Cat.]
- Deltoccephalus paucinervis* Sahlberg 1871a: 318
 [n.sp.]; Metcalf 1967b, 6(10b): 1449 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
 Scandinavia, Italy, Tunisia, Russia (Metcalf Cat.)
- Arocephalus (Ariellus) sagittarius* Ribaut
Arocephalus (Ariellus) sagittarius Ribaut 1952a: 276
 [n.sp.]; Metcalf 1967b, 6(10b): 1453 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Arocephalus (Arocephalus) languidus* (Flor)
Jassus (*Deltoccephalus*) *languidus* Flor 1861a: 246
 [n.sp.]; Metcalf 1967b, 6(10b): 1440 [Cat.]
- Jassus* (*Deltoccephalus*) *pallipes* Kirschbaum 1868b:
 137 [n.sp.]; Metcalf 1967b, 6(10b): 1440 [Cat.]
- Jassus* (*Deltoccephalus*) *pusillus* Kirschbaum 1868b:
 136 [n.sp.]; Metcalf 1967b, 6(10b): 1440 [Cat.]
- Jassus productus* Thomson 1869a: 72 [n.sp.]; Metcalf
 1967b, 6(10b): 1440 [Cat.]
- Deltoccephalus haupti* Lindberg 1924b: 40 [n.sp.];
 Metcalf 1967b, 6(10b): 1443 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandanavia,
 Italy, Tunisia, Russia (Metcalf Cat.)
- Arocephalus (Arocephalus) languidus ocellatus* (Cerutti)
Deltoccephalus languidus ocellatus Cerutti 1939b: 616
 [n.subsp. of *languidus*]; Metcalf 1967b, 6(10b):
 1445 [Cat.]
- DISTRIBUTION:** Switzerland (Metcalf Cat.)
- Arocephalus (Arocephalus) longiceps* (Kirschbaum)
Jassus (*Deltoccephalus*) *longiceps* Kirschbaum 1868b:
 135 [n.sp.]; Metcalf 1967b, 6(10b): 1445 [Cat.]
- Jassus* (*Deltoccephalus*) *longivalvis* Kirschbaum 1868b:
 136 [n.sp.]; Metcalf 1967b, 6(10b): 1445 [Cat.]
- Deltoccephalus linnei* Fieber 1869a: 214 [n.sp.];
 Metcalf 1967b, 6(10b): 1445 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
 Scandinavia, Italy (Metcalf Cat.)
- Arocephalus (Omskius) sibiricus* (Horváth)
Deltoccephalus sibiricus Horváth 1901a: 272 [n.sp.];
 Metcalf 1967b, 6(10b): 1454 [Cat.]
- Arocephalus adarroides* Linnavuori 1952b: 183
 [n.sp.]; Metcalf 1967b, 6(10b): 1454 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Arrugada affinis* (Osborn)
Huleria affinis Osborn 1924c:405 [n.sp.]; Metcalf
 1963c,6(8):221 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Arrugada rugosa* (Osborn)
Huleria rugosa Osborn 1924c:404 [n.sp.]; Metcalf
 1963c,6(8):221 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Arthaldeus minki* (Fieber)
Jassus (*Deltoccephalus*) *luteolus* Kirschbaum 1868b:
 138 [n.sp.]; Metcalf 1967b, 6(10b): 1395 [Cat.]
- Deltoccephalus minki* Fieber 1869a: 217 [n.sp.];
 Metcalf 1967b, 6(10b): 1395 [Cat.]
- DISTRIBUTION:** Germany, Czech Republic,
 Switzerland, France, Belgium, Great Britain,
 Austria, Finland, Netherlands, Russia, Algeria,
 Italy, United States, Canada (Metcalf Cat.)
- Arthaldeus pascuellus* (Fallén)
Cicada pascuella Fallén 1826a: 32 [n.sp.]; Metcalf
 1967b, 6(10b): 1400 [Cat.]
- Cicada punctipes* Zetterstedt 1828a: 525 [n.sp.];
 Metcalf 1967b, 6(10b): 1400 [Cat.]
- Deltoccephalus fuscosignatus* Dahlbom 1850a: 195
 [n.sp.]; Metcalf 1967b, 6(10b): 1400 [Cat.]
- Jassus* (*Deltoccephalus*) *stictinemis* Kirschbaum 1868b:
 136 [n.sp.]; Metcalf 1967b, 6(10b): 1401 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia,
 United Kingdom, Northern Africa, Russia, United
 States, Canada (Metcalf Cat.)
- Arthaldeus striifrons* (Kirschbaum)
Jassus (*Deltoccephalus*) *striifrons* Kirschbaum 1868b:
 139 [n.sp.]; Metcalf 1967b, 6(10b): 1409 [Cat.]
- Deltoccephalus mulsanti* Fieber 1869a: 216 [n.sp.];
 Metcalf 1967b, 6(10b): 1409 [Cat.]
- Deltoccephalus longicaput* Scott 1876a: 240 [n.sp.];
 Metcalf 1967b, 6(10b): 1410 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia,
 Great Britain, Russia, Northern Africa, western
 Mediterranean region (Metcalf Cat.)
- Arthaldeus xanthus* (Fieber)
Deltoccephalus xanthus Fieber 1869a: 219 [n.sp.];
 Metcalf 1967b, 6(10b): 1414 [Cat.]
- DISTRIBUTION:** Germany, Austria, Czech Republic,
 Denmark, Netherlands, France (Metcalf Cat.)

- Artianus interstitialis* (Germar)
Jassus interstitialis Germar 1821a: 90 [n.sp.]; Metcalf 1967a, 6(10a): 393 [Cat.]
Athysanus diminutus Kirschbaum 1858a: 6 [n.sp.]; Metcalf 1967a, 6(10a): 394 [Cat.]
DISTRIBUTION: Widespread Europe, Russia, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Artianus manderstjernii* (Kirschbaum)
Jassus (Athysanus) manderstjernii Kirschbaum 1868b: 104 [n.sp.]; Metcalf 1967a, 6(10a): 397 [Cat.]
DISTRIBUTION: Italy, Hungary, Bulgaria, Macedonia, Czechoslovakia, Slovakia, Bohemia, Moravia (Metcalf Cat.)
- Artucephalus fasciatus* DeLong
Artucephalus fasciatus DeLong 1943e: 654 [n.sp.]; Metcalf 1967b, 6(10b): 1741 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Arundanus arundineus* (DeLong)
Thamnotettix arundineus DeLong 1926b: 91 [n.sp.]; Metcalf 1967a, 6(10a): 850 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus carolinus* DeLong
Arundanus carolinus DeLong 1935b: 181 [n.sp.]; Metcalf 1967a, 6(10a): 851 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus crumbi* (DeLong)
Thamnotettix crumbi DeLong 1916a: 81 [n.sp.]; Metcalf 1967a, 6(10a): 851 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus duplus* DeLong
Arundanus duplus DeLong 1941d: 634 [n.sp.]; Metcalf 1967a, 6(10a): 851 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus fastigatus* DeLong
Arundanus fastigatus DeLong 1941d: 635 [n.sp.]; Metcalf 1967a, 6(10a): 852 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus flavotinctus* (DeLong)
Thamnotettix flavotinctus DeLong 1916a: 82 [n.sp.]; Metcalf 1967a, 6(10a): 852 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus latidens* DeLong
Arundanus latidens DeLong 1935b: 182 [n.sp.]; Metcalf 1967a, 6(10a): 853 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus marginellus* DeLong
Arundanus marginellus DeLong 1935b: 181 [n.sp.]; Metcalf 1967a, 6(10a): 853 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus nacreosus* (Crumb)
Chlorotettix nacreosa Crumb 1915a: 196 [n.sp.]; Metcalf 1967a, 6(10a): 853 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Arundanus parvulus* DeLong
Arundanus parvulus DeLong 1935b: 182 [n.sp.]; Metcalf 1967a, 6(10a): 854 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Arundanus proprius* (DeLong)
Thamnotettix proprius DeLong 1918b: 238 [n.sp.]; Metcalf 1967a, 6(10a): 854 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Arundanus rubralineus* DeLong
Arundanus rubralineus DeLong 1935b: 181 [n.sp.]; Metcalf 1967a, 6(10a): 855 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Arundanus excavatus* DeLong
Arundanus excavatus DeLong 1941d: 639 [n.subsp. of *rubralineus*]; Metcalf 1967a, 6(10a): 855 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Arundanus sarissus* DeLong
Arundanus sarissus DeLong 1941d: 635 [n.sp.]; Metcalf 1967a, 6(10a): 855 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Arya ochracea* Melichar
Arya ochracea Melichar 1914b: 136 [n.sp.]; Metcalf 1967b, 6(10b): 1895 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Arya rotunda* Singh-Pruthi
Arya rotundus Singh-Pruthi 1930a: 40 [n.sp.]; Metcalf 1967b, 6(10b): 1895 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Arya rubrolineata* Distant
Arya rubrolineata Distant 1908g: 338 [n.sp.]; Metcalf 1967b, 6(10b): 1895 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Arya sobrina* Melichar
Arya sobrina Melichar 1912c: 118 [n.sp.]; Metcalf 1967b, 6(10b): 1896 [Cat.]
- DISTRIBUTION:** Chad, Gabon, People's Republic of the Congo, Central African Republic (Metcalf Cat.)
- Ascius latus* DeLong
Ascius latus DeLong 1943f: 251 [n.sp.]; Metcalf 1967c, 6(10c): 2248 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Ascius triangularis* DeLong
Ascius triangularis DeLong 1943f: 250 [n.sp.]; Metcalf 1967c, 6(10c): 2248 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Ascius ulcus* (Hepner)
Scaphytopius (Vertanus) ulcus Hepner 1946a: 87 [n.sp.]; Metcalf 1967c, 6(10c): 2248 [Cat.]
- DISTRIBUTION:** Mexico, United States (Metcalf Cat.)
- Aspilodora geminatula* (Jacobi)
Tettigoniella geminatula Jacobi 1905c: 171 [n.sp.]; Metcalf 1965a, 6(1): 27 [Cat.]
- DISTRIBUTION:** Peru (Young 1977a)

- Assiringia exhibita* Distant
Assiringia exhibita Distant 1908g:255 [n.sp.]; Metcalf 1962a,6(2):9 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Astenogonia fabricii* Metcalf
Cicada bicolor Fabricius 1802a:65 [n.sp.]; Metcalf 1965a,6(1):426 [Cat.]
Astenogonia fabricii Metcalf 1955a:265 [nom.nov. for Cicada bicolor Fabricius 1803]; Metcalf 1965a,6(1):426 [Cat.]
DISTRIBUTION: South America, South Africa (?) (Metcalf Cat.)
- Astenogonia rostrata* (Signoret)
Tettigonia rostrata Signoret 1855c:509 [n.sp.]; Metcalf 1965a,6(1):427 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Astenogonia salax* (Signoret)
Tettigonia salax Signoret 1862d:588 [n.sp.]; Metcalf 1965a,6(1):427 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Atanus atascus* (Ball)
Doleranus atascus Ball 1936g: 432 [n.sp.]; Metcalf 1967b, 6(10b): 1238 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Atanus dentatus* (Osborn)
Eutettix dentatus Osborn 1923c: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1238 [Cat.]
DISTRIBUTION: Bolivia, Argentina, Paraguay (Metcalf Cat.)
- Atanus dorsalis* (Gillette)
Alebra dorsalis Gillette 1898a: 713 [n.sp.]; Metcalf 1967b, 6(10b): 1238 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Atanus exitiosus* Beamer
Atanus exitiosus Beamer 1943a: 178 [n.sp.]; Metcalf 1967b, 6(10b): 1239 [Cat.]
DISTRIBUTION: Argentina, Chile (Metcalf Cat.)
- Atanus lobatus* (Osborn)
Thamnotettix lobatus Osborn 1923c: 71 [n.sp.]; Metcalf 1967b, 6(10b): 1239 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Atanus perspicillata* (Osborn & Ball)
Thamnotettix perspicillata Osborn & Ball 1897a: 227 [n.sp.]; Metcalf 1967b, 6(10b): 1239 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Atanus perspicillatus rubralineus* (DeLong)
Thamnotettix perspicillatus rubralineus DeLong 1924a: 64 [n.subsp. of *perspicillata*]; Metcalf 1967b, 6(10b): 1240 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Atanus tesselatus* (Osborn)
Eutettix tesselatus Osborn 1923c: 56 [n.sp.]; Metcalf 1967b, 6(10b): 1240 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Atanus viridis* Linnavuori
Atanus viridis Linnavuori 1955a: 109 [n.sp.]; Metcalf 1967b, 6(10b): 1241 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Athysanella kadokana* Knoll
Athysanella kadokana Knoll 1951c: 180 [n.sp.]; Metcalf 1967b, 6(10b): 1612 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) acuticauda* Baker
Athysanella acuticauda Baker 1898a: 187 [n.sp.]; Metcalf 1967b, 6(10b): 1624 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Athysanella (Amphipyga) anzana* Ball & Beamer
Athysanella (Amphipyga) anzana Ball & Beamer 1940a: 32 [n.sp.]; Metcalf 1967b, 6(10b): 1626 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) ardua* Ball & Beamer
Athysanella (Amphipyga) ardua Ball & Beamer 1940a: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1626 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) aridella* (Osborn)
Amphipyga aridella Osborn 1930a: 691 [n.sp.]; Metcalf 1967b, 6(10b): 1626 [Cat.]
Amphipyga californica Osborn 1930a: 691 [n.sp.]; Metcalf 1967b, 6(10b): 1626 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) attenuata* Baker
Athysanella attenuata Baker 1898a: 188 [n.sp.]; Metcalf 1967b, 6(10b): 1627 [Cat.]
Amphipyga alta Osborn 1930a: 691 [n.sp.]; Metcalf 1967b, 6(10b): 1627 [Cat.]
Athysanella extrusa Osborn 1930a: 703 [n.sp.]; Metcalf 1967b, 6(10b): 1627 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Athysanella (Amphipyga) balli* (Osborn)
Amphipyga balli Osborn 1928b: 289 [n.sp.]; Metcalf 1967b, 6(10b): 1628 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Athysanella (Amphipyga) hamata* Ball & Beamer
Athysanella (Amphipyga) hamata Ball & Beamer 1940a: 37 [n.sp.]; Metcalf 1967b, 6(10b): 1629 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) kansana* Ball & Beamer
Athysanella (Amphipyga) kansana Ball & Beamer 1940a: 41 [n.sp.]; Metcalf 1967b, 6(10b): 1629 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Amphipyga) minor* Ball & Beamer
Athysanella (Amphipyga) minor Ball & Beamer 1940a: 35 [n.sp.]; Metcalf 1967b, 6(10b): 1630 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) minor major Ball & Beamer
Athysanella (Amphipyga) major Ball & Beamer
 1940a: 36 [n.subsp. of minor]; Metcalf 1967b,
 6(10b): 1630 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) modesta Ball & Beamer
Athysanella (Amphipyga) modesta Ball & Beamer
 1940a: 40 [n.sp.]; Metcalf 1967b, 6(10b): 1630
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) nigrofascia (DeLong &
 Davidson)
Amphipyga nigrofascia DeLong & Davidson 1934b:
 222 [n.sp.]; Metcalf 1967b, 6(10b): 1631 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) nimbata Ball & Beamer
Athysanella (Amphipyga) nimbata Ball & Beamer
 1940a: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1631
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) obesa Ball & Beamer
Athysanella (Amphipyga) obesa Ball & Beamer
 1940a: 34 [n.sp.]; Metcalf 1967b, 6(10b): 1631
 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Athysanella (Amphipyga) occidentalis* Baker
Athysanella minuta Baker 1898a: 189 [n.sp.]; Metcalf
 1967b, 6(10b): 1631 [Cat.]
- Athysanella occidentalis* Baker 1898a: 186 [n.sp.];
 Metcalf 1967b, 6(10b): 1631 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Athysanella (Amphipyga) playana* Ball & Beamer
Athysanella (Amphipyga) playana Ball & Beamer
 1940a: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1633
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) reticulata (Osborn)
Amphipyga reticulata Osborn 1930a: 691 [n.sp.];
 Metcalf 1967b, 6(10b): 1633 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) rubicunda Ball & Beamer
Athysanella (Amphipyga) rubicunda Ball & Beamer
 1940a: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1633
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) skullana Ball & Beamer
Athysanella (Amphipyga) skullana Ball & Beamer
 1940a: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1634
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) stylata (Osborn)
Amphipyga stylata Osborn 1930a: 691 [n.sp.]; Metcalf
 1967b, 6(10b): 1634 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) texana (Osborn)
Gladiionura aridicola Osborn 1930a: 707 [n.sp.];
 Metcalf 1967b, 6(10b): 1634 [Cat.]
- Pectinapyga texana* Osborn 1930a: 697 [n.sp.];
 Metcalf 1967b, 6(10b): 1634 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) triodana Ball & Beamer
Athysanella (Amphipyga) triodana Ball & Beamer
 1940a: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1635
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) turgida Ball & Beamer
Athysanella (Amphipyga) turgida Ball & Beamer
 1940a: 36 [n.sp.]; Metcalf 1967b, 6(10b): 1635
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Amphipyga) wilburi Ball & Beamer
Athysanella (Amphipyga) wilburi Ball & Beamer
 1940a: 38 [n.sp.]; Metcalf 1967b, 6(10b): 1635
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) aspera Ball & Beamer
Athysanella aspera Ball & Beamer 1940a: 17 [n.sp.];
 Metcalf 1967b, 6(10b): 1614 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) bifida Ball & Beamer
Athysanella bifida Ball & Beamer 1940a: 23 [n.sp.];
 Metcalf 1967b, 6(10b): 1614 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Athysanella (Athysanella) foeda* Ball & Beamer
Athysanella foeda Ball & Beamer 1940a: 19 [n.sp.];
 Metcalf 1967b, 6(10b): 1615 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) fredonia Ball & Beamer
Athysanella fredonia Ball & Beamer 1940a: 12 [n.sp.];
 Metcalf 1967b, 6(10b): 1615 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) gardenia Osborn
Athysanella gardenia Osborn 1930a: 698 [n.sp.];
 Metcalf 1967b, 6(10b): 1615 [Cat.]
- Gladiionura frigida* Osborn 1930a: 706 [n.sp.]; Metcalf
 1967b, 6(10b): 1615 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) globosa Ball & Beamer
Athysanella globosa Ball & Beamer 1940a: 18 [n.sp.];
 Metcalf 1967b, 6(10b): 1616 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) incerta Ball & Beamer
Athysanella incerta Ball & Beamer 1940a: 15 [n.sp.];
 Metcalf 1967b, 6(10b): 1616 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) incongrua Baker
Athysanella incongrua Baker 1898a: 188 [n.sp.];
 Metcalf 1967b, 6(10b): 1616 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) kanabana Ball & Beamer
Athysanella kanabana Ball & Beamer 1940a: 20
[n.sp.]; Metcalf 1967b, 6(10b): 1617 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) laeta Ball & Beamer
Athysanella laeta Ball & Beamer 1940a: 16 [n.sp.];
Metcalf 1967b, 6(10b): 1617 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) magdalena Baker
Athysanella magdalena Baker 1898a: 185 [n.sp.];
Metcalf 1967b, 6(10b): 1617 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
Athysanella (Athysanella) parca Ball & Beamer
Athysanella parca Ball & Beamer 1940a: 15 [n.sp.];
Metcalf 1967b, 6(10b): 1618 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) plana Ball & Beamer
Athysanella plana Ball & Beamer 1940a: 13 [n.sp.];
Metcalf 1967b, 6(10b): 1618 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) planata Ball & Beamer
Athysanella planata Ball & Beamer 1940a: 24 [n.sp.];
Metcalf 1967b, 6(10b): 1619 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) robusta Baker
Athysanella robusta Baker 1898a: 187 [n.sp.]; Metcalf 1967b, 6(10b): 1619 [Cat.]
- Athysanella montana* Osborn 1930a: 698 [n.sp.];
Metcalf 1967b, 6(10b): 1619 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) rostrata Ball & Beamer
Athysanella rostrata Ball & Beamer 1940a: 21 [n.sp.];
Metcalf 1967b, 6(10b): 1620 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) salsa Ball & Beamer
Athysanella salsa Ball & Beamer 1940a: 20 [n.sp.];
Metcalf 1967b, 6(10b): 1620 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) supina Ball & Beamer
Athysanella supina Ball & Beamer 1940a: 22 [n.sp.];
Metcalf 1967b, 6(10b): 1620 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) tenera Ball & Beamer
Athysanella tenera Ball & Beamer 1940a: 17 [n.sp.];
Metcalf 1967b, 6(10b): 1621 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) terebrans (Gillette & Baker)
Eutettix terebrans Gillette & Baker 1895a: 102 [n.sp.];
Metcalf 1967b, 6(10b): 1621 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Athysanella) utahna Osborn
Athysanella utahna Osborn 1930a: 698 [n.sp.];
Metcalf 1967b, 6(10b): 1622 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Athysanella) yumana* Osborn
Athysanella yumana Osborn 1930a: 698 [n.sp.];
Metcalf 1967b, 6(10b): 1623 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Brachydella) abdominalis Ball & Beamer
Athysanella (Brachydella) abdominalis Ball & Beamer 1940a: 64 [n.sp.]; Metcalf 1967b, 6(10b): 1636 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) adunca Ball & Beamer
Athysanella (Gladionura) adunca Ball & Beamer 1940a: 53 [n.sp.]; Metcalf 1967b, 6(10b): 1637 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) alsal Ball & Beamer
Athysanella (Gladionura) alsal Ball & Beamer 1940a: 48 [n.sp.]; Metcalf 1967b, 6(10b): 1637 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) arcana Ball & Beamer
Athysanella (Gladionura) arcana Ball & Beamer 1940a: 62 [n.sp.]; Metcalf 1967b, 6(10b): 1638 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) argenteola (Uhler)
Deltocephalus argenteolus Uhler 1877a: 473 [n.sp.];
Metcalf 1967b, 6(10b): 1638 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) blanda Ball & Beamer
Athysanella (Gladionura) blanda Ball & Beamer 1940a: 45 [n.sp.]; Metcalf 1967b, 6(10b): 1639 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) blanda vana (Ball & Beamer)
Gladionura blanda vana Ball & Beamer 1940a: 46 [n.subsp. of *Athysanella (Gladionura) blanda*];
Metcalf 1967b, 6(10b): 1640 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) callida Ball & Beamer
Athysanella (Gladionura) callida Ball & Beamer 1940a: 46 [n.sp.]; Metcalf 1967b, 6(10b): 1640 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) casa Ball & Beamer
Athysanella (Gladionura) casa Ball & Beamer 1940a: 47 [n.sp.]; Metcalf 1967b, 6(10b): 1640 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) clavata Ball & Beamer
Athysanella (Gladionura) clavata Ball & Beamer 1940a: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1640 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Athysanella (Gladionura) concava Ball & Beamer
Athysanella (Gladionura) concava Ball & Beamer 1940a: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1641 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)

- Athysanella (Gladionura) contracta Ball & Beamer
 Athysanella (Gladionura) contracta Ball & Beamer
 1940a: 61 [n.sp.]; Metcalf 1967b, 6(10b): 1641
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) curtipennis (Gillette & Baker)
 Athysanus curtipennis Gillette & Baker 1895a: 92
 [n.sp.]; Metcalf 1967b, 6(10b): 1641 [Cat.]
 Gladionura extensa Osborn 1930a: 706 [n.sp.];
 Metcalf 1967b, 6(10b): 1642 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) curvata Ball & Beamer
 Athysanella (Gladionura) curvata Ball & Beamer
 1940a: 60 [n.sp.]; Metcalf 1967b, 6(10b): 1642
 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Athysanella (Gladionura) dentata Ball & Beamer
 Athysanella (Gladionura) dentata Ball & Beamer
 1940a: 59 [n.sp.]; Metcalf 1967b, 6(10b): 1643
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) directa Ball & Beamer
 Athysanella (Gladionura) directa Ball & Beamer
 1940a: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1643
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) diversa Ball & Beamer
 Athysanella (Gladionura) diversa Ball & Beamer
 1940a: 64 [n.sp.]; Metcalf 1967b, 6(10b): 1643
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) dubia Ball & Beamer
 Athysanella (Gladionura) dubia Ball & Beamer 1940a:
 44 [n.sp.]; Metcalf 1967b, 6(10b): 1643 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) emarginata (Osborn)
 Gladionura emarginata Osborn 1930a: 706 [n.sp.];
 Metcalf 1967b, 6(10b): 1643 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) excavata Osborn
 Athysanella excavata Osborn 1930a: 698 [n.sp.];
 Metcalf 1967b, 6(10b): 1644 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) furculata Ball & Beamer
 Athysanella (Gladionura) furculata Ball & Beamer
 1940a: 50 [n.sp.]; Metcalf 1967b, 6(10b): 1644
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) libera Ball & Beamer
 Athysanella (Gladionura) libera Ball & Beamer 1940a:
 51 [n.sp.]; Metcalf 1967b, 6(10b): 1645 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) lunata Ball & Beamer
 Athysanella (Gladionura) lunata Ball & Beamer
 1940a: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1645
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) molesta Ball & Beamer
 Athysanella (Gladionura) molesta Ball & Beamer
 1940a: 52 [n.sp.]; Metcalf 1967b, 6(10b): 1645
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) nacazarana (Osborn)
 Gladionura nacazarana Osborn 1930a: 706 [n.sp.];
 Metcalf 1967b, 6(10b): 1645 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Athysanella (Gladionura) nigriventralis Ball & Beamer
 Athysanella (Gladionura) nigriventralis Ball &
 Beamer 1940a: 58 [n.sp.]; Metcalf 1967b, 6(10b):
 1646 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) rata Ball & Beamer
 Athysanella (Gladionura) rata Ball & Beamer 1940a:
 50 [n.sp.]; Metcalf 1967b, 6(10b): 1646 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) sagittata Ball & Beamer
 Athysanella (Gladionura) sagittata Ball & Beamer
 1940a: 62 [n.sp.]; Metcalf 1967b, 6(10b): 1646
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) sinuata (Osborn)
 Gladionura abbreviata Osborn 1930a: 708 [n.sp.];
 Metcalf 1967b, 6(10b): 1647 [Cat.]
 Gladionura sinuata Osborn 1930a: 706 [n.sp.]; Metcalf
 1967b, 6(10b): 1647 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) sinuata lobata Ball & Beamer
 Athysanella (Gladionura) sinuata lobata Ball &
 Beamer 1940a: 55 [n.subsp. of sinuata]; Metcalf
 1967b, 6(10b): 1647 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) truncata Ball & Beamer
 Athysanella (Gladionura) truncata Ball & Beamer
 1940a: 45 [n.sp.]; Metcalf 1967b, 6(10b): 1647
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) uncinata Ball & Beamer
 Athysanella (Gladionura) uncinata Ball & Beamer
 1940a: 47 [n.sp.]; Metcalf 1967b, 6(10b): 1648
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Gladionura) viridia (Osborn)
 Gladionura viridia Osborn 1930a: 706 [n.sp.]; Metcalf
 1967b, 6(10b): 1648 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Athysanella (Pedumella) recurvata (Osborn)
 Gladionura recurvata Osborn 1930a: 706 [n.sp.];
 Metcalf 1967b, 6(10b): 1649 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
- Athysanella (Pedumella) spatulata* Ball & Beamer
Athysanella (Pedumella) spatulata Ball & Beamer
 1940a: 66 [n.sp.]; Metcalf 1967b, 6(10b): 1649
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Athysanopsis fasciata* Kato
Athysanopsis fasciata Kato 1932b: 224 [n.sp.];
 Metcalf 1967a, 6(10a): 421 [Cat.]
- DISTRIBUTION:** Japan, Korea, China (Metcalf Cat.)
- Athysanopsis quadripunctata* Kato
Athysanopsis quadripunctatus Kato 1933b: pl.19,fig.5
 [n.sp.]; Metcalf 1967a, 6(10a): 421 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Athysanopsis salicis* Matsumura
Athysanopsis salicis Matsumura 1905a: 64 [n.sp.];
 Metcalf 1967a, 6(10a): 421 [Cat.]
- DISTRIBUTION:** Japan, China, Korea (Metcalf Cat.)
- Athysanus albanicus* Horvath
Athysanus albanicus Horvath 1916a: 14 [n.sp.];
 Metcalf 1967a, 6(10a): 349 [Cat.]
- DISTRIBUTION:** Albania (Metcalf Cat.)
- Athysanus araucanus* Berg
Athysanus araucanus Berg 1881b: 267 [n.sp.]; Metcalf
 1967a, 6(10a): 349 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
- Athysanus argentarius* Metcalf
Cicada argentata Fabricius 1794a: 38 [n.sp.]; Metcalf
 1967a, 6(10a): 350 [Cat.]
- Athysanus argentarius* Metcalf 1955a: 265 [nom.nov.
 for *Cicada argentata* Fabricius 1794]; Metcalf
 1967a, 6(10a): 356 [Cat.]
- DISTRIBUTION:** Widespread Europe, Russia, United
 States, Canada, Scandinavia (Metcalf Cat.)
- Athysanus bolivari* Melichar
Athysanus bolivari Melichar 1907a: 1035 [n.sp.];
 Metcalf 1967a, 6(10a): 357 [Cat.]
- DISTRIBUTION:** Spain, Portugal (Metcalf Cat.)
- Athysanus brachyceps* Matsumura
Athysanus brachyceps Matsumura 1911b: 27 [n.sp.];
 Metcalf 1967a, 6(10a): 357 [Cat.]
- DISTRIBUTION:** Russia: Sakhalin Island (Metcalf
 Cat.)
- Athysanus coronatus* Berg
Athysanus coronatus Berg 1879d: 261 [n.sp.]; Metcalf
 1967a, 6(10a): 359 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus debilis* Melichar
Athysanus debilis Melichar 1900a: 40 [n.sp.]; Metcalf
 1967a, 6(10a): 359 [Cat.]
- DISTRIBUTION:** Northern Russia, Mongolia, China
 (Metcalf Cat.)
- Athysanus desertorum* Berg
Athysanus desertorum Berg 1879d: 262 [n.sp.];
 Metcalf 1967a, 6(10a): 359 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus detersus* Melichar
Athysanus detersus Melichar 1900a: 39 [n.sp.];
 Metcalf 1967a, 6(10a): 359 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Athysanus dimorphus* Berg
Athysanus dimorphus Berg 1884a: 30 [n.sp.]; Metcalf
 1967a, 6(10a): 360 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus dubitans* Melichar
Athysanus dubitans Melichar 1900a: 39 [n.sp.];
 Metcalf 1967a, 6(10a): 360 [Cat.]
- DISTRIBUTION:** Russia, China (Metcalf Cat.)
- Athysanus dubius* Ferrari
Athysanus dubius Ferrari 1884a: 519 [n.sp.]; Metcalf
 1967a, 6(10a): 360 [Cat.]
- DISTRIBUTION:** Tunisia, Turkey, (Southern
 Europe) (Metcalf Cat.)
- Athysanus fasciolatus* Melichar
Athysanus fasciolatus Melichar 1911a: 107 [n.sp.];
 Metcalf 1967a, 6(10a): 361 [Cat.]
- DISTRIBUTION:** Kenya, Uganda, Tanzania (Metcalf
 Cat.)
- Athysanus filaretanus* Berg
Athysanus filaretanus Berg 1895a: 202 [n.sp.];
 Metcalf 1967a, 6(10a): 362 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus flavicans* Ivanoff
Athysanus flavicans Ivanoff 1885a: 148 [n.sp.];
 Metcalf 1967a, 6(10a): 362 [Cat.]
- DISTRIBUTION:** Russia, Scandinavia (Metcalf Cat.)
- Athysanus fraterculus* Berg
Athysanus fraterculus Berg 1879d: 262 [n.sp.];
 Metcalf 1967a, 6(10a): 362 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus frontalis* Distant
Athysanus frontalis Distant 1917a: 317 [n.sp.];
 Metcalf 1967a, 6(10a): 362 [Cat.]
- DISTRIBUTION:** Seychelles Island (Metcalf Cat.)
- Athysanus gestroi* Lethierry
Athysanus gestroi Lethierry 1881a: 298 [n.sp.];
 Metcalf 1967a, 6(10a): 363 [Cat.]
- DISTRIBUTION:** Ethiopia (Metcalf Cat.)
- Athysanus harrarensis* Baker
Athysanus similis Melichar 1911a: 107 [n.sp.];
 Metcalf 1967a, 6(10a): 363 [Cat.]
- Athysanus harrarensis* Baker 1925b: 537 [nom.nov.
 for *Athysanus similis* Melichar 1911]; Metcalf
 1967a, 6(10a): 363 [Cat.]
- DISTRIBUTION:** Ethiopia (Metcalf Cat.)
- Athysanus jakowleffi* Lethierry
Athysanus jakowleffi Lethierry 1888b: 253 [n.sp.];
 Metcalf 1967a, 6(10a): 364 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Athysanus jamianus* Matsumura
Athysanus jamianus Matsumura 1940d: 43 [n.sp.];
 Metcalf 1967a, 6(10a): 364 [Cat.]

- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Athysanus kanoi* Matsumura
Athysanus kanoi Matsumura 1940d: 42 [n.sp.];
 Metcalf 1967a, 6(10a): 364 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Athysanus laevis* Lethierry
Athysanus laevis Lethierry 1880 [in Reiber & Puton
 1880a: 67] [n.sp.]; Metcalf 1967a, 6(10a): 365
 [Cat.]
- DISTRIBUTION:** France, Belgium, Algeria (Metcalf
 Cat.)
- Athysanus latifasciatus* Kato
Athysanus latifasciatus Kato 1933r: 456 [n.sp.];
 Metcalf 1967a, 6(10a): 365 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Athysanus laurae* Ferrari
Athysanus laurae Ferrari 1884a: 518 [n.sp.]; Metcalf
 1967a, 6(10a): 365 [Cat.]
- DISTRIBUTION:** Tunisia (Metcalf Cat.)
- Athysanus limbicosta* Jacobi
Athysanus limbicosta Jacobi 1944a: 53 [n.sp.];
 Metcalf 1967a, 6(10a): 366 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Athysanus lugubris* Melichar
Athysanus lugubris Melichar 1896a: 266 [n.sp.];
 Metcalf 1967a, 6(10a): 366 [Cat.]
- DISTRIBUTION:** Italy, Austria, Hungary, Germany
 (Metcalf Cat.)
- Athysanus luridus* Ferrari
Athysanus luridus Ferrari 1882a: 128 [n.sp.]; Metcalf
 1967a, 6(10a): 367 [Cat.]
- DISTRIBUTION:** France, Spain, Italy, Portugal,
 Croatia, Russia, Belgium, Hungary, Russia
 (Metcalf Cat.)
- Athysanus minutepunctatus* Lethierry
Athysanus minutepunctatus Lethierry 1874c: 449
 [n.sp.]; Metcalf 1967a, 6(10a): 369 [Cat.]
- DISTRIBUTION:** Algeria (Metcalf Cat.)
- Athysanus minutus* Kupka
Athysanus minutus Kupka 1899b: 65 [n.sp.]; Metcalf
 1967a, 6(10a): 369 [Cat.]
- DISTRIBUTION:** Germany, Austria, Denmark,
 Netherlands (Metcalf Cat.)
- Athysanus negatus* White
Athysanus negatus White 1879a: 215 [n.sp.]; Metcalf
 1967a, 6(10a): 369 [Cat.]
- DISTRIBUTION:** New Zealand (Metcalf Cat.)
- Athysanus nimbuliferus* Berg
Athysanus nimbuliferus Berg 1884a: 28 [n.sp.];
 Metcalf 1967a, 6(10a): 369 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus notaticeps* (Stål)
Thamnotettix notaticeps Stål 1858e: 193 [n.sp.];
 Metcalf 1967a, 6(10a): 370 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Athysanus ogasawarensis* Matsumura
Athysanus ogasawarensis Matsumura 1914a: 189
 [n.sp.]; Metcalf 1967a, 6(10a): 371 [Cat.]
- DISTRIBUTION:** Japan: Bonin Islands (Metcalf Cat.)
- Athysanus othello* Distant
Athysanus othello Distant 1913f: 468 [n.sp.]; Metcalf
 1967a, 6(10a): 371 [Cat.]
- DISTRIBUTION:** North Africa (Sahara Desert)
 (Metcalf Cat.)
- Athysanus pauperculus* (Flor)
Jassus (*Athysanus*) *pauperculus* Flor 1861a: 295
 [n.sp.]; Metcalf 1967a, 6(10a): 371 [Cat.]
- DISTRIBUTION:** Latvia, Estonia, Greece (Metcalf
 Cat.)
- Athysanus personatus* Berg
Athysanus picinus personatus Berg 1884a: 31 [n.sp.];
 Metcalf 1967a, 6(10a): 372 [Cat.]
- DISTRIBUTION:** Bolivia, Argentina, Paraguay
 (Metcalf Cat.)
- Athysanus picinus* Berg
Athysanus picinus Berg 1879d: 263 [n.sp.]; Metcalf
 1967a, 6(10a): 372 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus potanini* Melichar
Athysanus potanini Melichar 1900a: 38 [n.sp.];
 Metcalf 1967a, 6(10a): 373 [Cat.]
- DISTRIBUTION:** Mongolia, China (Metcalf Cat.)
- Athysanus quadrillum* Rey
Athysanus quadrillum Rey 1891a: 249 [n.sp.]; Metcalf
 1967a, 6(10a): 373 [Cat.]
- DISTRIBUTION:** France, Belgium (Metcalf Cat.)
- Athysanus quadrum* Boheman
Athysanus quadrum Boheman 1845b: 157 [n.sp.];
 Metcalf 1967a, 6(10a): 373 [Cat.]
- DISTRIBUTION:** Widespread Europe, Russia,
 Scandinavia (Metcalf Cat.)
- Athysanus quadrum macropterous* (Haupt)
Euscelis quadrum macropterous Haupt 1912a: 186
 [n.subsp. of quadrum]; Metcalf 1967a, 6(10a): 376
 [Cat.]
- DISTRIBUTION:** Germany (Metcalf Cat.)
- Athysanus respubicanus* (Berg)
Deltocephalus respubicanus Berg 1879d: 267 [n.sp.];
 Metcalf 1967a, 6(10a): 376 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Athysanus riguus* Melichar
Athysanus riguus Melichar 1902b: 77 [n.sp.]; Metcalf
 1967a, 6(10a): 377 [Cat.]
- DISTRIBUTION:** Kazakhstan, Turkmenistan, Russia
 (Metcalf Cat.)
- Athysanus sachalinensis* Matsumura
Athysanus sachalinensis Matsumura 1911b: 26 [n.sp.];
 Metcalf 1967a, 6(10a): 377 [Cat.]
- DISTRIBUTION:** Korea, Japan: Sakhalin Island
 (Metcalf Cat.)
- Athysanus schubotzi* (Melichar)

- Phrynomorphus (Athysanus) schubotzi* Melichar
1912c: 115 [n.sp.]; Metcalf 1967a, 6(10a): 377
[Cat.]
DISTRIBUTION: Chad, Gabon, Congo (Metcalf Cat.)
- Athysanus smidtii* (Turton)
Cicada reticulata Fabricius 1794a: 44 [n.sp.]; Metcalf
1967a, 6(10a): 378 [Cat.]
Cicada smidtii Turton 1802a: 597 [n.sp.]; Metcalf
1967a, 6(10a): 378 [Cat.]
Athysanus fabricii Metcalf 1955a: 265 [nom.nov. for
Cicada reticulata Linnaeus 1794]; Metcalf 1967a,
6(10a): 378 [Cat.]
DISTRIBUTION: West Indies, South America
(Metcalf Cat.)
- Athysanus stelliger* Berg
Athysanus stelliger Berg 1884a: 29 [n.sp.]; Metcalf
1967a, 6(10a): 378 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Athysanus tigripes* Lethierry
Athysanus tigripes Lethierry 1876a: lxxxvii [n.sp.];
Metcalf 1967a, 6(10a): 380 [Cat.]
DISTRIBUTION: Russia, Iran, Afganistan (Metcalf
Cat.)
- Athysanus tokitonis* Matsumura
Athysanus tokitonis Matsumura 1902a: 377 [n.sp.];
Metcalf 1967a, 6(10a): 380 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Athysanus translucidus* Haupt
Athysanus translucidus Haupt 1917d: 249 [n.sp.];
Metcalf 1967a, 6(10a): 380 [Cat.]
DISTRIBUTION: Turkmenistan (Metcalf Cat.)
- Athysanus vittulatus* Berg
Athysanus vittulatus Berg 1884b: 116 [n.sp.]; Metcalf
1967a, 6(10a): 381 [Cat.]
DISTRIBUTION: Uruguay (Metcalf Cat.)
- Atkinsoniella decisa* Distant
Atkinsoniella decisa Distant 1908g:236 [n.sp.];
Metcalf 1965a,6(1):41 [Cat.]
DISTRIBUTION: China, Vietnam, Malaysia, Sumatra
(Young 1986a)
- Atkinsoniella maculata* Distant
Atkinsoniella maculata Distant 1908g:236 [n.sp.];
Metcalf 1965a,6(1):41 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Aulacizes aemilia* Distant
Aulacizes aemilia Distant 1908b:75 [n.sp.]; Metcalf
1965a,6(1):623 [Cat.]
DISTRIBUTION: Bolivia (Young 1968a)
- Aulacizes alalia* Distant
Aulacizes alalia Distant 1908b:76 [n.sp.]; Metcalf
1965a,6(1):623 [Cat.]
DISTRIBUTION: Bolivia (Young 1968a)
- Aulacizes albidiennis* Fowler
Aulacizes albidiennis Fowler 1899a:217 [n.sp.];
Metcalf 1965a,6(1):623 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Aulacizes aurantiaca* (Signoret)
Tettigonia aurantiaca Signoret 1855b:225 [n.sp.];
Metcalf 1965a,6(1):623 [Cat.]
Cicus ochraceus Walker 1858b:244 [n.sp.]; Metcalf
1965a,6(1):624 [Cat.]
DISTRIBUTION: Mexico (Young 1968a)
- Aulacizes basalis* Walker
Aulacizes basalis Walker 1851b:795 [n.sp.]; Metcalf
1965a,6(1):624 [Cat.]
DISTRIBUTION: Brazil, Venezuela (Young 1968a)
- Aulacizes cleasa* Distant
Aulacizes cleasa Distant 1908b:75 [n.sp.]; Metcalf
1965a,6(1):624 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Aulacizes clypeata* (Signoret)
Tettigonia clypeata Signoret 1855b:234 [n.sp.];
Metcalf 1965a,6(1):624 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Aulacizes columbica* (Signoret)
Tettigonia columbica Signoret 1855b:236 [n.sp.];
Metcalf 1965a,6(1):625 [Cat.]
DISTRIBUTION: Venezuela, Colombia, Ecuador,
Bolivia (Young 1968a)
- Aulacizes confusa* (Signoret)
Tettigonia confusa Signoret 1855a:58 [n.sp.]; Metcalf
1965a,6(1):625 [Cat.]
Oncometopia munda Fowler 1899b:232 [n.sp.];
Metcalf 1965a,6(1):625 [Cat.]
DISTRIBUTION: Mexico (Young 1968a)
- Aulacizes conspersa* Walker
Aulacizes conspersa Walker 1851b:792 [n.sp.];
Metcalf 1965a,6(1):625 [Cat.]
DISTRIBUTION: Brazil, Argentina (Young 1968a)
- Aulacizes conspersa coeca* (Taschenberg)
Tettigonia coeca Taschenberg 1884a:452 [n.subsp. of
conspersa]; Metcalf 1965a,6(1):626 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Aulacizes conspersa persistans* (Walker)
Proconia persistans Walker 1858b:231 [n.sp.]; Metcalf
1965a,6(1):626 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Aulacizes conspurcata* Melichar
Aulacizes conspurcata Melichar 1926a:306 [n.sp.];
Metcalf 1965a,6(1):626 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Aulacizes delicata* Osborn
Aulacizes delicata Osborn 1926b:167 [n.sp.]; Metcalf
1965a,6(1):626 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Aulacizes divergens* Schmidt
Aulacizes divergens Schmidt 1928c:78 [n.sp.];
Metcalf 1965a,6(1):626 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Aulacizes erythrocephala* (Germar)
Tettigonia erythrocephala Germar 1821a:59 [n.sp.];
Metcalf 1965a,6(1):627 [Cat.]

- DISTRIBUTION:** Brazil (Metcalf Cat.)
Aulacizes figurata Fowler
Aulacizes figurata Fowler 1898a:216 [n.sp.]; Metcalf 1965a,6(1):627 [Cat.]
DISTRIBUTION: Mexico, Costa Rica (Young 1968a)
Aulacizes flava (Signoret)
Tettigonia flava Signoret 1855d:799 [n.sp.]; Metcalf 1965a,6(1):628 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Aulacizes fossulata (Signoret)
Tettigonia fossulata Signoret 1855b:237 [n.sp.]; Metcalf 1965a,6(1):628 [Cat.]
DISTRIBUTION: Colombia, Brazil (Young 1977a)
Aulacizes gracilis Osborn
Aulacizes gracilis Osborn 1926b:167 [n.sp.]; Metcalf 1965a,6(1):628 [Cat.]
DISTRIBUTION: Panama, Colombia, Brazil (Young 1968a)
Aulacizes haenschi Melichar
Aulacizes haenschi Melichar 1926a:316 [n.sp.]; Metcalf 1965a,6(1):628 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1968a)
Aulacizes ignota (Walker)
Tettigonia ignota Walker 1851b:766 [n.sp.]; Metcalf 1965a,6(1):628 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Colombia, Gorgona Is., Guyana (Young 1977a)
Aulacizes inquieta Melichar
Aulacizes inquieta Melichar 1926a:204 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Aulacizes integra Melichar
Aulacizes integra Melichar 1926a:318 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
DISTRIBUTION: Peru, Ecuador (Metcalf Cat.)
Aulacizes invidenda Fowler
Aulacizes invidenda Fowler 1898a:216 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
Aulacizes isabellina Fowler
Aulacizes isabellina Fowler 1899a:217 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Costa Rica, Panama, Colombia, Bolivia (Young 1977a)
Aulacizes maculata Walker
Aulacizes maculata Walker 1851b:793 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
Aulacizes terminalis Walker 1851b:794 [n.sp.]; Metcalf 1965a,6(1):629 [Cat.]
Tettigonia affinis Signoret 1855b:227[nom.nov.for Aulacizes maculata Walk.1851&A. terminalisW.1851]; Metcalf 1965a,6(1):630 [Cat.]
Aulacizes obtusa Walker 1858b:239 [n.sp.]; Metcalf 1965a,6(1):630 [Cat.]
Proconia insistans Walker 1858b:232 [n.sp.]; Metcalf 1965a,6(1):630 [Cat.]
- DISTRIBUTION:** Brazil, Mexico (Metcalf Cat.)
Aulacizes maculata annuligera (Walker)
Proconia annuligera Walker 1858b:232 [n.sp.]; Metcalf 1965a,6(1):630 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Aulacizes maculata nigriceps Schmidt
Aulacizes maculata nigriceps Schmidt 1928c:79 [n.subsp. of maculata]; Metcalf 1965a,6(1):630 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Aulacizes maculifrons (Signoret)
Tettigonia maculifrons Signoret 1855b:235 [n.sp.]; Metcalf 1965a,6(1):631 [Cat.]
DISTRIBUTION: French Guiana, Brazil (Metcalf Cat.)
Aulacizes marginula Osborn
Aulacizes marginula Osborn 1926b:168 [n.sp.]; Metcalf 1965a,6(1):631 [Cat.]
DISTRIBUTION: India, Burma, China, Sumatra (Young 1986a)
Aulacizes misella Melichar
Aulacizes misella Melichar 1926a:318 [n.sp.]; Metcalf 1965a,6(1):631 [Cat.]
DISTRIBUTION: Peru (Young 1968a)
Aulacizes mutans (Signoret)
Tettigonia mutans Signoret 1855b:228 [n.sp.]; Metcalf 1965a,6(1):631 [Cat.]
Aulacizes obliqua Walker 1858b:239 [n.sp.]; Metcalf 1965a,6(1):631 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Costa Rica (Young 1968a)
Aulacizes mutans consistsens (Walker)
Proconia consistsens Walker 1858b:226 [n.sp.]; Metcalf 1965a,6(1):632 [Cat.]
DISTRIBUTION: Mexico, Central America (Metcalf Cat.)
Aulacizes nigripennis (Fabricius)
Cicada irrorata Fabricius 1794a:33 [n.sp.]; Metcalf 1965a,6(1):632 [Cat.]
Cicada nigripennis Fabricius 1794a:32 [n.sp.]; Metcalf 1965a,6(1):632 [Cat.]
Aulacizes rufiventris Walker 1851b:796 [n.sp.]; Metcalf 1965a,6(1):633 [Cat.]
DISTRIBUTION: United States, Brazil, Mexico, Jamaica (Metcalf Cat.)
Aulacizes obsoleta Melichar
Aulacizes obsoleta Melichar 1926a:306 [n.sp.]; Metcalf 1965a,6(1):637 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
Aulacizes olivacea Osborn
Aulacizes olivacea Osborn 1926b:167 [n.sp.]; Metcalf 1965a,6(1):637 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Aulacizes panamensis Fowler
Aulacizes panamensis Fowler 1899a:219 [n.sp.]; Metcalf 1965a,6(1):637 [Cat.]

- DISTRIBUTION:** Mexico, Panama, Costa Rica
(Young 1968a)
- Aulacizes phalaesia** Distant
Aulacizes phalaesia Distant 1908b:74 [n.sp.]; Metcalf 1965a,6(1):638 [Cat.]
- DISTRIBUTION:** Colombia, Peru, Bolivia (Young 1968a)
- Aulacizes piperata** Fowler
Aulacizes piperata Fowler 1898a:215 [n.sp.]; Metcalf 1965a,6(1):638 [Cat.]
- DISTRIBUTION:** Mexico (Young 1968a)
- Aulacizes pollinosa** Fowler
Aulacizes pollinosa Fowler 1899a:218 [n.sp.]; Metcalf 1965a,6(1):638 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Young 1968a)
- Aulacizes quadripunctata** (Germar)
Tettigonia quadripunctata Germar 1821a:59 [n.sp.]; Metcalf 1965a,6(1):639 [Cat.]
- Diestostemma terminalis** Walker 1851b:798 [n.sp.]; Metcalf 1965a,6(1):639 [Cat.]
- DISTRIBUTION:** Brazil, Argentina (Young 1968a)
- Aulacizes repanda** (Signoret)
Tettigonia repanda Signoret 1855a:60 [n.sp.]; Metcalf 1965a,6(1):640 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Aulacizes sculptilis** Osborn
Aulacizes sculptilis Osborn 1926b:165 [n.sp.]; Metcalf 1965a,6(1):640 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1968a)
- Aulacizes similata** (Signoret)
Tettigonia similata Signoret 1855b:236 [n.sp.]; Metcalf 1965a,6(1):640 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Aulacizes sparsa** Fowler
Aulacizes sparsa Fowler 1899a:218 [n.sp.]; Metcalf 1965a,6(1):640 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Young 1968a)
- Aulacizes splendidula** Osborn
Aulacizes splendidula Osborn 1926a:168 [n.sp.]; Metcalf 1965a,6(1):641 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Aulacizes subsidaria** Melichar
Aulacizes subsidaria Melichar 1926a:304 [n.sp.]; Metcalf 1965a,6(1):641 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Aulacizes thunbergii** Stål
Aulacizes thunbergii Stål 1864a:79 [n.sp.]; Metcalf 1965a,6(1):641 [Cat.]
- DISTRIBUTION:** Mexico, Nicaragua, Costa Rica (Young 1968a)
- Auridius auratus** (Gillette & Baker)
Deltoccephalus auratus Gillette & Baker 1895a: 85 [n.sp.]; Metcalf 1967b, 6(10b): 1391 [Cat.]
- Deltoccephalus (Laevicephalus) exectus** DeLong 1926d: 65 [n.sp.]; Metcalf 1967b, 6(10b): 1391 [Cat.]
- Laevicephalus subrutilus** DeLong & Sleesman 1929a: 93 [n.sp.]; Metcalf 1967b, 6(10b): 1391 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Auridius flavidus** Beirne
Auridius flavidus Beirne 1952d: 354 [n.sp.]; Metcalf 1967b, 6(10b): 1392 [Cat.]
- DISTRIBUTION:** Canada (Metcalf Cat.)
- Auridius helvus** (DeLong)
Deltoccephalus (Laevicephalus) helvus DeLong 1926d: 78 [n.sp.]; Metcalf 1967b, 6(10b): 1393 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Auridius ordinatus** (Ball)
Deltoccephalus ordinatus Ball 1899d: 307 [n.sp.]; Metcalf 1967b, 6(10b): 1393 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Europenthimia aburensis** Evans
Europenthimia aburensis Evans 1947a:256 [n.sp.]; Metcalf 1962b,6(3):212 [Cat.]
- DISTRIBUTION:** Zaire, Ghana (Metcalf Cat.)
- Australoscopus whitei** China
Australoscopus whitei China 1926d:296 [n.sp.]; Metcalf 1965b,6(12):42 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides agalliae** Evans
Astroagalloides agalliae Evans 1935c;pl.III [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides brunnea** Evans
Astroagalloides brunnea Evans 1935c:72 [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides flava** Evans
Astroagalloides flava Evans 1939a:46 [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides grisea** Evans
Astroagalloides grisea Evans 1935c:71 [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides karoondae** Evans
Astroagalloides karoondae Evans 1935c:71 [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides maculata** Evans
Astroagalloides maculata Evans 1941f:151 [n.sp.]; Metcalf 1966a,6(14):158 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides rosea** Evans
Astroagalloides nigra Evans 1935c:73 [n.sp.]; Metcalf 1966a,6(14):159 [Cat.]
- Astroagalloides rosea** Evans 1935c:71 [n.sp.]; Metcalf 1966a,6(14):159 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Astroagalloides wrighti** Evans

- Austroagalloides wrighti Evans 1935c:73 [n.sp.];
 Metcalf 1966a,6(14):159 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) alfalfa (Evans)
 Empoasca alfalfa Evans 1940c:12 [n.sp.]; Metcalf
 1968a,6(17):614 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) bractigera Lower
 Austroasca (Austroasca) bractigera Lower 1952a:215
 [n.sp.]; Metcalf 1968a,6(17):614 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) histrionicula (Kirkaldy)
 Cicadula histrionicula Kirkaldy 1906c:361 [n.sp.];
 Metcalf 1968a,6(17):615 [Cat.]
 Empoasca pulcherrima Evans 1942c:49 [n.sp.];
 Metcalf 1968a,6(17):615 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) infulata Lower
 Austroasca (Austroasca) infulata Lower 1953a:33
 [n.sp.]; Metcalf 1968a,6(17):615 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) malvae (Evans)
 Empoasca malvae Evans 1942c:49 [n.sp.]; Metcalf
 1968a,6(17):615 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) merredinensis Lower
 Austroasca (Austroasca) merredinensis Lower
 1952a:213 [n.sp.]; Metcalf 1968a,6(17):615 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) terraereginae (Paoli)
 Empoasca terraereginae Paoli 1936a:13 [n.sp.];
 Metcalf 1968a,6(17):616 [Cat.]
 Empoasca maculata Evans 1942a:27 [n.sp.]; Metcalf
 1968a,6(17):616 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Austroasca) viridigrisea (Paoli)
 Empoasca viridigrisea Paoli 1936a:12 [n.sp.]; Metcalf
 1968a,6(17):617 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austroasca (Paolia) bancrofti (Evans)
 Empoasca bancrofti Evans 1938c:40 [n.sp.]; Metcalf
 1968a,6(17):618 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austrocerus emarginatus Evans
 Austrocerus emarginatus Evans 1941e: 39 [n.sp.];
 Metcalf 1966d, 6(16): 216 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austrolopa brunensis Evans
 Austrolopa brunensis Evans 1936a:48 [n.sp.]; Metcalf
 1962d,6(5):85 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austrolopa kingensis Evans
 Austrolopa kingensis Evans 1936a:48 [n.sp.]; Metcalf
 1962d,6(5):86 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austrolopa tasmaniensis Evans
 Austrolopa [sic] tasmaniensis Evans 1947c:140 [n.sp.];
 Metcalf 1962d,6(5):86 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austrolopa victoriensis Evans
 Austrolopa victoriensis Evans 1939a:44 [n.sp.];
 Metcalf 1962d,6(5):86 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Austronirvana flava Evans
 Austronirvana flavus Evans 1941e:41 [n.sp.]; Metcalf
 1963b,6(7):17 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Backhoffella pulchra Schmidt
 Backhoffella pulchra Schmidt 1928c:84 [n.sp.];
 Metcalf 1965a,6(1):656 [Cat.]
 DISTRIBUTION: Peru (Young 1977a)
- Bahita cavifrons Linnauvori
 Bahita cavifrons Linnauvori 1955b: 116 [n.sp.];
 Metcalf 1967a, 6(10a): 543 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Bahita confusa Linnauvori
 Bahita confusa Linnauvori 1955b: 115 [n.sp.]; Metcalf
 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Bahita fallaciosa Linnauvori
 Bahita fallaciosa Linnauvori 1955b: 118 [n.sp.];
 Metcalf 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Bahita femorata (Osborn)
 Eutettix femorata Osborn 1923c: 53 [n.sp.]; Metcalf
 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Bahita fulvula (Osborn)
 Eutettix fulvulus Osborn 1923c: 56 [n.sp.]; Metcalf
 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Bahita gracilis Linnauvori
 Bahita gracilis Linnauvori 1955b: 115 [n.sp.]; Metcalf
 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Bahita infuscata (Osborn)
 Eutettix infuscatus Osborn 1923c: 52 [n.sp.]; Metcalf
 1967a, 6(10a): 544 [Cat.]
 DISTRIBUTION: Brazil, Bolivia, Paraguay (Metcalf
 Cat.)
- Bahita irrorata (Osborn)
 Eutettix irroratus Osborn 1923c: 51 [n.sp.]; Metcalf
 1967a, 6(10a): 545 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Bahita laticeps (Osborn)
 Eutettix laticeps Osborn 1923c: 54 [n.sp.]; Metcalf
 1967a, 6(10a): 545 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Bahita palliditarsis (Stål)
 Jassus (Athysanus) palliditarsis Stål 1862e: 52 [n.sp.];
 Metcalf 1967a, 6(10a): 545 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)

- Bahita plena (Van Duzee)
Aligia plena Van Duzee 1933a: 37 [n.sp.]; Metcalf 1967a, 6(10a): 545 [Cat.]
 DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Bahita ramosa Linnavuori
Bahita ramosa Linnavuori 1955b: 116 [n.sp.]; Metcalf 1967a, 6(10a): 545 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Bahita spiniventris Linnavuori
Bahita spiniventris Linnavuori 1955b: 114 [n.sp.]; Metcalf 1967a, 6(10a): 546 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)
- Bahita umbrina Linnavuori
Bahita umbrina Linnavuori 1955b: 115 [n.sp.]; Metcalf 1967a, 6(10a): 546 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Baileyus brachynotus Singh-Pruthi
Baileyus brachynotus Singh-Pruthi 1936a: 109 [n.sp.]; Metcalf 1963c, 6(8): 34 [Cat.]
 DISTRIBUTION: China, India (Metcalf Cat.)
- Baileyus brunneus Singh-Pruthi
Baileyus brunneus Singh-Pruthi 1930a: 31 [n.sp.]; Metcalf 1963c, 6(8): 34 [Cat.]
 DISTRIBUTION: China, India (Metcalf Cat.)
- Bakeriana procurrens (Jacobi)
Ipo procurrens Jacobi 1909a: 342 [n.sp.]; Metcalf 1965b, 6(12): 39 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Bakeriana rubra (Evans)
Bakeriola rubra Evans 1947f: 227 [n.sp.]; Metcalf 1965b, 6(12): 39 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Bakeriana tasmaniensis (Evans)
Bakeriola tasmaniensis Evans 1947f: 227 [n.sp.]; Metcalf 1965b, 6(12): 39 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Balacha distincta (Signoret)
Tettigonia distincta Signoret 1854a: 27 [n.sp.]; Metcalf 1965a, 6(1): 287 [Cat.]
 DISTRIBUTION: Colombia (Young 1977a)
- Balacha melanocephala (Signoret)
Tettigonia melanocephala Signoret 1854b: 341 [n.sp.]; Metcalf 1965a, 6(1): 287 [Cat.]
 DISTRIBUTION: Argentina, Uruguay, Brazil, Colombia (Young 1977a)
- Balala formosana Kato
Balala formosana Kato 1928e: 228 [n.sp.]; Metcalf 1962a, 6(2): 14 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Balala fulviventris (Walker)
Penthimia fulviventris Walker 1851b: 841 [n.sp.]; Metcalf 1962a, 6(2): 14 [Cat.]
 DISTRIBUTION: India, Taiwan, Japan, Myanmar, Borneo, China: Hainan Island, West Indonesia, Vietnam (Metcalf Cat.)
- Balala membracioidea (Liu)
Wania membracioidea Liu 1939c: 297 [n.sp.]; Metcalf 1962a, 6(2): 14 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Balbillus albellus Baker
Balbillus albellus Baker 1923a: 376 [n.sp.]; Metcalf 1963b, 6(7): 4 [Cat.]
 DISTRIBUTION: Singapore (Metcalf Cat.)
- Balbillus albellus borneensis Baker
Balbillus albellus borneensis Baker 1923a: 377 [n.subsp. of *albellus*]; Metcalf 1963b, 6(7): 4 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Balbillus granulosus Distant
Balbillus granulosus Distant 1908g: 288 [n.sp.]; Metcalf 1963b, 6(7): 4 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Balclutha abdominalis (Van Duzee)
Gnathodus abdominalis Van Duzee 1892a: 113 [n.sp.]; Metcalf 1967c, 6(10c): 2392 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico, West Indies, Guatemala, Nicaragua (Metcalf Cat.)
- Balclutha abdominalis magna (Baker)
Eugnathodus abdominalis magnus Baker 1903a: 2 [n.subsp. of *abdominalis*]; Metcalf 1967c, 6(10c): 2397 [Cat.]
 DISTRIBUTION: Nicaragua (Metcalf Cat.)
- Balclutha akonis Matsumura
Balclutha akonis Matsumura 1914a: 170 [n.sp.]; Metcalf 1967c, 6(10c): 2397 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Balclutha arctica Beirne
Balclutha arctica Beirne 1950b: 124 [n.sp.]; Metcalf 1967c, 6(10c): 2397 [Cat.]
 DISTRIBUTION: Canada (Metcalf Cat.)
- Balclutha arizona Davidson & DeLong
Balclutha arizona Davidson & DeLong 1935a: 100 [n.sp.]; Metcalf 1967c, 6(10c): 2397 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Balclutha auranticula (Naude)
Eugnathodus auranticula Naudé 1926a: 87 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Balclutha bipunctata (Melichar)
Gnathodus bipunctata Melichar 1904a: 47 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]
 DISTRIBUTION: Ethiopia (Metcalf Cat.)
- Balclutha boica Wagner
Balclutha boica Wagner 1950c: 97 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]
 DISTRIBUTION: Germany (Metcalf Cat.)
- Balclutha botelensis Matsumura
Balclutha botelensis Matsumura 1940d: 44 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Balclutha breviceps Matsumura
Balclutha breviceps Matsumura 1914a: 166 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]

- DISTRIBUTION:** Japan (Metcalf Cat.)
Balclutha brevis Lindberg
Balclutha brevis Lindberg 1954a: 232 [n.sp.]; Metcalf 1967c, 6(10c): 2398 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
Balclutha chersonesia (Distant)
Balclutha chersonesia Distant 1917a: 318 [n.sp.]; Metcalf 1967c, 6(10c): 2399 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
Balclutha chloris (Horváth)
Gnathodus chloris Horváth 1894a: 186 [n.sp.]; Metcalf 1967c, 6(10c): 2399 [Cat.]
DISTRIBUTION: Armenia, Georgia, Azerbaijan, Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Egypt (Metcalf Cat.)
Balclutha chloroptera Melichar
Balclutha chloroptera Melichar 1914b: 138 [n.sp.]; Metcalf 1967c, 6(10c): 2399 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
Balclutha curvata Caldwell
Balclutha curvata Caldwell 1952 [in Caldwell & Martorell 1952a: 81] [n.sp.]; Metcalf 1967c, 6(10c): 2399 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Balclutha delicata (Baker)
Eugnathodus delicatus Baker 1903a: 2 [n.sp.]; Metcalf 1967c, 6(10c): 2399 [Cat.]
DISTRIBUTION: Nicaragua (Metcalf Cat.)
Balclutha eos Haupt
Balclutha eos Haupt 1927a: 38 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
Balclutha flavidia (Naude)
Eugnathodus flavidus Naudé 1926a: 88 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Balclutha fumigata (Naude)
Eugnathodus fumigatus Naudé 1926a: 88 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Balclutha fuscipennis Linnauvori
Balclutha fuscipennis Linnauvori 1954a: 59 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
Balclutha graminea Merino
Balclutha graminea Merino 1936a: 378 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Balclutha haupti Metcalf
Balclutha flava Haupt 1927a: 37 [n.sp.]; Metcalf 1967c, 6(10c): 2400 [Cat.]
Balclutha haupti Metcalf 1955a: 266 [nom.nov. for *Balclutha flava* Haupt 1927]; Metcalf 1967c, 6(10c): 2400 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
Balclutha hortensis Lindberg
Balclutha hortensis Lindberg 1948b: 140 [n.sp.]; Metcalf 1967c, 6(10c): 2401 [Cat.]
DISTRIBUTION: Cyprus, Iraq, Canary Islands (Metcalf Cat.)
Balclutha hospes (Kirkaldy)
Nesosteles hospes Kirkaldy 1910e: 574 [n.sp.]; Metcalf 1967c, 6(10c): 2401 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (Metcalf Cat.)
Balclutha impicta (Van Duzee)
Gnathodus impictus Van Duzee 1892a: 113 [n.sp.]; Metcalf 1967c, 6(10c): 2401 [Cat.]
Gnathodus impictus flavus Baker 1896a: 36 [n.subsp. of *impictus*]; Metcalf 1967c, 6(10c): 2401 [Cat.]
Gnathodus medius Baker 1896a: 38 [n.sp.]; Metcalf 1967c, 6(10c): 2401 [Cat.]
Balclutha impicta maculata Davidson & DeLong 1935a: 101 [n.subsp. of *impicta*]; Metcalf 1967c, 6(10c): 2403 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Balclutha impicta osborni Van Duzee
Gnathodus viridis Osborn 1905a: 541 [n.sp.]; Metcalf 1967c, 6(10c): 2405 [Cat.]
Balclutha impicta osborni Van Duzee 1916a: 75 [nom.nov. for *Balclutha viridis* Osborn 1905]; Metcalf 1967c, 6(10c): 2405 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Balclutha indica (Singh-Pruthi)
Eugnathodus indica Singh-Pruthi 1930a: 48 [n.sp.]; Metcalf 1967c, 6(10c): 2407 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Balclutha intrusa (Melichar)
Gnathodus intrusa Melichar 1903b: 209 [n.sp.]; Metcalf 1967c, 6(10c): 2407 [Cat.]
DISTRIBUTION: Sri Lanka, Tunisia (Metcalf Cat.)
Balclutha juventa (Van Duzee)
Eugnathodus juventus Van Duzee 1937a: 125 [n.sp.]; Metcalf 1967c, 6(10c): 2408 [Cat.]
DISTRIBUTION: Oceania: Mangareva Island, Oceania: Austral Islands (Metcalf Cat.)
Balclutha kilaueae (Kirkaldy)
Macrosteles kilaueae Kirkaldy 1910e: 575 [n.sp.]; Metcalf 1967c, 6(10c): 2408 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (Metcalf Cat.)
Balclutha kuroiwae Matsumura
Balclutha kuroiwae Matsumura 1914a: 168 [n.sp.]; Metcalf 1967c, 6(10c): 2408 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
Balclutha laevis (Melichar)
Gnathodus laevis Melichar 1903b: 209 [n.sp.]; Metcalf 1967c, 6(10c): 2408 [Cat.]

- DISTRIBUTION:** Sri Lanka, Tanzania, Japan, Taiwan
(Metcalf Cat.)
- Balclutha lineata** (Melichar)
Gnathodus lineatus Melichar 1903b: 208 [n.sp.];
Metcalf 1967c, 6(10c): 2409 [Cat.]
- DISTRIBUTION:** Sri Lanka, Tanzania, Kenya
(Metcalf Cat.)
- Balclutha lucida** (Butler)
Jassus lucidus Butler 1877c: 91 [n.sp.]; Metcalf 1967c,
6(10c): 2409 [Cat.]
- DISTRIBUTION:** Chile, Galapagos Islands (Metcalf
Cat.)
- Balclutha micropterous** (Singh-Pruthi)
Eugnathodus micropterous Singh-Pruthi 1930a: 50
[n.sp.]; Metcalf 1967c, 6(10c): 2409 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Balclutha montana** Melichar
Balclutha montana Melichar 1914b: 138 [n.sp.];
Metcalf 1967c, 6(10c): 2409 [Cat.]
- DISTRIBUTION:** West Indonesia, Indian Ocean:
Christmas Island (Metcalf Cat.)
- Balclutha nicolasi** (Lethierry)
Cicadula nicolasi Lethierry 1876b: 26 [n.sp.]; Metcalf
1967c, 6(10c): 2409 [Cat.]
- DISTRIBUTION:** France, Belgium (Metcalf Cat.)
- Balclutha nigromaculata** (Naude)
Eugnathodus nigromaculatus Naudé 1926a: 89 [n.sp.];
Metcalf 1967c, 6(10c): 2410 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Balclutha occidentalis** (Baker)
Gnathodus livingstonii Baker 1896a: 42 [n.sp.];
Metcalf 1967c, 6(10c): 2410 [Cat.]
- Gnathodus occidentalis* Baker 1896a: 41 [n.sp.];
Metcalf 1967c, 6(10c): 2410 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
Cat.)
- Balclutha ocellata** (Singh-Pruthi)
Eugnathodus ocellata Singh-Pruthi 1930a: 51 [n.sp.];
Metcalf 1967c, 6(10c): 2411 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Balclutha ogasawarensis** Matsumura
Balclutha ogasawarensis Matsumura 1914a: 167
[n.sp.]; Metcalf 1967c, 6(10c): 2411 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Balclutha olivacea** Melichar
Balclutha olivacea Melichar 1923b: 100 [n.sp.];
Metcalf 1967c, 6(10c): 2411 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Balclutha orientalis** Matsumura
Balclutha orientalis Matsumura 1914a: 169 [n.sp.];
Metcalf 1967c, 6(10c): 2411 [Cat.]
- DISTRIBUTION:** Taiwan, Singapore, Hong Kong,
China, Malaysia (Metcalf Cat.)
- Balclutha pallidula** (Matsumura)
Gnathodus pallidulus Matsumura 1908a: 11 [n.sp.];
Metcalf 1967c, 6(10c): 2412 [Cat.]
- DISTRIBUTION:** Italy, Spain, Tunisia, Algeria,
Morocco, Canary Islands, Malaysia (Metcalf Cat.)
- Balclutha pauxilla** Lindberg
Balclutha pauxilla Lindberg 1954a: 231 [n.sp.];
Metcalf 1967c, 6(10c): 2412 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Balclutha pectoralis** Matsumura
Balclutha pectoralis Matsumura 1915a: 160 [n.sp.];
Metcalf 1967c, 6(10c): 2412 [Cat.]
- DISTRIBUTION:** Korea (Metcalf Cat.)
- Balclutha pellucens** Horváth
Balclutha pellucens Horváth 1909a: 296 [n.sp.];
Metcalf 1967c, 6(10c): 2413 [Cat.]
- Dicraneura viridella* Lindberg 1941b: 22 [n.sp.];
Metcalf 1967c, 6(10c): 2413 [Cat.]
- DISTRIBUTION:** Canary Islands, Atlantic Ocean:
Azores (Metcalf Cat.)
- Balclutha peregrina** (Kirkaldy)
Nesosteles peregrina Kirkaldy 1910e: 575 [n.sp.];
Metcalf 1967c, 6(10c): 2413 [Cat.]
- DISTRIBUTION:** Oceania: Hawaiian Islands (Metcalf
Cat.)
- Balclutha plutonis** (Kirkaldy)
Nesosteles plutonis Kirkaldy 1910e: 574 [n.sp.];
Metcalf 1967c, 6(10c): 2413 [Cat.]
- DISTRIBUTION:** Oceania: Hawaiian Islands (Metcalf
Cat.)
- Balclutha pulchella** Lindberg
Balclutha pulchella Lindberg 1948b: 141 [n.sp.];
Metcalf 1967c, 6(10c): 2413 [Cat.]
- DISTRIBUTION:** Cyprus, Canary Islands (Metcalf
Cat.)
- Balclutha punctata** (Fabricius)
Cicada punctata Fabricius 1775a: 687 [n.sp.]; Metcalf
1967c, 6(10c): 2414 [Cat.]
- Cicada punctata* Thunberg 1784a: 21 [n.sp.]; Metcalf
1967c, 6(10c): 2414 [Cat.]
- Cicada tricolor* Gmelin 1789a: 2108 [n.sp.]; Metcalf
1967c, 6(10c): 2414 [Cat.]
- Eupteryx clypeata* Curtis 1837c: pl.640 [n.sp.];
Metcalf 1967c, 6(10c): 2415 [Cat.]
- Cicadula spreta* Zetterstedt 1840a: 298 [n.sp.]; Metcalf
1967c, 6(10c): 2415 [Cat.]
- Typhlocyba rosea* Provancher 1872c: 378 [n.sp.];
Metcalf 1967c, 6(10c): 2416 [Cat.]
- Typhlocyba jocosa* Provancher 1890a: 300 [n.sp.];
Metcalf 1967c, 6(10c): 2418 [Cat.]
- Gnathodus confusus* Gillette & Baker 1895a: 104
[n.sp.]; Metcalf 1967c, 6(10c): 2419 [Cat.]
- Balclutha californica** Davidson & DeLong 1935a: 102
[n.sp.]; Metcalf 1967c, 6(10c): 2425 [Cat.]
- DISTRIBUTION:** Widespread Europe, United
Kingdom, Scandinavia, United States, Canada,
Northern Africa, Cyprus, Italy, Greece, Sri Lanka,
Japan, Korea, Hong Kong, New Guinea, Russia,
China, Singapore Island, Kazakhstan, Kirghizia,

- Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, India, Australia (Metcalf Cat.)
- Balclutha punctata confluens* (Rey)
Gnathodus confluens Rey 1894c: 45 [n.subsp. of *punctatus*]; Metcalf 1967c, 6(10c): 2431 [Cat.]
DISTRIBUTION: France, Belgium, Netherlands, Russia (Metcalf Cat.)
- Balclutha punctata impunctata* (Rey)
Gnathodus impunctata Rey 1894c: 45 [n.subsp. of *punctatus*]; Metcalf 1967c, 6(10c): 2432 [Cat.]
DISTRIBUTION: France, Belgium (Metcalf Cat.)
- Balclutha punctata lineolata* (Horváth)
Gnathodus lineolata Horváth 1904b: 586 [n.subsp. of *punctatus*]; Metcalf 1967c, 6(10c): 2432 [Cat.]
DISTRIBUTION: Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Balclutha punctata manitou* (Gillette & Baker)
Gnathodus manitou Gillette & Baker 1895a: 105 [n.sp.]; Metcalf 1967c, 6(10c): 2433 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Balclutha punctata sagittaria* Ribaut
Balclutha sagittaria Ribaut 1952a: 65 [n.subsp. of *punctata*]; Metcalf 1967c, 6(10c): 2434 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Balclutha punctata taunica* Wagner
Balclutha taunica Wagner 1939a: 154 [n.subsp. of *punctata*]; Metcalf 1967c, 6(10c): 2434 [Cat.]
DISTRIBUTION: Germany, Poland, Czech Republic, Netherlands (Metcalf Cat.)
- Balclutha punctata thalassica* (Sidorskii)
Gnathodus thalassica Sidorskii 1937a: 191 [n.subsp. of *punctatus*]; Metcalf 1967c, 6(10c): 2434 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Balclutha quadriguttata* (Matsumura)
Gnathodus quadriguttata Matsumura 1908a: 10 [n.sp.]; Metcalf 1967c, 6(10c): 2434 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Balclutha rhenana* Wagner
Balclutha rhenana Wagner 1939a: 155 [n.sp.]; Metcalf 1967c, 6(10c): 2434 [Cat.]
DISTRIBUTION: Germany, Netherlands, Finland (Metcalf Cat.)
- Balclutha rosea* (Scott)
Gnathodus roseus Scott 1876d: 83 [n.sp.]; Metcalf 1967c, 6(10c): 2434 [Cat.]
Gnathodus frontalis Ferrari 1882a: 117 [n.sp.]; Metcalf 1967c, 6(10c): 2435 [Cat.]
DISTRIBUTION: Spain, France, Italy, Portugal, Germany, Austria, South Africa, Algeria, Switzerland (Metcalf Cat.)
- Balclutha rubrinervis* (Matsumura)
Gnathodus rubrinervis Matsumura 1902a: 357 [n.sp.]; Metcalf 1967c, 6(10c): 2436 [Cat.]
- DISTRIBUTION:** Japan, China, Hong Kong, Korea, China (Metcalf Cat.)
- Balclutha rubrostriata* (Melichar)
Gnathodus rubrostriatus Melichar 1903b: 208 [n.sp.]; Metcalf 1967c, 6(10c): 2436 [Cat.]
DISTRIBUTION: Sri Lanka, Israel (Metcalf Cat.)
- Balclutha rubrotincta* (Melichar)
Gnathodus rubrotinctus Melichar 1905a: 304 [n.sp.]; Metcalf 1967c, 6(10c): 2437 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Balclutha rubrovittata* Matsumura
Balclutha rubrovittata Matsumura 1914a: 168 [n.sp.]; Metcalf 1967c, 6(10c): 2437 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Balclutha saltuella* (Kirschbaum)
Jassus (Thamnotettix) saltuellus Kirschbaum 1868b: 86 [n.sp.]; Metcalf 1967c, 6(10c): 2437 [Cat.]
Gnathodus angustus Then 1886a: 52 [n.sp.]; Metcalf 1967c, 6(10c): 2437 [Cat.]
DISTRIBUTION: Widespread Europe, China, Italy, Egypt (Metcalf Cat.)
- Balclutha smaragdula* Matsumura
Balclutha smaragdula Matsumura 1914a: 167 [n.sp.]; Metcalf 1967c, 6(10c): 2439 [Cat.]
DISTRIBUTION: China, Taiwan (Metcalf Cat.)
- Balclutha timberlakei* (Osborn)
Nesosteles timberlakei Osborn 1935b: 59 [n.sp.]; Metcalf 1967c, 6(10c): 2439 [Cat.]
DISTRIBUTION: United States: Hawaii Islands (Metcalf Cat.)
- Balclutha tumida* (Baker)
Eugnathodus tumidus Baker 1903a: 2 [n.sp.]; Metcalf 1967c, 6(10c): 2439 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Balclutha varicolor* Distant
Balclutha varicolor Distant 1917a: 318 [n.sp.]; Metcalf 1967c, 6(10c): 2439 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Balclutha vermiculata* (Baker)
Eugnathodus vermiculatus Baker 1903a: 2 [n.sp.]; Metcalf 1967c, 6(10c): 2439 [Cat.]
DISTRIBUTION: Nicaragua (Metcalf Cat.)
- Balclutha virescens* Haupt
Balclutha virescens Haupt 1927a: 37 [n.sp.]; Metcalf 1967c, 6(10c): 2440 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
- Balclutha viridinervis* Matsumura
Balclutha viridinervis Matsumura 1914a: 166 [n.sp.]; Metcalf 1967c, 6(10c): 2440 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Balclutha viridis* (Matsumura)
Gnathodus viridis Matsumura 1902a: 359 [n.sp.]; Metcalf 1967c, 6(10c): 2440 [Cat.]
DISTRIBUTION: Japan, Sri Lanka, Taiwan, Korea (Metcalf Cat.)

- Balclutha volcanicola (Kirkaldy)
Nesosteles volcanicola Kirkaldy 1910e: 574 [n.sp.];
 Metcalf 1967c, 6(10c): 2441 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands
 (Metcalf Cat.)
- Balclutha wagneri Lindberg
Balclutha wagneri Lindberg 1954a: 233 [n.sp.];
 Metcalf 1967c, 6(10c): 2441 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Balclutha zionensis (Matsumura)
Gnathodus zionensis Matsumura 1902a: 357 [n.sp.];
 Metcalf 1967c, 6(10c): 2441 [Cat.]
 DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Balcluthina viridis Singh-Pruthi
Balcluthina viridis Singh-Pruthi 1930a: 46 [n.sp.];
 Metcalf 1967c, 6(10c): 2462 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Baldulus bilineatus DeLong
Baldulus bilineatus DeLong 1950a: 108 [n.sp.];
 Metcalf 1967c, 6(10c): 2463 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Baldulus montanus Oman
Baldulus montanus Oman 1934a: 79 [n.sp.]; Metcalf
 1967c, 6(10c): 2463 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Baldulus tropicus DeLong
Baldulus tropicus DeLong 1950a: 109 [n.sp.]; Metcalf
 1967c, 6(10c): 2464 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Baleja flavoguttata (Latreille)
Tettigonia flavoguttata Latreille 1811a: 171 [n.sp.];
 Metcalf 1965a, 6(1): 418 [Cat.]
 DISTRIBUTION: Nicaragua, Costa Rica, Panama
 (Young 1977a)
- Baleja fractilinea (Fowler)
Tettigonia fractilinea Fowler 1899e: 255 [n.sp.];
 Metcalf 1965a, 6(1): 418 [Cat.]
 DISTRIBUTION: Costa Rica, Panama, Colombia
 (Young 1977a)
- Baleja notanda (Fowler)
Tettigonia notanda Fowler 1899e: 255 [n.sp.]; Metcalf
 1965a, 6(1): 418 [Cat.]
 DISTRIBUTION: Panama (Young 1977a)
- Balera pellucida (Osborn)
Dikranera pellucida Osborn 1928a: 271 [n.sp.];
 Metcalf 1968a, 6(17): 21 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ballana absenta DeLong
Ballana absenta DeLong 1937c: 113 [n.sp.]; Metcalf
 1967a, 6(10a): 821 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana adversa DeLong
Ballana adversa DeLong 1937c: 107 [n.sp.]; Metcalf
 1967a, 6(10a): 821 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana amplexa (DeLong)
Laevicephalus amplexa DeLong 1935a: 157 [n.sp.];
 Metcalf 1967a, 6(10a): 822 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana angula DeLong
Ballana angula DeLong 1937c: 116 [n.sp.]; Metcalf
 1967a, 6(10a): 822 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana antleria DeLong
Ballana antleria DeLong 1937c: 120 [n.sp.]; Metcalf
 1967a, 6(10a): 822 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana aris DeLong
Ballana aris DeLong 1937c: 120 [n.sp.]; Metcalf
 1967a, 6(10a): 822 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana arma DeLong
Ballana arma DeLong 1937c: 123 [n.sp.]; Metcalf
 1967a, 6(10a): 823 [Cat.]
 DISTRIBUTION: United States (source in AuxField)
- Ballana atridorsum (Van Duzee)
Thamnotettix atridorsum Van Duzee 1894b: 92
 [n.sp.]; Metcalf 1967a, 6(10a): 823 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana attenuata DeLong
Ballana attenuata DeLong 1937c: 108 [n.sp.]; Metcalf
 1967a, 6(10a): 824 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana bicornis DeLong
Ballana bicornis DeLong 1937c: 119 [n.sp.]; Metcalf
 1967a, 6(10a): 824 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana bifida DeLong
Ballana bifida DeLong 1937c: 117 [n.sp.]; Metcalf
 1967a, 6(10a): 824 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana brevidens DeLong
Ballana brevidens DeLong 1937c: 106 [n.sp.]; Metcalf
 1967a, 6(10a): 824 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana calcara DeLong
Ballana calcara DeLong 1937c: 111 [n.sp.]; Metcalf
 1967a, 6(10a): 825 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana calcea DeLong
Ballana calcea DeLong 1937c: 106 [n.sp.]; Metcalf
 1967a, 6(10a): 825 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana calipera DeLong
Ballana calipera DeLong 1937c: 121 [n.sp.]; Metcalf
 1967a, 6(10a): 825 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana callida DeLong
Ballana callida DeLong 1937c: 121 [n.sp.]; Metcalf
 1967a, 6(10a): 825 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana chelata DeLong

- Ballana chelata DeLong 1937c: 121 [n.sp.]; Metcalf 1967a, 6(10a): 825 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana chiragrica (Ball)
Thamnotettix chiragrica Ball 1900c: 337 [n.sp.]; Metcalf 1967a, 6(10a): 826 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana chrysothamna (DeLong & Davidson)
Thamnotettix chrysothamnus DeLong & Davidson 1934b: 222 [n.sp.]; Metcalf 1967a, 6(10a): 826 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana coarcta DeLong
Ballana coarcta DeLong 1937c: 113 [n.sp.]; Metcalf 1967a, 6(10a): 826 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana cuna DeLong
Ballana cuna DeLong 1937c: 118 [n.sp.]; Metcalf 1967a, 6(10a): 826 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana curvidens DeLong
Ballana curvidens DeLong 1937c: 111 [n.sp.]; Metcalf 1967a, 6(10a): 827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana delea DeLong
Ballana delea DeLong 1937c: 105 [n.sp.]; Metcalf 1967a, 6(10a): 827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana dena DeLong
Ballana dena DeLong 1937c: 120 [n.sp.]; Metcalf 1967a, 6(10a): 827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana dira DeLong
Ballana dira DeLong 1937c: 118 [n.sp.]; Metcalf 1967a, 6(10a): 827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana dissimilata (Ball)
Thamnotettix dissimilata Ball 1910c: 306 [n.sp.]; Metcalf 1967a, 6(10a): 827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana diutia DeLong
Ballana diutia DeLong 1937c: 115 [n.sp.]; Metcalf 1967a, 6(10a): 828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana diversa Knull
Ballana diversa Knull 1951b: 174 [n.sp.]; Metcalf 1967a, 6(10a): 828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana elexa DeLong
Ballana elexa DeLong 1937c: 108 [n.sp.]; Metcalf 1967a, 6(10a): 828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana filamenta DeLong
Ballana filamenta DeLong 1937c: 108 [n.sp.]; Metcalf 1967a, 6(10a): 828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana firma DeLong
Ballana firma DeLong 1937c: 107 [n.sp.]; Metcalf 1967a, 6(10a): 829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana gerula (Ball)
Thamnotettix gerula Ball 1910c: 304 [n.sp.]; Metcalf 1967a, 6(10a): 829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana hama DeLong
Ballana hama DeLong 1937c: 115 [n.sp.]; Metcalf 1967a, 6(10a): 829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana hebea DeLong
Ballana hebea DeLong 1937c: 112 [n.sp.]; Metcalf 1967a, 6(10a): 829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana indens DeLong
Ballana indens DeLong 1937c: 114 [n.sp.]; Metcalf 1967a, 6(10a): 829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana languida (Ball)
Thamnotettix languida Ball 1902a: 17 [n.sp.]; Metcalf 1967a, 6(10a): 830 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana latera DeLong
Ballana latera DeLong 1937c: 123 [n.sp.]; Metcalf 1967a, 6(10a): 830 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana latula DeLong
Ballana latula DeLong 1937c: 122 [n.sp.]; Metcalf 1967a, 6(10a): 830 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana mana DeLong
Ballana mana DeLong 1937c: 119 [n.sp.]; Metcalf 1967a, 6(10a): 830 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana mera DeLong
Ballana mera DeLong 1937c: 109 [n.sp.]; Metcalf 1967a, 6(10a): 831 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana nigridens DeLong
Ballana nigridens DeLong 1937c: 109 [n.sp.]; Metcalf 1967a, 6(10a): 831 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana occidentalis DeLong
Ballana occidentalis DeLong 1937c: 112 [n.sp.]; Metcalf 1967a, 6(10a): 831 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana ortha DeLong
Ballana ortha DeLong 1937c: 111 [n.sp.]; Metcalf 1967a, 6(10a): 831 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ballana parallela DeLong
Ballana parallela DeLong 1937c: 110 [n.sp.]; Metcalf 1967a, 6(10a): 831 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)

- Ballana paridens DeLong
Ballana paridens DeLong 1937c: 123 [n.sp.]; Metcalf
 1967a, 6(10a): 832 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana plena DeLong
Ballana plena DeLong 1937c: 114 [n.sp.]; Metcalf
 1967a, 6(10a): 832 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana pleura DeLong
Ballana pleura DeLong 1937c: 115 [n.sp.]; Metcalf
 1967a, 6(10a): 832 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana polica DeLong
Ballana polica DeLong 1937c: 110 [n.sp.]; Metcalf
 1967a, 6(10a): 832 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana prava DeLong
Ballana prava DeLong 1937c: 107 [n.sp.]; Metcalf
 1967a, 6(10a): 832 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana quira DeLong
Ballana quira DeLong 1937c: 109 [n.sp.]; Metcalf
 1967a, 6(10a): 833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana recurvata DeLong
Ballana recurvata DeLong 1937c: 117 [n.sp.]; Metcalf
 1967a, 6(10a): 833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana repa DeLong
Ballana repa DeLong 1937c: 122 [n.sp.]; Metcalf
 1967a, 6(10a): 833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana seca DeLong
Ballana seca DeLong 1937c: 118 [n.sp.]; Metcalf
 1967a, 6(10a): 833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana sera DeLong
Ballana sera DeLong 1937c: 113 [n.sp.]; Metcalf
 1967a, 6(10a): 833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana spinosa DeLong
Ballana spinosa DeLong 1937c: 110 [n.sp.]; Metcalf
 1967a, 6(10a): 834 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana tiaja DeLong
Ballana tiaja DeLong 1937c: 116 [n.sp.]; Metcalf
 1967a, 6(10a): 834 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana titusi (Ball)
Thamnotettix titusi Ball 1910a: 267 [n.sp.]; Metcalf
 1967a, 6(10a): 834 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana transea DeLong
Ballana transea DeLong 1937c: 106 [n.sp.]; Metcalf
 1967a, 6(10a): 834 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana ursina (Ball)
Thamnotettix ursina Ball 1910c: 307 [n.sp.]; Metcalf
 1967a, 6(10a): 835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana valga DeLong
Ballana valga DeLong 1937c: 116 [n.sp.]; Metcalf
 1967a, 6(10a): 835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana vapida (Ball)
Thamnotettix vapida Ball 1910c: 305 [n.sp.]; Metcalf
 1967a, 6(10a): 835 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Ballana vastula (Ball)
Thamnotettix vastula Ball 1910a: 268 [n.sp.]; Metcalf
 1967a, 6(10a): 835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana velosa DeLong
Ballana velosa DeLong 1937c: 119 [n.sp.]; Metcalf
 1967a, 6(10a): 836 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana venditaria (Ball)
Thamnotettix venditaria Ball 1910a: 266 [n.sp.];
 Metcalf 1967a, 6(10a): 836 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Ballana veruta (Van Duzee)
Thamnotettix verutus Van Duzee 1925b: 424 [n.sp.];
 Metcalf 1967a, 6(10a): 837 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana vesca (Ball)
Thamnotettix vesca Ball 1910c: 302 [n.subsp. of
 atridorsum]; Metcalf 1967a, 6(10a): 837 [Cat.]
Ballana gruis DeLong 1937c: 114 [n.sp.]; Metcalf
 1967a, 6(10a): 837 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana vespertina (Ball)
Thamnotettix vespertina Ball 1910c: 301 [n.sp.];
 Metcalf 1967a, 6(10a): 837 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana vetula (Ball)
Thamnotettix vetula Ball 1910c: 302 [n.subsp. of
 atridorsum]; Metcalf 1967a, 6(10a): 838 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana viriosa (Ball)
Thamnotettix viriosa Ball 1910a: 266 [n.sp.]; Metcalf
 1967a, 6(10a): 838 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana visalia (Ball)
Thamnotettix visalia Ball 1910c: 301 [n.sp.]; Metcalf
 1967a, 6(10a): 839 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ballana vivata (Ball)
Thamnotettix vivata Ball 1910c: 302 [n.subsp. of
 titusi]; Metcalf 1967a, 6(10a): 839 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

- Balocha angulifera (Walker)
Iassus angulifer Walker 1870b: 325 [n.sp.]; Metcalf 1966d, 6(16): 223 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Balocha busonioides Baker
Balocha busonioides Baker 1915c: 330 [n.sp.]; Metcalf 1966d, 6(16): 223 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Balocha flavocapitata Kato
Balocha flavocapitata Kato 1933r: 458 [n.sp.]; Metcalf 1966d, 6(16): 224 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Balocha tricolor Distant
Balocha tricolor Distant 1908g: 189 [n.sp.]; Metcalf 1966d, 6(16): 224 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Bandara curvata Knoll
Bandara curvata Knoll 1946b: pl.I,figs.1-3 [n.sp.]; Metcalf 1967a, 6(10a): 495 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Bandara hyalina (Osborn)
Mesamia hyalina Osborn 1923c: 48 [n.sp.]; Metcalf 1967a, 6(10a): 496 [Cat.]
DISTRIBUTION: Colombia, Trinidad, Grenada, Dominican Republic (Metcalf Cat.)
- Bandara inflata Knoll
Bandara inflata Knoll 1946b: 262 [n.sp.]; Metcalf 1967a, 6(10a): 496 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Bandara johnsoni (Van Duzee)
Eutettix johnsoni Van Duzee 1894c: 137 [n.sp.]; Metcalf 1967a, 6(10a): 496 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Bandara parallela Knoll
Bandara parallela Knoll 1946b: 263 [n.sp.]; Metcalf 1967a, 6(10a): 498 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Banus maculosus Distant
Banus maculosus Distant 1918b: 55 [n.sp.]; Metcalf 1967a, 6(10a): 540 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Banus oblatus Distant
Banus oblatus Distant 1908g: 353 [n.sp.]; Metcalf 1967a, 6(10a): 540 [Cat.]
DISTRIBUTION: Sri Lanka, Myanmar (Metcalf Cat.)
- Baramapulana princeps Distant
Baramapulana princeps Distant 1910e: 235 [n.sp.]; Metcalf 1965a, 6(1): 286 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Baroma reticulata Oman
Baroma reticulata Oman 1938b: 378 [n.sp.]; Metcalf 1967a, 6(10a): 547 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Bascarrhinus plataleoides* Jacobi
- Bascarrhinus plataleoides* Jacobi 1914a: 382 [n.sp.]; Metcalf 1962c, 6(4): 65 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Bascarrhinus platypoides* Fowler
Bascarrhinus platypoides Fowler 1898a: 214 [n.sp.]; Metcalf 1962c, 6(4): 65 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Bathysmatophorus reuteri* Sahlberg
Bathysmatophorus reuteri Sahlberg 1871a: 111 [n.sp.]; Metcalf 1963c, 6(8): 30 [Cat.]
DISTRIBUTION: Scandinavia, England, Russia (Metcalf Cat.)
- Bathysmatophorus sachtlebeni* Jacobi
Bathysmatophorus sachtlebeni Jacobi 1943a: 28 [n.sp.]; Metcalf 1963c, 6(8): 31 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Bathysmatophorus shabliovskii* Kusnezov
Bathysmatophorus shabliovskii Kusnezov 1932b: 166 [n.sp.]; Metcalf 1963c, 6(8): 31 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Batracomorphus allionii* (Turton)
Cicada prasina Fabricius 1794a: 38 [n.sp.]; Metcalf 1966c, 6(15): 121 [Cat.]
Cicada allionii Turton 1802a: 594 [n.sp.]; Metcalf 1966c, 6(15): 121 [Cat.]
- Batrachomorphus* [sic] *fabricii* Metcalf 1955a: 266 [nom.nov. for *Cicada prasina* Fabricius 1794]; Metcalf 1966c, 6(15): 124 [Cat.]
DISTRIBUTION: Widespread Europe, Russia, Scandinavia, Western Mediterranean (Metcalf Cat.)
- Batracomorphus angustior* Jacobi
Batracomorphus angustior Jacobi 1943a: 30 [n.sp.]; Metcalf 1966c, 6(15): 124 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Batracomorphus breviceps* Lindberg
Batracomorphus breviceps Lindberg 1923b: 69 [n.sp.]; Metcalf 1966c, 6(15): 125 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Batracomorphus brevis* Kusnezov
Batracomorphus brevis Kusnezov 1929b: 173 [n.sp.]; Metcalf 1966c, 6(15): 125 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Batracomorphus desertorum* Kusnezov
Batrachomorphus [sic] *desertorum* Kusnezov 1929d: 258 [n.sp.]; Metcalf 1966c, 6(15): 125 [Cat.]
DISTRIBUTION: Widespread Europe, Russia, Scandinavia, Western Mediterranean (Metcalf Cat.)
- Batracomorphus flavovirens* Lindberg
Batracomorphus flavovirens Lindberg 1948b: 134 [n.sp.]; Metcalf 1966c, 6(15): 125 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Batracomorphus glaber* Haupt
Batrachomorphus [sic] *glaber* Haupt 1927a: 15 [n.sp.]; Metcalf 1966c, 6(15): 125 [Cat.]

- DISTRIBUTION:** Israel, Mediterranean region
(Metcalf Cat.)
- Batracomorphus imitans** Jacobi
Batracomorphus imitans Jacobi 1944a:47 [n.sp.];
Metcalf 1966c,6(15):125 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Batracomorphus irroratus** Lewis
Batracomorphus irroratus Lewis 1834a:52 [n.sp.];
Metcalf 1966c,6(15):125 [Cat.]
- Bythoscopus microcephalus** Herrich-Schaeffer
1838c:8 [n.sp.]; Metcalf 1966c,6(15):125 [Cat.]
- Jassus punctulatus** Forel 1858a:253 [n.sp.]; Metcalf
1966c,6(15):126 [Cat.]
- Macropsis verrucosa** Haupt 1917d:239 [n.sp.]; Metcalf
1966c,6(15):129 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Russia, Western Mediterranean, Scandinavia
(Metcalf Cat.)
- Batracomorphus lanarius** Jacobi
Batracomorphus lanarius Jacobi 1943a:31 [n.sp.];
Metcalf 1966c,6(15):130 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Batracomorphus melichari** (Oshanin)
Macropsis scutellaris Melichar 1902c:120 [n.sp.];
Metcalf 1966c,6(15):131 [Cat.]
- Macropsis melichari Oshanin 1912a:69 [nom.nov. for
Macropsis scutellaris Melichar 1902]; Metcalf
1966c,6(15):131 [Cat.]
- DISTRIBUTION:** China, Japan, Portugal (Metcalf
Cat.)
- Batracomorphus melichari suturalis** (Melichar)
Macropsis suturalis Melichar 1902c:120 [n.subsp. of
scutellaris]; Metcalf 1966c,6(15):131 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Batracomorphus orientalis** Kusnezov
Batrachomorphus [sic] orientalis Kusnezov 1929d:253
[n.sp.]; Metcalf 1966c,6(15):131 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Batracomorphus signatus** Lindberg
Batracomorphus signata Lindberg 1923b:69 [n.sp.];
Metcalf 1966c,6(15):132 [Cat.]
- DISTRIBUTION:** Egypt, Syria, Israel (Metcalf Cat.)
- Batracomorphus signatus v-nigrum** Lindberg
Batracomorphus v-nigrum Lindberg 1923b:70
[n.subsp. of signatus]; Metcalf 1966c,6(15):132
[Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Batracomorphus ulmi** Kusnezov
Batrachomorphus [sic] ulmi Kusnezov 1929d:254
[n.sp.]; Metcalf 1966c,6(15):132 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Batracomorphus viridulus** (Melichar)
Macropsis viridula Melichar 1902c:120 [n.sp.];
Metcalf 1966c,6(15):132 [Cat.]
- DISTRIBUTION:** China, Korea, Japan (Metcalf Cat.)
- Beamerana tropicalis** (Osborn)
- Erythroneura similis** Osborn 1928a:289 [n.sp.];
Metcalf 1968a,6(17):607 [Cat.]
- Erythroneura tropicalis** Osborn 1928a:288 [n.sp.];
Metcalf 1968a,6(17):607 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Bella apicalis** Singh-Pruthi
Bella apicalis Singh-Pruthi 1930a: 45 [n.sp.]; Metcalf
1967c, 6(10c): 2348 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Benala tumida** (Osborn)
Deltocephalus tumidus Osborn 1923c: 42 [n.sp.];
Metcalf 1967b, 6(10b): 1313 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Bergallia alternata** (Oman)
Aceratagallia (Bergallia) alternata Oman 1938a:411
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergallia catalina** (Oman)
Aceratagallia (Bergallia) catalina Oman 1938a:414
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergallia chileana** (Oman)
Aceratagallia (Bergallia) chileana Oman 1938a:410
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
- Bergallia confusa** (Oman)
Aceratagallia (Bergallia) confusa Oman 1938a:414
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergallia lateralis** (Oman)
Aceratagallia (Bergallia) lateralis Oman 1938a:409
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergallia neosignata** (Oman)
Aceratagallia (Bergallia) neosignata Oman 1938a:413
[n.sp.]; Metcalf 1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergallia signata** (Stål)
Bythoscopus signatus Stål 1859b:291 [n.sp.]; Metcalf
1966a,6(14):156 [Cat.]
- DISTRIBUTION:** Argentina, Uruguay (Metcalf Cat.)
- Bergallia unica** (Oman)
Aceratagallia (Bergallia) unica Oman 1938a:410
[n.sp.]; Metcalf 1966a,6(14):157 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Bergevina ahngeri** (Melichar)
Macroceps ahngeri Melichar 1902b:75 [n.sp.]; Metcalf
1966a,6(14):164 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan, Turkey
(Metcalf Cat.)
- Betsileonas marmorata** (Blanchard)
Ledra marmorata Blanchard 1840a:194 [n.sp.];
Metcalf 1962c,6(4):109 [Cat.]
- DISTRIBUTION:** Madagascar, Africa (Metcalf Cat.)
- Bhandara centrivittata** (Breddin)

- Tettigonia centrivittata Breddin 1899a:186 [n.sp.]; Metcalf 1965a,6(1):250 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Bhandara ceylonica (Melichar)
Tettigonia ceylonica Melichar 1903b:156 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
DISTRIBUTION: Malaysia (Young 1986a)
- Bhandara horsfieldi (Distant)
Tettigoniella horsfieldi Distant 1908f:141 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Bhandara picturata Distant
Bhandara picturata Distant 1908f:143 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Bhandara sarawakensis Distant
Bhandara sarawakensis Distant 1908f:143 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Bhandara semiclara (Signoret)
Tettigonia semiclara Signoret 1853c:666 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
Tettigonia sanguifluva Walker 1858b:222 [n.sp.]; Metcalf 1965a,6(1):251 [Cat.]
DISTRIBUTION: Malaysia, Borneo, W.Indonesia (Metcalf Cat.)
- Bhandara tetraspila Jacobi
Bhandara tetraspila Jacobi 1944a:41 [n.sp.]; Metcalf 1965a,6(1):252 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Bhandara trita (Walker)
Tettigonia trita Walker 1851b:750 [n.sp.]; Metcalf 1965a,6(1):252 [Cat.]
DISTRIBUTION: West Indonesia: Java (Young 1986a)
- Bharata insignis Distant
Bharata insignis Distant 1918b:12 [n.sp.]; Metcalf 1965a,6(1):40 [Cat.]
DISTRIBUTION: West Indonesia: Sumatra (Young 1986a)
- Bharata repulsa Melichar
Bharata repulsa Melichar 1926a:370 [n.sp.]; Metcalf 1965a,6(1):40 [Cat.]
DISTRIBUTION: New Guinea (Young 1986a)
- Bharata stellata (Signoret)
Tettigonia stellata Signoret 1853c:667 [n.sp.]; Metcalf 1965a,6(1):40 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Bhatia olivacea (Melichar)
Eutettix olivaceus Melichar 1903b: 191 [n.sp.]; Metcalf 1967a, 6(10a): 541 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia (Metcalf Cat.)
- Bhooria klossi Distant
Bhooria klossi Distant 1914d:360 [n.sp.]; Metcalf 1965a,6(1):458 [Cat.]
- DISTRIBUTION:** West Indonesia (Java), Borneo (Young 1986a)
- Bhooria modulata Distant
Bhooria modulata Distant 1908g:256 [n.sp.]; Metcalf 1965a,6(1):458 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Bhooria subrotundata Ribeiro
Bhooria subrotundata Ribeiro 1938a:18 [n.sp.]; Metcalf 1965a,6(1):458 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bilusius noualhieri (Melichar)
Anosterostemma noualhieri Melichar 1898a: 63 [n.sp.]; Metcalf 1967a, 6(10a): 221 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Bilusius serratus Ribaut
Bilusius serratus Ribaut 1952a: 106 [n.sp.]; Metcalf 1967a, 6(10a): 221 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Bituitus projectus Distant
Bituitus projectus Distant 1918b: 71 [n.sp.]; Metcalf 1967c, 6(10c): 2349 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Biza crocea Walker
Biza crocea Walker 1858b:253 [n.sp.]; Metcalf 1964b,6(11):95 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Bobacella corvina (Horváth)
Anoterostemma corvinum Horváth 1903c:474 [n.sp.]; Metcalf 1962d,6(5):94 [Cat.]
DISTRIBUTION: Hungary, Austria, North America (?) (Metcalf Cat.)
- Bobacella teratocera Kusnezov
Bobacella teratocera Kusnezov 1929e:271 [n.sp.]; Metcalf 1962d,6(5):94 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Bobacella turanica Horváth
Bobacella turanica Horváth 1936a:199 [n.sp.]; Metcalf 1962d,6(5):95 [Cat.]
DISTRIBUTION: Kazakstan (Metcalf Cat.)
- Bolanusoides heros Distant
Bolanusoides heros Distant 1918b:91 [n.sp.]; Metcalf 1968a,6(17):1044 [Cat.]
Camulus modestus Distant 1918b:98 [n.sp.]; Metcalf 1968a,6(17):1045 [Cat.]
Camulus ornatus Distant 1918b:97 [n.sp.]; Metcalf 1968a,6(17):1045 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bolarga boliviiana (Osborn)
Parabolocratus boliviianus Osborn 1923c: 32 [n.sp.]; Metcalf 1967b, 6(10b): 1772 [Cat.]
Parabolocratus boliviianus pallida Osborn 1923c: 33 [n.subsp. of boliviianus]; Metcalf 1967b, 6(10b): 1772 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Bolarga quadrimaculata Linnauvori

- Bolarga quadrimaculata* Linnauvori 1955b: 123
[n.sp.]; Metcalf 1967b, 6(10b): 1772 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
- Bonamus lineatus* Oman
Bonamus lineatus Oman 1938b:366 [n.sp.]; Metcalf 1963d,6(9):60 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Bonneyana osborni* (Ball)
Thamnotettix osborni Ball 1900c: 337 [n.sp.]; Metcalf 1967b, 6(10b): 1328 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Bonneyana schwarzi* [sic] (Ball)
Thamnotettix schwartzii Ball 1911a: 197 [n.sp.]; Metcalf 1967b, 6(10b): 1328 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Bonneyana terminalis* (Ball)
Idiodonus terminalis Ball 1937b: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1329 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Bordesia mitrata* Bergevin
Bordesia mitrata Bergevin 1929a:9 [n.sp.]; Metcalf 1963d,6(9):23 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Borduria impressa* (Walker)
Bythoscopus impressus Walker 1870b:322 [n.sp.]; Metcalf 1964b,6(11):143 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Boreotettix serricaudus* (Kontkanen)
Cosmotettix serricauda Kontkanen 1949c: 41 [n.sp.]; Metcalf 1967b, 6(10b): 1596 [Cat.]
DISTRIBUTION: Finland, North America (?) (Metcalf Cat.)
- Bothrogonia angularis* (Walker)
Tettigonia angularis Walker 1857b:167 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Bothrogonia annandalei* (Distant)
Tettigoniella annandalei Distant 1908f:140 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Bothrogonia assamensis* (Distant)
Tettigonia assamensis Distant 1880b:203 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bothrogonia baluensis* (Distant)
Tettigoniella baluensis Distant 1908f:141 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Bothrogonia biermani* (Melichar)
Tettigoniella biermani Melichar 1914b:127 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Bothrogonia dentata* (Bierman)
Tettigonia dentata Bierman 1910a:55 [n.sp.]; Metcalf 1965a,6(1):234 [Cat.]
- DISTRIBUTION:** W.Indonesia (Metcalf Cat.)
- Bothrogonia difficilis* (Walker)
Tettigonia difficilis Walker 1857b:169 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
DISTRIBUTION: Borneo (Zhang & Webb 1996a)
- Bothrogonia ferruginea* (Fabricius)
Cicada ferruginea Fabricius 1787a:269 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia confinis Walker 1851b:736,not 745 [see Young 1986a:209] [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia duplex Walker 1851b:738 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia gemina Walker 1851b:737 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia longa Walker 1851b:740 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia obscura Walker 1851b:738 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
Tettigonia reducta Walker 1851b:739 [n.sp.]; Metcalf 1965a,6(1):235 [Cat.]
DISTRIBUTION: China (Young 1986a)
- Bothrogonia ferruginea apicalis* (Walker)
Tettigonia apicalis Walker 1851b:736 [n.sp.]; Metcalf 1965a,6(1):242 [Cat.]
DISTRIBUTION: China, Japan, Taiwan, Korea, India (Metcalf Cat.)
- Bothrogonia foveolata* (Signoret)
Tettigonia foveolata Signoret 1853b:347 [n.sp.]; Metcalf 1965a,6(1):245 [Cat.]
DISTRIBUTION: China (Young 1986a)
- Bothrogonia gelida* (Walker)
Tettigonia gelida Walker 1851b:751 [n.sp.]; Metcalf 1965a,6(1):245 [Cat.]
DISTRIBUTION: China (Young 1986a)
- Bothrogonia gemina* (Distant)
Tettigoniella gemina Distant 1918b:2 [n.sp.]; Metcalf 1965a,6(1):245 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bothrogonia illustris* (Distant)
Tettigoniella illustris Distant 1908g:204 [n.sp.]; Metcalf 1965a,6(1):245 [Cat.]
DISTRIBUTION: India (Young 1986a)
- Bothrogonia impudica* (Signoret)
Tettigonia impudica Signoret 1853c:677 [n.sp.]; Metcalf 1965a,6(1):246 [Cat.]
DISTRIBUTION: China (Young 1986a)
- Bothrogonia indistincta* (Walker)
Tettigonia confinis Walker 1851b:745,not 736 [see Young 1986a:208] [n.sp.]; Metcalf 1965a,6(1):246 [Cat.]
Tettigonia indistincta Walker 1851b:739 [n.sp.]; Metcalf 1965a,6(1):246 [Cat.]
DISTRIBUTION: W.Indonesia, India, Borneo, Philippines, China, Myanmar (Metcalf Cat.)
- Bothrogonia indosinica* (Jacobi)

- Tettigoniella indosinica* Jacobi 1905b:445 [n.sp.];
 Metcalf 1965a,6(1):247 [Cat.]
DISTRIBUTION: East Indonesia (Sulawesi) (Young 1986a)
- Bothrogonia inflammatia* (Distant)
Tettigoniella inflammatia Distant 1908g:215 [n.sp.];
 Metcalf 1965a,6(1):247 [Cat.]
DISTRIBUTION: Sri Lanka (Young 1986a)
- Bothrogonia insignior* (Distant)
Tettigoniella insignior Distant 1918b:1 [n.sp.];
 Metcalf 1965a,6(1):247 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bothrogonia leopardina* (Distant)
Tettigoniella leopardina Distant 1908g:204 [n.sp.];
 Metcalf 1965a,6(1):247 [Cat.]
DISTRIBUTION: West Indonesia: Java (Young 1986a)
- Bothrogonia monostigma* (Melichar)
Tettigoniella monostigma Melichar 1914b:126 [n.sp.];
 Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Bothrogonia morosula* (Breddin)
Tettigonia morosula Breddin 1903b:92 [n.sp.];
 Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Bothrogonia mouhoti* (Distant)
Tettigoniella mouhoti Distant 1908f:142 [n.sp.];
 Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: China, Vietnam, Thailand (Young 1986a)
- Bothrogonia nigrifrons* (Signoret)
Tettigonia nigrifrons Signoret 1853c:671 [n.sp.];
 Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Bothrogonia norma* (Signoret)
Tettigonia norma Signoret 1853c:671 [n.sp.]; Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: Philippines (Young 1986a)
- Bothrogonia pavo* (Signoret)
Tettigonia pavo Signoret 1853c:675 [n.sp.]; Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bothrogonia perakensis* (Distant)
Tettigoniella perakensis Distant 1908f:141 [n.sp.];
 Metcalf 1965a,6(1):248 [Cat.]
DISTRIBUTION: Bengal (Young 1986a)
- Bothrogonia philippina* (Walker)
Tettigonia philippina Walker 1851b:740 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Bothrogonia pythonis* (Distant)
Tettigoniella pythonis Distant 1908g:207 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Bothrogonia rubellula* (Breddin)
- Tettigoniella rubellula* Breddin 1905a:223 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: Banguey (Metcalf Cat.)
- Bothrogonia sulphurata* (Distant)
Tettigoniella sulphurata Distant 1908g:216 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: India, Burma (Young 1986a)
- Bothrogonia sumatrana* (Bierman)
Tettigonia sumatrana Bierman 1910a:54 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: Malaysia: Penang Is. (Young 1986a)
- Bothrogonia tamborensis* (Distant)
Tettigoniella tamborensis Distant 1908f:139 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: W.Indonesia, E.Indonesia (Metcalf Cat.)
- Bothrogonia timorensis* (Distant)
Tettigoniella timorensis Distant 1908f:139 [n.sp.];
 Metcalf 1965a,6(1):249 [Cat.]
DISTRIBUTION: E.Indonesia, W.Indonesia (Metcalf Cat.)
- Bothrogonia titonii* (Signoret)
Tettigonia titonii Signoret 1855d:783 [n.sp.]; Metcalf 1965a,6(1):250 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Bothrogonia tripars* (Walker)
Tettigonia tripars Walker 1857a:97 [n.sp.]; Metcalf 1965a,6(1):250 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Bothrogonia wetterensis* (Distant)
Tettigoniella wetterensis Distant 1908f:139 [n.sp.];
 Metcalf 1965a,6(1):250 [Cat.]
DISTRIBUTION: E.Indonesia, W.Indonesia (Metcalf Cat.)
- Brachypteronia grisea* Lindberg
Brachypteronia grisea Lindberg 1954a: 221 [n.sp.];
 Metcalf 1967a, 6(10a): 89 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Brachypteronia viridissima* Lindberg
Brachypteronia viridissima Lindberg 1954a: 220 [n.sp.]; Metcalf 1967a, 6(10a): 89 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Brasa rugicollis* (Dozier)
Macropsis rugicollis Dozier 1927b:264 [n.sp.];
 Metcalf 1966a,6(14):155 [Cat.]
DISTRIBUTION: West Indies (Metcalf Cat.)
- Brasopsis gilvipes* (Stål)
Bythoscopus gilvipes Stål 1862e:54 [n.sp.]; Metcalf 1966a,6(14):150 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Brazosa picturella* (Baker)
Thamnotettix picturella Baker 1923b: 532 [nom.nov. for *Thamnotettix pictus* Osborn 1923]; Metcalf 1967a, 6(10a): 811 [Cat.]

- Thamnotettix pictus* Osborn 1923c: 68 [n.sp.]; Metcalf 1967a, 6(10a): 811 [Cat.]
DISTRIBUTION: Brazil, Bolivia, Argentina (Metcalf Cat.)
- Brenda arborea* (Ball)
Paropulopa arborea Ball 1909b:184 [n.sp.]; Metcalf 1962d,6(5):33 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Brincadorus laticeps* Oman
Brincadorus laticeps Oman 1938b:361 [n.sp.]; Metcalf 1966c,6(15):183 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Brunnerella flavonigra* (Stål)
Typhlocyba flavonigra Stål 1862e:55 [n.sp.]; Metcalf 1968a,6(17):81 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Brunnerella magnifica* Young
Brunnerella magnifica Young 1952b:32 [n.sp.]; Metcalf 1968a,6(17):81 [Cat.]
DISTRIBUTION: Mexico, Cuba (Metcalf Cat.)
- Bucephalogonia xanthophis* (Berg)
Tettigonia xanthophis Berg 1879d:249 [n.sp.]; Metcalf 1965a,6(1):199 [Cat.]
DISTRIBUTION: Argentina (Young 1977a)
- Buloria gyponinoides* Distant
Buloria gyponinoides Distant 1908g:271 [n.sp.]; Metcalf 1963b,6(7):31 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bumizana elongata* Distant
Bumizana elongata Distant 1918b:32 [n.sp.]; Metcalf 1963d,6(9):116 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bumizana ruberosa* Singh-Pruthi
Bumizana ruberosa Singh-Pruthi 1930a:20 [n.sp.]; Metcalf 1963d,6(9):116 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Bundera flavocapitata* Kato
Bundera flavocapitata Kato 1933r:454 [n.sp.]; Metcalf 1963a,6(6):45 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Bundera venata* Distant
Bundera venata Distant 1908g:228 [n.sp.]; Metcalf 1963a,6(6):45 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Buritia lepida* (McAtee)
Dikraneura (*Dikraneura*) *leptoides* McAtee 1926b:161 [n.sp.]; Metcalf 1968a,6(17):284 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Busonia amentata* Distant
Busonia amentata Distant 1908g: 199 [n.sp.]; Metcalf 1966d, 6(16): 222 [Cat.]
DISTRIBUTION: India, Myanmar, West Indonesia (Metcalf Cat.)
- Busonia insularis* Schmidt
Busonia insularis Schmidt 1926e: 6 [n.sp.]; Metcalf 1966d, 6(16): 222 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Busonia mindanaensis* Baker
Busonia mindanaensis Baker 1915c: 327 [n.sp.]; Metcalf 1966d, 6(16): 222 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Busonia minor* (Bierman)
Idiocerus minor Bierman 1908a: 165 [n.sp.]; Metcalf 1966d, 6(16): 223 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Busonia scutellaris* Baker
Busonia scutellaris Baker 1915c: 327 [n.sp.]; Metcalf 1966d, 6(16): 223 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Bythonia rugosa* (Osborn)
Nionia rugosa Osborn 1923c:32 [n.sp.]; Metcalf 1966c,6(15):116 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Cabrus hyalinus* (Beamer)
Laevicephalus hyalinus Beamer 1938c: 77 [n.sp.]; Metcalf 1967b, 6(10b): 1823 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cabrus labeculus* (DeLong)
Deltocephalus (*Laevicephalus*) *labeculus* DeLong 1926d: 76 [n.sp.]; Metcalf 1967b, 6(10b): 1823 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Cabrus tener* (Beamer & Tuthill)
Hebecephalus tener Beamer & Tuthill 1934a: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1823 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Caelidioides tristis* (Signoret)
Scaris tristis Signoret 1860a:205 [n.sp.]; Metcalf 1964b,6(11):82 [Cat.]
Caelidioides carinatum Signoret 1880b:206 [n.sp.]; Metcalf 1964b,6(11):82 [Cat.]
DISTRIBUTION: Madagascar, Africa (Metcalf Cat.)
- Caffretus turneri* Evans
Caffretus turneri Evans 1947a: 258 [n.sp.]; Metcalf 1967c, 6(10c): 2209 [Cat.]
DISTRIBUTION: Southwestern Africa (not specific), South Africa (Metcalf Cat.)
- Caladonus coquillettii* (Van Duzee)
Thamnotettix coquillettii Van Duzee 1890f: 77 [n.sp.]; Metcalf 1967b, 6(10b): 1327 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Calanana bispinosa* (Beamer)
Calana bispinosa Beamer 1939c: 81 [n.sp.]; Metcalf 1967a, 6(10a): 876 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Calanana rubralineata* (Beamer)
Calana rubralineata Beamer 1939c: 82 [n.sp.]; Metcalf 1967a, 6(10a): 877 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Calanana umbratica* (Ball)

- Thamnotettix umbratica* Ball 1910c: 309 [n.sp.]; Metcalf 1967a, 6(10a): 877 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Calliscarta decora* (Fabricius)
Cicada decora Fabricius 1803a: 69 [n.sp.]; Metcalf 1967a, 6(10a): 946 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Calonia signata* (Ball)
Uhleriella signata Ball 1902b: 56 [n.sp.]; Metcalf 1967b, 6(10b): 1087 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Campbellinella illustrata* Distant
Campbellinella illustrata Distant 1918b: 69 [n.sp.]; Metcalf 1967c, 6(10c): 2348 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Campecha semirasa* (Fowler)
Tettigonia semirasa Fowler 1899e: 249 [n.sp.]; Metcalf 1965a, 6(1): 541 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Camptelasmus caffer* Spinola
Camptelasmus caffer Spinola 1850b: 111 [n.sp.]; Metcalf 1962c, 6(4): 104 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Camptelasmus flavidus* Evans
Camptelasmus flavidus Evans 1955a: 7 [n.sp.]; Metcalf 1962c, 6(4): 105 [Cat.]
DISTRIBUTION: Zaire, South Africa (Metcalf Cat.)
- Camptelasmus gibber* (Naudé)
Petalocephala gibber Naudé 1926a: 9 [n.sp.]; Metcalf 1962c, 6(4): 105 [Cat.]
Camptelasmus hyalinus Evans 1947a: 6 [n.sp.]; Metcalf 1962c, 6(4): 105 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Camptelasmus mitellata* (Naudé)
Petalocephala mitellata Naudé 1926a: 10 [n.sp.]; Metcalf 1962c, 6(4): 105 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Canariotettix affinis* Lindberg
Canariotettix affinis Lindberg 1954a: 216 [n.sp.]; Metcalf 1967b, 6(10b): 1437 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Canariotettix brachypterus* Lindberg
Canariotettix brachypterus Lindberg 1954a: 215 [n.sp.]; Metcalf 1967b, 6(10b): 1437 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Canariotettix tertius* Lindberg
Canariotettix tertius Lindberg 1954a: 216 [n.sp.]; Metcalf 1967b, 6(10b): 1437 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Cantura albonotata* (Van Duzee)
Scaphoideus albonotatus Van Duzee 1909a: 226 [n.sp.]; Metcalf 1967c, 6(10c): 2156 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cantura cocana* (Ball)
Osbornellus cocanus Ball 1932a: 18 [n.sp.]; Metcalf 1967c, 6(10c): 2157 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Cantura jucunda* (Uhler)
Scaphoideus jucundus Uhler 1889a: 34 [n.sp.]; Metcalf 1967c, 6(10c): 2157 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Caphodus maculatus* Oman
Caphodus maculatus Oman 1938b: 376 [n.sp.]; Metcalf 1967c, 6(10c): 2175 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Caphodus obliquus* (Osborn)
Scaphoideus obliquus Osborn 1923c: 40 [n.sp.]; Metcalf 1967c, 6(10c): 2176 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Capinota fowleri* Melichar
Capinota fowleri Melichar 1926a: 320 [n.sp.]; Metcalf 1965a, 6(1): 642 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Capinota virescens* Metcalf
Capinota virescens Metcalf 1949b: 268 [n.sp.]; Metcalf 1965a, 6(1): 642 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Caplopa turneri* Evans
Caplopa turneri Evans 1947a: 252 [n.sp.]; Metcalf 1962d, 6(5): 77 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Carchariacephalus forestieri* Montrouzier
Carchariacephalus forestieri Montrouzier 1861a: 71 [n.sp.]; Metcalf 1963b, 6(7): 18 [Cat.]
DISTRIBUTION: Oceania: New Caledonia (Metcalf Cat.)
- Carchariacephalus smithii* Baker
Carchariacephalus smithii Baker 1897d: 153 [n.sp.]; Metcalf 1963b, 6(7): 18 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Carchariacephalus warioni* (Puton)
Deltacephalus warioni Puton 1877a: xxiii [n.sp.]; Metcalf 1963b, 6(7): 18 [Cat.]
Carchariacephalus apicalis Matsumura 1908a: 43 [n.sp.]; Metcalf 1963b, 6(7): 18 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Cariancha cariboba* Oman
Cariancha cariboba Oman 1938b: 360 [n.sp.]; Metcalf 1967b, 6(10b): 1916 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Carinifer maculiceps* Linnauvori
Carinifer maculiceps Linnauvori 1952b: 186 [n.sp.]; Metcalf 1967b, 6(10b): 1484 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Caripuna guerinii* (Signoret)
Tettigonia guerinii Signoret 1855a: 51 [n.sp.]; Metcalf 1965a, 6(1): 642 [Cat.]
DISTRIBUTION: French Guiana, Brazil (Metcalf Cat.)

- Carneocephala balli* Knull
Carneocephala balli Knull 1940b:240 [n.sp.]; Metcalf 1965a,6(1):345 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carneocephala dyeri* (Gibson)
Tettigonia dyeri Gibson 1919b:25 [n.sp.]; Metcalf 1965a,6(1):345 [Cat.]
DISTRIBUTION: Honduras, Guatemala, Costa Rica (Metcalf Cat.)
- Carneocephala flaviceps* (Riley)
Diedrocephala flaviceps Riley 1880a:78 [n.sp.]; Metcalf 1965a,6(1):345 [Cat.]
DISTRIBUTION: United States, Mexico, Cuba, Jamaica (Metcalf Cat.)
- Carneocephala floridana* (Ball)
Draeculacephala floridana Ball 1901b:72 [n.sp.]; Metcalf 1965a,6(1):349 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carneocephala fulgida* Nottingham
Carneocephala fulgida Nottingham 1932a:101 [n.sp.]; Metcalf 1965a,6(1):350 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carneocephala gillettei* (Ball)
Draeculacephala gillettei Ball 1901b:72 [n.sp.]; Metcalf 1965a,6(1):350 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carneocephala nuda* Nottingham
Carneocephala nuda Nottingham 1932a:107 [n.sp.]; Metcalf 1965a,6(1):351 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Carneocephala reticulata* (Signoret)
Tettigonia reticulata Signoret 1854a:22 [n.sp.]; Metcalf 1965a,6(1):351 [Cat.]
DISTRIBUTION: West Indies, Mexico, United States, Guatemala, Panama (Metcalf Cat.)
- Carneocephala sagittifera* (Uhler)
Tettigonia (*Diedrocephala*) *sagittifera* Uhler 1895a:76 [n.sp.]; Metcalf 1965a,6(1):354 [Cat.]
Tettigonia diducta Fowler 1900c:274 [n.sp.]; Metcalf 1965a,6(1):354 [Cat.]
DISTRIBUTION: West Indies, Mexico, United States (Metcalf Cat.)
- Carneocephala triguttata* Nottingham
Carneocephala triguttata Nottingham 1932a:108 [n.sp.]; Metcalf 1965a,6(1):356 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus aridus* (Ball)
Errhomellus aridus Ball 1909b:183 [n.sp.]; Metcalf 1963c,6(8):27 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus aridus furcatus* (Oman)
Errhomus (*Carsonus*) *aridus furcatus* Oman 1938c:175 [n.subsp. of *aridus*]; Metcalf 1963c,6(8):27 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus aridus incertus* (Oman)
- Errhomus* (*Carsonus*) *aridus incertus* Oman 1938c:176 [n.subsp. of *aridus*]; Metcalf 1963c,6(8):27 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus irroratus* (Ball)
Errhomellus irroratus Ball 1902a:18 [n.sp.]; Metcalf 1963c,6(8):28 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus irroratus spicatus* (Oman)
Errhomus (*Carsonus*) *irroratus spicatus* Oman 1938c:174 [n.subsp. of *irroratus*]; Metcalf 1963c,6(8):28 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carsonus maculatus* (Gillette & Baker)
Acocephalus maculatus Gillette & Baker 1895a:83 [n.sp.]; Metcalf 1963c,6(8):28 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Carvaka modesta* Distant
Carvaka modesta Distant 1918b:41 [n.sp.]; Metcalf 1966c,6(15):181 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Carvaka ochrophara* Distant
Carvaka ochrophara Distant 1918b:41 [n.sp.]; Metcalf 1966c,6(15):181 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Carvaka picturata* Distant
Carvaka picturata Distant 1918b:40 [n.sp.]; Metcalf 1966c,6(15):181 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Carvaka thoracica* Distant
Carvaka thoracica Distant 1918b:41 [n.sp.]; Metcalf 1966c,6(15):181 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Catagonalia coronula* (Jacobi)
Tettigoniella coronula Jacobi 1905c:185 [n.sp.]; Metcalf 1965a,6(1):283 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Catagonalia cruciatula* (Breddin)
Tettigonia cruciatula Breddin 1902a:178 [n.sp.]; Metcalf 1965a,6(1):283 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Catagonalia lemniscata* (Fowler)
Tettigonia lemniscata Fowler 1900d:283 [n.sp.]; Metcalf 1965a,6(1):283 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Catagonalia lunata* (Signoret)
Tettigonia lunata Signoret 1854b:349 [n.sp.]; Metcalf 1965a,6(1):283 [Cat.]
DISTRIBUTION: Ecuador, Peru, Bolivia, Brazil (Young 1977a)
- Catagonalia marginella* (Fabricius)
Cicada marginella Fabricius 1787a:271 [n.sp.]; Metcalf 1965a,6(1):284 [Cat.]
- Cicada margo* Turton 1802a:594 [n.sp.]; Metcalf 1965a,6(1):284 [Cat.]
- Tettigonia ruficaput* Walker 1851b:766 [n.sp.]; Metcalf 1965a,6(1):284 [Cat.]

- DISTRIBUTION:** French Guiana (Young 1977a)
Catagonalia orbata (Fowler)
Tettigonia orbata Fowler 1900d:286 [n.sp.]; Metcalf 1965a,6(1):284 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
Catagonalia pileata (Fowler)
Tettigonia pileata Fowler 1900d:287 [n.sp.]; Metcalf 1965a,6(1):285 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
Catagonalia rufoapicata (Fowler)
Tettigonia rufoapicata Fowler 1900d:286 [n.sp.]; Metcalf 1965a,6(1):285 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
Catagonalia spectanda (Fowler)
Tettigonia spectanda Fowler 1900d:285 [n.sp.]; Metcalf 1965a,6(1):285 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
Catorthorhinus resimus Fowler
Catorthorhinus resimus Fowler 1898a:213 [n.sp.]; Metcalf 1965a,6(1):538 [Cat.]
DISTRIBUTION: Panama (Young 1968a)
Caxia projecta Melichar
Caxia projecta Melichar 1925a:359 [n.sp.]; Metcalf 1965a,6(1):539 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
Cazenus accuratus (Beamer)
Hebecephalus accuratus Beamer 1938c: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1650 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus funestus (Beamer)
Hebecephalus funestus Beamer 1937c: 61 [n.sp.]; Metcalf 1967b, 6(10b): 1650 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus furcillatus (Beamer & Tuthill)
Hebecephalus furcillatus Beamer & Tuthill 1935a: 537 [n.sp.]; Metcalf 1967b, 6(10b): 1650 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus merus (Beamer)
Hebecephalus merus Beamer 1937c: 61 [n.sp.]; Metcalf 1967b, 6(10b): 1650 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus neomexicanus (Tuthill)
Hebecephalus neomexicanus Tuthill 1930a: 44 [n.sp.]; Metcalf 1967b, 6(10b): 1651 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus subitus (Beamer)
Hebecephalus subitus Beamer 1937c: 60 [n.sp.]; Metcalf 1967b, 6(10b): 1651 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Cazenus xanthoneurus (Fieber)
Deltocephalus xanthoneurus Fieber 1869a: 219 [n.sp.]; Metcalf 1967b, 6(10b): 1651 [Cat.]
Deltocephalus (Laevicephalus) canadensis DeLong 1926d: 71 [n.sp.]; Metcalf 1967b, 6(10b): 1653 [Cat.]
Laevicephalus cicatrix DeLong & Sleesman 1929a: 102 [n.sp.]; Metcalf 1967b, 6(10b): 1653 [Cat.]
DISTRIBUTION: Czech Republic, Scandinavia, Spain, France, Portugal, Austria, Germany, Canada, Great Britain, Netherlands, Poland (Metcalf Cat.)
Cechenotettix nemourensis (Matsumura)
Thamnotettix nemourensis Matsumura 1908a: 24 [n.sp.]; Metcalf 1967a, 6(10a): 388 [Cat.]
DISTRIBUTION: Italy, Algeria, Morocco (Metcalf Cat.)
Cechenotettix nemourensis maculipennis (Matsumura)
Thamnotettix maculipennis Matsumura 1908a: 24 [n.subsp. of nemourensis]; Metcalf 1967a, 6(10a): 388 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
Cechenotettix quadrinotatus (Mulsant & Rey)
Athy sanus quadrinotatus Mulsant & Rey 1855a: 232 [n.sp.]; Metcalf 1967a, 6(10a): 388 [Cat.]
Thamnotettix martini Lethierry 1883b: 43 [n.sp.]; Metcalf 1967a, 6(10a): 388 [Cat.]
DISTRIBUTION: France, Portugal, Spain, Algeria, Morocco, Belgium (Metcalf Cat.)
Celsanus modestus Linnavuori
Celsanus modestus Linnavuori 1955a: 107 [n.sp.]; Metcalf 1967a, 6(10a): 711 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Celsanus serius (Stål)
Jassus (Thamnotettix) serius Stål 1862a: 52 [n.sp.]; Metcalf 1967a, 6(10a): 711 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Cenedaeus horvathi Distant
Cenedaeus horvathi Distant 1908g: 296 [n.sp.]; Metcalf 1967b, 6(10b): 1694 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Cephalaelus angustatus Evans
Cephalaelus angustatus Evans 1947c:146 [n.sp.]; Metcalf 1962d,6(5):42 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
Cephalaelus bicoloratus Evans
Cephalaelus bicoloratus Evans 1947c:146 [n.sp.]; Metcalf 1962d,6(5):42 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
Cephalaelus bleusei Puton
Cephalaelus bleusei Puton 1898a:172 [n.sp.]; Metcalf 1962d,6(5):42 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
Cephalaelus bulbosa (Evans)
Procephaleus bulbosa Evans 1936a:43 [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Cephalaelus capensis Evans
Cephalaelus capensis Evans 1947c:145 [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
Cephalaelus carribensis (Evans)

- Anacephaleus carribensis* Evans 1936a:44 [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus ianthe* (Kirkaldy)
Dorycephalus ianthe Kirkaldy 1906c:340 [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus infumatus* Percheron
Cephalelus infumatus Percheron 1832b:pl.48,figs.a-f [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
Dorydium paradoxum Burmeister 1835a:106 [n.sp.]; Metcalf 1962d,6(5):43 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Cephalelus latus* (Evans)
Anacephaleus latus Evans 1939a:45 [n.sp.]; Metcalf 1962d,6(5):45 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus michaelensi* (Jacobi)
Paradorydium michaelensi Jacobi 1909a:339 [n.sp.]; Metcalf 1962d,6(5):45 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus minutus* (Evans)
Anacephaleus minutus Evans 1936a:43 [n.sp.]; Metcalf 1962d,6(5):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus punctatus* (Evans)
Anacephaleus punctatus Evans 1936a:45 [n.sp.]; Metcalf 1962d,6(5):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus simplex* (Evans)
Anacephaleus simplex Evans 1936a:44 [n.sp.]; Metcalf 1962d,6(5):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus subreticulatus* (Kirkaldy)
Dorycephalus subreticulatus Kirkaldy 1906c:340 [n.sp.]; Metcalf 1962d,6(5):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus trilineatus* (Kirkaldy)
Dorycephalus trilineatus Kirkaldy 1906c:341 [n.sp.]; Metcalf 1962d,6(5):47 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalelus turneri* Evans
Cephalelus turneri Evans 1947c:145 [n.sp.]; Metcalf 1962d,6(5):47 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Cephalelus ulopae* (Evans)
Anacephaleus ulopae Evans 1936a:44 [n.sp.]; Metcalf 1962d,6(5):47 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cephalius chobauti* Puton
Cephalius chobauti Puton 1898a:173 [n.sp.]; Metcalf 1963d,6(9):115 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Cephalius frontalis* Signoret
Cephalius frontalis Signoret 1879a:61 [n.sp.]; Metcalf 1963d,6(9):115 [Cat.]
- DISTRIBUTION:** Algeria (Metcalf Cat.)
- Cephalogonalia flabellula* (Jacobi)
Tettigoniella flabellula Jacobi 1905c:175 [n.sp.]; Metcalf 1965a,6(1):266 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Ceratagallia aplopappi* (Oman)
Aceratagallia aplopappi Oman 1933b:67 [n.sp.]; Metcalf 1966a,6(14):137 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia arroya* Oman
Ceratagallia arroya Oman 1939a:540 [n.sp.]; Metcalf 1966a,6(14):137 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia artemisia* Oman
Ceratagallia artemisia Oman 1939a:534 [n.sp.]; Metcalf 1966a,6(14):137 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia bigeloviae* (Baker)
Agallia bigeloviae Baker 1896c:26 [n.sp.]; Metcalf 1966a,6(14):137 [Cat.]
DISTRIBUTION: United States, Canada, Mexico (Metcalf Cat.)
- Ceratagallia califa* Oman
Ceratagallia califa Oman 1939a:541 [n.sp.]; Metcalf 1966a,6(14):138 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia canona* Oman
Ceratagallia canona Oman 1939a:539 [n.sp.]; Metcalf 1966a,6(14):138 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia delta* Oman
Ceratagallia delta Oman 1939a:538 [n.sp.]; Metcalf 1966a,6(14):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia dondia* (Oman)
Aceratagallia dondia Oman 1933b:68 [n.sp.]; Metcalf 1966a,6(14):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia grisea* (Oman)
Aceratagallia grisea Oman 1935a:13 [n.sp.]; Metcalf 1966a,6(14):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia lobata* (Oman)
Aceratagallia lobata Oman 1933b:67 [n.sp.]; Metcalf 1966a,6(14):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia loca* Oman
Ceratagallia loca Oman 1939a:534 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia loma* Oman
Ceratagallia loma Oman 1939a:542 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia longipes* Oman

- Ceratagallia longipes Oman 1939a:537 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia ludora Oman
 Ceratagallia ludora Oman 1939a:539 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia lupini Oman
 Ceratagallia lupini Oman 1939a:543 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia neodona Oman
 Ceratagallia neodona Oman 1939a:541 [n.sp.]; Metcalf 1966a,6(14):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia neovata Oman
 Ceratagallia neovata Oman 1939a:537 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia nubila Oman
 Ceratagallia nubila Oman 1939a:532 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia ovata (Oman)
 Aceratagallia ovata Oman 1935a:14 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia pera Oman
 Ceratagallia pera Oman 1939a:541 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia pudica Oman
 Ceratagallia pudica Oman 1939a:534 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia socala Oman
 Ceratagallia socala Oman 1939a:536 [n.sp.]; Metcalf 1966a,6(14):141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia tergata (Van Duzee)
 Agallia tergata Van Duzee 1923a:172 [n.sp.]; Metcalf 1966a,6(14):142 [Cat.]
DISTRIBUTION: United States, West Indies, Mexico (Metcalf Cat.)
- Ceratagallia tristis Oman
 Ceratagallia tristis Oman 1939a:540 [n.sp.]; Metcalf 1966a,6(14):142 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratagallia vastitatis (Oman)
 Aceratagallia vastitatis Oman 1933b:69 [n.sp.]; Metcalf 1966a,6(14):142 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ceratogoniella aequa (Fowler)
 Tettigonia aequa Fowler 1900b:265 [n.sp.]; Metcalf 1965a,6(1):29 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Ceratogoniella infula (Melichar)
 Ceratogonia infula Melichar 1926a:353 [n.sp.]; Metcalf 1965a,6(1):29 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Ceratogoniella insurgens (Melichar)
 Ceratogonia insurgens Melichar 1926a:352 [n.sp.]; Metcalf 1965a,6(1):29 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ceratogoniella optabilis (Melichar)
 Ceratogonia optabilis Melichar 1926a:352 [n.sp.]; Metcalf 1965a,6(1):30 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Ceratogoniella prodigiosa (Melichar)
 Ceratogonia prodigiosa Melichar 1926a:351 [n.sp.]; Metcalf 1965a,6(1):30 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Ceratogoniella recta (Fowler)
 Tettigonia recta Fowler 1900a:264 [n.sp.]; Metcalf 1965a,6(1):30 [Cat.]
DISTRIBUTION: Mexico, Costa Rica (Metcalf Cat.)
- Cerrillus notatus (Osborn)
 Hecalus notatus Osborn 1923c:27 [n.sp.]; Metcalf 1963d,6(9):64 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Cestius versicolor Distant
 Cestius versicolor Distant 1908g:310 [n.sp.]; Metcalf 1966c,6(15):183 [Cat.]
DISTRIBUTION: India, West Indonesia (Metcalf Cat.)
- Cetexa graecula (Ball)
 Thamnotettix graecula Ball 1901a: 6 [n.sp.]; Metcalf 1967b, 6(10b): 1331 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Chacotettix appendiculatus Linnavuori
 Chacotettix appendiculatus Linnavuori 1955a: 107 [n.sp.]; Metcalf 1967a, 6(10a): 1077 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
- Chatura nigella Distant
 Chatura nigella Distant 1908g:176 [n.sp.]; Metcalf 1962c,6(4):82 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Chelusa madagascariensis (Signoret)
 Acocephalus madagascariensis Signoret 1860a:205 [n.sp.]; Metcalf 1963d,6(9):61 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Chelusa micheli Evans
 Chelusa micheli Evans 1954a:94 [n.sp.]; Metcalf 1963d,6(9):61 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Chelusa seychellensis Distant
 Chelusa seychellensis Distant 1909h:46 [n.sp.]; Metcalf 1963d,6(9):61 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Chiapasa rugicollis (Signoret)

- Tettigonia rugicollis* Signoret 1855c:525 [n.sp.];
 Metcalf 1965a,6(1):494 [Cat.]
- DISTRIBUTION:** Mexico, Ecuador, Belize,
 Colombia, Costa Rica (Metcalf Cat.)
- Chiasmus alata* Singh-Pruthi
 Chiasmus alata Singh-Pruthi 1930a:23 [n.sp.]; Metcalf
 1963c,6(8):211 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Chiasmus conspurcatus* (Perris)
 Athysanus conspurcatus Perris 1857a:174 [n.sp.];
 Metcalf 1963c,6(8):211 [Cat.]
- Athysanus laboulbenii* Perris 1857a:175 [n.sp.];
 Metcalf 1963c,6(8):211 [Cat.]
- Atractotypus gautschii* Then 1886a:48 [n.sp.]; Metcalf
 1963c,6(8):211 [Cat.]
- DISTRIBUTION:** France, Spain, Austria, Serbia,
 Bulgaria, Egypt, Portugal, Italy, Bosnia,
 Herzegovina, Germany, Iraq, Yugoslavia, Croatia,
 Canary Islands (Metcalf Cat.)
- Chiasmus curtipennis* (Oshanin)
 Atractotypus curtipennis Oshanin 1871a:211 [n.sp.];
 Metcalf 1963c,6(8):213 [Cat.]
- DISTRIBUTION:** Kazakhstan, Russia, Turkey (Metcalf
 Cat.)
- Chiasmus jagdishi* Singh-Pruthi
 Chiasmus jagdishi Singh-Pruthi 1936a:109 [n.sp.];
 Metcalf 1963c,6(8):213 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Chiasmus mustelinus* (Distant)
 Kartwa mustelina Distant 1908g:394 [n.sp.]; Metcalf
 1963c,6(8):213 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Chiasmus niger* Singh-Pruthi
 Chiasmus niger Singh-Pruthi 1936a:108 [n.sp.];
 Metcalf 1963c,6(8):213 [Cat.]
- DISTRIBUTION:** Pakistan, India (Metcalf Cat.)
- Chiasmus nigricans* Matsumura
 Chiasmus nigricans Matsumura 1908a:44 [n.sp.];
 Metcalf 1963c,6(8):213 [Cat.]
- DISTRIBUTION:** Morocco (Metcalf Cat.)
- Chiasmus translucidus* Mulsant & Rey
 Chiasmus translucidus Mulsant & Rey 1855a:216
 [n.sp.]; Metcalf 1963c,6(8):214 [Cat.]
- DISTRIBUTION:** France, Algeria, Spain, Italy,
 Portugal, Russia, Tunisia, Morocco, Canary
 Islands, Mauritania (Metcalf Cat.)
- Chiasmus translucidus* cinctus (Perris)
 Athysanus translucidus cinctus Perris 1857a:173
 [n.sp.]; Metcalf 1963c,6(8):215 [Cat.]
- Atractotypus bifasciatus* Fieber 1866a:513 [n.sp.];
 Metcalf 1963c,6(8):215 [Cat.]
- DISTRIBUTION:** France, Spain, Portugal,
 Mauritania, Morocco, Algeria, Tunisia, France,
 Italy, Russia (Metcalf Cat.)
- Chiasmus translucidus* heydenii (Kirschbaum)
 Acocephalus (*Acocephalus*) *translucidus* heydenii
 Kirschbaum 1868b:77 [n.sp.]; Metcalf
 1963c,6(8):217 [Cat.]
- DISTRIBUTION:** Spain, France (Metcalf Cat.)
- Chiasmus uzelii* Melichar
 Chiasmus uzelii Melichar 1903b:164 [n.sp.]; Metcalf
 1963c,6(8):217 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Chinaella argentata* Evans
 Chinaella argentata Evans 1935c:77 [n.sp.]; Metcalf
 1966c,6(15):117 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Chinaella cudmorei* Evans
 Chinaella cudmorei Evans 1935c:77 [n.sp.]; Metcalf
 1966c,6(15):118 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Chinaella shephardi* Evans
 Chinaella shephardi Evans 1935c:77 [n.sp.]; Metcalf
 1966c,6(15):118 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Chinaia bella* Bruner & Metcalf
 Chinaia bella Bruner & Metcalf 1934a:121 [n.sp.];
 Metcalf 1964b,6(11):112 [Cat.]
- DISTRIBUTION:** Costa Rica, Guatemala (Metcalf
 Cat.)
- Chinaia citrina* Evans
 Chinaia citrina Evans 1947a:254 [n.sp.]; Metcalf
 1964b,6(11):112 [Cat.]
- DISTRIBUTION:** Guyana (Metcalf Cat.)
- Chinaia ornata* (Osborn)
 Neocoelidia ornata Osborn 1924c:449 [n.sp.]; Metcalf
 1964b,6(11):112 [Cat.]
- DISTRIBUTION:** Columbia (Metcalf Cat.)
- Chinaia punctata* (Osborn)
 Neocoelidia punctata Osborn 1923c:77 [n.sp.];
 Metcalf 1964b,6(11):112 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Chinaia rubescens* (Fowler)
 Tettigonia rubescens Fowler 1900d:pl.19,fig.7 [n.sp.];
 Metcalf 1964b,6(11):113 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Chinaia smithii* (Baker)
 Neocoelidea [sic] *smithii* Baker 1898h:291 [n.sp.];
 Metcalf 1964b,6(11):113 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chloropelix canariensis* Lindberg
 Chloropelix canariensis Lindberg 1936a:4 [n.sp.];
 Metcalf 1963d,6(9):114 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Chlorotettix aberrans* Osborn
 Chlorotettix aberrans Osborn 1923c: 72 [n.sp.];
 Metcalf 1967a, 6(10a): 1029 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chlorotettix africanus* Naude
 Chlorotettix africanus Naudé 1926a: 76 [n.sp.];
 Metcalf 1967a, 6(10a): 1029 [Cat.]

- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Chlorotettix attenuatus* Brown
Chlorotettix attenuatus Brown 1933a: 240,241 [n.sp.];
 Metcalf 1967a, 6(10a): 1029 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix aurum* DeLong
Chlorotettix aurum DeLong 1938b: 218 [n.sp.];
 Metcalf 1967a, 6(10a): 1030 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix bakeri* Sanders & DeLong
Chlorotettix bakeri Sanders & DeLong 1922a: 97
 [n.sp.]; Metcalf 1967a, 6(10a): 1030 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chlorotettix balli* Osborn
Chlorotettix balli Osborn 1898a: 246 [n.sp.]; Metcalf
 1967a, 6(10a): 1030 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix berryi* DeLong
Chlorotettix berryi DeLong 1945e: 26 [n.sp.]; Metcalf
 1967a, 6(10a): 1032 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chlorotettix bicoloratus* DeLong
Chlorotettix bicoloratus DeLong 1945e: 7 [n.sp.];
 Metcalf 1967a, 6(10a): 1032 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chlorotettix bipartitus* DeLong
Chlorotettix bipartitus DeLong 1945e: 17 [n.sp.];
 Metcalf 1967a, 6(10a): 1032 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Chlorotettix borealis* Sanders & DeLong
Chlorotettix borealis Sanders & DeLong 1917a: 92
 [n.sp.]; Metcalf 1967a, 6(10a): 1032 [Cat.]
- Chlorotettix angustus* Brown 1933a: 241 [n.sp.];
 Metcalf 1967a, 6(10a): 1032 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix breviceps* Baker
Chlorotettix breviceps Baker 1898g: 220 [n.sp.];
 Metcalf 1967a, 6(10a): 1033 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Chlorotettix brevidus* DeLong
Chlorotettix brevidus DeLong 1937a: 52 [n.sp.];
 Metcalf 1967a, 6(10a): 1033 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix brunneus* DeLong
Chlorotettix brunneus DeLong 1945e: 9 [n.sp.];
 Metcalf 1967a, 6(10a): 1033 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Chlorotettix capensis* Sanders & DeLong
Chlorotettix capensis Sanders & DeLong 1922a: 95
 [n.sp.]; Metcalf 1967a, 6(10a): 1033 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix cognitus* Caldwell
Chlorotettix cognitus Caldwell 1952 [in Caldwell &
 Martorell 1952a: 73] [n.sp.]; Metcalf 1967a,
 6(10a): 1034 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Chlorotettix convexus* Brown
Chlorotettix convexus Brown 1933a: 242 [n.sp.];
 Metcalf 1967a, 6(10a): 1034 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix curvidens* Osborn
Chlorotettix curvidens Osborn 1918a: 16 [n.sp.];
 Metcalf 1967a, 6(10a): 1034 [Cat.]
- Chlorotettix serrata* DeLong 1937a: 53 [n.sp.]; Metcalf
 1967a, 6(10a): 1034 [Cat.]
- DISTRIBUTION:** Guatemala, Honduras, United
 States, Mexico (Metcalf Cat.)
- Chlorotettix delicatus* Osborn
Chlorotettix delicatus Osborn 1923c: 73 [n.sp.];
 Metcalf 1967a, 6(10a): 1035 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
- Chlorotettix dentatus* Sanders & DeLong
Chlorotettix dentatus Sanders & DeLong 1923a: 156
 [n.sp.]; Metcalf 1967a, 6(10a): 1035 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix distinctus* DeLong
Chlorotettix distinctus DeLong 1918c: 23 [n.sp.];
 Metcalf 1967a, 6(10a): 1035 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix divergens* Sanders & DeLong
Chlorotettix divergens Sanders & DeLong 1922a: 94
 [n.sp.]; Metcalf 1967a, 6(10a): 1036 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix dozieri* Sanders & DeLong
Chlorotettix dozieri Sanders & DeLong 1922a: 93
 [n.sp.]; Metcalf 1967a, 6(10a): 1036 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix durus* Brown
Chlorotettix durus Brown 1933a: 242 [n.sp.]; Metcalf
 1967a, 6(10a): 1036 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix emarginatus* Baker
Chlorotettix emarginata Baker 1898g: 219 [n.sp.];
 Metcalf 1967a, 6(10a): 1036 [Cat.]
- DISTRIBUTION:** Mexico, Brazil (Metcalf Cat.)
- Chlorotettix excultus* Sanders & DeLong
Chlorotettix excultus Sanders & DeLong 1922a: 97
 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 1037
 [Cat.]
- DISTRIBUTION:** United States, West Indies, Brazil
 (Metcalf Cat.)
- Chlorotettix fallax* Sanders & DeLong
Chlorotettix fallax Sanders & DeLong 1922a: 94
 [n.sp.]; Metcalf 1967a, 6(10a): 1037 [Cat.]
- Chlorotettix latifrons* Sanders & DeLong 1922a: 95
 [n.sp.]; Metcalf 1967a, 6(10a): 1037 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix filamentus* DeLong
Chlorotettix filamentus DeLong 1937a: 53 [n.sp.];
 Metcalf 1967a, 6(10a): 1038 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix floridanus* DeLong

- Chlorotettix floridanus* DeLong 1924a: 66 [n.sp.]; Metcalf 1967a, 6(10a): 1038 [Cat.]
- Chlorotettix rubidus* Brown 1933a: 246 [n.sp.]; Metcalf 1967a, 6(10a): 1038 [Cat.]
- DISTRIBUTION: United States, Bahamas (Metcalf Cat.)
- Chlorotettix fumidus* Sanders & DeLong
- Chlorotettix fumidus* Sanders & DeLong 1919a: 237 [n.sp.]; Metcalf 1967a, 6(10a): 1038 [Cat.]
- Chlorotettix fuscus* Brown 1933a: 243 [n.sp.]; Metcalf 1967a, 6(10a): 1039 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix galbanatus* Van Duzee
- Chlorotettix galbanatus* Van Duzee 1892e: 310 [n.sp.]; Metcalf 1967a, 6(10a): 1039 [Cat.]
- DISTRIBUTION: United States, Mexico, Canada (Metcalf Cat.)
- Chlorotettix inscriptus* DeLong
- Chlorotettix inscriptus* DeLong 1945e: 4 [n.sp.]; Metcalf 1967a, 6(10a): 1042 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix iridescent* DeLong
- Chlorotettix iridescent* DeLong 1916a: 86 [n.sp.]; Metcalf 1967a, 6(10a): 1042 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix latocinctus* DeLong
- Chlorotettix latocinctus* DeLong 1945e: 5 [n.sp.]; Metcalf 1967a, 6(10a): 1043 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Chlorotettix latus* Brown
- Chlorotettix latus* Brown 1933a: 244 [n.sp.]; Metcalf 1967a, 6(10a): 1043 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix limosus* DeLong & Cartwright
- Chlorotettix limosus* DeLong & Cartwright 1926a: 506 [n.sp.]; Metcalf 1967a, 6(10a): 1043 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix lobatus* Osborn
- Chlorotettix lobatus* Osborn 1918a: 17 [n.sp.]; Metcalf 1967a, 6(10a): 1044 [Cat.]
- DISTRIBUTION: Guatemala, Mexico (Metcalf Cat.)
- Chlorotettix longispina* Linnavuori
- Chlorotettix longispina* Linnavuori 1955a: 103 [n.sp.]; Metcalf 1967a, 6(10a): 1044 [Cat.]
- DISTRIBUTION: Paraguay (Metcalf Cat.)
- Chlorotettix lusorius* (Osborn & Ball)
- Thamnotettix lusoria* Osborn & Ball 1897a: 226 [n.sp.]; Metcalf 1967a, 6(10a): 1044 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Chlorotettix luteosus* (Baker)
- Thamnotettix luteus* Osborn 1924c: 425 [n.sp.]; Metcalf 1967a, 6(10a): 1046 [Cat.]
- Thamnotettix luteosus* Baker 1926a: 347 [nom.nov. for *Thamnotettix luteus* Osborn 1924]; Metcalf 1967a, 6(10a): 1046 [Cat.]
- DISTRIBUTION: Uruguay, Brazil (Metcalf Cat.)
- Chlorotettix maculatus* Singh-Pruthi
- Chlorotettix maculatus* Singh-Pruthi 1936a: 118 [n.sp.]; Metcalf 1967a, 6(10a): 1047 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Chlorotettix maculosus* Brown
- Chlorotettix maculosus* Brown 1933a: 244 [n.sp.]; Metcalf 1967a, 6(10a): 1047 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix maximus* (Berg)
- Athysanus maximus* Berg 1879d: 261 [n.sp.]; Metcalf 1967a, 6(10a): 1047 [Cat.]
- DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Chlorotettix melanotus* DeLong
- Chlorotettix melanotus* DeLong 1916a: 84 [n.subsp. of *tergatus*]; Metcalf 1967a, 6(10a): 1047 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix minimus* Baker
- Chlorotettix minima* Baker 1898g: 220 [n.sp.]; Metcalf 1967a, 6(10a): 1048 [Cat.]
- Chlorotettix lineatus* Osborn 1918a: 5 [n.sp.]; Metcalf 1967a, 6(10a): 1048 [Cat.]
- DISTRIBUTION: Brazil, Guatemala, Mexico, West Indies, United States (Metcalf Cat.)
- Chlorotettix montanus* Caldwell
- Chlorotettix montanus* Caldwell 1952 [in Caldwell & Martorell 1952a: 74] [n.sp.]; Metcalf 1967a, 6(10a): 1049 [Cat.]
- DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Chlorotettix necopinus* Van Duzee
- Chlorotettix necopina* Van Duzee 1893a: 282 [n.sp.]; Metcalf 1967a, 6(10a): 1049 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix neotropicus* Jensen-Haarup
- Chlorotettix neotropicus* Jensen-Haarup 1922a: 15 [n.sp.]; Metcalf 1967a, 6(10a): 1051 [Cat.]
- DISTRIBUTION: Argentina (Metcalf Cat.)
- Chlorotettix nigrolabes* DeLong
- Chlorotettix nigrolabes* DeLong 1945e: 15 [n.sp.]; Metcalf 1967a, 6(10a): 1051 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix nigromaculatus* DeLong
- Chlorotettix nigromaculatus* DeLong 1923 [in Wolcott 1923b: 265] [n.sp.]; Metcalf 1967a, 6(10a): 1051 [Cat.]
- DISTRIBUTION: Puerto Rico, Guatemala, Panama, Mexico (Metcalf Cat.)
- Chlorotettix nudatus* Ball
- Chlorotettix nudata* Ball 1900c: 340 [n.sp.]; Metcalf 1967a, 6(10a): 1051 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Chlorotettix obscurus* DeLong
- Chlorotettix obscurus* DeLong 1945e: 7 [n.sp.]; Metcalf 1967a, 6(10a): 1052 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)

- Chlorotettix obsenus* DeLong
Chlorotettix obsenus DeLong 1937a: 52 [n.sp.];
 Metcalf 1967a, 6(10a): 1052 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix occidentalis* DeLong
Chlorotettix occidentalis DeLong 1918c: 11 [n.sp.];
 Metcalf 1967a, 6(10a): 1053 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix orbonatus* (Ball)
Thamnotettix orbonata Ball 1903b: 229 [n.sp.];
 Metcalf 1967a, 6(10a): 1053 [Cat.]
Chlorotettix productus Sanders & DeLong 1919a: 236
 [n.sp.]; Metcalf 1967a, 6(10a): 1053 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix parabolatus* Naude
Chlorotettix parabolatus Naudé 1926a: 77 [n.sp.];
 Metcalf 1967a, 6(10a): 1054 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Chlorotettix pinus* DeLong
Chlorotettix pinus DeLong 1945e: 8 [n.sp.]; Metcalf
 1967a, 6(10a): 1054 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix recurvatus* DeLong
Chlorotettix recurvatus DeLong 1945e: 27 [n.sp.];
 Metcalf 1967a, 6(10a): 1054 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Chlorotettix redimiculus* DeLong
Chlorotettix redimiculus DeLong 1945e: 4 [n.sp.];
 Metcalf 1967a, 6(10a): 1054 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix rotundus* Brown
Chlorotettix rotundus Brown 1933a: 246 [n.sp.];
 Metcalf 1967a, 6(10a): 1054 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix rugicollis* Ball
Chlorotettix rugicollis Ball 1903b: 230 [n.sp.]; Metcalf
 1967a, 6(10a): 1055 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix scutellatus* Osborn
Chlorotettix scutellatus Osborn 1918a: 18 [n.sp.];
 Metcalf 1967a, 6(10a): 1055 [Cat.]
Chlorotettix pallidus Brown 1933a: 245 [n.sp.];
 Metcalf 1967a, 6(10a): 1055 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Chlorotettix similis* DeLong
Chlorotettix similis DeLong 1918c: 14 [n.sp.]; Metcalf
 1967a, 6(10a): 1056 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix sinuosus* Brown
Chlorotettix sinuosus Brown 1933a: 247 [n.sp.];
 Metcalf 1967a, 6(10a): 1056 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix sordidus* Brown
Chlorotettix sordidus Brown 1933a: 248 [n.sp.];
 Metcalf 1967a, 6(10a): 1057 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Chlorotettix spadix* Naude
Chlorotettix spadix Naudé 1926a: 77 [n.sp.]; Metcalf
 1967a, 6(10a): 1057 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Chlorotettix spatulatus* Osborn & Ball
Chlorotettix spatulata Osborn & Ball 1897a: 255
 [n.sp.]; Metcalf 1967a, 6(10a): 1057 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Chlorotettix spinosus* DeLong
Chlorotettix spinosus DeLong 1945e: 10 [n.sp.];
 Metcalf 1967a, 6(10a): 1059 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix stolatus* Ball
Chlorotettix stolata Ball 1900c: 341 [n.sp.]; Metcalf
 1967a, 6(10a): 1059 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix striatus* DeLong
Chlorotettix striatus DeLong 1945e: 23 [n.sp.];
 Metcalf 1967a, 6(10a): 1060 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix subfuscus* DeLong
Chlorotettix subfuscus DeLong 1945e: 8 [n.sp.];
 Metcalf 1967a, 6(10a): 1060 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix suturalis* DeLong
Chlorotettix suturalis DeLong 1916a: 85 [n.sp.];
 Metcalf 1967a, 6(10a): 1060 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix sycophantus* Linnavuori
Chlorotettix sycophantus Linnavuori 1955a: 106
 [n.sp.]; Metcalf 1967a, 6(10a): 1061 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Chlorotettix taeniaticeps* Linnavuori
Chlorotettix taeniaticeps Linnavuori 1955a: 105
 [n.sp.]; Metcalf 1967a, 6(10a): 1061 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Chlorotettix tergatus* (Fitch)
Bythoscopus tergatus Fitch 1851a: 58 [n.sp.]; Metcalf
 1967a, 6(10a): 1061 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Chlorotettix tethys* Van Duzee
Chlorotettix tethys Van Duzee 1907a: 71 [n.sp.];
 Metcalf 1967a, 6(10a): 1064 [Cat.]
- Chlorotettix bidentatus* DeLong 1923 [in Wolcott
 1923b: 264] [n.sp.]; Metcalf 1967a, 6(10a): 1064
 [Cat.]
- Chlorotettix dilutus* Osborn 1923c: 73 [n.sp.]; Metcalf
 1967a, 6(10a): 1064 [Cat.]
 DISTRIBUTION: West Indies, Mexico, Colombia
 (Metcalf Cat.)
- Chlorotettix truncatus* Osborn
Chlorotettix truncatus Osborn 1923c: 75 [n.sp.];
 Metcalf 1967a, 6(10a): 1065 [Cat.]

- DISTRIBUTION:** Bolivia, United States, Brazil
(Metcalf Cat.)
- Chlorotettix tunicatus** Ball
Chlorotettix tunicata Ball 1900c: 340 [n.sp.]; Metcalf
1967a, 6(10a): 1065 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix undatus** DeLong
Chlorotettix undatus DeLong 1945e: 29 [n.sp.];
Metcalf 1967a, 6(10a): 1067 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix unicolor** (Fitch)
Bythoscopus unicolor Fitch 1851a: 58 [n.sp.]; Metcalf
1967a, 6(10a): 1067 [Cat.]
- Chlorotettix vanduzei** Baker 1898g: 219 [n.sp., not
nom.nov.]; Metcalf 1967a, 6(10a): 1068 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Chlorotettix vacunus** Crumb
Chlorotettix vacuna Crumb 1915a: 196 [n.sp.];
Metcalf 1967a, 6(10a): 1072 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Chlorotettix variabilis** DeLong
Chlorotettix variabilis DeLong 1945e: 27 [n.sp.];
Metcalf 1967a, 6(10a): 1073 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Chlorotettix venosus** DeLong
Chlorotettix venosus DeLong 1945e: 9 [n.sp.]; Metcalf
1967a, 6(10a): 1073 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Chlorotettix viridius** Van Duzee
Chlorotettix viridius Van Duzee 1892e: 309 [n.sp.];
Metcalf 1967a, 6(10a): 1073 [Cat.]
DISTRIBUTION: United States, Mexico, West Indies
(Metcalf Cat.)
- Chlorotettix vittatus** Osborn
Chlorotettix vittata Osborn 1909a: 465 [n.sp.]; Metcalf
1967a, 6(10a): 1077 [Cat.]
DISTRIBUTION: Guatemala, Mexico (Metcalf Cat.)
- Chromagallia flavofasciata** (Stål)
Bythoscopus flavofasciatus Stål 1854b: 255 [n.sp.];
Metcalf 1966a, 6(14): 106 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Chromagallia saucia** (Stål)
Bythoscopus saucius Stål 1906e: 53 [n.sp.]; Metcalf
1966a, 6(14): 106 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Chudania delecta** Distant
Chudania delecta Distant 1908g: 268 [n.sp.]; Metcalf
1963b, 6(7): 25 [Cat.]
DISTRIBUTION: India, China (Metcalf Cat.)
- Chudania exposita** Jacobi
Chudania exposita Jacobi 1944a: 53 [n.sp.]; Metcalf
1963b, 6(7): 25 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Chunra gigantea** Distant 1908f: 136 [n.sp.]; Metcalf
1966d, 6(16): 221 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Chunra puncticosta** (Walker)
Iassus latifrons Walker 1870b: 324 [n.sp.]; Metcalf
1966d, 6(16): 221 [Cat.]
- Iassus puncticosta Walker 1870b: 324 [n.sp.]; Metcalf
1966d, 6(16): 221 [Cat.]
DISTRIBUTION: Malaysia, Myanmar, East Indonesia
(Metcalf Cat.)
- Chunrocerus balcanicus** (Horváth)
Idiocerus balcanicus Horváth 1903a: 24 [n.sp.];
Metcalf 1966d, 6(16): 211 [Cat.]
DISTRIBUTION: Serbia, Turkey, Bulgaria (Metcalf
Cat.)
- Chunrocerus niveosparsus** (Lethierry)
Idiocerus niveosparsus Lethierry 1889c: 252 [n.sp.];
Metcalf 1966d, 6(16): 212 [Cat.]
- Idiocerus basalis Melichar 1903b: 147 [n.sp.]; Metcalf
1966d, 6(16): 212 [Cat.]
DISTRIBUTION: India, Sri Lanka, Japan, West
Indonesia, Taiwan, Hong Kong, Philippines,
Malaysia, China, Singapore, Myanmar (Metcalf
Cat.)
- Chunrocerus niveosparsus lagunensis** (Baker)
Chunra niveosparsus lagunensis Baker 1915c: 325
[n.subsp. of niveosparsa]; Metcalf 1966d, 6(16):
215 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Chunrocerus niveosparsus palawanensis** (Baker)
Chunra niveosparsus palawanensis Baker 1915c: 325
[n.subsp. of niveosparsa]; Metcalf 1966d, 6(16):
215 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Chunrocerus niveosparsus philippinensis** (Baker)
Chunra niveosparsus philippinensis Baker 1915c: 325
[n.subsp. of niveosparsa]; Metcalf 1966d, 6(16):
215 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Chunroides wallabensis** Evans
Chunroides wallabensis Evans 1947a: 254 [n.sp.];
Metcalf 1966d, 6(16): 215 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Cicadella [Duméril 1806] adspersa (Herrick-Schaeffer)
Typhlocyba adspersa Herrick-Schaeffer 1838c: 12
[n.sp.]; Metcalf 1968a, 6(17): 632 [Cat.]
DISTRIBUTION: Germany, Netherlands, Austria,
Denmark (Metcalf Cat.)
- Cicadella [Duméril 1806] alticola (Ribaut)
Eupteryx alticola Ribaut 1936b: 165 [n.sp.]; Metcalf
1968a, 6(17): 633 [Cat.]
DISTRIBUTION: France, Switzerland, Austria,
Finland, Czech Republic, Slovakia, Romania
(Metcalf Cat.)
- Cicadella [Duméril 1806] alticola bilobata (Cerutti)

- Eupteryx alticola bilobata Cerutti 1939a:91 [n.subsp. of alticola]; Metcalf 1968a,6(17):633 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] alticola unita (Cerutti)
Eupteryx alticola unita Cerutti 1939a:91 [n.subsp. of alticola]; Metcalf 1968a,6(17):633 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] andalusiaca (Ferrari)
Eupteryx andalusiaca Ferrari 1882a:151 [n.sp.]; Metcalf 1968a,6(17):634 [Cat.]
DISTRIBUTION: Spain, Portugal, Italy, France, Morocco (Metcalf Cat.)
- Cicadella [Duméril 1806] artemisiae (Kirschbaum)
Typhlocyba artemisiae Kirschbaum 1868b:190 [n.sp.]; Metcalf 1968a,6(17):634 [Cat.]
- Eupteryx abrotani Douglas 1874a:118 [n.sp.]; Metcalf 1968a,6(17):634 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Russia, Korea, Japan, United States (Metcalf Cat.)
- Cicadella [Duméril 1806] atropunctata (Goeze)
Cicada atropunctata Goeze 1778a:161 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Cicada nigropunctata Schrank 1781a:259 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Cicada carpini Fourcroy 1785a:191 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Cicada melanosticta Gmelin 1789a:2110 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Cicada tripunctata Gmelin 1789a:2116 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Cicada picta Fabricius 1794a:32 [n.sp.]; Metcalf 1968a,6(17):638 [Cat.]
- Typhlocyba aureola Boheman 1845b:161 [n.sp.]; Metcalf 1968a,6(17):639 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Russia, Northern Africa, Canada (Metcalf Cat.)
- Cicadella [Duméril 1806] atropunctata impunctata (Cerutti)
Eupteryx atropunctata impunctata Cerutti 1939a:89 [n.subsp. of atropunctata]; Metcalf 1968a,6(17):652 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] atropunctata marginata (Cerutti)
Eupteryx atropunctata marginata Cerutti 1939a:89 [n.subsp. of atropunctata]; Metcalf 1968a,6(17):652 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] atropunctata petasilidis (Ferrari)
Eupteryx atropunctata petasilidis Ferrari 1882a:152 [n.subsp. of atropunctata]; Metcalf 1968a,6(17):652 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Cicadella [Duméril 1806] aurata (Linnaeus)
Cicada aurata Linnaeus 1758a:439 [n.sp.]; Metcalf 1968a,6(17):652 [Cat.]
- Cicada festiva Fabricius 1794a:39 [n.sp.]; Metcalf 1968a,6(17):652 [Cat.]
- Typhlocyba fulva Herrich-Schaeffer 1836a:1 [n.sp.]; Metcalf 1968a,6(17):653 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, United States, Canada (Metcalf Cat.)
- Cicadella [Duméril 1806] aurata interrupta (Cerutti)
Eupteryx aurata interrupta Cerutti 1939a:89 [n.subsp. of aurata]; Metcalf 1968a,6(17):661 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] aurata nigerrima (Cerutti)
Eupteryx aurata nigerrima Cerutti 1939a:89 [n.subsp. of aurata]; Metcalf 1968a,6(17):661 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] austriaca Metcalf
Typhlocyba binotata Fieber 1872a:15 [nom.nov. for Typhlocyba heydeni Kirschbaum 1868]; Metcalf 1968a,6(17):662 [Cat.]
- Cicadella austriaca Metcalf 1968a:662 [nom.nov. for Typhlocyba binotata Fieber 1872]; Metcalf 1968a,6(17):662 [Cat.]
DISTRIBUTION: Widespread Europe (Metcalf Cat.)
- Cicadella [Duméril 1806] azorica (Ribaut)
Eupteryx azorica Ribaut 1941 [in Lindberg 1941b:23] [n.sp.]; Metcalf 1968a,6(17):663 [Cat.]
DISTRIBUTION: Atlantic Ocean: Azores (Metcalf Cat.)
- Cicadella [Duméril 1806] calcarata (Ossiannilsson)
Eupteryx calcarata Ossiannilsson 1936b:256 [n.sp.]; Metcalf 1968a,6(17):663 [Cat.]
DISTRIBUTION: Sweden, Poland, Switzerland, Germany, Netherlands, Czech Republic, Finland, Austria, France, Slovakia, Hungary (Metcalf Cat.)
- Cicadella [Duméril 1806] calcarata albifrons (Cerutti)
Eupteryx calcarata albifrons Cerutti 1939a:90 [n.subsp. of calcarata]; Metcalf 1968a,6(17):664 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] calcarata frontalis (Cerutti)
Eupteryx calcarata frontalis Cerutti 1939a:90 [n.subsp. of calcarata]; Metcalf 1968a,6(17):664 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] calcarata triguttata (Cerutti)
Eupteryx calcarata triguttata Cerutti 1939a:90 [n.subsp. of calcarata]; Metcalf 1968a,6(17):665 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] calcarata ypsilon (Cerutti)
Eupteryx calcarata ypsilon Cerutti 1939a:90 [n.subsp. of calcarata]; Metcalf 1968a,6(17):665 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] capreola (Lindberg)
Eupteryx capreolus Lindberg 1954a:240 [n.sp.]; Metcalf 1968a,6(17):665 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Cicadella [Duméril 1806] clavalis (McAtee)

- Eupteryx clavalis McAtee 1919c:185 [n.subsp. of *flavoscuta*]; Metcalf 1968a,6(17):665 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Cicadella [Duméril 1806] collina (Flor)
Typhlocyba collina Flor 1861a:433 [n.sp.]; Metcalf 1968a,6(17):665 [Cat.]
DISTRIBUTION: Europe widespread, Russia, Turkestan, Uzbekistan, United States, Western Sahara, Czech Republic, Greece (Metcalf Cat.)
- Cicadella [Duméril 1806] collina florida (Ribaut)
Eupteryx florida Ribaut 1936b:168 [n.subsp. of *collina*]; Metcalf 1968a,6(17):669 [Cat.]
DISTRIBUTION: France, Italy, Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] contaminata (Melichar)
Eupteryx contaminata Melichar 1896a:329 [n.sp.]; Metcalf 1968a,6(17):669 [Cat.]
DISTRIBUTION: Croatia, Austria, Yugoslavia (Metcalf Cat.)
- Cicadella [Duméril 1806] corsica (Lethierry)
Eupteryx corsica Lethierry 1876a:lxviii [n.sp.]; Metcalf 1968a,6(17):669 [Cat.]
DISTRIBUTION: Italy, France (Metcalf Cat.)
- Cicadella [Duméril 1806] cyclops (Matsumura)
Eupteryx cyclops Matsumura 1906a:78 [n.sp.]; Metcalf 1968a,6(17):669,672 [Cat.]
- Eupteryx britteni* Edwards 1924a:54 [n.sp.]; Metcalf 1968a,6(17):670 [Cat.]
- Eupteryx affinis* Ossiannilsson 1936b:255 [n.sp.]; Metcalf 1968a,6(17):670 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain (Metcalf Cat.)
- Cicadella [Duméril 1806] cyclops mendax (Ribaut)
Eupteryx cyclops mendax Ribaut 1936b:157 [n.subsp. of *cyclops*]; Metcalf 1968a,6(17):672 [Cat.]
DISTRIBUTION: France, Czech Republic, Netherlands, Sweden, England, Germany (Metcalf Cat.)
- Cicadella [Duméril 1806] cyclops nigrifrons (Haupt)
Eupteryx cyclops nigrifrons Haupt 1912a:191 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):672 [Cat.]
DISTRIBUTION: Germany, Denmark, Netherlands, France, Sweden, Czech Republic (Metcalf Cat.)
- Cicadella [Duméril 1806] cyclops trilobata (Ribaut)
Eupteryx cyclops trilobata Ribaut 1936b:157 [n.subsp. of *cyclops*]; Metcalf 1968a,6(17):672 [Cat.]
DISTRIBUTION: France, Czech Republic, Netherlands, Sweden, England (Metcalf Cat.)
- Cicadella [Duméril 1806] cypria Ribaut
Cicadella cypria Ribaut 1948a:7 [n.sp.]; Metcalf 1968a,6(17):673 [Cat.]
DISTRIBUTION: Cyprus, Israel (Metcalf Cat.)
- Cicadella [Duméril 1806] decemnotata (Rey)
Eupteryx decemnotata Rey 1891a:253 [n.subsp. of *putoni*]; Metcalf 1968a,6(17):673 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Cicadella [Duméril 1806] decemnotata litterata (Ribaut)
Eupteryx decemnotata litterata Ribaut 1936b:161 [n.subsp. of *decemnotata*]; Metcalf 1968a,6(17):673 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Cicadella [Duméril 1806] decemnotata lombardi (Melichar)
Eupteryx decemnotata lombardi Melichar 1896c:287 [n.sp.]; Metcalf 1968a,6(17):673 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Cicadella [Duméril 1806] decemnotata trochlearis (Ribaut)
Eupteryx decemnotata trochlearis Ribaut 1936b:161 [n.subsp. of *decemnotata*]; Metcalf 1968a,6(17):673 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Cicadella [Duméril 1806] decemnotata turbatrix (Ribaut)
Eupteryx decemnotata turbatrix Ribaut 1936b:161 [n.subsp. of *decemnotata*]; Metcalf 1968a,6(17):674 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Cicadella [Duméril 1806] fahringeri (Melichar)
Eupteryx fahringeri Melichar 1911b:104 [n.sp.]; Metcalf 1968a,6(17):674 [Cat.]
DISTRIBUTION: Turkey, Greece (Metcalf Cat.)
- Cicadella [Duméril 1806] falculata (Ribaut)
Eupteryx falculata Ribaut 1936b:148 [n.sp.]; Metcalf 1968a,6(17):674 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Cicadella [Duméril 1806] fieberi Metcalf
Cicadella fieberi Metcalf 1968a:674 [nom.nov. for *Typhlocyba micantula* Fieber 1884]; Metcalf 1968a,6(17):674 [Cat.]
DISTRIBUTION: Czech Republic, Austria, Egypt (Metcalf Cat.)
- Cicadella [Duméril 1806] filicum (Newman)
Typhlocyba filicum Newman 1853a:132 [n.sp.]; Metcalf 1968a,6(17):674 [Cat.]
DISTRIBUTION: Widespread Europe, Greece, Italy, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Canary Islands, Atlantic Ocean: Azores (Metcalf Cat.)
- Cicadella [Duméril 1806] flavoscuta (Gillette)
Eupteryx flavoscuta Gillette 1898a:749 [n.sp.]; Metcalf 1968a,6(17):677 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Cicadella [Duméril 1806] frontalis (Fieber)
Typhlocyba frontalis Fieber 1884b:111 [n.sp.]; Metcalf 1968a,6(17):678 [Cat.]
DISTRIBUTION: Switzerland, Germany, Austria, Romania, Italy (Metcalf Cat.)
- Cicadella [Duméril 1806] furcata (Beamer)
Typhlocyba furcata Beamer 1943c:133 [n.sp.]; Metcalf 1968a,6(17):679 [Cat.]

- DISTRIBUTION:** United States, Holarctic region (?)
(Metcalf Cat.)
- Cicadella [Duméril 1806] gallica (Wagner)
Eupteryx gallica Wagner 1939a:195 [n.sp., not
nom.nov.]; Metcalf 1968a,6(17):679 [Cat.]
- DISTRIBUTION:** France, Great Britain, Hungary,
Czech Republic (Metcalf Cat.)
- Cicadella [Duméril 1806] germari (Zetterstedt)
Cicadula germari Zetterstedt 1840a:301 [n.sp.];
Metcalf 1968a,6(17):680 [Cat.]
- DISTRIBUTION:** Europe widespread, United
Kingdom, Algeria, Russia (Metcalf Cat.)
- Cicadella [Duméril 1806] graeca Lindberg
Cicadella graeca Lindberg 1949a:40 [n.sp.]; Metcalf
1968a,6(17):685 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Scandinavia, Russia (Metcalf Cat.)
- Cicadella [Duméril 1806] haematoptila (Kirkaldy)
Eupteryx haematoptilus Kirkaldy 1906c:362 [n.sp.];
Metcalf 1968a,6(17):685 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Cicadella [Duméril 1806] hortensis (Curtis)
Eupteryx hortensis Curtis 1833a:192 [n.sp.]; Metcalf
1968a,6(17):685 [Cat.]
- Typhlocyba stachydearum Hardy 1850a:422 [n.sp.];
Metcalf 1968a,6(17):685 [Cat.]
- Typhlocyba curtisi Flor 1861a:431 [n.sp.]; Metcalf
1968a,6(17):685 [Cat.]
- DISTRIBUTION:** Widespread Europe, United
Kingdom, Scandinavia, Russia, Northern Africa
(Metcalf Cat.)
- Cicadella [Duméril 1806] hortensis catenata (Rey)
Eupteryx hortensis catenata Rey 1894c:46 [n.subsp. of
curtisi]; Metcalf 1968a,6(17):692 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Cicadella [Duméril 1806] hortensis confluens (Rey)
Eupteryx hortensis confluens Rey 1894c:46 [n.subsp.
of curtisi]; Metcalf 1968a,6(17):692 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Cicadella [Duméril 1806] hortensis continua (Cerutti)
Eupteryx hortensis continua Cerutti 1939a:91
[n.subsp. of stachydearum]; Metcalf
1968a,6(17):692 [Cat.]
- DISTRIBUTION:** Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] immaculatifrons (Kirschbaum)
Typhlocyba immaculatifrons Kirschbaum 1868b:195
[n.sp.]; Metcalf 1968a,6(17):692 [Cat.]
- DISTRIBUTION:** Germany, Austria, Hungary,
France, Italy, Denmark, Netherlands, Finland,
Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] immaculatifrons colligata
(Cerutti)
Eupteryx immaculatifrons colligata Cerutti 1939a:90
[n.subsp. of immaculatifrons]; Metcalf
1968a,6(17):693 [Cat.]
- DISTRIBUTION:** Switzerland (Metcalf Cat.)
- Cicadella [Duméril 1806] insecata (Melichar)
Eupteryx insecata Melichar 1903b:211 [n.sp.]; Metcalf
1968a,6(17):693 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Cicadella [Duméril 1806] insulana Ribaut
Cicadella insulana Ribaut 1948a:6 [n.sp.]; Metcalf
1968a,6(17):694 [Cat.]
- DISTRIBUTION:** Cyprus (Metcalf Cat.)
- Cicadella [Duméril 1806] iranica (Linnauvori)
Eupteryx iranica Linnauvori 1953a:117 [n.sp.];
Metcalf 1968a,6(17):694 [Cat.]
- DISTRIBUTION:** Iran (Metcalf Cat.)
- Cicadella [Duméril 1806] juvenis (McAtee)
Eupteryx juvenis McAtee 1919c:185 [n.subsp. of
flavoscuta]; Metcalf 1968a,6(17):694 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Cicadella [Duméril 1806] laureti (Lindberg)
Eupteryx laureti Lindberg 1936a:10 [n.sp.]; Metcalf
1968a,6(17):694 [Cat.]
- DISTRIBUTION:** Canary Islands, Atlantic Ocean:
Azores (Metcalf Cat.)
- Cicadella [Duméril 1806] lelievrei (Lethierry)
Typhlocyba lelievrei Lethierry 1874a:276 [n.sp.];
Metcalf 1968a,6(17):695 [Cat.]
- DISTRIBUTION:** France, Belgium, Russia,
Netherlands, Bulgaria (Metcalf Cat.)
- Cicadella [Duméril 1806] maculipennis (Curtis)
Eupteryx maculipennis Curtis 1837d:pl.640 [n.sp.];
Metcalf 1968a,6(17):695 [Cat.]
- DISTRIBUTION:** Great Britain (Metcalf Cat.)
- Cicadella [Duméril 1806] melanocephala (Melichar)
Eupteryx melanocephala Melichar 1902c:145 [n.sp.];
Metcalf 1968a,6(17):696 [Cat.]
- DISTRIBUTION:** Russia, China (Metcalf Cat.)
- Cicadella [Duméril 1806] melichari (Kirkaldy)
Eupteryx melichari Kirkaldy 1906c:315,363
[nom.nov. for Eupteryx picta Melichar 1903];
Metcalf 1968a,6(17):713 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Cicadella [Duméril 1806] melissae (Curtis)
Eupteryx melissae Curtis 1837d:pl.640 [n.sp.];
Metcalf 1968a,6(17):696 [Cat.]
- Eupteryx quinquemaculata Baker 1903d:8 [n.sp.];
Metcalf 1968a,6(17):698 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Kazakhstan, Kirghizia, Tadzhikistan,
Turkmenistan, Uzbekistan, Russia, Greece,
Northern Africa, Canada, United States (Metcalf
Cat.)
- Cicadella [Duméril 1806] metallica (Distant)
Aguriahana metallica Distant 1918b:105 [n.sp.];
Metcalf 1968a,6(17):701 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadella [Duméril 1806] minuscula (Lindberg)
Eupteryx minuscula Lindberg 1929b:12 [n.sp.];
Metcalf 1968a,6(17):701 [Cat.]

- DISTRIBUTION:** Russia (Metcalf Cat.)
Cicadella [Duméril 1806] nigra (Osborn)
Eupteryx nigra Osborn 1905a:543 [n.sp.]; Metcalf 1968a,6(17):701 [Cat.]
DISTRIBUTION: United States, Canada, Jamaica (Metcalf Cat.)
Cicadella [Duméril 1806] niisimai (Matsumura)
Eupteryx niisimai Matsumura 1932a:93 [n.sp.]; Metcalf 1968a,6(17):703 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Cicadella [Duméril 1806] notata (Curtis)
Eupteryx notata Curtis 1837d:pl.640 [n.sp.]; Metcalf 1968a,6(17):703 [Cat.]
Typhlocyba wallengreni Stål 1853a:177 [n.sp.]; Metcalf 1968a,6(17):703 [Cat.]
Typhlocyba diminuta Kirschbaum 1868b:194 [n.sp.]; Metcalf 1968a,6(17):703 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia (Metcalf Cat.)
Cicadella [Duméril 1806] ochracea (Motschulsky)
Diomma ochracea Motschulsky 1863a:102 [n.sp.]; Metcalf 1968a,6(17):709 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Cicadella [Duméril 1806] orientalis (Linnauvori)
Eupteryx orientalis Linnauvori 1953d:61 [n.sp.]; Metcalf 1968a,6(17):710 [Cat.]
DISTRIBUTION: Turkmenistan (Metcalf Cat.)
Cicadella [Duméril 1806] ornata (Fieber)
Typhlocyba heydenii Kirschbaum 1868bb:193 [n.sp.]; Metcalf 1968a,6(17):662,710 [Cat.]
Typhlocyba ornata Fieber 1872a:15 [nom.nov. for *Typhlocyba heydenii* Kirschbaum 1868]; Metcalf 1968a,6(17):710 [Cat.]
Typhlocyba pruni Edwards 1888c:158 [n.sp.]; Metcalf 1968a,6(17):710 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain (Metcalf Cat.)
Cicadella [Duméril 1806] paivana (Distant)
Eupteryx paivana Distant 1918b:97 [n.sp.]; Metcalf 1968a,6(17):712 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Cicadella [Duméril 1806] pavlovskii (Zachvatkin)
Eupteryx pavlovskii Zachvatkin 1947a:109,114 [n.sp.]; Metcalf 1968a,6(17):712 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
Eupteryx picta Melichar 1903b:210 [n.sp.]; Metcalf 1968a,6(17):713 [Cat.; priority error, ICZN Art. 59b]
Cicadella [Duméril 1806] pictilis (Stål)
Typhlocyba pictilis Stål 1853a:176 [n.sp.]; Metcalf 1968a,6(17):713 [Cat.]
DISTRIBUTION: Europe central&northern, Russia, Czech Republic (Metcalf Cat.)
Cicadella [Duméril 1806] rostrata (Ribaut)
Eupteryx rostrata Ribaut 1936b:163 [n.sp.]; Metcalf 1968a,6(17):714 [Cat.]
- DISTRIBUTION:** France, Morocco (Metcalf Cat.)
Cicadella [Duméril 1806] rostrata levis (Ribaut)
Eupteryx levis Ribaut 1936b:163 [n.subsp. of *rostrata*]; Metcalf 1968a,6(17):714 [Cat.]
DISTRIBUTION: France, Morocco (Metcalf Cat.)
Cicadella [Duméril 1806] sanguinolenta (Distant)
Eupteryx sanguinolenta Distant 1918b:96 [n.sp.]; Metcalf 1968a,6(17):715 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Cicadella [Duméril 1806] schuleri (Ribaut)
Eupteryx schuleri Ribaut 1952a:458 [n.sp.]; Metcalf 1968a,6(17):715 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Cicadella [Duméril 1806] semipunctata (Fieber)
Typhlocyba semipunctata Fieber 1884b:95 [n.sp.]; Metcalf 1968a,6(17):715 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
Cicadella [Duméril 1806] signatipennis (Bohemian)
Typhlocyba signatipennis Boheman 1847a:36 [n.sp.]; Metcalf 1968a,6(17):715 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia (Metcalf Cat.)
Cicadella [Duméril 1806] simplex (Edwards)
Eupteryx simplex Edwards 1926a:53 [n.sp.]; Metcalf 1968a,6(17):717 [Cat.]
DISTRIBUTION: Great Britain, Sweden, Germany, France, Netherlands (Metcalf Cat.)
Cicadella [Duméril 1806] takasagonis (Matsumura)
Eupteryx takasagonis Matsumura 1932a:94 [n.sp.]; Metcalf 1968a,6(17):718 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Cicadella [Duméril 1806] tenella (Fallén)
Cicada tenella Fallén 1806a:43 [n.sp.]; Metcalf 1968a,6(17):718 [Cat.]
Typhlocyba pulchella Herrich-Schaeffer 1834b:6 [n.sp.]; Metcalf 1968a,6(17):718 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
Cicadella [Duméril 1806] thoulessi (Edwards)
Eupteryx thoulessi Edwards 1926a:53 [n.sp.]; Metcalf 1968a,6(17):723 [Cat.]
DISTRIBUTION: Great Britain, France, Switzerland, Russia, Germany, Netherlands, Sweden, Czech Republic, Slovakia, Austria, Hungary, Ukraine (Metcalf Cat.)
Cicadella [Duméril 1806] triangularis (Matsumura)
Eupteryx triangularis Matsumura 1932a:94 [n.sp.]; Metcalf 1968a,6(17):723 [Cat.]
Eupteryx u-nigrum Matsumura 1932a:94 [n.sp.]; Metcalf 1968a,6(17):724 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Cicadella [Duméril 1806] undomarginata (Lindberg)
Eupteryx undomarginata Lindberg 1929b:13 [n.sp.]; Metcalf 1968a,6(17):724 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
Cicadella [Duméril 1806] urticae (Fabricius)

- Cicada urticae* Fabricius 1803a:77 [n.sp.]; Metcalf 1968a,6(17):724,737 [Cat.]
- Eupteryx tarsalis* Curtis 1837d:pl.640 [n.sp.]; Metcalf 1968a,6(17):725 [Cat.]
- Typhlocyba jucunda* Hardy 1850a:421 [n.sp.]; Metcalf 1968a,6(17):725 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Russia, Northern Africa (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae basalis* (Rey)
- Eupteryx urticae basalis* Rey 1894c:46 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):733 [Cat.]
- DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae conjuncta* (Rey)
- Eupteryx urticae conjuncta* Rey 1894c:46 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):733 [Cat.]
- DISTRIBUTION: France, Netherlands, Sweden, Czech Republic (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae deficiens* (Ribaut)
- Eupteryx urticae deficiens* Ribaut 1936b:155 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):734 [Cat.]
- DISTRIBUTION: France, Germany, Netherlands, Sweden, Czech Republic (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae glomerata* (Ribaut)
- Eupteryx urticae glomerata* Ribaut 1936b:155 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):734 [Cat.]
- DISTRIBUTION: France, Netherlands, Sweden, Czech Republic, Italy (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae haupti* (Wagner)
- Eupteryx urticae haupti* Wagner 1935a:29 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):735 [Cat.]
- DISTRIBUTION: Germany, France, Netherlands, Sweden, Czech Republic, Italy (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae leucocnema* (Oshanin)
- Eupteryx urticae leucocnema* Oshanin 1907b:239 [n.subsp. of *urticae*]; Metcalf 1968a,6(17):735 [Cat.]
- DISTRIBUTION: Russia, Finland, Estonia, Latvia, Great Britain, Italy, Sweden, Greece, Netherlands (Metcalf Cat.)
- Cicadella* [Duméril 1806] *urticae octonotata* (Hardy)
- Typhlocyba urticae octonotata* Hardy 1850a:419 [n.sp.]; Metcalf 1968a,6(17):736 [Cat.]
- DISTRIBUTION: England, France, Germany, Netherlands (Metcalf Cat.)
- Cicadella* [Duméril 1806] *vanduzeei* [sic] (Gillette)
- Eupteryx vanduzei* Gillette 1898a:748 [n.sp.]; Metcalf 1968a,6(17):737 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Cicadella* [Duméril 1806] *vittata* (Linnaeus)
- Cicada vittata* Linnaeus 1758a:438 [n.sp.]; Metcalf 1968a,6(17):738 [Cat.]
- Typhlocyba quadrasignata* Hardy 1850a:418 [n.sp.]; Metcalf 1968a,6(17):740 [Cat.]
- Eupteryx schranki* Haupt 1917a:155 [nom.nov. for *Cicada vittata* Linnaeus 1758]; Metcalf 1968a,6(17):745 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia (Metcalf Cat.)
- Cicadella* [Duméril 1806] *zelleri* (Kirschbaum)
- Typhlocyba zelleri* Kirschbaum 1868b:195 [n.sp.]; Metcalf 1968a,6(17):748 [Cat.]
- Eupteryx putoni* Lethierry 1876c:17 [n.sp.]; Metcalf 1968a,6(17):748 [Cat.]
- DISTRIBUTION: Widespread Europe, Iran, Morocco, Italy, Greece (Metcalf Cat.)
- Cicadella* [Duméril 1806] *zelleri decussata* (Ribaut)
- Eupteryx zelleri decussata* Ribaut 1936b:159 [n.subsp. of *zelleri*]; Metcalf 1968a,6(17):750 [Cat.]
- DISTRIBUTION: France, Spain, Italy (Metcalf Cat.)
- Cicadella* [Duméril 1806] *zelleri hipposideros* (Horváth)
- Eupteryx zelleri hipposideros* Horváth 1892b:140 [n.subsp. of *zelleri*]; Metcalf 1968a,6(17):750 [Cat.]
- DISTRIBUTION: France (Metcalf Cat.)
- Cicadula albingensis* Wagner
- Cicadula albingensis* Wagner 1940a: 110 [n.sp.]; Metcalf 1967b, 6(10b): 1959 [Cat.]
- DISTRIBUTION: Germany, Czech Republic, Norway, Sweden, France, Poland (Metcalf Cat.)
- Cicadula arevaloi* Merino
- Cicadula arevaloi* Merino 1936a: 379 [n.sp.]; Metcalf 1967b, 6(10b): 1960 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
- Cicadula awae* Myers
- Cicadula awae* Myers 1924b: 182 [n.sp.]; Metcalf 1967b, 6(10b): 1960 [Cat.]
- DISTRIBUTION: New Zealand, Pacific Ocean: Chatham Island (Metcalf Cat.)
- Cicadula bipunctata* Singh-Pruthi
- Cicadula bipunctatus* Singh-Pruthi 1930a: 59 [n.sp.]; Metcalf 1967b, 6(10b): 1960 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Cicadula capensis* Metcalf
- Cicadula nigrifrons* Naudé 1926a: 86 [n.sp.]; Metcalf 1967b, 6(10b): 1961 [Cat.]
- Cicadula capensis* Metcalf 1955a: 266 [nom.nov. for *Cicadula nigrifrons* Naudé 1926]; Metcalf 1967b, 6(10b): 1961 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Cicadula ciliata* (Osborn)
- Thamnotettix ciliata* Osborn 1898a: 244 [n.sp.]; Metcalf 1967b, 6(10b): 1961 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Cicadula clypeata* Melichar
- Cicadula clypeata* Melichar 1904a: 47 [n.sp.]; Metcalf 1967b, 6(10b): 1963 [Cat.]

- DISTRIBUTION:** Somalia (Metcalf Cat.)
- Cicadula colorata* Osborn
Cicadula colorata Osborn 1934b: 263 [n.sp.]; Metcalf 1967b, 6(10b): 1963 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Cicadula cyperacea* (Osborn)
Thamnotettix cyperaceus Osborn 1898a: 245 [n.sp.]; Metcalf 1967b, 6(10b): 1963 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Cicadula divaricata* Ribaut
Cicadula divaricata Ribaut 1952a: 153 [n.sp.]; Metcalf 1967b, 6(10b): 1965 [Cat.]
- DISTRIBUTION:** France, Italy, Algeria, Morocco (Metcalf Cat.)
- Cicadula divaricata pallidifrons* [sic] Ribaut
Cicadula pallidifrons Ribaut 1952a: 154 [n.subsp. of *divaricata*]; Metcalf 1967b, 6(10b): 1965 [Cat.]
- DISTRIBUTION:** France (orig.descr.)
- Cicadula divisifrons* Naudé
Cicadula divisifrons Naudé 1926a: 83 [n.sp.]; Metcalf 1967b, 6(10b): 1965 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Cicadula dorsalis* Osborn
Cicadula dorsalis Osborn 1934b: 261 [n.sp.]; Metcalf 1967b, 6(10b): 1965 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Cicadula euryphaessa* Kirkaldy
Cicadula euryphaessa Kirkaldy 1907d: 46,68 [n.sp.]; Metcalf 1967b, 6(10b): 1966 [Cat.]
- DISTRIBUTION:** Oceania: Fiji Islands (Metcalf Cat.)
- Cicadula flavoalbida* Naudé
Cicadula flavoalbida Naudé 1926a: 83 [n.sp.]; Metcalf 1967b, 6(10b): 1966 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Cicadula fletcheri* Singh-Pruthi
Cicadula fletcheri Singh-Pruthi 1930a: 60 [n.sp.]; Metcalf 1967b, 6(10b): 1966 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula flori* (Sahlberg)
Limotettix flori Sahlberg 1871a: 239 [n.sp.]; Metcalf 1967b, 6(10b): 1967 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia (Metcalf Cat.)
- Cicadula frontalis* (Herrich-Schaeffer)
Jassus frontalis Herrich-Schaeffer 1835a: 70 [n.sp.]; Metcalf 1967b, 6(10b): 1968 [Cat.]
- Thamnotettix antennata* Boheman 1845b: 158 [n.sp.]; Metcalf 1967b, 6(10b): 1968 [Cat.]
- Jassus* (*Thamnotettix*) *longicornis* Kirschbaum 1868b: 98 [n.sp.]; Metcalf 1967b, 6(10b): 1969 [Cat.]
- DISTRIBUTION:** Widespread Europe, United Kingdom, Scandinavia, Russia, Spain, Italy (Metcalf Cat.)
- Cicadula glanvillei* Dale
- Cicadula glanvillei* Dale 1878a: 308 [n.sp.]; Metcalf 1967b, 6(10b): 1974 [Cat.]
- DISTRIBUTION:** England (Metcalf Cat.)
- Cicadula hyadas* Kirkaldy
Cicadula hyadas Kirkaldy 1907d: 68 [n.sp.]; Metcalf 1967b, 6(10b): 1974 [Cat.]
- DISTRIBUTION:** Oceania: Fiji Islands (Metcalf Cat.)
- Cicadula indica* Singh-Pruthi
Cicadula indica Singh-Pruthi 1930a: 54 [n.sp.]; Metcalf 1967b, 6(10b): 1974 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula indrina* Singh-Pruthi
Cicadula indrina Singh-Pruthi 1930a: 61 [n.sp.]; Metcalf 1967b, 6(10b): 1974 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula intensa* Van Duzee
Cicadula intensa Van Duzee 1907a: 72 [n.sp.]; Metcalf 1967b, 6(10b): 1975 [Cat.]
- DISTRIBUTION:** Jamaica (Metcalf Cat.)
- Cicadula intermedia* (Bohemian)
Thamnotettix intermedia Boheman 1845b: 159 [n.sp.]; Metcalf 1967b, 6(10b): 1975 [Cat.]
- Limotettix lunulifrons* Sahlberg 1871a: 236 [n.sp.]; Metcalf 1967b, 6(10b): 1975 [Cat.]
- Cyperana eruca* DeLong 1937b: 231 [n.sp.]; Metcalf 1967b, 6(10b): 1977 [Cat.]
- Cyperana montula* DeLong 1937b: 232 [n.sp.]; Metcalf 1967b, 6(10b): 1977 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Russia, United States, Canada (Metcalf Cat.)
- Cicadula limbata* Fieber
Cicadula limbata Fieber 1885a: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1980 [Cat.]
- DISTRIBUTION:** Europe (?) (Metcalf Cat.)
- Cicadula lineatopunctata* (Matsumura)
Thamnotettix lineatopunctatus Matsumura 1908a: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1980 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Cicadula longiforma* Cogan
Cicadula longiforma Cogan 1916a: 196 [n.sp.]; Metcalf 1967b, 6(10b): 1981 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Cicadula longiseta* (Van Duzee)
Thamnotettix longiseta Van Duzee 1892b: 266 [n.sp.]; Metcalf 1967b, 6(10b): 1981 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Cicadula maculata* Singh-Pruthi
Cicadula maculatus Singh-Pruthi 1930a: 58 [n.sp.]; Metcalf 1967b, 6(10b): 1982 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula melanogaster* (Provancher)
Jassus melanogaster Provancher 1872c: 378 [n.sp.]; Metcalf 1967b, 6(10b): 1982 [Cat.]

- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Cicadula minuta** Osborn
Cicadula minuta Osborn 1934b: 262 [n.sp.]; Metcalf 1967b, 6(10b): 1986 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Cicadula montana** (Distant)
Deltocephalus montana Distant 1908g: 384 [n.sp.]; Metcalf 1967b, 6(10b): 1986 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula montana macroptera** Singh-Pruthi
Cicadula macropterous Singh-Pruthi 1930a: 58 [n.subsp. of *montanus*]; Metcalf 1967b, 6(10b): 1986 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Cicadula mutilla** Ribaut
Cicadula mutilla Ribaut 1952a: 150 [n.sp.]; Metcalf 1967b, 6(10b): 1986 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Cicadula placida** (Horváth)
Thamnotettix placidus Horváth 1897b: 632 [n.sp.]; Metcalf 1967b, 6(10b): 1987 [Cat.]
- DISTRIBUTION:** Hungary, France, Slovakia (Metcalf Cat.)
- Cicadula placida inornata** Ribaut
Cicadula placida inornata Ribaut 1952a: 152 [n.subsp. of *placida*]; Metcalf 1967b, 6(10b): 1987 [Cat.]
- DISTRIBUTION:** Hungary, France, Slovakia (Metcalf Cat.)
- Cicadula quadripunctata** (Villers)
Cicada quadripunctata Villers 1789a: 473 [n.sp.]; Metcalf 1967b, 6(10b): 1988 [Cat.]
- Cicada pusilla** Rossi 1792a: 218 [n.sp.]; Metcalf 1967b, 6(10b): 1988 [Cat.]
- Cicada quadrinotata** Fabricius 1794a: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1988 [Cat.]
- Cicada strigipes** Zetterstedt 1828a: 532 [n.sp.]; Metcalf 1967b, 6(10b): 1988 [Cat.]
- Aphrodes spilotocephala** Hardy 1850a: 424 [n.sp.]; Metcalf 1967b, 6(10b): 1990 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, United Kingdom, Russia, Northern Africa, Italy, Korea, Japan, Canary Islands, Iceland (Metcalf Cat.)
- Cicadula quinqueonotata** (Bohemian)
Thamnotettix quinqueonotata Boheman 1845b: 159 [n.sp.]; Metcalf 1967b, 6(10b): 2006 [Cat.]
- Limotettix longiventris* Sahlberg 1871a: 231 [n.sp.]; Metcalf 1967b, 6(10b): 2006 [Cat.]
- Limotettix nigricornis* Sahlberg 1871a: 232 [n.sp.]; Metcalf 1967b, 6(10b): 2006 [Cat.]
- Thamnotettix decipiens* Provancher 1889a: 285 [n.sp.]; Metcalf 1967b, 6(10b): 2007 [Cat.]
- Limotettix aurantipes* Edwards 1894a: 103 [n.sp.]; Metcalf 1967b, 6(10b): 2007 [Cat.]
- Limotettix persimilis* Edwards 1920a: 57 [n.sp.]; Metcalf 1967b, 6(10b): 2009 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Great Britain, Russia, Northern Africa, Canada, United States, Spain, Portugal (Metcalf Cat.)
- Cicadula ribauti** (Kontkanen)
Thamnotettix ribauti Kontkanen 1937a: 148 [n.sp.]; Metcalf 1967b, 6(10b): 2014 [Cat.]
- DISTRIBUTION:** Finland (Metcalf Cat.)
- Cicadula rubroflava** Linnauvori
Cicadula rubroflava Linnauvori 1952e: 74 [n.sp.]; Metcalf 1967b, 6(10b): 2015 [Cat.]
- DISTRIBUTION:** Finland (Metcalf Cat.)
- Cicadula saturata** (Edwards)
Limotettix saturata Edwards 1915a: 208 [n.sp.]; Metcalf 1967b, 6(10b): 2015 [Cat.]
- DISTRIBUTION:** Great Britain, France, Germany, Poland, Netherlands (Metcalf Cat.)
- Cicadula scutellata** Vayssiere
Cicadula scutellata Vayssière 1930a: 373 [n.sp.]; Metcalf 1967b, 6(10b): 2016 [Cat.]
- DISTRIBUTION:** Western Africa (?) (Metcalf Cat.)
- Cicadula smithi** (Van Duzee)
Thamnotettix smithi Van Duzee 1892b: 266 [n.sp.]; Metcalf 1967b, 6(10b): 2017 [Cat.]
- Thamnotettix vittipennis* Sanders & DeLong 1917a: 91 [n.sp.]; Metcalf 1967b, 6(10b): 2018 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Cicadula sordidipennis** (Stål)
Thamnotettix sordidipennis Stål 1858e: 194 [n.sp.]; Metcalf 1967b, 6(10b): 2020 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Cicadula straminea** (Sanders & DeLong)
Thamnotettix stramineus Sanders & DeLong 1917a: 90 [n.sp.]; Metcalf 1967b, 6(10b): 2020 [Cat.]
- Cyperana smithi pollicarius* Ball 1936i: 193 [n.subsp. of *smithi*]; Metcalf 1967b, 6(10b): 2020 [Cat.]
- Cyperana wanakena* Ball 1936i: 194 [n.sp.]; Metcalf 1967b, 6(10b): 2020 [Cat.]
- Cyperana gesa* DeLong 1937b: 231 [n.sp.]; Metcalf 1967b, 6(10b): 2021 [Cat.]
- Cyperana stylata* DeLong 1937b: 230 [n.sp.]; Metcalf 1967b, 6(10b): 2021 [Cat.]
- Cicadula ossianilssonii** Kontkanen 1947b: 171 [n.sp., not nom.nov.]; Metcalf 1967b, 6(10b): 2021 [Cat.]
- DISTRIBUTION:** United States, Canada, Scandinavia (Metcalf Cat.)
- Cicadula tintarella** Osborn
Cicadula tintarella Osborn 1934b: 262 [n.sp.]; Metcalf 1967b, 6(10b): 2023 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Cicadula tunisiana** Matsumura

- Cicadula tunisiana* Matsumura 1908a: 14 [n.sp.]; Metcalf 1967b, 6(10b): 2023 [Cat.]
DISTRIBUTION: Tunisia (Metcalf Cat.)
- Cicadula unimaculata* Naude
Cicadula unimaculata Naudé 1926a: 83 [n.sp.]; Metcalf 1967b, 6(10b): 2024 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Cicadula vaga* Melichar
Cicadula vaga Melichar 1903b: 187 [n.sp.]; Metcalf 1967b, 6(10b): 2024 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Cicadula vaginata* (Kirschbaum)
Jassus (*Deltocephalus*) *vaginata* Kirschbaum 1868b: 133 [n.sp.]; Metcalf 1967b, 6(10b): 2024 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Cicadula vitiensis* Kirkaldy
Cicadula vitiensis Kirkaldy 1906c: 362 [n.sp.]; Metcalf 1967b, 6(10b): 2025 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Cicadula warioni* Lethierry
Cicadula warioni Lethierry 1878a: 127 [n.sp.]; Metcalf 1967b, 6(10b): 2025 [Cat.]
DISTRIBUTION: France, Belgium, Germany, Japan, United Kingdom, Austria, Hungary, Russia, Taiwan (Metcalf Cat.)
- Cicadulella pallida* (Haupt)
Cicadulina pallida Haupt 1927a: 39 [n.sp.]; Metcalf 1967c, 6(10c): 2479 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
- Cicadulina arachidis* China
Cicadulina arachidis China 1928b: 61 [n.sp.]; Metcalf 1967c, 6(10c): 2470 [Cat.]
DISTRIBUTION: Gambia, Nigeria (Metcalf Cat.)
- Cicadulina bipunctella* (Matsumura)
Cicadula bipunctella Matsumura 1908a: 12 [n.sp.]; Metcalf 1967c, 6(10c): 2470, 2471 [Cat.]
DISTRIBUTION: Egypt, Kenya, Sahara Desert, Israel, Taiwan, Japan, Russia, Australia, Oceania: Guam, West Indonesia (Metcalf Cat.)
- Cicadulina bipunctella zae* China
Cicadulina zae China 1926c: 43 [n.sp.]; Metcalf 1967c, 6(10c): 2471 [Cat.]
DISTRIBUTION: Kenya, Tanzania, Zambia, Zimbabwe, Yemen, Australia, Canary Islands (Metcalf Cat.)
- Cicadulina mbila* (Naude)
Balclutha mbila Naudé 1924a: 307 [n.sp.]; Metcalf 1967c, 6(10c): 2472 [Cat.]
DISTRIBUTION: South Africa, Uganda, Zambia, Zimbabwe, Tanzania, Sweden, Yemen (Metcalf Cat.)
- Cicadulina similis* China
Cicadulina similis China 1928b: 62 [n.sp.]; Metcalf 1967c, 6(10c): 2477 [Cat.]
DISTRIBUTION: Gambia (Metcalf Cat.)
- Cicadulina storeyi* China 1936a: 251 [n.sp.]; Metcalf 1967c, 6(10c): 2477 [Cat.]
DISTRIBUTION: Tanzania, Nigeria (Metcalf Cat.)
- Cicadulina tortilla* Caldwell
Cicadulina tortilla Caldwell 1952 [in Caldwell & Martorell 1952a: 78] [n.sp.]; Metcalf 1967c, 6(10c): 2478 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Cicaduloida monticola* Osborn
Cicaduloida monticola Osborn 1934b: 259 [n.sp.]; Metcalf 1967b, 6(10b): 1945 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Cicaduloida pacifica* Osborn
Cicaduloida pacifica Osborn 1934b: 258 [n.sp.]; Metcalf 1967b, 6(10b): 1945 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Cicciana flammea* (Signoret)
Tettigonia flammea Signoret 1855a:50 [n.sp.]; Metcalf 1965a,6(1):467 [Cat.]
DISTRIBUTION: French Guiana (Young 1977a)
- Cicciana latreillei* (Distant)
Ciccus latreillei Distant 1908b:81 [n.sp., not nom.nov.]; Metcalf 1965a,6(1):468 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Cicciana obliquus* (Walker)
Ciccus obliquus Walker 1851b:800 [n.sp.]; Metcalf 1965a,6(1):468 [Cat.]
DISTRIBUTION: Suriname, Brazil (Young 1968a)
- Ciccus adspersus* (Fabricius)
Cicada adspersa Fabricius 1803a:61 [n.sp.]; Metcalf 1965a,6(1):614 [Cat.]
DISTRIBUTION: Guyana, French Guiana, Brazil, Ecuador, Peru (Young 1968a)
- Ciccus adspersus peruvianus* (Melichar)
Coelopoda adspersa peruviana Melichar 1926a:285 [n.subsp. of *adspersa*]; Metcalf 1965a,6(1):615 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Ciccus atomarius* (Walker)
Aulacizes atomaria Walker 1851b:792 [n.sp.]; Metcalf 1965a,6(1):615 [Cat.]
DISTRIBUTION: French Guiana, Guyana, Brazil (Metcalf Cat.)
- Ciccus hastatus* Walker
Ciccus hastatus Walker 1858b:245 [n.sp.]; Metcalf 1965a,6(1):616 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Ciccus intersectus* (Germar)
Tettigonia intersecta Germar 1821a:60 [n.sp.]; Metcalf 1965a,6(1):616 [Cat.]
DISTRIBUTION: Peru, Brazil (Young 1968a)
- Ciccus perficitus* Walker
Ciccus perficitus Walker 1858a:100 [n.sp.]; Metcalf 1965a,6(1):617 [Cat.]

- DISTRIBUTION:** Brazil (Metcalf Cat.)
Ciccus punctosus Walker
Ciccus punctosus Walker 1858b:246 [n.sp.]; Metcalf 1965a,6(1):617 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Ciccus viridivitta (Walker)
Cicada canaliculata Fabricius 1803a:63 [n.sp.]; Metcalf 1965a,6(1):618 [Cat.]
Aulacizes viridivitta Walker 1851b:794 [n.sp.]; Metcalf 1965a,6(1):618 [Cat.]
Aulacizes triplaga Walker 1858a:100 [n.sp.]; Metcalf 1965a,6(1):618 [Cat.]
DISTRIBUTION: Guyana, French Guiana, Brazil (Young 1968a)
Ciminius hartii (Ball)
Tettigonia hartii Ball 1901b:61 [n.sp.]; Metcalf 1965a,6(1):391 [Cat.]
DISTRIBUTION: United States, Mexico (Young 1977a)
Ciminius sidanus (Ball)
Cicadella sidana Ball 1936a:21 [n.sp.]; Metcalf 1965a,6(1):393 [Cat.]
DISTRIBUTION: United States, Mexico (Young 1977a)
Ciminius taosus (Ball)
Cicadella taosa Ball 1936a:20 [n.sp.]; Metcalf 1965a,6(1):393 [Cat.]
DISTRIBUTION: United States: New Mex. (Young 1977a)
Circulifer alboflavovittatus Lindberg
Circulifer alboflavovittatus Lindberg 1954a: 226 [n.sp.]; Metcalf 1967a, 6(10a): 882 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
Circulifer alboguttatus (Lethierry)
Thamnotettix alboguttata Lethierry 1874b: 444 [n.sp.]; Metcalf 1967a, 6(10a): 883 [Cat.]
DISTRIBUTION: Algeria, Tunisia, Austria, France, Italy, Germany, Belgium, Netherlands, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Russia, Turkey (Metcalf Cat.)
Circulifer chinai Zachvatkin
Circulifer chinai Zachvatkin 1946a: 160 [n.sp.]; Metcalf 1967a, 6(10a): 884 [Cat.]
DISTRIBUTION: Yemen (Metcalf Cat.)
Circulifer chinai arabicus Zachvatkin
Circulifer chinai arabicus Zachvatkin 1946a: 161 [n.sp.]; Metcalf 1967a, 6(10a): 884 [Cat.]
DISTRIBUTION: Yemen (Metcalf Cat.)
Circulifer chinai caspius Zachvatkin
Circulifer chinai caspius Zachvatkin 1946a: 160 [n.subsp. of *chinai*]; Metcalf 1967a, 6(10a): 884 [Cat.]
DISTRIBUTION: Yemen (Metcalf Cat.)
Circulifer chinai jenjouriste Zachvatkin
Circulifer chinai jenjouriste Zachvatkin 1946a: 161 [n.sp.]; Metcalf 1967a, 6(10a): 884 [Cat.]
DISTRIBUTION: Yemen (Metcalf Cat.)
Circulifer curtus Linnauvori
Circulifer curtus Linnauvori 1955b: 119 [n.sp.]; Metcalf 1967a, 6(10a): 885 [Cat.]
DISTRIBUTION: Yemen (Metcalf Cat.)
Circulifer dubiosus (Matsumura)
Thamnotettix dubiosus Matsumura 1908a: 18 [n.sp.]; Metcalf 1967a, 6(10a): 885 [Cat.]
DISTRIBUTION: Italy, Russia, Morocco (Metcalf Cat.)
Circulifer dubiosus infirmus Young & Frazier
Circulifer dubiosus infirmus Young & Frazier 1954a: 37 [n.subsp. of *dubiosus*]; Metcalf 1967a, 6(10a): 885 [Cat.]
DISTRIBUTION: Algeria, Libya (Metcalf Cat.)
Circulifer fenestratus (Herrick-Schaeffer)
Jassus fenestratus Herrich-Schaeffer 1834a: 5 [n.sp.]; Metcalf 1967a, 6(10a): 886 [Cat.]
DISTRIBUTION: Widespread Europe, Japan, Mediterranean region, Northern Africa, Russia, Canary Islands (Metcalf Cat.)
Circulifer fenestratus fasciatus (Ferrari)
Thamnotettix fasciata Ferrari 1885a: 288 [n.subsp. of *fenestratus*]; Metcalf 1967a, 6(10a): 892 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
Circulifer fenestratus transversalis (Puton)
Thamnotettix transversalis Puton 1881a: 129 [n.subsp. of *fenestratus*]; Metcalf 1967a, 6(10a): 893 [Cat.]
DISTRIBUTION: Syria, Russia, Georgia, Azerbaijan, Italy, Armenia, Azerbaijan, Netherlands (Metcalf Cat.)
Circulifer futilis (Horváth)
Thamnotettix futilis Horváth 1909a: 296 [n.subsp. of *haematoceps*]; Metcalf 1967a, 6(10a): 893 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
Circulifer guttulatus (Kirschbaum)
Jassus (Deltoccephalus) guttulatus Kirschbaum 1868b: 128 [n.sp.]; Metcalf 1967a, 6(10a): 894 [Cat.]
Thamnotettix fenestratus venosa Fieber 1885a: 59 [n.subsp. of *fenestratus*]; Metcalf 1967a, 6(10a): 894 [Cat.]
DISTRIBUTION: Widespread Europe, Russia, China, Sri Lanka, Mediterranean region, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Circulifer guttulatus laetus Ribaut
Circulifer guttulatus laeta Ribaut 1952a: 178 [n.subsp. of *guttulatus*]; Metcalf 1967a, 6(10a): 897 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Circulifer haematoceps (Mulsant & Rey)
Jassus haematoceps Mulsant & Rey 1855a: 229 [n.sp.]; Metcalf 1967a, 6(10a): 897 [Cat.]
Jassus (Thamnotettix) haagi Kirschbaum 1868b: 89 [n.sp.]; Metcalf 1967a, 6(10a): 897 [Cat.]

- Circulifer interibilis* Lindberg 1948b: 156 [n.sp.]; Metcalf 1967a, 6(10a): 899 [Cat.]
DISTRIBUTION: Widespread Europe, Northern Africa, Mediterranean region, Canary Islands, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Circulifer hispaniae* Young & Frazier
Circulifer hispaniae Young & Frazier 1954a: 29 [n.sp.]; Metcalf 1967a, 6(10a): 900 [Cat.]
DISTRIBUTION: Spain (Metcalf Cat.)
- Circulifer macchiai* Lindberg
Circulifer macchiai Lindberg 1948b: 160 [n.sp.]; Metcalf 1967a, 6(10a): 900 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Circulifer nausharensis* (Singh-Pruthi)
Cicadula nausharensis Singh-Pruthi 1936a: 113 [n.sp.]; Metcalf 1967a, 6(10a): 900 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Circulifer nitidus* Young & Frazier
Circulifer nitidus Young & Frazier 1954a: 46 [n.sp.]; Metcalf 1967a, 6(10a): 901 [Cat.]
DISTRIBUTION: Spain (Metcalf Cat.)
- Circulifer opacipennis* (Lethierry)
Cicadula haematoceps opacipennis Lethierry 1876a: lxxxiv [n.sp.]; Metcalf 1967a, 6(10a): 901 [Cat.]
Cicadula vittiventris Lethierry 1876a: lxxxiv [n.sp.]; Metcalf 1967a, 6(10a): 901 [Cat.]
Thamnotettix opacus minor Ferrari 1884a: 514 [n.subsp. of opacus]; Metcalf 1967a, 6(10a): 901 [Cat.]
Thamnotettix unicolor Haupt 1927a: 34 [n.sp.]; Metcalf 1967a, 6(10a): 902 [Cat.]
Circulifer haupti Zachvatkin 1935a: 111 [nom.nov. for *Thamnotettix unicolor* Haupt 1927]; Metcalf 1967a, 6(10a): 902 [Cat.]
- Circulifer viridiflavus* Lindberg 1948b: 158 [n.sp.]; Metcalf 1967a, 6(10a): 903 [Cat.]
DISTRIBUTION: Widespread Europe, Northern Africa, Great Britain, Mediterranean region, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Circulifer opacus* (Kirschbaum)
Jassus (*Deltocephalus*) *opacus* Kirschbaum 1868b: 126 [n.sp.]; Metcalf 1967a, 6(10a): 905 [Cat.]
DISTRIBUTION: Italy, Portugal, Spain, France, Czech Republic, Hungary, Germany, Austria, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Tunisia, Canary Islands (Metcalf Cat.)
- Circulifer opacus dilutus* (Ferrari)
Thamnotettix opacus diluta Ferrari 1954a: 125 [n.subsp. of opacus]; Metcalf 1967a, 6(10a): 907 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Circulifer opacus pictus* (Ferrari)
- Thamnotettix opacus picta* Ferrari 1882a: 125 [n.subsp. of opacus]; Metcalf 1967a, 6(10a): 907 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Circulifer rubrivenosus* (Scott)
Thamnotettix rubrivenosa Scott 1876d: 83 [n.sp.]; Metcalf 1967a, 6(10a): 907 [Cat.]
DISTRIBUTION: France, Algeria, Spain (Metcalf Cat.)
- Circulifer rubrotinctus* (Kirschbaum)
Jassus (*Deltocephalus*) *rubrotinctus* Kirschbaum 1868b: 125 [n.sp.]; Metcalf 1967a, 6(10a): 907 [Cat.]
DISTRIBUTION: Italy, France, Algeria, Greece (Metcalf Cat.)
- Circulifer ruscinonensis* Ribaut
Circulifer ruscinonensis Ribaut 1952a: 176 [n.sp.]; Metcalf 1967a, 6(10a): 908 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Circulifer salus* (Matsumura)
Thamnotettix salus Matsumura 1908a: 21 [n.sp.]; Metcalf 1967a, 6(10a): 908 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Circulifer tenellus* (Baker)
Thamnotettix tenella Baker 1896a: 24 [n.sp.]; Metcalf 1967a, 6(10a): 909, 931 [Cat.]
Thamnotettix rubicundula Van Duzee 1907a: 70 [n.sp.]; Metcalf 1967a, 6(10a): 909 [Cat.]
Thamnotettix ignavus Matsumura 1908a: 22 [n.sp.]; Metcalf 1967a, 6(10a): 909 [Cat.]
Thamnotettix indivisus Haupt 1927a: 35 [n.sp.]; Metcalf 1967a, 6(10a): 914 [Cat.]
DISTRIBUTION: United States, Mexico, Canada, Argentina, West Indies, Israel, England, France, Italy, Egypt, Morocco, Algeria, Tunisia, Spain, Australia (Metcalf Cat.)
- Circulifer tenellus ambiguosus* Young & Frazier
Circulifer tenellus ambiguosus Young & Frazier 1954a: 34 [n.subsp. of tenellus]; Metcalf 1967a, 6(10a): 931 [Cat.]
DISTRIBUTION: Spain, South Africa (Metcalf Cat.)
- Circulifer unicolor* (Melichar)
Cicadula unicolor Melichar 1902b: 78 [n.sp.]; Metcalf 1967a, 6(10a): 932 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Circulifer zygophylli* Lindberg
Circulifer zygophylli Lindberg 1954a: 225 [n.sp.]; Metcalf 1967a, 6(10a): 932 [Cat.]
DISTRIBUTION: Canary Isl. (Metcalf Cat.)
- Citorus decurtatus* (Stål)
Selenocephalus decurtatus Stål 1855a: 98 [n.sp.]; Metcalf 1966c, 6(15): 171 [Cat.]
DISTRIBUTION: South Africa, Tanzania (Metcalf Cat.)

- Citriop flandersi* Evans
Citriop flandersi Evans 1934a:161 [n.sp.]; Metcalf 1965b,6(12):34 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Clavena sulcata* Melichar
Clavena sulcata Melichar 1902c:127 [n.sp.]; Metcalf 1963d,6(9):66 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Clavena thomsonii* (Stål)
Hecalus thomsonii Stål 1870c:737 [n.sp.]; Metcalf 1963d,6(9):67 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Clinonana declivata* Osborn
Clinonana declivata Osborn 1938a:14 [n.sp.]; Metcalf 1962b,6(3):54 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Clinonana magna* Osborn
Clinonana magna Osborn 1938a:13 [n.sp.]; Metcalf 1962b,6(3):54 [Cat.]
 DISTRIBUTION: French Guiana (Metcalf Cat.)
- Clinonaria bicolor* Metcalf
Clinonaria bicolor Metcalf 1949b:277 [n.sp.]; Metcalf 1962b,6(3):55 [Cat.]
 DISTRIBUTION: Guyana (Metcalf Cat.)
- Clydacha cochlear* (Jacobi)
Phereurhinus cochlear Jacobi 1905c:169 [n.sp.]; Metcalf 1965a,6(1):414 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Cochlorhinus atratus* Knoll
Cochlorhinus atratus Knoll 1951b: 174 [n.sp.]; Metcalf 1967b, 6(10b): 1081 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus bidentatus* Beamer
Cochlorhinus bidentatus Beamer 1940a: 56 [n.sp.]; Metcalf 1967b, 6(10b): 1081 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus opertus* Bliven
Cochlorhinus opertus Bliven 1955b: 11 [n.sp.]; Metcalf 1967b, 6(10b): 1081 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus pasadenus* (Ball)
Uhleriella pasadena Ball 1951a: 166 [n.sp.]; Metcalf 1967b, 6(10b): 1081 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus pluto* Uhler
Cochlorhinus pluto Uhler 1876a: 358 [n.sp.]; Metcalf 1967b, 6(10b): 1082 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus stygicus* (Ball)
Uhleriella stygica Ball 1902b: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1082 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus unispinosus* Beamer
Deltocephalus coquilletti Van Duzee 1890g: 95 [n.sp.]; Metcalf 1967b, 6(10b): 1083 [Cat.]
- Cochlorhinus unispinosus* Beamer 1940a: 54 [nom.nov. for *Deltocephalus coquilletti* Van Duzee 1890]; Metcalf 1967b, 6(10b): 1083 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Cochlorhinus ziczac* (Ball)
Uhleriella ziczac Ball 1915a: 166 [n.sp.]; Metcalf 1967b, 6(10b): 1084 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Coelidia adspersa* Stål
Coelidia adspersa Stål 1854b:254 [n.sp.]; Metcalf 1964b,6(11):38 [Cat.]
Coelidia nigrina Stål 1854b:254 [n.sp.]; Metcalf 1964b,6(11):39 [Cat.]
 DISTRIBUTION: Uruguay, Argentina, Paraguay, Brazil, Bolivia (Nielson 1979b)
- Coelidia africana* (Spångberg)
Jassus africana Spångberg 1878b:11 [n.sp.]; Metcalf 1964b,6(11):39 [Cat.]
 DISTRIBUTION: Principe I., Ivory Coast, Cameroon, Guinea, Nigeria, Congo (Nielson 1979b)
- Coelidia albifasciata* Metcalf
Coelidia albifasciata Metcalf 1954c:36 [n.sp.]; Metcalf 1964b,6(11):39 [Cat.]
 DISTRIBUTION: Bahamas (Nielson 1982e)
- Coelidia albipes* Walker
Coelidia albipes Walker 1870b:312 [n.sp.]; Metcalf 1964b,6(11):39 [Cat.]
 DISTRIBUTION: New Guinea (Nielson 1977a)
- Coelidia albisigna* Walker
Coelidia albisigna Walker 1857b:173 [n.sp.]; Metcalf 1964b,6(11):39 [Cat.]
 DISTRIBUTION: Borneo (Nielson 1977a)
- Coelidia albororata* (Distant)
Jassus albororata Distant 1918b:48 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: India (Nielson 1982e)
- Coelidia ampliata* (Osborn)
Jassus ampliata Osborn 1924c:442 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: Bolivia, Peru (Nielson 1979b)
- Coelidia angulata* (Spångberg)
Jassus angulata Spångberg 1878b:10 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Nielson 1979b)
- Coelidia apicalis* (Graaf, Six & Snellen)
Jassus apicalis Graaf, Six & Snellen 1862a:83 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: Netherlands (Metcalf Cat.)
- Coelidia areata* (Spångberg)
Jassus areata Spångberg 1878b:31 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: Colombia (Nielson 1983e)
- Coelidia artemisiae* (Becker)
Jassus artemisiae Becker 1865a:489 [n.sp.]; Metcalf 1964b,6(11):40 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)

- Coelidia atkinsoni* (Distant)
Jassus atkinsoni Distant 1908g:331 [n.sp.]; Metcalf
1964b,6(11):40 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Coelidia atra* Walker
Coelidia atra Walker 1851b:853 [n.sp.]; Metcalf
1964b,6(11):40 [Cat.]
DISTRIBUTION: Colombia, Panama (Nielson 1982e)
- Coelidia atrata* (Fabricius)
Iassus atratus Fabricius 1803a:86 [n.sp.]; Metcalf
1964b,6(11):41 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Coelidia aubei* Signoret
Coelidia aubei Signoret 1858 [in Fairmaire & Signoret
1858a:342] [n.sp.]; Metcalf 1964b,6(11):41 [Cat.]
DISTRIBUTION: Nigeria, Zaire (Metcalf Cat.)
- Coelidia aurata* (Fabricius)
Cercopis aurata Fabricius 1787a:274 [n.sp.]; Metcalf
1964b,6(11):41 [Cat.]
DISTRIBUTION: French Guiana, Amer. Merid.,
Guyana, Trinidad I., Columbia, Brazil (Nielson
1979b)
- Coelidia aurulenta* Walker
Coelidia aurulenta Walker 1870b:316 [n.sp.]; Metcalf
1964b,6(11):42 [Cat.]
DISTRIBUTION: Moluccas, Solomon Islands
(Nielson 1975a)
- Coelidia australis* Walker
Coelidia australis Walker 1851b:856 [n.sp.]; Metcalf
1964b,6(11):42 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Coelidia bella* (Jacobi)
Jassus bella Jacobi 1905c:185 [n.sp.]; Metcalf
1964b,6(11):42 [Cat.]
DISTRIBUTION: Peru (Nielson 1982e)
- Coelidia bicolor* Stål
Coelidia bicolor Stål 1862e:51 [n.sp.]; Metcalf
1964b,6(11):42 [Cat.]
DISTRIBUTION: Brazil (Nielson 1983e)
- Coelidia bisinuata* (Osborn)
Jassus bisinuata Osborn 1924c:447 [n.sp.]; Metcalf
1964b,6(11):42 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia boninensis* Matsumura
Coelidia boninensis Matsumura 1914b:82 [n.sp.];
Metcalf 1964b,6(11):42 [Cat.]
DISTRIBUTION: Japan, Bonin Is. (Nielson 1982e)
- Coelidia borealis* (Spångberg)
Jassus borealis Spångberg 1879a:24 [n.sp.]; Metcalf
1964b,6(11):43 [Cat.]
DISTRIBUTION: Amer. Bor (Nielson 1979b)
- Coelidia brevis* (Walker)
Tettigonia brevis Walker 1851b:774 [n.sp.]; Metcalf
1964b,6(11):43 [Cat.]
DISTRIBUTION: China, Burma, Bangladesh,
Vietnam, Laos (Nielson 1982e)
- Coelidia brunnea* (Osborn)
Jassus brunnea Osborn 1924c:437 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Guyana, French Guiana, Brazil
(Nielson 1982e)
- Coelidia cambouei* Signoret
Coelidia cambouei Signoret 1886a:29 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Madagascar (Nielson 1982e)
- Coelidia canifascia* Walker
Coelidia canifascia Walker 1870b:311 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Moluccas, Morotai, New Guinea
(Nielson 1977a)
- Coelidia carinata* (Osborn)
Jassus carinata Osborn 1924c:444 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia centroafricana* (Jacobi)
Jassus centroafricana Jacobi 1912a:38 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Zaire, Uganda, Burundi, [E. Africa]
(Nielson 1982e)
- Coelidia cingulata* Stål
Coelidia cingulata Stål 1862e:50 [n.sp.]; Metcalf
1964b,6(11):44 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia cinnamomea* (Osborn)
Jassus cinnamomeus Osborn 1924c:446 [n.sp.];
Metcalf 1964b,6(11):45 [Cat.]
DISTRIBUTION: Bolivia (Nielson 1979b)
- Coelidia circumcincta* (Jacobi)
Jassus circumcinctus Jacobi 1944a:50 [n.sp.]; Metcalf
1964b,6(11):45 [Cat.]
DISTRIBUTION: China (Nielson 1977a)
- Coelidia conspersinervis* Stål
Coelidia conspersinervis Stål 1862e:50 [n.sp.];
Metcalf 1964b,6(11):45 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia coonoorensis* (Distant)
Jassus coonoorensis Distant 1918b:48 [n.sp.]; Metcalf
1964b,6(11):45 [Cat.]
DISTRIBUTION: India (Nielson 1977a)
- Coelidia corixoides* (Rambur)
Jassus corixoides Rambur 1840a:210 [n.sp.]; Metcalf
1964b,6(11):45 [Cat.]
DISTRIBUTION: Spain (Metcalf Cat.)
- Coelidia costalis* Walker
Coelidia costalis Walker 1851b:854 [n.sp.]; Metcalf
1964b,6(11):45 [Cat.]
DISTRIBUTION: locality unknown (Metcalf Cat.)
- Coelidia cretata* (Distant)
Jassus cretata Distant 1908g:330 [n.sp.]; Metcalf
1964b,6(11):45 [Cat.]
DISTRIBUTION: India (Nielson 1977a)
- Coelidia curtula* (Motschulsky)

- Jassus curtulus* Motschulsky 1863a:98 [n.sp.]; Metcalf 1964b,6(11):45 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Coelidia dentatula* Metcalf
Jassus dentatus Osborn 1924c:439 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
Coelidia dentatula Metcalf 1963b:46 [nom.nov. for *Jassus dentatus* Osborn 1924]; Metcalf 1964b,6(11):46 [Cat.]
DISTRIBUTION: Bolivia (Nielson 1979b)
- Coelidia determinata* (Distant)
Jassus determinatus Distant 1917a:316 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
DISTRIBUTION: Seychelles (Nielson 1982e)
- Coelidia detracta* (Walker)
Iassus detractus Walker 1858b:271 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Coelidia dirigens* Walker
Coelidia dirigens Walker 1857b:172 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
Tettigonia multispars Walker 1858b:220 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
DISTRIBUTION: Borneo (Nielson 1977a)
- Coelidia discolor* Stål
Coelidia discolor Stål 1862e:52 [n.sp.]; Metcalf 1964b,6(11):46 [Cat.]
DISTRIBUTION: Brazil (Nielson 1982e)
- Coelidia disintegrans* Walker
Caelidia [sic] *disintegrans* Walker 1858b:264 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Coelidia dissoluta* (Jacobi)
Jassus dissolutus Jacobi 1905c:186 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: Peru, Bolivia (Nielson 1979b)
- Coelidia diversa* Walker
Coelidia diversa Walker 1870b:309 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: Mysool, New Guinea (Nielson 1977a)
- Coelidia dorsimacula* Walker
Coelidia dorsimacula Walker 1870b:314 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: New Guinea, Moluccas (Nielson 1975a)
- Coelidia dubia* (Walker)
Tettigonia dubia Walker 1851b:781 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: Philippines, Java, New Guinea (Nielson 1982e)
- Coelidia dubiosa* (Baker)
Jassus dubius Osborn 1924c:445 [n.sp.]; Metcalf 1964b,6(11):47 [Cat.]
- Jassus dubiosus* Baker 1926a:347 [nom.nov. for *Jassus dubius* Osborn 1924]; Metcalf 1964b,6(11):47 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Coelidia egregia* (Schumacher)
Jassus egregius Schumacher 1915b:125 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Coelidia elegans* (Spångberg)
Jassus elegans Spångberg 1878b:6 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Bolivia, Venezuela (Nielson 1979b)
- Coelidia ensigera* (Osborn)
Jassus ensiger Osborn 1924c:435 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Brazil, Peru, Bolivia (Nielson 1979b)
- Coelidia excelsa* (Distant)
Jassus excelsus Distant 1918b:49 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Burma, Thailand, Vietnam, Laos (Nielson 1982e)
- Coelidia exoptata* (Walker)
Daridna exoptata Walker 1858c:320 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Peru, Guyana (Nielson 1979b)
- Coelidia fasciatipennis* (Spångberg)
Jassus fasciatipennis Spångberg 1878b:25 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Mexico (Nielson 1982e)
- Coelidia fascifrons* (Osborn)
Jassus fascifrons Osborn 1924c:437 [n.sp.]; Metcalf 1964b,6(11):48 [Cat.]
DISTRIBUTION: Brazil, Argentina, Paraguay, Bolivia (Nielson 1979b)
- Coelidia ferriplena* Walker
Caelidia [sic] *ferriplena* Walker 1858b:264 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
DISTRIBUTION: Brazil, French Guiana, Bolivia, New Amsterdam (Guyana) (Nielson 1979b)
- Coelidia ferruginosa* (Osborn)
Jassus ferruginosus Osborn 1924c:436 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia fijiana* (Osborn)
Jassus fijianus Osborn 1934a:182 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
DISTRIBUTION: Fiji (Nielson 1977a)
- Coelidia flaviceps* Stål
Coelidia flaviceps Stål 1864a:85 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
DISTRIBUTION: Mexico, Panama (Nielson 1979b)
- Coelidia flavifrons* (Osborn)
Jassus flavifrons Osborn 1924c:448 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]

- DISTRIBUTION:** Bolivia, Brazil, Ecuador (Nielson 1982e)
- Coelidia flavostriata** (Melichar)
Jassus flavostriatus Melichar 1905a:301 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Coelidia flavotaeniata** Stål
Coelidia flavotaeniata Stål 1858d:454 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
- DISTRIBUTION:** Germany (Metcalf Cat.)
- Coelidia floridana** (Lawson)
Jassus olitoria floridanus Lawson 1927a:171 [n.sp.]; Metcalf 1964b,6(11):49 [Cat.]
- DISTRIBUTION:** United States (Nielson 1979b)
- Coelidia formosa** (Spångberg)
Jassus formosus Spångberg 1878b:3 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Coelidia formosana** Matsumura
Coelidia formosana Matsumura 1914b:82 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- DISTRIBUTION:** Taiwan (Nielson 1982e)
- Coelidia foveata** (Osborn)
Jassus foveatus Osborn 1924c:443 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- DISTRIBUTION:** Brazil, Argentina (Nielson 1979b)
- Coelidia fryeri** (Distant)
Jassus fryeri Distant 1918b:47 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- DISTRIBUTION:** Sri Lanka (Nielson 1977a)
- Coelidia fusca** (Melichar)
Jassus paupercula Spångberg 1878b:35 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- Tettigonia frontalis* Kirby 1891a:169 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- Jassus fuscus* Melichar 1903b:179 [n.sp.]; Metcalf 1964b,6(11):50 [Cat.]
- DISTRIBUTION:** Sri Lanka (Nielson 1982e)
- Coelidia fusca bilineata** (Melichar)
Jassus fusca bilineatus Melichar 1903b:178 [n.subsp. of *pauperculus*]; Metcalf 1964b,6(11):51 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Coelidia fuscata** (Gmelin)
Cicada maculata Fabricius 1787a:272 [n.sp.]; Metcalf 1964b,6(11):51 [Cat.]
- Cicada fuscata* Gmelin 1789a:2115 [nom.nov. for *Cicada maculata* Fabricius 1787]; Metcalf 1964b,6(11):51 [Cat.]
- DISTRIBUTION:** Germany, Italy (Metcalf Cat.)
- Coelidia fuscomaculata** Stål
Coelidia fuscomaculata Stål 1862e:51 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Coelidia fuscovenosa** Matsumura
Coelidia fuscovenosa Matsumura 1914b:85 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Japan, Bonin Is., Ryukyu Is., Taiwan (Nielson 1977a)
- Coelidia galapagoensis** (Osborn)
Jassus melanota galapagoensis Osborn 1924a:77 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Galapagos Isl., Panama, El Salvador, Nicaragua, Guatemala, Mexico (Nielson 1979b)
- Coelidia glabra** (Walker)
Tettigonia glabra Walker 1857b:168 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Borneo (Nielson 1977a)
- Coelidia guttata** (Walker)
Bythoscopus guttatus Walker 1851b:864 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Coelidia guttatinervis** Stål
Coelidia guttatinervis Stål 1864a:85 [n.sp.]; Metcalf 1964b,6(11):52 [Cat.]
- DISTRIBUTION:** Mexico (Nielson 1982e)
- Coelidia guttivena** Walker
Coelidia guttivena Walker 1857a:99 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- DISTRIBUTION:** Malaysia, China, Thailand (Nielson 1982e)
- Coelidia guttulata** Stål
Coelidia guttulata Stål 1862e:51 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- DISTRIBUTION:** Brazil (Nielson 1979b)
- Coelidia inclinans** (Walker)
Coelidia cupraria Walker 1857b:173 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- Tettigonia inclinans* Walker 1857b:169 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- Coelidia marginifrons* Walker 1870b:310 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- DISTRIBUTION:** Sarawak, Borneo, Singapore (Nielson 1982e)
- Coelidia indica** Walker
Coelidia indica Walker 1851b:855 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- Tettigonia jactans* Walker 1858c:357 [n.sp.]; Metcalf 1964b,6(11):53 [Cat.]
- Jassus deplanatus* Spångberg 1878b:23 [n.sp.]; Metcalf 1964b,6(11):54 [Cat.]
- DISTRIBUTION:** India, Nepal (Nielson 1982e)
- Coelidia infesta** (Van Duzee)
Jassus infestus Van Duzee 1937a:124 [n.sp.]; Metcalf 1964b,6(11):55 [Cat.]
- DISTRIBUTION:** Galapagos Is. (Nielson 1979b)
- Coelidia inscripta** Walker
Coelidia inscripta Walker 1870b:311 [n.sp.]; Metcalf 1964b,6(11):55 [Cat.]
- DISTRIBUTION:** Molucca Is., Philippines, Borneo (Nielson 1977a)
- Coelidia insularis** Matsumura

- Coelidia insularis* Matsumura 1914b:88 [n.sp.]; Metcalf 1964b,6(11):55 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Coelidia insularis lineatofrons* Matsumura
Coelidia insularis lineatofrons Matsumura 1914b:88 [n.subsp. of *insularis*]; Metcalf 1964b,6(11):55 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Coelidia interrupta* (Osborn)
Jassus interruptus Osborn 1924c:441 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: Bolivia (Nielson 1979b)
- Coelidia introducens* (Walker)
Daridna introducens Walker 1858a:108 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: Costa Rica, Mexico, Ecuador, Guatemala, Panama (Nielson 1979b)
- Coelidia karenensis* (Distant)
Jassus karenensis Distant 1908g:337 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: Burma (Nielson 1982e)
- Coelidia knoblockii* (Hummel)
Jassus knoblockii Hummel 1825c:70 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Coelidia leucomelana* Walker
Coelidia leucomelana Walker 1870b:313 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: New Guinea (Raja Ampat Islands), New Britain (Nielson 1975a)
- Coelidia leucomelas* (Walker)
Iassus leucomelas Walker 1858b:272 [n.sp.]; Metcalf 1964b,6(11):56 [Cat.]
 DISTRIBUTION: E.Indonesia (Metcalf Cat.)
- Coelidia lima* (Jacobi)
Jassus limus Jacobi 1912a:39 [n.sp.]; Metcalf 1964b,6(11):57 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.), East Africa [Tanzania, Kenya, or Uganda], Central African Republic, Cameroon, Zaire (Nielson 1983e)
- Coelidia limpidoaspersa* Stål
Coelidia limpidoaspersa Stål 1859b:290 [n.sp.]; Metcalf 1964b,6(11):57 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia lineolifera* (Walker)
Iassus lineolifer Walker 1870c:2404 [n.sp.]; Metcalf 1964b,6(11):57 [Cat.]
 DISTRIBUTION: Egypt (Metcalf Cat.)
- Coelidia longina* (Jacobi)
Jassus longinus Jacobi 1941a:305 [n.sp.]; Metcalf 1964b,6(11):57 [Cat.]
 DISTRIBUTION: E.Indonesia, W.Indonesia (Metcalf Cat.)
- Coelidia longipes* (Fabricius)
Cicada longipes Fabricius 1803a:76 [n.sp.]; Metcalf 1964b,6(11):57 [Cat.]
- DISTRIBUTION: Guyana (Nielson 1983e)
- Coelidia loricata* (Osborn)
Jassus loricatus Osborn 1924c:443 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Bolivia (Nielson 1979b)
- Coelidia lugubris* (Spångberg)
Jassus lugubris Spångberg 1878b:16 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: French Guiana (Nielson 1979b)
- Coelidia lurida* (Melichar)
Jassus luridus Melichar 1903b:179 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Sri Lanka (Nielson 1977a)
- Coelidia lutea* Montrouzier
Coelidia lutea Montrouzier 1861a:73 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Tonga islands, Loyalty Islands, New Hebrides (Nielson 1975a)
- Coelidia luteifascia* Walker
Coelidia luteifascia Walker 1870b:311 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
Coelidia unifasciata Walker 1870b:313 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Mysool (Nielson 1977a)
- Coelidia luzonensis* (Baker)
Jassus luzonensis Baker 1915a:56 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Philippines (Nielson 1977a)
- Coelidia maculiceps* Walker
Coelidia maculiceps Walker 1870b:315 [n.sp.]; Metcalf 1964b,6(11):58 [Cat.]
 DISTRIBUTION: Moluccas, Philippines, Borneo (Nielson 1975a)
- Coelidia maculinervis* Stål
Coelidia maculinervis Stål 1854b:254 [n.sp.]; Metcalf 1964b,6(11):59 [Cat.]
 DISTRIBUTION: Nigeria, Sierra Leone (Nielson 1982e)
- Coelidia maculipennis* (Spångberg)
Jassus maculipennis Spångberg 1878b:29 [n.sp.]; Metcalf 1964b,6(11):59 [Cat.]
 DISTRIBUTION: Colombia (Nielson 1982e)
- Coelidia maldivensis* (Distant)
Jassus maldivensis Distant 1908g:328 [n.sp.]; Metcalf 1964b,6(11):59 [Cat.]
 DISTRIBUTION: Oceania: Maldives Islands (Metcalf Cat.)
- Coelidia marginata* Stål
Coelidia marginata Stål 1864a:85 [n.sp.]; Metcalf 1964b,6(11):59 [Cat.]
 DISTRIBUTION: Mexico (Nielson 1979b)
- Coelidia meditabunda* (Spångberg)
Jassus meditabundus Spångberg 1878b:15 [n.sp.]; Metcalf 1964b,6(11):60 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia melanota* (Spångberg)

- Jassus melanotus Spångberg 1878b:19 [n.sp.]; Metcalf
1964b,6(11):60 [Cat.]
DISTRIBUTION: United States, Cuba, Bermuda,
Bahama Is. (Nielson 1979b)
- Coelidia mera (Van Duzee)
Jassus merus Van Duzee 1907a:71 [n.sp.]; Metcalf
1964b,6(11):60 [Cat.]
DISTRIBUTION: Jamaica, Haiti, Cuba, Bahamas
(Nielson 1982e)
- Coelidia mindanaoensis (Merino)
Jassus mindanaoensis Merino 1936a:370 [n.sp.];
Metcalf 1964b,6(11):61 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Coelidia moesta (Spångberg)
Jassus moestus Spångberg 1878b:8 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: Bolivia (Nielson 1979b)
- Coelidia montana (Jacobi)
Jassus montanus Jacobi 1905c:187 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: Peru (Nielson 1979b)
- Coelidia multifasciata (Jacobi)
Jassus multifasciatus Jacobi 1944a:49 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: China (Nielson 1977a)
- Coelidia munda Stål
Coelidia munda Stål 1862e:51 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: Brazil (Nielson 1982e)
- Coelidia mystica (Spångberg)
Jassus mysticus Spångberg 1879a:24 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: Peru (Nielson 1979b)
- Coelidia neoguttata (Distant)
Jassus neoguttatus Distant 1920f:468 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
DISTRIBUTION: New Caledonia (Nielson 1975a)
- Coelidia nervosa Germar
Coelidia poecila Germar 1821a:77 [n.sp.]; Metcalf
1964b,6(11):61 [Cat.]
Coelidia nervosa Germar 1833 [erron. as Fabr.] a:181
[n.sp.]; Metcalf 1964b,6(11):61 [Cat.]
DISTRIBUTION: Brazil, French Guiana (Metcalf
Cat.)
- Coelidia nigra (Spångberg)
Jassus niger Spångberg 1878b:27 [n.sp.]; Metcalf
1964b,6(11):62 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Coelidia nigrifrons Matsumura
Coelidia nigrifrons Matsumura 1914b:82 [n.sp.];
Metcalf 1964b,6(11):62 [Cat.]
DISTRIBUTION: Japan (Nielson 1982e)
- Coelidia nigripes (Fabricius)
Cicada nigripes Fabricius 1794a:34 [n.sp.]; Metcalf
1964b,6(11):62 [Cat.]
DISTRIBUTION: Brazil (Nielson 1979b)
- Coelidia nocturna (Distant)
Jassus nocturnus Distant 1908g:332 [n.sp.]; Metcalf
1964b,6(11):62 [Cat.]
DISTRIBUTION: India (Nielson 1982e)
- Coelidia obligata (Osborn)
Jassus obligatus Osborn 1935a:167 [n.sp.]; Metcalf
1964b,6(11):63 [Cat.]
DISTRIBUTION: Puerto Rico, Grenada, St. Vincent
(Nielson 1982e)
- Coelidia obscura (Stål)
Jassus obscurus Stål 1870c:735 [n.sp.]; Metcalf
1964b,6(11):63 [Cat.]
DISTRIBUTION: Philippines, Irian Jaya (Nielson
1982e)
- Coelidia ochracea (Jacobi)
Jassus ochraceus Jacobi 1944a:50 [n.sp.]; Metcalf
1964b,6(11):63 [Cat.]
DISTRIBUTION: China (Nielson 1982e)
- Coelidia ochripes (Spångberg)
Jassus ochripes Spångberg 1878b:37 [n.sp.]; Metcalf
1964b,6(11):64 [Cat.]
DISTRIBUTION: New Guinea (Nielson 1977a)
- Coelidia ogasawarensis Matsumura
Coelidia ogasawarensis Matsumura 1914b:82 [n.sp.];
Metcalf 1964b,6(11):64 [Cat.]
DISTRIBUTION: Japan (Nielson 1982e)
- Coelidia olitoria (Say)
Jassus olitorius Say 1830b:310 [n.sp.]; Metcalf
1964b,6(11):64 [Cat.]
Jassus subbifasciatus Say 1830b:310 [n.sp.]; Metcalf
1964b,6(11):64 [Cat.]
Jassus fuscipennis Spångberg 1878b:20 [n.sp.];
Metcalf 1964b,6(11):64 [Cat.]
- Coelidia semifasciata Uhler 1884a:245 [n.sp.];
Metcalf 1964b,6(11):64 [Cat.]
DISTRIBUTION: United States, Bermuda, Canada
(Metcalf Cat.)
- Coelidia opulenta (Distant)
Jassus opulentus Distant 1908g:336 [n.sp.]; Metcalf
1964b,6(11):68 [Cat.]
DISTRIBUTION: Burma, Thailand (Nielson 1982e)
- Coelidia osborni Metcalf
Jassus insularis Osborn 1934c:117 [n.sp.]; Metcalf
1964b,6(11):68 [Cat.]
Coelidia osborni Metcalf 1964b:68 [nom.nov. for
Jassus insularis Osborn 1934]; Metcalf
1964b,6(11):68 [Cat.]
DISTRIBUTION: Oceania: Tahiti (Metcalf Cat.)
- Coelidia ostenta (Distant)
Jassus ostentus Distant 1918b:49 [n.sp.]; Metcalf
1964b,6(11):68 [Cat.]
DISTRIBUTION: Sri Lanka, India (Nielson 1982e)
- Coelidia pallida (Osborn)
Jassus pallidus Osborn 1924c:442 [n.sp.]; Metcalf
1964b,6(11):69 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Nielson 1979b)

- Coelidia pallidiceps* (Spångberg)
Jassus pallidiceps Spångberg 1878b:15 [n.sp.];
 Metcalf 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Colombia (Nielson 1979b)
- Coelidia pallidipes* Stål
Coelidia pallidipes Stål 1862e:52 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1983e)
- Coelidia pardalis* Walker
Coelidia pardalis Walker 1857b:173 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Borneo, Malaysia (Nielson 1977a)
- Coelidia patricia* (Jacobi)
Jassus patricius Jacobi 1944a:49 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: China (Nielson 1982e)
- Coelidia patruelis* (Spångberg)
Jassus patruelis Spångberg 1878b:32 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Colombia (Nielson 1983e)
- Coelidia pectita* (Distant)
Jassus pectitus Distant 1908g:329 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Vietnam, Burma (Nielson 1982e)
- Coelidia perculta* (Distant)
Jassus percultus Distant 1908g:337 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Burma, Thailand (Nielson 1982e)
- Coelidia perineti* Evans
Coelidia perineti Evans 1954a:108 [n.sp.]; Metcalf
 1964b,6(11):69 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Coelidia perlata* (Burmeister)
Jassus perlatus Burmeister 1838b:13 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Coelidia philippina* (Stål)
Jassus philippinus Stål 1870c:736 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: Philippines (Nielson 1977a)
- Coelidia picea* Walker
Coelidia picea Walker 1870b:309 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: Mysool, New Guinea (Nielson
 1977a)
- Coelidia piceola* (Melichar)
Jassus piceolus Melichar 1905a:302 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: Tanzania (Nielson 1983e)
- Coelidia picta* Montrouzier
Coelidia picta Montrouzier 1861a:74 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: New Caledonia, Loyalty Islands
 (Nielson 1975a)
- Coelidia plebeja* Stål
Coelidia plebeja Stål 1862a:51 [n.sp.]; Metcalf
 1964b,6(11):70 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1983e)
- Coelidia praetexta* (Distant)
Jassus praetextus Distant 1908g:338 [n.sp.]; Metcalf
 1964b,6(11):71 [Cat.]
 DISTRIBUTION: Burma (Nielson 1982e)
- Coelidia pruinosa* Germar
Coelidia pruinosa Germar 1821a:78 [n.sp.]; Metcalf
 1964b,6(11):71 [Cat.]
 DISTRIBUTION: Brazil, Bolivia, French Guiana
 (Metcalf Cat.)
- Coelidia puerpera* (Costa)
Jassus puerpera Costa 1834b:88 [n.sp.]; Metcalf
 1964b,6(11):71 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Coelidia punctata* Metcalf
Coelidia punctata Metcalf 1954c:38 [n.sp.]; Metcalf
 1964b,6(11):71 [Cat.]
 DISTRIBUTION: Bahamas (Metcalf Cat.)
- Coelidia punctivena* Walker
Coelidia punctivena Walker 1857a:99 [n.sp.]; Metcalf
 1964b,6(11):71 [Cat.]
 DISTRIBUTION: Sarawak, Malaysia (Nielson 1982e)
- Coelidia pustulata* (Spångberg)
Jassus pustulatus Spångberg 1878b:18 [n.sp.]; Metcalf
 1964b,6(11):72 [Cat.]
 DISTRIBUTION: Mexico (Nielson 1979b)
- Coelidia quadriverrucata* (Fabricius)
Cicada quadriverrucata Fabricius 1794a:43 [n.sp.];
 Metcalf 1964b,6(11):72 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Coelidia rama* (Kirkaldy)
Jassus elegans Distant 1908g:329 [n.sp.]; Metcalf
 1964b,6(11):72 [Cat.]
Iassus rama Kirkaldy 1910b:63 [nom.nov. for *Jassus*
elegans Distant 1908]; Metcalf 1964b,6(11):72
 [Cat.]
 DISTRIBUTION: India (Nielson 1982e)
- Coelidia rorata* (Distant)
Jassus roratus Distant 1908g:334 [n.sp.]; Metcalf
 1964b,6(11):72 [Cat.]
 DISTRIBUTION: India (Nielson 1977a)
- Coelidia roseifascia* Walker
Coelidia roseifascia Walker 1870b:315 [n.sp.];
 Metcalf 1964b,6(11):73 [Cat.]
Coelidia selecta Walker 1870b:315 [n.sp.]; Metcalf
 1964b,6(11):73 [Cat.]
 DISTRIBUTION: Moluccas (Nielson 1975a)
- Coelidia ruficosta* (Jacobi)
Jassus ruficosta Jacobi 1905c:187 [n.sp.]; Metcalf
 1964b,6(11):73 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1982e)
- Coelidia rufifrons* Walker
Coelidia rufifrons Walker 1851b:854 [n.sp.]; Metcalf
 1964b,6(11):73 [Cat.]

- DISTRIBUTION:** Honduras (Metcalf Cat.)
- Coelidia rufipennis* Walker
Coelidia rufipennis Walker 1851b:853 [n.sp.]; Metcalf 1964b,6(11):73 [Cat.]
- DISTRIBUTION:** Brazil, Guyana, French Guiana (Nielson 1979b)
- Coelidia rufivena* Walker
Coelidia rufivena Walker 1870b:312 [n.sp.]; Metcalf 1964b,6(11):73 [Cat.]
- DISTRIBUTION:** Moluccas, Bismarck Archipelago, New Guinea, Solomon Islands (Nielson 1975a)
- Coelidia rutata* (Distant)
Jassus rutatus Distant 1908g:335 [n.sp.]; Metcalf 1964b,6(11):73 [Cat.]
- DISTRIBUTION:** Burma (Nielson 1977a)
- Coelidia salina* Caldwell
Coelidia salina Caldwell 1952 [in Caldwell & Martorell 1952a:44] [n.sp.]; Metcalf 1964b,6(11):73 [Cat.]
- DISTRIBUTION:** Puerto Rico (Nielson 1982e)
- Coelidia satsumensis* Matsumura
Coelidia satsumensis Matsumura 1914b:82 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- DISTRIBUTION:** Japan (Nielson 1977a)
- Coelidia scrupulosa* (Spångberg)
Jassus scrupulosus Spångberg 1878b:25 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- DISTRIBUTION:** W.Indonesia (Metcalf Cat.)
- Coelidia semiflava* Lethierry
Coelidia semiflava Lethierry 1881b:18 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- DISTRIBUTION:** Guadeloupe (Metcalf Cat.)
- Coelidia sexguttata* Walker
Coelidia guttata Walker 1870b:313 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- Coelidia sexguttata* Walker 1870b:314 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- DISTRIBUTION:** New Guinea (Nielson 1975a)
- Coelidia sexguttata terminalis* Walker
Coelidia terminalis Walker 1870b:314 [n.sp.]; Metcalf 1964b,6(11):74 [Cat.]
- DISTRIBUTION:** New Guinea (Nielson 1975a)
- Coelidia sexpunctata* (Costa)
Jassus sexpunctatus Costa 1834b:89 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Coelidia signoreti* (Spångberg)
Jassus signoreti Spångberg 1878b:4 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Coelidia silvestris* (Distant)
Jassus silvestris Distant 1908g:331 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Sri Lanka (Nielson 1977a)
- Coelidia sinhalana* (Kirkaldy)
- Tettigonia pulchella* Kirby 1891a:170 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- Iassus sinhalanus* Kirkaldy 1910b:63 [nom.nov. for *Jassus pulchellus* Kirby 1891]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Coelidia snowi* (Lawson)
Jassus snowi Lawson 1927a:169 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** United Sates, Mexico (Nielson 1979b)
- Coelidia sordidula* (Spångberg)
Jassus sordidulus Spångberg 1878b:34 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Colombia (Nielson 1983e)
- Coelidia spangbergi* Metcalf
Jassus flavicosta Spångberg 1878b:13 [n.sp.]; Metcalf 1964b,6(11):75 [Cat.]
- Coelidia spangbergi* Metcalf 1964b:75 [nom.nov. for *Jassus flavicosta* Spångberg 1878]; Metcalf 1964b,6(11):75 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Coelidia sparsa* Stål
Coelidia sparsa Stål 1854b:254 [n.sp.]; Metcalf 1964b,6(11):76 [Cat.]
- Jassus conspersus* Stål 1870c:735 [nom.nov. for *Coelidia sparsa* Stål 1854]; Metcalf 1964b,6(11):76 [Cat.]
- DISTRIBUTION:** Philippines, Sarawak, Vietnam, China (Hainan Is.), Thailand (Nielson 1982e)
- Coelidia spinosa* (Osborn)
Jassus spinosus Osborn 1924c:438 [n.sp.]; Metcalf 1964b,6(11):76 [Cat.]
- DISTRIBUTION:** Guyana, French, Guiana, Brazil (Nielson 1979b)
- Coelidia stalii* (Spångberg)
Jassus stalii Spångberg 1878b:26 [n.sp.]; Metcalf 1964b,6(11):76 [Cat.]
- DISTRIBUTION:** Colombia (Nielson 1982e)
- Coelidia subapicalis* Walker
Coelidia subapicalis Walker 1870b:312 [n.sp.]; Metcalf 1964b,6(11):76 [Cat.]
- DISTRIBUTION:** New Guinea (Nielson 1975a)
- Coelidia subnotata* Walker
Coelidia subnotata Walker 1870b:309 [n.sp.]; Metcalf 1964b,6(11):77 [Cat.]
- DISTRIBUTION:** Mysool (Nielson 1977a)
- Coelidia subtangens* (Walker)
Daridna subtangens Walker 1858c:320 [n.sp.]; Metcalf 1964b,6(11):77 [Cat.]
- DISTRIBUTION:** Brazil, Venezuela, Peru, Bolivia (Nielson 1982e)
- Coelidia sulphurea* (Distant)
Jassus sulphureus Distant 1908g:335 [n.sp.]; Metcalf 1964b,6(11):77 [Cat.]
- DISTRIBUTION:** India (Nielson 1977a)

- Coelidia sumbawensis* (Jacobi)
Jassus sumbawensis Jacobi 1941a:305 [n.sp.]; Metcalf
1964b,6(11):77 [Cat.]
DISTRIBUTION: E.Indonesia (Metcalf Cat.)
- Coelidia tahitiensis* (Osborn)
Jassus tahitiensis Osborn 1934c:116 [n.sp.]; Metcalf
1964b,6(11):77 [Cat.]
DISTRIBUTION: Tahiti (Society Islands), Austral
Islands, Cook Islands, Pitcairn Island (Nielson
1975a)
- Coelidia tenasserimensis* (Distant)
Jassus tenasserimensis Distant 1908g:330 [n.sp.];
Metcalf 1964b,6(11):77 [Cat.]
DISTRIBUTION: India (Nielson 1977a)
- Coelidia tergipicta* (Jacobi)
Jassus tergipictus Jacobi 1905c:188 [n.sp.]; Metcalf
1964b,6(11):77 [Cat.]
DISTRIBUTION: Peru (Nielson 1979b)
- Coelidia testacea* Walker
Coelidia testacea Walker 1870b:315 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: Moluccas Islands, Samoa (Nielson
1975a)
- Coelidia tiarata* Stål
Coelidia tiarata Stål 1865b:159 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: New Guinea (Raja Ampat Islands,
Misool) (Nielson 1975a)
- Coelidia tornowii* (Bréthes)
Jassus tornowii Bréthes 1904a:344 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Coelidia triangularis* (Osborn)
Jassus triangularis Osborn 1924c:446 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Nielson 1979b)
- Coelidia trivittata* (Spångberg)
Jassus trivittatus Spångberg 1878b:28 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: Brazil (Nielson 1982e)
- Coelidia truncata* (Spångberg)
Jassus truncatus Spångberg 1878b:9 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: Not given in Nielson 1979b.
(Nielson 1982e)
- Coelidia tuba* (Osborn)
Jassus tubus Osborn 1924c:447 [n.sp.]; Metcalf
1964b,6(11):78 [Cat.]
DISTRIBUTION: French Guiana (Nielson 1979b)
- Coelidia variabilis* (Haglund)
Jassus (*Coelidia*) *variabilis* Haglund 1899a:58 [n.sp.];
Metcalf 1964b,6(11):78 [Cat.]
DISTRIBUTION: Cameroon, Ivory Coast (Nielson
1982e)
- Coelidia varicolor* (Spångberg)
- Jassus varicolor* Spångberg 1878b:17 [n.sp.]; Metcalf
1964b,6(11):79 [Cat.]
DISTRIBUTION: Colombia (Nielson 1981a)
- Coelidia variegata* Germar
Coelidia variegata Germar 1821a:77 [n.sp.]; Metcalf
1964b,6(11):79 [Cat.]
DISTRIBUTION: Brazil, Argentina (Nielson 1982e)
- Coelidia venosa* Germar
Coelidia venosa Germar 1821a:76 [n.sp.]; Metcalf
1964b,6(11):79 [Cat.]
DISTRIBUTION: Brazil, Colombia, Paraguay,
Guyana (Nielson 1982e)
- Coelidia verticalis* Walker
Coelidia verticalis Walker 1870b:310 [n.sp.]; Metcalf
1964b,6(11):80 [Cat.]
DISTRIBUTION: New Guinea, New Britain, New
Ireland (Nielson 1977a)
- Coelidia virescens* Matsumura
Coelidia virescens Matsumura 1914b:82 [n.sp.];
Metcalf 1964b,6(11):80 [Cat.]
DISTRIBUTION: Japan (Nielson 1982e)
- Coelidia vittata* Montrouzier
Coelidia vittata Montrouzier 1861a:73 [n.sp.]; Metcalf
1964b,6(11):80 [Cat.]
DISTRIBUTION: New Caledonia, Loyalty Islands
(Nielson 1975a)
- Coelidia vittipennis* (Spångberg)
Jassus vittipennis Spångberg 1878b:35 [n.sp.]; Metcalf
1964b,6(11):80 [Cat.]
DISTRIBUTION: Colombia (Nielson 1983e)
- Coelidia wolcotti* (Dozier)
Jassus wolcotti Dozier 1931a:12 [n.sp.]; Metcalf
1964b,6(11):80 [Cat.]
DISTRIBUTION: Haiti (Metcalf Cat.)
- Coelidia wollastoni* (White)
Jassus wollastoni White 1878a:476 [n.sp.]; Metcalf
1964b,6(11):80 [Cat.]
DISTRIBUTION: Saint Helena (Metcalf Cat.)
- Coelidia yayeyamae* Matsumura
Coelidia yayeyamae Matsumura 1913a:65 [n.sp.];
Metcalf 1964b,6(11):81(male),50(fem.) [Cat.]
DISTRIBUTION: Japan, Taiwan, China (Nielson
1982e)
- Coelidiana bidentata* DeLong
Coelidiana bidentata DeLong 1953a:129 [n.sp.];
Metcalf 1964b,6(11):110 [Cat.]
DISTRIBUTION: Costa Rica, Guatemala (Metcalf
Cat.)
- Coelidiana bimaculata* (Baker)
Neocoelidea [sic] *bimaculata* Baker 1898h:291 [n.sp.];
Metcalf 1964b,6(11):110 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Coelidiana croceata* (Osborn)
Neocoelidnia *croeata* Osborn 1923c:78 [n.sp.];
Metcalf 1964b,6(11):110 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)

- Coelidiana inflata* (Osborn)
Neocoelidia inflata Osborn 1923c:77 [n.sp.]; Metcalf 1964b,6(11):110 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Coelidiana modesta* (Baker)
Neocoelidea [sic] *modesta* Baker 1898h:290 [n.sp.]; Metcalf 1964b,6(11):110 [Cat.]
DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Coelidiana spina* DeLong
Coelidiana spina DeLong 1953a:128 [n.sp.]; Metcalf 1964b,6(11):111 [Cat.]
DISTRIBUTION: Peru, Brazil, Panama (Metcalf Cat.)
- Coelidiana* (*Coelidiana*) *rubrolineata* (Baker)
Neocoelidea [sic] *rubrolineata* Baker 1898h:290 [n.sp.]; Metcalf 1964b,6(11):111 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Coelidiana* (*Nelidina*) *defila* DeLong
Coelidiana (*Nelidina*) *defila* DeLong 1953a:130 [n.sp.]; Metcalf 1964b,6(11):111 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Cofana makilingensis* (Baker)
Tettigoniella makilingensis Baker 1914a:419 [n.sp.]; Metcalf 1965a,6(1):430 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Cofana quinquenotata* (Stål)
Tettigonia quinquenotata Stål 1870c:734 [n.sp.]; Metcalf 1965a,6(1):430 [Cat.]
Kolla tripunctifrons Banks 1910a:51 [n.sp.]; Metcalf 1965a,6(1):430 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Colimona germana* (Fowler)
Tettigonia germana Fowler 1899d:242 [n.sp.]; Metcalf 1965a,6(1):55 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Colimona mediolineata* (Fowler)
Tettigonia mediolineata Fowler 1899d:244 [n.sp.]; Metcalf 1965a,6(1):55 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Colimona monticola* (Fowler)
Tettigonia monticola Fowler 1899d:244 [n.sp.]; Metcalf 1965a,6(1):55 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Colimona punctulata* (Signoret)
Tettigonia punctulata Signoret 1853b:345 [n.sp.]; Metcalf 1965a,6(1):55 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Colladonus arctostaphyli* Downes
Colladonus arctostaphyli Downes 1952a: 253 [n.sp.]; Metcalf 1967b, 6(10b): 1244 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Colladonus arculus* Ball
Colladonus arculus Ball 1937b: 31 [n.sp.]; Metcalf 1967b, 6(10b): 1244 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Colladonus atriflavus* Downes
Colladonus atriflavus Downes 1952a: 253 [n.sp.]; Metcalf 1967b, 6(10b): 1244 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Colladonus beameri* (Ball)
Idiodonus beameri Ball 1937b: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1244 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Colladonus belli* (Uhler)
Jassus belli Uhler 1877a: 471 [n.sp.]; Metcalf 1967b, 6(10b): 1245 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Colladonus belli brunneus* (Osborn)
Thamnotettix brunneus Osborn 1915a: 135 [n.subsp. *of belli*]; Metcalf 1967b, 6(10b): 1247 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Colladonus belli gillettei* [sic] (Van Duzee)
Thamnotettix gillettii Van Duzee 1892b: 267 [n.sp.]; Metcalf 1967b, 6(10b): 1248 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Colladonus cachellus* Ball
Colladonus cachellus Ball 1937b: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1248 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Colladonus citrinifrons* (Gillette & Baker)
Thamnotettix citrinifrons Gillette & Baker 1895a: 95 [n.sp.]; Metcalf 1967b, 6(10b): 1249 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Colladonus citronellus* (Provancher)
Jassus citronellus Provancher 1872c: 378 [n.sp.]; Metcalf 1967b, 6(10b): 1249 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Colladonus clitellarius* (Say)
Jassus clitellaria Say 1830b: 309 [n.sp.]; Metcalf 1967b, 6(10b): 1250 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Colladonus clitellarius marcidus* Ball
Colladonus clitellarius marcidus Ball 1937b: 29 [n.subsp. *of clitellarius*]; Metcalf 1967b, 6(10b): 1255 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Colladonus collaris* (Ball)
Thamnotettix collaris Ball 1902a: 15 [n.sp.]; Metcalf 1967b, 6(10b): 1255 [Cat.]
Thamnotettix exquisitos Osborn 1905a: 534 [n.sp.]; Metcalf 1967b, 6(10b): 1255 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Colladonus eburatus* (Van Duzee)
Thamnotettix eburata Van Duzee 1889b: 10 [n.sp.]; Metcalf 1967b, 6(10b): 1256 [Cat.]

- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus egenus** Ball
Colladonus egenus Ball 1937b: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1257 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus furculatus** (Osborn)
Thamnotettix furculatus Osborn 1905d: 275 [n.sp.]; Metcalf 1967b, 6(10b): 1258 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus geminatus** (Van Duzee)
Thamnotettix geminata Van Duzee 1890f: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1258 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus incertus** (Gillette & Baker)
Eutettix incerta Gillette & Baker 1895a: 100 [n.sp.]; Metcalf 1967b, 6(10b): 1262 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus kirkaldyi** (Ball)
Thamnotettix kirkaldyi Ball 1911a: 197 [n.sp.]; Metcalf 1967b, 6(10b): 1262 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus luctuosus** (Stål)
Jassus (*Thamnotettix*) *luctuosus* Stål 1895b: 292 [n.sp.]; Metcalf 1967b, 6(10b): 1263 [Cat.]
- DISTRIBUTION:** United States, West Indies (Metcalf Cat.)
- Colladonus mendicus** (Ball)
Thamnotettix mendica Ball 1902a: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1263 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus montanus** (Van Duzee)
Thamnotettix montanus Van Duzee 1892b: 268 [n.sp.]; Metcalf 1967b, 6(10b): 1264, 1266 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Colladonus montanus mulsus** Ball
Colladonus montanus mulsus Ball 1937b: 29 [n.subsp. of *montanus*]; Metcalf 1967b, 6(10b): 1266 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus montanus reductus** (Van Duzee)
Thamnotettix montanus reductus Van Duzee 1917a: 298 [n.subsp. of *montanus*]; Metcalf 1967b, 6(10b): 1267 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus ponderosus** Ball
Colladonus ponderosus Ball 1937b: 31 [n.sp.]; Metcalf 1967b, 6(10b): 1267 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus tahotus** Ball
Colladonus tahotus Ball 1936i: 194 [n.sp.]; Metcalf 1967b, 6(10b): 1268 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus torneellus** (Zetterstedt)
Cicada torneella Zetterstedt 1828a: 528 [n.sp.]; Metcalf 1967b, 6(10b): 1268 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Russia, western Mediterranean, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, Korea, Northern Africa (Metcalf Cat.)
- Colladonus torneellus oxalidis** (Fieber)
Thamnotettix torneellus oxalidis Fieber 1885a: 78 [n.sp.]; Metcalf 1967b, 6(10b): 1273 [Cat.]
- DISTRIBUTION:** Switzerland, France, Austria, Germany, Italy, Tunisia (Metcalf Cat.)
- Colladonus uhleri** (Ball)
Idiodonus uhleri Ball 1937b: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1274 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Colladonus waldanus** (Ball)
Thamnotettix waldanus Ball 1903b: 229 [n.sp.]; Metcalf 1967b, 6(10b): 1274 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Coloborrhis cinchonae** Evans
Coloborrhis cinchonae Evans 1954a:89 [n.sp.]; Metcalf 1962d,6(5):91 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Coloborrhis corticina** Germar
Coloborrhis corticina Germar 1836a:73 [n.sp.]; Metcalf 1962d,6(5):91 [Cat.]
- Bohemia patruelis** Stål 1855a:98 [n.sp.]; Metcalf 1962d,6(5):91 [Cat.]
- Bohemia sobrina** Stål 1855a:97 [n.sp.]; Metcalf 1962d,6(5):91 [Cat.]
- Gubela bellicosa** Distant 1910e:232 [n.sp.]; Metcalf 1962d,6(5):91 [Cat.]
- DISTRIBUTION:** South Africa, Madagascar, Zaire, Angola, Somalia (Metcalf Cat.)
- Coloborrhis enigma** Jacobi
Coloborrhis enigma Jacobi 1917a:545 [n.sp.]; Metcalf 1962d,6(5):92 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Coloborrhis parva** Evans
Coloborrhis parva Evans 1954a:90 [n.sp.]; Metcalf 1962d,6(5):93 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Coloborrhis perspicillaris** Gerstaecker
Coloborrhis perspicillaris Gerstaecker 1873a:431 [n.sp.]; Metcalf 1962d,6(5):93 [Cat.]
- Oclasma degenerata** Melichar 1905a:294 [n.sp.]; Metcalf 1962d,6(5):93 [Cat.]
- DISTRIBUTION:** Tanzania, South Africa, Madagascar, Angola (Metcalf Cat.)
- Coloborrhis rugosa** Evans
Coloborrhis rugosa Evans 1954a:90 [n.sp.]; Metcalf 1962d,6(5):93 [Cat.]

- DISTRIBUTION:** Madagascar (Metcalf Cat.)
Colobotettix morbillosus (Melichar)
 Thamnotettix morbillosus Melichar 1896a: 293
 [n.sp.]; Metcalf 1967a, 6(10a): 252 [Cat.]
- DISTRIBUTION:** Northern Europe, Finland (Metcalf Cat.)
Commellus colon (Osborn & Ball)
 Athysanus colon Osborn & Ball 1897a: 223 [n.sp.];
 Metcalf 1967a, 6(10a): 123 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Commellus comma (Van Duzee)
 Athysanus comma Van Duzee 1892a: 114 [n.sp.];
 Metcalf 1967a, 6(10a): 124 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Commellus planus Thomas
 Commellus planus Thomas 1933a: 133 [n.sp.];
 Metcalf 1967a, 6(10a): 126 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Commellus sexvittatus (Van Duzee)
 Athysanus sexvittatus Van Duzee 1894b: 93 [n.sp.];
 Metcalf 1967a, 6(10a): 127 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Conala fasciata (Osborn)
 Spangbergiella fasciata Osborn 1923c: 30 [n.sp.];
 Metcalf 1967a, 6(10a): 794 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Confucius bituberculatus Distant
 Confucius bituberculatus Distant 1908g:179 [n.sp.];
 Metcalf 1962c,6(4):85 [Cat.]
- DISTRIBUTION:** Sri Lanka, India (Metcalf Cat.)
Confucius cameroni Distant
 Confucius cameroni Distant 1910e:231 [n.sp.];
 Metcalf 1962c,6(4):85 [Cat.]
- DISTRIBUTION:** Africa (Metcalf Cat.)
Confucius dispar Nast
 Confucius dispar Nast 1952b:38 [n.sp.]; Metcalf
 1962c,6(4):85 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Confucius granulatus Distant
 Confucius granulatus Distant 1907g:191 [n.sp.];
 Metcalf 1962c,6(4):85 [Cat.]
- DISTRIBUTION:** Hong Kong, China (Metcalf Cat.)
Confucius ocellatus Distant
 Confucius ocellatus Distant 1908g:178 [n.sp.];
 Metcalf 1962c,6(4):86 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Coniferadonus holmesi (Bliven)
 Colladonus holmesi Bliven 1954a: 116 [n.sp.];
 Metcalf 1967b, 6(10b): 1312 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Coniferadonus pseudotsugae Bliven
 Coniferadonus pseudotsugae Bliven 1955a: 4 [n.sp.];
 Metcalf 1967b, 6(10b): 1313 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Conodonotus atropunctatus (Van Duzee)
 Thamnotettix atropunctata Van Duzee 1890g: 91
 [n.sp.]; Metcalf 1967b, 6(10b): 1308 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Conodonotus aureolus (Van Duzee)
 Thamnotettix aureola Van Duzee 1894f: 213 [n.sp.];
 Metcalf 1967b, 6(10b): 1309 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Conodonotus commissus (Van Duzee)
 Thamnotettix commissus Van Duzee 1917a: 299
 [n.sp.]; Metcalf 1967b, 6(10b): 1310 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Conodonotus flavocapitatus (Van Duzee)
 Thamnotettix flavocapitata Van Duzee 1890f: 80
 [n.sp.]; Metcalf 1967b, 6(10b): 1310 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Conodonotus januatus (Ball)
 Thamnotettix januata Ball 1914a: 213 [n.sp.]; Metcalf
 1967b, 6(10b): 1312 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Conogonia affinis Schmidt
 Conogonia affinis Schmidt 1926a:253 [n.sp.]; Metcalf
 1965a,6(1):421 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)
Conogonia affinis dorsalis Schmidt
 Conogonia affinis dorsalis Schmidt 1926a:254
 [n.subsp. of affinis]; Metcalf 1965a,6(1):421 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)
Conogonia ceramensis Metcalf
 Tettigonia tripunctata Walker 1870b:303 [n.sp.];
 Metcalf 1965a,6(1):421 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)
Conogonia coerulescens (Fabricius)
 Cicada coerulescens Fabricius 1803a:74 [n.sp.];
 Metcalf 1965a,6(1):421 [Cat.]
- DISTRIBUTION:** Australia, India (Metcalf Cat.)
Conogonia placidula Breddin
 Conogonia placidula Breddin 1903c:98 [n.sp.];
 Metcalf 1965a,6(1):422 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
Conogonia sayeri (Distant)
 Tettigonia maculicollis Walker 1870b:302 [n.sp.];
 Metcalf 1965a,6(1):422 [Cat.]
- DISTRIBUTION:** New Guniea (Young 1986a)
Conogonia scutellaris (Walker)
 Tettigonia scutellaris Walker 1870b:303 [n.sp.];
 Metcalf 1965a,6(1):422 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)

- Conogonia signifera* (Walker)
Tettigonia signifera Walker 1857b:168 [n.sp.];
 Metcalf 1965a,6(1):422 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Conogonia testacea* (Walker)
Tettigonia testacea Walker 1870b:304 [n.sp.]; Metcalf
 1965a,6(1):423 [Cat.]
DISTRIBUTION: Unknown (Young 1986a)
- Conogonia trucidula* Breddin
Conogonia trucidula Breddin 1903a:98 [n.sp.];
 Metcalf 1965a,6(1):423 [Cat.]
DISTRIBUTION: New Guinea (Young 1986a)
- Conogonia willeyi* (Kirkaldy)
Tettigonia willeyi Kirkaldy 1905b:333 [n.sp.]; Metcalf
 1965a,6(1):423 [Cat.]
DISTRIBUTION: New Guinea (Young 1977a)
- Copididonus brasiliensis* (Osborn)
Thamnotettix brasiliensis Osborn 1923c: 65 [n.sp.];
 Metcalf 1967b, 6(10b): 1332 [Cat.]
DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Copididonus hyalinipennis* (Stål)
Jassus hyalinipennis Stål 1854b: 255 [n.sp.]; Metcalf
 1967b, 6(10b): 1332 [Cat.]
DISTRIBUTION: Brazil, Colombia, Argentina
 (Metcalf Cat.)
- Cornutipo scalpellum* Evans
Cornutipo scalpellum Evans 1934a:164 [n.sp.];
 Metcalf 1965b,6(12):29 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Cornutipoides tricornis* Evans
Cornutipoides tricornis Evans 1934a:164 [n.sp.];
 Metcalf 1965b,6(12):29 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Coroticus tessellatus* Distant
Coroticus tessellatus Distant 1918b: 45 [n.sp.];
 Metcalf 1967c, 6(10c): 2351 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Cortona minuta* Oman
Cortona minuta Oman 1938b: 390 [n.sp.]; Metcalf
 1967b, 6(10b): 1572 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Coryphaelus gyllenhalii* (Fallén)
Jassus gyllenhalii Fallén 1826a: 61 [n.sp.]; Metcalf
 1967b, 6(10b): 1897 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Russia (Metcalf Cat.)
- Cosmotettix acutus* (Beamer)
Palus acutus Beamer 1938d: 226 [n.sp.]; Metcalf
 1967b, 6(10b): 2038 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cosmotettix bilineatus* (Gillette & Baker)
Deltocephalus bilineatus Gillette & Baker 1895a: 85
 [n.sp.]; Metcalf 1967b, 6(10b): 2038 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Cosmotettix edwardsi* (Lindberg)
- Thamnotettix edwardsi* Lindberg 1924a: 28 [n.sp.];
 Metcalf 1967b, 6(10b): 2039 [Cat.]
DISTRIBUTION: Finland, Sweden, Norway, North
 America (?) (Metcalf Cat.)
- Cosmotettix fasciatus* (Beamer)
Palus fasciatus Beamer 1938d: 228 [n.sp.]; Metcalf
 1967b, 6(10b): 2040 [Cat.]
DISTRIBUTION: Canada, United States (Metcalf
 Cat.)
- Cosmotettix luteocephalus* (Sanders & DeLong)
Deltocephalus luteocephalus Sanders & DeLong
 1927a: 84 [n.sp.]; Metcalf 1967b, 6(10b): 2040
 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cosmotettix marginatus* (DeLong)
Deltocephalus marginatus DeLong 1918d: 228 [n.sp.];
 Metcalf 1967b, 6(10b): 2041 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cosmotettix paludosus* (Ball)
Deltocephalus paludosus Ball 1899d: 307 [n.sp.];
 Metcalf 1967b, 6(10b): 2041 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cosmotettix (Airosus) costalis* (Fallén)
Cicada costalis Fallén 1826a: 32 [n.sp.]; Metcalf
 1967b, 6(10b): 2048 [Cat.]
Deltocephalus bipunctipennis Boheman 1845b: 156
 [n.sp.]; Metcalf 1967b, 6(10b): 2049 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Russia, Kazakhstan, Kirghizia, Tadzhikistan,
 Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Cosmotettix (Cosmotettix) caudatus* (Flor)
Jassus (Jassus) caudatus Flor 1861a: 351 [n.sp.];
 Metcalf 1967b, 6(10b): 2042 [Cat.]
Deltocephalus scriptifrons Sahlberg 1871a: 345
 [n.sp.]; Metcalf 1967b, 6(10b): 2042 [Cat.]
DISTRIBUTION: Scandinavia, Estonia, Latvia,
 Russia, Germany (Metcalf Cat.)
- Cosmotettix (Cosmotettix) delector* (Sanders & DeLong)
Deltocephalus delector Sanders & DeLong 1919a: 233
 [n.sp.]; Metcalf 1967b, 6(10b): 2045 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Cosmotettix (Cosmotettix) panzeri* (Flor)
Jassus (Deltocephalus) panzeri Flor 1861a: 265
 [n.sp.]; Metcalf 1967b, 6(10b): 2046 [Cat.]
Deltocephalus concaviceps Lindberg 1924a: 20
 [n.sp.]; Metcalf 1967b, 6(10b): 2046 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia (Metcalf Cat.)
- Cosmotettix (Cosmotettix) panzeri tibiellus* (Rey)
Deltocephalus panzeri tibiellus Rey 1894c: 46
 [n.subsp. of abdominalis]; Metcalf 1967b, 6(10b):
 2048 [Cat.]
DISTRIBUTION: France, Belgium (Metcalf Cat.)
- Costamia venosa* DeLong

- Costamia venosa* DeLong 1946a: 82 [n.sp.]; Metcalf 1967c, 6(10c): 2089 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Coulinus uladus* Beirne
Coulinus uladus Beirne 1954e: 549 [n.sp.]; Metcalf 1967a, 6(10a): 303 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Coulinus usnus* Beirne
Coulinus usnus Beirne 1954e: 549 [n.sp.]; Metcalf 1967a, 6(10a): 303 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Crassana* (*Crassana*) *goniana* (Ball)
Eutettix goniana Ball 1931a: 1 [n.sp.]; Metcalf 1967a, 6(10a): 465 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Crassana* (*Macrasana*) *marginella* DeLong & Hershberger
Crassana (*Macrasana*) *marginella* DeLong & Hershberger 1947e: 78 [n.sp.]; Metcalf 1967a, 6(10a): 466 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Cribrus plagus* (Ball & DeLong)
Deltoccephalus plagus Ball & DeLong 1926a: 241 [n.sp.]; Metcalf 1967b, 6(10b): 1738 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cribrus shingwauki* (Beamer & Tuthill)
Laevicephalus shingwauki Beamer & Tuthill 1934a: 19 [n.sp.]; Metcalf 1967b, 6(10b): 1739 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Crispina nigristigma* Distant
Crispina nigristigma Distant 1918b:77 [n.sp.]; Metcalf 1963b, 6(7):26 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Crumbana arundinea* (Crumb)
Deltoccephalus arundineus Crumb 1915a: 191 [n.sp.]; Metcalf 1967b, 6(10b): 1825 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Cuerna alba* Oman & Beamer
Cuerna alba Oman & Beamer 1944b:126 [n.sp.]; Metcalf 1965a, 6(1):542 [Cat.]
DISTRIBUTION: United States; New Mex. (Nielson 1965a)
- Cuerna alpina* Oman & Beamer
Cuerna alpina Oman & Beamer 1944b:124 [n.sp.]; Metcalf 1965a, 6(1):542 [Cat.]
DISTRIBUTION: Canada, United States: Colorado, Illinois, Montana, Nebraska, New Mex., North Dakota, Wyoming (Nielson 1965a)
- Cuerna alta* Oman & Beamer
Cuerna alta Oman & Beamer 1944b:123 [n.sp.]; Metcalf 1965a, 6(1):542 [Cat.]
DISTRIBUTION: United States: New Mex., Texas (Nielson 1965a)
- Cuerna arida* Oman & Beamer
- Cuerna arida* Oman & Beamer 1944b:125 [n.sp.]; Metcalf 1965a, 6(1):543 [Cat.]
DISTRIBUTION: SW United States: Arizona, New Mex., Texas, Mexico: Montezuma (Nielson 1965a)
- Cuerna balli* Oman & Beamer
Cuerna balli Oman & Beamer 1944b:122 [n.sp.]; Metcalf 1965a, 6(1):543 [Cat.]
DISTRIBUTION: United States: Arizona, Nevada, Utah (Nielson 1965a)
- Cuerna centrolinea* Melichar
Cuerna centrolinea Melichar 1925a:365 [n.sp.]; Metcalf 1965a, 6(1):543 [Cat.]
DISTRIBUTION: Bolivia (Young 1968a)
- Cuerna costalis* (Fabricius)
Cercopis lateralis Fabricius 1798a:524 [n.sp.]; Metcalf 1965a, 6(1):543 [Cat.]
Cercopis costalis Fabricius 1803a:4 [nom.nov. for *Cercopis marginella* Fabricius 1803]; Metcalf 1965a, 6(1):543 [Cat.]
Cercopis marginella Fabricius 1803a:96 [nom.nov. for *Cercopis lateralis* Fabricius 1798]; Metcalf 1965a, 6(1):543 [Cat.]
Tettigonia pyrrhotelus Walker 1851b:775 [n.sp.]; Metcalf 1965a, 6(1):543 [Cat.]
DISTRIBUTION: United States: Alabama, Arkansas, Florida, Georgia, Indiana, Iowa, Kansas, Louisiana, Maryland, Mississippi, Missouri, Nebraska, New Mex., New York, North Carolina, Ohio, Oklahoma, South Carolina, Tennessee, Texas, Virginia, DC, West Virginia (Metcalf Cat.)
- Cuerna curvata* Oman & Beamer
Cuerna curvata Oman & Beamer 1944b:127 [n.sp.]; Metcalf 1965a, 6(1):551 [Cat.]
DISTRIBUTION: United States: California, Nevada, Utah (Nielson 1965a)
- Cuerna dixiana* Oman & Beamer
Cuerna dixiana Oman & Beamer 1944b:128 [n.sp.]; Metcalf 1965a, 6(1):551 [Cat.]
DISTRIBUTION: United States (Nielson 1965a)
- Cuerna doeringii* (Berg)
Tettigonia doeringii Berg 1879d:248 [n.sp.]; Metcalf 1965a, 6(1):551 [Cat.]
DISTRIBUTION: Argentina (Young 1968a)
- Cuerna gladiola* Oman & Beamer
Cuerna gladiola Oman & Beamer 1944b:124 [n.sp.]; Metcalf 1965a, 6(1):551 [Cat.]
DISTRIBUTION: United States: California, Nevada, Oregon, Utah (Nielson 1965a)
- Cuerna lugens* (Walker)
Tettigonia lugens Walker 1851b:775 [n.sp.]; Metcalf 1965a, 6(1):552 [Cat.]
DISTRIBUTION: United States, Canada (Nielson 1965a)
- Cuerna mexicana* Oman & Beamer

- Cuerna mexicana* Oman & Beamer 1944b:126 [n.sp.]; Metcalf 1965a,6(1):553 [Cat.]
DISTRIBUTION: Guatemala, Honduras, Mexico (Nielson 1965a)
- Cuerna obesa* Oman & Beamer
Cuerna obesa Oman & Beamer 1944b:122 [n.sp.]; Metcalf 1965a,6(1):553 [Cat.]
DISTRIBUTION: United States: Arizona, New Mex., Texas, Mexico (Nielson 1965a)
- Cuerna obtusa* Oman & Beamer
Cuerna obtusa Oman & Beamer 1944a:120 [n.sp.]; Metcalf 1965a,6(1):553 [Cat.]
DISTRIBUTION: United States: Arizona, Colorado, Utah, New Mex. (Nielson 1965a)
- Cuerna occidentalis* Oman & Beamer
Cuerna occidentalis Oman & Beamer 1944a:119 [n.sp.]; Metcalf 1965a,6(1):553 [Cat.]
DISTRIBUTION: United States: California (Nielson 1965a)
- Cuerna rubromarginata* (Signoret)
Tettigonia rubromarginata Signoret 1855d:793 [n.sp.]; Metcalf 1965a,6(1):553 [Cat.]
Tettigonia capitanea Berg 1879d:250 [n.sp.]; Metcalf 1965a,6(1):554 [Cat.]
DISTRIBUTION: Argentina (Young 1968a)
- Cuerna rubromarginata similis* Melichar
Cuerna similis Melichar 1925a:365 [n.subsp. of *rubromarginata*]; Metcalf 1965a,6(1):554 [Cat.]
DISTRIBUTION: Argentina (Young 1968a)
- Cuerna septentrionalis* (Walker)
Tettigonia limbata Say 1825a:340 [n.sp.]; Metcalf 1965a,6(1):554 [Cat.]
Tettigonia septentrionalis Walker 1858b:193 [n.sp.]; Metcalf 1965a,6(1):554 [Cat.]
DISTRIBUTION: United States, Canada (Nielson 1965a)
- Cuerna striata* (Walker)
Tettigonia striata Walker 1851b:775 [n.sp.]; Metcalf 1965a,6(1):555 [Cat.]
DISTRIBUTION: Canada: Alberta, British Columbia, Manitoba, Ontario. United States: Colorado, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Mex., New York, North Dakota, Texas, Wisconsin, Alaska (Nielson 1965a)
- Cuerna yuccae* Oman & Beamer
Cuerna yuccae Oman & Beamer 1944b:121 [n.sp.]; Metcalf 1965a,6(1):556 [Cat.]
DISTRIBUTION: United States: Arizona, California, Nevada, Utah (Nielson 1965a)
- Cumora angulata* Oman
Cumora angulata Oman 1938b: 374 [n.sp.]; Metcalf 1967b, 6(10b): 1313 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Cunedda abbreviata* Jacobi
Cunedda abbreviata Jacobi 1944a:51 [n.sp.]; Metcalf 1963a,6(6):51 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
Cunedda gracilis Jacobi
Cunedda gracilis Jacobi 1944a:52 [n.sp.]; Metcalf 1963a,6(6):51 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
Cunedda phaeops Distant
Cunedda phaeops Distant 1918b:46 [n.sp.]; Metcalf 1963a,6(6):51 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Cyclogonia cyclopula* (Jacobi)
Tettigoniella cyclopula Jacobi 1905c:183 [n.sp.]; Metcalf 1965a,6(1):28 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Cyclogonia facetula* (Jacobi)
Tettigoniella facetula Jacobi 1905c:184 [n.sp.]; Metcalf 1965a,6(1):28 [Cat.]
DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Cyclogonia limbatula* Melichar
Cyclogonia limbatula Melichar 1926a:349 [n.sp.]; Metcalf 1965a,6(1):28 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Cyclogonia rudicula* (Jacobi)
Tettigoniella rudicula Jacobi 1905c:184 [n.sp.]; Metcalf 1965a,6(1):29 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Cyclogonia rudicula concedula* Melichar
Cyclogonia concedula Melichar 1926a:349 [n.subsp. of *rudicula*]; Metcalf 1965a,6(1):29 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Cyrtatiblattina* Jacobi
Cyrtatiblattina Jacobi 1944a:35 [n.sp.]; Metcalf 1964b, 6(11):84 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Cyrtatiblattina* Melichar
Cyrtatiblattina Melichar 1902c:136 [n.sp.]; Metcalf 1964b, 6(11):84 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Cyrtodisca major* (Signoret)
Tettigonia major Signoret 1854c:491 [n.sp.]; Metcalf 1965a,6(1):557 [Cat.]
Proconia scissa Walker 1858b:226 [n.sp.]; Metcalf 1965a,6(1):557 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Honduras, Costa Rica, El Salvador, Nicaragua, Panama, Colombia (Young 1968a)
- Cyrtodisca major nigromarginata* Melichar
Cyrtodisca major nigromarginata Melichar 1925a:367 [n.subsp. of *major*]; Metcalf 1965a,6(1):558 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Cyrtodisca major rufa* Melichar
Cyrtodisca major rufa Melichar 1925a:368 [n.subsp. of *major*]; Metcalf 1965a,6(1):558 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Dagama novata* Distant
Dagama novata Distant 1910e: 243 [n.sp.]; Metcalf 1967a, 6(10a): 422 [Cat.]

- DISTRIBUTION: South Africa (Metcalf Cat.)
Daimachus exemplificatus Distant
Daimachus exemplificatus Distant 1916a:225 [n.sp.]; Metcalf 1962d,6(5):87 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Daimachus steeli Evans
Daimachus steeli Evans 1947c:141 [n.sp.]; Metcalf 1962d,6(5):87 [Cat.]
DISTRIBUTION: Sudan (Metcalf Cat.)
Dalbulus acus DeLong
Dalbulus acus DeLong 1950a: 112 [n.sp.]; Metcalf 1967c, 6(10c): 2464 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Dalbulus elimatus (Ball)
Deltocephalus elimatus Ball 1900c: 345 [n.sp.]; Metcalf 1967c, 6(10c): 2464 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dalbulus gelbus DeLong
Dalbulus gelbus DeLong 1950a: 114 [n.sp.]; Metcalf 1967c, 6(10c): 2465 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Dalbulus guevarai DeLong
Dalbulus guevarai DeLong 1950a: 110 [n.sp.]; Metcalf 1967c, 6(10c): 2465 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Dalbulus longulus DeLong
Dalbulus longulus DeLong 1950a: 111 [n.sp.]; Metcalf 1967c, 6(10c): 2465 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Dalbulus maidis (DeLong)
Cicadula maidis DeLong 1923 [in Wolcott 1923b: 265] [n.sp.]; Metcalf 1967c, 6(10c): 2465 [Cat.]
DISTRIBUTION: United States, Mexico, West Indies, Costa Rica, Argentina, Venezuela, Brazil, Guatemala (Metcalf Cat.)
Daltonia estacada (Ball)
Athysanus (Commellus) estacadus Ball 1911a: 211 [n.sp.]; Metcalf 1967b, 6(10b): 1826 [Cat.]
Euscelis ozarcensis Gibson 1917a: 184 [n.sp.]; Metcalf 1967b, 6(10b): 1826 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Dampfiana deserta DeLong & Hershberger
Dampfiana deserta DeLong & Hershberger 1948c: 229 [n.sp.]; Metcalf 1967a, 6(10a): 504 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Danbara aurata (Ball)
Eutettix (Mesamia) aurata Ball 1909a: 81 [n.sp.]; Metcalf 1967c, 6(10c): 2173 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Dardania granulosa Stål
Dardania granulosa Stål 1866a:113 [n.sp.]; Metcalf 1964b,6(11):90 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
Dasmeusa flavescens Metcalf
Tettigonia lurida Signoret 1853c:662 [n.sp.]; Metcalf 1965a,6(1):261 [Cat.]
Dasmeusa flavescens Metcalf 1955a:264 [nom.nov. for *Tettigonia lurida* Signoret 1853]; Metcalf 1965a,6(1):261 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
Dasmeusa pauperata (Fabricius)
Cicada pauperata Fabricius 1803a:71 [n.sp.]; Metcalf 1965a,6(1):262 [Cat.]
DISTRIBUTION: Guyana, Suriname, French Guiana (Young 1977a)
Davisonia americana (Van Duzee)
Cicadula americana Van Duzee 1891a: 169 [n.subsp. of *punctifrons*]; Metcalf 1967c, 6(10c): 2612 [Cat.]
Davisonia delongi Dorst 1937a: 6 [n.sp.]; Metcalf 1967c, 6(10c): 2614 [Cat.]
DISTRIBUTION: United States, Canada, Atlantic Ocean: Bermuda Island (Metcalf Cat.)
Davisonia major (Dorst)
Cicadula major Dorst 1931a: 43 [n.sp.]; Metcalf 1967c, 6(10c): 2615 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Davisonia snowi (Dorst)
Cicadula snowi Dorst 1931a: 41 [n.sp.]; Metcalf 1967c, 6(10c): 2616 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Decua cucurbita (Ball)
Cicadella cucurbita Ball 1936a:20 [n.sp.]; Metcalf 1965a,6(1):264 [Cat.]
DISTRIBUTION: United States (Young 1977a)
Decua curta (Beamer)
Cicadella curta Beamer 1937a:13 [n.sp.]; Metcalf 1965a,6(1):264 [Cat.]
DISTRIBUTION: United States (Young 1977a)
Deltanus bicolor Beamer
Deltanus bicolor Beamer 1950a: 63 [n.sp.]; Metcalf 1967b, 6(10b): 1827 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Deltanus texanus (Osborn & Ball)
Athysanus texanus Osborn & Ball 1898f: 92 [n.sp.]; Metcalf 1967b, 6(10b): 1827 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Deltella decisca (DeLong)
Deltocephalus (Polyamia) decisus DeLong 1926d: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Deltocephalus africanus Naudé
Deltocephalus africanus Naudé 1926a: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1107 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Deltocephalus ageratus Melichar
Deltocephalus ageratus Melichar 1904a: 46 [n.sp.]; Metcalf 1967b, 6(10b): 1107 [Cat.]

- DISTRIBUTION:** Ethiopia, Kenya, Uganda, Tanzania, Somalia (Metcalf Cat.)
- Deltocephalus akashiensis* Matsumura
Deltocephalus akashiensis Matsumura 1914a: 213 [n.sp.]; Metcalf 1967b, 6(10b): 1107 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltocephalus alacer* (Stål)
Jassus (*Deltocephalus*) *alacer* Stål 1859b: 293 [n.sp.]; Metcalf 1967b, 6(10b): 1108 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Deltocephalus alienus* Melichar
Deltocephalus alienus Melichar 1899b: 188 [n.sp.]; Metcalf 1967b, 6(10b): 1108 [Cat.]
DISTRIBUTION: Tunisia (Metcalf Cat.)
- Deltocephalus amuriensis* Metcalf
Deltocephalus bilineatus Lindberg 1929b: 7 [n.sp.]; Metcalf 1967b, 6(10b): 1108 [Cat.]
Deltocephalus amuriensis Metcalf 1955a: 266 [nom.nov. for *Deltocephalus bilineatus* Lindberg 1929]; Metcalf 1967b, 6(10b): 1108 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus angustus* Melichar
Deltocephalus angustus Melichar 1914b: 141 [n.sp.]; Metcalf 1967b, 6(10b): 1109 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Deltocephalus antennalis* Haupt
Deltocephalus antennalis Haupt 1924d: 290 [n.sp.]; Metcalf 1967b, 6(10b): 1109 [Cat.]
DISTRIBUTION: Austria, Germany (Metcalf Cat.)
- Deltocephalus aputelius* Fieber
Deltocephalus aputelius Fieber 1869a: 217 [n.sp.]; Metcalf 1967b, 6(10b): 1109 [Cat.]
DISTRIBUTION: Austria, Hungary, Germany (Metcalf Cat.)
- Deltocephalus aristida* Cogan
Deltocephalus aristida Cogan 1916a: 187 [n.sp.]; Metcalf 1967b, 6(10b): 1110 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus artemisiae* (Gillette & Baker)
Athysanus artemisiae Gillette & Baker 1895a: 91 [n.sp.]; Metcalf 1967b, 6(10b): 1110 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus arunda* Jacobi
Deltocephalus arunda Jacobi 1909a: 343 [n.sp.]; Metcalf 1967b, 6(10b): 1111 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus asemus* Fieber
Deltocephalus asemus Fieber 1869a: 218 [n.sp.]; Metcalf 1967b, 6(10b): 1111 [Cat.]
DISTRIBUTION: Greece, Germany, Austria, Czech Republic (Metcalf Cat.)
- Deltocephalus atrodentatus* Naude
Deltocephalus atrodentatus Naudé 1926a: 44 [n.sp.]; Metcalf 1967b, 6(10b): 1112 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus attenuatus* Naude
Deltocephalus attenuatus Naudé 1926a: 44 [n.sp.]; Metcalf 1967b, 6(10b): 1112 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus aurantiacus* Forel
Deltocephalus aurantiacus Forel 1859a: 196 [n.sp.]; Metcalf 1967b, 6(10b): 1112 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Deltocephalus backhauseni* Berg
Deltocephalus backhauseni Berg 1895a: 203 [n.sp.]; Metcalf 1967b, 6(10b): 1113 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Deltocephalus balli* Van Duzee
Deltocephalus balli Van Duzee 1916a: 71 [n.sp., not nom.nov.]; Metcalf 1967b, 6(10b): 1113 [Cat.]
DISTRIBUTION: United States, Canada, Cuba (Metcalf Cat.)
- Deltocephalus bavaricus* Ribaut
Deltocephalus bavaricus Ribaut 1936a: 263 [n.sp.]; Metcalf 1967b, 6(10b): 1116 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Deltocephalus bicuspidatus* Sahlberg
Deltocephalus bicuspidatus Sahlberg 1871a: 307 [n.sp.]; Metcalf 1967b, 6(10b): 1116 [Cat.]
DISTRIBUTION: Scandinavia, Northern Russia (Metcalf Cat.)
- Deltocephalus biermani* Blöte
Deltocephalus biermani Blöte 1927a: 231 [n.sp.]; Metcalf 1967b, 6(10b): 1116 [Cat.]
DISTRIBUTION: Netherlands (Metcalf Cat.)
- Deltocephalus bipunctatus* Matsumura
Deltocephalus bipunctatus Matsumura 1902a: 391 [n.sp.]; Metcalf 1967b, 6(10b): 1117 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltocephalus bivittatus* Naude
Deltocephalus bivittatus Naudé 1926a: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1117 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus brachynotus* Fieber
Deltocephalus brachynotus Fieber 1869a: 219 [n.sp.]; Metcalf 1967b, 6(10b): 1118 [Cat.]
DISTRIBUTION: Russia, Germany, Poland, Hungary, Denmark, Netherlands (Metcalf Cat.)
- Deltocephalus brachypterus* Sidorskii
Deltocephalus brachypterus Sidorskii 1938a: 126 [n.sp.]; Metcalf 1967b, 6(10b): 1119 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus breviusatus* Cogan
Deltocephalus breviusatus Cogan 1916a: 186 [n.sp.]; Metcalf 1967b, 6(10b): 1119 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus brunnescens* Distant
Deltocephalus brunnescens Distant 1908g: 388 [n.sp.]; Metcalf 1967b, 6(10b): 1119 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus bulgaricus* Oshanin

- Deltocephalus horvathi* Joakimov 1909a: 28 [n.sp.];
 Metcalf 1967b, 6(10b): 1119 [Cat.]
- Deltocephalus bulgaricus* Oshanin 1912a: 107
 [nom.nov. for *Deltocephalus horvathi* Joakimov
 1909]; Metcalf 1967b, 6(10b): 1119 [Cat.]
- DISTRIBUTION: Bulgaria (Metcalf Cat.)
- Deltocephalus burjata* Kusnezov
Deltocephalus burjata Kusnezov 1929b: 180 [n.sp.];
 Metcalf 1967b, 6(10b): 1119 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus butleri* Distant
Deltocephalus butleri Distant 1918b: 83 [n.sp.];
 Metcalf 1967b, 6(10b): 1119 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus campanus* Naude
Deltocephalus campanus Naudé 1926a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1120 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus campbelli* Distant
Deltocephalus campbelli Distant 1918b: 82 [n.sp.];
 Metcalf 1967b, 6(10b): 1120 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus castoreus* Ball
Deltocephalus castoreus Ball 1899d: 308 [n.sp.];
 Metcalf 1967b, 6(10b): 1120 [Cat.]
- Acocephalus giffardi* Van Duzee 1917a: 293 [n.sp.];
 Metcalf 1967b, 6(10b): 1120 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Deltocephalus cephaleus* Naude
Deltocephalus cephaleus Naudé 1926a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1121 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus ceylonensis* Baker
Deltocephalus bimaculatus Melichar 1903b: 204
 [n.sp.]; Metcalf 1967b, 6(10b): 1121 [Cat.]
- Deltocephalus ceylonensis* Baker 1925b: 537
 [nom.nov. for *Deltocephalus bimaculatus* Melichar
 1903]; Metcalf 1967b, 6(10b): 1121 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocephalus chintinomy* DeLong
Deltocephalus (*Deltocephalus*) *chintinomy* DeLong
 1926d: 86 [n.sp.]; Metcalf 1967b, 6(10b): 1121
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus chlorellus* Naude
Deltocephalus chlorellus Naudé 1926a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1122 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus chloroticus* Melichar
Deltocephalus chloroticus Melichar 1896a: 233
 [n.sp.]; Metcalf 1967b, 6(10b): 1122 [Cat.]
- DISTRIBUTION: Austria, Yugoslavia, Italy (Metcalf
 Cat.)
- Deltocephalus chohakusanus* Matsumura
Deltocephalus chohakusanus Matsumura 1915a: 163
 [n.sp.]; Metcalf 1967b, 6(10b): 1122 [Cat.]
- DISTRIBUTION: Korea (Metcalf Cat.)
- Deltocephalus chosenensis* Matsumura
Deltocephalus chosenensis Matsumura 1915a: 164
 [n.sp.]; Metcalf 1967b, 6(10b): 1122 [Cat.]
- DISTRIBUTION: Korea (Metcalf Cat.)
- Deltocephalus cogani* Naude
Deltocephalus cogani Naudé 1926a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1123 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus cogani incisus* Naude
Deltocephalus incisus Naudé 1926a: 47 [n.subsp. of
 cogani]; Metcalf 1967b, 6(10b): 1123 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus cogani integer* Naude
Deltocephalus integer Naudé 1926a: 48 [n.subsp. of
 cogani]; Metcalf 1967b, 6(10b): 1123 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus coloratus* Distant
Deltocephalus coloratus Distant 1918b: 82 [n.sp.];
 Metcalf 1967b, 6(10b): 1123 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus comesus* DeLong & Sleesman
Deltocephalus comesus DeLong & Sleesman 1929a:
 104 [n.sp.]; Metcalf 1967b, 6(10b): 1124 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus contrerasi* Van Duzee
Deltocephalus contrerasi Van Duzee 1923a: 181
 [n.sp.]; Metcalf 1967b, 6(10b): 1124 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Deltocephalus cornutus* Matsumura
Deltocephalus cornutus Matsumura 1915a: 169
 [n.sp.]; Metcalf 1967b, 6(10b): 1125 [Cat.]
- DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Deltocephalus coronatus* Melichar
Deltocephalus coronatus Melichar 1904a: 45 [n.sp.];
 Metcalf 1967b, 6(10b): 1125 [Cat.]
- DISTRIBUTION: Ethiopia, Tanzania, Rwanda,
 Burundi, Somalia (Metcalf Cat.)
- Deltocephalus costistriatus* Matsumura
Deltocephalus costistriatus Matsumura 1915a: 165
 [n.sp.]; Metcalf 1967b, 6(10b): 1125 [Cat.]
- DISTRIBUTION: Korea (Metcalf Cat.)
- Deltocephalus darjilingensis* Distant
Deltocephalus darjilingensis Distant 1918b: 82 [n.sp.];
 Metcalf 1967b, 6(10b): 1125 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus decoloratus* Evans
Deltocephalus decoloratus Evans 1941f: 148 [n.sp.];
 Metcalf 1967b, 6(10b): 1126 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus dedarensis* Evans
Deltocephalus dedarensis Evans 1941f: 147 [n.sp.];
 Metcalf 1967b, 6(10b): 1126 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)

- Deltocephalus deletus* Baker
Deltocephalus thoracicus Distant 1908g: 385 [n.sp.];
 Metcalf 1967b, 6(10b): 1126 [Cat.]
- Deltocephalus deletus* Baker 1924d: 367 [nom.nov. for
Deltocephalus thoracicus Distant 1908]; Metcalf
 1967b, 6(10b): 1126 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus distanti* Baker
Deltocephalus capitatus Distant 1918b: 83 [n.sp.];
 Metcalf 1967b, 6(10b): 1126 [Cat.]
- Deltocephalus distanti* Baker 1925b: 537 [nom.nov.
 for *Deltocephalus capitatus* Distant 1918]; Metcalf
 1967b, 6(10b): 1126 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus dorsti* Oman
Deltocephalus dorsti Oman 1940a: 202 [n.sp.];
 Metcalf 1967b, 6(10b): 1127 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus durus* Beamer & Tuthill
Deltocephalus durus Beamer & Tuthill 1934a: 20
 [n.sp.]; Metcalf 1967b, 6(10b): 1127 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus ecchelii* Ferrari
Deltocephalus ecchelii Ferrari 1892a: 574 [n.sp.];
 Metcalf 1967b, 6(10b): 1127 [Cat.]
- DISTRIBUTION: Italy, Germany, Austria (Metcalf
 Cat.)
- Deltocephalus eductus* Naude
Deltocephalus eductus Naudé 1926a: 43 [n.sp.];
 Metcalf 1967b, 6(10b): 1128 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus eques* Jacobi
Deltocephalus eques Jacobi 1910b: 132 [n.sp.];
 Metcalf 1967b, 6(10b): 1128 [Cat.]
- DISTRIBUTION: Tanzania (Metcalf Cat.)
- Deltocephalus erebus* Distant
Deltocephalus erebus Distant 1908g: 385 [n.sp.];
 Metcalf 1967b, 6(10b): 1128 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus eurylobus* (Kirschbaum)
 Jassus (*Deltocephalus*) *eurylobus* Kirschbaum 1868b:
 132 [n.sp.]; Metcalf 1967b, 6(10b): 1128 [Cat.]
- Deltocephalus rhombifer* Fieber 1869a: 213 [n.sp.];
 Metcalf 1967b, 6(10b): 1128 [Cat.]
- DISTRIBUTION: Germany, Austria, France, Tunisia,
 Switzerland, Belgium, Hungary, Russia,
 Netherlands, Poland (Metcalf Cat.)
- Deltocephalus eurypterus* Melichar
Deltocephalus eurypterus Melichar 1902b: 78 [n.sp.];
 Metcalf 1967b, 6(10b): 1130 [Cat.]
- DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Deltocephalus exquadratus* Naude
Deltocephalus exquadratus Naudé 1929c: 12 [n.sp.];
 Metcalf 1967b, 6(10b): 1130 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus festivus* Melichar
Deltocephalus festivus Melichar 1899b: 187 [n.sp.];
 Metcalf 1967b, 6(10b): 1131 [Cat.]
- DISTRIBUTION: Tunisia (Metcalf Cat.)
- Deltocephalus flaveolus* Osborn
Deltocephalus flaveolus Osborn 1926c: 344 [n.sp.];
 Metcalf 1967b, 6(10b): 1131 [Cat.]
- DISTRIBUTION: Cuba (Metcalf Cat.)
- Deltocephalus flavicosta* (Stål)
 Jassus (*Deltocephalus*) *flavicosta* Stål 1862e: 53
 [n.sp.]; Metcalf 1967b, 6(10b): 1131 [Cat.]
- Deltocephalus flavocostatus* Van Duzee 1892a: 116
 [n.sp.]; Metcalf 1967b, 6(10b): 1132 [Cat.]
- Deltocephalus retrorsus* Uhler 1895a: 78 [n.sp.];
 Metcalf 1967b, 6(10b): 1132 [Cat.]
- Deltocephalus senilis* Van Duzee 1907a: 67 [n.sp.];
 Metcalf 1967b, 6(10b): 1132 [Cat.]
- Deltocephalus contestus* Valdés Ragués 1910a: 445
 [n.sp.]; Metcalf 1967b, 6(10b): 1132 [Cat.]
- DISTRIBUTION: United States, Canada, West
 Indies, Mexico, Brazil, Paraguay, Argentina,
 Bolivia, Guatemala, Costa Rica (Metcalf Cat.)
- Deltocephalus flavinervis* (Kirschbaum)
 Jassus (*Deltocephalus*) *flavinervis* Kirschbaum 1868b:
 144 [n.sp.]; Metcalf 1967b, 6(10b): 1138 [Cat.]
- DISTRIBUTION: Germany, Austria, Denmark,
 Netherlands (Metcalf Cat.)
- Deltocephalus flavivitta* Berg
Deltocephalus flavivitta Berg 1884a: 32 [n.sp.];
 Metcalf 1967b, 6(10b): 1138 [Cat.]
- DISTRIBUTION: Uruguay (Metcalf Cat.)
- Deltocephalus flavus* Fieber
Deltocephalus flavus Fieber 1869a: 219 [n.sp.];
 Metcalf 1967b, 6(10b): 1139 [Cat.]
- DISTRIBUTION: Austria, Hungary, Turkey, France,
 Poland, Ukraine, Romania (Metcalf Cat.)
- Deltocephalus flebilis* Fieber
Deltocephalus flebilis Fieber 1869a: 208 [n.sp.];
 Metcalf 1967b, 6(10b): 1139 [Cat.]
- DISTRIBUTION: Germany, Austria, Netherlands,
 Denmark (Metcalf Cat.)
- Deltocephalus formosanus* Matsumura
Deltocephalus formosanus Matsumura 1914a: 209
 [n.sp.]; Metcalf 1967b, 6(10b): 1140 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Deltocephalus fraternellus* Baker
Deltocephalus fraternus Matsumura 1915a: 166
 [n.sp.]; Metcalf 1967b, 6(10b): 1140 [Cat.]
- Deltocephalus fraternellus* Baker 1926b: 537
 [nom.nov. for *Deltocephalus fraternus* Matsumura
 1915]; Metcalf 1967b, 6(10b): 1140 [Cat.]
- DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Deltocephalus furciferus* Jacobi
Deltocephalus furciferus Jacobi 1941a: 308 [n.sp.];
 Metcalf 1967b, 6(10b): 1141 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Deltocephalus fuscinervosus* Van Duzee

- Deltocelphalus fuscinervosus* Van Duzee 1894f: 207
 [n.sp.]; Metcalf 1967b, 6(10b): 1141 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Deltocelphalus fuscovarius* Distant
Deltocelphalus fuscovarius Distant 1918b: 83 [n.sp.];
 Metcalf 1967b, 6(10b): 1143 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocelphalus fusiformis* Matsumura
Deltocelphalus fusiformis Matsumura 1911b: 30
 [n.sp.]; Metcalf 1967b, 6(10b): 1143 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus gentilis* Berg
Deltocelphalus gentilis Berg 1879d: 265 [n.sp.];
 Metcalf 1967b, 6(10b): 1143 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Deltocelphalus glaucus* (Blanchard)
Iassus glaucus Blanchard 1852 [in Spinola 1852a:
 293] [n.sp.]; Metcalf 1967b, 6(10b): 1143 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Deltocelphalus gnarus* Ball
Deltocelphalus gnarus Ball 1900c: 345 [n.sp.]; Metcalf
 1967b, 6(10b): 1143 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocelphalus goppii* Singh-Pruthi
Deltocelphalus goppii Singh-Pruthi 1936a: 127 [n.sp.];
 Metcalf 1967b, 6(10b): 1144 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltocelphalus granarius* Naude
Deltocelphalus granarius Naudé 1926a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1144 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocelphalus grex* Oman
Deltocelphalus grex Oman 1940a: 201 [n.sp.]; Metcalf
 1967b, 6(10b): 1144 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocelphalus guttiger* Kusnezov
Deltocelphalus guttiger Kusnezov 1929b: 181 [n.sp.];
 Metcalf 1967b, 6(10b): 1144 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus hamatus* Then
Deltocelphalus hamatus Then 1896a: 184 [n.sp.];
 Metcalf 1967b, 6(10b): 1145 [Cat.]
DISTRIBUTION: Austria, Italy (Metcalf Cat.)
- Deltocelphalus hartigi* Wagner
Deltocelphalus hartigi Wagner 1942a: 118 [n.sp.];
 Metcalf 1967b, 6(10b): 1145 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Deltocelphalus hilaris* Melichar
Deltocelphalus hilaris Melichar 1900a: 42 [n.sp.];
 Metcalf 1967b, 6(10b): 1145 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus histrionicus* Kirkaldy
Deltocelphalus histrionicus Kirkaldy 1907d: 57 [n.sp.];
 Metcalf 1967b, 6(10b): 1145 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Deltocelphalus hoashii* Matsumura
Deltocelphalus hoashii Matsumura 1915a: 165 [n.sp.];
 Metcalf 1967b, 6(10b): 1145 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
- Deltocelphalus horváthi* [sic] (Then)
Thamnotettix horvathi Then 1896a: 193 [n.sp.];
 Metcalf 1967b, 6(10b): 1146 [Cat.]
DISTRIBUTION: Austria, Italy, Yugoslavia, Ukraine,
 Hungary, Germany, Russia, Turkey, Bulgaria
 (Metcalf Cat.)
- Deltocelphalus hyalinus* Fieber
Deltocelphalus hyalinus Fieber 1869a: 212 [n.sp.];
 Metcalf 1967b, 6(10b): 1147 [Cat.]
DISTRIBUTION: Romania, Germany, Belgium,
 Denmark, Netherlands, Russia, Portugal, France
 (Metcalf Cat.)
- Deltocelphalus hypomelas* Kusnezov
Deltocelphalus hypomelas Kusnezov 1929b: 182
 [n.sp.]; Metcalf 1967b, 6(10b): 1147 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus i-album* Scott
Deltocelphalus i-album Scott 1881c: 137 [n.sp.];
 Metcalf 1967b, 6(10b): 1147 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Deltocelphalus ikumae* Matsumura
Deltocelphalus ikumae Matsumura 1911b: 29 [n.sp.];
 Metcalf 1967b, 6(10b): 1148 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus immaculipennis* (Blanchard)
Iassus immaculipennis Blanchard 1852 [in Spinola
 1852a: 292] [n.sp.]; Metcalf 1967b, 6(10b): 1148
 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Deltocelphalus incertus* Melichar
Deltocelphalus incertus Melichar 1900a: 42 [n.sp.];
 Metcalf 1967b, 6(10b): 1149 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocelphalus infirmus* Melichar
Deltocelphalus infirmus Melichar 1903b: 203 [n.sp.];
 Metcalf 1967b, 6(10b): 1149 [Cat.]
DISTRIBUTION: Sri Lanka, India, Indian Ocean:
 Christmas Island (Metcalf Cat.)
- Deltocelphalus infumatus* Osborn
Deltocelphalus infumatus Osborn 1915a: 118 [n.sp.];
 Metcalf 1967b, 6(10b): 1149 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocelphalus intermedius* Melichar
Deltocelphalus intermedius Melichar 1903b: 205
 [n.sp.]; Metcalf 1967b, 6(10b): 1149 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocelphalus jenjouristi* Zachvatkin
Deltocelphalus jenjouristi Zachvatkin 1933b: 268
 [n.sp.]; Metcalf 1967b, 6(10b): 1150 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Deltocelphalus kanoniellus* Matsumura

- Deltocephalus kanoniellus* Matsumura 1940d: 39
[n.sp.]; Metcalf 1967b, 6(10b): 1150 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Deltocephalus karafutonis* Matsumura
Deltocephalus karafutonis Matsumura 1914a: 210
[n.sp.]; Metcalf 1967b, 6(10b): 1150 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus kilimanus* Jacobi
Deltocephalus kilimanus Jacobi 1910b: 132 [n.sp.];
Metcalf 1967b, 6(10b): 1150 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Deltocephalus kolenatii* [sic] Fieber
Deltocephalus kolenatii Fieber 1869a: 206 [n.sp.];
Metcalf 1967b, 6(10b): 1150 [Cat.]
DISTRIBUTION: Azerbaijan, Russia, Georgia
(Metcalf Cat.)
- Deltocephalus kongosanus* Matsumura
Deltocephalus kongosanus Matsumura 1915a: 167
[n.sp.]; Metcalf 1967b, 6(10b): 1151 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Deltocephalus koreanus* Matsumura
Deltocephalus koreanus Matsumura 1915a: 167
[n.sp.]; Metcalf 1967b, 6(10b): 1151 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
- Deltocephalus kusnezovi* Metcalf
Deltocephalus blandus Kusnezov 1929b: 183 [n.sp.];
Metcalf 1967b, 6(10b): 1151 [Cat.]
Deltocephalus kusnezovi Metcalf 1967b: 1151
[nom.nov. for *Deltocephalus blandus* Kusnezov
1929]; Metcalf 1967b, 6(10b): 1151 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus laciniatus* Then
Deltocephalus laciniatus Then 1896a: 189 [n.sp.];
Metcalf 1967b, 6(10b): 1151 [Cat.]
DISTRIBUTION: Germany, Austria (Metcalf Cat.)
- Deltocephalus laetus* Melichar
Deltocephalus laetus Melichar 1903b: 202 [n.sp.];
Metcalf 1967b, 6(10b): 1152 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocephalus laredanus* Oman
Deltocephalus laredanus Oman 1934a: 78 [n.sp.];
Metcalf 1967b, 6(10b): 1152 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus latifrons* Matsumura
Deltocephalus latifrons Matsumura 1902a: 393 [n.sp.];
Metcalf 1967b, 6(10b): 1152 [Cat.]
DISTRIBUTION: Japan, Russia, China, Korea
(Metcalf Cat.)
- Deltocephalus latinus* Wagner
Deltocephalus latinus Wagner 1942a: 120 [n.sp.];
Metcalf 1967b, 6(10b): 1153 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Deltocephalus leucophaeus* (Kirschbaum)
Jassus (*Deltocephalus*) *leucophaeus* Kirschbaum
1868b: 146 [n.sp.]; Metcalf 1967b, 6(10b): 1154
[Cat.]
- DISTRIBUTION: Switzerland, Germany (Metcalf Cat.)
- Deltocephalus liliputanus* Melichar
Deltocephalus liliputanus Melichar 1905a: 303 [n.sp.];
Metcalf 1967b, 6(10b): 1154 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Deltocephalus lindneri* Fahringer
Deltocephalus lindneri Fahringer 1942a: 581 [n.sp.];
Metcalf 1967b, 6(10b): 1154 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
- Deltocephalus lineatifrons* Oman
Deltocephalus lineatifrons Oman 1931b: 432 [n.sp.];
Metcalf 1967b, 6(10b): 1154 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus lotis* Kirkaldy
Deltocephalus lotis Kirkaldy 1907d: 56 [n.sp.];
Metcalf 1967b, 6(10b): 1155 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus lucindae* Kirkaldy
Deltocephalus lucindae Kirkaldy 1907d: 58 [n.sp.];
Metcalf 1967b, 6(10b): 1155 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus lunatus* Osborn
Deltocephalus lunatus Osborn 1926c: 347 [n.sp.];
Metcalf 1967b, 6(10b): 1155 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Deltocephalus luteoapicalis* Beamer
Deltocephalus luteoapicalis Beamer 1938c: 81 [n.sp.];
Metcalf 1967b, 6(10b): 1155 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus luteus* Mulsant & Rey
Deltocephalus luteus Mulsant & Rey 1855a: 235
[n.sp.]; Metcalf 1967b, 6(10b): 1156 [Cat.]
DISTRIBUTION: France, Spain, Portugal, Belgium
(Metcalf Cat.)
- Deltocephalus maculellus* Osborn
Deltocephalus maculellus Osborn 1926c: 345 [n.sp.];
Metcalf 1967b, 6(10b): 1156 [Cat.]
DISTRIBUTION: Cuba, Puerto Rico (Metcalf Cat.)
- Deltocephalus maculiceps* Boheman
Deltocephalus maculiceps Boheman 1847b: 264
[n.sp.]; Metcalf 1967b, 6(10b): 1157 [Cat.]
DISTRIBUTION: Scandinavia, United Kingdom,
Denmark, Switzerland, Netherlands, Germany,
Austria, France, Czech Republic, Poland (Metcalf Cat.)
- Deltocephalus malaiasiae* Jacobi
Deltocephalus malaiasiae Jacobi 1941a: 309 [n.sp.];
Metcalf 1967b, 6(10b): 1160 [Cat.]
DISTRIBUTION: West Indonesia, East Indonesia
(Metcalf Cat.)
- Deltocephalus marginellanus* Metcalf
Deltocephalus marginellus Osborn 1926c: 346 [n.sp.];
Metcalf 1967b, 6(10b): 1160 [Cat.]

- Deltocephalus marginellanus* Metcalf 1955a: 266
[nom.nov. for *Deltocephalus marginellus* Osborn 1926]; Metcalf 1967b, 6(10b): 1160 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Deltocephalus marginivalvis* Lethierry
Deltocephalus marginivalvis Lethierry 1889b: 82
[n.sp.]; Metcalf 1967b, 6(10b): 1160 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus marinus* Metcalf & Osborn
Deltocephalus marinus Metcalf & Osborn 1920a: 110
[n.sp.]; Metcalf 1967b, 6(10b): 1161 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus maritimus* Matsumura
Deltocephalus maritimus Matsumura 1902a: 391
[n.sp.]; Metcalf 1967b, 6(10b): 1161 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Deltocephalus matsumurai* [sic] Baker
Deltocephalus littoralis Matsumura 1908a: 40 [n.sp.];
Metcalf 1967b, 6(10b): 1161 [Cat.]
- Deltocephalus matsumuri* Baker 1925b: 537
[nom.nov. for *Deltocephalus littoralis* Matsumura 1908]; Metcalf 1967b, 6(10b): 1161 [Cat.]
DISTRIBUTION: Tunisia (Metcalf Cat.)
- Deltocephalus megalurus* Puton
Deltocephalus megalurus Puton 1898a: 173 [n.sp.];
Metcalf 1967b, 6(10b): 1162 [Cat.]
DISTRIBUTION: Algeria, Egypt (Metcalf Cat.)
- Deltocephalus melichari* Distant
Deltocephalus melichari Distant 1913f: 468 [n.sp.];
Metcalf 1967b, 6(10b): 1162 [Cat.]
DISTRIBUTION: Africa: Sahara desert (Metcalf Cat.)
- Deltocephalus mellae* Ferrari
Deltocephalus mellae Ferrari 1882a: 144 [n.sp.];
Metcalf 1967b, 6(10b): 1162 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Deltocephalus minutus* Van Duzee
Deltocephalus minutus Van Duzee 1890g: 96 [n.sp.];
Metcalf 1967b, 6(10b): 1163 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus mota* Singh-Pruthi
Deltocephalus mota Singh-Pruthi 1936a: 126 [n.sp.];
Metcalf 1967b, 6(10b): 1164 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus nakaharae* Matsumura
Deltocephalus nakaharae Matsumura 1914a: 213
[n.sp.]; Metcalf 1967b, 6(10b): 1165 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltocephalus nemourensis* Matsumura
Deltocephalus nemourensis Matsumura 1908a: 37
[n.sp.]; Metcalf 1967b, 6(10b): 1165 [Cat.]
DISTRIBUTION: South Africa, Algeria (Metcalf Cat.)
- Deltocephalus nigrifacialis* Distant
Deltocephalus nigrifacialis Distant 1918b: 81 [n.sp.];
Metcalf 1967b, 6(10b): 1165 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus nigriventer* Sanders & DeLong
Deltocephalus nigriventer Sanders & DeLong 1917a:
85 [n.sp.]; Metcalf 1967b, 6(10b): 1165 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus novellus* Metcalf
Deltocephalus montanus Evans 1938b: 16 [n.sp.];
Metcalf 1967b, 6(10b): 1167 [Cat.]
- Deltocephalus novellus* Metcalf 1967b: 1167
[nom.nov. for *Deltocephalus montanus* Evans 1938]; Metcalf 1967b, 6(10b): 1167 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus obesus* Osborn & Ball
Deltocephalus obesus Osborn & Ball 1898f: 81
[n.sp.]; Metcalf 1967b, 6(10b): 1167 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Deltocephalus obliquus* Evans
Deltocephalus obliquus Evans 1938b: 16 [n.sp.];
Metcalf 1967b, 6(10b): 1167 [Cat.]
DISTRIBUTION: Tasmania (Metcalf Cat.)
- Deltocephalus oblitteratus* Fieber
Deltocephalus oblitteratus Fieber 1869a: 220 [n.sp.];
Metcalf 1967b, 6(10b): 1167 [Cat.]
DISTRIBUTION: Russia, Austria (Metcalf Cat.)
- Deltocephalus obtusus* Metcalf
Deltocephalus simplex Haupt 1927a: 29 [n.sp.];
Metcalf 1967b, 6(10b): 1168 [Cat.]
- Deltocephalus obtusus* Metcalf 1955a: 266 [nom.nov.
for *Deltocephalus simplex* Haupt 1927]; Metcalf 1967b, 6(10b): 1168 [Cat.]
DISTRIBUTION: Israel, Russia, Mediterranean region (?) (Metcalf Cat.)
- Deltocephalus octomaculatus* Matsumura
Deltocephalus octomaculatus Matsumura 1915a: 166
[n.sp.]; Metcalf 1967b, 6(10b): 1168 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Deltocephalus ogumae* Matsumura
Deltocephalus ogumae Matsumura 1914a: 211 [n.sp.];
Metcalf 1967b, 6(10b): 1169 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltocephalus oneratus* Melichar
Deltocephalus oneratus Melichar 1903b: 202 [n.sp.];
Metcalf 1967b, 6(10b): 1169 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocephalus oraniensis* [sic] Matsumura
Deltocephalus oranensis Matsumura 1908a: 34 [n.sp.];
Metcalf 1967b, 6(10b): 1169 [Cat.]
DISTRIBUTION: Morocco, South Africa, Algeria (Metcalf Cat.)
- Deltocephalus ornatus* Melichar
Deltocephalus ornatus Melichar 1911a: 108 [n.sp.];
Metcalf 1967b, 6(10b): 1169 [Cat.]
DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf Cat.)
- Deltocephalus pantherinus* Kusnezov

- Deltocephalus pantherinus* Kusnezov 1929b: 183
[n.sp.]; Metcalf 1967b, 6(10b): 1170 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltocephalus pauxillus* Fieber
Deltocephalus pauxillus Fieber 1869a: 217 [n.sp.];
Metcalf 1967b, 6(10b): 1170 [Cat.]
DISTRIBUTION: Austria, Germany, Spain, Russia,
Czech Republic, Ukraine, France (Metcalf Cat.)
- Deltocephalus pellucidus* Osborn
Deltocephalus pellucidus Osborn 1926c: 346 [n.sp.];
Metcalf 1967b, 6(10b): 1171 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Deltocephalus perparvus* Kirkaldy
Deltocephalus perparvus Kirkaldy 1906c: 330 [n.sp.];
Metcalf 1967b, 6(10b): 1171 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus playensis* Oman
Deltocephalus playensis Oman 1940a: 202 [n.sp.];
Metcalf 1967b, 6(10b): 1172 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus polemon* Kirkaldy
Deltocephalus polemon Kirkaldy 1907d: 56 [n.sp.];
Metcalf 1967b, 6(10b): 1172 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus porticus* Melichar
Deltocephalus porticus Melichar 1903b: 204 [n.sp.];
Metcalf 1967b, 6(10b): 1172 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocephalus porticus immaculatus* Melichar
Deltocephalus porticus immaculatus Melichar 1914b:
140 [n.subsp. of *porticus*]; Metcalf 1967b, 6(10b):
1172 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Deltocephalus pruthii* Metcalf
Deltocephalus notatus Singh-Pruthi 1936a: 128
[n.sp.]; Metcalf 1967b, 6(10b): 1173 [Cat.]
Deltocephalus pruthii Metcalf 1967b: 1173 [nom.nov.
for *Deltocephalus notatus* Singh-Pruthi 1936];
Metcalf 1967b, 6(10b): 1173 [Cat.]
DISTRIBUTION: Pakistan (Metcalf Cat.)
- Deltocephalus pulicaris* (Fallén)
Cicada pulicaris Fallén 1806a: 21 [n.sp.]; Metcalf
1967b, 6(10b): 1173 [Cat.]
DISTRIBUTION: Widespread Europe, United
Kingdom, Scandinavia, Russia, western
Mediterranean region, Northern Africa,
Kazakhstan, Kirghizia, Tadzhikistan,
Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Deltocephalus pulicaris convexus* Rey
Deltocephalus pulicaris convexus Rey 1894c: 46
[n.subsp. of *pulicaris*]; Metcalf 1967b, 6(10b):
1183 [Cat.]
DISTRIBUTION: France, Belgium, Netherlands,
Russia (Metcalf Cat.)
- Deltocephalus pulicaris fumigatus* Rey
Deltocephalus pulicaris fumigatus Rey 1894c: 46
[n.subsp. of *pulicaris*]; Metcalf 1967b, 6(10b):
1183 [Cat.]
DISTRIBUTION: France, Belgium, Netherlands
(Metcalf Cat.)
- Deltocephalus pullatus* Evans
Deltocephalus pullatus Evans 1941f: 148 [n.sp.];
Metcalf 1967b, 6(10b): 1184 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltocephalus pulvisculus* Distant
Deltocephalus pulvisculus Distant 1908g: 381 [n.sp.];
Metcalf 1967b, 6(10b): 1184 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltocephalus pumilicans* Naude
Deltocephalus pumilicans Naudé 1926a: 44 [n.sp.];
Metcalf 1967b, 6(10b): 1184 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus punctatus* (Osborn & Ball)
Athy sanus punctatus Osborn & Ball 1898f: 94 [n.sp.];
Metcalf 1967b, 6(10b): 1184 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Deltocephalus puncticeps* Jacobi
Deltocephalus puncticeps Jacobi 1941a: 309 [n.sp.];
Metcalf 1967b, 6(10b): 1185 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Deltocephalus quadriplagiatus* Jacobi
Deltocephalus quadriplagiatus Jacobi 1941a: 309
[n.sp.]; Metcalf 1967b, 6(10b): 1186 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Deltocephalus reductus* Melichar
Deltocephalus reductus Melichar 1897a: 67 [n.sp.];
Metcalf 1967b, 6(10b): 1186 [Cat.]
DISTRIBUTION: Italy, Bosnia-Herzegovina
(Metcalf Cat.)
- Deltocephalus rufobilineatus* Melichar
Deltocephalus rufobilineatus Melichar 1914b: 140
[n.sp.]; Metcalf 1967b, 6(10b): 1186 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Deltocephalus rufolineatus* Melichar
Deltocephalus rufolineatus Melichar 1903b: 203
[n.sp.]; Metcalf 1967b, 6(10b): 1186 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltocephalus sachalinensis* Matsumura
Deltocephalus sachalinensis Matsumura 1915a: 168
[n.sp.]; Metcalf 1967b, 6(10b): 1187 [Cat.]
DISTRIBUTION: Korea, Russia (Metcalf Cat.)
- Deltocephalus saladurus* Ball & DeLong
Deltocephalus saladurus Ball & DeLong 1926a: 242
[n.sp.]; Metcalf 1967b, 6(10b): 1187 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltocephalus saltus* Naude
Deltocephalus saltus Naudé 1926a: 44 [n.sp.]; Metcalf
1967b, 6(10b): 1187 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Deltocephalus sapporonus* Matsumura

- Deltoccephalus sapporonis* Matsumura 1914a: 211
 [n.sp.]; Metcalf 1967b, 6(10b): 1187 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltoccephalus scriptus* Distant
Deltoccephalus scriptus Distant 1908g: 389 [n.sp.];
 Metcalf 1967b, 6(10b): 1188 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltoccephalus semifuscus* Motschulsky
Deltoccephalus semifuscus Motschulsky 1866a: 186
 [n.sp.]; Metcalf 1967b, 6(10b): 1188 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltoccephalus severus* Melichar
Deltoccephalus severus Melichar 1914b: 141 [n.sp.];
 Metcalf 1967b, 6(10b): 1188 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Deltoccephalus sexpunctatus* Berg
Deltoccephalus sexpunctatus Berg 1879d: 264 [n.sp.];
 Metcalf 1967b, 6(10b): 1188 [Cat.]
DISTRIBUTION: Argentina, Uruguay (Metcalf Cat.)
- Deltoccephalus sonora* Ball
Deltoccephalus sonorus Ball 1900c: 344 [n.sp.];
 Metcalf 1967b, 6(10b): 1189 [Cat.]
DISTRIBUTION: United States, Mexico, West Indies
 (Metcalf Cat.)
- Deltoccephalus spinosus* Gibson
Deltoccephalus spinosus Gibson 1919b: 26 [n.sp.];
 Metcalf 1967b, 6(10b): 1191 [Cat.]
DISTRIBUTION: Honduras, Costa Rica (Metcalf
 Cat.)
- Deltoccephalus stigma* Rey
Deltoccephalus stigma Rey 1892a: 250 [n.sp.]; Metcalf
 1967b, 6(10b): 1191 [Cat.]
DISTRIBUTION: France, Belgium (Metcalf Cat.)
- Deltoccephalus stigmatus* Motschulsky
Deltoccephalus stigmatus Motschulsky 1859b: 113
 [n.sp.]; Metcalf 1967b, 6(10b): 1191 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltoccephalus tezuyae* Matsumura
Deltoccephalus tezuyae Matsumura 1902a: 391 [n.sp.];
 Metcalf 1967b, 6(10b): 1194 [Cat.]
DISTRIBUTION: Japan, Malaysia (Metcalf Cat.)
- Deltoccephalus tobae* Matsumura
Deltoccephalus tobae Matsumura 1901a: 208 [n.sp.];
 Metcalf 1967b, 6(10b): 1194 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Deltoccephalus towadensis* Matsumura
Deltoccephalus towadensis Matsumura 1914a: 209
 [n.sp.]; Metcalf 1967b, 6(10b): 1194 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Deltoccephalus transparipennis* Motschulsky
Deltoccephalus transparipennis Motschulsky 1863a:
 100 [n.sp.]; Metcalf 1967b, 6(10b): 1195 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltoccephalus trifasciatus* Lindberg
Deltoccephalus trifasciatus Lindberg 1954a: 212
 [n.sp.]; Metcalf 1967b, 6(10b): 1195 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Deltoccephalus triinfulatus* Breddin
Deltoccephalus triinfulatus Breddin 1897a: 21 [n.sp.];
 Metcalf 1967b, 6(10b): 1195 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Deltoccephalus trimaculatus* Distant
Deltoccephalus trimaculatus Distant 1918b: 83 [n.sp.];
 Metcalf 1967b, 6(10b): 1195 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Deltoccephalus tripartitus* Kusnezov
Deltoccephalus tripartitus Kusnezov 1929b: 179 [n.sp.];
 Metcalf 1967b, 6(10b): 1195 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Deltoccephalus tritici* Matsumura
Deltoccephalus tritici Matsumura 1902a: 391 [n.sp.];
 Metcalf 1967b, 6(10b): 1195 [Cat.]
DISTRIBUTION: Japan, China, Korea (Metcalf Cat.)
- Deltoccephalus truncatus* Melichar
Deltoccephalus truncatus Melichar 1902b: 80 [n.sp.];
 Metcalf 1967b, 6(10b): 1196 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Deltoccephalus valens* Beamer & Tuthill
Deltoccephalus valens Beamer & Tuthill 1934a: 20
 [n.sp.]; Metcalf 1967b, 6(10b): 1197 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltoccephalus vanduzeei* [sic] Gillette & Baker
Deltoccephalus vanduzei Gillette & Baker 1895a: 90
 [n.sp.]; Metcalf 1967b, 6(10b): 1197 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Deltoccephalus variegatus* Motschulsky
Deltoccephalus variegatus Motschulsky 1859b: 112
 [n.sp.]; Metcalf 1967b, 6(10b): 1198 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Deltoccephalus velox* Matsumura
Deltoccephalus velox Matsumura 1908a: 32 [n.sp.];
 Metcalf 1967b, 6(10b): 1198 [Cat.]
DISTRIBUTION: Hungary (Metcalf Cat.)
- Deltoccephalus volgensis* Fieber
Deltoccephalus volgensis Fieber 1869a: 206 [n.sp.];
 Metcalf 1967b, 6(10b): 1199 [Cat.]
DISTRIBUTION: Russia, Romania (Metcalf Cat.)
- Deltoccephalus zephyrius* Van Duzee
Deltoccephalus zephyrius Van Duzee 1925b: 418
 [n.sp.]; Metcalf 1967b, 6(10b): 1200 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Deltodorydium brighami* (Kirkaldy)
Paradorydium brighami Kirkaldy 1907d: 72 [n.sp.];
 Metcalf 1963d, 6(9): 118 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltodorydium cooki* Evans
Deltodorydium cooki Evans 1936a: 46 [n.sp.]; Metcalf
 1963d, 6(9): 118 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltodorydium leai* Evans

- Deltodorydium leai* Evans 1936a:46 [n.sp.]; Metcalf 1963d,6(9):118 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltodorydium ovidii* (Kirkaldy)
Paradorydium ovidii Kirkaldy 1907d:73 [n.sp.]; Metcalf 1963d,6(9):118 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltodorydium viridis* Evans
Deltodorydium viridis Evans 1936a:46 [n.sp.]; Metcalf 1963d,6(9):118 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Deltorhynchus quadrinotus* DeLong
Deltorhynchus quadrinotus DeLong 1943a: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1741 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Deltorhynchus spinosus* DeLong
Deltorhynchus spinosus DeLong 1943a: 80 [n.sp.]; Metcalf 1967b, 6(10b): 1741 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Derogonia interstitialis* (Signoret)
Tettigonia interstitialis Signoret 1855d:789 [n.sp.]; Metcalf 1965a,6(1):54 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Derogonia pilipennis* (Signoret)
Tettigonia pilipennis Signoret 1854b:342 [n.sp.]; Metcalf 1965a,6(1):54 [Cat.]
DISTRIBUTION: Bolivia, Colombia (Young 1977a)
- Destinia maja* Nast
Destinia maja Nast 1952b:36 [n.sp.]; Metcalf 1962c,6(4):65 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Destinia producta* Nast
Destinia producta Nast 1952b:37 [n.sp.]; Metcalf 1962c,6(4):65 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Destria algosa* (DeLong & Davidson)
Polyamia algosus DeLong & Davidson 1935b: 165 [n.sp.]; Metcalf 1967b, 6(10b): 1828 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Destria bisignata* (Sanders & DeLong)
Thamnotettix bisignatus Sanders & DeLong 1923a: 154 [n.sp.]; Metcalf 1967b, 6(10b): 1829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Destria fumida* (Sanders & DeLong)
Deltocephalus fumidus Sanders & DeLong 1917a: 86 [n.sp.]; Metcalf 1967b, 6(10b): 1829 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dharmma projecta* Distant
Dharmma projecta Distant 1908g:324 [n.sp.]; Metcalf 1964b,6(11):23 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Dialecticopteryx australica* Kirkaldy
Dialecticopteryx australica Kirkaldy 1907d:72 [n.sp.]; Metcalf 1968a,6(17):598 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Diceratalebra cubana* (Osborn)
Protalebra cubana Osborn 1926c:353 [n.sp.]; Metcalf 1968a,6(17):24 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Diceratalebra interrogata* (Knoll)
Alebra interrogata Knoll 1940b:291 [n.sp.]; Metcalf 1968a,6(17):24 [Cat.]
DISTRIBUTION: Texas (Metcalf Cat.)
- Diceratalebra robusta* (Gillette)
Alebra robusta Gillette 1898a:712 [n.sp.]; Metcalf 1968a,6(17):25 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Diceratalebra sanguinolinea* (Baker)
Alebra sanguinolinea Baker 1903d:5 [n.sp.]; Metcalf 1968a,6(17):25 [Cat.]
DISTRIBUTION: Nicaragua (Metcalf Cat.)
- Dichrophleps aurea* (Fabricius)
Cicada aurea Fabricius 1803a:63 [n.sp.]; Metcalf 1965a,6(1):513 [Cat.]
Proconia cingulifera Walker 1858a:99 [n.sp.]; Metcalf 1965a,6(1):513 [Cat.]
DISTRIBUTION: Guyana, French Guiana (Young 1968a)
- Dichrophleps boliviana* Schmidt
Dichrophleps boliviana Schmidt 1928c:59 [n.sp.]; Metcalf 1965a,6(1):514 [Cat.]
DISTRIBUTION: Bolivia (Young 1968a)
- Dichrophleps despecta* Melichar
Dichrophleps despecta Melichar 1925a:330 [n.sp.]; Metcalf 1965a,6(1):514 [Cat.]
DISTRIBUTION: Guyana, Suriname, French Guiana (Young 1968a)
- Dichrophleps elongata* Melichar
Dichrophleps elongata Melichar 1925a:331 [n.sp.]; Metcalf 1965a,6(1):514 [Cat.]
DISTRIBUTION: Suriname, French Guiana (Young 1968a)
- Dichrophleps maculata* Melichar
Dichrophleps maculata Melichar 1925a:330 [n.sp.]; Metcalf 1965a,6(1):514 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
- Dictyodisca salvini* (Fowler)
Amblydisca salvini Fowler 1898a:209 [n.sp.]; Metcalf 1965a,6(1):619 [Cat.]
DISTRIBUTION: Panama, Costa Rica (Metcalf Cat.)
- Dicyphonia cona* (Shaw)
Parabolocratus cona Shaw 1932a:45 [n.sp.]; Metcalf 1963d,6(9):62 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dicyphonia minuta* Beamer
Dicyphonia minuta Beamer 1936b:70 [n.sp.]; Metcalf 1963d,6(9):62 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dicyphonia nigrita* Ball
Dicyphonia nigrita Ball 1937a:132 [n.sp.]; Metcalf 1963d,6(9):63 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)

- Dicyphonia ornata (Ball)
Dicyphonia pamentosa Ball 1900a:69 [n.sp.]; Metcalf
 1963d,6(9):63 [Cat.]
Platymetopius ornatus Ball 1900c:49 [n.sp.]; Metcalf
 1963d,6(9):63 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dicyphonia picturata Osborn
Dicyphonia picturata Osborn 1924c:403 [n.sp.];
 Metcalf 1963d,6(9):64 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Dicyphonia plana Beamer
Dicyphonia plana Beamer 1936b:69 [n.sp.]; Metcalf
 1963d,6(9):64 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dicyphonia plura Beamer
Dicyphonia plura Beamer 1936b:68 [n.sp.]; Metcalf
 1963d,6(9):64 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Diedrocephala albula Osborn
Diedrocephala albula Osborn 1926b:220 [n.sp.];
 Metcalf 1965a,6(1):403 [Cat.]
DISTRIBUTION: French Guiana, Brazil (Young
 1977a)
- Diedrocephala cleora Distant
Diedrocephala cleora Distant 1908b:59 [n.sp.];
 Metcalf 1965a,6(1):404 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Diedrocephala elvina (Butler)
Tettigonia elvina Butler 1874e:673 [n.sp.]; Metcalf
 1965a,6(1):404 [Cat.]
DISTRIBUTION: Amazonas (South America)
 (Young 1977a)
- Diedrocephala estella Distant
Diedrocephala estella Distant 1908b:59 [n.sp.];
 Metcalf 1965a,6(1):404 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Diedrocephala marginata (Palisot)
Tettigonia marginata Palisot 1820a:170 [n.sp.];
 Metcalf 1965a,6(1):404 [Cat.]
DISTRIBUTION: Dominican Republic (Metcalf Cat.)
- Diedrocephala mitra Distant
Diedrocephala mitra Distant 1908b:60 [n.sp.]; Metcalf
 1965a,6(1):405 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Diedrocephala rubriguttata (Walker)
Cicada sanguinolenta Coquebert 1801a:79 [n.sp.];
 Metcalf 1965a,6(1):405 [Cat.]
Tettigonia rubriguttata Walker 1851b:763 [n.sp.];
 Metcalf 1965a,6(1):405 [Cat.]
DISTRIBUTION: Suriname, Brazil, Mexico,
 Guatemala, Nicaragua, Panama, Colombia, Costa
 Rica, United States (?) (Metcalf Cat.)
- Diedrocephala serratula (Breddin)
Tettigonia serratula Breddin 1902b:2 [n.sp.]; Metcalf
 1965a,6(1):407 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Diedrocephala splendida (Fabricius)
Cicada festiva Fabricius 1798a:521 [n.sp.]; Metcalf
 1965a,6(1):407 [Cat.]
Cicada splendida Fabricius 1803a:68 [nom.nov. for
 Cicada festiva [sic] Fabricius 1798]; Metcalf
 1965a,6(1):407 [Cat.]
Tettigonia leucospila Walker 1858b:217 [n.sp.];
 Metcalf 1965a,6(1):407 [Cat.]
DISTRIBUTION: Venezuela (Young 1977a)
- Diedrocephala subflava (Walker)
Tettigonia subflava Walker 1851b:762 [n.sp.]; Metcalf
 1965a,6(1):407 [Cat.]
DISTRIBUTION: Venezuela, Colombia (Young
 1977a)
- Diedrocephala typhlocybooides (Signoret)
Tettigonia typhlocybooides Signoret 1854d:725 [n.sp.];
 Metcalf 1965a,6(1):408 [Cat.]
DISTRIBUTION: Madagascar (Young 1986a)
- Diedrocephala variegata (Fabricius)
Cicada variegata Fabricius 1775a:684 [n.sp.]; Metcalf
 1965a,6(1):408 [Cat.]
Cicada bimaculata Gmelin 1789a:2106 [nom.nov. for
 Cicada variegata Fabricius 1775]; Metcalf
 1965a,6(1):408 [Cat.]
Cicada virginea Fabricius 1803a:66 [n.sp.]; Metcalf
 1965a,6(1):408 [Cat.]
Tettigonia pulcherrima Blanchard 1840a:192 [n.sp.];
 Metcalf 1965a,6(1):408 [Cat.]
DISTRIBUTION: Mexico, Honduras, El Salvador,
 Costa Rica, Panama, Colombia, Venezuela,
 Guyana, Suriname, French Guiana, Brazil,
 Paraguay, Argentina, Peru, Bolivia (Young 1977a)
- Diemoides smithtoniensis Evans
Diemoides smithtoniensis Evans 1938b: 13 [n.sp.];
 Metcalf 1967c, 6(10c): 2205 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Diestostemma albipenne (Fabricius)
Cicada albipennis Fabricius 1803a:62 [n.sp.]; Metcalf
 1965a,6(1):488 [Cat.]
DISTRIBUTION: Trinidad, Guyana, Suriname, Brazil
 (Young 1968a)
- Diestostemma biolleyi Distant
Diestostemma biolleyi Distant 1908b:81 [n.sp.];
 Metcalf 1965a,6(1):489 [Cat.]
DISTRIBUTION: Costa Rica, Mexico (Young 1968a)
- Diestostemma brunneum Melichar
Diestostemma brunneum Melichar 1924a:226 [n.sp.];
 Metcalf 1965a,6(1):490 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Diestostemma diommonotum Schmidt
Diestostemma diommonotum Schmidt 1910a:53
 [n.sp.]; Metcalf 1965a,6(1):490 [Cat.]
DISTRIBUTION: Costa Rica, Mexico, Panama
 (Young 1968a)
- Diestostemma excisum Schmidt

- Diestostemma excisum Schmidt 1910a:46 [n.sp.];
 Metcalf 1965a,6(1):490 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Diestostemma lacteoguttatum Schmidt
 Diestostemma lacteoguttatum Schmidt 1910a:42
 [n.sp.]; Metcalf 1965a,6(1):490 [Cat.]
 DISTRIBUTION: Bolivia, Peru (Metcalf Cat.)
- Diestostemma limatum Melichar
 Diestostemma limatum Melichar 1924a:223 [n.sp.];
 Metcalf 1965a,6(1):490 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Diestostemma limbatipenne Schmidt
 Diestostemma limbatipenne Schmidt 1910a:44 [n.sp.];
 Metcalf 1965a,6(1):490 [Cat.]
 DISTRIBUTION: Colombia, Ecuador (Metcalf Cat.)
- Diestostemma multipunctatum Melichar
 Diestostemma multipunctatum Melichar 1924a:224
 [n.sp.]; Metcalf 1965a,6(1):491 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Diestostemma nasutum Schmidt
 Diestostemma nasutum Schmidt 1910a:58 [n.sp.];
 Metcalf 1965a,6(1):491 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Diestostemma nigropunctatum (Signoret)
 Tettigonia nigropunctata Signoret 1855c:527 [n.sp.];
 Metcalf 1965a,6(1):491 [Cat.]
 DISTRIBUTION: Mexico (Young 1968a)
- Diestostemma niveum Melichar
 Diestostemma niveum Melichar 1924a:216 [n.sp.];
 Metcalf 1965a,6(1):491 [Cat.]
 DISTRIBUTION: Colombia, Venezuela (Young 1968a)
- Diestostemma parvum Schmidt
 Diestostemma parvum Schmidt 1910a:55 [n.sp.];
 Metcalf 1965a,6(1):492 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Diestostemma pistor Schmidt
 Diestostemma pistor Schmidt 1910a:50 [n.sp.];
 Metcalf 1965a,6(1):492 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Diestostemma ptolyca Distant
 Diestostemma ptolyca Distant 1908b:82 [n.sp.];
 Metcalf 1965a,6(1):492 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Young 1968a)
- Diestostemma rufocirculum Schmidt
 Diestostemma rufocirculum Schmidt 1910a:43 [n.sp.];
 Metcalf 1965a,6(1):492 [Cat.]
 DISTRIBUTION: Venezuela, Colombia, Brazil (Young 1968a)
- Diestostemma ruforeticulatum Schmidt
 Diestostemma ruforeticulatum Schmidt 1910a:47
 [n.sp.]; Metcalf 1965a,6(1):492 [Cat.]
 DISTRIBUTION: Panama, Costa Rica (Metcalf Cat.)
- Diestostemma schmidti Melichar
 Diestostemma schmidti Melichar 1924a:222 [n.sp.];
 Metcalf 1965a,6(1):492 [Cat.]
- DISTRIBUTION: Costa Rica (Young 1968a)
- Diestostemma steinbachi Schmidt
 Diestostemma steinbachi Schmidt 1910a:56 [n.sp.];
 Metcalf 1965a,6(1):493 [Cat.]
 DISTRIBUTION: Bolivia (Young 1968a)
- Diestostemma stesilea Distant
 Diestostemma stesilea Distant 1908b:83 [n.sp.];
 Metcalf 1965a,6(1):493 [Cat.]
 DISTRIBUTION: Venezuela, Colombia, Bolivia, Peru (Young 1968a)
- Diestostemma truncatipenne Schmidt
 Diestostemma truncatipenne Schmidt 1911b:292
 [n.sp.]; Metcalf 1965a,6(1):493 [Cat.]
 DISTRIBUTION: Peru (Young 1968a)
- Diglenita peltastes Spinola
 Diglenita peltastes Spinola 1852b:130 [n.sp.]; Metcalf 1966c,6(15):142 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Dikraneura albatron Caldwell
 Dikraneura albatron Caldwell 1952 [in Caldwell & Martorell 1952a:103] [n.sp.]; Metcalf 1968a,6(17):141 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Dikraneura althaearoseae Caldwell & Martorell
 Dikraneura althaearoseae Caldwell & Martorell 1962b:88 [n.sp.]; Metcalf 1968a,6(17):141 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Dikraneura aneala Kirkaldy
 Dikraneura aneala Kirkaldy 1906c:360 [n.sp.];
 Metcalf 1968a,6(17):141 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Dikraneura ardea Ruppel & DeLong
 Dikraneura ardea Ruppel & DeLong 1953e:350
 [n.sp.]; Metcalf 1968a,6(17):142 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikraneura beameri Borland
 Dikraneura beameri Borland 1955a:159 [n.sp.];
 Metcalf 1968a,6(17):142 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikraneura contraria (Ribaut)
 Dikraneura contraria Ribaut 1936b:210 [n.sp.];
 Metcalf 1968a,6(17):143 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Dikraneura delicata Osborn
 Dikraneura delicata Osborn 1928a:273 [n.sp.]; Metcalf 1968a,6(17):143 [Cat.]
 DISTRIBUTION: Guatemala, Puerto Rico (Metcalf Cat.)
- Dikraneura feirde Beirne
 Dikraneura feirde Beirne 1952b:252 [n.sp.]; Metcalf 1968a,6(17):143 [Cat.]
 DISTRIBUTION: British Columbia (Metcalf Cat.)
- Dikraneura festiva (Rey)
 Dikraneura (Notus) festiva Rey 1891a:253 [n.sp.];
 Metcalf 1968a,6(17):144 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)

- Dikraneura franzi Wagner
Dikraneura franzi Wagner 1955a:174 [n.sp.]; Metcalf 1968a,6(17):144 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
- Dikraneura halberda Ruppel & DeLong
Dikraneura halberda Ruppel & DeLong 1953e:350 [n.sp.]; Metcalf 1968a,6(17):145 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikraneura honiala Kirkaldy
Dikraneura honiala Kirkaldy 1906c:360 [n.sp.]; Metcalf 1968a,6(17):145 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Dikraneura ignicollis (Lethierry)
Notus ignicollis Lethierry 1876a:lxxxvii [n.sp.]; Metcalf 1968a,6(17):145 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Dikraneura incisa (Then)
Dicraneura incisa Then 1897a:115 [n.sp.]; Metcalf 1968a,6(17):145 [Cat.]
DISTRIBUTION: Austria, Italy (Metcalf Cat.)
- Dikraneura lenensis Linnauori
Dikraneura lenensis Linnauori 1953a:116 [n.sp.]; Metcalf 1968a,6(17):146 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Dikraneura lentana DeLong
Dikraneura lents DeLong 1938b:218 [n.sp.]; Metcalf 1968a,6(17):146 [Cat.]
Dikraneura lentana DeLong 1945b:272 [nom.nov. for *Dikraneura lenta* DeLong 1938]; Metcalf 1968a,6(17):146 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dikraneura maorica Myers
Dikraneura maorica Myers 1923a:423 [n.sp.]; Metcalf 1968a,6(17):147 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Dikraneura micantula (Zetterstedt)
Cicadula micantula Zetterstedt 1840a:299 [n.sp.]; Metcalf 1968a,6(17):147 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Russia, Northern Africa (Metcalf Cat.)
- Dikraneura oculata (Lindberg)
Dicraneura oculata Lindberg 1929b:10 [n.sp.]; Metcalf 1968a,6(17):149 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Dikraneura ossia Beirne
Dikraneura ossia Beirne 1952b:251 [n.sp.]; Metcalf 1968a,6(17):149 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Dikraneura palustris (Ribaut)
Dicraneura palustris Ribaut 1936b:216 [n.sp.]; Metcalf 1968a,6(17):149 [Cat.]
DISTRIBUTION: France, Austria (Metcalf Cat.)
- Dikraneura panamana Osborn
Dikraneura panamana Osborn 1928a:272 [n.sp.]; Metcalf 1968a,6(17):149 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Dikraneura pavesii (Carlini)
Notus pavesii Carlini 1887a:275 [n.sp.]; Metcalf 1968a,6(17):149 [Cat.]
DISTRIBUTION: Italy, Switzerland, Mongolia, Hungary (Metcalf Cat.)
- Dikraneura pseudomarginella Caldwell
Dikraneura pseudomarginella Caldwell 1952 [in Caldwell & Martorell 1952a:106] [n.sp.]; Metcalf 1968a,6(17):150 [Cat.]
DISTRIBUTION: Guatemala, Panama, Puerto Rico, West Indies, United States (Metcalf Cat.)
- Dikraneura quinquepunctata (Melichar)
Dicraneura quinquepunctata Melichar 1900a:34 [n.sp.]; Metcalf 1968a,6(17):150 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Dikraneura rubica DeLong & Caldwell
Dikraneura (Notus) rubica DeLong & Caldwell 1937a:28 [n.sp.]; Metcalf 1968a,6(17):151 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dikraneura rubrala DeLong & Caldwell
Dikraneura (Notus) rubrala DeLong & Caldwell 1937a:26 [n.sp.]; Metcalf 1968a,6(17):151 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Dikraneura sachalinensis (Matsumura)
Dicraneura sachalinensis Matsumura 1911b:31 [n.sp.]; Metcalf 1968a,6(17):151 [Cat.]
DISTRIBUTION: Japan, Russia (Metcalf Cat.)
- Dikraneura seclusa (Horváth)
Erythria seclusa Horváth 1903a:19 [n.sp.]; Metcalf 1968a,6(17):152 [Cat.]
DISTRIBUTION: Serbia (Metcalf Cat.)
- Dikraneura sinuata (Then)
Dicraneura sinuata Then 1897a:112 [n.sp.]; Metcalf 1968a,6(17):152 [Cat.]
DISTRIBUTION: Hungary, Italy, Germany, Austria, France, Switzerland, Slovakia, Yugoslavia, Czech Republic (Metcalf Cat.)
- Dikraneura stigmatipennis (Mulsant & Rey)
Typhlocyba stigmatipennis Mulsant & Rey 1855a:245 [n.sp.]; Metcalf 1968a,6(17):153 [Cat.]
Typhlocyba quadripunctata Kirschbaum 1868b:179 [n.sp.]; Metcalf 1968a,6(17):153 [Cat.]
Notus pulcherrimus Horváth 1884a:320 [n.sp.]; Metcalf 1968a,6(17):153 [Cat.]
DISTRIBUTION: France, Italy, Russia, Turkey, Hungary, Serbia, Austria, Ukraine, Germany, Spain, Cyprus, Greece (Metcalf Cat.)
- Dikraneura stonei Ruppel & DeLong
Dikraneura stonei Ruppel & DeLong 1953e:349 [n.sp.]; Metcalf 1968a,6(17):154 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikraneura suffusa Osborn
Dikraneura suffusa Osborn 1928a:273 [n.sp.]; Metcalf 1968a,6(17):154 [Cat.]

- DISTRIBUTION: Guatemala (Metcalf Cat.)
Dikraneura termina DeLong & Caldwell
Dikraneura (Notus) termina DeLong & Caldwell
 1937a:62 [n.sp.]; Metcalf 1968a,6(17):154 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikraneura teucrii (Cerutti)
Dicranura teucrii Cerutti 1938a:189 [n.sp.]; Metcalf
 1968a,6(17):155 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
Dikraneura teucrii impunctata (Cerutti)
Dicranura teucrii impunctata Cerutti 1938a:190
 [n.subsp. of *teucrii*]; Metcalf 1968a,6(17):155
 [Cat.]
 DISTRIBUTION: no data given in Metcalf Cat.
Dikraneura teucrii incompleta (Cerutti)
Dicranura teucrii incompleta Cerutti 1938a:190
 [n.subsp. of *teucrii*]; Metcalf 1968a,6(17):155
 [Cat.]
 DISTRIBUTION: no data given in Metcalf Cat.
Dikraneura vittata Borland
Dikraneura vittata Borland 1955a:158 [n.sp.]; Metcalf
 1968a,6(17):155 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Dikraneura (Delongia) luna DeLong & Caldwell
Dikraneura (Notus) luna DeLong & Caldwell
 1937a:24 [n.sp.]; Metcalf 1968a,6(17):156 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Dikraneura (Dikraneura) abnormis (Walsh)
Chloroneura abnormis Walsh 1862a:149 [n.sp.];
 Metcalf 1968a,6(17):156 [Cat.]
 DISTRIBUTION: United States, Canada, West Indies
 (Metcalf Cat.)
Dikraneura (Dikraneura) absenta DeLong & Caldwell
Dikraneura (Notus) absenta DeLong & Caldwell
 1937a:28 [n.sp.]; Metcalf 1968a,6(17):159 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Dikraneura (Dikraneura) angustata Ball & DeLong
Dikraneura angustata Ball & DeLong 1925a:328
 [n.sp.]; Metcalf 1968a,6(17):159 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Dikraneura (Dikraneura) arcta DeLong & Caldwell
Dikraneura (Notus) arcta DeLong & Caldwell
 1937a:299 [n.sp.]; Metcalf 1968a,6(17):160 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikraneura (Dikraneura) aridella (Sahlberg)
Notus aridellus Sahlberg 1871a:167 [n.sp.]; Metcalf
 1968a,6(17):160 [Cat.]
Notus cephalotes Lethierry 1874a:272 [n.sp.]; Metcalf
 1968a,6(17):160 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia (Metcalf Cat.)
Dikraneura (Dikraneura) arizona DeLong & Caldwell
Dikraneura (Notus) arizona DeLong & Caldwell
 1937a:26 [n.sp.]; Metcalf 1968a,6(17):163 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Dikraneura (Dikraneura) carneola (Stål)
Typhlocyba carneola Stål 1858e:196 [n.sp.]; Metcalf
 1968a,6(17):164 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico
 (Metcalf Cat.)
Dikraneura (Dikraneura) carneola shoshone DeLong &
 Caldwell
Dikraneura (Notus) shoshone DeLong & Caldwell
 1937a:27 [n.subsp. of *carneola*]; Metcalf
 1968a,6(17):166 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikraneura (Dikraneura) carneola sitkana Ball & DeLong
Dikraneura carneola sitkana Ball & DeLong
 1925a:330 [n.subsp. of *carneola*]; Metcalf
 1968a,6(17):166 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikraneura (Dikraneura) communis (Gillette)
Dicranura communis Gillette 1898a:718 [n.sp.];
 Metcalf 1968a,6(17):167 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico
 (Metcalf Cat.)
Dikraneura (Dikraneura) hungerfordi Lawson
Dikraneura hungerfordi Lawson 1930e:39 [n.sp.];
 Metcalf 1968a,6(17):167 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico
 (Metcalf Cat.)
Dikraneura (Dikraneura) latacephala Beamer
Dikraneura latacephala Beamer 1943b:57 [n.sp.];
 Metcalf 1968a,6(17):168 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico
 (Metcalf Cat.)
Dikraneura (Dikraneura) mali (Provancher)
Erythroneura mali Provancher 1890a:297 [n.sp.];
 Metcalf 1968a,6(17):168 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Dikraneura (Dikraneura) manderstjernii (Kirschbaum)
Typhlocyba manderstjernii Kirschbaum 1868b:181
 [n.sp.]; Metcalf 1968a,6(17):170 [Cat.]
Notus dilatatus Fieber 1872a:14 [nom.nov. for *Notus*
manderstjernii Kirschbaum 1868]; Metcalf
 1968a,6(17):170 [Cat.]
 DISTRIBUTION: Widespread Europe (Metcalf Cat.)
Dikraneura (Dikraneura) montandoni (Puton)
Notus (Erythria) montandoni Puton 1800a:lx
 [n.sp.]; Metcalf 1968a,6(17):172 [Cat.]
 DISTRIBUTION: Romania, Czech Republic, Poland,
 Austria, Ukraine, Slovakia, Italy, Hungary,
 Germany (Metcalf Cat.)
Dikraneura (Dikraneura) retusa Beamer
Dikraneura retusa Beamer 1943b:55 [n.sp.]; Metcalf
 1968a,6(17):173 [Cat.]

- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) robusta Lawson
Dikraneura robusta Lawson 1930e:41 [n.sp.]; Metcalf 1968a,6(17):174 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) rufula (Gillette)
Dicraneura rufula Gillette 1898a:720 [n.subsp. of abnormis]; Metcalf 1968a,6(17):174 [Cat.]
- DISTRIBUTION: United States, Canada, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) serrata DeLong & Caldwell
Dikraneura (*Notus*) serrata DeLong & Caldwell 1937a:24 [n.sp.]; Metcalf 1968a,6(17):175 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) torta DeLong & Caldwell
Dikraneura (*Notus*) torta DeLong & Caldwell 1937a:25 [n.sp.]; Metcalf 1968a,6(17):175 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) ungulata Beamer
Dikraneura ungulata Beamer 1943b:55 [n.sp.]; Metcalf 1968a,6(17):175 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) urbana Ball & DeLong
Dikraneura urbana Ball & DeLong 1925a:329 [n.subsp. of abnormis]; Metcalf 1968a,6(17):176 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Dikraneura (*Dikraneura*) variata Hardy
Dikraneura variata Hardy 1850a:423 [n.sp.]; Metcalf 1968a,6(17):176 [Cat.]
- Notus agnatus* Lethierry 1874a:273 [n.sp.]; Metcalf 1968a,6(17):176 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, Turkey, Italy, United States (Metcalf Cat.)
- Dikrella* albidula Ruppel & DeLong
Dikrella albidula Ruppel & DeLong 1952a:91 [n.sp.]; Metcalf 1968a,6(17):270 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikrella* angustella Ruppel & DeLong
Dikrella angustella Ruppel & DeLong 1952a:90 [n.sp.]; Metcalf 1968a,6(17):270 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikrella* aureocosta Ruppel & DeLong
Dikrella aureocosta Ruppel & DeLong 1952a:91 [n.sp.]; Metcalf 1968a,6(17):270 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Dikrella* bimaculata Ruppel & DeLong
Dikrella bimaculata Ruppel & DeLong 1952a:89 [n.sp.]; Metcalf 1968a,6(17):270 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella crocea Ruppel & DeLong
Dikrella crocea Ruppel & DeLong 1953a:1 [n.sp.]; Metcalf 1968a,6(17):270 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella dentata Ruppel & DeLong
Dikrella dentata Ruppel & DeLong 1953a:3 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella duplica Ruppel & DeLong
Dikrella duplica Ruppel & DeLong 1953a:4 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella eburnea Ruppel & DeLong
Dikrella eburnea Ruppel & DeLong 1953a:8 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella exila Ruppel & DeLong
Dikrella exila Ruppel & DeLong 1953a:2 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella gilva Ruppel & DeLong
Dikrella gilva Ruppel & DeLong 1953a:8 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella lurida Ruppel & DeLong
Dikrella lurida Ruppel & DeLong 1953a:3 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella mella Ruppel & DeLong
Dikrella mella Ruppel & DeLong 1952a:90 [n.sp.]; Metcalf 1968a,6(17):271 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella nigrinota Ruppel & DeLong
Dikrella nigrinota Ruppel & DeLong 1952a:89 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella opala Ruppel & DeLong
Dikrella opala Ruppel & DeLong 1953a:2 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella rubralineata Ruppel & DeLong
Dikrella rubralineata Ruppel & DeLong 1952a:91 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella rubranota Ruppel & DeLong
Dikrella rubranota Ruppel & DeLong 1952a:95 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella rubrapuncta Ruppel & DeLong
Dikrella rubrapuncta Ruppel & DeLong 1952a:94 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella scarlatina Ruppel & DeLong
Dikrella scarlatina Ruppel & DeLong 1952a:94 [n.sp.]; Metcalf 1968a,6(17):272 [Cat.]

- DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella scinda Ruppel & DeLong
Dikrella scinda Ruppel & DeLong 1953a:4 [n.sp.];
 Metcalf 1968a,6(17):272 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella unica Ruppel & DeLong
Dikrella unica Ruppel & DeLong 1953a:6 [n.sp.];
 Metcalf 1968a,6(17):273 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella venella Ruppel & DeLong
Dikrella venella Ruppel & DeLong 1952a:90 [n.sp.];
 Metcalf 1968a,6(17):273 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Dikrella (Dikrella) aegra (Beamer)
Dikraneura aegra Beamer 1936c:55 [nom.nov. for
Dikraneura mera Beamer 1936a]; Metcalf
 1968a,6(17):273 [Cat.]
Dikraneura mera Beamer 1936a:7 [n.sp.]; Metcalf
 1968a,6(17):273 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) affinis (Osborn)
Dikraneura affinis Osborn 1928a:269 [n.sp.]; Metcalf
 1968a,6(17):273 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
Dikrella (Dikrella) albonasa (McAtee)
Dikraneura (Dikraneura) albonasa McAtee 1926b:159
 [n.sp.]; Metcalf 1968a,6(17):273 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Dikrella (Dikrella) californica (Lawson)
Dikraneura californica Lawson 1930e:35 [n.sp.];
 Metcalf 1968a,6(17):274 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) californica imbellis (Lawson)
Dikraneura californica imbellis Lawson 1930e:37
 [n.subsp. of *californica*]; Metcalf 1968a,6(17):274
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) cockerelli (Gillette)
Dicraneura cockerelli Gillette 1895a:14 [n.sp.];
 Metcalf 1968a,6(17):275 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) cruentata (Gillette)
Dicraneura cruentata Gillette 1898a:717 [n.sp.];
 Metcalf 1968a,6(17):276,277 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Dikrella (Dikrella) cruentata kansiensis (Lawson)
Dikraneura cruentata kansiensis Lawson 1930e:38
 [n.sp.]; Metcalf 1968a,6(17):277 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) cruentata lavata (McAtee)
Dikraneura cruentata lavata McAtee 1924a:75
 [n.subsp. of *cruentata*]; Metcalf 1968a,6(17):278
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) cruentata rubricata (McAtee)
Dikraneura cruentata rubricata McAtee 1924a:75
 [n.subsp. of *cruentata*]; Metcalf 1968a,6(17):278
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) debilis (McAtee)
Dikraneura (Dikraneura) debilis McAtee 1926b:160
 [n.sp.]; Metcalf 1968a,6(17):278 [Cat.]
 DISTRIBUTION: Costa Rica, Panama, Cuba, United
 States (Metcalf Cat.)
Dikrella (Dikrella) fumida (Osborn)
Dikraneura (Hyloidea) fumida Osborn 1928a:276
 [n.sp.]; Metcalf 1968a,6(17):279 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
Dikrella (Dikrella) hamar (DeLong & Ross)
Dikraneura hamar DeLong & Ross 1950a:87 [n.sp.];
 Metcalf 1968a,6(17):279 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) maculata (Gillette)
Dicraneura maculata Gillette 1898a:716 [n.sp.];
 Metcalf 1968a,6(17):279 [Cat.]
Dicraneura celtidis Osborn 1928b:344 [n.sp.]; Metcalf
 1968a,6(17):279 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) mera (McAtee)
Dikraneura mera McAtee 1924a:76 [n.sp.]; Metcalf
 1968a,6(17):280 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Dikrella) pusilla (Lawson)
Dikraneura pusilla Lawson 1930e:37 [n.sp.]; Metcalf
 1968a,6(17):280 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Dikrella (Readionia) cedrelae (Oman)
Dikraneura cedrelae Oman 1937d:569 [n.sp.]; Metcalf
 1968a,6(17):281 [Cat.]
 DISTRIBUTION: Puerto Rico, Cuba (Metcalf Cat.)
Dikrella (Readionia) readionis (Lawson)
Dikraneura readionis Lawson 1930e:39 [n.sp.];
 Metcalf 1968a,6(17):281 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Dikrellidia bilineata (Osborn)
Dikraneura bilineata Osborn 1928a:270 [n.sp.];
 Metcalf 1968a,6(17):282 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
Dilobopterus bimaculatus Signoret
Dilobopterus bimaculatus Signoret 1850b:286 [n.sp.];
 Metcalf 1965a,6(1):200 [Cat.]
 DISTRIBUTION: French Guiana, Guyana (Young
 1977a)
Dilobopterus burmeisteri Signoret
Dilobopterus burmeisteri Signoret 1850b:286 [n.sp.];
 Metcalf 1965a,6(1):200 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Dilobopterus demissus (Fabricius)
Cicada demissa Fabricius 1803a:73 [n.sp.]; Metcalf
 1965a,6(1):201 [Cat.]

- Tettigonia cephalotes* Walker 1851b:759 [n.sp.];
Metcalf 1965a,6(1):201 [Cat.]
- Tettigonia multicolor* Walker 1851b:760 [n.sp.];
Metcalf 1965a,6(1):201 [Cat.]
- DISTRIBUTION: Panama, Colombia, French Guiana, Guyana, Ecuador, Peru, Bolivia, Brazil (Young 1977a)
- Dilobopterus discoideus* (Fabricius)
Cicada discoidea Fabricius 1803a:73 [n.sp.]; Metcalf 1965a,6(1):202 [Cat.]
- DISTRIBUTION: South America (Young 1977a)
- Dilobopterus dispar* (Germar)
Tettigonia dispar Germar 1821a:71 [n.sp.]; Metcalf 1965a,6(1):202 [Cat.]
- Dilobopterus decoratus* Signoret 1850b:285 [n.sp.]; Metcalf 1965a,6(1):202 [Cat.]
- DISTRIBUTION: Bolivia, Brazil, Uruguay, Argentina (Young 1977a)
- Dilobopterus exaltatus* (Fabricius)
Cicada exaltata Fabricius 1803a:71 [n.sp.]; Metcalf 1965a,6(1):203 [Cat.]
- DISTRIBUTION: French Guiana, Guyana, Peru, Bolivia, Brazil (Young 1977a)
- Dilobopterus hexapterus* (Burmeister)
Tettigonia hexaptera Burmeister 1835a:118 [n.sp.]; Metcalf 1965a,6(1):203 [Cat.]
- DISTRIBUTION: Suriname, Brazil (Metcalf Cat.)
- Dilobopterus klugi* Signoret
Dilobopterus klugi Signoret 1850b:287 [n.sp.]; Metcalf 1965a,6(1):204 [Cat.]
- DISTRIBUTION: French Guiana (Young 1977a)
- Dilobopterus laetus* (Walker)
Dilobopterus fervens Walker 1851b:809 [n.sp.]; Metcalf 1965a,6(1):204 [Cat.]
- Tettigonia laeta* Walker 1851b:748 [n.sp.]; Metcalf 1965a,6(1):204 [Cat.]
- DISTRIBUTION: Brazil (Young 1977a)
- Dilobopterus quinquesignatus* (Walker)
Tettigonia quinquesignata Walker 1858b:194 [n.sp.]; Metcalf 1965a,6(1):205 [Cat.]
- Tettigonia multivirgata* Stål 1864a:73 [n.sp.]; Metcalf 1965a,6(1):205 [Cat.]
- DISTRIBUTION: Mexico, Panama (Young 1977a)
- Dilobopterus stolli* Signoret
Dilobopterus stolli Signoret 1850b:287 [n.sp.]; Metcalf 1965a,6(1):205 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, Panama, Colombia, Venezuela, Guyana (Young 1977a)
- Dilobopterus syrphoidulus* (Jacobi)
Tettigoniella (*Dilobopterus*) *syrphoidula* Jacobi 1905c:170 [n.sp.]; Metcalf 1965a,6(1):205 [Cat.]
- DISTRIBUTION: Ecuador, Peru, Bolivia, Brazil (Young 1977a)
- Dilobopterus trinotatus* (Signoret)
Dilobopterus trifasciatus Signoret 1850b:288 [n.sp.]; Metcalf 1965a,6(1):205 [Cat.]
- Tettigonia trinotata* Signoret 1853a:39 [nom.nov. for *Dilobopterus trifasciatus* Signoret 1850]; Metcalf 1965a,6(1):205 [Cat.]
- DISTRIBUTION: Brazil (Young 1977a)
- Dilobopterus varius* Osborn
Dilobopterus varius Osborn 1926b:172 [n.sp.]; Metcalf 1965a,6(1):206 [Cat.]
- DISTRIBUTION: Guyana, French Guiana (Metcalf Cat.)
- Dilobopterus vicinus* (Signoret)
Tettigonia vicina Signoret 1853a:35 [n.sp.]; Metcalf 1965a,6(1):206 [Cat.]
- DISTRIBUTION: Colombia, Bolivia, Brazil, Paraguay (Young 1977a)
- Dilobopterus windmülleri* [sic] (Berg)
Tettigonia (*Dilobopterus*) *windmuelleri* Berg 1884a:20 [n.sp.]; Metcalf 1965a,6(1):206 [Cat.]
- DISTRIBUTION: Uruguay (Metcalf Cat.)
- Dio* *facialis* Distant
Dio facialis Distant 1918b: 56 [n.sp.]; Metcalf 1967a, 6(10a): 419 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
- Diplocolenoidae* macilenta (Horváth)
Thamnotettix macilentus Horváth 1904b: 586 [n.sp.]; Metcalf 1967a, 6(10a): 954 [Cat.]
- Diplocolenoidae* turkestanica Linnauvori 1953d: 59 [n.sp.]; Metcalf 1967a, 6(10a): 954 [Cat.]
- DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Diplocolenoidae* peregrina Linnauvori
Diplocolenoidae peregrina Linnauvori 1953d: 59 [n.sp.]; Metcalf 1967a, 6(10a): 954 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Diplocolenus bennsoni* (China)
Euscelis bennsoni China 1933b: 107 [n.sp.]; Metcalf 1967b, 6(10b): 1334 [Cat.]
- DISTRIBUTION: Scotland, England, Netherlands (Metcalf Cat.)
- Diplocolenus configuratus* (Uhler)
Deltocephalus configuratus Uhler 1878a: 511 [n.sp.]; Metcalf 1967b, 6(10b): 1334 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Diplocolenus limbatus* (Zetterstedt)
Cicada limbata Zetterstedt 1828a: 522 [n.subsp. of *abdominalis*]; Metcalf 1967b, 6(10b): 1338 [Cat.]
- DISTRIBUTION: Scandinavia, Russia (Metcalf Cat.)
- Diplocolenus melichari* Dlabola
Diplocolenus melichari Dlabola 1951a: 12 [n.sp.]; Metcalf 1967b, 6(10b): 1340 [Cat.]
- DISTRIBUTION: Georgia (Metcalf Cat.)
- Diplocolenus nasti* (Wagner)
Deltocephalus nasti Wagner 1939a: 168 [n.sp., not nom.nov.]; Metcalf 1967b, 6(10b): 1340 [Cat.]
- DISTRIBUTION: Czech Republic (Metcalf Cat.)

- Diplocolenus nigricans* (Kirschbaum)
Jassus (*Deltocephalus*) *nigricans* Kirschbaum 1868b:
 130 [n.sp.]; Metcalf 1967b, 6(10b): 1340 [Cat.]
DISTRIBUTION: Italy, Switzerland, France,
 Belgium, Germany, Czech Republic (Metcalf Cat.)
- Diplocolenus nigrifrons* (Kirschbaum)
Jassus (*Deltocephalus*) *nigrifrons* Kirschbaum 1868b:
 139 [n.sp.]; Metcalf 1967b, 6(10b): 1341 [Cat.]
Deltocephalus ensatus Then 1897a: 109 [n.sp.];
 Metcalf 1967b, 6(10b): 1341 [Cat.]
- Diplocolenus parcanicus* Dlabola 1948a: 6,7 [n.sp.];
 Metcalf 1967b, 6(10b): 1342 [Cat.]
DISTRIBUTION: Austria, Germany, Hungary,
 Turkey, Norway, Denmark, Slovakia, Russia,
 Georgia, Azerbaijan, Japan (Metcalf Cat.)
- Diplocolenus signatus* (Haupt)
Deltocephalus signatus Haupt 1917d: 245 [n.sp.];
 Metcalf 1967b, 6(10b): 1343 [Cat.]
DISTRIBUTION: Bulgaria, Ukraine, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan
 (Metcalf Cat.)
- Diplocolenus turkestanica* Linnauori
Diplocolenus turkestanica Linnauori 1953d: 59
 [n.sp.]; Metcalf 1967b, 6(10b): 1343 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Diplocolenus* (*Diplocolenus*) *bohemani* [sic] (Zetterstedt)
Cicada bohemanni Zetterstedt 1840a: 290 [n.sp.];
 Metcalf 1967b, 6(10b): 1344, 1347 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Russia, Scandinavia, western Mediterranean
 region, Northern Africa (Metcalf Cat.)
- Diplocolenus* (*Diplocolenus*) *bohemani*[sic]*calceolatus*
 (Bohemian)
Deltocephalus bohemanni calceolatus Boheman
 1945a: 23 [n.sp.]; Metcalf 1967b, 6(10b): 1347
 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Russia, Scandinavia, western Mediterranean
 region, Northern Africa (Metcalf Cat.)
- Diplocolenus* (*Diplocolenus*) *frauenfeldi* (Fieber)
Deltocephalus frauenfeldi Fieber 1869a: 206 [n.sp.];
 Metcalf 1967b, 6(10b): 1351 [Cat.]
DISTRIBUTION: Austria, Germany, Spain, Russia,
 France, Portugal, Hungary, Turkey, Belgium,
 Kazakhstan, Kirghizia, Tadzhikistan,
 Turkmenistan, Uzbekistan (Metcalf Cat.)
- Diplocolenus* (*Diplocolenus*) *tiaratus* (Fieber)
Deltocephalus tiaratus Fieber 1869a: 204 [n.sp.];
 Metcalf 1967b, 6(10b): 1353 [Cat.]
DISTRIBUTION: Germany, Austria, France, Russia,
 Belgium, Romania, Bulgaria (Metcalf Cat.)
- Diplocolenus* (*Erdianus*) *penthopittus* (Walker)
Bythoscopus penthopitta Walker 1851b: 864 [n.sp.];
 Metcalf 1967b, 6(10b): 1354, 1356 [sic] [Cat.]
- Acocephalus sudeticus* Kolenati 1860a: 390 [n.sp.];
 Metcalf 1967b, 6(10b): 1354 [Cat.]
- Deltocephalus quadrivirgatus* Horváth 1884a: 319
 [n.sp.]; Metcalf 1967b, 6(10b): 1354 [Cat.]
DISTRIBUTION: France, Switzerland, Italy,
 Hungary, Czech Republic, Romania, Germany,
 Austria (Metcalf Cat.)
- Diplocolenus* (*Erdianus*) *penthopittus* humidus (Lang)
Deltocephalus penthopittus humidus Lang 1947a:
 25,27 [n.subsp. of *sudeticus*]; Metcalf 1967b,
 6(10b): 1356 [Cat.]
DISTRIBUTION: Czech Republic (Metcalf Cat.)
- Diplocolenus* (*Erdianus*) *penthopittus* typicus (Lang)
Deltocephalus penthopittus typicus Lang 1947a: 25,27
 [n.subsp. of *sudeticus*]; Metcalf 1967b, 6(10b):
 1356 [Cat.]
DISTRIBUTION: Czech Republic (Metcalf Cat.)
- Diplocolenus* (*Erdianus*) *penthopittus* unicolor (Lang)
Deltocephalus penthopittus unicolor Lang 1947a:
 25,27 [n.subsp. of *sudeticus*]; Metcalf 1967b,
 6(10b): 1356 [Cat.]
DISTRIBUTION: Czech Republic (Metcalf Cat.)
- Discocephalana viridis* (Kirschbaum)
Discocephalus viridis Kirschbaum 1858b:356 [n.sp.];
 Metcalf 1966c,6(15):141 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Distantia frontalis* Signoret
Distantia frontalis Signoret 1880a:66 [n.sp.]; Metcalf
 1966c,6(15):180 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Distantia maculithorax* Jacobi
Distantia maculithorax Jacobi 1910b:126 [n.sp.];
 Metcalf 1966c,6(15):180 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Divitiacus primus* Distant
Divitiacus primus Distant 1918b: 59 [n.sp.]; Metcalf
 1967a, 6(10a): 419 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Divus bipunctatus* (Melichar)
Eutettix bipunctatus Melichar 1903b:192 [n.sp.];
 Metcalf 1966c,6(15):138 [Cat.]
DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
- Dixianus utahnuus* (Ball)
Phlepsius utahnuus Ball 1909a: 79 [n.sp.]; Metcalf
 1967a, 6(10a): 573 [Cat.]
- Eutettix ziczac* Crumb 1915a: 195 [n.sp.]; Metcalf
 1967a, 6(10a): 573 [Cat.]
- Phlepsius* (*Dixianus*) *arizonus* Osborn & Lathrop
 1923a: 316 [n.sp.]; Metcalf 1967a, 6(10a): 574
 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Docotettix cornutus* Ribaut
Docotettix cornutus Ribaut 1948a: 12 [n.sp.]; Metcalf
 1967a, 6(10a): 390 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)

- Doda laudata Distant
Doda laudata Distant 1908f:145 [n.sp.]; Metcalf 1964b,6(11):31 [Cat.]
 DISTRIBUTION: Malaysia, Borneo, Thailand (Metcalf Cat.)
- Doleranus kinonanus Ball
Doleranus kinonanus Ball 1936g: 432 [n.sp.]; Metcalf 1967b, 6(10b): 1276 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Doleranus longulus (Gillette & Baker)
Thamnotettix longula Gillette & Baker 1895a: 97 [n.sp.]; Metcalf 1967b, 6(10b): 1276 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Doleranus lucidus (Baker)
Thamnotettix lucida Baker 1895a: 12 [n.sp.]; Metcalf 1967b, 6(10b): 1278 [Cat.]
Thamnotettix delta Ball 1916b: 205 [n.sp.]; Metcalf 1967b, 6(10b): 1278 [Cat.]
- Chlorotettix acus* DeLong & Davidson 1934b: 223 [n.sp.]; Metcalf 1967b, 6(10b): 1278 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Doleranus vividus (Crumb)
Chlorotettix vivida Crumb 1915a: 197 [n.sp.]; Metcalf 1967b, 6(10b): 1279 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Doliottetix lunulatus (Zetterstedt)
Cicada pallens Zetterstedt 1828a: 522 [n.sp.]; Metcalf 1967b, 6(10b): 2032 [Cat.]
Thamnotettix lunulata Zetterstedt 1840a: 295 [n.sp.]; Metcalf 1967b, 6(10b): 2032 [Cat.]
- Thamnotettix kuhlgatzi* Matsumura 1900a: 232 [n.sp.]; Metcalf 1967b, 6(10b): 2033 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Russia, China (Metcalf Cat.)
- Donidea verticis (Baker)
Typhlocyba verticis Baker 1903d:8 [n.sp.]; Metcalf 1968a,6(17):194 [Cat.]
 DISTRIBUTION: Nicaragua, Guatemala, Bolivia (Metcalf Cat.)
- Doradana lativentris (Melichar)
Dorada lativentris Melichar 1902 [in Kuhlgatz & Melichar 1902a:276] [n.sp.]; Metcalf 1966c,6(15):141 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Doratulina japonica Matsumura
Doratulina japonica Matsumura 1914a: 233 [n.sp.]; Metcalf 1967b, 6(10b): 1584 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Doratulina jocosa Melichar
Doratulina jocosa Melichar 1903b: 199 [n.sp.]; Metcalf 1967b, 6(10b): 1584 [Cat.]
 DISTRIBUTION: Sri Lanka, Japan (Metcalf Cat.)
- Doratulina koreana Matsumura
Doratulina koreana Matsumura 1915a: 162 [n.sp.]; Metcalf 1967b, 6(10b): 1584 [Cat.]
 DISTRIBUTION: Korea (Metcalf Cat.)
- Doratulina macrocephala Singh-Pruthi
Doratulina macrocephala Singh-Pruthi 1936a: 110 [n.sp.]; Metcalf 1967b, 6(10b): 1584 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Doratulina orientalis Matsumura
Doratulina orientalis Matsumura 1914a: 233 [n.sp.]; Metcalf 1967b, 6(10b): 1584 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Doratura caucasica Melichar
Doratura caucasica Melichar 1913a:329 [n.sp.]; Metcalf 1963c,6(8):231 [Cat.]
 DISTRIBUTION: Russia, Georgia, Azerbaijan, Armenia (Metcalf Cat.)
- Doratura concors Horváth
Doratura concors Horváth 1903b:456 [n.sp.]; Metcalf 1963c,6(8):232 [Cat.]
 DISTRIBUTION: Hungary, Austria, Herzegovina, Czech Republic (Metcalf Cat.)
- Doratura exilis Horváth
Doratura exilis Horváth 1903b:454 [n.sp.]; Metcalf 1963c,6(8):232 [Cat.]
 DISTRIBUTION: Hungary, Serbia, Bosnia, Austria, Russia, Germany, Poland, Czech Republic, Slovakia, Sweden, France, Yugoslavia, Italy (Metcalf Cat.)
- Doratura heterophyla Horváth
Doratura heterophyla Horváth 1903a:22 [n.sp.]; Metcalf 1963c,6(8):233 [Cat.]
 DISTRIBUTION: Hungary, Serbia, Greece (Metcalf Cat.)
- Doratura homophyla (Flor)
Jassus (Athysanus) homophyla Flor 1861a:276 [n.sp.]; Metcalf 1963c,6(8):233 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Baltic region, Russia (Metcalf Cat.)
- Doratura horváthi [sic] Wagner
Doratura horvathi Wagner 1939a:156 [n.sp.]; Metcalf 1963c,6(8):237 [Cat.]
 DISTRIBUTION: Germany, Netherlands (Metcalf Cat.)
- Doratura impudica Horváth
Doratura impudica Horváth 1897b:629 [n.sp.]; Metcalf 1963c,6(8):237 [Cat.]
 DISTRIBUTION: Hungary, Serbia, France, Herzegovina, Austria, England, Denmark, Sweden, Poland, Czech Republic, Bulgaria, Netherlands (Metcalf Cat.)
- Doratura ivanovi Kusnezov
Doratura ivanovi Kusnezov 1928c:47 [n.sp.]; Metcalf 1963c,6(8):239 [Cat.]
 DISTRIBUTION: Russia, Ukraine (Metcalf Cat.)
- Doratura littoralis Kuntze
Doratura littoralis Kuntze 1937a:311 [n.subsp. of homophyla]; Metcalf 1963c,6(8):239 [Cat.]
 DISTRIBUTION: Germany, Netherlands (Metcalf Cat.)

- Doratura lukjanovitshi Kusnezov
Doratura lukjanovitshi Kusnezov 1929b:177 [n.sp.];
 Metcalf 1963c,6(8):239 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Doratura paludosa Melichar
Doratura paludosa Melichar 1897a:70 [n.sp.]; Metcalf
 1963c,6(8):239 [Cat.]
 DISTRIBUTION: Bosnia, Herzovina, Croatia
 (Metcalf Cat.)
- Doratura rusaevi Kusnezov
Doratura rusaevi Kusnezov 1928d:231 [n.sp.]; Metcalf
 1963c,6(8):240 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Doratura salina Horváth
Doratura salina Horváth 1903b:457 [n.sp.]; Metcalf
 1963c,6(8):240 [Cat.]
 DISTRIBUTION: Hungary (Metcalf Cat.)
- Doratura semenovi Kusnezov
Doratura semenovi Kusnezov 1925a:111 [n.sp.];
 Metcalf 1963c,6(8):240 [Cat.]
 DISTRIBUTION: Ukraine (Metcalf Cat.)
- Doratura stylata macroptera Kusnezov
Doratura stylata macroptera Kusnezov 1928c:47
 [n.subsp. of *stylata*]; Metcalf 1963c,6(8):247 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Doratura stylatus (Bohemian)
Athyanus [sic] *stylatus* Boheman 1847a:31 [n.sp.];
 Metcalf 1963c,6(8):240 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Russia, Baltic Region,
 United States, Northern Africa (Metcalf Cat.)
- Doraturopsis desertorum (Kusnezov)
Doratura desertorum Kusnezov 1938a: 222 [n.sp.];
 Metcalf 1967a, 6(10a): 955 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Doraturopsis fergana (Kusnezov)
Doratura fergana Kusnezov 1938a: 225 [n.sp.];
 Metcalf 1967a, 6(10a): 955 [Cat.]
 DISTRIBUTION: Uzbekistan (Metcalf Cat.)
- Doraturopsis heros (Melichar)
Doratura heros Melichar 1902c: 126 [n.sp.]; Metcalf
 1967a, 6(10a): 955 [Cat.]
Doraturopsis acutus Lindberg 1935c: 423 [n.sp.];
 Metcalf 1967a, 6(10a): 955 [Cat.]
 DISTRIBUTION: Iran, China (Metcalf Cat.)
- Doraturopsis macrocephala (Kusnezov)
Doratura macrocephala Kusnezov 1938a: 227 [n.sp.];
 Metcalf 1967a, 6(10a): 956 [Cat.]
 DISTRIBUTION: Kazakhstan, western China
 (Metcalf Cat.)
- Doraturopsis microcephala (Kusnezov)
Doratura microcephala Kusnezov 1938a: 229 [n.sp.];
 Metcalf 1967a, 6(10a): 956 [Cat.]
 DISTRIBUTION: Kazakhstan, western China
 (Metcalf Cat.)
- Doraturopsis pallida (Kusnezov)
- Adoratura pallida* Kusnezov 1938a: 228 [n.sp.];
 Metcalf 1967a, 6(10a): 956 [Cat.]
 DISTRIBUTION: Ukraine (Metcalf Cat.)
- Doraturopsis zolotovi* (Kusnezov)
Doratura zolotovi Kusnezov 1929a: 316 [n.sp.];
 Metcalf 1967a, 6(10a): 956 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Dorycephalus (Attenuipyga) brevis* Beamer
Dorycephalus brevis Beamer 1942a:55 [n.sp.];
 Metcalf 1963d,6(9):73 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorycephalus (Attenuipyga) delongi* Knoll
Dorycephalus delongi Knoll 1941a:437 [n.sp.];
 Metcalf 1963d,6(9):73 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorycephalus (Attenuipyga) knulli* Sanders & DeLong
Dorycephalus knulli Sanders & DeLong 1923a:151
 [n.sp.]; Metcalf 1963d,6(9):73 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorycephalus (Attenuipyga) vanduzeei* [sic] Osborn & Ball
Dorycephalus vanduzeei Osborn & Ball 1898f:74
 [n.sp.]; Metcalf 1963d,6(9):74 [Cat.]
- Dorycephalus vanduzeei* DeLong & Knoll
 1946a:26[implicit emend. of *Dorycephalus*
vanduzeei Osb.&Ball 1898]; Metcalf 1963d,6(9):74
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorycephalus (Dorycephalus) baeri* Kouchakewitch
Dorycephalus baeri Kouchakewitch 1866a:103 [n.sp.];
 Metcalf 1963d,6(9):70 [Cat.]
 DISTRIBUTION: Russia, Hungary (Metcalf Cat.)
- Dorycephalus (Dorycephalus) minor* Osborn
Dorycephalus platyrhynchus minor Osborn 1920a:154
 [n.sp.]; Metcalf 1963d,6(9):70 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorycephalus (Dorycephalus) platyrhynchus* Osborn
Dorycephalus platyrhynchus Osborn 1894a:216
 [n.sp.]; Metcalf 1963d,6(9):71 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Dorycephalus (Dorycephalus) sinuatus* Beamer
Dorycephalus sinuatus Beamer 1942c:135 [n.sp.];
 Metcalf 1963d,6(9):73 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorydiella floridana* Baker
Dorydiella floridana Baker 1897c: 159 [n.sp.]; Metcalf
 1967c, 6(10c): 2344 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Dorydiella kansana* Beamer

- Dorydiella kansana* Beamer 1945a: 48 [n.sp.]; Metcalf 1967c, 6(10c): 2345 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Drabescus angulatus* Signoret
Drabescus angulatus Signoret 1880b:210 [n.sp.]; Metcalf 1966c,6(15):173 [Cat.]
DISTRIBUTION: India, Sri Lanka (Metcalf Cat.)
- Drabescus atratus* Kato
Drabescus atratus Kato 1933r:456 [n.sp.]; Metcalf 1966c,6(15):173 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Drabescus breviolus* Matsumura
Dabrescus [sic] *breviolus* Matsumura 1912b:292 [n.sp.]; Metcalf 1966c,6(15):174 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus conspicuus* Distant
Drabescus conspicuus Distant 1908g:306 [n.sp.]; Metcalf 1966c,6(15):174 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, India, Taiwan, Philippines (Metcalf Cat.)
- Drabescus costalis* Distant
Dabrescus [sic] *costalis* Distant 1908f:146 [n.sp.]; Metcalf 1966c,6(15):174 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Drabescus elongatus* Matsumura
Dabrescus [sic] *elongatus* Matsumura 1912b:292 [n.sp.]; Metcalf 1966c,6(15):174 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus formosanus* Matsumura
Dabrescus [sic] *formosanus* Matsumura 1912b:294 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Drabescus kempfi* Singh-Pruthi
Drabescus kempfi Singh-Pruthi 1930a:36 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Drabescus laetisigna* (Walker)
Bythoscopus laetisigna Walker 1857b:174 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: Borneo, Myanmar (Metcalf Cat.)
- Drabescus limbaticeps* (Stål)
Selenocephalus limbaticeps Stål 1858d:453 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Drabescus metallicus* (Walker)
Bythoscopus metallicus Walker 1857b:173 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Drabescus nakanensis* Matsumura
Dabrescus [sic] *nakanensis* Matsumura 1912b:293 [n.sp.]; Metcalf 1966c,6(15):175 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus natalensis* Distant
Drabescus natalensis Distant 1910e:242 [n.sp.]; Metcalf 1966c,6(15):176 [Cat.]
DISTRIBUTION: South Africa, Zaire (Metcalf Cat.)
- Drabescus nervosopunctatus* Signoret
Drabescus nervosopunctatus Signoret 1880b:209 [n.sp.]; Metcalf 1966c,6(15):176 [Cat.]
DISTRIBUTION: India, West Indonesia (Metcalf Cat.)
- Drabescus nigrifemoratus* (Matsumura)
Selenocephalus nigrifemoratus Matsumura 1905a:63 [n.sp.]; Metcalf 1966c,6(15):176 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus nigrilinea* (Walker)
Bythoscopus nigrilinea Walker 1857b:174 [n.sp.]; Metcalf 1966c,6(15):177 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Drabescus nitobei* Matsumura
Dabrescus [sic] *nitobei* Matsumura 1912b:290 [n.sp.]; Metcalf 1966c,6(15):177 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus notatus* Schumacher
Drabescus notatus Schumacher 1915a:99 [n.sp.]; Metcalf 1966c,6(15):178 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Drabescus ogumae* Matsumura
Dabrescus [sic] *ogumae* Matsumura 1912b:291 [n.sp.]; Metcalf 1966c,6(15):178 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus pallidus* Matsumura
Dabrescus [sic] *pallidus* Matsumura 1912b:293 [n.sp.]; Metcalf 1966c,6(15):178 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Drabescus productus* Evans
Drabescus productus Evans 1947a:256 [n.sp.]; Metcalf 1966c,6(15):178 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Drabescus remotus* (Walker)
Bythoscopus ater Walker 1851b:871 [n.sp.]; Metcalf 1966c,6(15):179 [Cat.]
Bythoscopus remotus Walker 1851b:866 [n.sp.]; Metcalf 1966c,6(15):179 [Cat.]
DISTRIBUTION: Philippines, East Indonesia (Metcalf Cat.)
- Drabescus samoanus* Osborn
Drabescus samoanus Osborn 1934a:176 [n.sp.]; Metcalf 1966c,6(15):179 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Drabescus stramineus* Distant
Drabescus stramineus Distant 1908g:306 [n.sp.]; Metcalf 1966c,6(15):179 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia, Philippines (Metcalf Cat.)
- Drabescus vitreus* Schmidt
Drabescus vitreus Schmidt 1926a:256 [n.sp.]; Metcalf 1966c,6(15):179 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Draeculacephala angulifera* (Walker)

- Tettigonia angulifera* Walker 1851b:771 [n.sp.];
Metcalf 1965a,6(1):307 [Cat.]
- Draeculacephala manitobiana* Ball 1901b:70 [n.sp.];
Metcalf 1965a,6(1):307 [Cat.]
- DISTRIBUTION: Canada, United States (Young 1977a)
- Draeculacephala antica* (Walker)
Tettigonia antica Walker 1851b:771 [n.sp.]; Metcalf 1965a,6(1):310 [Cat.]
- DISTRIBUTION: United States, Canada (?) (Metcalf Cat.)
- Draeculacephala balli* Van Duzee
Draeculacephala balli Van Duzee 1915b:179 [n.sp.];
Metcalf 1965a,6(1):311 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
- Draeculacephala californica* Davidson & Frazier
Draeculacephala californica Davidson & Frazier 1949a:127 [n.sp.]; Metcalf 1965a,6(1):312 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Draeculacephala clypeata* Osborn
Draeculacephala clypeata Osborn 1926b:236 [n.sp.];
Metcalf 1965a,6(1):312 [Cat.]
- DISTRIBUTION: Mexico to Colombia [Guatemala, El Salvador, Honduras, Belize, Nicaragua, Costa Rica, Panama], Guyana, Argentina, Peru (Young 1977a)
- Draeculacephala constricta* Davidson & DeLong
Draeculacephala constricta Davidson & DeLong 1943b:193 [n.sp.]; Metcalf 1965a,6(1):313 [Cat.]
- DISTRIBUTION: United States, Canada (Young 1977a)
- Draeculacephala crassicornis* Van Duzee
Draeculacephala crassicornis Van Duzee 1915b:181 [n.sp.]; Metcalf 1965a,6(1):313 [Cat.]
- DISTRIBUTION: United States, Canada (Young 1977a)
- Draeculacephala cubana* Metcalf & Bruner
Draeculacephala cubana Metcalf & Bruner 1936a:926 [n.sp.]; Metcalf 1965a,6(1):314 [Cat.]
- DISTRIBUTION: Cuba (Metcalf Cat.)
- Draeculacephala inscripta* Van Duzee
Draeculacephala inscripta Van Duzee 1915b:180 [n.sp.]; Metcalf 1965a,6(1):314 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
- Draeculacephala lenticula* Ball
Draeculacephala lenticula Ball 1927c:38 [n.sp.];
Metcalf 1965a,6(1):315 [Cat.]
- DISTRIBUTION: Mexico, Honduras, Costa Rica (Metcalf Cat.)
- Draeculacephala minerva* Ball
Draeculacephala minerva Ball 1927c:36 [n.sp.];
Metcalf 1965a,6(1):316 [Cat.]
- DISTRIBUTION: United States to Panama [Mexico, Guatemala, Belize, Honduras, El Salvador, Costa Rica, Nicaragua] (Young 1977a)
- Draeculacephala minor* (Walker)
Tettigonia minor Walker 1851b:772 [n.sp.]; Metcalf 1965a,6(1):317 [Cat.]
- Draeculacephala bradleyi* Van Duzee 1915b:180 [n.sp.]; Metcalf 1965a,6(1):318 [Cat.]
- DISTRIBUTION: United States, (Young 1977a)
- Draeculacephala mollipes* (Say)
Tettigonia mollipes Say 1840b:312 [n.sp.]; Metcalf 1965a,6(1):320 [Cat.]
- Tettigonia innotata* Walker 1851b:770 [n.sp.]; Metcalf 1965a,6(1):320 [Cat.]
- Acopsis viridis* Provancher 1872b:352 [n.sp.]; Metcalf 1965a,6(1):321 [Cat.]
- DISTRIBUTION: United States, Canada, Guatemala, Cuba, Bermuda (Metcalf Cat.)
- Draeculacephala noveboracensis* (Fitch)
Aulacizes noveboracensis Fitch 1851a:56 [n.sp.];
Metcalf 1965a,6(1):332 [Cat.]
- Tettigonia prasina* Walker 1851b:768 [n.sp.]; Metcalf 1965a,6(1):332 [Cat.]
- DISTRIBUTION: United States, Canada (Young 1977a)
- Draeculacephala pagoda* Ball
Draeculacephala pagoda Ball 1927c:37 [n.sp.];
Metcalf 1965a,6(1):337 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
- Draeculacephala paludosa* Ball & China
Draeculacephala portola paludosa Ball & China 1933 [n.sp.]; Metcalf 1965a,6(1):337 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
- Draeculacephala portola* Ball
Draeculacephala portola Ball 1927c:35 [n.sp.];
Metcalf 1965a,6(1):338 [Cat.]
- DISTRIBUTION: United States, Canada, Mexico, Honduras, Cuba, Hawaii (Young 1977a)
- Draeculacephala producta* (Walker)
Tettigonia acuta Walker 1851b:773 [n.sp.]; Metcalf 1965a,6(1):339 [Cat.]
- Tettigonia producta* Walker 1851b:772 [n.sp.];
Metcalf 1965a,6(1):339 [Cat.]
- DISTRIBUTION: West Indonesia: Java (Young 1986a)
- Draeculacephala septemguttata* (Walker)
Tettigonia septemguttata Walker 1851b:773 [n.sp.];
Metcalf 1965a,6(1):342 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
- Draeculacephala soluta* (Gibson)
Draceulacephala soluta Gibson 1919b:25 [n.sp.];
Metcalf 1965a,6(1):343 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, Honnduras, El Salvador, Panama, Colombia (Young 1977a)
- Draeculacephala viridescens* (Walker)
Tettigonia viridescens Walker 1851b:765 [n.sp.];
Metcalf 1965a,6(1):343 [Cat.]
- DISTRIBUTION: Venezuela (Young 1977a)
- Dragonana dracontea* (Gibson)

- Gypona draconea* Gibson 1919a:100 [n.sp.]; Metcalf 1962b,6(3):155 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Drionia nigra* Ball
Drionia nigra Ball 1915a: 167 [n.sp.]; Metcalf 1967b, 6(10b): 1086 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Driotura aristarche* Kirkaldy
Driotura aristarche Kirkaldy 1907d: 59 [n.sp.]; Metcalf 1967b, 6(10b): 1663 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Driotura gammaroides* (Van Duzee)
Athy sanus gammaroides Van Duzee 1894f: 209 [n.sp.]; Metcalf 1967b, 6(10b): 1663, 1667 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Driotura gammaroides flava* Osborn & Ball
Driotura gammaroides flava Osborn & Ball 1898f: 90 [n.subsp. of *gammaroides*]; Metcalf 1967b, 6(10b): 1666 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Driotura gammaroides fulva* Ball
Driotura gammaroides fulva Ball 1903b: 231 [n.subsp. of *gammaroides*]; Metcalf 1967b, 6(10b): 1666 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Driotura robusta* Osborn & Ball
Driotura robusta Osborn & Ball 1898f: 87 [n.sp.]; Metcalf 1967b, 6(10b): 1667 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Driotura vittata* Ball
Driotura vittata Ball 1903b: 231 [n.subsp. of *robusta*]; Metcalf 1967b, 6(10b): 1669 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Driotura vittata nigra* Lawson
Driotura vittata nigra Lawson 1928a: 456 [n.subsp. of *vittata*]; Metcalf 1967b, 6(10b): 1669 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Dryadomorpha lotophagorum* Kirkaldy
Dryadomorpha lotophagorum Kirkaldy 1907d: 41 [n.sp.]; Metcalf 1967c, 6(10c): 2174 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Dryadomorpha pallida* Kirkaldy
Dryadomorpha pallida Kirkaldy 1906c: 336 [n.sp.]; Metcalf 1967c, 6(10c): 2174 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Dryadomorpha viridia* Osborn
Dryadomorpha viridia Osborn 1934b: 244 [n.sp.]; Metcalf 1967c, 6(10c): 2174 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Duraturopsis katonae* Melichar
Duraturopsis katonae Melichar 1908b: 13 [n.sp.]; Metcalf 1967a, 6(10a): 957 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Durgades idiocera* Singh-Pruthi
Durgades idiocerus Singh-Pruthi 1930a:13 [n.sp.]; Metcalf 1966a,6(14):107 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Durgades mirabilis* Singh-Pruthi
Durgades mirabilis Singh-Pruthi 1930a:12 [n.sp.]; Metcalf 1966a,6(14):107 [Cat.]
DISTRIBUTION: India, China (Metcalf Cat.)
- Durgades nigropicta* Distant
Durgades nigropicta Distant 1912e:609 [n.sp.]; Metcalf 1966a,6(14):107 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Dussana quaerenda* Distant
Dussana quaerenda Distant 1908g:322 [n.sp.]; Metcalf 1963a,6(6):52 [Cat.]
DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
- Dussana sinensis* Jacobi
Dussana sinensis Jacobi 1944a:51 [n.sp.]; Metcalf 1963a,6(6):52 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Dusuna dohertyi* Distant
Dusuna dohertyi Distant 1907g:188 [n.sp.]; Metcalf 1962c,6(4):100 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Dusuna mouhoti* Distant
Dusuna mouhoti Distant 1907g:188 [n.sp.]; Metcalf 1962c,6(4):100 [Cat.]
DISTRIBUTION: Thailand (Metcalf Cat.)
- Ebarrius cognatus* (Fieber)
Deltocephalus cognatus Fieber 1869a: 214 [n.sp.]; Metcalf 1966d, 6(16): 230 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Western Mediterranean, Eastern Balkans, Russia (Metcalf Cat.)
- Ebarrius interstinctus* (Fieber)
Deltocephalus interstinctus Fieber 1869a: 214 [n.sp.]; Metcalf 1966d, 6(16): 231 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Mediterranean (Metcalf Cat.)
- Ectomops chinensis* Signoret
Ectomops chinensis Signoret 1880a:50 [n.sp.]; Metcalf 1963d,6(9):50 [Cat.]
DISTRIBUTION: China, Thailand (Metcalf Cat.)
- Ectomops rubescens* Noualhier
Ectomops rubescens Noualhier 1896a:259 [n.sp.]; Metcalf 1963d,6(9):50 [Cat.]
DISTRIBUTION: Thailand (Metcalf Cat.)
- Ectypus coriaceus* Signoret
Ectypus coriaceus Signoret 1853e:265 [n.sp.]; Metcalf 1965a,6(1):656 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Ederranus discolor* (Sahlberg)
Athy sanus discolor Sahlberg 1871a: 277 [n.sp.]; Metcalf 1967b, 6(10b): 2029 [Cat.]
- Athy sanus nauta* Sahlberg 1871a: 280 [n.sp.]; Metcalf 1967b, 6(10b): 2029 [Cat.]

- DISTRIBUTION: Scandinavia, Russia, North America (?) (Metcalf Cat.)

Ederranus subangulatus Metcalf
Cicada lutea Sahlberg 1842a: 88 [n.sp.]; Metcalf 1967b, 6(10b): 2030 [Cat.]

Ederranus subangulatus Metcalf 1955a: 266 [nom.nov. for *Cicada lutea* Sahlberg 1842]; Metcalf 1967b, 6(10b): 2030 [Cat.]

DISTRIBUTION: Scandinavia, Russia, North America (Metcalf Cat.)

Edwardsiana alcorni Christian
Edwardsiana alcorni Christian 1954a:27 [n.sp.]; Metcalf 1968a,6(17):967 [Cat.]

DISTRIBUTION: Canada (Metcalf Cat.)

Edwardsiana alnicola (Edwards)
Typhlocyba alnicola Edwards 1924a:54 [n.sp.]; Metcalf 1968a,6(17):967 [Cat.]

DISTRIBUTION: Great Britain, Sweden, Germany, France, Poland, Netherlands, Finland (Metcalf Cat.)

Edwardsiana aristae (McAtee)
Typhlocyba aristae McAtee 1926a:10 [n.sp.]; Metcalf 1968a,6(17):968 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Edwardsiana australis (Froggatt)
Empoasca australis Froggatt 1918a:568 [n.sp.]; Metcalf 1968a,6(17):969 [Cat.]

Typhlocyba froggatti Baker 1925b:537 [nom.nov. for *Typhlocyba australis* Froggatt 1918]; Metcalf 1968a,6(17):969 [Cat.]

Empoia (*Typhlocyba*) *malini* DeLong 1926f:469 [n.sp.]; Metcalf 1968a,6(17):969 [Cat.]

Typhlocyba xanthippe McAtee 1926a:10,11 [n.sp.]; Metcalf 1968a,6(17):969 [Cat.]

Typhlocyba oxyacanthae Ribaut 1931a:334 [n.sp.]; Metcalf 1968a,6(17):969 [Cat.]

DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain, New Zealand, Australia, United States, Canada, Chile, Argentina (Metcalf Cat.)

Edwardsiana australis cornuta (Wagner)
Typhlocyba australis cornuta Wagner 1947c:80,81 [n.subsp. of *froggatti*]; Metcalf 1968a,6(17):974 [Cat.]

DISTRIBUTION: Austria (Metcalf Cat.)

Edwardsiana avellanae (Edwards)
Typhlocyba avellanae Edwards 1888c:157 [n.sp.]; Metcalf 1968a,6(17):974 [Cat.]

Typhlocyba bidentata Edwards 1914a:170 [n.sp.]; Metcalf 1968a,6(17):975 [Cat.]

DISTRIBUTION: Widespread Europe, Great Britain (Metcalf Cat.)

Edwardsiana bergmani (Tullgren)
Typhlocyba bergmani Tullgren 1916a:65 [n.sp.]; Metcalf 1968a,6(17):976,979 [Cat.]

DISTRIBUTION: Great Britain, Scandinavia, Norway, France, Switzerland, Russia, Germany,

Czech Republic, Poland, Netherlands (Metcalf Cat.)

Edwardsiana bergmani ariadne (McAtee)
Typhlocyba bergmani ariadne McAtee 1926a:9,10 [n.sp.]; Metcalf 1968a,6(17):978 [Cat.]

DISTRIBUTION: United States, Canada (Metcalf Cat.)

Edwardsiana candidula (Kirschbaum)
Typhlocyba candidula Kirschbaum 1868b:185 [n.sp.]; Metcalf 1968a,6(17):979 [Cat.]

Typhlocyba lactea Lethierry 1869a:271 [n.sp.]; Metcalf 1968a,6(17):979 [Cat.]

DISTRIBUTION: Widespread Europe, Great Britain, Russia, United States, Canada (Metcalf Cat.)

Edwardsiana candidula martigniaca (Cerutti)
Typhlocyba candidula martigniaca Cerutti 1939a:87 [n.subsp. of *candidula*]; Metcalf 1968a,6(17):982 [Cat.]

DISTRIBUTION: Switzerland (Metcalf Cat.)

Edwardsiana commissuralis (Stål)
Typhlocyba commissuralis Stål 1858e:196 [n.sp.]; Metcalf 1968a,6(17):982 [Cat.]

Typhlocyba munda McAtee 1926a:12 [n.subsp. of *commissuralis*]; Metcalf 1968a,6(17):984 [Cat.]

DISTRIBUTION: United States, Canada (Metcalf Cat.)

Edwardsiana crataegi (Douglas)
Typhlocyba crataegi Douglas 1876a:203 [n.sp.]; Metcalf 1968a,6(17):985 [Cat.]

DISTRIBUTION: Great Britain, Austria, Germany, France, Netherlands, Italy, Sweden, Bulgaria, Czech Republic, Hungary, Poland, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Australia, New Zealand (Metcalf Cat.)

Edwardsiana dejecta Christian
Edwardsiana dejecta Christian 1953a:1222 [n.sp.]; Metcalf 1968a,6(17):987 [Cat.]

DISTRIBUTION: United States, Canada (Metcalf Cat.)

Edwardsiana delongi Christian
Edwardsiana delongi Christian 1953a:1226 [n.sp.]; Metcalf 1968a,6(17):987 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)

Edwardsiana diversa (Edwards)
Typhlocyba diversa Edwards 1914a:171 [n.sp.]; Metcalf 1968a,6(17):987 [Cat.]

Anomia tridentata Edwards 1928a:80 [n.sp.]; Metcalf 1968a,6(17):987 [Cat.]

DISTRIBUTION: Great Britain, France, Switzerland, Germany, Czech Republic, Netherlands, Slovakia, Austria, Poland (Metcalf Cat.)

Edwardsiana dorsti (Ossiannilsson)
Typhlocyba dorsti Ossiannilsson 1936a:11 [n.sp.]; Metcalf 1968a,6(17):988 [Cat.]

Typhlocyba enascora DeLong & Johnson 1936a:103 [n.sp.]; Metcalf 1968a,6(17):988 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Edwardsiana euphrante (McAtee)
Typhlocyba euphrante McAtee 1926a:10 [n.sp.];
 Metcalf 1968a,6(17):989 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
Edwardsiana expanda (DeLong & Johnson)
Typhlocyba expanda DeLong & Johnson 1936a:104
 [n.sp.]; Metcalf 1968a,6(17):989 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Edwardsiana fratercula (Edwards)
Typhlocyba fratercula Edwards 1908b:84 [n.sp.];
 Metcalf 1968a,6(17):990 [Cat.]
- Typhlocyba sororcula* Ossiannilsson 1936b:259
 [n.sp.]; Metcalf 1968a,6(17):990 [Cat.]
- DISTRIBUTION: Great Britain, France, Switzerland,
 Sweden, Germany, Czech Republic, Netherlands,
 Slovakia, Poland (Metcalf Cat.)
- Edwardsiana frustrator* (Edwards)
Typhlocyba frustrator Edwards 1908b:84 [n.sp.];
 Metcalf 1968a,6(17):991 [Cat.]
- Typhlocyba solearis* Ribaut 1931a:339 [n.sp.]; Metcalf
 1968a,6(17):991 [Cat.]
- DISTRIBUTION: Great Britain, France, Germany,
 Sweden, Switzerland, Netherlands, Czech
 Republic, Finland, Poland, United States, Russia
 (Metcalf Cat.)
- Edwardsiana geometrica* (Schrank)
Cicada marginata Scopoli 1763a:116 [n.sp.]; Metcalf
 1968a,6(17):993 [Cat.]
- Cercopis geometrica* Schrank 1801a:116 [n.sp.];
 Metcalf 1968a,6(17):993 [Cat.]
- Cicada lineatella* Fallén 1806a:36 [n.sp.]; Metcalf
 1968a,6(17):993 [Cat.]
- Typhlocyba plagiata* Hardy 1850a:416 [n.sp.]; Metcalf
 1968a,6(17):994 [Cat.]
- DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Russia (Metcalf Cat.)
- Edwardsiana hippocastani* (Edwards)
Typhlocyba hippocastani Edwards 1888c:157 [n.sp.];
 Metcalf 1968a,6(17):1001 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, Northern Africa, United
 States, Canada (Metcalf Cat.)
- Edwardsiana iranicola* Zachvatkin
Edwardsiana iranicola Zachvatkin 1947a:112,114
 [n.sp.]; Metcalf 1968a,6(17):1003 [Cat.]
- DISTRIBUTION: Iran (Metcalf Cat.)
- Edwardsiana kemneri* (Ossiannilsson)
Typhlocyba kemneri Ossiannilsson 1942b:113 [n.sp.];
 Metcalf 1968a,6(17):1003 [Cat.]
- DISTRIBUTION: Sweden (Metcalf Cat.)
- Edwardsiana lanternae* (Wagner)
Typhlocyba lanternae Wagner 1937c:155 [n.sp.];
 Metcalf 1968a,6(17):1003 [Cat.]
- DISTRIBUTION: Germany, Sweden, Netherlands,
 Great Britain, Finland (Metcalf Cat.)
Edwardsiana lethierryi (Edwards)
Typhlocyba lethierryi Edwards 1881a:224 [n.sp., not
 nom.nov.]; Metcalf 1968a,6(17):1004 [Cat.]
- DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Russia, Northern Africa,
 United States, Canada (Metcalf Cat.)
- Edwardsiana lethierryi chromata* (Rey)
Typhlocyba lethierryi chromata Rey 1894c:46
 [n.subsp. of lethierryi]; Metcalf 1968a,6(17):1009
 [Cat.]
- DISTRIBUTION: France (Metcalf Cat.)
Edwardsiana lethierryi plurispinosa (Wagner)
Typhlocyba lethierryi plurispinosa Wagner 1935a:32
 [n.subsp. of lethierryi]; Metcalf 1968a,6(17):1009
 [Cat.]
- DISTRIBUTION: Germany, Netherlands, France
 (Metcalf Cat.)
- Edwardsiana nigriloba* (Edwards)
Typhlocyba nigriloba Edwards 1924a:55 [n.sp.];
 Metcalf 1968a,6(17):1010 [Cat.]
- DISTRIBUTION: Great Britain, Germany, France,
 Sweden, Czech Republic, Netherlands, Belgium,
 Poland (Metcalf Cat.)
- Edwardsiana nigripennis* Christian
Edwardsiana nigripennis Christian 1953a:1225 [n.sp.];
 Metcalf 1968a,6(17):1011 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Edwardsiana plebeja* (Edwards)
Typhlocyba plebeja Edwards 1914a:169 [n.sp.];
 Metcalf 1968a,6(17):1011 [Cat.]
- Typhlocyba divergens* Ribaut 1931a:339 [n.sp.];
 Metcalf 1968a,6(17):1011 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain,
 United States, Canada (Metcalf Cat.)
- Edwardsiana projecta* Christian
Edwardsiana projecta Christian 1953a:1221 [n.sp.];
 Metcalf 1968a,6(17):1015 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Edwardsiana prunicola* (Edwards)
Typhlocyba prunicola Edwards 1914a:168 [n.sp.];
 Metcalf 1968a,6(17):1013 [Cat.]
- Typhlocyba pruni* DeLong & Davidson 1934a:161
 [n.sp.]; Metcalf 1968a,6(17):1013 [Cat.]
- Typhlocyba pruniella* DeLong 1945b:272 [nom.nov.
 for *Typhlocyba pruni* DeLong & Davidson 1934];
 Metcalf 1968a,6(17):1013 [Cat.]
- DISTRIBUTION: Great Britain, Germany,
 Netherlands, France, Romania, Hungary, Czech
 Republic, Poland, United States (Metcalf Cat.)
- Edwardsiana pseudocommissuralis* Christian
Edwardsiana pseudocommissuralis Christian
 1953a:1222 [n.sp.]; Metcalf 1968a,6(17):1015
 [Cat.]

- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Edwardsiana rosae* (Linnaeus)
- Cicada rosae* Linnaeus 1758a:439 [n.sp.]; Metcalf 1968a,6(17):1015 [Cat.]
- DISTRIBUTION:** Widespread Europe, United Kingdom, Scandinavia, Russia, China, Korea, Japan, Iran, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, United States, Canada (Metcalf Cat.)
- Edwardsiana rosae lactifera* (Rey)
- Typhlocyba rosae lactifera* Rey 1894c:46 [n.subsp. of *rosae*]; Metcalf 1968a,6(17):1038 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
- Edwardsiana rosae manca* (Ribaut)
- Typhlocyba rosae manca* Ribaut 1936b:93 [n.subsp. of *rosae*]; Metcalf 1968a,6(17):1039 [Cat.]
- DISTRIBUTION:** France, Belgium, England, Netherlands, Switzerland, Czech Republic, Slovakia, Poland (Metcalf Cat.)
- Edwardsiana rosae subcarnea* (Rey)
- Typhlocyba rosae subcarnea* Rey 1894c:46 [n.subsp. of *rosae*]; Metcalf 1968a,6(17):1039 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
- Edwardsiana rutherica* Zachvatkin
- Edwardsiana rutherica* Zachvatkin 1929a:262 [n.sp.]; Metcalf 1968a,6(17):1039 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Edwardsiana salicicola* (Edwards)
- Typhlocyba salicicola* Edwards 1885a:230 [n.sp.]; Metcalf 1968a,6(17):1039 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia (Metcalf Cat.)
- Edwardsiana spinigera* (Edwards)
- Typhlocyba spinigera* Edwards 1924a:55 [n.sp.]; Metcalf 1968a,6(17):1041 [Cat.]
- DISTRIBUTION:** Great Britain, France, Netherlands, Slovakia, Poland, Russia (Metcalf Cat.)
- Edwardsiana staminata* (Ribaut)
- Typhlocyba staminata* Ribaut 1931a:334 [n.sp.]; Metcalf 1968a,6(17):1042 [Cat.]
- DISTRIBUTION:** France, Sweden, Great Britain, Germany, Netherlands, Czech Republic, Finland, Italy, Slovakia (Metcalf Cat.)
- Edwardsiana tersa* (Edwards)
- Typhlocyba tersa* Edwards 1914a:169 [n.sp.]; Metcalf 1968a,6(17):1043 [Cat.]
- DISTRIBUTION:** Great Britain, Sweden, Germany, France, Poland, Netherlands, Czech Republic (Metcalf Cat.)
- Edwardsiana tshinari* Zachvatkin
- Edwardsiana tshinari* Zachvatkin 1947a:112,114 [n.sp.]; Metcalf 1968a,6(17):1044 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Egenus acuminatus* Oman
- Egenus acuminatus* Oman 1938b:364 [n.sp.]; Metcalf 1963d,6(9):49 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Elabra attenuata* (Osborn)
- Dikraneura attenuata* Osborn 1928a:269 [n.sp.]; Metcalf 1968a,6(17):83 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Elabra eburneola* (Osborn)
- Protalebra eburneola* Osborn 1928a:257 [n.sp.]; Metcalf 1968a,6(17):83 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Elabra parallela* (Osborn)
- Dikraneura parallela* Osborn 1928a:274 [n.sp.]; Metcalf 1968a,6(17):83 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Elabra parana* (Osborn)
- Dikraneura parana* Osborn 1928a:268 [n.sp.]; Metcalf 1968a,6(17):83 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Elabra quadrifasciata* (Osborn)
- Dikraneura quadrifasciata* Osborn 1928a:272 [n.sp.]; Metcalf 1968a,6(17):84 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Elabra sarana* (Osborn)
- Dikraneura sarana* Osborn 1928a:268 [n.sp.]; Metcalf 1968a,6(17):84 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Eleazara aedificatura* Distant
- Eleazara aedificatura* Distant 1908g:182 [n.sp.]; Metcalf 1962c,6(4):96 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Eleazara distanti* Schmidt
- Eleazara distanti* Schmidt 1911b:290 [n.sp.]; Metcalf 1962c,6(4):96 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Elymana acrita* DeLong
- Elymana acrita* DeLong 1936b: 637 [n.sp.]; Metcalf 1967a, 6(10a): 844 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Elymana acuma* DeLong
- Elymana acuma* DeLong 1936b: 637 [n.sp.]; Metcalf 1967a, 6(10a): 845 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Elymana bambusae* (Matsumura)
- Thamnotettix bambusae* Matsumura 1914a: 176 [n.sp.]; Metcalf 1967a, 6(10a): 845 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Elymana caduca* DeLong
- Elymana caduca* DeLong 1936b: 638 [n.sp.]; Metcalf 1967a, 6(10a): 845 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Elymana emarginata* (Gillette & Baker)
- Thamnotettix emarginata* Gillette & Baker 1895a: 96 [n.sp.]; Metcalf 1967a, 6(10a): 846 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)

- Elymana inornata* (Van Duzee)
Thamnotettix inornata Van Duzee 1892d: 303 [n.sp.];
 Metcalf 1967a, 6(10a): 846 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Elymana kozhevnikovi* (Zachvatkin)
Limotettix kozhevnikovi Zachvatkin 1938a: 285-287
 [n.sp.]; Metcalf 1967a, 6(10a): 848 [Cat.]
 DISTRIBUTION: Russia, Finland, Sweden, Germany
 (Metcalf Cat.)
- Elymana ovatina* Ball
Elymana ovatina Ball 1936i: 195 [n.sp.]; Metcalf
 1967a, 6(10a): 849 [Cat.]
- Elymana ritana* DeLong 1936b: 638 [n.sp.]; Metcalf
 1967a, 6(10a): 849 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoa acericola* Christian
Empoa acericola Christian 1953a:1200 [n.sp.];
 Metcalf 1968a,6(17):938 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoa albicans* Walsh
Empoa albicans Walsh 1862a:149 [n.sp.]; Metcalf
 1968a,6(17):938 [Cat.]
- Typhlocyba cymba* McAtee 1918b:360 [n.sp.];
 Metcalf 1968a,6(17):938 [Cat.]
- Typhlocyba querici grata* McAtee 1919b:225 [n.subsp.
 of querici]; Metcalf 1968a,6(17):938 [Cat.]
- Typhlocyba cymba pallens* McAtee 1926a:22
 [n.subsp. of cymba]; Metcalf 1968a,6(17):939
 [Cat.]
- Typhlocyba cymba unipuncta* McAtee 1926a:22
 [n.subsp. of cymba]; Metcalf 1968a,6(17):939
 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa apicata* (McAtee)
Typhlocyba apicata McAtee 1926a:25 [n.subsp. of
 gillettei]; Metcalf 1968a,6(17):940 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa aureotecta* Sanders & DeLong
Empoa aureotecta Sanders & DeLong 1917a:93
 [n.sp.]; Metcalf 1968a,6(17):941 [Cat.]
- Typhlocyba gillettei russeola* McAtee 1926a:25
 [n.subsp. of gillettei]; Metcalf 1968a,6(17):941
 [Cat.]
- Typhlocyba gillettei saffrana* McAtee 1926a:25
 [n.subsp. of gillettei]; Metcalf 1968a,6(17):941
 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa caryata* Christian
Empoa caryata Christian 1953a:1198 [n.sp.]; Metcalf
 1968a,6(17):943 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoa casta* (McAtee)
- Typhlocyba casta* McAtee 1926a:25 [n.subsp. of
 gillettei]; Metcalf 1968a,6(17):943 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa elmata* Christian
Empoa elmata Christian 1953a:1194 [n.sp.]; Metcalf
 1968a,6(17):944 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoa gillettei* Van Duzee
Typhlocyba bifasciata Gillette & Baker 1895a:111
 [n.sp.]; Metcalf 1968a,6(17):944 [Cat.]
- Empoa gillettei* Van Duzee 1917b:708 [nom.nov. for
Typhlocyba bifasciata Gillette & Baker 1895];
 Metcalf 1968a,6(17):944 [Cat.]
- Typhlocyba melanota* Osborn 1928b:355 [n.sp.];
 Metcalf 1968a,6(17):946 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa latifasciata* Christian
Empoa latifasciata Christian 1953a:1203 [n.sp.];
 Metcalf 1968a,6(17):948 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa platana* Christian
Empoa platana Christian 1953a:1199 [n.sp.]; Metcalf
 1968a,6(17):949 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoa querici* Fitch
Empoa querici Fitch 1851a:63 [n.sp.]; Metcalf
 1968a,6(17):949 [Cat.]
- Typhlocyba gillettei fitchii* Osborn 1928a:24 [n.subsp.
 of gillettei]; Metcalf 1968a,6(17):950 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa querici sincera* (McAtee)
Typhlocyba querici sincera McAtee 1926a:24 [n.subsp.
 of gillettei]; Metcalf 1968a,6(17):951 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa rubricola* Christian
Empoa rubricola Christian 1954a:26 [n.sp.]; Metcalf
 1968a,6(17):952 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa scripta* (McAtee)
Typhlocyba scripta McAtee 1919b:225,226 [n.subsp.
 of querici]; Metcalf 1968a,6(17):952 [Cat.]
- Typhlocyba gillettei oregonensis* Beamer 1943c:133
 [n.subsp. of gillettei]; Metcalf 1968a,6(17):952
 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa spinosa* (Beamer)
Typhlocyba spinosa Beamer 1943c:131 [n.sp.];
 Metcalf 1968a,6(17):953 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

- Empoa venusta* (McAtee)
Typhlocyba venusta McAtee 1926a:25 [n.subsp. of *gillettei*]; Metcalf 1968a,6(17):953 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoa vestita* (McAtee)
Typhlocyba vestita McAtee 1926a:25 [n.subsp. of *gillettei*]; Metcalf 1968a,6(17):954 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoanara lineolata* Distant
Empoanara lineolata Distant 1918b:107 [n.sp.]; Metcalf 1968a,6(17):610 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoanara maculosa* (Distant)
Chikkaballapura maculosa Distant 1918b:108 [n.sp.]; Metcalf 1968a,6(17):610 [Cat.]
Cicadula distantella Matsumura 1932c:191 [nom.nov. for *Chikkaballapura maculosa* distant 1918]; Metcalf 1968a,6(17):610 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoanara militaris* Distant
Empoanara militaris Distant 1918b:106 [n.sp.]; Metcalf 1968a,6(17):610 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoanara sternalis* Distant
Empoanara sternalis Distant 1918b:107 [n.sp.]; Metcalf 1968a,6(17):611 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca abietis* (Matsumura)
Dicraneura abietis Matsumura 1916b:393 [n.sp.]; Metcalf 1968a,6(17):299 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca abstrusa* Linnavuori
Empoasca abstrusa Linnavuori 1949c:148 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
DISTRIBUTION: Finland (Metcalf Cat.)
- Empoasca acantha* Davidson & DeLong
Empoasca acantha Davidson & DeLong 1943a:216 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca aculeata* Young
Empoasca aculeata Young 1953b:380 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca adexa* Davidson & DeLong
Empoasca adexa Davidson & DeLong 1943a:216 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca aequatorialis* Paoli
Empoasca aequatorialis Paoli 1936a:10 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
DISTRIBUTION: Uganda (Metcalf Cat.)
- Empoasca affinis* Nast
Empoasca affinis Nast 1937a:25 [n.sp.]; Metcalf 1968a,6(17):300 [Cat.]
- DISTRIBUTION:** Poland, Germany, North Sea: Frisian Islands (Metcalf Cat.)
- Empoasca aino* Matsumura
Empoasca aino Matsumura 1931b:80 [n.sp.]; Metcalf 1968a,6(17):301 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca alsiosa* Ribaut
Empoasca alsiosa Ribaut 1933a:155 [n.sp.]; Metcalf 1968a,6(17):301 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Empoasca angustella* DeLong
Empoasca angustella DeLong 1952a:166 [n.sp.]; Metcalf 1968a,6(17):301 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca aracoma* DeLong & Guevara
Empoasca aracoma DeLong & Guevara 1954a(of Metcalf Cat.Bibliog.):79 [n.sp.]; Metcalf 1968a,6(17):302 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca arisana* Matsumura
Empoasca arisana Matsumura 1931b:81 [n.sp.]; Metcalf 1968a,6(17):302 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca aspra* Davidson & DeLong
Empoasca aspra Davidson & DeLong 1943a:219 [n.sp.]; Metcalf 1968a,6(17):302 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca athertonii* Evans
Empoasca athertonii Evans 1940c:12 [n.sp.]; Metcalf 1968a,6(17):302 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Empoasca atinca* DeLong & Guevara
Empoasca jacinta DeLong 1952a:168 [n.sp.]; Metcalf 1968a,6(17):302 [Cat.]
Empoasca atinca DeLong & Guevara 1954a(of Metcalf.):79 [nom.nov. for *Empoasca jacinta* DeLong 1952]; Metcalf 1968a,6(17):302 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca atropurpurea* Distant
Empoasca atropurpurea Distant 1918a:92 [n.sp.]; Metcalf 1968a,6(17):303 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca austriaca* Wagner
Empoasca austriaca Wagner 1949a:43 [n.sp.]; Metcalf 1968a,6(17):303 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
- Empoasca aviculifera* Young
Empoasca aviculifera Young 1953b:378 [n.sp.]; Metcalf 1968a,6(17):303 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca barbistyla* Paoli
Empoasca barbistyla Paoli 1936a:8 [n.sp.]; Metcalf 1968a,6(17):303 [Cat.]
DISTRIBUTION: Uganda, Sudan (Metcalf Cat.)
- Empoasca barringtoniae* Metcalf

- Empoasca barringtoniae* Metcalf 1946d:141 [n.sp.];
Metcalf 1968a,6(17):303 [Cat.]
DISTRIBUTION: Oceania; Guam (Metcalf Cat.)
- Empoasca betulicola* Wagner
Empoasca betulicola Wagner 1955a:178 [n.sp.];
Metcalf 1968a,6(17):304 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Empoasca biguttula* (Shiraki)
Chlorita biguttula Shiraki 1912a:96 [n.sp.]; Metcalf
1968a,6(17):304 [Cat.]
Chlorita bimaculata Matsumura 1916b:393 [n.sp.];
Metcalf 1968a,6(17):304 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca binotata* Singh-Pruthi
Empoasca binotata Singh-Pruthi 1940a:4 [n.sp.];
Metcalf 1968a,6(17):305 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca bipunctulata* Metcalf
Empoasca bipunctulata Metcalf 1946d:144 [n.sp.];
Metcalf 1968a,6(17):305 [Cat.]
DISTRIBUTION: Oceania; Guam (Metcalf Cat.)
- Empoasca bispinata* Davidson & DeLong
Empoasca bispinata Davidson & DeLong 1943a:216
[n.sp.]; Metcalf 1968a,6(17):305 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca bispinatella* Young
Empoasca bispinatella Young 1953b:381 [n.sp.];
Metcalf 1968a,6(17):306 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca blendens* DeLong
Empoasca blendens DeLong 1952a:165 [n.sp.];
Metcalf 1968a,6(17):306 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca bovina* Caldwell
Empoasca bovina Caldwell 1952 [in Caldwell &
Martorell 1952a:118] [n.sp.]; Metcalf
1968a,6(17):306 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca breviceps* (Osborn)
Dikranera alebroidea Osborn 1928a:271 [n.sp.];
Metcalf 1968a,6(17):306 [Cat.]
Dikranera breviceps Osborn 1928a:271 [n.sp.];
Metcalf 1968a,6(17):306 [Cat.]
DISTRIBUTION: Bolivia, Argentina (Metcalf Cat.)
- Empoasca bulba* Davidson & DeLong
Empoasca bulba Davidson & DeLong 1943a:218
[n.sp.]; Metcalf 1968a,6(17):306 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca butleri* Edwards
Empoasca butleri Edwards 1908b:82 [n.sp.]; Metcalf
1968a,6(17):307 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Scandinavia, Italy (Metcalf Cat.)
- Empoasca buzensis* Matsumura
Empoasca buzensis Matsumura 1931b:81 [n.sp.];
Metcalf 1968a,6(17):308 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Empoasca caldwelli* Davidson & DeLong
Empoasca caldwelli Davidson & DeLong 1943a:215
[n.sp.]; Metcalf 1968a,6(17):308 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca calycula* Cerutti
Empoasca calyculus Cerutti 1939a:92 [n.sp.]; Metcalf
1968a,6(17):309 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Empoasca camara* Davidson & DeLong
Empoasca camara Davidson & DeLong 1942a:108
[n.sp.]; Metcalf 1968a,6(17):309 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Empoasca campestris* Naudé
Empoasca campestris Naudé 1926a:91 [n.sp.]; Metcalf
1968a,6(17):309 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca canalis* (Osborn)
Joruma canalis Osborn 1928a:282 [n.sp.]; Metcalf
1968a,6(17):309 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Empoasca canariensis* Metcalf
Empoasca unicolor Lindberg 1936a:8 [n.sp.]; Metcalf
1968a,6(17):309 [Cat.]
Empoasca canariensis Metcalf 1955a:267 [nom.nov.
for *Empoasca unicolor* Lindberg 1936]; Metcalf
1968a,6(17):309 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Empoasca canavalia* DeLong
Empoasca canavalia DeLong 1932b:114 [n.sp.];
Metcalf 1968a,6(17):309 [Cat.]
DISTRIBUTION: Haiti, Puerto Rico, Saint Thomas
Island (Metcalf Cat.)
- Empoasca caraba* Davidson & DeLong
Empoasca caraba Davidson & DeLong 1943a:214
[n.sp.]; Metcalf 1968a,6(17):310 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca centromaculata* Melichar
Empoasca centromaculata Melichar 1903b:213 [n.sp.];
Metcalf 1968a,6(17):310 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Empoasca cerata* Davidson & DeLong
Empoasca cerata Davidson & DeLong 1943a:215
[n.sp.]; Metcalf 1968a,6(17):310 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca chloroneura* Naudé
Empoasca chloroneura Naudé 1926a:91 [n.sp.];
Metcalf 1968a,6(17):310 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca citrina* Melichar
Empoasca citrina Melichar 1903b:213 [n.sp.]; Metcalf
1968a,6(17):310 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Empoasca corella* DeLong & Guevara

- Empoasca corella* DeLong & Guevara 1954a(of Metcalf Cat.Bibliog.):82 [n.sp.]; Metcalf 1968a,6(17):311 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca cothurna* Davidson & DeLong
Empoasca cothurna Davidson & DeLong 1943c:639 [n.sp.]; Metcalf 1968a,6(17):311 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca cothurnula* Young
Empoasca cothurnula Young 1953b:377 [n.sp.]; Metcalf 1968a,6(17):311 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca cristata* Torres
Empoasca cristata Torres 1955b:299-302 [n.sp.]; Metcalf 1968a,6(17):311 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca crocovittata* Davidson & DeLong
Empoasca crocovittata Davidson & DeLong 1942b:124 [n.sp.]; Metcalf 1968a,6(17):311 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca cruciata* DeLong
Empoasca cruciata DeLong 1952a:166 [n.sp.]; Metcalf 1968a,6(17):312 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca curveola* Oman
Empoasca curveola Oman 1936a:40 [n.sp.]; Metcalf 1968a,6(17):312 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca cylindrica* Naudé
Empoasca cylindrica Naudé 1926a:91 [n.sp.]; Metcalf 1968a,6(17):312 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca cypha* Caldwell
Empoasca cypha Caldwell 1952 [in Caldwell & Martorell 1952a:120] [n.sp.]; Metcalf 1968a,6(17):312 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca dactylatula* Young
Empoasca dactylatula Young 1953b:387 [n.sp.]; Metcalf 1968a,6(17):313 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca dampfi* Davidson & DeLong
Empoasca dampfi Davidson & DeLong 1940a:608 [n.sp.]; Metcalf 1968a,6(17):313 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca dealbata* Cerutti
Empoasca dealbata Cerutti 1939a:92 [n.sp.]; Metcalf 1968a,6(17):313 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Empoasca decedens* Paoli
Empoasca decedens Paoli 1932a:117 [n.sp.]; Metcalf 1968a,6(17):313 [Cat.]
DISTRIBUTION: Italy, Egypt, France, Cyprus, Iraq, Israel, Slovakia (Metcalf Cat.)
- Empoasca decorata* Osborn
Empoasca decorata Osborn 1924c:452 [n.sp.]; Metcalf 1968a,6(17):314 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Empoasca deskina* DeLong & Guevara
Empoasca deskina DeLong & Guevara 1954a(of Metcalf Cat.Bibliog.):82 [n.sp.]; Metcalf 1968a,6(17):314 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca devastans* Distant
Empoasca devastans Distant 1918b:93 [n.sp.]; Metcalf 1968a,6(17):314 [Cat.]
DISTRIBUTION: India, Pakistan, Myanmar, Australia, Sudan (Metcalf Cat.)
- Empoasca diacumanis* Davidson & DeLong
Empoasca diacumanis Davidson & DeLong 1943c:638 [n.sp.]; Metcalf 1968a,6(17):316 [Cat.]
DISTRIBUTION: Mexico, Costa Rica (Metcalf Cat.)
- Empoasca dicyrta* Caldwell
Empoasca dicyrta Caldwell 1952 [in Caldwell & Martorell 1952a:120] [n.sp.]; Metcalf 1968a,6(17):316 [Cat.]
DISTRIBUTION: Puerto Rico, West Indies (?) (Metcalf Cat.)
- Empoasca digitata* Ribaut
Empoasca digitata Ribaut 1936b:178 [n.sp.]; Metcalf 1968a,6(17):316 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Empoasca distinguenda* Paoli
Empoasca distinguenda Paoli 1932a:114 [n.sp.]; Metcalf 1968a,6(17):317 [Cat.]
DISTRIBUTION: Somalia, South Africa, Sudan, Zaire, Tanzania, Israel, Egypt, Italy (Metcalf Cat.)
- Empoasca dolichi* Paoli
Empoasca dolichi Paoli 1930a:68 [n.sp.]; Metcalf 1968a,6(17):317 [Cat.]
DISTRIBUTION: Somalia, South Africa, Zaire, Uganda, Nigeria (Metcalf Cat.)
- Empoasca dolonis* Oman
Empoasca dolonis Oman 1936a:39 [n.sp.]; Metcalf 1968a,6(17):318 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca dorsovitta* DeLong
Empoasca dorsovitta DeLong 1952a:166 [n.sp.]; Metcalf 1968a,6(17):318 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca dumosa* Ribaut
Empoasca dumosa Ribaut 1933a:158 [n.sp.]; Metcalf 1968a,6(17):318 [Cat.]
DISTRIBUTION: France, Sweden, Germany, Czech Republic, Slovakia, Finland, Italy, Poland, France (Metcalf Cat.)
- Empoasca duodens* Davidson & DeLong
Empoasca duodens Davidson & DeLong 1940a:611 [n.sp.]; Metcalf 1968a,6(17):319 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca edentula* Young

- Empoasca edentula* Young 1942b:377 [n.sp.]; Metcalf 1968a,6(17):319 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca emarginata* Osborn
Empoasca emarginata Osborn 1928a:286 [n.sp.]; Metcalf 1968a,6(17):319 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca eweraformis* Caldwell
Empoasca eweraformis Caldwell 1952 [in Caldwell & Martorell 1952a:121] [n.sp.]; Metcalf 1968a,6(17):320 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca exilis* Naudé
Empoasca exilis Naudé 1926a:91 [n.sp.]; Metcalf 1968a,6(17):320 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca fabalis* DeLong
Empoasca fabalis DeLong 1930a:92 [n.sp.]; Metcalf 1968a,6(17):320 [Cat.]
Empoasca batatae Poos 1933a:176 [n.sp.]; Metcalf 1968a,6(17):320 [Cat.]
DISTRIBUTION: West Indies, United States, Mexico, Brazil, Honduras, Venezuela (Metcalf Cat.)
- Empoasca facialis* (Jacobi)
Chlorita facialis Jacobi 1912 [in Aulmann 1912b:69] [n.sp.]; Metcalf 1968a,6(17):321 [Cat.]
DISTRIBUTION: Tanzania, Sudan, South Africa, Uganda, Nigeria, Ghana, Togo, Zimbabwe, Swaziland, Sudan, Somalia, Senegal, Congo, Kenya, Gambia, Mozambique, Mauritania, Zaire, India, Cambodia, Australia, Oceania: Fiji Islands (Metcalf Cat.)
- Empoasca fasciata* (Osborn)
Dikraneura fasciata Osborn 1928a:273 [n.sp.]; Metcalf 1968a,6(17):327 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca faurea* Naudé
Empoasca faurea Naudé 1926a:91 [n.sp.]; Metcalf 1968a,6(17):327 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca formosana* Paoli
Empoasca formosana Paoli 1932a:117 [n.sp.]; Metcalf 1968a,6(17):327 [Cat.]
DISTRIBUTION: Malaysia, Taiwan, Japan, India (Metcalf Cat.)
- Empoasca fulvomaculata* (Osborn)
Alebra fulvomaculata Osborn 1928a:255 [n.sp.]; Metcalf 1968a,6(17):328 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca fuscofasciata* Distant
Empoasca fuscofasciata Distant 1918b:92 [n.sp.]; Metcalf 1968a,6(17):328 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca fuscovitta* Metcalf
Empoasca fuscovitta Metcalf 1946d:143 [n.sp.]; Metcalf 1968a,6(17):328 [Cat.]
- DISTRIBUTION:** Oceania: Guam (Metcalf Cat.)
Empoasca gigantica Davidson & DeLong
Empoasca gigantica Davidson & DeLong 1943a:220 [n.sp.]; Metcalf 1968a,6(17):329 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca gongyla* Caldwell
Empoasca gongyla Caldwell 1952 [in Caldwell & Martorell 1952a:124] [n.sp.]; Metcalf 1968a,6(17):329 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca goodi* Davidson & DeLong
Empoasca goodi Davidson & DeLong 1943a:220 [n.sp.]; Metcalf 1968a,6(17):329 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca gossypii* DeLong
Empoasca gossypii DeLong 1923b:114 [n.sp.]; Metcalf 1968a,6(17):329 [Cat.]
DISTRIBUTION: India, Haiti, Puerto Rico, Brazil, United States (Metcalf Cat.)
- Empoasca guatemalana* (Osborn)
Joruma guatemalana Osborn 1928a:282 [n.sp.]; Metcalf 1968a,6(17):330 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Empoasca heliophila* Cogan
Empoasca heliophila Cogan 1916a:197 [n.sp.]; Metcalf 1968a,6(17):330 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca hungarica* Ribaut
Empoasca hungarica Ribaut 1933a:160 [n.subsp. of tessellata]; Metcalf 1968a,6(17):330 [Cat.]
DISTRIBUTION: Hungary, Czech Republic, Slovakia, Russia (Metcalf Cat.)
- Empoasca hyalina* (Osborn)
Joruma hyalina Osborn 1928a:284 [n.sp.]; Metcalf 1968a,6(17):331 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca ingena* Davidson & DeLong
Empoasca ingena Davidson & DeLong 1942a:106 [n.sp.]; Metcalf 1968a,6(17):331 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca insularis* Oman
Empoasca insularis Oman 1936a:40 [n.sp.]; Metcalf 1968a,6(17):331 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca irrita* Davidson & DeLong
Empoasca irrita Davidson & DeLong 1943c:636 [n.sp.]; Metcalf 1968a,6(17):331 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca jacobii* Metcalf
Empoasca prasina Jacobi 1941a:312 [n.sp.]; Metcalf 1968a,6(17):332 [Cat.]
Empoasca jacobii Metcalf 1968a:332 [nom.nov. for Empoasca prasina Jacobi 1941]; Metcalf 1968a,6(17):332 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Empoasca jalapa* DeLong

- Empoasca jalapa* DeLong 1952a:165 [n.sp.]; Metcalf 1968a,6(17):332 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca kerri* Singh-Pruthi
Empoasca kerri Singh-Pruthi 1940a:8 [n.sp.]; Metcalf 1968a,6(17):332 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca kerri motti* Singh-Pruthi
Empoasca motti Singh-Pruthi 1940a:9 [n.subsp. of *kerri*]; Metcalf 1968a,6(17):332 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca kontkaneni* Ossiannilsson
Empoasca kontkaneni Ossiannilsson 1949b:71 [n.sp.]; Metcalf 1968a,6(17):333 [Cat.]
DISTRIBUTION: Finland, Sweden, North America (?) (Metcalf Cat.)
- Empoasca koshunensis* Schumacher
Empoasca koshunensis Schumacher 1915b:127 [n.sp.]; Metcalf 1968a,6(17):333 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca limpida* Wagner
Empoasca limpida Wagner 1955a:176 [n.sp.]; Metcalf 1968a,6(17):334 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Empoasca lindbergi* Linnauori
Empoasca lindbergi Linnauori 1951a:60 [n.sp.]; Metcalf 1968a,6(17):334 [Cat.]
DISTRIBUTION: Finland (Metcalf Cat.)
- Empoasca lineata* Baker
Empoasca lineata Baker 1903d:7 [n.sp.]; Metcalf 1968a,6(17):334 [Cat.]
DISTRIBUTION: Nicaragua (Metcalf Cat.)
- Empoasca lineatifrons* Naudé
Empoasca lineatifrons Naudé 1926a:96 [n.sp.]; Metcalf 1968a,6(17):334 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca longispina* Oman
Empoasca longispina Oman 1936a:37 [n.sp.]; Metcalf 1968a,6(17):334 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca macarangae* Metcalf
Empoasca macarangae Metcalf 1946d:142 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Empoasca maculosa* (Osborn)
Dikraneura maculosa Osborn 1928a:272 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Empoasca malayana* Paoli
Empoasca malayana Paoli 1936a:15 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Empoasca manubriata* Young
Empoasca manubriata Young 1953b:378 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca maritima* Ribaut
Empoasca maritima Ribaut 1933a:156 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Empoasca marquesana* Osborn
Empoasca marquesana Osborn 1934b:267 [n.sp.]; Metcalf 1968a,6(17):335 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Empoasca marsupifera* Young
Empoasca marsupifera Young 1953b:377 [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca martorelli* Metcalf
Empoasca incisa Caldwell 1952 [in Caldwell & Martorell 1952a:125] [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
Empoasca martorelli Metcalf 1955a:267 [nom.nov. for *Empoasca incisa* Caldwell 1952]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca melichari* Distant
Empoasca melichari Distant 1908g:403 [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Empoasca metana* DeLong & Guevara
Empoasca metana DeLong & Guevara 1954a(of Metcalf Cat.Bibliog.):79 [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca miniata* Melichar
Empoasca miniata Melichar 1903b:214 [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Empoasca minima* Naudé
Empoasca minima Naudé 1926a:91 [n.sp.]; Metcalf 1968a,6(17):336 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca minor* Singh-Pruthi
Empoasca minor Singh-Pruthi 1940a:3 [n.sp.]; Metcalf 1968a,6(17):337 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca mira* Knnull
Empoasca mira Knnull 1951b:169 [n.sp.]; Metcalf 1968a,6(17):337 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca missiona* Oman
Empoasca missiona Oman 1936a:40 [n.sp.]; Metcalf 1968a,6(17):337 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca montana* Caldwell
Empoasca montana Caldwell 1952 [in Caldwell & Martorell 1952a:126] [n.sp.]; Metcalf 1968a,6(17):337 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca morindae* Metcalf

- Empoasca morindae* Metcalf 1946d:140 [n.sp.];
 Metcalf 1968a,6(17):337 [Cat.]

DISTRIBUTION: Oceania: Guam (Metcalf Cat.)

Empoasca mosella DeLong & Guevara
 Empoasca mosella DeLong & Guevara 1954a(of
 Metcalf Cat.Bibliog.):80 [n.sp.]; Metcalf
 1968a,6(17):338 [Cat.]

DISTRIBUTION: Mexico (Metcalf Cat.)

Empoasca mucronata Ribaut
 Empoasca mucronata Ribaut 1933a:151 [n.sp.];
 Metcalf 1968a,6(17):338 [Cat.]

DISTRIBUTION: Switzerland, Sweden, France
 (Metcalf Cat.)

Empoasca muricata Caldwell
 Empoasca muricata Caldwell 1952 [in Caldwell &
 Martorell 1952a:126] [n.sp.]; Metcalf
 1968a,6(17):338 [Cat.]

DISTRIBUTION: Puerto Rico (Metcalf Cat.)

Empoasca nagpurensis Distant
 Empoasca nagpurensis Distant 1918b:93 [n.sp.];
 Metcalf 1968a,6(17):338 [Cat.]

DISTRIBUTION: India (Metcalf Cat.)

Empoasca naudei Metcalf
 Empoasca facialis Naudé 1929c:21 [n.sp.]; Metcalf
 1968a,6(17):338 [Cat.]

Empoasca naudei Metcalf 1968a:338 [nom.nov. for
 Empoasca facialis Naudé 1929]; Metcalf
 1968a,6(17):338 [Cat.]

DISTRIBUTION: South Africa (Metcalf Cat.)

Empoasca nesolina Osborn
 Empoasca nesolina Osborn 1934b:268 [n.sp.]; Metcalf
 1968a,6(17):339 [Cat.]

DISTRIBUTION: Oceania: Marquesas Islands
 (Metcalf Cat.)

Empoasca nigropunctata Merino
 Empoasca nigropunctata Merino 1936a:389 [n.sp.];
 Metcalf 1968a,6(17):339 [Cat.]

DISTRIBUTION: Philippine Islands (Metcalf Cat.)

Empoasca nigroscutellata Distant
 Empoasca nigroscutellata Distant 1918b:93 [n.sp.];
 Metcalf 1968a,6(17):339 [Cat.]

DISTRIBUTION: India (Metcalf Cat.)

Empoasca nihil Caldwell
 Empoasca nihil Caldwell 1952 [in Caldwell &
 Martorell 1952a:127] [n.sp.]; Metcalf
 1968a,6(17):339 [Cat.]

DISTRIBUTION: Puerto Rico (Metcalf Cat.)

Empoasca notata Melichar
 Empoasca notata Melichar 1903b:214 [n.sp.]; Metcalf
 1968a,6(17):339 [Cat.]

DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)

Empoasca obliqua Caldwell
 Empoasca obliqua Caldwell 1952 [in Caldwell &
 Martorell 1952a:127] [n.sp.]; Metcalf
 1968a,6(17):340 [Cat.]

DISTRIBUTION: Puerto Rico (Metcalf Cat.)

Empoasca obstipa Davidson & DeLong
 Empoasca obstipa Davidson & DeLong 1942a:108
 [n.sp.]; Metcalf 1968a,6(17):340 [Cat.]

DISTRIBUTION: Mexico (Metcalf Cat.)

Empoasca oculea (Osborn)
 Dikranura oculea Osborn 1928a:268 [n.sp.]; Metcalf
 1968a,6(17):340 [Cat.]

DISTRIBUTION: Bolivia (Metcalf Cat.)

Empoasca okubella Matsumura
 Empoasca okubella Matsumura 1931b:81 [n.sp.];
 Metcalf 1968a,6(17):341 [Cat.]

DISTRIBUTION: Japan (Metcalf Cat.)

Empoasca olivatula Osborn
 Empoasca olivatula Osborn 1928a:287 [n.sp.]; Metcalf
 1968a,6(17):341 [Cat.]

DISTRIBUTION: Brazil (Metcalf Cat.)

Empoasca ornata (Osborn)
 Joruma ornata Osborn 1928a:283 [n.sp.]; Metcalf
 1968a,6(17):341 [Cat.]

DISTRIBUTION: Bolivia (Metcalf Cat.)

Empoasca ornatella Young
 Empoasca ornata Oman 1936a:37 [n.sp.]; Metcalf
 1968a,6(17):341 [Cat.]

Empoasca ornatella Young 1952b:118 [nom.nov. for
 Empoasca ornata Oman 1936]; Metcalf
 1968a,6(17):341 [Cat.]

DISTRIBUTION: Bolivia (Metcalf Cat.)

Empoasca ossianilssonii Nuorteva
 Empoasca ossianilssonii Nuorteva 1948a:99 [n.sp.,not
 nom.nov.]; Metcalf 1968a,6(17):342 [Cat.]

DISTRIBUTION: Sweden, Estonia, Latvia, Finland,
 Slovakia, Romania (Metcalf Cat.)

Empoasca paolii Ossianilsson
 Empoasca paolii Ossianilsson 1939a:25 [n.sp.,not
 nom.nov.]; Metcalf 1968a,6(17):342 [Cat.]

DISTRIBUTION: France, Sweden, Germany, Czech
 Republic, Hungary, Finland, Russia (Metcalf Cat.)

Empoasca papayae Oman
 Empoasca papayae Oman 1937d:570 [n.sp.]; Metcalf
 1968a,6(17):343 [Cat.]

DISTRIBUTION: Puerto Rico, Dominican Republic,
 Haiti, Cuba, Jamaica (Metcalf Cat.)

Empoasca parathea Singh-Pruthi
 Empoasca parathea Singh-Pruthi 1940a:6 [n.sp.];
 Metcalf 1968a,6(17):344 [Cat.]

DISTRIBUTION: India (Metcalf Cat.)

Empoasca pedifera Young
 Empoasca pedifera Young 1953b:377 [n.sp.]; Metcalf
 1968a,6(17):344 [Cat.]

DISTRIBUTION: Argentina (Metcalf Cat.)

Empoasca peregrina Oman
 Empoasca peregrina Oman 1936a:34 [n.sp.]; Metcalf
 1968a,6(17):344 [Cat.]

DISTRIBUTION: Peru (Metcalf Cat.)

Empoasca perelegans Oman

- Empoasca perelegans* Oman 1936a:35 [n.sp.]; Metcalf 1968a,6(17):344 [Cat.]
DISTRIBUTION: Costa Rica, Honduras, Brazil (Metcalf Cat.)
- Empoasca perplexa* Ribaut
Empoasca perplexa Ribaut 1952a:459 [n.sp.]; Metcalf 1968a,6(17):345 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Empoasca petasata* Melichar
Empoasca petasata Melichar 1903b:215 [n.sp.]; Metcalf 1968a,6(17):345 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Empoasca phaseola* Oman
Empoasca phaseola Oman 1936a:39 [n.sp.]; Metcalf 1968a,6(17):345 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Empoasca photophila* (Berg)
Typhlocyba photophila Berg 1879d:269 [n.sp.]; Metcalf 1968a,6(17):345 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca picta* Osborn
Empoasca picta Osborn 1924c:452 [n.sp.]; Metcalf 1968a,6(17):346 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Empoasca pictifrons* (Osborn)
Alebra pictifrons Osborn 1928a:256 [n.sp.]; Metcalf 1968a,6(17):346 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca pipturi* Metcalf
Empoasca pipturi Metcalf 1946d:143 [n.sp.]; Metcalf 1968a,6(17):346 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Empoasca pitiensis* Metcalf
Empoasca pitiensis Metcalf 1946d:146 [n.sp.]; Metcalf 1968a,6(17):346 [Cat.]
DISTRIBUTION: Oceania: Guam, Oceania: Federated States of Micronesia (Metcalf Cat.)
- Empoasca polyphemus* Matsumura
Empoasca polyphemus Matsumura 1931b:82 [n.sp.]; Metcalf 1968a,6(17):347 [Cat.]
DISTRIBUTION: Japan, Russia, Georgia, Azerbaijan (Metcalf Cat.)
- Empoasca prona* Davidson & DeLong
Empoasca prona Davidson & DeLong 1940a:610 [n.sp.]; Metcalf 1968a,6(17):347 [Cat.]
DISTRIBUTION: Mexico, Brazil, Costa Rica, Mexico, Puerto Rico (Metcalf Cat.)
- Empoasca protea* Cogan
Empoasca protea Cogan 1916a:197 [n.sp.]; Metcalf 1968a,6(17):348 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Empoasca pseudosetigera* Caldwell
Empoasca pseudosetigera Caldwell 1952 [in Caldwell & Martorell 1952a:130] [n.sp.]; Metcalf 1968a,6(17):348 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca punjabensis* Singh-Pruthi
Empoasca punjabensis Singh-Pruthi 1940a:4 [n.sp.]; Metcalf 1968a,6(17):348 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca quadripunctata* Evans
Empoasca quadripunctata Evans 1942c:49 [n.sp.]; Metcalf 1968a,6(17):349 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Empoasca quintapunctata* Davidson & DeLong
Empoasca quintapunctata Davidson & DeLong 1943c:638 [n.sp.]; Metcalf 1968a,6(17):349 [Cat.]
DISTRIBUTION: Mexico, Costa Rica (Metcalf Cat.)
- Empoasca radha* Distant
Empoasca radha Distant 1918b:93 [n.sp.]; Metcalf 1968a,6(17):349 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca ramosa* Caldwell
Empoasca ramosa Caldwell 1952 [in Caldwell & Martorell 1952a:130] [n.sp.]; Metcalf 1968a,6(17):349 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca resona* DeLong & Guevara
Empoasca resona DeLong & Guevara 1954a (of Metcalf Cat. Bibliog.):80 [n.sp.]; Metcalf 1968a,6(17):349 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca resupina* Davidson & DeLong
Empoasca resupina Davidson & DeLong 1940a:611 [n.sp.]; Metcalf 1968a,6(17):350 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca rubraza* Oman
Empoasca rubraza Oman 1936a:34 [n.sp.]; Metcalf 1968a,6(17):350 [Cat.]
DISTRIBUTION: Argentina, Bolivia (Metcalf Cat.)
- Empoasca rubriceps* Matsumura
Empoasca rubriceps Matsumura 1931b:82 [n.sp.]; Metcalf 1968a,6(17):350 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca rubricula* Jacobi
Empoasca rubricula Jacobi 1941a:311 [n.sp.]; Metcalf 1968a,6(17):350 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Empoasca rubrifrons* Matsumura
Empoasca rubrifrons Matsumura 1931b:83 [n.sp.]; Metcalf 1968a,6(17):351 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca rubromaculata* Osborn
Empoasca rubromaculata Osborn 1928a:285 [n.sp.]; Metcalf 1968a,6(17):351 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca rubronotata* Distant
Empoasca rubronotata Distant 1918b:92 [n.sp.]; Metcalf 1968a,6(17):351 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca rufa* Melichar

- Empoasca rufa* Melichar 1903b:212 [n.sp.]; Metcalf 1968a,6(17):351 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, Myanmar, Taiwan (Metcalf Cat.)
- Empoasca rumexa* Davidson & DeLong
Empoasca rumexa Davidson & DeLong 1943a:216 [n.sp.]; Metcalf 1968a,6(17):352 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca salinarum* (Berg)
Typhlocyba salinarum Berg 1879d:269 [n.sp.]; Metcalf 1968a,6(17):352 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca santolinae* Ribaut
Empoasca santolinae Ribaut 1936b:191 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Empoasca schumacheri* Metcalf
Empoasca bipunctata Schumacher 1915b:127 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
Empoasca schumacheri Metcalf 1968a:353 [nom.nov. for *Empoasca bipunctata* Schumacher 1915]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca semanta* Davidson & DeLong
Empoasca semanta Davidson & DeLong 1943a:215 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca serpula* Davidson & DeLong
Empoasca serpula Davidson & DeLong 1943a:218 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca serrator* Young
Empoasca serrator Young 1953b:376 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca serrula* Davidson & DeLong
Empoasca serrula Davidson & DeLong 1940a:608 [n.sp.]; Metcalf 1968a,6(17):353 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca setigera* Oman
Empoasca setigera Oman 1936a:37 [n.sp.]; Metcalf 1968a,6(17):354 [Cat.]
DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Empoasca shirakiella* Matsumura
Empoasca shirakiella Matsumura 1931b:83 [n.sp.]; Metcalf 1968a,6(17):354 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca solanifolia* Singh-Pruthi
Empoasca solanifolia Singh-Pruthi 1940a:1 [n.sp.]; Metcalf 1968a,6(17):355 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca sonorana* Wheeler
Empoasca sonorana Wheeler 1940a:479 [n.sp.]; Metcalf 1968a,6(17):355 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca sordidula* Ossiannilsson
Empoasca sordidula Ossiannilsson 1941d:69 [n.sp.]; Metcalf 1968a,6(17):355 [Cat.]
DISTRIBUTION: Sweden, Finland, Norway, North America (?) (Metcalf Cat.)
- Empoasca speciosa* Young
Empoasca speciosa Young 1953b:378 [n.sp.]; Metcalf 1968a,6(17):355 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca stalsisa* Davidson & DeLong
Empoasca stalsisa Davidson & DeLong 1943a:214 [n.sp.]; Metcalf 1968a,6(17):356 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca strigilifera* Ossiannilsson
Empoasca strigilifera Ossiannilsson 1941b:198 [n.sp.]; Metcalf 1968a,6(17):356 [Cat.]
DISTRIBUTION: Sweden, Germany, Finland, France, Poland, Austria (Metcalf Cat.)
- Empoasca strobli* Wagner
Empoasca strobli Wagner 1949a:44 [n.sp.]; Metcalf 1968a,6(17):357 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
- Empoasca subrufa* (Motschulsky)
Thamnotettix subrufa Motschulsky 1863a:100 [n.sp.]; Metcalf 1968a,6(17):357 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, Taiwan, India, China, West Indonesia (Metcalf Cat.)
- Empoasca superba* Melichar
Empoasca superba Melichar 1908b:14 [n.sp.]; Metcalf 1968a,6(17):358 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Empoasca tabaci* Singh-Pruthi
Empoasca tabaci Singh-Pruthi 1940a:6 [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca taraxa* Caldwell
Empoasca taraxa Caldwell 1952 [in Caldwell & Martorell 1952a:131] [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca taunica* Wagner
Empoasca taunica Wagner 1955a:177 [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Empoasca tectona* Davidson & DeLong
Empoasca tectona Davidson & DeLong 1943c:639 [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca tergata* (McAtee)
Joruma tergata McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Empoasca terminalis* Distant
Empoasca terminalis Distant 1918b:92 [n.sp.]; Metcalf 1968a,6(17):359 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca thea* Distant

- Empoasca thea* Distant 1910g:196 [n.sp.]; Metcalf 1968a,6(17):360 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Empoasca tolana* DeLong & Guevara
Empoasca tolana DeLong & Guevara 1954a(of Metcalf cat. Biblio.):80 [n.sp.]; Metcalf 1968a,6(17):360 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca triangulifera* Young
Empoasca triangulifera Young 1953b:384 [n.sp.]; Metcalf 1968a,6(17):360 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca trifurcata* Oman
Empoasca trifurcata Oman 1936a:39 [n.sp.]; Metcalf 1968a,6(17):360 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca tripunctata* Davidson & DeLong
Empoasca tripunctata Davidson & DeLong 1943c:636 [n.sp.]; Metcalf 1968a,6(17):361 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca tritabulata* Young
Empoasca tritabulata Young 1953b:377 [n.sp.]; Metcalf 1968a,6(17):361 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca truncata* Young
Empoasca truncata Young 1953b:378 [n.sp.]; Metcalf 1968a,6(17):361 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca uapouensis* Osborn
Empoasca uapouensis Osborn 1934b:268 [n.sp.]; Metcalf 1968a,6(17):361 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Empoasca valvata* (Osborn)
Cicadula valvata Osborn 1923c:76 [n.sp.]; Metcalf 1968a,6(17):362 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Empoasca vitis* (Göthe)
Typhlocyba vitis Göthe 1875a:397 [n.sp.]; Metcalf 1968a,6(17):362 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Empoasca willinki* Young
Empoasca willinki Young 1953b:378 [n.sp.]; Metcalf 1968a,6(17):364 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Empoasca yona* Metcalf
Empoasca yona Metcalf 1946d:139 [n.sp.]; Metcalf 1968a,6(17):364 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Empoasca zonalis* (Osborn)
Joruma zonalis Osborn 1928a:283 [n.sp.]; Metcalf 1968a,6(17):364 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Empoasca zyxa* Caldwell
Empoasca zyxa Caldwell 1952 [in Caldwell & Martorell 1952a:131] [n.sp.]; Metcalf 1968a,6(17):364 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Empoasca (Acia) exsultans* McAtee
Empoasca (Acia) exsultans McAtee 1934a:113 [n.sp.]; Metcalf 1968a,6(17):552 [Cat.]
DISTRIBUTION: Singapore (Metcalf Cat.)
- Empoasca (Chlorita) apicalis* (Flor)
Typhlocyba apicalis Flor 1861a:396 [n.sp.]; Metcalf 1968a,6(17):560 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
- Empoasca (Chlorita) bodenheimeri* (Haupt)
Chlorita bodenheimeri Haupt 1930b:420 [n.sp.]; Metcalf 1968a,6(17):562 [Cat.]
DISTRIBUTION: Israel, Mediterranean Region (?) (Metcalf Cat.)
- Empoasca (Chlorita) boninensis* (Matsumura)
Chlorita boninensis Matsumura 1931b:86 [n.sp.]; Metcalf 1968a,6(17):563 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) citrea* (Haupt)
Chlorita citrea Haupt 1930b:442 [n.sp.]; Metcalf 1968a,6(17):563 [Cat.]
DISTRIBUTION: Israel, Mediterranean Region (?) (Metcalf Cat.)
- Empoasca (Chlorita) conspersa* (Melichar)
Chlorita conspersa Melichar 1914b:142 [n.sp.]; Metcalf 1968a,6(17):563 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Empoasca (Chlorita) decipiens* Paoli
Empoasca decipiens Paoli 1930a:74 [n.sp.]; Metcalf 1968a,6(17):563,566 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Iraq, Israel, Egypt, Morocco, Cyprus (Metcalf Cat.)
- Empoasca (Chlorita) decipiens bifurcata* Cerutti
Empoasca decipiens bifurcata Cerutti 1939a:93 [n.subsp. of decipiens]; Metcalf 1968a,6(17):566 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Empoasca (Chlorita) decipiens meridiana* Zachvatkin
Empoasca decipiens meridiana Zachvatkin 1947a:108 [n.subsp. of decipiens]; Metcalf 1968a,6(17):566 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Empoasca (Chlorita) edithae* (White)
Chlorita edithae White 1878a:476 [n.sp.]; Metcalf 1968a,6(17):566 [Cat.]
DISTRIBUTION: South Atlantic Ocean: St.Helena (Metcalf Cat.)
- Empoasca (Chlorita) flavovittella* (Matsumura)
Chlorita flavovittella Matsumura 1931bb:86 [n.sp.]; Metcalf 1968a,6(17):566 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)

- Empoasca (Chlorita) formosicola (Matsumura)
Chlorita formosicola Matsumura 1931b:87 [n.sp.];
 Metcalf 1968a,6(17):567 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca (Chlorita) fraxinella (Matsumura)
Chlorita fraxinella Matsumura 1931b:87 [n.sp.];
 Metcalf 1968a,6(17):567 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) hakonella (Matsumura)
Chlorita hakonella Matsumura 1931b:87 [n.sp.];
 Metcalf 1968a,6(17):567 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) hiromichii (Matsumura)
Chlorita hiromichii Matsumura 1931b:88 [n.sp.];
 Metcalf 1968a,6(17):567 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) kisuji (Matsumura)
Chlorita kisuji Matsumura 1931b:88 [n.sp.]; Metcalf
 1968a,6(17):568 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) koreana (Matsumura)
Chlorita koreana Matsumura 1931b:88 [n.sp.]; Metcalf
 1968a,6(17):568 [Cat.]
 DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Empoasca (Chlorita) limbifera (Matsumura)
Chlorita limbifera Matsumura 1931b:89 [n.sp.];
 Metcalf 1968a,6(17):571 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca (Chlorita) lybica (Bergevin & Zanon)
Chlorita lybica Bergevin & Zanon 1922a:58 [n.sp.];
 Metcalf 1968a,6(17):568 [Cat.]
Chlorita signata Haupt 1927a:40 [n.sp.]; Metcalf
 1968a,6(17):568 [Cat.]
 Empoasca benedettoi Paoli 1932a:115 [n.sp.]; Metcalf
 1968a,6(17):568 [Cat.]
 DISTRIBUTION: Widespread Africa, Israel, Egypt,
 Spain (Metcalf Cat.)
- Empoasca (Chlorita) minor Zachvatkin
Empoasca minor Zachvatkin 1935a:112 [n.subsp. of
decipiens]; Metcalf 1968a,6(17):571 [Cat.]
 DISTRIBUTION: Yemen (Metcalf Cat.)
- Empoasca (Chlorita) molops (Lethierry)
Chlorita molops Lethierry 1884c:64 [n.sp.]; Metcalf
 1968a,6(17):571 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Empoasca (Chlorita) nervosa (Fieber)
Chlorita nervosa Fieber 1884a:60 [n.sp.]; Metcalf
 1968a,6(17):571 [Cat.]
 DISTRIBUTION: France, Spain, Portugal, Granada,
 Tunisia, Russia (Metcalf Cat.)
- Empoasca (Chlorita) nopporensis (Matsumura)
Chlorita nopporensis Matsumura 1931b:89 [n.sp.];
 Metcalf 1968a,6(17):572 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) okubonis (Matsumura)
Chlorita okubonis Matsumura 1931b:89 [n.sp.];
 Metcalf 1968a,6(17):572 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) onukii Matsuda
Empoasca onukii Matsuda 1952a:19-21 [n.sp.];
 Metcalf 1968a,6(17):573 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) pirusuga (Matsumura)
Chlorita pirusuga Matsumura 1931b:89 [n.sp.];
 Metcalf 1968a,6(17):573 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Empoasca (Chlorita) prasina (Fieber)
Chlorita prasina Fieber 1884a:62 [n.sp.]; Metcalf
 1968a,6(17):573 [Cat.]
Empoasca mendax Ribaut 1933a:160 [n.sp.]; Metcalf
 1968a,6(17):574 [Cat.]
 DISTRIBUTION: Russia, Hungary, Romania, Italy,
 France, Slovakia, Ukraine (?) (Metcalf Cat.)
- Empoasca (Chlorita) punctum (Lethierry)
Chlorita punctum Lethierry 1884c:64 [n.sp.]; Metcalf
 1968a,6(17):574 [Cat.]
 DISTRIBUTION: Greece (Metcalf Cat.)
- Empoasca (Chlorita) pura (Stål)
Typhlocyba pura Stål 1858e:195 [n.sp.]; Metcalf
 1968a,6(17):574 [Cat.]
 DISTRIBUTION: United States, Canada, Russia
 (Metcalf Cat.)
- Empoasca (Chlorita) pusilla (Matsumura)
Chlorita pusilla Matsumura 1906a:77 [n.sp.]; Metcalf
 1968a,6(17):575 [Cat.]
 DISTRIBUTION: Russia, Germany, Sweden (Metcalf
 Cat.)
- Empoasca (Chlorita) shokella (Matsumura)
Chlorita shokella Matsumura 1931b:90 [n.sp.];
 Metcalf 1968a,6(17):576 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Empoasca (Chlorita) solani (Curtis)
Eupteryx solani Curtis 1846a:388 [n.sp.]; Metcalf
 1968a,6(17):576 [Cat.]
Typhlocyba pteridis Dahlbom 1850a:179 [n.sp.];
 Metcalf 1968a,6(17):577 [Cat.]
Typhlocyba solanituberosi Kollar 1852a:5 [n.sp.];
 Metcalf 1968a,6(17):577 [Cat.]
Empoasca tullgreni Ribaut 1933a:154 [n.sp., not
 nom.nov.]; Metcalf 1968a,6(17):582 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, Italy, India, Sri Lanka,
 Northern Africa, Oceania: Hawaiian Islands,
 America (?) (Metcalf Cat.)
- Empoasca (Chlorita) solani roseiventris (Rey)
Chlorita solani roseiventris Rey 1894c:46 [n.subsp. of
solani]; Metcalf 1968a,6(17):586 [Cat.]
 DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Empoasca (Chlorita) todo (Matsumura)
Chlorita todo Matsumura 1931b:90 [n.sp.]; Metcalf
 1968a,6(17):587 [Cat.]

- DISTRIBUTION: Japan (Metcalf Cat.)
Empoasca (Chlorita) transversalis Metcalf
 Chlorita transversa Lindberg 1929b:11 [n.sp.]; Metcalf 1968a,6(17):587 [Cat.]
Empoasca (Chlorita) transversalis Metcalf 1968a:587 [nom.nov. for Chlorita transversa Lindberg 1929]; Metcalf 1968a,6(17):587 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
Empoasca (Chlorita) validinervis (Fieber)
 Chlorita validinervis Fieber 1884a:56 [n.sp.]; Metcalf 1968a,6(17):587 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
Empoasca (Chlorita) viridula (Fallén)
 Cicada viridula Fallén 1806a:37 [n.sp.]; Metcalf 1968a,6(17):588 [Cat.]
Empoasca subulata Ribaut 1933a:155 [n.sp.]; Metcalf 1968a,6(17):593 [Cat.]
 DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, Northern Africa, Japan (Metcalf Cat.)
Empoasca (Chlorita) vittata (Lethierry)
 Chlorita vittata Lethierry 1884c:65 [n.sp.]; Metcalf 1968a,6(17):595 [Cat.]
Empoasca artemisiae Haupt 1924d:294 [n.sp.]; Metcalf 1968a,6(17):596 [Cat.]
 DISTRIBUTION: Russia, Croatia, Hungary, Italy, Romania, France, Korea, Italy, Japan, Switzerland, Germany, Slovakia, Czech Republic, Georgia, Azerbaijan, China (Metcalf Cat.)
Empoasca (Empoasca) abrupta DeLong
Empoasca (Empoasca) abrupta DeLong 1931b:48 [n.sp.]; Metcalf 1968a,6(17):442 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) acuminata Wheeler
Empoasca acuminata Wheeler 1939a:294 [n.sp.]; Metcalf 1968a,6(17):444 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) albonota DeLong
Empoasca (Empoasca) albonota DeLong 1931b:43 [n.subsp. of hamata]; Metcalf 1968a,6(17):444 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) amara Davidson & DeLong
Empoasca amara Davidson & DeLong 1939a:114 [n.sp.]; Metcalf 1968a,6(17):444 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) ancistra Davidson & DeLong
Empoasca ancistra Davidson & DeLong 1939a:115 [n.sp.]; Metcalf 1968a,6(17):445 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) arator Davidson & DeLong
Empoasca arator Davidson & DeLong 1940a:610 [n.sp.]; Metcalf 1968a,6(17):445 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Empoasca (Empoasca) arida DeLong
Empoasca (Empoasca) arida DeLong 1931b:49 [n.sp.]; Metcalf 1968a,6(17):445 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) arqua Davidson & DeLong
Empoasca arqua Davidson & DeLong 1942a:106 [n.sp.]; Metcalf 1968a,6(17):446 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) arta DeLong & Davidson
Empoasca arta DeLong & Davidson 1935a:32 [n.sp.]; Metcalf 1968a,6(17):446 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) barbara Hartzell
Empoasca barbara Hartzell 1923a:107 [n.sp.]; Metcalf 1968a,6(17):446 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) biarca Davidson & DeLong
Empoasca biarca Davidson & DeLong 1938a:92 [n.sp.]; Metcalf 1968a,6(17):447 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) bicorna DeLong & Caldwell
Empoasca (Empoasca) bicorna DeLong & Caldwell 1934a:604 [n.sp.]; Metcalf 1968a,6(17):447 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) bicuspidata Davidson & DeLong
Empoasca bicuspidata Davidson & DeLong 1938a:91 [n.sp.]; Metcalf 1968a,6(17):447 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) bifurcata DeLong
Empoasca bifurcata DeLong 1931b:40 [n.sp.]; Metcalf 1968a,6(17):448 [Cat.]
 DISTRIBUTION: United States, Canada, Guatemala (Metcalf Cat.)
Empoasca (Empoasca) calcarea DeLong
Empoasca calcarea DeLong 1932c:398 [n.sp.]; Metcalf 1968a,6(17):449 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) calcea DeLong
Empoasca calcea DeLong 1932c:395 [n.sp.]; Metcalf 1968a,6(17):450 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) caverna Davidson & DeLong
Empoasca caverna Davidson & DeLong 1938a:93 [n.sp.]; Metcalf 1968a,6(17):450 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) cerea DeLong
Empoasca cerea DeLong 1931b:46 [n.sp.]; Metcalf 1968a,6(17):450 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) chelata DeLong & Davidson
Empoasca chelata DeLong & Davidson 1936a:226 [n.sp.]; Metcalf 1968a,6(17):451 [Cat.]
 DISTRIBUTION: United States, Puerto Rico (Metcalf Cat.)
Empoasca (Empoasca) coccinea (Fitch)
Empoa coccinea Fitch 1851a:63 [n.sp.]; Metcalf 1968a,6(17):451 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) convergens DeLong & Davidson
Empoasca convergens DeLong & Davidson 1935a:30
[n.sp.]; Metcalf 1968a,6(17):453 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Empoasca (Empoasca) crepidula Wheeler
Empoasca crepidula Wheeler 1939a:294 [n.sp.];
Metcalf 1968a,6(17):454 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) crocostigmata Davidson & DeLong
Empoasca crocostigmata Davidson & DeLong
1942b:124 [n.sp.]; Metcalf 1968a,6(17):454 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Empoasca (Empoasca) curvata Poos
Empoasca curvata Poos 1933a:177 [n.sp.]; Metcalf
1968a,6(17):454 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) curvatura Davidson & DeLong
Empoasca curvatura Davidson & DeLong 1938a:90
[n.sp.]; Metcalf 1968a,6(17):455 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) curvexa Davidson & DeLong
Empoasca curvexa Davidson & DeLong 1939a:110
[n.sp.]; Metcalf 1968a,6(17):455 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) davidsoni DeLong
Empoasca mucronata Davidson & DeLong 1938a:90
[n.sp.]; Metcalf 1968a,6(17):455 [Cat.]
Empoasca davidsoni DeLong 1945b:272 [nom.nov.
for *Empoasca mucronata* Davidson & DeLong
1938]; Metcalf 1968a,6(17):455 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) decurvata Davidson & DeLong
Empoasca decurvata Davidson & DeLong 1938a:93
[n.sp.]; Metcalf 1968a,6(17):456 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) delongi Poos
Empoasca delongi Poos 1933a:175 [n.sp.]; Metcalf
1968a,6(17):456 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) delta Wheeler
Empoasca delta Wheeler 1939a:299 [n.sp.]; Metcalf
1968a,6(17):457 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) deluda DeLong
Empoasca (Empoasca) deluda DeLong 1931b:46
[n.sp.]; Metcalf 1968a,6(17):457 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Empoasca (Empoasca) denaria Van Duzee
Empoasca denaria Van Duzee 1930a:148 [n.sp.];
Metcalf 1968a,6(17):457 [Cat.]
Empoasca (Empoasca) rubida DeLong 1931b:39
[n.sp.]; Metcalf 1968a,6(17):457 [Cat.]

DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) dentata DeLong & Davidson
Empoasca dentata DeLong & Davidson 1935a:30
[n.sp.]; Metcalf 1968a,6(17):458 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) dilitara DeLong & Davidson
Empoasca dilitara DeLong & Davidson 1935a:36
[n.sp.]; Metcalf 1968a,6(17):458 [Cat.]
DISTRIBUTION: United States, West Indies (Metcalf Cat.)
Empoasca (Empoasca) distracta DeLong & Caldwell
Empoasca (Empoasca) distracta DeLong & Caldwell
1934a:607 [n.sp.]; Metcalf 1968a,6(17):459 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) ditata DeLong & Caldwell
Empoasca (Empoasca) ditata DeLong & Caldwell
1934a:606 [n.sp.]; Metcalf 1968a,6(17):459 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) diverta DeLong & Davidson
Empoasca diverta DeLong & Davidson 1935a:31
[n.sp.]; Metcalf 1968a,6(17):460 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) dorothyae Davidson & DeLong
Empoasca dorothyae Davidson & DeLong 1939a:111
[n.sp.]; Metcalf 1968a,6(17):460 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) ellisae Wheeler
Empoasca ellisae Wheeler 1937a:148 [n.sp.]; Metcalf
1968a,6(17):460 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) elongella Metcalf
Empoasca (Idona) elongata DeLong 1931b:53 [n.sp.];
Metcalf 1968a,6(17):461 [Cat.]
Empoasca elongella Metcalf 1968a:461 [nom.nov. for
Empoasca elongata DeLong 1931]; Metcalf
1968a,6(17):461 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) erigeron DeLong
Empoasca (Empoasca) erigeron DeLong 1931b:48
[n.sp.]; Metcalf 1968a,6(17):461 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) erythrocephala Wheeler
Empoasca (Idona) rufa DeLong 1931b:53 [n.sp.];
Metcalf 1968a,6(17):463 [Cat.]
Empoasca erythrocephala Wheeler 1939a:295
[nom.nov. for *Empoasca rufa* DeLong 1931];
Metcalf 1968a,6(17):463 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Empoasca (Empoasca) esuma Goding
Empoasca birdii Goding 1890a:123 [n.sp.]; Metcalf
1968a,6(17):463 [Cat.]
Empoasca esuma Goding 1890b:116 [n.sp.]; Metcalf
1968a,6(17):463 [Cat.]
Empoasca infusca DeLong 1932c:398 [n.sp.]; Metcalf
1968a,6(17):464 [Cat.]

- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Empoasca) fabae* (Harris)
- Tettigonia fabae Harris 1841a:186 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
 - Tettigonia mali Baron 1853a:330-331 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
 - Chloroneura malefica Walsh 1862a:147,149 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
 - Empoasca consobrina Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
 - Empoasca viridescens Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
 - Empoa albopicta Forbes 1884a:181 [n.sp.]; Metcalf 1968a,6(17):466 [Cat.]
- DISTRIBUTION: United States, Canada, Mexico, West Indies, Brazil, Peru, Costa Rica, Guatemala, Guyana, Venezuela, Chile, Argentina (Metcalf Cat.)
- Empoasca (Empoasca) falca* DeLong & Davidson
- Empoasca falca DeLong & Davidson 1935a:34 [n.sp.]; Metcalf 1968a,6(17):503 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) filamenta* DeLong
- Empoasca (Empoasca) filamenta DeLong 1931b:43 [n.sp.]; Metcalf 1968a,6(17):503 [Cat.]
- DISTRIBUTION: United States, Canada, Brazil (Metcalf Cat.)
- Empoasca (Empoasca) filamenta abbreviata* DeLong
- Empoasca (Empoasca) filamenta abbreviata DeLong 1931b:44 [n.subsp. of filamenta]; Metcalf 1968a,6(17):505 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) flavescens* (Fabricius)
- Cicada flavescens Fabricius 1794a:46 [n.sp.]; Metcalf 1968a,6(17):505 [Cat.]
- Chlorita aurantiaca* Lethierry 1880 [in Reiber & Puton 1880a:72] [n.sp.]; Metcalf 1968a,6(17):508 [Cat.]
- Empoasca vitium* Paoli 1931b:1050 [n.sp.]; Metcalf 1968a,6(17):518 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Northern Africa, Tanzania, Egypt, India, Japan, Sri Lanka, China, Korea, Philippines, Malaysia, West Indonesia (Metcalf Cat.)
- Empoasca (Empoasca) flavescens petiolata* Cerutti
- Empoasca flavescens petiolata Cerutti 1939a:92 [n.subsp. of flavescens]; Metcalf 1968a,6(17):526 [Cat.]
- DISTRIBUTION: Switzerland (Metcalf Cat.)
- Empoasca (Empoasca) flavescens punctata* (Kato)
- Chlorita flavescens punctata Kato 1933c:10 [n.subsp. of flavescens]; Metcalf 1968a,6(17):526 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
- Empoasca (Empoasca) flavescens subvaria* (Rey)
- Chlorita flavescens subvaria* Rey 1894c:46 [n.subsp. of flavescens]; Metcalf 1968a,6(17):526 [Cat.]
- DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Empoasca (Empoasca) galluxa* Davidson & DeLong
- Empoasca galluxa Davidson & DeLong 1939a:117 [n.sp.]; Metcalf 1968a,6(17):527 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) gampsoa* Davidson & DeLong
- Empoasca gampsoa Davidson & DeLong 1939a:118 [n.sp.]; Metcalf 1968a,6(17):527 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) hama* DeLong & Caldwell
- Empoasca (Empoasca) hama DeLong & Caldwell 1934a:605 [n.sp.]; Metcalf 1968a,6(17):527 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) hamata* DeLong
- Empoasca (Empoasca) hamata DeLong 1931b:43 [n.sp.]; Metcalf 1968a,6(17):528 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) hecta* Davidson & DeLong
- Empoasca hecta Davidson & DeLong 1939a:116 [n.sp.]; Metcalf 1968a,6(17):528 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) juniperina* DeLong
- Empoasca (Idona) juniperina DeLong 1931b:51 [n.sp.]; Metcalf 1968a,6(17):528 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) knulli* Davidson & DeLong
- Empoasca knulli Davidson & DeLong 1939a:111 [n.sp.]; Metcalf 1968a,6(17):529 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) lata* DeLong & Caldwell
- Empoasca (Empoasca) lata DeLong & Caldwell 1934a:606 [n.sp.]; Metcalf 1968a,6(17):529 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) latarca* Davidson & DeLong
- Empoasca latarca Davidson & DeLong 1938a:91 [n.sp.]; Metcalf 1968a,6(17):529 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) lauta* Davidson & DeLong
- Empoasca lauta Davidson & DeLong 1942a:105 [n.sp.]; Metcalf 1968a,6(17):529 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) madra* Davidson & DeLong
- Empoasca madra Davidson & DeLong 1939a:116 [n.sp.]; Metcalf 1968a,6(17):530 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) manda* Davidson & DeLong
- Empoasca manda Davidson & DeLong 1939a:111 [n.sp.]; Metcalf 1968a,6(17):530 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) mexicana* Gillette
- Empoasca mexicana Gillette 1898a:737 [n.sp.]; Metcalf 1968a,6(17):530 [Cat.]
- DISTRIBUTION: Mexico, United States (Metcalf Cat.)

- Empoasca (Empoasca) morrisoni Hartzell*
Empoasca morrisoni Hartzell 1923a:107 [n.sp.];
 Metcalf 1968a,6(17):531 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) necyla Davidson & DeLong*
Empoasca necyla Davidson & DeLong 1939a:110
 [n.sp.]; Metcalf 1968a,6(17):531 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) nema Davidson & DeLong*
Empoasca nema Davidson & DeLong 1939a:112
 [n.sp.]; Metcalf 1968a,6(17):531 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) ocala Davidson & DeLong*
Empoasca ocala Davidson & DeLong 1939a:114
 [n.sp.]; Metcalf 1968a,6(17):532 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) occidentalis DeLong & Davidson*
Empoasca occidentalis DeLong & Davidson 1935a:32
 [n.sp.]; Metcalf 1968a,6(17):532 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) omani Davidson & DeLong*
Empoasca omani Davidson & DeLong 1942b:123
 [n.sp.]; Metcalf 1968a,6(17):532 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Empoasca (Empoasca) omani iguala Davidson & DeLong*
Empoasca omani iguala Davidson & DeLong
 1942b:124 [n.subsp. of omani]; Metcalf
 1968a,6(17):533 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Empoasca (Empoasca) orthodens Davidson & DeLong*
Empoasca orthodens Davidson & DeLong 1938a:91
 [n.sp.]; Metcalf 1968a,6(17):533 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) pallida Gillette*
Empoasca pallida Gillette 1898a:741 [n.sp.]; Metcalf
 1968a,6(17):533 [Cat.]
Empoasca constricta DeLong & Davidson 1935a:31
 [n.sp.]; Metcalf 1968a,6(17):533 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) pallidula DeLong*
Empoasca (Empoasca) pallidula DeLong 1931b:42
 [n.sp.]; Metcalf 1968a,6(17):534 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) panda DeLong*
Empoasca (Idona) panda DeLong 1931b:51 [n.sp.];
 Metcalf 1968a,6(17):534 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Empoasca) pergrada Davidson & DeLong*
Empoasca pergrada Davidson & DeLong 1938a:93
 [n.sp.]; Metcalf 1968a,6(17):535 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) perlonga Davidson & DeLong*
Empoasca perlonga Davidson & DeLong 1938a:92
 [n.sp.]; Metcalf 1968a,6(17):535 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Empoasca (Empoasca) pinella Davidson & DeLong*
Empoasca pinella Davidson & DeLong 1939a:112
 [n.sp.]; Metcalf 1968a,6(17):536 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) plebeia DeLong & Davidson*
Empoasca plebeia DeLong & Davidson 1935a:34
 [n.sp.]; Metcalf 1968a,6(17):536 [Cat.]
DISTRIBUTION: United States, Haiti, Puerto Rico
 (Metcalf Cat.)
- Empoasca (Empoasca) ponderosa DeLong & Davidson*
Empoasca ponderosa DeLong & Davidson 1935a:29
 [n.sp.]; Metcalf 1968a,6(17):536 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) pyramidata DeLong & Caldwell*
Empoasca (Empoasca) pyramidata DeLong &
Caldwell 1934a:608 [n.sp.]; Metcalf
 1968a,6(17):537 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) radiata Gillette*
Empoasca radiata Gillette 1898a:738 [n.sp.]; Metcalf
 1968a,6(17):537 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) ratio DeLong & Davidson*
Empoasca ratio DeLong & Davidson 1935a:36 [n.sp.];
 Metcalf 1968a,6(17):538 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) recta DeLong & Caldwell*
Empoasca (Empoasca) recta DeLong & Caldwell
 1934a:606 [n.sp.]; Metcalf 1968a,6(17):539 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) recurvata DeLong*
Empoasca (Empoasca) recurvata DeLong 1931b:38
 [n.sp.]; Metcalf 1968a,6(17):539 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) reflexa DeLong*
Empoasca reflexa DeLong 1932c:396 [n.sp.]; Metcalf
 1968a,6(17):540 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) rubrarea Wheeler*
Empoasca rubrarea Wheeler 1939a:294 [n.sp.];
 Metcalf 1968a,6(17):540 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) rubrarea indistincta Wheeler*
Empoasca rubrarea indistincta Wheeler 1939a:294
 [n.subsp. of rubrarea]; Metcalf 1968a,6(17):541
 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) ruficeps Van Duzee*
Empoasca ruficeps Van Duzee 1917a:304 [n.sp.];
 Metcalf 1968a,6(17):541 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) sagitta Davidson & DeLong*
Empoasca sagitta Davidson & DeLong 1939a:112
 [n.sp.]; Metcalf 1968a,6(17):541 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)

- Empoasca (Empoasca) sanguinea* (Gillette & Baekr)
Typhlocyba sanguinea Gillette & Baekr 1895a:112
[n.sp.]; Metcalf 1968a,6(17):541 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) sativae* Poos
Empoasca sativae Poos 1933a:174 [n.sp.]; Metcalf
1968a,6(17):542 [Cat.]
DISTRIBUTION: United States, Brazil, Honduras,
Puerto Rico, Haiti (Metcalf Cat.)
- Empoasca (Empoasca) setata* DeLong & Davidson
Empoasca setata DeLong & Davidson 1936a:226
[n.sp.]; Metcalf 1968a,6(17):543 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
Cat.)
- Empoasca (Empoasca) snowi* Gillette
Empoasca snowi Gillette 1898a:741 [n.sp.]; Metcalf
1968a,6(17):543 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) solana* DeLong
Empoasca (Empoasca) solana DeLong 1931b:50
[n.sp.]; Metcalf 1968a,6(17):543 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala,
West Indies, Honduras, Panama, Oceania: Hawaii
Islands (Metcalf Cat.)
- Empoasca (Empoasca) spira* DeLong & Caldwell
Empoasca (Empoasca) spira DeLong & Caldwell
1934a:605 [n.sp.]; Metcalf 1968a,6(17):545 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) tamama* Davidson & DeLong
Empoasca tamama Davidson & DeLong 1939a:117
[n.sp.]; Metcalf 1968a,6(17):546 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) thela* Davidson & DeLong
Empoasca thela Davidson & DeLong 1939a:113
[n.sp.]; Metcalf 1968a,6(17):546 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) tincta* DeLong
Empoasca (Idona) tincta DeLong 1931b:54 [n.sp.];
Metcalf 1968a,6(17):546 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) torqua* DeLong & Davidson
Empoasca torqua DeLong & Davidson 1935a:35
[n.sp.]; Metcalf 1968a,6(17):546 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) ulusa* Davidson & DeLong
Empoasca ulusa Davidson & DeLong 1942a:105
[n.sp.]; Metcalf 1968a,6(17):547 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) unca* DeLong & Davidson
Empoasca unca DeLong & Davidson 1935a:35 [n.sp.];
Metcalf 1968a,6(17):547 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) utrica* Davidson & DeLong
Empoasca utrica Davidson & DeLong 1939a:117
[n.sp.]; Metcalf 1968a,6(17):548 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) uvalda* Davidson & DeLong
Empoasca uvalda Davidson & DeLong 1939a:115
[n.sp.]; Metcalf 1968a,6(17):548 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) venusta* DeLong & Davidson
Empoasca venusta DeLong & Davidson 1935a:33
[n.sp.]; Metcalf 1968a,6(17):548 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) vergena* DeLong & Caldwell
Empoasca (Empoasca) vergena DeLong & Caldwell
1934a:607 [n.sp.]; Metcalf 1968a,6(17):548 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Empoasca) vincula* DeLong
Empoasca (Empoasca) vincula DeLong 1931b:44
[n.sp.]; Metcalf 1968a,6(17):549 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Empoasca (Endeia) virgata* McAtee
Empoasca (Endeia) virgata McAtee 1934a:113 [n.sp.];
Metcalf 1968a,6(17):552 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Empoasca (Eremochlorita) arenicola* (Zachvatkin)
Chlorita (Eremochlorita) arenicola Zachvatkin
1946b:151 [n.sp.]; Metcalf 1968a,6(17):550 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Empoasca (Eremochlorita) tessellata* (Lethierry)
Chlorita tessellata Lethierry 1884c:65 [n.sp.]; Metcalf
1968a,6(17):550 [Cat.]
DISTRIBUTION: Russia, Romania, Hungary,
Georgia, Azerbaijan, Iran, Italy, Japan, Taiwan,
Kazakhstan, Kirghizia, Tadzhikistan,
Turkmenistan, Uzbekistan, Slovakia (Metcalf Cat.)
- Empoasca (Eremochlorita) uvaroviana* (Zachvatkin)
Chlorita (Eremochlorita) uvaroviana Zachvatkin
1946b:150 [n.sp.]; Metcalf 1968a,6(17):551 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
- Empoasca (Eremochlorita) uvaroviana azerbeidzhanica*
(Zachvatkin)
Chlorita (Eremochlorita) uvaroviana azerbeidzhanica
Zachvatkin 1946b:151 [n.sp.]; Metcalf
1968a,6(17):551 [Cat.]
DISTRIBUTION: Armenia, Azerbaijan, Georgia
(Metcalf Cat.)
- Empoasca (Hebata) alboneura* Gillette
Empoasca alboneura Gillette 1898a:743 [n.sp.];
Metcalf 1968a,6(17):426 [Cat.]
- Empoasca tumida* Gillette 1898a:744 [n.sp.]; Metcalf
1968a,6(17):426 [Cat.]
DISTRIBUTION: United States, Canada, Mexico
(Metcalf Cat.)
- Empoasca (Hebata) alboscripta* Van Duzee
Empoasca alboscripta Van Duzee 1914a:56 [n.sp.];
Metcalf 1968a,6(17):428 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) amblacantha* Oman & Wheeler

- Empoasca amblacantha* Oman & Wheeler 1938a:140
 [n.sp.]; Metcalf 1968a,6(17):428 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) aspersa* Gillette & Baker
Empoasca aspersa Gillette & Baker 1895a:107 [n.sp.];
 Metcalf 1968a,6(17):429 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Hebata) bidens* DeLong
Empoasca bidens DeLong 1932c:397 [n.sp.]; Metcalf 1968a,6(17):430 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) bitubera* DeLong
Empoasca bitubera DeLong 1932c:395 [n.sp.];
 Metcalf 1968a,6(17):430 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) calyx* Oman & Wheeler
Empoasca calyx Oman & Wheeler 1938a:135 [n.sp.];
 Metcalf 1968a,6(17):431 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) dactylata* Davidson & DeLong
Empoasca dactylata Davidson & DeLong 1942b:126
 [n.sp.]; Metcalf 1968a,6(17):431 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) decora* DeLong & Davidson
Empoasca decora DeLong & Davidson 1935a:33
 [n.sp.]; Metcalf 1968a,6(17):431 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) ensiformis* Oman & Wheeler
Empoasca ensiformis Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):432 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) fuscoviridis* Oman & Wheeler
Empoasca fuscoviridis Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):432 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) indenta* Oman & Wheeler
Empoasca indenta Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):432 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) kaibaba* Davidson & DeLong
Empoasca kaibaba Davidson & DeLong 1939a:115
 [n.sp.]; Metcalf 1968a,6(17):433 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) medora* DeLong
Empoasca medora DeLong 1932c:397 [n.sp.]; Metcalf 1968a,6(17):433 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) neaspersa* Oman & Wheeler
Empoasca neaspersa Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):433 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Hebata) nevadensis* Metcalf
Empoasca similis DeLong & Davidson 1935a:37
 [n.sp.]; Metcalf 1968a,6(17):434 [Cat.]
- Empoasca nevadensis* Metcalf 1968a:434 [nom.nov.
 for *Empoasca similis* DeLong & Davidson 1935];
 Metcalf 1968a,6(17):434 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) nigra* Gillette & Baker
Empoasca nigra Gillette & Baker 1895a:108 [n.sp.];
 Metcalf 1968a,6(17):434 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Hebata) nigra nigroscuta* Gillette & Baker
Empoasca nigra nigroscuta Gillette & Baker
 1895a:108 [n.sp.]; Metcalf 1968a,6(17):435 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Hebata) nigra pulchella* Gillette & Baker
Empoasca nigra pulchella Gillette & Baker 1895a:109
 [n.sp.]; Metcalf 1968a,6(17):436 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Hebata) nigra robusta* Gillette
Empoasca nigra robusta Gillette 1898a:739 [n.sp.];
 Metcalf 1968a,6(17):436 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) nigra typhlocyboides* Gillette & Baker
Empoasca nigra typhlocyboides Gillette & Baker
 1895a:110 [n.sp.]; Metcalf 1968a,6(17):437 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) pelecana* Oman & Wheeler
Empoasca pelecana Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):438 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) sinuata* Oman & Wheeler
Empoasca sinuata Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):438 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) spiculata* Oman & Wheeler
Empoasca spiculata Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):438 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) stylata* Wheeler
Empoasca stylata Wheeler 1940a:479 [n.sp.]; Metcalf 1968a,6(17):439 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) varaspina* Oman & Wheeler
Empoasca varaspina Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):439 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) vastitatis* Oman & Wheeler
Empoasca vastitatis Oman & Wheeler 1938a:134
 [n.sp.]; Metcalf 1968a,6(17):439 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) vermicispina* Oman & Wheeler
Empoasca vermicispina Oman & Wheeler 1938a:135
 [n.sp.]; Metcalf 1968a,6(17):439 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Hebata) xerophila* Oman & Wheeler

- Empoasca xerophila* Oman & Wheeler 1938a:135
[n.sp.]; Metcalf 1968a,6(17):440 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Homa) elongata* (Kato)
Homa elongata Kato 1929a:547 [n.sp.]; Metcalf 1968a,6(17):441 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Empoasca (Homa) insignis* (Distant)
Homa insignis Distant 1908g:400 [n.sp.]; Metcalf 1968a,6(17):441 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia (Metcalf Cat.)
- Empoasca (Homa) rubrodorsata* (Kato)
Homa rubrodorsata Kato 1933r:452 [n.sp.]; Metcalf 1968a,6(17):441 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Empoasca (Homa) upoluana* (Osborn)
Homa upoluana Osborn 1934a:190 [n.sp.]; Metcalf 1968a,6(17):442 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Empoasca (Kybos) acodens* DeLong
Empoasca (Kybos) acodens DeLong 1931b:165
[n.sp.]; Metcalf 1968a,6(17):370 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) adunca* DeLong
Empoasca (Kybos) adunca DeLong 1931b:31 [n.sp.];
Metcalf 1968a,6(17):370 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) albolinea* Gillette
Empoasca albolinea Gillette 1898a:732 [n.sp.];
Metcalf 1968a,6(17):370 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) apata* DeLong & Davidson
Empoasca apata DeLong & Davidson 1936e:228
[n.sp.]; Metcalf 1968a,6(17):371 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) atrolabes* Gillette
Empoasca atrolabes Gillette 1898a:726 [n.sp.];
Metcalf 1968a,6(17):371 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) aureoviridis* (Uhler)
Typhlocyba aureoviridis Uhler 1877a:474 [n.sp.];
Metcalf 1968a,6(17):373 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) aureoviridis hartzelli* Baker
Empoasca vittata Hartzell 1923a:99 [n.sp.]; Metcalf 1968a,6(17):375 [Cat.]
Empoasca aureoviridis hartzelli Baker 1925a:160
[nom.nov. for *Empoasca vittata* Hartzell 1923];
Metcalf 1968a,6(17):375 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) bipunctata* (Oshanin)
Chlorita bipunctata Oshanin 1871a:212 [n.sp.];
Metcalf 1968a,6(17):376 [Cat.]
- Chlorita frontalis* Lethierry 1884c:64 [n.sp.]; Metcalf 1968a,6(17):376 [Cat.]
- Empoasca punctum* Haupt 1912a:189 [n.sp.]; Metcalf 1968a,6(17):376 [Cat.]
- Empoasca haupti* Ribaut 1933a:161 [nom.nov. for
Empoasca punctum Haupt 1912]; Metcalf 1968a,6(17):377 [Cat.]
DISTRIBUTION: United States, Canada, Kazakhstan,
Kirghizia, Tadzhikistan, Turkmenistan,
Uzbekistan, Austria, Hungary, Czech Republic,
Russia, Germany, Denmark, Netherlands, Ukraine,
Serbia, Georgia, Turkey, Italy, Finland, China
(Metcalf Cat.)
- Empoasca (Kybos) carsona* DeLong & Davidson
Empoasca carsona DeLong & Davidson 1936a:229
[n.sp.]; Metcalf 1968a,6(17):378 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) chromata* Davidson & DeLong
Empoasca chromata Davidson & DeLong 1942b:123
[n.sp.]; Metcalf 1968a,6(17):378 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) clypeata* Gillette & Baker
Empoasca clypeata Gillette & Baker 1895a:108
[n.sp.]; Metcalf 1968a,6(17):379 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) clypeata annella* Hartzell
Empoasca clypeata annella Hartzell 1923a:104 [n.sp.];
Metcalf 1968a,6(17):379 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) confusa* DeLong & Davidson
Empoasca confusa DeLong & Davidson 1936a:229
[n.sp.]; Metcalf 1968a,6(17):380 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) copula* DeLong
Empoasca (Kybos) copula DeLong 1931b:27 [n.sp.];
Metcalf 1968a,6(17):380 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) denticula* Gillette
Empoasca denticula Gillette 1898a:734 [n.sp.];
Metcalf 1968a,6(17):380 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) digita* DeLong
Empoasca (Kybos) digita DeLong 1931b:26 [n.sp.];
Metcalf 1968a,6(17):381 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Empoasca (Kybos) excavata* Davidson & DeLong
Empoasca excavata Davidson & DeLong 1938a:94
[n.sp.]; Metcalf 1968a,6(17):382 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) gelbata* DeLong & Davidson
Empoasca gelbata DeLong & Davidson 1936a:225
[n.sp.]; Metcalf 1968a,6(17):382 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)

- Empoasca (*Kybos*) *gleditsiae* DeLong & Davidson
 Empoasca *gleditsiae* DeLong & Davidson 1936a:225
 [n.sp.]; Metcalf 1968a,6(17):382 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *grosata* DeLong & Davidson
 Empoasca *grosata* DeLong & Davidson 1936a:228
 [n.sp.]; Metcalf 1968a,6(17):382 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *incida* DeLong
 Empoasca (*Kybos*) *incida* DeLong 1931b:21 [n.sp.];
 Metcalf 1968a,6(17):383 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *jacinta* DeLong & Davidson
 Empoasca *jacinta* DeLong & Davidson 1936a:227
 [n.sp.]; Metcalf 1968a,6(17):383 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *kiritschenkoi* Zachvatkin
 Empoasca (*Kybos*) *kiritschenkoi* Zachvatkin 1947a:106
 [n.sp.]; Metcalf 1968a,6(17):383 [Cat.]
 DISTRIBUTION: Iran (Metcalf Cat.)
- Empoasca (*Kybos*) *livingstonii* Gillette
 Empoasca *livingstonii* Gillette 1898a:728 [n.sp.];
 Metcalf 1968a,6(17):383 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *luda* Davidson & DeLong
 Empoasca *luda* Davidson & DeLong 1938a:94 [n.sp.];
 Metcalf 1968a,6(17):384 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *maligna* (Walsh)
 Chloroneura *maligna* Walsh 1862a:149 [n.sp.];
 Metcalf 1968a,6(17):384 [Cat.]
- Empoasca *unicolor* Gillette 1898a:731 [n.sp.]; Metcalf
 1968a,6(17):384 [Cat.]
 DISTRIBUTION: United States, Canada, New Zealand, Atlantic Ocean: Bermuda Island (Metcalf Cat.)
- Empoasca (*Kybos*) *mesolinea* Davidson & DeLong
 Empoasca *mesolinea* Davidson & DeLong 1939a:114
 [n.sp.]; Metcalf 1968a,6(17):389 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *obrudens* DeLong
 Empoasca *obrudens* DeLong 1932c:393 [n.sp.];
 Metcalf 1968a,6(17):390 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *obtusa* Walsh
 Empoasca *obtusa* Walsh 1862a:149 [n.sp.]; Metcalf
 1968a,6(17):390 [Cat.]
- Empoasca *incisa* Gillette 1898a:735 [n.sp.]; Metcalf
 1968a,6(17):390 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *osborni* Hartzell
 Empoasca *osborni* Hartzell 1923a:104 [n.sp.]; Metcalf
 1968a,6(17):394 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *patula* DeLong
 Empoasca (*Kybos*) *patula* DeLong 1931b:22 [n.sp.];
 Metcalf 1968a,6(17):394 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *patula magna* DeLong
 Empoasca (*Kybos*) *patula magna* DeLong 1931b:23
 [n.subsp. of *patula*]; Metcalf 1968a,6(17):395
 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *pectinata* DeLong
 Empoasca (*Kybos*) *pectinata* DeLong 1931b:16
 [n.sp.]; Metcalf 1968a,6(17):395 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *pergandei* Gillette
 Empoasca *pergandei* Gillette 1898a:735 [n.sp.];
 Metcalf 1968a,6(17):396 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *populi* Edwards
 Empoasca *populi* Edwards 1908b:81 [n.sp.]; Metcalf
 1968a,6(17):397 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
- Empoasca (*Kybos*) *rubrufacia* DeLong
 Empoasca *rubrufacia* DeLong 1932c:394 [n.sp.];
 Metcalf 1968a,6(17):399 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *rubrata* DeLong & Davidson
 Empoasca *rubrata* DeLong & Davidson 1936a:226
 [n.sp.]; Metcalf 1968a,6(17):399 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (*Kybos*) *rufescens* (Melichar)
 Kybos *rufescens* Melichar 1896b:180 [n.subsp. of *smaragdula*]; Metcalf 1968a,6(17):400 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia (Metcalf Cat.)
- Empoasca (*Kybos*) *salicis* Wheeler
 Empoasca *salicis* Wheeler 1937a:148 [n.sp.]; Metcalf
 1968a,6(17):402 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *saluta* DeLong
 Empoasca (*Kybos*) *saluta* DeLong 1931b:24 [n.sp.];
 Metcalf 1968a,6(17):403 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *simplex* DeLong & Davidson
 Empoasca *simplex* DeLong & Davidson 1935a:37
 [n.sp.]; Metcalf 1968a,6(17):403 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (*Kybos*) *smaragdula* (Fallén)

- Cicada smaragdula* Fallén 1806a:37 [n.sp.]; Metcalf 1968a,6(17):403 [Cat.]
- Eupteryx viridipes* Curtis 1837d:pl.640 [n.sp.]; Metcalf 1968a,6(17):403 [Cat.]
- Jassus longeciliatus* Graaf, Six & Snellen 1862a:84 [n.sp.]; Metcalf 1968a,6(17):404 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, Japan, United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) strangula* Davidson & DeLong
- Empoasca strangula* Davidson & DeLong 1939a:113 [n.sp.]; Metcalf 1968a,6(17):418 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) sublactea* Van Duzee
- Empoasca sublactea* Van Duzee 1917a:302 [n.sp.]; Metcalf 1968a,6(17):418 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) transversa* Van Duzee
- Empoasca transversa* Van Duzee 1917a:303 [n.sp.]; Metcalf 1968a,6(17):419 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoasca (Kybos) trifasciata* Gillette
- Empoasca trifasciata* Gillette 1898a:726 [n.sp.]; Metcalf 1968a,6(17):419 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) trilobata* DeLong
- Empoasca (Kybos) trilobata* DeLong 1931b:17 [n.sp.]; Metcalf 1968a,6(17):421 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) unica* (Provancher)
- Thyphlocyba* [sic] *unica* Provancher 1890b:340 [n.sp.]; Metcalf 1968a,6(17):421 [Cat.]
- Empoasca similis* Gillette 1898a:725 [n.sp.]; Metcalf 1968a,6(17):421 [Cat.]
- Empoasca splendida* Gillette 1898a:731 [n.sp.]; Metcalf 1968a,6(17):421 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Empoasca (Kybos) virgator* Ribaut
- Empoasca virgator* Ribaut 1933a:152 [n.sp.]; Metcalf 1968a,6(17):423 [Cat.]
- DISTRIBUTION: Widespread Europe, Greece, Italy (Metcalf Cat.)
- Empoasca (Kybos) virgator* saageri Wagner
- Empoasca virgator* saageri Wagner 1935a:28 [n.subsp. of *virgator*]; Metcalf 1968a,6(17):424 [Cat.]
- DISTRIBUTION: Germany, Netherlands (Metcalf Cat.)
- Empoasca (Kybos) ziona* DeLong & Davidson
- Empoasca ziona* DeLong & Davidson 1936a:227 [n.sp.]; Metcalf 1968a,6(17):424 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Empoascanara binotata* Distant
- Empoascanara binotata* Distant 1918b:94 [n.sp.]; Metcalf 1968a,6(17):1328 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Empoascanara prima* Distant
- Empoascanara prima* Distant 1918b:94 [n.sp.]; Metcalf 1968a,6(17):1329 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Enantioccephalus cornutus* (Herrich-Schaeffer)
- Jassus cornutus* Herrich-Schaeffer 1838d: 5 [n.sp.]; Metcalf 1967c, 6(10c): 2341 [Cat.]
- DISTRIBUTION: Russia, Czech Republic, France, Germany, Austria, Hungary, Denmark, Netherlands, Turkey, Slovakia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Endoxoneura splendidula* (Osborn)
- Dikraneura* (Hyloidea) *splendidula* Osborn 1928a:275 [n.sp.]; Metcalf 1968a,6(17):194 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Endria inimica* (Say)
- Jassus inimicus* Say 1830b: 305 [n.sp.]; Metcalf 1967b, 6(10b): 1813 [Cat.]
- Jassus sexpunctatus* Provancher 1872c: 378 [n.sp.]; Metcalf 1967b, 6(10b): 1813 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Endria lassa* (Ball)
- Athy sanus lassus* Ball 1916a: 175 [n.sp.]; Metcalf 1967b, 6(10b): 1822 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Endria montana* (DeLong & Sleesman)
- Polyamius* [sic] *montanus* DeLong & Sleesman 1929a: 101 [n.sp.]; Metcalf 1967b, 6(10b): 1822 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Endria rotunda* (Beamer)
- Lonatura rotunda* Beamer 1939a: 26 [n.sp.]; Metcalf 1967b, 6(10b): 1822 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Eogrypona kirbyi* (Melichar)
- Ledropsis kirbyi* Melichar 1903b:143 [n.sp.]; Metcalf 1962c,6(4):81 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Eovulturnops selenocephalides* Evans
- Eovulturnops selenocephalides* Evans 1947a:255 [n.sp.]; Metcalf 1962b,6(3):212 [Cat.]
- DISTRIBUTION: Guyana (Metcalf Cat.)
- Epiacanthus guttiger* (Uhler)
- Tettigonia guttigera* Uhler 1896a:294 [n.sp.]; Metcalf 1965a,6(1):397 [Cat.]
- DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Epiacanthus guttiger aurantius* Metcalf
- Tettigonia dispar* Horvath 1899a:371 [n.subsp. of *guttigera*]; Metcalf 1965a,6(1):399 [Cat.]

- Epiacanthus aurantius* Metcalf 1955a:265
 [n.subsp., nom. nov. for *Tettigonia guttigera* dispar Horv. 1899]; Metcalf 1965a,6(1):399 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Epiacanthus nigritus* Matsumura
Epiacanthus nigritus Matsumura 1911b:22 [n.sp.]; Metcalf 1965a,6(1):400 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Epiacanthus stramineus* (Motschulsky)
Deltocephalus stramineus Motschulsky 1861a:24 [n.sp.]; Metcalf 1965a,6(1):400 [Cat.]
DISTRIBUTION: Japan, Russia (Metcalf Cat.)
- Epicephalius gracilis* Matsumura
Epicephalius gracilis Matsumura 1908a:42 [n.sp.]; Metcalf 1963d,6(9):114 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Epiclinata planata* (Fabricius)
Membracis planata Fabricius 1794a:11 [n.sp.]; Metcalf 1962c,6(4):107 [Cat.]
DISTRIBUTION: India, Sri Lanka, Myanmar, Malaysia, Cambodia, Thailand, Japan, Nepal (Metcalf Cat.)
- Epipsychidion epipyropis* Kirkaldy
Epipsychidion epipyropis Kirkaldy 1906c:346 [n.sp.]; Metcalf 1962c,6(4):134 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Equeefa albicosta* Naudé
Equeefa albicosta Naudé 1926a:81 [n.sp.]; Metcalf 1964b,6(11):87 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Equeefa castelnaui* Distant
Equeefa castelnaui Distant 1910e:243 [n.sp.]; Metcalf 1964b,6(11):87 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Equeefa natalia* Naudé
Equeefa natalia Naudé 1929c:18 [n.sp.]; Metcalf 1964b,6(11):87 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Eremitopius albus* Lindberg
Eremitopius albus Lindberg 1927b:29 [n.sp.]; Metcalf 1963d,6(9):67 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Eremophlepsius rohdendorfi* Zachvatkin
Eremophlepsius rohdendorfi Zachvatkin 1924a: 128 [n.sp.]; Metcalf 1967a, 6(10a): 543 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Eremophlepsius rohdendorfi marmorata* Zachvatkin
Eremophlepsius rohdendorfi marmorata Zachvatkin 1924a: 129 [n.subsp. of rohdendorfi]; Metcalf 1967a, 6(10a): 543 [Cat.]
- DISTRIBUTION:** no data given in Metcalf Cat.
- Erotettix cyane* (Boheman)
Thamnotettix cyane Boheman 1845b: 158 [n.sp.]; Metcalf 1967c, 6(10c): 2480 [Cat.]
- Athysanus nympheae* Perris 1857a: 175 [n.sp.]; Metcalf 1967c, 6(10c): 2480 [Cat.]
- DISTRIBUTION:** Germany, France, Belgium, Ukraine, Scandinavia, Austria, England, Czech Republic, Hungary, Italy, Croatia, Denmark, Russia, Slovakia (Metcalf Cat.)
- Errastunus ocellaris* (Fallén)
Cicada ocellata Scopoli 1763a: 116 [n.sp.]; Metcalf 1967b, 6(10b): 1314 [Cat.]
- Cicada ocellaris* Fallén 1806a: 20 [n.sp.]; Metcalf 1967b, 6(10b): 1314 [Cat.]
- Jassus (Deltocephalus) notatifrons* Kirschbaum 1868b: 141 [n.sp.]; Metcalf 1967b, 6(10b): 1317 [Cat.]
- DISTRIBUTION:** United States, Canada, Widespread Europe, Russia, Scandinavia, United Kingdom, Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Errastunus sobrinus* (DeLong & Sleesman)
Latalus sobrinus DeLong & Sleesman 1929a: 100 [n.subsp. of ocellaris]; Metcalf 1967b, 6(10b): 1326 [Cat.]
- DISTRIBUTION:** Canada, United States (Metcalf Cat.)
- Errhomenus brachypterus* Fieber
Errhomenus brachypterus Fieber 1866a:512 [n.sp.]; Metcalf 1963c,6(8):21 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia (Metcalf Cat.)
- Errhomenus brachypterus helveticus* Melichar
Errhomenus brachypterus helveticus Melichar 1896a: 186 [n.subsp. of brachypterus]; Metcalf 1963c,6(8):23 [Cat.]
- DISTRIBUTION:** no data given in Metcalf Cat.
- Errhomenus flavopunctatus* (Melichar)
Errhomellus flavopunctatus Melichar 1914c:260 [n.sp.]; Metcalf 1963c,6(8):23 [Cat.]
- DISTRIBUTION:** France, Netherlands, Czech Republic (Metcalf Cat.)
- Errhomus filamentus* Oman
Errhomus filamentus Oman 1952a:14 [n.sp.]; Metcalf 1963c,6(8):24 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Errhomus lineatus* (Baker)
Errhomenus lineatus Baker 1898d:261 [n.sp.]; Metcalf 1963c,6(8):24 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Errhomus montanus* (Baker)
Errhomenus montanus Baker 1898d:262 [n.sp.]; Metcalf 1963c,6(8):25 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Errhomus oregonensis* (Baker)

- Errhomenus oregonensis* Baker 1898d:262 [n.sp.];
Metcalf 1963c,6(8):25 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Errhomus similis* Oman
Errhomus similis Oman 1952a:14 [n.sp.]; Metcalf 1963c,6(8):26 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Errhomus wolfei* Oman
Errhomus wolfei Oman 1952a:13 [n.sp.]; Metcalf 1963c,6(8):26 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eryapus flavus* Evans
Eryapus flavus Evans 1954a:119 [n.sp.]; Metcalf 1966c,6(15):208 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Eryapus gibbus* Evans
Eryapus gibbus Evans 1954a:119 [n.sp.]; Metcalf 1966c,6(15):208 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Eryapus montanus* Evans
Eryapus montanus Evans 1954a:120 [n.sp.]; Metcalf 1966c,6(15):208 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Erythria aureola* (Fallén)
Cicada aureola Fallén 1806a:25 [n.sp.]; Metcalf 1968a,6(17):185 [Cat.]
- Typhlocyba chlorophana* Herrich-Schaeffer 1834b:9 [n.sp.]; Metcalf 1968a,6(17):185 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
- Erythria aureola luteipes* Prohaska
Erythria aureola luteipes Prohaska 1923a:92 [n.subsp. of aureola]; Metcalf 1968a,6(17):190 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
- Erythridea ferrarii* (Puton)
Deltocephalus ferrarii Puton 1877a:XXIII [n.sp.]; Metcalf 1968a,6(17):1481 [Cat.]
DISTRIBUTION: France, Italy, Austria, Germany, Poland (Metcalf Cat.)
- Erythrogonia albovittata* Melichar
Erythrogonia albovittata Melichar 1926a:392 [n.sp.]; Metcalf 1965a,6(1):42 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Erythrogonia amicula* (Jacobi)
Tettigoniella amicula Jacobi 1905c:179 [n.sp.]; Metcalf 1965a,6(1):42 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Erythrogonia areolata* (Signoret)
Tettigonia areolata Signoret 1853b:355 [n.sp.]; Metcalf 1965a,6(1):43 [Cat.]
- Tettigonia suavipennis* Walker 1858b:196 [n.sp.]; Metcalf 1965a,6(1):43 [Cat.]
DISTRIBUTION: Mexico, Honduras, Guatemala, El Salvador, Costa Rica (Young 1977a)
- Erythrogonia aurivagula* (Jacobi)
- Tettigoniella aurivagula* Jacobi 1905c:178 [n.sp.]; Metcalf 1965a,6(1):43 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Erythrogonia bicolor* Metcalf
Erythrogonia bicolor Metcalf 1949b:260 [n.sp.]; Metcalf 1965a,6(1):43 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Erythrogonia biroi* Melichar
Erythrogonia biroi Melichar 1926a:393 [n.sp.]; Metcalf 1965a,6(1):43 [Cat.]
DISTRIBUTION: New Guinea (Young 1977a)
- Erythrogonia circularis* (Fabricius)
Cicada circularis Fabricius 1803a:75 [n.sp.]; Metcalf 1965a,6(1):44 [Cat.]
DISTRIBUTION: South America (Nielson 1983e)
- Erythrogonia collata* (Fowler)
Tettigonia collata Fowler 1900a:261 [n.sp.]; Metcalf 1965a,6(1):44 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
- Erythrogonia colorata* (Germar)
Tettigonia colorata Germar 1821a:68 [n.sp.]; Metcalf 1965a,6(1):44 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia diversa* Schmidt
Erythrogonia diversa Schmidt 1928a:55 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Erythrogonia duplicata* Melichar
Erythrogonia duplicata Melichar 1926a:384 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Erythrogonia eburata* Melichar
Erythrogonia eburata Melichar 1926a:377 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Erythrogonia eclesia* Melichar
Erythrogonia eclesia Melichar 1926a:392 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Erythrogonia elegantula* (Germar)
Tettigonia elegantula Germar 1821a:67 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Erythrogonia excisa* Melichar
Erythrogonia excisa Melichar 1926a:378 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia fissionustula* (Jacobi)
Tettigoniella fissionustula Jacobi 1905c:178 [n.sp.]; Metcalf 1965a,6(1):45 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Erythrogonia gracilis* Melichar
Erythrogonia gracilis Melichar 1926a:386 [n.sp.]; Metcalf 1965a,6(1):46 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Erythrogonia hospita* Melichar

- Erythrogonia hospita Melichar 1926a:384 [n.sp.];
 Metcalf 1965a,6(1):46 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Erythrogonia imitatrixula (Jacobi)
 Tettigoniella imitatrixula Jacobi 1905c:180 [n.sp.];
 Metcalf 1965a,6(1):46 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Erythrogonia integra Melichar
 Erythrogonia integra Melichar 1926a:391 [n.sp.];
 Metcalf 1965a,6(1):46 [Cat.]
 DISTRIBUTION: Bolivia (Young 1977a)
- Erythrogonia jucunda (Walker)
 Tettigonia jucunda Walker 1851b:757 [n.sp.]; Metcalf
 1965a,6(1):46 [Cat.]
 DISTRIBUTION: Mexico, Honduras, Belize,
 Guatemala (Young 1977a)
- Erythrogonia laeta (Fabricius)
 Cicada laeta Fabricius 1787a:271 [n.sp.]; Metcalf
 1965a,6(1):46 [Cat.]
 Cicada sexguttata Fabricius 1803a:75 [n.sp.]; Metcalf
 1965a,6(1):47 [Cat.]
 DISTRIBUTION: Mexico, Costa Rica, Panama,
 Venezuela, Trinidad (Young 1977a)
- Erythrogonia marilis Melichar
 Erythrogonia marilis Melichar 1926a:382 [n.sp.];
 Metcalf 1965a,6(1):47 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia melichari Schmidt
 Erythrogonia melichari Schmidt 1928a:60 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia meridionalis Schmidt
 Erythrogonia meridionalis Schmidt 1928a:58 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Erythrogonia nativa Melichar
 Erythrogonia nativa Melichar 1926a:390 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Colombia (Young 1977a)
- Erythrogonia nigrocincta (Signoret)
 Tettigonia nigrocincta Signoret 1855d:774 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia notatula Melichar
 Erythrogonia notatula Melichar 1926a:380 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia onerata Melichar
 Erythrogonia onerata Melichar 1926a:379 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Peru (Young 1977a)
- Erythrogonia partita Melichar
 Erythrogonia partita Melichar 1926a:376 [n.sp.];
 Metcalf 1965a,6(1):48 [Cat.]
 DISTRIBUTION: Mexico, Costa Rica (Young 1977a)
- Erythrogonia perjucunda Melichar
 Erythrogonia perjucunda Melichar 1926a:390 [n.sp.];
 Metcalf 1965a,6(1):49 [Cat.]
 DISTRIBUTION: Costa Rica, Panama (Metcalf Cat.)
- Erythrogonia phoenicea (Signoret)
 Tettigonia phoenicea Signoret 1853b:353 [n.sp.,not
 nom.nov.]; Metcalf 1965a,6(1):49 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia plagiella Melichar
 Erythrogonia plagiella Melichar 1926a:381 [n.sp.];
 Metcalf 1965a,6(1):49 [Cat.]
 DISTRIBUTION: Colombia, Venezuela, French
 Guiana, Brazil (Young 1977a)
- Erythrogonia proterva Melichar
 Erythrogonia proterva Melichar 1926a:388 [n.sp.];
 Metcalf 1965a,6(1):49 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Erythrogonia quadriguttata (Fabricius)
 Cicada quadriguttata Fabricius 1787a:271 [n.sp.];
 Metcalf 1965a,6(1):49 [Cat.]
 Tettigonia laudata Walker 1858a:95 [n.sp.]; Metcalf
 1965a,6(1):50,136[error] [Cat.]
 DISTRIBUTION: Trinidad, Venezuela (Young
 1977a)
- Erythrogonia quadriplagiata (Walker)
 Tettigonia quadriplagiata Walker 1851b:774 [n.sp.];
 Metcalf 1965a,6(1):50 [Cat.]
 DISTRIBUTION: Costa Rica, Panama, British West
 Indies, Colombia, Venezuela (Young 1977a)
- Erythrogonia quinquemaculata (Germar)
 Tettigonia quinquemaculata Germar 1821a:67 [n.sp.];
 Metcalf 1965a,6(1):51 [Cat.]
 Tettigonia sexpustulata obscura Stål
 1862b:496[n.subsp.of
 sexpustulata;nom.nov.for Tettigonia
 bifacies Walker 1858]; Metcalf 1965a,6(1):51 [Cat.]
 DISTRIBUTION: Suriname, Brazil, Paraguay,
 Argentina (Young 1977a)
- Erythrogonia quinquemaculata bifacies (Walker)
 Tettigonia bifacies Walker 1858b:213 [n.sp.]; Metcalf
 1965a,6(1):51 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Erythrogonia quinquemaculata mutabilis (Signoret)
 Tettigonia mutabilis Signoret 1853c:683 [n.sp.];
 Metcalf 1965a,6(1):52 [Cat.]
 DISTRIBUTION: Brazil, Colombia (Metcalf Cat.)
- Erythrogonia quinquemaculata sexpustulata (Stål)
 Tettigonia sexpustulata Stål 1855b:192 [n.sp.];
 Metcalf 1965a,6(1):52 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Erythrogonia sanguineoapicata Melichar
 Erythrogonia sanguineoapicata Melichar 1926a:393
 [n.sp.]; Metcalf 1965a,6(1):52 [Cat.]
 DISTRIBUTION: Peru (Young 1977a)
- Erythrogonia satelles (Fowler)
 Tettigonia satelles Fowler 1900d:288 [n.sp.]; Metcalf
 1965a,6(1):52 [Cat.]

- DISTRIBUTION:** Mexico, Costa Rica, Panama, Colombia (Young 1977a)
- Erythrogonia separata* Melichar
Erythrogonia separata Melichar 1926a:391 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Erythrogonia servilis* Melichar
Erythrogonia servilis Melichar 1926a:382 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Erythrogonia signoreti* Schmidt
Erythrogonia signoreti Schmidt 1928a:61 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Erythrogonia socialis* Melichar
Erythrogonia socialis Melichar 1926a:379 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
- Erythrogonia sonora* Melichar
Erythrogonia sonora Melichar 1926a:388 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Honduras, Nicaragua, Costa Rica (Young 1977a)
- Erythrogonia sparta* Melichar
Erythrogonia sparta Melichar 1926a:381 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Erythrogonia triplicula* (Jacobi)
Tettigoniella triplicula Jacobi 1905c:179 [n.sp.]; Metcalf 1965a,6(1):53 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
- Erythrogonia tristicula* Melichar
Erythrogonia tristicula Melichar 1926a:391 [n.sp.]; Metcalf 1965a,6(1):54 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
- Erythrogonia velox* Melichar
Erythrogonia velox Melichar 1926a:378 [n.sp.]; Metcalf 1965a,6(1):54 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Erythroneura acutalis* Ross & DeLong
Erythroneura acutalis Ross & DeLong 1953a:83 [n.sp.]; Metcalf 1968a,6(17):1060 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Erythroneura acutistyla* Dlabola
Erythroneura acutistyla Dlabola 1952b:32 [n.sp.]; Metcalf 1968a,6(17):1060 [Cat.]
- DISTRIBUTION:** Iraq (Metcalf Cat.)
- Erythroneura aesculella* Ross & DeLong
Erythroneura aesculella Ross & DeLong 1953a:82 [n.sp.]; Metcalf 1968a,6(17):1060 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Erythroneura akashiella* (Matsumura)
Zygina akashiella Matsumura 1932a:107 [n.sp.]; Metcalf 1968a,6(17):1061 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Erythroneura allagopappi* Lindberg
Erythroneura allagopappi Lindberg 1954a:248 [n.sp.]; Metcalf 1968a,6(17):1061 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura alticola* Lindberg
Erythroneura alticola Lindberg 1954a:264 [n.sp.]; Metcalf 1968a,6(17):1061 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura ampasa* Ross & DeLong
Erythroneura ampasa Ross & DeLong 1953a:86 [n.sp.]; Metcalf 1968a,6(17):1062 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Erythroneura ansonae* Myers
Erythroneura ansonae Myers 1923a:427 [n.sp.]; Metcalf 1968a,6(17):1062 [Cat.]
- DISTRIBUTION:** New Zealand (Metcalf Cat.)
- Erythroneura apiculata* Horváth
Erythroneura apiculata Horváth 1909a:295 [n.sp.]; Metcalf 1968a,6(17):1062 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura armata* Ribaut
Erythroneura armata Ribaut 1948a:4 [n.sp.]; Metcalf 1968a,6(17):1063 [Cat.]
- DISTRIBUTION:** Cyprus (Metcalf Cat.)
- Erythroneura atlantica* China
Erythroneura atlantica China 1938c:49 [n.sp.]; Metcalf 1968a,6(17):1063 [Cat.]
- DISTRIBUTION:** Portugal (Metcalf Cat.)
- Erythroneura atriplicis* Lindberg
Erythroneura atriplicis Lindberg 1954a:256 [n.sp.]; Metcalf 1968a,6(17):1063 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura bystropogonis* Lindberg
Erythroneura bystropogonis Lindberg 1954a:249 [n.sp.]; Metcalf 1968a,6(17):1065 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura canariensis* Metcalf
Erythroneura affinis Lindberg 1954a:248 [n.sp.]; Metcalf 1968a,6(17):1065 [Cat.]
- Erythroneura canariensis* Metcalf 1955a:267 [nom.nov. for *Erythroneura affinis* Lindberg 1954]; Metcalf 1968a,6(17):1065 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura carneola* Osborn
Erythroneura carneola Osborn 1928a:288 [n.sp.]; Metcalf 1968a,6(17):1066 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Erythroneura cassavae* China
Erythroneura cassavae China 1930a:267 [n.sp.]; Metcalf 1968a,6(17):1066 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Erythroneura chrysanthemi* Lindberg
Erythroneura chrysanthemi Lindberg 1954a:250 [n.sp.]; Metcalf 1968a,6(17):1066 [Cat.]
- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
- Erythroneura cicadulosa* Naudé

- Erythroneura cicadulosa Naudé 1926a:98 [n.sp.]; Metcalf 1968a,6(17):1066 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura claripennis Naudé
Erythroneura claripennis Naudé 1926a:97 [n.sp.]; Metcalf 1968a,6(17):1066 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura coacta Ribaut
Erythroneura coacta Ribaut 1948a:3 [n.sp.]; Metcalf 1968a,6(17):1067 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Erythroneura colorata Lindberg
Erythroneura colorata Lindberg 1936a:12 [n.sp.]; Metcalf 1968a,6(17):1067 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura comoides Ross & DeLong
Erythroneura comoides Ross & DeLong 1953a:90 [n.sp.]; Metcalf 1968a,6(17):1068 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura compora Robinson
Erythroneura compora Robinson 1924a:59 [n.sp.]; Metcalf 1968a,6(17):1069 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura cyathea Myers
Erythroneura cyathea Myers 1923a:426 [n.sp.]; Metcalf 1968a,6(17):1069 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Erythroneura dactyla Naudé
Erythroneura dactyla Naudé 1926a:98 [n.sp.]; Metcalf 1968a,6(17):1070 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura decolor Lindberg
Erythroneura decolor Lindberg 1936a:15 [n.sp.]; Metcalf 1968a,6(17):1070 [Cat.]
DISTRIBUTION: Canary Islands, Portugal (Metcalf Cat.)
- Erythroneura digitata Ribaut
Erythroneura digitata Ribaut 1948a:3 [n.sp.]; Metcalf 1968a,6(17):1071 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Erythroneura doris Kirkaldy
Erythroneura doris Kirkaldy 1907d:69 [n.sp.]; Metcalf 1968a,6(17):1071 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Erythroneura dorycnii Ribaut
Erythroneura dorycnii Ribaut 1936b:52 [n.sp.]; Metcalf 1968a,6(17):1071 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Erythroneura dorycnii inops Ribaut
Erythroneura dorycnii inops Ribaut 1936b:52 [n.subsp. of dorycnii]; Metcalf 1968a,6(17):1072 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Erythroneura dorycnii spoliata Ribaut
Erythroneura dorycnii spoliata Ribaut 1936b:52 [n.subsp. of dorycnii]; Metcalf 1968a,6(17):1072 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Erythroneura eburnea (Fieber)
Zygina eburnea Fieber 1884c:151 [n.sp.]; Metcalf 1968a,6(17):1072 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Erythroneura eburnea cruenta Ribaut
Erythroneura eburnea cruenta Ribaut 1936b:60 [n.subsp. of eburnea]; Metcalf 1968a,6(17):1072 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Erythroneura eburnea virgata Ribaut
Erythroneura eburnea virgata Ribaut 1936b:60 [n.subsp. of eburnea]; Metcalf 1968a,6(17):1073 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Erythroneura elegia (Cogan)
Typhlocyba elegia Cogan 1916a:199 [n.sp.]; Metcalf 1968a,6(17):1073 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura emquu Ross & DeLong
Erythroneura emquu Ross & DeLong 1953a:88 [n.sp.]; Metcalf 1968a,6(17):1073 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura flavoscuta Naudé
Erythroneura flavoscuta Naudé 1926a:98 [n.sp.]; Metcalf 1968a,6(17):1074 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura florida Ross & DeLong
Erythroneura florida Ross & DeLong 1953a:82 [n.sp.]; Metcalf 1968a,6(17):1074 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura franckeniae Lindberg
Erythroneura franckeniae Lindberg 1954a:254 [n.sp.]; Metcalf 1968a,6(17):1074 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura franzi Wagner
Erythroneura franzi Wagner 1944b:38 [n.sp.]; Metcalf 1968a,6(17):1074 [Cat.]
DISTRIBUTION: Austria, Germany (Metcalf Cat.)
- Erythroneura frisoni Ross & DeLong
Erythroneura frisoni Ross & DeLong 1953a:80 [n.sp.]; Metcalf 1968a,6(17):1075 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura fuerteventurae Lindberg
Erythroneura fuerteventurae Lindberg 1954a:255 [n.sp.]; Metcalf 1968a,6(17):1075 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura fulvidorsum Naudé
Erythroneura fulvidorsum Naudé 1926a:97 [n.sp.]; Metcalf 1968a,6(17):1075 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura funeta (Melichar)

- Typhlocyba funeta* Melichar 1903b:217 [n.sp.];
 Metcalf 1968a,6(17):1075 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)

Erythroneura harmsi Izzard
 Erythroneura harmsi Izzard 1936a:600 [n.sp.]; Metcalf
 1968a,6(17):1076 [Cat.]
 DISTRIBUTION: Indian Ocean: Christmas Island
 (Metcalf Cat.)

Erythroneura haspata Ross & DeLong
 Erythroneura haspata Ross & DeLong 1953a:85
 [n.sp.]; Metcalf 1968a,6(17):1076 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura havana Ross & DeLong
 Erythroneura havana Ross & DeLong 1953a:90
 [n.sp.]; Metcalf 1968a,6(17):1076 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura honiala Kirkaldy
 Erythroneura honiala Kirkaldy 1906c:365 [n.sp.];
 Metcalf 1968a,6(17):1076 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)

Erythroneura honiloa Kirkaldy
 Erythroneura honiloa Kirkaldy 1906c:365 [n.sp.];
 Metcalf 1968a,6(17):1076 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)

Erythroneura improvisa Linnauvori
 Erythroneura improvisa Linnauvori 1953d:61 [n.sp.];
 Metcalf 1968a,6(17):1077 [Cat.]
 DISTRIBUTION: Egypt (Metcalf Cat.)

Erythroneura inconstans Ribaut
 Erythroneura inconstans Ribaut 1936b:48 [n.sp.];
 Metcalf 1968a,6(17):1077 [Cat.]
 DISTRIBUTION: Germany, France, Switzerland,
 Sweden, Netherlands, Czech Republic, Slovakia,
 Finland (Metcalf Cat.)

Erythroneura infinita Beamer
 Erythroneura infinita Beamer 1930b:446 [n.sp.];
 Metcalf 1968a,6(17):1078 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura ipoloa Kirkaldy
 Erythroneura ipoloa Kirkaldy 1906c:365 [n.sp.];
 Metcalf 1968a,6(17):1079 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)

Erythroneura italicica Ribaut
 Erythroneura italicica Ribaut 1947a:16 [n.sp.]; Metcalf
 1968a,6(17):1079 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)

Erythroneura ix Myers
 Erythroneura ix Myers 1928g:312 [n.sp.]; Metcalf
 1968a,6(17):1079 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)

Erythroneura juglandacea Ross & DeLong
 Erythroneura juglandacea Ross & DeLong 1953a:78
 [n.sp.]; Metcalf 1968a,6(17):1080 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura kiekie Myers
 Erythroneura kiekie Myers 1923a:426 [n.sp.]; Metcalf
 1968a,6(17):1080 [Cat.]
 DISTRIBUTION: New Zealand (Metcalf Cat.)

Erythroneura kratochvili Lang
 Erythroneura kratochvili Lang 1945c:96 [n.sp.];
 Metcalf 1968a,6(17):1080 [Cat.]
 DISTRIBUTION: Czech Republic (Metcalf Cat.)

Erythroneura lactea Lindberg
 Erythroneura lactea Lindberg 1954a:250 [n.sp.];
 Metcalf 1968a,6(17):1081 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)

Erythroneura lalage Kirkaldy
 Erythroneura lalage Kirkaldy 1907d:70 [n.sp.];
 Metcalf 1968a,6(17):1081 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)

Erythroneura lamucata Ross & DeLong
 Erythroneura lamucata Ross & DeLong 1953a:88
 [n.sp.]; Metcalf 1968a,6(17):1081 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura leucothoe Kirkaldy
 Erythroneura leucothoe Kirkaldy 1907d:70 [n.sp.];
 Metcalf 1968a,6(17):1081 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)

Erythroneura leveri Evans
 Erythroneura leveri Evans 1946a:131 [n.sp.]; Metcalf
 1968a,6(17):1081 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands, Madagascar
 (Metcalf Cat.)

Erythroneura lineata Lindberg
 Erythroneura lineata Lindberg 1954a:244 [n.sp.];
 Metcalf 1968a,6(17):1082 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)

Erythroneura longifalx Linnauvori
 Erythroneura longifalx Linnauvori 1953d:62 [n.sp.];
 Metcalf 1968a,6(17):1082 [Cat.]
 DISTRIBUTION: Egypt (Metcalf Cat.)

Erythroneura lubra Kirkaldy
 Erythroneura lubra Kirkaldy 1906c:364 [n.sp.];
 Metcalf 1968a,6(17):1082 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)

Erythroneura lunaris (Mulsant & Rey)
 Typhlocyba lunaris Mulsant & Rey 1855a:240 [n.sp.];
 Metcalf 1968a,6(17):1082 [Cat.]
 DISTRIBUTION: France, Spain, Portugal (Metcalf
 Cat.)

Erythroneura lunaris impleta Ribaut
 Erythroneura lunaris impleta Ribaut 1936b:58
 [n.subsp. of *lunaris*]; Metcalf 1968a,6(17):1083
 [Cat.]
 DISTRIBUTION: no data given in Metcalf Cat.

Erythroneura lyratae Ross & DeLong
 Erythroneura lyratae Ross & DeLong 1953a:83
 [n.sp.]; Metcalf 1968a,6(17):1083 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

Erythroneura maculicosta Naudé

- Erythroneura maculicosta Naudé 1926a:99 [n.sp.];
 Metcalf 1968a,6(17):1084 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura madeirensis China
 Erythroneura madeirensis China 1938c:48 [n.sp.];
 Metcalf 1968a,6(17):1084 [Cat.]
 DISTRIBUTION: Portugal (Metcalf Cat.)
- Erythroneura magnifica Lindberg
 Erythroneura magnifica Lindberg 1954a:243 [n.sp.];
 Metcalf 1968a,6(17):1084 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura mallyi (Cogan)
 Typhlocyba mallyi Cogan 1916a:198 [n.sp.]; Metcalf
 1968a,6(17):1085 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura melanogaster Kirkaldy
 Erythroneura melanogaster Kirkaldy 1906a:364
 [n.sp.]; Metcalf 1968a,6(17):1085 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Erythroneura nebulosa Ribaut
 Erythroneura nebulosa Ribaut 1948a:3 [n.sp.]; Metcalf
 1968a,6(17):1086 [Cat.]
 DISTRIBUTION: Cyprus (Metcalf Cat.)
- Erythroneura noevooides Ross & DeLong
 Erythroneura noevooides Ross & DeLong 1953a:83
 [n.sp.]; Metcalf 1968a,6(17):1087 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura noncincta Johnson
 Erythroneura noncincta Johnson 1934a:261 [n.subsp.
 of tricincta]; Metcalf 1968a,6(17):1087 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura octofasciata Lindberg
 Erythroneura octofasciata Lindberg 1936a:11 [n.sp.];
 Metcalf 1968a,6(17):1088 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura ordinaria Ribaut
 Erythroneura ordinaria Ribaut 1936b:47 [n.sp.];
 Metcalf 1968a,6(17):1089,1090 [Cat.]
 DISTRIBUTION: Great Britain, France, Germany,
 Switzerland, Sweden, Netherlands, Czech
 Republic, Finland, Austria, Norway, Slovakia,
 Poland, Cyprus (Metcalf Cat.)
- Erythroneura ordinaria pandellei Ribaut
 Erythroneura ordinaria pandellei Ribaut 1936b:47
 [n.subsp. of ordinaria]; Metcalf 1968a,6(17):1090
 [Cat.]
 DISTRIBUTION: France, Sweden, Cyprus (Metcalf
 Cat.)
- Erythroneura ordinaria variegata Ribaut
 Erythroneura ordinaria variegata Ribaut 1936b:47
 [n.subsp. of ordinaria]; Metcalf 1968a,6(17):1090
 [Cat.]
 DISTRIBUTION: France, Czech Republic, Germany,
 Norway, Austria, Russia, Poland, England, Czech
 Republic (Metcalf Cat.)
- Erythroneura patris Ross & DeLong
- Erythroneura patris Ross & DeLong 1953a:89 [n.sp.];
 Metcalf 1968a,6(17):1091 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura perspicillata Horváth
 Erythroneura perspicillata Horváth 1909a:295 [n.sp.];
 Metcalf 1968a,6(17):1092 [Cat.]
 Erythroneura lanzarotensis Enderlein 1930a:157
 [n.sp.]; Metcalf 1968a,6(17):1092 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura phellos Ross & DeLong
 Erythroneura phellos Ross & DeLong 1953a:90
 [n.sp.]; Metcalf 1968a,6(17):1092 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura provincialis Ribaut
 Erythroneura provincialis Ribaut 1931c:414 [n.sp.];
 Metcalf 1968a,6(17):1092 [Cat.]
 DISTRIBUTION: France, Italy (Metcalf Cat.)
- Erythroneura pulcherrima Linnnavuori
 Erythroneura pulcherrima Linnnavuori 1953a:118
 [n.sp.]; Metcalf 1968a,6(17):1093 [Cat.]
 DISTRIBUTION: Greece (Metcalf Cat.)
- Erythroneura pulchra Naudé
 Erythroneura pulchra Naudé 1926a:103 [n.sp.];
 Metcalf 1968a,6(17):1093 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura purpureatincta (Cogan)
 Typhlocyba purpureatincta Cogan 1916a:198 [n.sp.];
 Metcalf 1968a,6(17):1093 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura pusilla Ribaut
 Erythroneura pusilla Ribaut 1936b:74 [n.sp.]; Metcalf
 1968a,6(17):1093 [Cat.]
 DISTRIBUTION: Belgium, Germany, Switzerland,
 Netherlands, Czech Republic, Hungary (Metcalf
 Cat.)
- Erythroneura quadrimaculata Naudé
 Erythroneura quadrimaculata Naudé 1926a:100
 [n.sp.]; Metcalf 1968a,6(17):1094 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Erythroneura rewana Kirkaldy
 Erythroneura rewana Kirkaldy 1907d:71 [n.sp.];
 Metcalf 1968a,6(17):1095 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Erythroneura ribauti Ossiannilsson
 Erythroneura ribauti Ossiannilsson 1937a:25 [n.sp.,not
 nom.nov.]; Metcalf 1968a,6(17):1095 [Cat.]
 DISTRIBUTION: Great Britain, France, Sweden,
 Switzerland, Czech Republic, Austria, Germany,
 Slovakia, Hungary, Romania, Poland (Metcalf
 Cat.)
- Erythroneura rorida (Mulsant & Rey)
 Typhlocyba rorida Mulsant & Rey 1855a:243 [n.sp.];
 Metcalf 1968a,6(17):1096 [Cat.]
 DISTRIBUTION: France, Italy, Germany, Austria,
 Hungary, Croatia, Serbia (Metcalf Cat.)
- Erythroneura rorida costalis (Ferrari)

- Zygina rorida costalis* Ferrari 1882a:161 [n.subsp. of *orida*]; Metcalf 1968a,6(17):1097 [Cat.]
DISTRIBUTION: Italy, France, Hungary (Metcalf Cat.)
- Erythroneura rorida deleta* Ribaut
Erythroneura rorida deleta Ribaut 1936b:56 [n.subsp. of *orida*]; Metcalf 1968a,6(17):1098 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Erythroneura rosincola* Cerutti
Erythroneura rosincola Cerutti 1939a:84 [n.sp.]; Metcalf 1968a,6(17):1098 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Erythroneura rubropunctata* Lindberg
Erythroneura rubropunctata Lindberg 1936a:14 [n.sp.]; Metcalf 1968a,6(17):1098 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura rugosae* Ross & DeLong
Erythroneura rugosae Ross & DeLong 1953a:80 [n.sp.]; Metcalf 1968a,6(17):1099 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura sabita* Sinha & Beamer
Erythroneura sabita Sinha & Beamer 1954a:105 [n.sp.]; Metcalf 1968a,6(17):1099 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura salmoides* Ross & DeLong
Erythroneura salmoides Ross & DeLong 1953a:83 [n.sp.]; Metcalf 1968a,6(17):1099 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura salviae* Lindberg
Erythroneura salviae Lindberg 1954a:253 [n.sp.]; Metcalf 1968a,6(17):1099 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura samoana* Osborn
Erythroneura samoana Osborn 1934a:191 [n.sp.]; Metcalf 1968a,6(17):1099 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Erythroneura sativae* Evans
Erythroneura sativae Evans 1940c:12 [n.sp.]; Metcalf 1968a,6(17):1100 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura sidnica* Kirkaldy
Erythroneura sidnica Kirkaldy 1907d:69 [n.sp.]; Metcalf 1968a,6(17):1100 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Erythroneura silvicola* Ossiannilsson
Erythroneura silvicola Ossiannilsson 1937a:25 [n.sp.]; Metcalf 1968a,6(17):1101 [Cat.]
DISTRIBUTION: Switzerland, Sweden, Germany, Austria, Slovakia, Romania, Poland (Metcalf Cat.)
- Erythroneura silvicola alpicola* Cerutti
Erythroneura alpicola Cerutti 1939a:86 [n.subsp. of *silvicola*]; Metcalf 1968a,6(17):1101 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Erythroneura similialis* Ross & DeLong
Erythroneura similialis Ross & DeLong 1953a:82 [n.sp.]; Metcalf 1968a,6(17):1101 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura simillima* Wagner
Erythroneura simillima Wagner 1939a:201,202 [n.sp.]; Metcalf 1968a,6(17):1101 [Cat.]
DISTRIBUTION: Germany, Netherlands (Metcalf Cat.)
- Erythroneura soosi* Dlabola
Erythroneura soosi Dlabola 1952b:31 [n.sp.]; Metcalf 1968a,6(17):1102 [Cat.]
DISTRIBUTION: Greece (Metcalf Cat.)
- Erythroneura spartocytisi* Lindberg
Erythroneura spartocytisi Lindberg 1936a:13 [n.sp.]; Metcalf 1968a,6(17):1102 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura spathulata* Ribaut
Erythroneura spathulata Ribaut 1931c:405 [n.sp.]; Metcalf 1968a,6(17):1103 [Cat.]
DISTRIBUTION: France, Switzerland, Germany, Italy (Metcalf Cat.)
- Erythroneura stellata* Ribaut
Erythroneura stellata Ribaut 1948a:5 [n.sp.]; Metcalf 1968a,6(17):1103 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Erythroneura sublaetitia* Lindberg
Erythroneura sublaetitia Lindberg 1943a:249 [n.sp.]; Metcalf 1968a,6(17):1103 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura tammina* Ross & DeLong
Erythroneura tammina Ross & DeLong 1953a:86 [n.sp.]; Metcalf 1968a,6(17):1104 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura tejedae* Lindberg
Erythroneura tejedae Lindberg 1954a:252 [n.sp.]; Metcalf 1968a,6(17):1104 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura tenerifae* Lindberg
Erythroneura tenerifae Lindberg 1936a:13 [n.sp.]; Metcalf 1968a,6(17):1104 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Erythroneura tietzi* Ross & DeLong
Erythroneura tietzi Ross & DeLong 1953a:85 [n.sp.]; Metcalf 1968a,6(17):1105 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura toetoe* Cumber
Erythroneura toetoe Cumber 1952a:525 [n.sp.]; Metcalf 1968a,6(17):1105 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Erythroneura tura* Ross & DeLong
Erythroneura tura Ross & DeLong 1953a:84 [n.sp.]; Metcalf 1968a,6(17):1106 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura ulmalatae* Ross & DeLong
Erythroneura ulmalatae Ross & DeLong 1953a:80 [n.sp.]; Metcalf 1968a,6(17):1106 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura ulmosa Ross & DeLong
 Erythroneura ulmosa Ross & DeLong 1953a:78
 [n.sp.]; Metcalf 1968a,6(17):1106 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura vallicola Lindberg
 Erythroneura vallicola Lindberg 1954a:251 [n.sp.];
 Metcalf 1968a,6(17):1107 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
Erythroneura velata Ribaut
 Erythroneura uncinata Ribaut 1931c:407 [n.sp.];
 Metcalf 1968a,6(17):1107 [Cat.]
Erythroneura velata Ribaut 1952a:451 [nom.nov. for
 Erythroneura uncinata Ribaut 1931; Metcalf
 1968a,6(17):1107 [Cat.]
 DISTRIBUTION: France, Poland, Germany,
 Switzerland, Czech Republic, Slovakia, Hungary
 (Metcalf Cat.)
Erythroneura verdana Ross & DeLong
 Erythroneura verdana Ross & DeLong 1953a:81
 [n.sp.]; Metcalf 1968a,6(17):1108 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura viaduensis Wagner
 Erythroneura viaduensis Wagner 1941a:132 [n.sp.];
 Metcalf 1968a,6(17):1108 [Cat.]
 DISTRIBUTION: Germany, Czech Republic (Metcalf
 Cat.)
Erythroneura wysongi Ross & DeLong
 Erythroneura wysongi Ross & DeLong 1953a:84
 [n.sp.]; Metcalf 1968a,6(17):1109 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura zephyr Ross & DeLong
 Erythroneura zephyr Ross & DeLong 1953a:84
 [n.sp.]; Metcalf 1968a,6(17):1109 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) atrata Johnson
 Erythroneura atrata Johnson 1935a:97 [n.sp.]; Metcalf
 1968a,6(17):1180 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) bicolorata Beamer
 Erythroneura bicolorata Beamer 1937a:11 [n.sp.];
 Metcalf 1968a,6(17):1180 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) bipentagona Beamer
 Erythroneura bipentagona Beamer 1927a:31 [n.sp.];
 Metcalf 1968a,6(17):1180 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) caerulea Beamer
 Erythroneura caerulea Beamer 1937a:10 [n.sp.];
 Metcalf 1968a,6(17):1181 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) calva Beamer
 Erythroneura calva Beamer 1946b:22 [n.sp.]; Metcalf
 1968a,6(17):1181 [Cat.]
 DISTRIBUTION: Canada, Nearctic region (?)
 (Metcalf Cat.)
- Erythroneura (Erasmoneura) carbonata* McAtee
Erythroneura carbonata McAtee 1920a:289 [n.subsp.
 of tecta]; Metcalf 1968a,6(17):1181 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Erythroneura (Erasmoneura) fiduciaria Knull
Erythroneura fiduciaria Knull 1951b:170 [n.sp.];
 Metcalf 1968a,6(17):1182 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) fulmina McAtee
Erythroneura fulmina McAtee 1920a:274 [n.subsp. of
 vulnerata]; Metcalf 1968a,6(17):1182 [Cat.]
Erythroneura pulchella Robinson 1924b:155 [n.sp.];
 Metcalf 1968a,6(17):1182 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) mixta Beamer
Erythroneura mixta Beamer 1932j:183 [n.sp.]; Metcalf
 1968a,6(17):1183 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) nigerrima McAtee
Erythroneura nigerrima McAtee 1920a:275 [n.subsp.
 of vulnerata]; Metcalf 1968a,6(17):1183 [Cat.]
Erythroneura atra Johnson 1935a:96 [n.sp.]; Metcalf
 1968a,6(17):1184 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) nigra (Gillette)
Typhlocyba niger Gillette 1898a:765 [n.subsp. of
 vulnerata]; Metcalf 1968a,6(17):1184 [Cat.]
Typhlocyba nigridorsum DeLong 1916a:110 [n.sp.];
 Metcalf 1968a,6(17):1184 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) nigra decora McAtee
Erythroneura nigra decora McAtee 1920a:272
 [n.subsp. of vulnerata]; Metcalf 1968a,6(17):1186
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) rubricata (Van Duzee)
Typhlocyba rubricata Van Duzee 1909a:229 [n.sp.];
 Metcalf 1968a,6(17):1187 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) tecta McAtee
Erythroneura tecta McAtee 1920a:228 [n.sp.]; Metcalf
 1968a,6(17):1188 [Cat.]
Erythroneura sexpunctata Malloch 1921a:25 [n.sp.];
 Metcalf 1968a,6(17):1188 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) variabilis Beamer
Erythroneura variabilis Beamer 1929b:126 [n.sp.];
 Metcalf 1968a,6(17):1189 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erasmoneura) vulnerata Fitch
Erythroneura vulnerata Fitch 1951a:62 [n.sp.]; Metcalf
 1968a,6(17):1189,1194 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Erythroneura (Erasmoneura) vulnerata gradata Robinson

- Erythroneura vulnerata gradata Robinson 1924a:58
 [n.sp.]; Metcalf 1968a,6(17):1194 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) abjecta Beamer
 Erythroneura abjecta Beamer 1931d:288 [n.sp.];
 Metcalf 1968a,6(17):1257 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) acantha Ross & DeLong
 Erythroneura acantha Ross & DeLong 1950a:296
 [n.sp.]; Metcalf 1968a,6(17):1257 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) accita Knoll
 Erythroneura (Eratoneura) accita Knoll 1954b:170
 [n.sp.]; Metcalf 1968a,6(17):1258 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) accola McAtee
 Erythroneura accola McAtee 1920a:299 [n.subsp. of
 maculata]; Metcalf 1968a,6(17):1258 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) acericola Ross & DeLong
 Erythroneura acericola Ross & DeLong 1953a:88
 [n.sp.]; Metcalf 1968a,6(17):1258 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) aculeata Beamer
 Erythroneura aculeata Beamer 1932g:161 [n.sp.];
 Metcalf 1968a,6(17):1258 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) adunca Beamer
 Erythroneura adunca Beamer 1932c:46 [n.sp.];
 Metcalf 1968a,6(17):1259 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) aesculi Beamer
 Erythroneura aesculi Beamer 1932c:46 [n.sp.];
 Metcalf 1968a,6(17):1259 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) affinis Fitch
 Erythroneura affinis Fitch 1851a:63 [n.sp.]; Metcalf
 1968a,6(17):1260 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) andersoni Beamer
 Erythroneura andersoni Beamer 1932e:86 [n.sp.];
 Metcalf 1968a,6(17):1261 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ardens McAtee
 Erythroneura ardens McAtee 1920a:299 [n.subsp. of
 maculata]; Metcalf 1968a,6(17):1262 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ardens insolita McAtee
 Erythroneura ardens insolita McAtee 1926c:133
 [n.subsp. of scutelleris]; Metcalf 1968a,6(17):1262
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ardens kansana Baker
 Typhlocyba comes scutelleris Gillette 1898a:764
 [n.subsp. of comes]; Metcalf 1968a,6(17):1262
 [Cat.]
- Erythroneura ardens kansana Baker 1925b:537
 [nom.nov. for Erythroneura scutelleris Gillette
 1898]; Metcalf 1968a,6(17):1263 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) arenosa Ross & DeLong
 Erythroneura arenosa Ross & DeLong 1950a:295
 [n.sp.]; Metcalf 1968a,6(17):1264 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) arta Beamer
 Erythroneura arta Beamer 1931d:287 [n.sp.]; Metcalf
 1968a,6(17):1264 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ballista Beamer
 Erythroneura ballista Beamer 1932e:84 [n.sp.];
 Metcalf 1968a,6(17):1265 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) basilaris (Say)
 Tettigonia basilaris Say 1825a:344 [n.sp.]; Metcalf
 1968a,6(17):1265 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Erythroneura (Eratoneura) bella McAtee
 Erythroneura bella McAtee 1920a:300 [n.subsp. of
 maculata]; Metcalf 1968a,6(17):1269 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) bifida Beamer
 Erythroneura bifida Beamer 1931a:134 [n.sp.];
 Metcalf 1968a,6(17):1269 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) bigemina McAtee
 Typhlocyba comes apicalis DeLong 1916a:108
 [n.subsp. of comes]; Metcalf 1968a,6(17):1270
 [Cat.]
 Erythroneura bigemina McAtee 1920a:300 [n.subsp.
 of maculata]; Metcalf 1968a,6(17):1270 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Erythroneura (Eratoneura) biramosa Beamer
 Erythroneura biramosa Beamer 1941a:18 [n.sp.];
 Metcalf 1968a,6(17):1271 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) bispinosa Beamer
 Erythroneura bispinosa Beamer 1931b:241 [n.sp.];
 Metcalf 1968a,6(17):1271 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) brevipes Beamer
 Erythroneura brevipes Beamer 1931a:133 [n.sp.];
 Metcalf 1968a,6(17):1272 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) calamitosa Beamer
 Erythroneura calamitosa Beamer 1931b:241 [n.sp.];
 Metcalf 1968a,6(17):1272 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) californica Beamer
 Erythroneura coryli Van Duzee 1924a:234 [n.sp.];
 Metcalf 1968a,6(17):1272 [Cat.]

- Erythroneura californica* Beamer 1932f:143 [nom.nov.]
for *Erythroneura coryli* Van Duzee 1924]; Metcalf
1968a,6(17):1272 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) campora* Robinson
Erythroneura campora Robinson 1924a:59 [n.sp.];
Metcalf 1968a,6(17):1273 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Erythroneura (Eratoneura) carmini* Beamer
Erythroneura carmini Beamer 1929b:121 [n.sp.];
Metcalf 1968a,6(17):1274 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) certa* Beamer
Erythroneura certa Beamer 1932g:159 [n.sp.]; Metcalf
1968a,6(17):1274 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) clara* Beamer
Erythroneura clara Beamer 1932g:161 [n.sp.]; Metcalf
1968a,6(17):1275 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) clavipes* Beamer
Erythroneura clavipes Beamer 1931c:269 [n.sp.];
Metcalf 1968a,6(17):1275 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) compressa* Knull & Auten
Erythroneura compressa Knull & Auten 1937a:573
[n.sp.]; Metcalf 1968a,6(17):1276 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) concisa* Beamer
Erythroneura concisa Beamer 1931d:286 [n.sp.];
Metcalf 1968a,6(17):1276 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) confirmata* McAtee
Erythroneura confirmata McAtee 1924c:37 [n.subsp.
of *maculata*]; Metcalf 1968a,6(17):1276 [Cat.]
- Erythroneura mitella* McAtee 1926c:132 [n.sp.];
Metcalf 1968a,6(17):1276 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) consueta* Beamer
Erythroneura consueta Beamer 1932d:71 [n.sp.];
Metcalf 1968a,6(17):1277 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) continua* Knull & Auten
Erythroneura continua Knull & Auten 1937a:578
[n.sp.]; Metcalf 1968a,6(17):1277 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) contracta* Beamer
Erythroneura contracta Beamer 1931a:130 [n.sp.];
Metcalf 1968a,6(17):1278 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) corylorubra* Knull
Erythroneura corylorubra Knull 1945b:108 [n.sp.];
Metcalf 1968a,6(17):1278 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) coxi* Ross & DeLong
Erythroneura coxi Ross & DeLong 1950a:295 [n.sp.];
Metcalf 1968a,6(17):1279 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) crinita* Beamer
Erythroneura crinita Beamer 1932e:85 [n.sp.]; Metcalf
1968a,6(17):1279 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) cristata* Knull
Erythroneura cristata Knull 1951b:174 [n.sp.]; Metcalf
1968a,6(17):1279 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) curta* Beamer
Erythroneura curta Beamer 1932e:86 [n.sp.]; Metcalf
1968a,6(17):1279 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) curvata* Beamer
Erythroneura curvata Beamer 1931a:132 [n.sp.];
Metcalf 1968a,6(17):1280 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) delongi* Knull & Auten
Erythroneura delongi Knull & Auten 1937a:574
[n.sp.]; Metcalf 1968a,6(17):1280 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) dimidiata* Knull
Erythroneura dimidiata Knull 1948a:122 [n.sp.];
Metcalf 1968a,6(17):1280 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) dira* Beamer
Erythroneura dira Beamer 1931d:286 [n.sp.]; Metcalf
1968a,6(17):1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) direpta* Knull
Erythroneura direpta Knull 1949a:125 [n.sp.]; Metcalf
1968a,6(17):1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) distincta* Knull & Auten
Erythroneura distincta Knull & Auten 1937a:572
[n.sp.]; Metcalf 1968a,6(17):1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) dumosa* Beamer
Erythroneura dumosa Beamer 1932a:13 [n.sp.];
Metcalf 1968a,6(17):1282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) dura* Knull
Erythroneura (Eratoneura) dura Knull 1954b:170
[n.sp.]; Metcalf 1968a,6(17):1282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) era* McAtee
Erythroneura era McAtee 1920a:299 [n.subsp. of
maculata]; Metcalf 1968a,6(17):1282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) eversi* Ross & DeLong
Erythroneura eversi Ross & DeLong 1953a:88 [n.sp.];
Metcalf 1968a,6(17):1283 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) externa* Beamer

- Erythroneura externa Beamer 1931d:289 [n.sp.];
 Metcalf 1968a,6(17):1283 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) facota Beamer
 Erythroneura facota Beamer 1932d:70 [n.sp.]; Metcalf
 1968a,6(17):1283 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) fausta Knull
 Erythroneura fausta Knull 1951b:172 [n.sp.]; Metcalf
 1968a,6(17):1284 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) firma Beamer
 Erythroneura firma Beamer 1932a:12 [n.sp.]; Metcalf
 1968a,6(17):1284 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) flexibilis Knull
 Erythroneura flexibilis Knull 1949a:122 [n.sp.];
 Metcalf 1968a,6(17):1284 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) forfex Beamer
 Erythroneura forfex Beamer 1932e:82 [n.sp.]; Metcalf
 1968a,6(17):1284 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) gemina McAtee
 Erythroneura gemina McAtee 1920a:301 [n.subsp. of
 maculata]; Metcalf 1968a,6(17):1285 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) geronimoi Knull
 Erythroneura geronimoi Knull 1945b:108 [n.sp.];
 Metcalf 1968a,6(17):1286 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) gillettei Beamer
 Erythroneura gillettei Beamer 1931a:128 [n.sp.];
 Metcalf 1968a,6(17):1286 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) hartii (Gillette)
 Typhlocyba hartii Gillette 1898a:754 [n.sp.]; Metcalf
 1968a,6(17):1286 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) hyalina Knull & Auten
 Erythroneura hyalina Knull & Auten 1937a:575
 [n.sp.]; Metcalf 1968a,6(17):1288 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) hymac Robinson
 Erythroneura hymac Robinson 1924a:60 [n.sp.];
 Metcalf 1968a,6(17):1288 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) hymettana Knull
 Erythroneura hymettana Knull 1949a:124 [n.sp.];
 Metcalf 1968a,6(17):1289 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) igella Ross & DeLong
 Erythroneura igella Ross & DeLong 1950a:295
 [n.sp.]; Metcalf 1968a,6(17):1289 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) imbricariae Ross & DeLong
- Erythroneura imbricariae Ross & DeLong 1953a:86
 [n.sp.]; Metcalf 1968a,6(17):1289 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) immota Ball
 Erythroneura immota Ball 1932a:16 [n.sp.]; Metcalf
 1968a,6(17):1289 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) impar Beamer
 Erythroneura impar Beamer 1931a:133 [n.sp.];
 Metcalf 1968a,6(17):1290 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) incondita Beamer
 Erythroneura incondita Beamer 1932a:16 [n.sp.];
 Metcalf 1968a,6(17):1290 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) inepta Beamer
 Erythroneura inepta Beamer 1932g:162 [n.sp.];
 Metcalf 1968a,6(17):1290 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ingrata Beamer
 Erythroneura ingrata Beamer 1932g:160 [n.sp.];
 Metcalf 1968a,6(17):1291 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) inksana Knull
 Erythroneura (Eratoneura) inksana Knull 1954b:170
 [n.sp.]; Metcalf 1968a,6(17):1291 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) interna Beamer
 Erythroneura interna Beamer 1931d:285 [n.sp.];
 Metcalf 1968a,6(17):1291 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) knighti Beamer
 Erythroneura knighti Beamer 1932e:87 [n.sp.];
 Metcalf 1968a,6(17):1292 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) lata Beamer
 Erythroneura lata Beamer 1932e:86 [n.sp.]; Metcalf
 1968a,6(17):1292 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) lawsoni Robinson
 Erythroneura lawsoni Robinson 1924a:59 [n.sp.];
 Metcalf 1968a,6(17):1293 [Cat.]
- Erythroneura mediana Robinson 1924b:156 [n.sp.];
 Metcalf 1968a,6(17):1293 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) lenta Beamer
 Erythroneura lenta Beamer 1932e:82 [n.sp.]; Metcalf
 1968a,6(17):1294 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ligata McAtee
 Erythroneura ligata McAtee 1920a:301 [n.sp.];
 Metcalf 1968a,6(17):1294,1295 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ligata allecta McAtee

- Erythroneura ligata* *allecta* McAtee 1920a:302
 [n.subsp. of *ligata*]; Metcalf 1968a,6(17):1295
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *ligata* *pupillata* McAtee
Erythroneura ligata *pupillata* McAtee 1924e:42
 [n.subsp. of *ligata*]; Metcalf 1968a,6(17):1295
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *linea* Beamer
Erythroneura linea Beamer 1932c:47 [n.sp.]; Metcalf
 1968a,6(17):1296 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *longa* Knull
Erythroneura (*Eratoneura*) *longa* Knull 1955a:245
 [n.sp.]; Metcalf 1968a,6(17):1296 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *luculenta* Knull
Erythroneura luculenta Knull 1949a:124 [n.sp.];
 Metcalf 1968a,6(17):1296 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *lunata* McAtee
Erythroneura lunata McAtee 1924e:41 [n.sp.]; Metcalf
 1968a,6(17):1296 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *macra* Beamer
Erythroneura macra Beamer 1932a:15 [n.sp.]; Metcalf
 1968a,6(17):1297 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *maculata* (Gillette)
Typhlocyba *maculata* Gillette 1898a:764 [n.subsp. of
 comes]; Metcalf 1968a,6(17):1298 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Erythroneura* (*Eratoneura*) *maga* Knull
Erythroneura maga Knull 1951b:170 [n.sp.]; Metcalf
 1968a,6(17):1300 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *malaca* Knull
Erythroneura malaca Knull 1949a:126 [n.sp.]; Metcalf
 1968a,6(17):1301 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *manus* Beamer
Erythroneura manus Beamer 1932e:83 [n.sp.]; Metcalf
 1968a,6(17):1301 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *marra* Beamer
Erythroneura marra Beamer 1932g:160 [n.sp.];
 Metcalf 1968a,6(17):1301 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *masonae* Knull
Erythroneura (*Eratoneura*) *masonae* Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1302 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *mensa* Beamer
- Erythroneura* *mensa* Beamer 1931d:287 [n.sp.];
 Metcalf 1968a,6(17):1302 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *millsi* Ross & DeLong
Erythroneura millsii Ross & DeLong 1950a:291
 [n.sp.]; Metcalf 1968a,6(17):1302 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *minor* Beamer
Erythroneura minor Beamer 1932e:84 [n.sp.]; Metcalf
 1968a,6(17):1302 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *mira* Beamer
Erythroneura mira Beamer 1932c:45 [n.sp.]; Metcalf
 1968a,6(17):1303 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *mirifica* Beamer
Erythroneura mirifica Beamer 1932d:159 [n.sp.];
 Metcalf 1968a,6(17):1303 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *misera* Beamer
Erythroneura misera Beamer 1932g:158 [n.sp.];
 Metcalf 1968a,6(17):1304 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *morgani* (DeLong)
Typhlocyba *morgani* DeLong 1916a:104 [n.sp.];
 Metcalf 1968a,6(17):1304 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *nevadensis* Beamer
Erythroneura nevadensis Beamer 1932d:72 [n.sp.];
 Metcalf 1968a,6(17):1305 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *nigriventer* Beamer
Erythroneura nigriventer Beamer 1931a:134 [n.sp.];
 Metcalf 1968a,6(17):1305 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *nimia* Knull
Erythroneura (*Eratoneura*) *nimia* Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1306 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *noncuspidis* Beamer
Erythroneura noncuspidis Beamer 1931a:129 [n.sp.];
 Metcalf 1968a,6(17):1306 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *omani* Beamer
Erythroneura omani Beamer 1930a:49 [n.sp.]; Metcalf
 1968a,6(17):1306 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *opulenta* Beamer
Erythroneura opulenta Beamer 1932c:48 [n.sp.];
 Metcalf 1968a,6(17):1307 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *osborni* (DeLong)
Typhlocyba *osborni* DeLong 1916a:103 [n.sp.];
 Metcalf 1968a,6(17):1307 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura* (*Eratoneura*) *dulcis* McAtee

- Erythroneura osborni dulcis McAtee 1920a:296
 [n.subsp. of basilaris]; Metcalf 1968a,6(17):1308
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) pallida Knull & Auten
 Erythroneura pallida Knull & Auten 1937a:573
 [n.sp.]; Metcalf 1968a,6(17):1309 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) paraesculi Knull
 Erythroneura paraesculi Knull 1945b:106 [n.sp.];
 Metcalf 1968a,6(17):1309 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) parallela McAtee
 Erythroneura parallela McAtee 1924c:38 [n.subsp. of
 maculata]; Metcalf 1968a,6(17):1309 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) parva Beamer
 Erythroneura parva Beamer 1932d:70 [n.sp.]; Metcalf
 1968a,6(17):1310 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) parvipes Beamer
 Erythroneura parvipes Beamer 1931b:242 [n.sp.];
 Metcalf 1968a,6(17):1310 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) penerostrata Beamer
 Erythroneura penerostrata Beamer 1932e:85 [n.sp.];
 Metcalf 1968a,6(17):1311 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) penesica Beamer
 Erythroneura penesica Beamer 1931c:269 [n.sp.];
 Metcalf 1968a,6(17):1311 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) perplexa Knull
 Erythroneura simplex Knull & Auten 1937a:575
 [n.sp.]; Metcalf 1968a,6(17):1311 [Cat.]
- Erythroneura ordinaria Knull & Auten 1938b:651
 [nom.nov. for Erythroneura simplex Knull &
 Auten 1937]; Metcalf 1968a,6(17):1311 [Cat.]
- Erythroneura perplexa Knull 1944b:123 [nom.nov. for
 Erythroneura ordinaria Knull & Auten 1938];
 Metcalf 1968a,6(17):1312 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) prolixa Knull
 Erythroneura prolixa Knull 1949a:126 [n.sp.]; Metcalf
 1968a,6(17):1312 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) propria Beamer
 Erythroneura propria Beamer 1932a:13 [n.sp.];
 Metcalf 1968a,6(17):1312 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) pyra McAtee
 Erythroneura pyra McAtee 1924d:133 [n.sp.]; Metcalf
 1968a,6(17):1313 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) quercalbae Ross & DeLong
 Erythroneura quercalbae Ross & DeLong 1950a:294
 [n.sp.]; Metcalf 1968a,6(17):1313 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rangifer Ross & DeLong
 Erythroneura rangifer Ross & DeLong 1950a:292
 [n.sp.]; Metcalf 1968a,6(17):1314 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) restricta Beamer
 Erythroneura restricta Beamer 1932c:45 [n.sp.];
 Metcalf 1968a,6(17):1314 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) retusa Beamer
 Erythroneura retusa Beamer 1932c:48 [n.sp.]; Metcalf
 1968a,6(17):1314 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) robusta Knull
 Erythroneura (Eratoneura) robusta Knull 1955a:245
 [n.sp.]; Metcalf 1968a,6(17):1315 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rostrata Beamer
 Erythroneura rostrata Beamer 1931c:270 [n.sp.];
 Metcalf 1968a,6(17):1315 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rotunda Beamer
 Erythroneura rotunda Beamer 1931d:288 [n.sp.];
 Metcalf 1968a,6(17):1315 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rubida Knull
 Erythroneura (Eratoneura) rubida Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1315 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rubranotata Beamer
 Erythroneura rubranotata Beamer 1927a:30 [n.sp.];
 Metcalf 1968a,6(17):1316 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) rubraza Robinson
 Erythroneura rubraza Robinson 1924c:291 [n.sp.];
 Metcalf 1968a,6(17):1316 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) sancta Beamer
 Erythroneura sancta Beamer 1932a:15 [n.sp.]; Metcalf
 1968a,6(17):1316 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) schista Knull
 Erythroneura (Eratoneura) schista Knull 1955a:246
 [n.sp.]; Metcalf 1968a,6(17):1317 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) separata Beamer
 Erythroneura separata Beamer 1932a:12 [n.sp.];
 Metcalf 1968a,6(17):1317 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) septima Beamer
 Erythroneura septima Beamer 1927a:30 [n.sp.];
 Metcalf 1968a,6(17):1317 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) severini Knull

- Erythroneura severini Knull 1949a:125 [n.sp.];
 Metcalf 1968a,6(17):1318 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) socia Knull
 Erythroneura (Eratoneura) socia Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1318 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) solidula Knull
 Erythroneura (Eratoneura) solidula Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1318 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) solita Beamer
 Erythroneura solita Beamer 1932a:14 [n.sp.]; Metcalf
 1968a,6(17):1318 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) spala Ross & DeLong
 Erythroneura spala Ross & DeLong 1950a:294 [n.sp.];
 Metcalf 1968a,6(17):1319 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) spinea Knull
 Erythroneura spinea Knull 1951b:172 [n.sp.]; Metcalf
 1968a,6(17):1319 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) spinifera Beamer
 Erythroneura spinifera Beamer 1931b:240 [n.sp.];
 Metcalf 1968a,6(17):1319 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) staminea Knull
 Erythroneura (Eratoneura) staminea Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1319 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) stephensi Beamer
 Erythroneura stephensi Beamer 1931a:130 [n.sp.];
 Metcalf 1968a,6(17):1319 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) stoveri Ross & DeLong
 Erythroneura stoveri Ross & DeLong 1950a:296
 [n.sp.]; Metcalf 1968a,6(17):1320 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) stupkaorum Knull
 Erythroneura stupkaorum Knull 1945b:104 [n.sp.];
 Metcalf 1968a,6(17):1320 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tantilla Beamer
 Erythroneura tantilla Beamer 1931d:285 [n.sp.];
 Metcalf 1968a,6(17):1320 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tantula Knull
 Erythroneura (Eratoneura) tantula Knull 1954b:171
 [n.sp.]; Metcalf 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tenilla Ross & DeLong
 Erythroneura tenilla Ross & DeLong 1950a:294
 [n.sp.]; Metcalf 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tenuitas Knull
 Erythroneura (Eratoneura) tenuitas Knull 1954b:173
 [n.sp.]; Metcalf 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) teres Beamer
 Erythroneura teres Beamer 1931c:268 [n.sp.]; Metcalf
 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tersa Knull
 Erythroneura tersa Knull 1951b:172 [n.sp.]; Metcalf
 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) texana Beamer
 Erythroneura texana Beamer 1929b:121 [n.sp.];
 Metcalf 1968a,6(17):1321 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) torella Robinson
 Erythroneura torella Robinson 1924b:156 [n.sp.];
 Metcalf 1968a,6(17):1322 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) trautmanae Knull
 Erythroneura trautmanae Knull 1945b:104 [n.sp.];
 Metcalf 1968a,6(17):1322 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) triangulata Beamer
 Erythroneura triangulata Beamer 1931b:240 [n.sp.];
 Metcalf 1968a,6(17):1323 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) trivittata Robinson
 Erythroneura trivittata Robinson 1924a:59 [n.sp.];
 Metcalf 1968a,6(17):1323 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) tumida Knull
 Erythroneura (Eratoneura) tumida Knull 1954b:173
 [n.sp.]; Metcalf 1968a,6(17):1324 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) turgida Beamer
 Erythroneura turgida Beamer 1931b:243 [n.sp.];
 Metcalf 1968a,6(17):1324 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) unca Knull
 Erythroneura (Eratoneura) unca Knull 1954b:174
 [n.sp.]; Metcalf 1968a,6(17):1324 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) uncinata Beamer
 Erythroneura uncinata Beamer 1931b:242 [n.sp.];
 Metcalf 1968a,6(17):1324 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ungulata Beamer
 Erythroneura ungulata Beamer 1932d:69 [n.sp.];
 Metcalf 1968a,6(17):1325 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) unica Beamer
 Erythroneura unica Beamer 1932e:83 [n.sp.]; Metcalf
 1968a,6(17):1325 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) univittata Robinson

- Erythroneura univittata Robinson 1924b:156 [n.sp.];
 Metcalf 1968a,6(17):1325 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) usitata Beamer
 Erythroneura usitata Beamer 1932a:14 [n.sp.]; Metcalf
 1968a,6(17):1326 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) uvaldeana Knull
 Erythroneura uvaldeana Knull 1949a:125 [n.sp.];
 Metcalf 1968a,6(17):1326 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) vacua Knull
 Erythroneura (Eratoneura) vacua Knull 1954b:174
 [n.sp.]; Metcalf 1968a,6(17):1327 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) valida Knull
 Erythroneura (Eratoneura) valida Knull 1954b:174
 [n.sp.]; Metcalf 1968a,6(17):1327 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) ventura Knull & Auten
 Erythroneura ventura Knull & Auten 1937a:577
 [n.sp.]; Metcalf 1968a,6(17):1327 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) vittata Knull & Auten
 Erythroneura vittata Knull & Auten 1937a:577 [n.sp.];
 Metcalf 1968a,6(17):1327 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Eratoneura) zioni Beamer
 Erythroneura zioni Beamer 1932d:71 [n.sp.]; Metcalf
 1968a,6(17):1328 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) abolla McAtee
 Erythroneura abolla McAtee 1920a:285 [n.sp.];
 Metcalf 1968a,6(17):1195,1196 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) abolla accensa McAtee
 Erythroneura abolla accensa McAtee 1920a:288
 [n.subsp. of abolla]; Metcalf 1968a,6(17):1196
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) abolla lemnisca McAtee
 Erythroneura abolla lemnisca McAtee 1926c:131
 [n.subsp. of abolla]; Metcalf 1968a,6(17):1196
 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) accurata Beamer
 Erythroneura pulchra Beamer 1930b:422 [n.sp.];
 Metcalf 1968a,6(17):1197 [Cat.]
- Erythroneura accurata Beamer 1934b:18 [nom.nov.
 for Erythroneura pulchra Beamer 1930]; Metcalf
 1968a,6(17):1197 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) acicularis Beamer
 Erythroneura acicularis Beamer 1932i:126 [n.sp.];
 Metcalf 1968a,6(17):1197 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) ador McAtee
 Erythroneura ador McAtee 1918b:361 [n.sp.]; Metcalf
 1968a,6(17):1197 [Cat.]
- DISTRIBUTION: Canada (Metcalf Cat.)
- Erythroneura (Erythridula) aenea Beamer
 Erythroneura aenea Beamer 1930b:436 [n.sp.];
 Metcalf 1968a,6(17):1198 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) afflicta Beamer
 Erythroneura afflicta Beamer 1935a:101 [n.sp.];
 Metcalf 1968a,6(17):1198 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) alata Knull
 Erythroneura alata Knull 1946a:45 [n.sp.]; Metcalf
 1968a,6(17):1199 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) albescens Beamer
 Erythroneura albescens Beamer 1930b:443 [n.sp.];
 Metcalf 1968a,6(17):1199 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) amabilis McAtee
 Erythroneura amabilis McAtee 1924d:132 [n.subsp. of
 obliqua]; Metcalf 1968a,6(17):1199 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) ampla Knull
 Erythroneura ampla Knull 1951c:179 [n.sp.]; Metcalf
 1968a,6(17):1200 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) angularis Beamer
 Erythroneura angularis Beamer 1930b:447 [n.sp.];
 Metcalf 1968a,6(17):1200 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) anomala Knull
 Erythroneura anomala Knull 1946a:46 [n.sp.]; Metcalf
 1968a,6(17):1200 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) apta Beamer
 Erythroneura apta Beamer 1935a:102 [n.sp.]; Metcalf
 1968a,6(17):1200 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) aspera Beamer & Griffith
 Erythroneura aspera Beamer & Griffith 1935a:18
 [n.sp.]; Metcalf 1968a,6(17):1201 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Erythroneura (Erythridula) atrimucronata Beamer
 Erythroneura atrimucronata Beamer 1930b:424
 [n.sp.]; Metcalf 1968a,6(17):1201 [Cat.]
- DISTRIBUTION: United States, Nearctic region (?)
 (Metcalf Cat.)
- Erythroneura (Erythridula) autenae Johnson
 Erythroneura autenae Johnson 1935a:73 [n.sp.];
 Metcalf 1968a,6(17):1201 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)

- Erythroneura (*Erythridula*) bicornis Beamer
 Erythroneura bicornis Beamer 1930b:450 [n.sp.];
 Metcalf 1968a,6(17):1202 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) bitincta McAtee
 Erythroneura bitincta McAtee 1926c:130 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1202 [Cat.]
- Erythroneura bifurca Beamer 1930b:422 [n.sp.];
 Metcalf 1968a,6(17):1202 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (*Erythridula*) brundusa Robinson
 Erythroneura brundusa Robinson 1924b:155 [n.sp.];
 Metcalf 1968a,6(17):1203 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) caldwelli Johnson
 Erythroneura caldwelli Johnson 1935a:69 [n.sp.];
 Metcalf 1968a,6(17):1203 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) cauta Beamer
 Erythroneura alternata Johnson 1935a:72 [n.sp.];
 Metcalf 1968a,6(17):1204 [Cat.]
- Erythroneura cauta Beamer 1935a:100 [n.sp.]; Metcalf 1968a,6(17):1204 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) cavena Auten & Johnson
 Erythroneura cavena Auten & Johnson 1936a:61 [n.sp.]; Metcalf 1968a,6(17):1204 [Cat.]
 DISTRIBUTION: United States, Nearctic region (?) (Metcalf Cat.)
- Erythroneura (*Erythridula*) celebrata Johnson
 Erythroneura celebrata Johnson 1935a:82 [n.sp.];
 Metcalf 1968a,6(17):1205 [Cat.]
 DISTRIBUTION: United States, Nearctic region (?) (Metcalf Cat.)
- Erythroneura (*Erythridula*) clavata (DeLong)
 Typhlocyba clavata DeLong 1916a:105 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1205 [Cat.]
- Erythroneura torra Robinson 1924b:155 [n.sp.];
 Metcalf 1968a,6(17):1205 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) coarctata Beamer
 Erythroneura coarctata Beamer 1930b:436 [n.sp.];
 Metcalf 1968a,6(17):1206 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) complicata Johnson
 Erythroneura complicata Johnson 1935a:87 [n.sp.];
 Metcalf 1968a,6(17):1206 [Cat.]
 DISTRIBUTION: United States, Nearctic region (?) (Metcalf Cat.)
- Erythroneura (*Erythridula*) contrasta Auten & Johnson
 Erythroneura contrasta Auten & Johnson 1936a:62 [n.sp.]; Metcalf 1968a,6(17):1207 [Cat.]
 DISTRIBUTION: United States, Nearctic region (?) (Metcalf Cat.)
- Erythroneura (*Erythridula*) cornipes Beamer
 Erythroneura cornipes Beamer 1930b:449 [n.sp.];
 Metcalf 1968a,6(17):1207 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) cotidiana Beamer
 Erythroneura cotidiana Beamer 1930b:433 [n.sp.];
 Metcalf 1968a,6(17):1208 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) crataegi Johnson
 Erythroneura crataegi Johnson 1935a:61 [n.sp.];
 Metcalf 1968a,6(17):1208 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) crevecoeuri (Gillette)
 Typhlocyba crevecoeuri Gillette 1898a:767 [n.sp.];
 Metcalf 1968a,6(17):1208 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (*Erythridula*) cruciformis Beamer
 Erythroneura cruciformis Beamer 1930b:443 [n.sp.];
 Metcalf 1968a,6(17):1210 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) cuneata Beamer
 Erythroneura cuneata Beamer 1930b:433 [n.sp.];
 Metcalf 1968a,6(17):1210 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) decorata Auten & Johnson
 Erythroneura decorata Auten & Johnson 1936a:63 [n.sp.]; Metcalf 1968a,6(17):1211 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) diffusa Beamer
 Erythroneura diffusa Beamer 1930b:434 [n.sp.];
 Metcalf 1968a,6(17):1211 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) divisa McAtee
 Erythroneura divisa McAtee 1924c:37 [n.subsp. of abolla]; Metcalf 1968a,6(17):1211 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) dolosa Beamer & Griffith
 Erythroneura dolosa Beamer & Griffith 1935a:19 [n.sp.]; Metcalf 1968a,6(17):1212 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (*Erythridula*) dolosa interjecta Beamer & Griffith
 Erythroneura dolosa interjecta Beamer & Griffith 1935a:20 [n.subsp. of dolosa]; Metcalf 1968a,6(17):1212 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) dolosa occidua Beamer & Griffith
 Erythroneura dolosa occidua Beamer & Griffith 1935a:19 [n.subsp. of dolosa]; Metcalf 1968a,6(17):1213 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (*Erythridula*) dowelli Beamer
 Erythroneura dowelli Beamer 1932b:62 [n.sp.];
 Metcalf 1968a,6(17):1213 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) electa McAtee
Erythroneura electa McAtee 1920a:282 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1213 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) eluta McAtee
Erythroneura eluta McAtee 1920a:277 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1214 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) enata Knoll
Erythroneura enata Knoll 1951c:179 [n.sp.]; Metcalf 1968a,6(17):1215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) extima Beamer
Erythroneura extima Beamer 1939a:29 [n.sp.]; Metcalf 1968a,6(17):1215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) falcata Beamer
Erythroneura falcata Beamer 1930b:432 [n.sp.]; Metcalf 1968a,6(17):1215 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) fragilis Johnson
Erythroneura fragilis Johnson 1935a:93 [n.sp.]; Metcalf 1968a,6(17):1216 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) freta Knoll
Erythroneura freta Knoll 1951c:179 [n.sp.]; Metcalf 1968a,6(17):1216 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) fumida (Gillette)
Typhlocyba fumida Gillette 1898a:758 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1216 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Erythroneura (Erythridula) funesta Beamer
Erythroneura funesta Beamer 1930b:441 [n.sp.]; Metcalf 1968a,6(17):1218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) furcillata Beamer
Erythroneura furcillata Beamer 1930b:452 [n.sp.]; Metcalf 1968a,6(17):1218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) gleditsia Beamer
Erythroneura gleditsia Beamer 1930b:437 [n.sp.]; Metcalf 1968a,6(17):1218 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) hamata Beamer
Erythroneura hamata Beamer 1930b:446 [n.sp.]; Metcalf 1968a,6(17):1219 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) harpax Beamer
Erythroneura harpax Beamer 1930b:432 [n.sp.]; Metcalf 1968a,6(17):1219 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) iconica McAtee
Erythroneura iconica McAtee 1920a:287 [n.subsp. of abolla]; Metcalf 1968a,6(17):1220 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) idonea Beamer
Erythroneura gargantua Johnson 1935a:81 [n.sp.]; Metcalf 1968a,6(17):1221 [Cat.]
Erythroneura idonea Beamer 1935a:100 [n.sp.]; Metcalf 1968a,6(17):1221 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) inconspicua Johnson
Erythroneura inconspicua Johnson 1935a:90 [n.sp.]; Metcalf 1968a,6(17):1221 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) insignia Beamer & Griffith
Erythroneura insignia Beamer & Griffith 1935a:17 [n.sp.]; Metcalf 1968a,6(17):1221 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Erythroneura (Erythridula) intricata Johnson
Erythroneura intricata Johnson 1935a:86 [n.sp.]; Metcalf 1968a,6(17):1222 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) jocosa Beamer
Erythroneura jocosa Beamer 1935a:101 [n.sp.]; Metcalf 1968a,6(17):1222 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) juglandis Knoll & Auten
Erythroneura juglandis Knoll & Auten 1938a:532 [n.sp.]; Metcalf 1968a,6(17):1222 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) juncea Beamer
Erythroneura juncea Beamer 1937a:10 [n.sp.]; Metcalf 1968a,6(17):1223 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) kanza Robinson
Erythroneura kanza Robinson 1924a:58 [n.sp.]; Metcalf 1968a,6(17):1223 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) latapex Beamer
Erythroneura latapex Beamer 1930b:447 [n.sp.]; Metcalf 1968a,6(17):1224 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Erythroneura (Erythridula) lawsoniana Baker
Typhlocyba obliqua dorsalis Gillette 1898a:757 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1225 [Cat.]
Erythroneura lawsoniana Baker 1925b:537 [nom.nov. for *Erythroneura dorsalis* Gillette 1898]; Metcalf 1968a,6(17):1225 [Cat.]
Erythroneura lawsoniana Baker 1926a:347 [nom.nov. for *Erythroneura lawsoni* Baker 1925]; Metcalf 1968a,6(17):1224 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Erythroneura (Erythridula) lusoria Van Duzee

- Erythroneura lusoria Van Duzee 1924a:234 [n.sp.]; Metcalf 1968a,6(17):1227 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) magnacalx Beamer
 Erythroneura magnacalx Beamer 1930b:451 [n.sp.]; Metcalf 1968a,6(17):1228 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) malleiformis Beamer
 Erythroneura malleiformis Beamer 1930b:449 [n.sp.]; Metcalf 1968a,6(17):1228 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) mansueta Beamer
 Erythroneura mansueta Beamer 1935a:98 [n.sp.]; Metcalf 1968a,6(17):1228 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) minima Johnson
 Erythroneura minima Johnson 1935a:92 [n.sp.]; Metcalf 1968a,6(17):1229 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) minutula Johnson
 Erythroneura minutula Johnson 1935a:93 [n.sp.]; Metcalf 1968a,6(17):1229 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) modica Beamer
 Erythroneura modica Beamer 1930b:448 [n.sp.]; Metcalf 1968a,6(17):1229 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) nava Beamer
 Erythroneura nava Beamer 1935a:102 [n.sp.]; Metcalf 1968a,6(17):1230 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) nitida Beamer
 Erythroneura nitida Beamer 1935a:103 [n.sp.]; Metcalf 1968a,6(17):1230 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) noeua (Gillette)
 Typhlocyba noeuvus Gillette 1898a:757 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1231 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythridula) noeua parma McAtee
 Erythroneura noeua parma McAtee 1920a:280 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1233 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) nondescripta Johnson
 Erythroneura nondescripta Johnson 1935a:92 [n.sp.]; Metcalf 1968a,6(17):1233 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) obliqua (Say)
 Tettigonia obliqua Say 1825a:342 [n.sp.]; Metcalf 1968a,6(17):1233,1238 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythridula) oblique [sic] pelta McAtee
 Erythroneura obliqua pelta McAtee 1920a:278 [n.subsp. of obliqua]; Metcalf 1968a,6(17):1238 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) obvia Beamer
 Erythroneura obvia Beamer 1930b:439 [n.sp.]; Metcalf 1968a,6(17):1239 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) ohioensis Knoll
 Erythroneura ohioensis Knoll 1945b:108 [n.sp.]; Metcalf 1968a,6(17):1239 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) parvispicata Beamer
 Erythroneura parvispicata Beamer 1930b:435 [n.sp.]; Metcalf 1968a,6(17):1239 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) penelutea Beamer
 Erythroneura penelutea Beamer 1930b:427 [n.sp.]; Metcalf 1968a,6(17):1240 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) penenoeva Beamer
 Erythroneura penenoeva Beamer 1930b:438 [n.sp.]; Metcalf 1968a,6(17):1240 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) penobliqua Beamer
 Erythroneura penobliqua Beamer 1930b:453 [n.sp.]; Metcalf 1968a,6(17):1241 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) perita Beamer
 Erythroneura perita Beamer 1935a:99 [n.sp.]; Metcalf 1968a,6(17):1241 [Cat.]
- Erythroneura extrema Auten & Johnson 1936a:64 [n.sp.]; Metcalf 1968a,6(17):1241 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) plena Beamer
 Erythroneura plena Beamer 1930b:442 [n.sp.]; Metcalf 1968a,6(17):1241 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythridula) ponderosa Auten & Johnson
 Erythroneura ponderosa Auten & Johnson 1936a:62 [n.sp.]; Metcalf 1968a,6(17):1242 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) praecisa Knoll
 Erythroneura praecisa Knoll 1946a:46 [n.sp.]; Metcalf 1968a,6(17):1243 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) pura Knoll
 Erythroneura (Erythridula) pura Knoll 1954d:38 [n.sp.]; Metcalf 1968a,6(17):1243 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) quadrata Beamer
 Erythroneura quadrata Beamer 1930b:435 [n.sp.]; Metcalf 1968a,6(17):1243 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) repleta Johnson

- Erythroneura repleta Johnson 1935a:78 [n.sp.];
 Metcalf 1968a,6(17):1243 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) rubens Beamer
 Erythroneura rubens Beamer 1930b:439 [n.sp.];
 Metcalf 1968a,6(17):1244 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythridula) rubrataeniensis Beamer
 Erythroneura rubrataeniensis Beamer 1930b:440
 [n.sp.]; Metcalf 1968a,6(17):1244 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) rubroscuta (Gillette)
 Typhlocyba rubroscuta Gillette 1898a:755 [n.sp.];
 Metcalf 1968a,6(17):1245 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) rubrotincta Johnson
 Erythroneura rubrotincta Johnson 1935a:91 [n.sp.];
 Metcalf 1968a,6(17):1246 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) rufostigmosa Beamer
 Erythroneura rufostigmosa Beamer 1930b:429 [n.sp.];
 Metcalf 1968a,6(17):1246 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) rufostigmosa subnubila Beamer
 Erythroneura rufostigmosa subnubila Beamer
 1930b:429 [n.subsp. of rufostigmosa]; Metcalf
 1968a,6(17):1247 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) sagittata Beamer
 Erythroneura sagittata Beamer 1930b:440 [n.sp.];
 Metcalf 1968a,6(17):1247 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) scissa Beamer
 Erythroneura scissa Beamer 1930b:448 [n.sp.];
 Metcalf 1968a,6(17):1248 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) scytha Auten & Johnson
 Erythroneura scytha Auten & Johnson 1936a:61
 [n.sp.]; Metcalf 1968a,6(17):1248 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) sincera Johnson
 Erythroneura sincera Johnson 1935a:94 [n.sp.];
 Metcalf 1968a,6(17):1249 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) sinua Johnson
 Erythroneura sinua Johnson 1935a:82 [n.sp.]; Metcalf
 1968a,6(17):1249 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) spatulata Beamer
 Erythroneura spatulata Beamer 1930b:444 [n.sp.];
 Metcalf 1968a,6(17):1249 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) spearca Johnson & Auten
 Erythroneura nitida Johnson & Auten 1936a:65
 [n.sp.]; Metcalf 1968a,6(17):1250 [Cat.]
- Erythroneura spearca Johnson & Auten 1936a:818
 [nom.nov. for Erythroneura nitida Johnson&Auten
 1936a]; Metcalf 1968a,6(17):1250 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) stolata McAtee
 Erythroneura stolata McAtee 1920a:279 [n.subsp. of
 obliqua]; Metcalf 1968a,6(17):1250 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Erythroneura (Erythridula) stulta Auten & Johnson
 Erythroneura stulta Auten & Johnson 1936a:64 [n.sp.];
 Metcalf 1968a,6(17):1251 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) stylata Johnson
 Erythroneura stylata Johnson 1935a:78 [n.sp.];
 Metcalf 1968a,6(17):1251 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) tenebrosa Knoll
 Erythroneura tenebrosa Knoll 1946a:48 [n.sp.];
 Metcalf 1968a,6(17):1252 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) tenuispica Beamer
 Erythroneura tenuispica Beamer 1930b:444 [n.sp.];
 Metcalf 1968a,6(17):1252 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) tolerata Knoll
 Erythroneura tolerata Knoll 1951c:180 [n.sp.]; Metcalf
 1968a,6(17):1253 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) torva Beamer
 Erythroneura torva Beamer 1935a:98 [n.sp.]; Metcalf
 1968a,6(17):1253 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) tridens Beamer
 Erythroneura tridens Beamer 1930b:450 [n.sp.];
 Metcalf 1968a,6(17):1253 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) unicuspidis Beamer
 Erythroneura unicuspidis Beamer 1930b:452 [n.sp.];
 Metcalf 1968a,6(17):1254 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) varia McAtee
 Erythroneura varia McAtee 1920a:287 [n.subsp. of
 abolla]; Metcalf 1968a,6(17):1254 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) victorialis Knoll
 Erythroneura victorialis Knoll 1946a:49 [n.sp.];
 Metcalf 1968a,6(17):1255 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) vinaria Beamer
 Erythroneura vinaria Beamer 1930b:426 [n.sp.];
 Metcalf 1968a,6(17):1255 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythridula) volucris Beamer
 Erythroneura volucris Beamer 1930a:445 [n.sp.];
 Metcalf 1968a,6(17):1255 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythridula) xanthocephala Robinson
Erythroneura fulvocephala Robinson 1924b:155
 [n.sp.]; Metcalf 1968a,6(17):1256 [Cat.]
Erythroneura xanthocephala Robinson 1924d:220
 [nom.nov. for *Erythroneura fulvocephala*
 Robinson 1924b]; Metcalf 1968a,6(17):1256 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) aclys McAtee
Erythroneura aclys McAtee 1920a:290 [n.sp.]; Metcalf
 1968a,6(17):1109 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) acuticephala Robinson
Erythroneura acuticephala Robinson 1924a:61 [n.sp.];
 Metcalf 1968a,6(17):1110 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) amanda McAtee
Erythroneura amanda McAtee 1920a:319 [n.subsp. of
 comes]; Metcalf 1968a,6(17):1111 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) ancora Beamer
Erythroneura ancora Beamer 1929b:122 [n.sp.];
 Metcalf 1968a,6(17):1111 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) anfracta Beamer
Erythroneura anfracta Beamer 1929b:123 [n.sp.];
 Metcalf 1968a,6(17):1112 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) aza Robinson
Erythroneura aza Robinson 1924c:291 [n.sp.]; Metcalf
 1968a,6(17):1112 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) beameri Robinson
Erythroneura beameri Robinson 1924a:61 [n.sp.];
 Metcalf 1968a,6(17):1113 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) bidens McAtee
Erythroneura bidens McAtee 1924c:39 [n.subsp. of
 comes]; Metcalf 1968a,6(17):1113 [Cat.]
- Erythroneura comes suffusa* McAtee 1924c:39
 [n.subsp. of comes]; Metcalf 1968a,6(17):1113
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) bistrata McAtee
Erythroneura bistrata McAtee 1920a:305 [n.subsp. of
 vitis]; Metcalf 1968a,6(17):1114 [Cat.]
- Erythroneura rubranotum* Robinson 1924a:60 [n.sp.];
 Metcalf 1968a,6(17):1114 [Cat.]
- Erythroneura vitis fuscoclava* Beamer 1927a:31
 [n.subsp. of vitis]; Metcalf 1968a,6(17):1114
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) bistrata stricta McAtee
Erythroneura bistrata stricta McAtee 1920a:306
 [n.subsp. of vitis]; Metcalf 1968a,6(17):1115
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) caetra McAtee
Erythroneura caetra McAtee 1924d:130 [n.subsp. of
 ligata]; Metcalf 1968a,6(17):1116 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
Erythroneura (Erythroneura) calycula McAtee
Erythroneura calycula McAtee 1920a:308 [n.subsp. of
 tricincta]; Metcalf 1968a,6(17):1116 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
Erythroneura (Erythroneura) calycula erasa McAtee
Erythroneura calycula erasa McAtee 1920a:309
 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1118
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) cancellata McAtee
Erythroneura cancellata McAtee 1920a:320 [n.subsp.
 of comes]; Metcalf 1968a,6(17):1118 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) coloradensis [sic] (Gillette)
Typhlocyba coloradoensis Gillette 1892a:16 [n.subsp.
 of vitifex]; Metcalf 1968a,6(17):1118 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) comes (Say)
Tettigonia comes Say 1825a:343 [n.sp.]; Metcalf
 1968a,6(17):1121 [Cat.]
- DISTRIBUTION:** United States, Canada, Finland
 (Metcalf Cat.)
Erythroneura (Erythroneura) compta McAtee
Erythroneura compta McAtee 1920a:318 [n.subsp. of
 comes]; Metcalf 1968a,6(17):1134 [Cat.]
- Erythroneura cherokee* Robinson 1924a:154 [n.sp.];
 Metcalf 1968a,6(17):1134 [Cat.]
- Erythroneura nigroscuta* Johnson 1934a:258 [n.sp.];
 Metcalf 1968a,6(17):1134 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
Erythroneura (Erythroneura) compta rufomaculata McAtee
Erythroneura compta rufomaculata McAtee 1924e:43
 [n.subsp. of comes]; Metcalf 1968a,6(17):1135
 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) corni Robinson
Erythroneura corni Robinson 1924a:60 [n.sp.];
 Metcalf 1968a,6(17):1136 [Cat.]
- Erythroneura ornata* Osborn 1928b:364 [n.sp.];
 Metcalf 1968a,6(17):1136 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Erythroneura (Erythroneura) cymbium McAtee
Erythroneura cymbium McAtee 1920a:310 [n.subsp.
 of tricincta]; Metcalf 1968a,6(17):1137 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
Erythroneura (Erythroneura) cymbium disjuncta McAtee

- Erythroneura cymbium disjuncta McAtee 1920a:310 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1138 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) delicata McAtee
 Erythroneura delicata McAtee 1920a:317 [n.subsp. of comes]; Metcalf 1968a,6(17):1138 [Cat.]
- Erythroneura lacta Robinson 1924a:62 [n.sp.]; Metcalf 1968a,6(17):1138 [Cat.]
- Erythroneura scripta Robinson 1924c:290 [n.sp.]; Metcalf 1968a,6(17):1139 [Cat.]
- Erythroneura tudella Robinson 1924c:291 [n.sp.]; Metcalf 1968a,6(17):1139 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) delicata accepta McAtee
 Erythroneura delicata accepta McAtee 1920a:317 [n.subsp. of comes]; Metcalf 1968a,6(17):1139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) diva McAtee
 Erythroneura diva McAtee 1920a:308 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1141 [Cat.]
- Erythroneura tricincta rubravitta Robinson 1924b:156 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1141 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) diva complementa McAtee
 Erythroneura diva complementa McAtee 1926c:135 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1142 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) elegans McAtee
 Erythroneura elegans McAtee 1920a:315 [n.subsp. of comes]; Metcalf 1968a,6(17):1142 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) elegantula Osborn
 Erythroneura elegantula Osborn 1928a:289 [n.sp.]; Metcalf 1968a,6(17):1143 [Cat.]
DISTRIBUTION: United States, Panama (Metcalf Cat.)
- Erythroneura (Erythroneura) festiva Beamer
 Erythroneura festiva Beamer 1938a:290 [n.sp.]; Metcalf 1968a,6(17):1144 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) fraxa Robinson
 Erythroneura fraxa Robinson 1924c:292 [n.sp.]; Metcalf 1968a,6(17):1145 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) gilensis Beamer
 Erythroneura gilensis Beamer 1929b:123 [n.sp.]; Metcalf 1968a,6(17):1145 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) infuscata (Gillette)
 Typhlocyba infuscata Gillette 1898a:764 [n.subsp. of comes]; Metcalf 1968a,6(17):1146 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) integra McAtee
 Erythroneura integra McAtee 1920a:309 [n.subsp. of tricincta]; Metcalf 1968a,6(17):1147 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) kanwakae Robinson
 Erythroneura kanwakae Robinson 1924c:292 [n.sp.]; Metcalf 1968a,6(17):1148 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) kennedyi Knoll
 Erythroneura kennedyi Knoll 1945b:109 [n.sp.]; Metcalf 1968a,6(17):1148 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) nudata McAtee
 Erythroneura nudata McAtee 1920a:316 [n.subsp. of comes]; Metcalf 1968a,6(17):1149 [Cat.]
- Erythroneura attenuata Johnson 1934a:260 [n.sp.]; Metcalf 1968a,6(17):1149 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) octonotata Walsh
 Erythroneura octonotata Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):1150 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) omaska Robinson
 Erythroneura omaska Robinson 1924a:62 [n.sp.]; Metcalf 1968a,6(17):1151 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) ontari Robinson
 Erythroneura ontari Robinson 1924a:60 [n.sp.]; Metcalf 1968a,6(17):1152 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) palimpsesta McAtee
 Erythroneura palimpsesta McAtee 1924e:43 [n.subsp. of comes]; Metcalf 1968a,6(17):1152 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) pontifex McAtee
 Erythroneura pontifex McAtee 1926c:136 [n.subsp. of comes]; Metcalf 1968a,6(17):1153 [Cat.]
- Erythroneura breakeyi Johnson 1934a:261 [n.sp.]; Metcalf 1968a,6(17):1153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) prima Beamer
 Erythroneura prima Beamer 1938a:264 [n.sp.]; Metcalf 1968a,6(17):1153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) prosata Johnson
 Erythroneura prosata Johnson 1935a:108 [n.subsp. of infuscata]; Metcalf 1968a,6(17):1154 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) reflecta McAtee

- Erythroneura portea Robinson 1924b:154 [n.sp.]; Metcalf 1968a,6(17):1154 [Cat.]
- Erythroneura reflecta McAtee 1924e:43 [n.subsp. of comes]; Metcalf 1968a,6(17):1154 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) rosa Robinson
Erythroneura mallochi McAtee 1924e:41 [n.sp.]; Metcalf 1968a,6(17):1155 [Cat.]
- Erythroneura rosa Robinson 1924a:58 [n.sp.]; Metcalf 1968a,6(17):1155 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) rosa repetita McAtee
Erythroneura rosa repetita McAtee 1926c:131 [n.sp.]; Metcalf 1968a,6(17):1156 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) rubra (Gillette)
Typhlocyba rubra Gillette 1898a:764 [n.subsp. of comes]; Metcalf 1968a,6(17):1156 [Cat.]
- Erythroneura irrorata Robinson 1924b:154 [n.sp.]; Metcalf 1968a,6(17):1157 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) rubrella McAtee
Erythroneura rubrella McAtee 1920a:316 [n.subsp. of comes]; Metcalf 1968a,6(17):1158 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) tacita Beamer
Erythroneura tacita Beamer 1936a:293 [n.sp.]; Metcalf 1968a,6(17):1159 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) tricincta Fitch
Erythroneura tricincta Fitch 1851a:63 [n.sp.]; Metcalf 1968a,6(17):1160 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) vaga Johnson
Erythroneura vaga Johnson 1934a:60 [n.sp.]; Metcalf 1968a,6(17):1164 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) vagabunda Knnull
Erythroneura vagabunda Knnull 1945b:109 [n.sp.]; Metcalf 1968a,6(17):1165 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Erythroneura (Erythroneura) vitifex Fitch
Erythroneura vitifex Fitch 1856a:392 [n.sp.]; Metcalf 1968a,6(17):1165 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) vitis (Harris)
Tettigonia vitis Harris 1831a:43 [n.sp.]; Metcalf 1968a,6(17):1168,1175 [Cat.]
- Erythroneura comes venusta McAtee 1920a:319 [n.subsp. of comes]; Metcalf 1968a,6(17):1172 [Cat.]
- Erythroneura vitis flava Robinson 1924a:62 [n.subsp. of vitis]; Metcalf 1968a,6(17):1172 [Cat.]
- DISTRIBUTION: United States, Canada, Austria, Germany (Metcalf Cat.)
- Erythroneura (Erythroneura) vitis corona McAtee
Erythroneura vitis corona McAtee 1920a:304 [n.subsp. of vitis]; Metcalf 1968a,6(17):1174 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) ziczac Walsh
Erythroneura ziczac Walsh 1862a:149 [n.sp.]; Metcalf 1968a,6(17):1175 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Erythroneura (Erythroneura) ziczac walshi Beamer
Erythroneura ziczac walshi Beamer 1938a:276 [n.subsp. of ziczac]; Metcalf 1968a,6(17):1179 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Euacanthella bicolor Evans
Euacanthella bicolor Evans 1938b:9 [n.sp.]; Metcalf 1963c,6(8):248 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Euacanthella insularis Evans
Euacanthella insularis Evans 1938b:9 [n.sp.]; Metcalf 1963c,6(8):248 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Euacanthella palustris Evans
Euacanthella palustris Evans 1938b:8 [n.sp.]; Metcalf 1963c,6(8):248 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Eualebra notata Baker
Eualebra notata Baker 1903d:7 [n.sp.]; Metcalf 1968a,6(17):608 [Cat.]
- DISTRIBUTION: Guatemala (Metcalf Cat.)
- Eualebra reticulata (Osborn)
Dikraneura (Hyloidea) reticulata Osborn 1928a:279 [n.sp.]; Metcalf 1968a,6(17):608 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Eualebra rubra Van Duzee
Eualebra rubra Van Duzee 1907a:73 [n.sp.]; Metcalf 1968a,6(17):608 [Cat.]
- DISTRIBUTION: Jamaica (Metcalf Cat.)
- Eualebra rufoornata (Stål)
Typhlocyba rufoornata Stål 1862e:55 [n.sp.]; Metcalf 1968a,6(17):609 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Eualebra smithii Baker
Eualebra smithii Baker 1899b:402 [n.sp.]; Metcalf 1968a,6(17):609 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)

- Eugonalia diversa* (Signoret)
Tettigonia diversa Signoret 1855a:49 [n.sp.]; Metcalf 1965a,6(1):263 [Cat.]
 DISTRIBUTION: French Guiana, Brazil, Peru, Bolivia (Metcalf Cat.)
- Eulonus almus* (Van Duzee)
Euscelis almus Van Duzee 1925b: 421 [n.sp.]; Metcalf 1967b, 6(10b): 1079 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Eupelix cuspidata* (Fabricius)
Cicada cuspidata Fabricius 1775a:687 [n.sp.]; Metcalf 1963d,6(9):83 [Cat.]
Cicada porrecta Fourcroy 1785a:192 [n.sp.]; Metcalf 1963d,6(9):83 [Cat.]
Eupelix fuliginosa Peletier & Serville 1825a:611 [n.sp.]; Metcalf 1963d,6(9):84 [Cat.]
Eupelix spathulata Germar 1838a:pl.25,figs.a-b [n.sp.]; Metcalf 1963d,6(9):84 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Western Mediterranean, Baltic region, United Kingdom, Northern Africa, Russia, Canary Islands (Metcalf Cat.)
- Eupelix cuspidata depressa* (Fabricius)
Cicada cuspidata depressa Fabricius 1803a:66 [n.sp.]; Metcalf 1963d,6(9):95 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Western Mediterranean, Baltic region, Great Britain, Africa, Russia (Metcalf Cat.)
- Eupelix cuspidata marginata* Signoret
Eupelix cuspidata marginata Signoret 1879a:55 [n.subsp. of *depressa*]; Metcalf 1963d,6(9):98 [Cat.]
 DISTRIBUTION: Algeria, Germany, Spain, Italy (Metcalf Cat.)
- Eupelix cuspidata producta* Germar
Eupelix cuspidata producta Germar 1838a:pl.24,figs.a-c [n.sp.]; Metcalf 1963d,6(9):99 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Western Mediterranean, Baltic region, United Kingdom, Russia (Metcalf Cat.)
- Eupelix cuspidata sinuata* Lindberg
Eupelix cuspidata sinuata Lindberg 1948b:131 [n.subsp. of *depressa*]; Metcalf 1963d,6(9):103 [Cat.]
 DISTRIBUTION: Cyprus, Northern Africa, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Eupelix cuspidata zelleri* Kirschbaum
Eupelix cuspidata zelleri Kirschbaum 1868b:79 [n.sp.]; Metcalf 1963d,6(9):103 [Cat.]
 DISTRIBUTION: Italy, Netherlands (Metcalf Cat.)
- Eupelix flavescens* Guérin-Méneville
Eupelix flavescens Guérin-Méneville 1834b:502 [n.sp.]; Metcalf 1963d,6(9):104 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Eupterella acuminata* DeLong & Ruppel
- Eupterella acuminata* DeLong & Ruppel 1950a:240 [n.sp.]; Metcalf 1968a,6(17):1048 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupterella bicolorata* DeLong & Ruppel
Eupterella bicolorata DeLong & Ruppel 1950a:242 [n.sp.]; Metcalf 1968a,6(17):1048 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupterella frigida* DeLong & Ruppel
Eupterella frigida DeLong & Ruppel 1950a:240 [n.sp.]; Metcalf 1968a,6(17):1048 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupterella gladia* DeLong & Ruppel
Eupterella gladia DeLong & Ruppel 1950a:240 [n.sp.]; Metcalf 1968a,6(17):1048 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupterella gladia bifasciata* DeLong & Ruppel
Eupterella bifasciata DeLong & Ruppel 1950a:242 [n.subsp. of *gladia*]; Metcalf 1968a,6(17):1049 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupterella gladia limba* DeLong & Ruppel
Eupterella gladia limba DeLong & Ruppel 1950a:242 [n.subsp. of *gladia*]; Metcalf 1968a,6(17):1049 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupteryx huachucae* (Lawson)
Eupteryx huachucae Lawson 1930a:135 [n.sp.]; Metcalf 1968a,6(17):1049 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Eupterella mexicana* DeLong & Ruppel
Eupterella mexicana DeLong & Ruppel 1950a:239 [n.sp.]; Metcalf 1968a,6(17):1049 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Eupteroidea stellulata* (Burmeister)
Typhlocyba stellulata Burmeister 1841a:3 [n.sp.]; Metcalf 1968a,6(17):772 [Cat.]
Typhlocyba inscripta Sanders & DeLong 1922a:99 [n.sp.]; Metcalf 1968a,6(17):774 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Algeria, Japan, Russia, New Zealand, Canada, North America (?) (Metcalf Cat.)
- Euragallia albopunctata* Oman
Euragallia albopunctata Oman 1938a:403 [n.sp.]; Metcalf 1966a,6(14):85 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Euragallia attenuata* Oman
Euragallia attenuata Oman 1938a:399 [n.sp.]; Metcalf 1966a,6(14):85 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Euragallia declivata* (Osborn)
Agallia declivata Osborn 1923b:8 [n.sp.]; Metcalf 1966a,6(14):85 [Cat.]
 DISTRIBUTION: Brazil, Bolivia (?) (Metcalf Cat.)
- Euragallia furculata* (Osborn)

- Agallia furculata* Osborn 1923b:9 [n.sp.]; Metcalf 1966a,6(14):86 [Cat.]
DISTRIBUTION: Brazil, Bolivia, Paraguay, Argentina (Metcalf Cat.)
- Euragallia lata* Oman
Euragallia lata Oman 1938a:404 [n.sp.]; Metcalf 1966a,6(14):86 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Euragallia magnicauda* Oman
Euragallia magnicauda Oman 1938a:398 [n.sp.]; Metcalf 1966a,6(14):86 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Euragallia major* (Lethierry)
Agallia major Lethierry 1890a:156 [n.sp.]; Metcalf 1966a,6(14):86 [Cat.]
Agallia major Osborn 1923b:9 [n.sp.]; Metcalf 1966a,6(14):86 [Cat.]
Agallia sara Baker 1923b:531 [nom.nov. for *Agallia major* Osborn 1923]; Metcalf 1966a,6(14):86 [Cat.]
DISTRIBUTION: Venezuela, Bolivia, Brazil (Metcalf Cat.)
- Euragallia major breviata* Oman
Euragallia major breviata Oman 1938a:402 [n.subsp. of major]; Metcalf 1966a,6(14):86 [Cat.]
DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Euragallia nervata* (Oman)
Agallia nervata Oman 1934c:455 [n.sp.]; Metcalf 1966a,6(14):87 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Eurevacanthus emilus* Bliven
Eurevacanthus emilus Bliven 1955b:10 [n.sp.]; Metcalf 1963a,6(6):44 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eurhadina concinna* (Germar)
Tettigonia concinna Germar 1831a:pl.12 [n.sp.]; Metcalf 1968a,6(17):752 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, Italy, Greece, Algeria (Metcalf Cat.)
- Eurhadina kirschbaumi* Wagner
Eurhadina kirschbaumi Wagner 1937a:69 [n.sp.]; Metcalf 1968a,6(17):758 [Cat.]
DISTRIBUTION: Germany, Poland, Finland, France (Metcalf Cat.)
- Eurhadina loewii* (Then)
Eupteryx loewii Then 1886a:54 [n.sp.]; Metcalf 1968a,6(17):758 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain (Metcalf Cat.)
- Eurhadina pulchella* (Fallén)
Cicada pulchella Fallén 1806a:36 [n.sp.]; Metcalf 1968a,6(17):760 [Cat.]
Typhlocyba lutea Hardy 1850a:418 [n.sp.]; Metcalf 1968a,6(17):760 [Cat.]
- Typhlocyba aurantiaca* Snellen 1862 [in Graaf,Six & Snellen 1862a:85] [n.sp.]; Metcalf 1968a,6(17):761 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Algeria, Japan, China, Russia (Metcalf Cat.)
- Eurhadina pulchella ornatipennis* (Curtis)
Eupteryx pulchella ornatipennis Curtis 1837d:640 [n.sp.]; Metcalf 1968a,6(17):769 [Cat.]
DISTRIBUTION: France, Germany, Finland, Netherlands, Great Britain (Metcalf Cat.)
- Eurhadina pulchella thoracica* (Fieber)
Typhlocyba pulchella thoracica Fieber 1884b:99 [n.subsp. of pulchella]; Metcalf 1968a,6(17):771 [Cat.]
DISTRIBUTION: Germany, Austria, Netherlands, France, Finland (Metcalf Cat.)
- Eurhadina ribauti* Wagner
Eurhadina ribauti Wagner 1935a:34 [n.sp.]; Metcalf 1968a,6(17):771 [Cat.]
DISTRIBUTION: Germany, France, Sweden, Netherlands, Finland, Cyprus, Switzerland (Metcalf Cat.)
- Eurhadina ribauti umbrata* (Ribaut)
Eupteryx ribauti umbrata Ribaut 1936b:136 [n.subsp. of ribauti]; Metcalf 1968a,6(17):772 [Cat.]
DISTRIBUTION: France, Sweden (Metcalf Cat.)
- Eurhadina saageri* Wagner
Eurhadina saageri Wagner 1937a:69 [n.sp.]; Metcalf 1968a,6(17):772 [Cat.]
DISTRIBUTION: Germany, Poland (Metcalf Cat.)
- Eurinoscopus brunomaculatus* (Evans)
Jassus brunomaculatus Evans 1947a:257 [n.sp.]; Metcalf 1966c,6(15):188 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Eurinoscopus cedararus* (Naudé)
Bythoscopus cedararus Naudé 1926a:18 [n.sp.]; Metcalf 1966c,6(15):188 [Cat.]
DISTRIBUTION: South Africa, Zaire (Metcalf Cat.)
- Eurinoscopus citrinus* Evans
Eurinoscopus citrinus Evans 1935c:76 [n.sp.]; Metcalf 1966c,6(15):188 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus drakensteini* (Naudé)
Bythoscopus drakensteini Naudé 1926a:18 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
DISTRIBUTION: South Africa, Zaire (Metcalf Cat.)
- Eurinoscopus dryas* Kirkaldy
Eurinoscopus dryas Kirkaldy 1906c:348 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
Eurinoscopus pelamys Kirkaldy 1906c:349 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus elegans* Evans

- Eurinoscopus elegans* Evans 1935c:76 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus hamadryas* Kirkaldy
Eurinoscopus hamadryas Kirkaldy 1907d:39 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Eurinoscopus lentiginosus* Kirkaldy
Eurinoscopus lentiginosus Kirkaldy 1906c:347 [n.sp.]; Metcalf 1966c,6(15):189 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus molestia* Kirkaldy
Eurinoscopus molestia Kirkaldy 1906c:348 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus pallidus* Evans
Eurinoscopus pallidus Evans 1935c:75 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus punctatus* Evans
Eurinoscopus punctatus Evans 1940c:10 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus rutshurensis* Evans
Eurinoscopus rutshurensis Evans 1955b:16 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Eurinoscopus segregatus* (Naudé)
Bythoscopus segregatus Naudé 1926a:20 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: South Africa, Zaire (Metcalf Cat.)
- Eurinoscopus serena* (Melichar)
Macropsis serena Melichar 1904a:35 [n.sp.]; Metcalf 1966c,6(15):190 [Cat.]
DISTRIBUTION: Somalia (Metcalf Cat.)
- Eurinoscopus soboles* Kirkaldy
Eurinoscopus soboles Kirkaldy 1906c:348 [n.sp.]; Metcalf 1966c,6(15):191 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus sontiates* Kirkaldy
Eurinoscopus sontiates Kirkaldy 1906c:347 [n.sp.]; Metcalf 1966c,6(15):191 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus subolivaceus* (Stål)
Bythoscopus olivacecens Stål 1855a:99 [n.sp.]; Metcalf 1966c,6(15):191 [Cat.]
Macropsis subolivaceus Stål 1866a:127 [nom.nov. for *Bythoscopus olivacecens* Stål 1855]; Metcalf 1966c,6(15):191 [Cat.]
DISTRIBUTION: South Africa, Sierra Leone, Zaire, Tanzania, Madagascar (Metcalf Cat.)
- Eurinoscopus translucidus* [sic] Evans
Eurinoscopus translucidus Evans 1941f:145 [n.sp.]; Metcalf 1966c,6(15):192 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus viridipes* (Distant)
Bythoscopus viridipes Distant 1908e:99 [n.sp.]; Metcalf 1966c,6(15):192 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurinoscopus viridis* Evans
Eurinoscopus viridis Evans 1935c:75 [n.sp.]; Metcalf 1966c,6(15):192 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymela bakeri* Evans
Eurymela bakeri Evans 1933a:78 [n.sp.]; Metcalf 1965b,6(12):14 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymela erythrocnemis* Burmeister
Eurymela erythrocnemis Burmeister 1838a:14 [n.sp.]; Metcalf 1965b,6(12):14 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymela fenestrata* Peletier & Serville
Eurymela fenestrata Peletier & Serville 1825a:604 [n.sp.]; Metcalf 1965b,6(12):14 [Cat.]
- Eurymela ruficollis* Burmeister 1838a:14 [n.sp.]; Metcalf 1965b,6(12):14 [Cat.]
- Eurymela discoidalis* Signoret 1850c:505 [n.sp.]; Metcalf 1965b,6(12):15 [Cat.]
- Eurymela distincta* Signoret 1850c:506 [n.sp.]; Metcalf 1965b,6(12):15 [Cat.]
- Eurymela vicina* Signoret 1850c:506 [n.sp.]; Metcalf 1965b,6(12):15 [Cat.]
- Eurymela speculum* Walker 1851b:641 [n.sp.]; Metcalf 1965b,6(12):15 [Cat.]
- Eurymela suffusa* Walker 1851b:640 [n.sp.]; Metcalf 1965b,6(12):15 [Cat.]
- Eurymela (Eurymela) lubra* Kirkaldy 1906c:355 [n.sp.]; Metcalf 1965b,6(12):16 [Cat.]
- Eurymela (Eurymela) plebeia* Kirkaldy 1906c:355 [n.sp.]; Metcalf 1965b,6(12):16 [Cat.]
- Eurymela subnigricans* Distant 1908e:105 [n.sp.]; Metcalf 1965b,6(12):16 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymela rubrolimbata* Kirkaldy
Eurymela (Eurymela) rubrolimbata Kirkaldy 1906c:354 [n.sp.]; Metcalf 1965b,6(12):17 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymela walkeri* Metcalf
Eurymela suffusa Walker 1858a:83 [n.sp.]; Metcalf 1965b,6(12):18 [Cat.]
- Eurymela walkeri* Metcalf 1965b:18 [nom.nov. for *Eurymela suffusa* Walker 1858]; Metcalf 1965b,6(12):18 [Cat.]
DISTRIBUTION: Australia (?) (Metcalf Cat.)
- Eurymelessa tonnoiri* Evans
Eurymelessa tonnoiri Evans 1939a:47 [n.sp.]; Metcalf 1965b,6(12):27 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eurymelessa froggatti* Evans
Eurymelessa froggatti Evans 1933a:88 [n.sp.]; Metcalf 1965b,6(12):27 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)

- Eurytmelessa moruyana* (Distant)
Eurytmeleoides moruyana Distant 1917c:188 [n.sp.];
 Metcalf 1965b,6(12):27 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmetela terminalis* (Walker)
Eurytmetela terminalis Walker 1851b:642 [n.sp.];
 Metcalf 1965b,6(12):26 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides adspersa* (Signoret)
Eurytmetela adspersa Signoret 1850c:510 [n.sp.];
 Metcalf 1965b,6(12):19 [Cat.]
 DISTRIBUTION: Australia, New Guinea (Metcalf Cat.)
- Eurytmeleoides bicincta* (Erichson)
Eurytmetela bicincta Erichson 1842a:286 [n.sp.];
 Metcalf 1965b,6(12):20 [Cat.]
Eurytmeleoides bicinctellus Kirkaldy 1906c:352 [n.sp.];
 Metcalf 1965b,6(12):20 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides kalimensis* Evans
Eurytmetela kalimensis Evans 1939a:48 [n.sp.];
 Metcalf 1965b,6(12):21 [Cat.]
 DISTRIBUTION: locality unknown (Metcalf Cat.)
- Eurytmeleoides lineata* (Signoret)
Eurytmetela lineata Signoret 1850c:509 [n.sp.]; Metcalf 1965b,6(12):21 [Cat.]
Eurytmetela decisa Walker 1851b:643 [n.sp.]; Metcalf 1965b,6(12):21 [Cat.]
Eurytmetela livida Walker 1851b:642 [n.sp.]; Metcalf 1965b,6(12):21 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides marmorata* (Burmeister)
Eurytmetela marmorata Burmeister 1838a:14 [n.sp.];
 Metcalf 1965b,6(12):21 [Cat.]
Bythoscopus nigroaeneus Walker 1851b:867 [n.sp.];
 Metcalf 1965b,6(12):21 [Cat.]
Eurytmeleoides zonatus Distant 1908e:104 [n.sp.];
 Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides minuta* Evans
Eurytmetela minutum Evans 1933a:87 [n.sp.];
 Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides motuana* Evans
Eurytmetela motuana Evans 1947f:225 [n.sp.];
 Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Eurytmeleoides nigra* Evans
Eurytmetela nigra Evans 1933a:88 [n.sp.]; Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Eurytmeleoides nigrobrunnea* Evans
Eurytmetela nigrobrunnea Evans 1947f:225 [n.sp.];
 Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides perpusilla* (Walker)
- Eurytmetela perpusilla* Walker 1858a:83 [n.sp.]; Metcalf 1965b,6(12):22 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides pulchra* (Signoret)
Eurytmetela pulchra Signoret 1850c:508 [n.sp.]; Metcalf 1965b,6(12):23 [Cat.]
Eurytmetela discifera Walker 1851b:641 [n.sp.]; Metcalf 1965b,6(12):23 [Cat.]
Eurytmeleoides hyacinthus Kirkaldy 1906c:351 [n.sp.];
 Metcalf 1965b,6(12):23 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides punctata* (Signoret)
Eurytmetela ocellata Signoret 1850c:511 [n.sp.]; Metcalf 1965b,6(12):24 [Cat.]
Eurytmetela punctata Signoret 1850c:511 [n.sp.];
 Metcalf 1965b,6(12):24 [Cat.]
Eurytmetela trifasciata Signoret 1850c:512 [n.sp.];
 Metcalf 1965b,6(12):24 [Cat.]
Eurytmetela varia Walker 1851b:644 [n.sp.]; Metcalf 1965b,6(12):24 [Cat.]
Eurytmeleoides cumulosus Kirkaldy 1906c:351 [n.sp.];
 Metcalf 1965b,6(12):24 [Cat.]
Eurytmeleoides ornatus Kirkaldy 1906c:352 [n.sp.];
 Metcalf 1965b,6(12):24 [Cat.]
Eurytmeleoides aromaculatus Distant 1908e:103 [n.sp.]; Metcalf 1965b,6(12):24 [Cat.]
Eurytmeleoides testaceus Distant 1908e:101 [n.sp.];
 Metcalf 1965b,6(12):24 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmeleoides sogerensis* Evans
Eurytmetela sogerensis Evans 1947f:225 [n.sp.];
 Metcalf 1965b,6(12):25 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Eurytmeleoides walkeri* Distant
Eurytmetela walkeri Distant 1908e:102 [n.sp.];
 Metcalf 1965b,6(12):25 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmetela bicolor* (Burmeister)
Eurytmetela bicolor Burmeister 1838a:13 [n.sp.];
 Metcalf 1965b,6(12):8 [Cat.]
Eurytmetela basalis Walker 1851b:640 [n.sp.]; Metcalf 1965b,6(12):8 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmetela generosa* (Stål)
Eurytmetela generosa Stål 1865b:156 [n.sp.]; Metcalf 1965b,6(12):8 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmetela latifascia* (Walker)
Eurytmetela latifascia Walker 1851b:639 [n.sp.]; Metcalf 1965b,6(12):9 [Cat.]
Eurytmetela pascoei Distant 1908e:106 [n.sp.]; Metcalf 1965b,6(12):9 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Eurytmetela rubrovittata* (Amyot & Serville)
Eurytmetela rubrovittata Amyot & Serville 1843a:555 [n.sp.]; Metcalf 1965b,6(12):9 [Cat.]

- DISTRIBUTION:** Australia (Metcalf Cat.)
Euryogonia hebetula (Breddin)
 Conogonia hebetula Breddin 1903c:99 [n.sp.]; Metcalf 1965a,6(1):423 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
Euryogonia mitrata (Distant)
 Tettigoniella mitrata Distant 1908f:140 [n.sp.]; Metcalf 1965a,6(1):423 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
Euryogonia ruficosta (Walker)
 Tettigonia ruficosta Walker 1870b:302 [n.sp.]; Metcalf 1965a,6(1):423 [Cat.]
- DISTRIBUTION:** East Indonesia (Metcalf Cat.)
Euryogonia vittifrons (Walker)
 Tettigonia vittifrons Walker 1870b:302 [n.sp.]; Metcalf 1965a,6(1):424 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
Eusama amanda (Ball)
 Eutettix amanda Ball 1909a: 82 [n.sp.]; Metcalf 1967b, 6(10b): 1331 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Euscelidella albipunctata Evans
 Euscelidella albipunctata Evans 1954a: 122 [n.sp.]; Metcalf 1967a, 6(10a): 78 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
Euscelidella malagasiella Evans
 Euscelidella malagasiella Evans 1954a: 122 [n.sp.]; Metcalf 1967a, 6(10a): 78 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
Euscelidius schenckii (Kirschbaum)
 Jassus (Athysanus) schenckii Kirschbaum 1868b: 111 [n.sp.]; Metcalf 1967a, 6(10a): 90 [Cat.]
- Athysanus zetterstedti Melichar 1896a: 275 [nom.nov. for Athysanus schenckii Kirschbaum 1868]; Metcalf 1967a, 6(10a): 91 [Cat.]
- Euscelis maculipenis* DeLong & Davidson 1934b: 221 [n.sp.]; Metcalf 1967a, 6(10a): 93 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Balkan region, Great Britain, Northern Africa, Canary Islands, Mediterranean region, United States, Canada (Metcalf Cat.)
- Euscelidius variegatus* (Kirschbaum)
 Athysanus variegatus Kirschbaum 1858a: 9 [n.sp.]; Metcalf 1967a, 6(10a): 95 [Cat.]
- Athysanus irroratus Scott 1875h: 96 [n.sp.]; Metcalf 1967a, 6(10a): 96 [Cat.]
- Athysanus maculosus Rey 1891a: 248 [n.subsp. of obscurellus]; Metcalf 1967a, 6(10a): 97 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Balkan region, Great Britain, Northern Africa, Canary Islands, Mediterranean region (Metcalf Cat.)
- Euscelidius variegatus doderi* (Ferrari)
 Athysanus variegatus doderi Ferrari 1888a: 569 [n.subsp. of variegatus]; Metcalf 1967a, 6(10a): 101 [Cat.]
- DISTRIBUTION:** Italy, Netherlands (Metcalf Cat.)
Euscelis adspersa Naude
 Euscelis adspersa Naudé 1926a: 63 [n.sp.]; Metcalf 1967a, 6(10a): 21 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis aethiopica (Cogan)
 Athysanus aethiopica Cogan 1916a: 189a; 189 [n.sp.]; Metcalf 1967a, 6(10a): 21 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis albingensis Wagner
 Euscelis albingensis Wagner 1939a: 179a; 179 [n.sp.]; Metcalf 1967a, 6(10a): 21 [Cat.]
- DISTRIBUTION:** Germany, Netherlands, Czech Republic, France, Russia, Georgia, Azerbaijan, Northern Africa (Metcalf Cat.)
Euscelis alsia Ribaut
 Euscelis alsia Ribaut 1952a: 94 [n.sp.]; Metcalf 1967a, 6(10a): 22 [Cat.]
- DISTRIBUTION:** France, Italy, Morocco (Metcalf Cat.)
Euscelis bilobata Ribaut
 Euscelis bilobatus Ribaut 1952a: 93 [n.sp.]; Metcalf 1967a, 6(10a): 22 [Cat.]
- DISTRIBUTION:** France, England (Metcalf Cat.)
Euscelis caudata Osborn
 Euscelis caudatus Osborn 1926c: 349 [n.sp.]; Metcalf 1967a, 6(10a): 23 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
Euscelis chloridula Naude
 Euscelis chloridula Naudé 1926a: 61 [n.sp.]; Metcalf 1967a, 6(10a): 23 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis chlorippe (Kirkaldy)
 Phrynomorphus (Conosanus) chlorippe Kirkaldy 1907d: 60 [n.sp.]; Metcalf 1967a, 6(10a): 23 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
Euscelis conica Naude
 Euscelis conicus Naudé 1926a: 59 [n.sp.]; Metcalf 1967a, 6(10a): 23 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis cuneata (Uhler)
 Deltocephalus picinus cuneatus Uhler 1895a: 79 [n.sp.]; Metcalf 1967a, 6(10a): 23 [Cat.]
- DISTRIBUTION:** Cuba, West Indies: St. Vincent Island (Metcalf Cat.)
Euscelis curticeps Lindberg
 Euscelis curticeps Lindberg 1927c: 92 [n.sp.]; Metcalf 1967a, 6(10a): 24 [Cat.]
- DISTRIBUTION:** Sudan (Metcalf Cat.)
Euscelis cyclopia (Cogan)
 Athysanus cyclopia Cogan 1916a: 191 [n.sp.]; Metcalf 1967a, 6(10a): 24 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis cypraea Naude
 Euscelis cypraea Naudé 1926a: 64 [n.sp.]; Metcalf 1967a, 6(10a): 24 [Cat.]

- DISTRIBUTION:** South Africa (Metcalf Cat.)
Euscelis decorata (Haupt)
Athysanus decorata Haupt 1917d: 246 [n.sp.]; Metcalf 1967a, 6(10a): 24 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Egypt (Metcalf Cat.)
- Euscelis distinguenda** (Kirschbaum)
Athysanus distinguendus Kirschbaum 1858a: 8 [n.sp.]; Metcalf 1967a, 6(10a): 25 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Western Mediterranean, Russia (Metcalf Cat.)
- Euscelis eriocephala** (Cogan)
Athysanus eriocephalus Cogan 1916a: 190 [n.sp.]; Metcalf 1967a, 6(10a): 29 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Euscelis galiberti** Ribaut
Euscelis galiberti Ribaut 1952a: 93 [n.sp.]; Metcalf 1967a, 6(10a): 30 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Euscelis handlirschi** (Matsumura)
Athysanus artemisiae Matsumura 1900a: 233 [n.sp.]; Metcalf 1967a, 6(10a): 30 [Cat.]
- Athysanus handlirschi* Matsumura 1908a: 2 [nom.nov. for *Athysanus artemisiae* Matsumura 1900]; Metcalf 1967a, 6(10a): 30 [Cat.]
- DISTRIBUTION:** Hungary, Slovakia, Russia, Georgia, Azerbaijan, Slovakia (Metcalf Cat.)
- Euscelis hieroglyphica** Naude
Euscelis hieroglyphica Naudé 1926a: 63 [n.sp.]; Metcalf 1967a, 6(10a): 30 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Euscelis incisa** (Kirschbaum)
Athysanus incisus Kirschbaum 1858a: 10 [n.sp.]; Metcalf 1967a, 6(10a): 31, 48 [Cat.]
- Athysanus obscurillus* Kirschbaum 1858a: 10 [n.sp.]; Metcalf 1967a, 6(10a): 31 [Cat.]
- Jassus* (*Athysanus*) *pallidior* Kirschbaum 1868b: 115 [n.sp.]; Metcalf 1967a, 6(10a): 31 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, United Kingdom, Mediterranean, Russia (Metcalf Cat.)
- Euscelis incisa** aestivalis Müller
Euscelis incisa aestivalis Müller 1954a: 29 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 48 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Euscelis incisa** communis (Edwards)
Cicada plebeja Fallén 1806a: 24 [n.sp.]; Metcalf 1967a, 6(10a): 37 [Cat.]
- Athysanus incisa* communis Edwards 1888d: 39 [n.sp.]; Metcalf 1967a, 6(10a): 37, 41 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, United Kingdom, Mediterranean, Baltic region, Russia, Northern Africa (Metcalf Cat.)
- Euscelis incisa** fusciventris (Rey)
- Athysanus incisa* fusciventris Rey 1894c: 45c: 45 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 48 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
- Euscelis incisa** ochreata Haupt
Euscelis incisa ochreata Haupt 1927a: 27a: 27 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 49 [Cat.]
- DISTRIBUTION:** Israel, Russia (Metcalf Cat.)
- Euscelis incisa** paradoxa (Rey)
Athysanus incisa paradoxus Rey 1894c: 45c: 45 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 49 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
- Euscelis incisa** subplebeja Müller
Euscelis incisa subplebejus Müller 1954a: 29 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 49 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Euscelis incisa** superplebeja Müller
Euscelis incisa superplebejus Müller 1954a: 8 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 49 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Euscelis incisa** tessellata (Rey)
Athysanus incisa tessellata Rey 1894c: 45 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 49 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Northern Africa, Western Mediterranean (Metcalf Cat.)
- Euscelis incisa** vernalis Müller
Euscelis incisa vernalis Müller 1954a: 29 [n.subsp. of plebejus]; Metcalf 1967a, 6(10a): 50 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Euscelis lineolata** Brullé
Euscelis lineolata Brullé 1832a: 109 [n.sp.]; Metcalf 1967a, 6(10a): 50 [Cat.]
- Phrynomorphus nitidus* Curtis 1833a: 194 [n.sp.]; Metcalf 1967a, 6(10a): 50 [Cat.]
- Jassus* (*Athysanus*) *ochrosomus* Kirschbaum 1868b: 112 [n.sp.]; Metcalf 1967a, 6(10a): 51 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, United Kingdom, Mediterranean, Russia, Northern Africa, Canary Islands (Metcalf Cat.)
- Euscelis longuinqua** (Kirkaldy)
Phrynomorphus longuinquus Kirkaldy 1906c: 326 [n.sp.]; Metcalf 1967a, 6(10a): 55 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Euscelis modesta** (Melichar)
Athysanus modestus Melichar 1896a: 275 [n.sp.]; Metcalf 1967a, 6(10a): 56 [Cat.]
- DISTRIBUTION:** Switzerland, Russia, Romania, Croatia, Germany, Austria, Poland (Metcalf Cat.)
- Euscelis nemesia** (Cogan)
Athysanus nemesia Cogan 1916a: 191 [n.sp.]; Metcalf 1967a, 6(10a): 56 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)

- Euscelis obsoleta (Kirschbaum)
Athysanus obsoletus Kirschbaum 1858a: 7 [n.sp.];
 Metcalf 1967a, 6(10a): 57 [Cat.]
Jassus (Athysanus) sejungendus Kirschbaum 1868b:
 110 [n.sp.]; Metcalf 1967a, 6(10a): 57 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 United Kingdom, Mediterranean, Russia, Northern
 Africa, North America, Atlantic Ocean: Azores
 (Metcalf Cat.)
- Euscelis obsoleta convexa (Kirschbaum)
Jassus (Athysanus) obsoleta convexus Kirschbaum
 1868b: 109 [n.sp.]; Metcalf 1967a, 6(10a): 66
 [Cat.]
Athysanus sexpunctatus Sahlberg 1871a: 271
 [n.sp., not nom.nov.]; Metcalf 1967a, 6(10a): 66
 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Western Mediterranean (Metcalf Cat.)
- Euscelis obsoleta picea (Scott)
Athysanus obsoleta piceus Scott 1875i: 97 [n.sp.];
 Metcalf 1967a, 6(10a): 68 [Cat.]
DISTRIBUTION: United Kingdom (Metcalf Cat.)
- Euscelis ogumae (Matsumura)
Athysanus ogumae Matsumura 1911b: 25 [n.sp.];
 Metcalf 1967a, 6(10a): 69 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Euscelis ohausi Wagner
Euscelis ohausi Wagner 1939a: 177 [n.sp.]; Metcalf
 1967a, 6(10a): 69 [Cat.]
DISTRIBUTION: Germany, France, Netherlands,
 Poland (Metcalf Cat.)
- Euscelis ohausi quadrilineata Ribaut
Euscelis ohausi quadrilineata Ribaut 1952a: 96
 [n.subsp. of ohausi]; Metcalf 1967a, 6(10a): 70
 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Euscelis olivacezens (Distant)
Phrynomorphus olivacezens Distant 1918b: 52
 [n.sp.]; Metcalf 1967a, 6(10a): 70 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Euscelis pellucida (Lethierry)
Athysanus pellucidus Lethierry [in Reiber & Puton
 1880a: 68] [n.sp.]; Metcalf 1967a, 6(10a): 70
 [Cat.]
DISTRIBUTION: France, Belgium, Portugal, Austria,
 Germany (Metcalf Cat.)
- Euscelis petteti Naude
Euscelis petteti Naude 1926a: 62 [n.sp.]; Metcalf
 1967a, 6(10a): 71 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Euscelis pictifacies Jacobi
Euscelis pictifacies Jacobi 1943a: 29 [n.sp.]; Metcalf
 1967a, 6(10a): 71 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Euscelis picturata Metcalf
Euscelis picturatus Metcalf 1946d: 123 [n.sp.];
 Metcalf 1967a, 6(10a): 71 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Euscelis punctinervis Haupt
Euscelis punctinervis Haupt 1924c: 231 [n.sp.];
 Metcalf 1967a, 6(10a): 72 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Euscelis quinquemaculata Osborn
Euscelis quinquemaculata Osborn 1923c: 44 [n.sp.];
 Metcalf 1967a, 6(10a): 72 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Euscelis ragusai Haupt
Euscelis ragusai Haupt 1924c: 230 [n.sp.]; Metcalf
 1967a, 6(10a): 72 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Euscelis ramosa Naude
Euscelis ramosa Naudé 1926a: 65 [n.sp.]; Metcalf
 1967a, 6(10a): 72 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Euscelis rosea Naude
Euscelis rosea Naudé 1926a: 60 [n.sp.]; Metcalf
 1967a, 6(10a): 73 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Euscelis singeri Wagner
Euscelis singeri Wagner 1951c: 55 [n.sp.]; Metcalf
 1967a, 6(10a): 73 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Euscelis stictoptera (Flor)
Jassus (Athysanus) stictopterus Flor 1861a: 294
 [n.sp.]; Metcalf 1967a, 6(10a): 73 [Cat.]
Athysanus bilunaris Rey 1894c: 45 [n.sp.]; Metcalf
 1967a, 6(10a): 74 [Cat.]
DISTRIBUTION: Sweden, Estonia, Latvia, France,
 Italy, Belgium (Metcalf Cat.)
- Euscelis taedia (Kirkaldy)
Phrynomorphus taedius Kirkaldy 1906c: 326 [n.sp.];
 Metcalf 1967a, 6(10a): 75 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Euscelis transversa Metcalf
Euscelis transversus Metcalf 1946d: 122 [n.sp.];
 Metcalf 1967a, 6(10a): 75 [Cat.]
DISTRIBUTION: Oceania: Guam, Oceania: Marshall
 Islands (Metcalf Cat.)
- Euscelis ulicis Ribaut
Euscelis ulicis Ribaut 1952a: 93 [n.sp.]; Metcalf
 1967a, 6(10a): 75 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Euscelis venosa (Kirschbaum)
Jassus (Athysanus) venosus Kirschbaum 1868b: 116
 [n.sp.]; Metcalf 1967a, 6(10a): 75 [Cat.]
Athysanus onustus Ferrari 1882a: 128 [n.sp.]; Metcalf
 1967a, 6(10a): 76 [Cat.]
DISTRIBUTION: Widespread Europe, Denmark, Italy
 (Metcalf Cat.)
- Eusceloidia nitida Osborn

- Eusceloidia nitida* Osborn 1923c: 46 [n.sp.]; Metcalf 1967a, 6(10a): 102 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Eusceloidia v-nigrum* Linnavouri
Eusceloidia v-nigrum Linnavouri 1954a: 62 [n.sp.]; Metcalf 1967a, 6(10a): 102 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Eusceloscopus pallidus* Evans
Eusceloscopus pallidus Evans 1941f: 147 [n.sp.]; Metcalf 1967b, 6(10b): 1892 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eusceloscopus yancheinensis* Evans
Eusceloscopus yancheinensis Evans 1941f: 147 [n.sp.]; Metcalf 1967b, 6(10b): 1892 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eusora animana* (Ball)
Eutettix (Mesamia) animana Ball 1909a: 81 [n.sp.]; Metcalf 1967a, 6(10a): 527 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eusora fenestrata* (Ball)
Eutettix fenestrata Ball 1902a: 12 [n.sp.]; Metcalf 1967a, 6(10a): 527 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Eutambourina punctata* Evans
Eutambourina punctata Evans 1942a: 27 [n.sp.]; Metcalf 1968a, 6(17): 1466 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Eutettix acutus* Hepner
Eutettix acutus Hepner 1942b: 259 [n.sp.]; Metcalf 1967a, 6(10a): 471 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix aequalis* Hepner
Eutettix aequalis Hepner 1942b: 265 [n.sp.]; Metcalf 1967a, 6(10a): 471 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix aequalis eberneus* Hepner
Eutettix aequalis eberneus Hepner 1942b: 267 [n.subsp. of *aequalis*]; Metcalf 1967a, 6(10a): 471 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix apicalis* Hepner
Eutettix apicalis Hepner 1942b: 268 [n.sp.]; Metcalf 1967a, 6(10a): 472 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix apricus* Melichar
Eutettix apricus Melichar 1903b: 190 [n.sp.]; Metcalf 1967a, 6(10a): 472 [Cat.]
DISTRIBUTION: Sri Lanka, India, West Indonesia (Metcalf Cat.)
- Eutettix bartschi* Van Duzee
Eutettix bartschi Van Duzee 1909a: 223 [n.sp.]; Metcalf 1967a, 6(10a): 472 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix basilanus* Merino
Eutettix basilanus Merino 1936a: 377 [n.sp.]; Metcalf 1967a, 6(10a): 473 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Eutettix bengalensis* Distant
Eutettix bengalensis Distant 1918b: 60 [n.sp.]; Metcalf 1967a, 6(10a): 473 [Cat.]
DISTRIBUTION: India, East Indonesia (Metcalf Cat.)
- Eutettix borealis* Hepner
Eutettix borealis Hepner 1942b: 286 [n.sp.]; Metcalf 1967a, 6(10a): 473 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix botelensis* Matsumura
Eutettix botelensis Matsumura 1940d: 40 [n.sp.]; Metcalf 1967a, 6(10a): 473 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Eutettix discolor* Hepner
Eutettix discolor Hepner 1942b: 288 [n.sp.]; Metcalf 1967a, 6(10a): 474 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix elongatus* Melichar
Eutettix elongatus Melichar 1912c: 120 [n.sp.]; Metcalf 1967a, 6(10a): 474 [Cat.]
DISTRIBUTION: Congo (Metcalf Cat.)
- Eutettix flavus* Hepner
Eutettix flavus Hepner 1942b: 281 [n.sp.]; Metcalf 1967a, 6(10a): 474 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix fulminans* Melichar
Eutettix fulminans Melichar 1914b: 134 [n.sp.]; Metcalf 1967a, 6(10a): 474 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Eutettix fulvous* Hepner
Eutettix fulvous Hepner 1942b: 284 [n.sp.]; Metcalf 1967a, 6(10a): 474 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix glennanus* Ball
Eutettix glennana Ball 1931a: 2 [n.sp.]; Metcalf 1967a, 6(10a): 475 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix grandis* Hepner
Eutettix grandis Hepner 1942b: 261 [n.sp.]; Metcalf 1967a, 6(10a): 475 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix hibernus* Hepner
Eutettix hibernus Hepner 1942b: 285 [n.sp.]; Metcalf 1967a, 6(10a): 475 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix latus* Hepner
Eutettix latus Hepner 1942b: 264 [n.sp.]; Metcalf 1967a, 6(10a): 475 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix lugubris* Distant
Eutettix lugubris Distant 1918b: 60 [n.sp.]; Metcalf 1967a, 6(10a): 476 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix luridus* (Van Duzee)
Thamnotettix lurida Van Duzee 1890b: 250 [n.sp.]; Metcalf 1967a, 6(10a): 476 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix marmoratus Van Duzee
 Eutettix marmoratus Van Duzee 1892d: 302 [n.sp.]; Metcalf 1967a, 6(10a): 478 [Cat.]
 Eutettix brunneus Osborn 1905a: 530 [n.sp.]; Metcalf 1967a, 6(10a): 478 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix marquezi Merino
 Eutettix marquezi Merino 1936a: 376 [n.sp.]; Metcalf 1967a, 6(10a): 480 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Eutettix melaleucae Kirkaldy
 Eutettix melaleucae Kirkaldy 1907d: 53 [n.sp.]; Metcalf 1967a, 6(10a): 480 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Eutettix mimicus Osborn
 Eutettix mimicus Osborn 1924c: 414 [n.sp.]; Metcalf 1967a, 6(10a): 480 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Eutettix minutus Hepner
 Eutettix minutus Hepner 1942b: 284 [n.sp.]; Metcalf 1967a, 6(10a): 480 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix morismus Merino
 Eutettix morismus Merino 1936a: 377 [n.sp.]; Metcalf 1967a, 6(10a): 480 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Eutettix nitens Van Duzee
 Eutettix nitens Van Duzee 1909a: 223 [n.sp.]; Metcalf 1967a, 6(10a): 481 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix nitens pellucidus Hepner
 Eutettix nitens pellucidus Hepner 1942b: 280 [n.subsp. of nitens]; Metcalf 1967a, 6(10a): 481 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix orientalis Matsumura
 Eutettix orientalis Matsumura 1914a: 192 [n.sp.]; Metcalf 1967a, 6(10a): 482 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
Eutettix ornatellus Osborn
 Eutettix ornatellus Osborn 1934a: 178 [n.sp.]; Metcalf 1967a, 6(10a): 482 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
Eutettix pallidus Evans
 Eutettix pallidus Evans 1938b: 14 [n.sp.]; Metcalf 1967a, 6(10a): 482 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Eutettix parvus Hepner
 Eutettix parvus Hepner 1942b: 282 [n.sp.]; Metcalf 1967a, 6(10a): 482 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix pediculus Hepner
 Eutettix pediculus Hepner 1942b: 273 [n.sp.]; Metcalf 1967a, 6(10a): 482 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Eutettix phycitis** Distant
 Eutettix phycitis Distant 1908g: 363 [n.sp.]; Metcalf 1967a, 6(10a): 483 [Cat.]
DISTRIBUTION: Sri Lanka, India, Australia (Metcalf Cat.)
Eutettix pictus Van Duzee
 Eutettix pictus Van Duzee 1892d: 301 [n.sp.]; Metcalf 1967a, 6(10a): 483 [Cat.]
Eutettix magnus Osborn 1900c: 395 [n.sp.]; Metcalf 1967a, 6(10a): 483 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Eutettix planus Hepner
 Eutettix planus Hepner 1942b: 260 [n.sp.]; Metcalf 1967a, 6(10a): 485 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Eutettix prionoides Hepner
 Eutettix prionoides Hepner 1942b: 272 [n.sp.]; Metcalf 1967a, 6(10a): 485 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix quadripunctatus Melichar
 Eutettix quadripunctatus Melichar 1904a: 44 [n.sp.]; Metcalf 1967a, 6(10a): 485 [Cat.]
DISTRIBUTION: Somalia (Metcalf Cat.)
Eutettix querci Gillette & Baker
 Eutettix querci Gillette & Baker 1895a: 101 [n.sp.]; Metcalf 1967a, 6(10a): 485 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix querci albus Hepner
 Eutettix querci albus Hepner 1942b: 270 [n.subsp. of querci]; Metcalf 1967a, 6(10a): 486 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix ramosus Melichar
 Eutettix ramosus Melichar 1905a: 302 [n.sp.]; Metcalf 1967a, 6(10a): 487 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
Eutettix reflexus Osborn
 Eutettix reflexus Osborn 1923c: 55 [n.sp.]; Metcalf 1967a, 6(10a): 487 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Eutettix reticulatus Osborn
 Eutettix reticulatus Osborn 1924c: 415 [n.sp.]; Metcalf 1967a, 6(10a): 487 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Eutettix rubianus (Ball)
 Ollarianus rubianus Ball 1936g: 432 [n.sp.]; Metcalf 1967a, 6(10a): 487 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix rugosus Hepner
 Eutettix rugosus Hepner 1942b: 262 [n.sp.]; Metcalf 1967a, 6(10a): 487 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Eutettix selbyi Evans
 Eutettix selbyi Evans 1938b: 14 [n.sp.]; Metcalf 1967a, 6(10a): 488 [Cat.]

- DISTRIBUTION:** Australia (Metcalf Cat.)
Eutettix slossonae [sic] Van Duzee
 Eutettix slossoni Van Duzee 1894f: 210 [n.sp.];
 Metcalf 1967a, 6(10a): 488 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix smaragdinus Distant
 Eutettix smaragdinus Distant 1908g: 364 [n.sp.];
 Metcalf 1967a, 6(10a): 489 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Eutettix southwicki Van Duzee
 Eutettix southwicki Van Duzee 1894f: 209 [n.sp.];
 Metcalf 1967a, 6(10a): 489 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix stramineus (Walker)
 Bythoscopus stramineus Walker 1851b: 868 [n.sp.];
 Metcalf 1967a, 6(10a): 490 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix subaeneus (Van Duzee)
 Thamnotettix subaenea Van Duzee 1890f: 77 [n.sp.];
 Metcalf 1967a, 6(10a): 490 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix subspinosis Hepner
 Eutettix subspinosis Hepner 1942b: 263 [n.sp.];
 Metcalf 1967a, 6(10a): 492 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix tristis Ball
 Eutettix tristis Ball 1907a: 34 [n.subsp. of subaenea];
 Metcalf 1967a, 6(10a): 493 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix variabilis Hepner
 Eutettix variabilis Hepner 1942b: 269 [n.sp.]; Metcalf
 1967a, 6(10a): 493 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Eutettix vermiculatus Melichar
 Eutettix vermiculatus Melichar 1912c: 119 [n.sp.];
 Metcalf 1967a, 6(10a): 494 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
Evacanthus acuminatus (Fabricius)
 Cicada acuminata Fabricius 1794a:36 [n.sp.]; Metcalf
 1963a,6(6):12 [Cat.]
- Cicada acuminalis Turton 1802a:593 [nom.nov. for
 Cicada acuminata Fabricius 1794]; Metcalf
 1963a,6(6):12 [Cat.]
- Cicada interstincta Fallén 1806a:16 [n.sp.]; Metcalf
 1963a,6(6):12 [Cat.]
- Amblycephalus germari Curtis 1833a:192 [n.sp.];
 Metcalf 1963a,6(6):12 [Cat.]
- Evacanthus orbitalis* Fitch 1851a:57 [n.sp.]; Metcalf
 1963a,6(6):13 [Cat.]
- DISTRIBUTION:** Widespread Europe, United
 Kingdom, United States, Canada, Russia, Korea
 (Metcalf Cat.)
- Evacanthus asiaticus* (Oshanin)
 Euacanthus asiaticus Oshanin 1871a:210 [n.sp.];
 Metcalf 1963a,6(6):24 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Evacanthus aurantiacus* (Matsumura)
 Euacanthus aurantiacus Matsumura 1915a:172 [n.sp.];
 Metcalf 1963a,6(6):24 [Cat.]
- DISTRIBUTION:** Korea (Metcalf Cat.)
Evacanthus bellus (Distant)
 Euacanthus bellus Distant 1918b:11 [n.sp.]; Metcalf
 1963a,6(6):24 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Evacanthus breviceps (Matsumura)
 Euacanthus breviceps Matsumura 1912a:39 [n.sp.];
 Metcalf 1963a,6(6):24 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
Evacanthus extremus (Walker)
 Tettigonia extrema Walker 1851b:761 [n.sp.]; Metcalf
 1963a,6(6):25 [Cat.]
- DISTRIBUTION:** India, China (Metcalf Cat.)
Evacanthus flavonervosus (Melichar)
 Euacanthus flavonervosus Melichar 1902c:128 [n.sp.];
 Metcalf 1963a,6(6):25 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
Evacanthus formosanus (Matsumura)
 Euacanthus formosanus Matsumura 1912a:40 [n.sp.];
 Metcalf 1963a,6(6):25 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
Evacanthus interruptus (Linnaeus)
 Cicada interrupta Linnaeus 1758a:438 [n.sp.]; Metcalf
 1963a,6(6):26 [Cat.]
- Cicada bicordata Scopoli 1763a:114 [n.sp.]; Metcalf
 1963a,6(6):26 [Cat.]
- Cicada hemiptera Piller & Mitterpacher 1783a:39
 [n.sp.]; Metcalf 1963a,6(6):26 [Cat.]
- Euacanthus nigricans* Matsumura 1911b:20 [n.sp.];
 Metcalf 1963a,6(6):40 [Cat.]
- Euacanthus nigricans pallidus* Matsumura 1912a:39
 [n.subsp. of nigricans]; Metcalf 1963a,6(6):34
 [Cat.]
- DISTRIBUTION:** Widespread Europe, United
 Kingdom, Scandinavia, United States, Canada,
 Russia, China, Japan, Korea, Algeria (Metcalf
 Cat.)
- Evacanthus interruptus moestus* (Zetterstedt)
 Cicada interruptus moesta Zetterstedt 1828a:521
 [n.sp.]; Metcalf 1963a,6(6):40 [Cat.]
- DISTRIBUTION:** Scandinavia, Japan, Russia
 (Metcalf Cat.)
- Evacanthus interruptus rubescens* (Haupt)
 Euacanthus interruptus rubescens Haupt 1925a:12
 [n.subsp. of interruptus]; Metcalf 1963a,6(6):41
 [Cat.]
- DISTRIBUTION:** Germany, Italy (Metcalf Cat.)
Evacanthus interruptus xanthus (Melichar)

- Euacanthus interruptus xanthus* Melichar 1896a:179
[n.subsp. of *interruptus*]; Metcalf 1963a,6(6):41
[Cat.]
DISTRIBUTION: Finland, Germany, Norway,
Netherlands (Metcalf Cat.)
- Evacanthus militaris* (Distant)
Euacanthus militaris Distant 1918b:11 [n.sp.]; Metcalf
1963a,6(6):42 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Evacanthus miyakei* (Matsumura)
Euacanthus miyakei Matsumura 1911b:21 [n.sp.];
Metcalf 1963a,6(6):42 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Evacanthus nigrescens* (Jacobi)
Euacanthus nigrescens Jacobi 1943a:27 [n.sp.];
Metcalf 1963a,6(6):42 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Evacanthus nigroflavus* (Stål)
Euacanthus nigroflavus Stål 1858e:197 [n.sp.];
Metcalf 1963a,6(6):42 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Evacanthus ogumae* (Matsumura)
Euacanthus ogumae Matsumura 1911b:21 [n.sp.];
Metcalf 1963a,6(6):42 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Evacanthus papuensis* (Distant)
Euacanthus papuensis Distant 1914d:360 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Evacanthus repexus* (Distant)
Euacanthus repexus Distant 1908g:228 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Evacanthus rostagnoi* (Picco)
Euacanthus rostagnoi Picco 1921a:105 [n.sp.]; Metcalf
1963a,6(6):43 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Evacanthus rubroniger* (Jacobi)
Euacanthus rubroniger Jacobi 1943a:27 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Evacanthus sibiricus* (Melichar)
Euacanthus sibiricus Melichar 1900a:43 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Evacanthus striatus* (Kusnezov)
Euacanthus striatus Kusnezov 1929b:173 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Evacanthus svaneticus* (Melichar)
Euacanthus svaneticus Melichar 1913a:327 [n.sp.];
Metcalf 1963a,6(6):43 [Cat.]
DISTRIBUTION: Russia/Georgia/Azerbaijan
(Metcalf Cat.)
- Evansiola kuscheli* (China)
- Evansiella kuscheli* China 1955a:200 [n.sp.]; Metcalf
1962d,6(5):96 [Cat.]
DISTRIBUTION: Juan Fernandez Islands (Chile)
(Metcalf Cat.)
- Excavanus angustus* DeLong
Excavanus angustus DeLong 1946c: 446 [n.sp.];
Metcalf 1967c, 6(10c): 2177 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Exitianus abruptus* DeLong & Hershberger
Exitianus abruptus DeLong & Hershberger 1947b: 110
[n.sp.]; Metcalf 1967a, 6(10a): 310 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Exitianus africanus* (Walker)
Bythoscopus africanus Walker 1851b: 873 [n.sp.];
Metcalf 1967a, 6(10a): 310 [Cat.]
DISTRIBUTION: Sierra Leone (Metcalf Cat.)
- Exitianus albipennis* (Haupt)
Limotettix albipennis Haupt 1927a: 25 [n.sp.]; Metcalf
1967a, 6(10a): 310 [Cat.]
DISTRIBUTION: Yemen, Russia, Mediterranean
region (Metcalf Cat.)
- Exitianus angulatus* DeLong & Hershberger
Exitianus angulatus DeLong & Hershberger 1947b:
113 [n.sp.]; Metcalf 1967a, 6(10a): 311 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Exitianus atkinsoni* (Distant)
Athy sanus atkinsoni Distant 1908g: 345 [n.sp.];
Metcalf 1967a, 6(10a): 311 [Cat.]
DISTRIBUTION: Sri Lanka, India, Philippines
(Metcalf Cat.)
- Exitianus brevis* DeLong & Hershberger
Exitianus brevis DeLong & Hershberger 1947b: 114
[n.sp.]; Metcalf 1967a, 6(10a): 311 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Exitianus capicola* (Stål)
Athy sanus capicola Stål 1855a: 99 [n.sp.]; Metcalf
1967a, 6(10a): 311 [Cat.]
- Euscelis fusconervis* Kato 1940p: 698 [n.sp.]; Metcalf
1967a, 6(10a): 313 [Cat.]
DISTRIBUTION: Widespread Africa, Spain, Canary
Islands, Italy, Portugal, Morocco, Egypt, India,
Malaysia, Sri Lanka, Taiwan, Yemen, Russia,
(Metcalf Cat.)
- Exitianus digressus* (Van Duzee)
Athy sanus digressus Van Duzee 1933a: 32 [n.sp.];
Metcalf 1967a, 6(10a): 314 [Cat.]
DISTRIBUTION: Galapagos Islands, Pacific Ocean;
Chatham Island, Australia: Jervis Island (Metcalf
Cat.)
- Exitianus excavatus* DeLong & Hershberger
Exitianus excavatus DeLong & Hershberger 1947b:
110 [n.sp.]; Metcalf 1967a, 6(10a): 314 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Exitianus exitiosus* (Uhler)
Cicadula exitiosa Uhler 1880a: 72 [n.sp.]; Metcalf
1967a, 6(10a): 314 [Cat.]

- DISTRIBUTION:** United States, Canada, West Indies (Metcalf Cat.)
- Exitianus exitiosus angustatus* DeLong & Hershberger
Exitianus exitiosus angustatus DeLong & Hershberger 1947b: 113 [n.subsp. of *exitiosus*]; Metcalf 1967a, 6(10a): 321 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Exitianus exitiosus pallidens* DeLong & Hershberger
Exitianus exitiosus pallidens DeLong & Hershberger 1947b: 113 [n.subsp. of *exitiosus*]; Metcalf 1967a, 6(10a): 321 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Exitianus fusconervosus* (Motschulsky)
Jassus fusconervosus Motschulsky 1863a: 97 [n.sp.]; Metcalf 1967a, 6(10a): 321 [Cat.]
- DISTRIBUTION:** Sri Lanka, India, Japan, Philippines, West Indonesia (Metcalf Cat.)
- Exitianus indicus* (Distant)
Athysanus indicus Distant 1908g: 344 [n.sp.]; Metcalf 1967a, 6(10a): 322 [Cat.]
- DISTRIBUTION:** Bengal, Nepal, Taiwan, India, China, Australia, Philippines, Indian Ocean: Christmas Island (Metcalf Cat.)
- Exitianus insularis* (Distant)
Athysanus insularis Distant 1909h: 47 [n.sp.]; Metcalf 1967a, 6(10a): 323 [Cat.]
- DISTRIBUTION:** Seychelles Island (Metcalf Cat.)
- Exitianus kilimanus* (Jacobi)
Phrynomorphus kilimanus Jacobi 1910b: 131 [n.sp.]; Metcalf 1967a, 6(10a): 323 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Exitianus kumaonis* (Baker)
Phrynomorphus coronatus Distant 1918b: 52 [n.sp.]; Metcalf 1967a, 6(10a): 324 [Cat.]
- Athysanus kumaonis* Baker 1925b: 537 [nom.nov. for *Athysanus coronatus* Distant 1918]; Metcalf 1967a, 6(10a): 324 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Exitianus nanus* (Distant)
Athysanus nanus Distant 1908g: 345 [n.sp.]; Metcalf 1967a, 6(10a): 324 [Cat.]
- DISTRIBUTION:** Bengal, India, Iraq (Metcalf Cat.)
- Exitianus nigrens* DeLong & Hershberger
Exitianus nigrens DeLong & Hershberger 1947b: 115 [n.sp.]; Metcalf 1967a, 6(10a): 324 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Exitianus norrisi* (Evans)
Eutettix norrisi Evans 1938b: 14 [n.sp.]; Metcalf 1967a, 6(10a): 324 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Exitianus obscurinervis* (Stål)
Jassus (*Thamnotettix*) *obscurinervis* Stål 1859b: 293 [n.sp.]; Metcalf 1967a, 6(10a): 325 [Cat.]
- DISTRIBUTION:** Argentina, Brazil, United States, West Indies, Mexico, Costa Rica, Honduras (Metcalf Cat.)
- Exitianus ootacamundus* (Distant)
Phrynomorphus ootacamundus Distant 1918b: 51 [n.sp.]; Metcalf 1967a, 6(10a): 330 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Exitianus pallidus* (Osborn)
Euscelis pallidus Osborn 1926c: 348 [n.sp.]; Metcalf 1967a, 6(10a): 330 [Cat.]
- DISTRIBUTION:** Cuba, United States (Metcalf Cat.)
- Exitianus picatus* (Gibson)
Athysanus miniaturatus Gibson 1919b: 26 [n.sp.]; Metcalf 1967a, 6(10a): 330 [Cat.]
- Athysanus picatus* Gibson 1919b: 26 [n.sp.]; Metcalf 1967a, 6(10a): 330 [Cat.]
- DISTRIBUTION:** Honduras, Guatemala, Mexico, Costa Rica, United States (Metcalf Cat.)
- Exitianus plebeius* (Kirkaldy)
Nephottix plebeius Kirkaldy 1906c: 331 [n.sp.]; Metcalf 1967a, 6(10a): 331 [Cat.]
- DISTRIBUTION:** Australia, Oceania: Fiji Islands, Oceania: Samoa Islands, Oceania: Tonga Islands, Oceania: Society Islands (Metcalf Cat.)
- Exitianus quadratulus* (Osborn)
Euscelis quadratulus Osborn 1923c: 44 [n.sp.]; Metcalf 1967a, 6(10a): 331 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia, United States (Metcalf Cat.)
- Exitianus simillimus* (Matsumura)
Athysanus simillimus Matsumura 1914a: 185 [n.sp.]; Metcalf 1967a, 6(10a): 332 [Cat.]
- DISTRIBUTION:** Taiwan, Japan (Metcalf Cat.)
- Exitianus taeniaticeps* (Kirschbaum)
Jassus (*Thamnotettix*) *taeniaticeps* Kirschbaum 1868b: 87 [n.sp.]; Metcalf 1967a, 6(10a): 332 [Cat.]
- DISTRIBUTION:** Southern Europe, western Mediterranean region, Northern Africa (Metcalf Cat.)
- Exitianus transversalis* (Matsumura)
Athysanus transversalis Matsumura 1908a: 14 [n.sp.]; Metcalf 1967a, 6(10a): 334 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Exitianus tricolor* DeLong & Hershberger
Exitianus tricolor DeLong & Hershberger 1947b: 115 [n.sp.]; Metcalf 1967a, 6(10a): 334 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Metcalf Cat.)
- Exitianus vulnerans* (Bergevin)
Athysanus vulnerans Bergevin 1925b: 42 [n.sp.]; Metcalf 1967a, 6(10a): 334 [Cat.]
- DISTRIBUTION:** Northern Africa, Canary Islands (Metcalf Cat.)
- Exogonia assimilis* (Signoret)
Tettigonia assimilis Signoret 1853b: 340 [n.sp.]; Metcalf 1965a, 6(1): 209 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Exogonia germari* (Signoret)
Tettigonia germari Signoret 1853b: 359 [n.sp.]; Metcalf 1965a, 6(1): 210 [Cat.]

- DISTRIBUTION:** Brazil (Metcalf Cat.)
Exogonia leucampix (Signoret)
Tettigonia leucampix Signoret 1853b:340 [n.sp.];
 Metcalf 1965a,6(1):210 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
Exogonia trilineaticeps (Signoret)
Tettigonia trilineaticeps Signoret 1853b:338 [n.sp.];
 Metcalf 1965a,6(1):210 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Exolidia picta Osborn
Exolidia picta Osborn 1923c: 75 [n.sp.]; Metcalf
 1966d, 6(16): 229 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Exrusanus extrusus (Van Duzee)
Athysanus extrusus Van Duzee 1893a: 283 [n.sp.];
 Metcalf 1967a, 6(10a): 266 [Cat.]
Athysanus venosus Osborn 1905a: 526 [n.sp.];
 Metcalf 1967a, 6(10a): 267 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Exrusanus ovatus (Sanders & DeLong)
Euscelis ovatus Sanders & DeLong 1920b: 16 [n.sp.];
 Metcalf 1967a, 6(10a): 269 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Ezrana pygmaea Distant
Ezrana pygmaea Distant 1908g:177 [n.sp.]; Metcalf
 1962c,6(4):84 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Falcitettix sibiricus Linnavuori
Falcitettix sibiricus Linnavuori 1953d: 58 [n.sp.];
 Metcalf 1967b, 6(10b): 2052 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
Faltala brachyptera Oman
Faltala brachyptera Oman 1938b: 385 [n.sp.]; Metcalf
 1967b, 6(10b): 1606 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
Fieberiella florii (Stål)
Selenocephalus florii Stål 1864b: 67 [n.sp.]; Metcalf
 1967b, 6(10b): 1704 [Cat.]
Phlepsius atropunctatus DeLong 1923a: 131 [n.sp.];
 Metcalf 1967b, 6(10b): 1705 [Cat.]
DISTRIBUTION: Greece, Germany, France, Italy,
 Austria, Kazakstan, Turkmenistan, Hungary,
 Serbia, Iran, Iraq, Russia, Georgia, Azerbaijan,
 Romania, Armenia, Ukraine, Czech Republic,
 Albania, Cyprus, Slovakia, France, Iraq, Turkey,
 United States, Canada (Metcalf Cat.)
Fieberiella pallida Melichar
Fieberiella pallida Melichar 1896b: 179 [n.sp.];
 Metcalf 1967b, 6(10b): 1707 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
Fieberiella pulcherrima (Berg)
Fieberia pulcherrima Berg 1879d: 270 [n.sp.]; Metcalf
 1967b, 6(10b): 1707 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
Fitchana furcata (Osborn)
Paramesus furcatus Osborn 1900b: 285 [n.sp.];
 Metcalf 1967c, 6(10c): 2167 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Fitchana twiningi (Uhler)
Jassus twiningi Uhler 1879a: 511 [n.sp.]; Metcalf
 1967c, 6(10c): 2167 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Fitchana vitellina (Fitch)
Acocephalus vitellinus Fitch 1851a: 57 [n.sp.];
 Metcalf 1967c, 6(10c): 2168 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Flexamia abbreviata (Osborn & Ball)
Deltocephalus abbreviatus Osborn & Ball 1897a: 206
 [n.sp.]; Metcalf 1967b, 6(10b): 1750 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia albida (Osborn & Ball)
Deltocephalus albidus Osborn & Ball 1897a: 201
 [n.sp.]; Metcalf 1967b, 6(10b): 1751 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia areolata (Ball)
Deltocephalus areolatus Ball 1899b: 188 [n.sp.];
 Metcalf 1967b, 6(10b): 1752 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia atlantica (DeLong)
Deltocephalus (Flexamia) atlanticus DeLong 1926d:
 29 [n.sp.]; Metcalf 1967b, 6(10b): 1754 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia bidentata DeLong
Flexamia bidentata DeLong 1935a: 155 [n.sp.];
 Metcalf 1967b, 6(10b): 1754 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia curvata (DeLong)
Deltocephalus (Flexamia) curvatus DeLong 1926d: 34
 [n.sp.]; Metcalf 1967b, 6(10b): 1754 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia decora Beamer & Tuthill
Flexamia decora Beamer & Tuthill 1934a: 2 [n.sp.];
 Metcalf 1967b, 6(10b): 1755 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia doeringae Beamer & Tuthill
Flexamia doeringae Beamer & Tuthill 1934a: 3
 [n.sp.]; Metcalf 1967b, 6(10b): 1755 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia flexulosa (Ball)
Deltocephalus flexulosus Ball 1899b: 189 [n.sp.];
 Metcalf 1967b, 6(10b): 1755 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia funabula (Crumb)
Deltocephalus funabulus Crumb 1915a: 189 [n.sp.];
 Metcalf 1967b, 6(10b): 1756 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Flexamia graminea (DeLong)

- Deltocephalus (Flexamia) gramineus* DeLong 1926d: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1757 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia grammica* (Ball)
Deltocephalus grammicus Ball 1900b: 204 [n.sp.]; Metcalf 1967b, 6(10b): 1757 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia imputans* (Osborn & Ball)
Deltocephalus imputans Osborn & Ball 1898f: 75 [n.sp.]; Metcalf 1967b, 6(10b): 1757 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia inflata* (Osborn & Ball)
Deltocephalus inflatus Osborn & Ball 1897a: 202 [n.sp.]; Metcalf 1967b, 6(10b): 1759 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia mexicana* DeLong & Hershberger
Flexamia mexicana DeLong & Hershberger 1948a: 136 [n.sp.]; Metcalf 1967b, 6(10b): 1760 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Flexamia minima* DeLong & Hershberger
Flexamia minima DeLong & Hershberger 1948a: 138 [n.sp.]; Metcalf 1967b, 6(10b): 1760 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Flexamia miranda* Knoll
Flexamia miranda Knoll 1951b: 177 [n.sp.]; Metcalf 1967b, 6(10b): 1761 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia modica* Beamer & Tuthill
Flexamia modica Beamer & Tuthill 1934a: 3 [n.sp.]; Metcalf 1967b, 6(10b): 1761 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia pectinata* (Osborn & Ball)
Deltocephalus pectinatus Osborn & Ball 1897a: 205 [n.sp.]; Metcalf 1967b, 6(10b): 1761 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia picta* (Osborn)
Deltocephalus pictus Osborn 1907a: 165 [n.sp.]; Metcalf 1967b, 6(10b): 1762 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia prairiana* DeLong
Flexamia prairiana DeLong 1937d: 32 [n.sp.]; Metcalf 1967b, 6(10b): 1763 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia producta* (Walker)
Iassus productus Walker 1851b: 891 [n.sp.]; Metcalf 1967b, 6(10b): 1764 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia pyrops* (Crumb)
Deltocephalus pyrops Crumb 1915a: 191 [n.sp.]; Metcalf 1967b, 6(10b): 1764 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia reflexa* (Osborn & Ball)
Deltocephalus reflexus Osborn & Ball 1897a: 203 [n.sp.]; Metcalf 1967b, 6(10b): 1766 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia ritana* Beamer
Flexamia ritana Beamer 1936d: 257 [n.sp.]; Metcalf 1967b, 6(10b): 1768 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia sandersi* (Osborn)
Deltocephalus sandersi Osborn 1907a: 164 [n.sp.]; Metcalf 1967b, 6(10b): 1768 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia serrata* Beamer & Tuthill
Flexamia serrata Beamer & Tuthill 1934a: 4 [n.sp.]; Metcalf 1967b, 6(10b): 1770 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Flexamia stylata* (Ball)
Deltocephalus stylatus Ball 1899b: 190 [n.sp.]; Metcalf 1967b, 6(10b): 1770 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia surcula* DeLong & Sleesman
Flexamia surculus DeLong & Sleesman 1929a: 99 [n.sp.]; Metcalf 1967b, 6(10b): 1771 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia visenda* (Crumb)
Deltocephalus visendus Crumb 1915a: 189 [n.sp.]; Metcalf 1967b, 6(10b): 1771 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Flexamia zamora* DeLong & Hershberger
Flexamia zamora DeLong & Hershberger 1948a: 137 [n.sp.]; Metcalf 1967b, 6(10b): 1772 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Floridonus taxodii* (Sanders & DeLong)
Thamnotettix taxodii Sanders & DeLong 1923a: 154 [n.sp.]; Metcalf 1967b, 6(10b): 1330 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata acclina* DeLong & Caldwell
Forcipata acclina DeLong & Caldwell 1936a: 74 [n.sp.]; Metcalf 1968a, 6(17): 108 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata ancantha* DeLong & Caldwell
Forcipata ancantha DeLong & Caldwell 1936a: 73 [n.sp.]; Metcalf 1968a, 6(17): 109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata calipera* DeLong & Caldwell
Forcipata calipera DeLong & Caldwell 1936a: 74 [n.sp.]; Metcalf 1968a, 6(17): 109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata citrinella* (Zetterstedt)
Cicada citrinella Zetterstedt 1828a: 536 [n.sp.]; Metcalf 1968a, 6(17): 109 [Cat.]
- Cicadula gracilis* Zetterstedt 1840a: 299 [n.sp.]; Metcalf 1968a, 6(17): 110 [Cat.]
- Dicranoneura similis* Edwards 1885a: 229 [n.sp.]; Metcalf 1968a, 6(17): 112 [Cat.]
- Notus fiebri* Löw 1886 [in Then 1886a: 39] [n.sp., not nom.nov.]; Metcalf 1968a, 6(17): 112 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, United States, Canada (Metcalf Cat.)

- Forcipata citrinella* major (Wagner)
Dicraneura major Wagner 1947c:78-80 [n.subsp. of
citrinella]; Metcalf 1968a,6(17):122 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Forcipata forcipata* (Flor)
Typhlocyba forcipata Flor 1861a:389 [n.sp.]; Metcalf
1968a,6(17):122 [Cat.]
Notus schmidtii Lethierry 1874a:269,273 [n.sp.];
Metcalf 1968a,6(17):111,123 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Scandinavia, Russia, Italy (Metcalf Cat.)
- Forcipata lobata* Beamer
Forcipata lobata Beamer 1938d:229 [n.sp.]; Metcalf
1968a,6(17):126 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata loca* DeLong & Caldwell
Forcipata loca DeLong & Caldwell 1936a:71 [n.sp.];
Metcalf 1968a,6(17):126 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Forcipata magna* DeLong & Caldwell
Forcipata magna DeLong & Caldwell 1936a:71
[n.sp.]; Metcalf 1968a,6(17):127 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata ohioensis* DeLong & Caldwell
Forcipata ohioensis DeLong & Caldwell 1936a:73
[n.sp.]; Metcalf 1968a,6(17):127 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata ortha* DeLong & Caldwell
Forcipata ortha DeLong & Caldwell 1936a:75 [n.sp.];
Metcalf 1968a,6(17):128 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata sicula* DeLong & Caldwell
Forcipata sicula DeLong & Caldwell 1936a:72 [n.sp.];
Metcalf 1968a,6(17):128 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Forcipata triquetra* DeLong & Caldwell
Forcipata triquetra DeLong & Caldwell 1936a:72
[n.sp.]; Metcalf 1968a,6(17):128 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Frequenamia guerrera* DeLong
Frequenamia guerrera DeLong 1947a: 63 [n.sp.];
Metcalf 1967c, 6(10c): 2088 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Fridonus concanus* Oman
Fridonus concanus Oman 1949a: 129 [n.sp.]; Metcalf
1967b, 6(10b): 1332 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Frigartus frigidus* (Ball)
Athy sanus frigidus Ball 1899c: 172 [n.sp.]; Metcalf
1967a, 6(10a): 270 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Frigartus obesus* Knoll
Frigartus obesus Knoll 1954d: 37 [n.sp.]; Metcalf
1967a, 6(10a): 271 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Friscanarus intricatus* (Ball)
Thamnotettix intricata Ball 1911a: 198 [n.sp.]; Metcalf
1967b, 6(10b): 1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Friscanarus nugax* (Van Duzee)
Scaphoideus nugax Van Duzee 1925b: 419 [n.sp.];
Metcalf 1967b, 6(10b): 1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Friscanarus rupinatus* (Ball)
Thamnotettix rupinata Ball 1911a: 199 [n.sp.]; Metcalf
1967b, 6(10b): 1281 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Friscanarus rupinatus brunneus* DeLong & Severin
Friscanarus brunneus DeLong & Severin 1948a: 198
[n.subsp. of *rupinatus*]; Metcalf 1967b, 6(10b):
1282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Friscanarus sannio* Bliven
Friscanarus sannio Bliven 1955a: 5 [n.sp.]; Metcalf
1967b, 6(10b): 1282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Friscanus friscanus* (Ball)
Errhomellus friscanus Ball 1909b: 182 [n.sp.];
Metcalf 1963c,6(8):18 [Cat.]
Memnonia simplex Van Duzee 1917a: 294 [n.sp.];
Metcalf 1963c,6(8):18 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Fulvanus curvilinea* Linnauvori
Fulvanus curvilinea Linnauvori 1955a: 111 [n.sp.];
Metcalf 1967b, 6(10b): 1241 [Cat.]
DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Funkikonia tuberculata* (Kato)
Ledra tuberculata Kato 1929a:545 [n.sp.]; Metcalf
1962c,6(4):58 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Fusanus griseostriatus* Linnauvori
Fusanus griseostriatus Linnauvori 1955b: 124 [n.sp.];
Metcalf 1967b, 6(10b): 1773 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Futasujinus candidus* (Matsumura)
Deltocephalus candidus Matsumura 1914a: 208
[n.sp.]; Metcalf 1967b, 6(10b): 1854 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Gabrita eburata* (Walker)
Coelidia eburata Walker 1851b:854 [n.sp.]; Metcalf
1964b,6(11):29 [Cat.]
Gabrita annulivena Walker 1858b:254 [n.sp.]; Metcalf
1964b,6(11):29 [Cat.]
DISTRIBUTION: Brazil, French Guiana, Guyana
(Nielson 1983e)
- Galboa typica* Distant
Galboa typica Distant 1909h:46 [n.sp.]; Metcalf
1966b,6(13):166 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island
(Metcalf Cat.)

- Galerius aberrans Distant
Galerius aberrans Distant 1918b: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1606 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Galerius indicatrix Distant
Galerius indicatrix Distant 1918b: 78 [n.sp.]; Metcalf 1967b, 6(10b): 1606 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Garapita garbosa Oman
Garapita garbosa Oman 1938b: 370 [n.sp.]; Metcalf 1967c, 6(10c): 2104 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Gcaleka acuta Naudé
Gcaleka acuta Naudé 1926a:40 [n.sp.]; Metcalf 1963c,6(8):219 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Gcaleka laticephala Naudé
Gcaleka laticephala Naudé 1926a:39 [n.sp.]; Metcalf 1963c,6(8):219 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Gerostella billosa (Signoret)
Tettigonia billosa Signoret 1860a:203 [n.sp.]; Metcalf 1965a,6(1):106 [Cat.]
DISTRIBUTION: Madagascar, Africa (Metcalf Cat.)
- Gerostella maculata Evans
Gerostella maculata Evans 1954a:101 [n.sp.]; Metcalf 1965a,6(1):106 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Gessius helvus Schmidt
Gessius helvus Schmidt 1920a:53 [n.sp.]; Metcalf 1966c,6(15):185 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Gessius malayensis Baker
Gessius malayensis Baker 1919b:217 [n.sp.]; Metcalf 1966c,6(15):185 [Cat.]
DISTRIBUTION: Malaysia, Borneo (Metcalf Cat.)
- Gessius malayensis mindanaensis Baker
Gessius malayensis mindanaensis Baker 1919b:217 [n.subsp. of *malayensis*]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Gessius pallidus Baker
Gessius pallidus Baker 1919b:217 [n.sp.]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: Singapore (Metcalf Cat.)
- Gessius pallidus incurvatus Baker
Gessius pallidus incurvatus Baker 1919b:218 [n.subsp. of *pallidus*]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Gessius pallidus sinuatus Baker
Gessius pallidus sinuatus Baker 1919b:218 [n.subsp. of *pallidus*]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Gessius pallidus suffusus Baker
Gessius pallidus suffusus Baker 1919b:218 [n.subsp. of *pallidus*]; Metcalf 1966c,6(15):186 [Cat.]
- DISTRIBUTION:** Singapore (Metcalf Cat.)
- Gessius similis Schmidt
Gessius similis Schmidt 1920a:54 [n.sp.]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Gessius verticalis Distant
Gessius verticalis Distant 1908g:302 [n.sp.]; Metcalf 1966c,6(15):186 [Cat.]
DISTRIBUTION: Myanmar, Taiwan, India (Metcalf Cat.)
- Giffardia dolichocephala Kirkaldy
Giffardia dolichocephala Kirkaldy 1906c: 336 [n.sp.]; Metcalf 1967c, 6(10c): 2075 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Gilletteilla atropunctata (Gillette)
Deltocephalus atropunctata Gillette 1898b: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1607 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gilletteilla fasciata Ball & Beamer
Gilletteilla fasciata Ball & Beamer 1940a: 69 [n.sp.]; Metcalf 1967b, 6(10b): 1608 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gilletteilla labiata (Gillette)
Deltocephalus labiata Gillette 1898b: 26 [n.sp.]; Metcalf 1967b, 6(10b): 1608 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gilletteilla labiata gillettei Metcalf
Deltocephalus labiatus rufus Gillette 1898b: 28 [n.subsp. of *labiatus*]; Metcalf 1967b, 6(10b): 1608 [Cat.]
Gilletteilla labiata gillettei Metcalf 1955a: 266 [nom.nov. for *Deltocephalus labiata rufus* Gillette 1898]; Metcalf 1967b, 6(10b): 1609 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus angelus (Oman)
Laevicephalus angelus Oman 1937c: 475 [n.sp.]; Metcalf 1967b, 6(10b): 1655 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus cartwrighti (Oman)
Laevicephalus cartwrighti Oman 1932a: 90 [n.sp.]; Metcalf 1967b, 6(10b): 1655 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus cinerosus (Van Duzee)
Deltocephalus cinerosus Van Duzee 1892d: 305 [n.sp.]; Metcalf 1967b, 6(10b): 1656 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus incongruus (Oman)
Laevicephalus incongruus Oman 1937c: 475 [n.sp.]; Metcalf 1967b, 6(10b): 1656 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus joquinus (Oman)
Laevicephalus joquinus Oman 1937c: 475 [n.sp.]; Metcalf 1967b, 6(10b): 1657 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus pacificus (Oman)

- Laevicephalus pacificus* Oman 1937c: 475 [n.sp.]; Metcalf 1967b, 6(10b): 1657 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Giprus siskiyou* (Oman)
Laevicephalus siskiyou Oman 1937c: 475 [n.sp.]; Metcalf 1967b, 6(10b): 1657 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gloridonus gemellus* (Ball)
Thamnotettix gemella Ball 1910c: 303 [n.sp.]; Metcalf 1967b, 6(10b): 1283 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gloridonus generosus* (Ball)
Thamnotettix generosa Ball 1910c: 304 [n.sp.]; Metcalf 1967b, 6(10b): 1283 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gloridonus gloriosus* (Ball)
Thamnotettix gloriosa Ball 1910c: 303 [n.sp.]; Metcalf 1967b, 6(10b): 1283 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gloridonus spatulatus* Ball
Gloridonus spatulatus Ball 1936g: 430 [n.sp.]; Metcalf 1967b, 6(10b): 1284 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gnatia angustata* Evans
Gnatia angustata Evans 1941f: 150 [n.sp.]; Metcalf 1966d, 6(16): 8 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Goldeus harpago* (Ribaut)
Deltocephalus harpago Ribaut 1925a: 194 [n.sp.]; Metcalf 1967b, 6(10b): 1437 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Goniagnathus algiricus* Bergevin
Goniagnathus algiricus Bergevin 1920b: 77 [n.sp.]; Metcalf 1967b, 6(10b): 1903 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Goniagnathus appellans* (Baker)
Goniagnathus obesus Distant 1918b: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1903 [Cat.]
Goniozygum appellans Baker 1924d: 367 [nom.nov. for *Goniagnathus obesus* Distant 1918]; Metcalf 1967b, 6(10b): 1903 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Goniagnathus bicolor* Distant
Goniagnathus bicolor Distant 1918b: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1904 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Goniagnathus brevis* (Herrick-Schaeffer)
Jassus brevis Herrich-Schaeffer 1835a: 71 [n.sp.]; Metcalf 1967b, 6(10b): 1904 [Cat.]
Jassus annulipes Lucas 1849a: 105 [n.sp.]; Metcalf 1967b, 6(10b): 1904 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Northern Africa, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, Italy (Metcalf Cat.)
- Goniagnathus castaneus* Kato
- Goniagnathus castaneus* Kato 1933b: pl.28,fig.6 [n.sp.]; Metcalf 1967b, 6(10b): 1909 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Goniagnathus detectus* Bergevin
Goniagnathus detectus Bergevin 1914a: 242 [n.sp.]; Metcalf 1967b, 6(10b): 1909 [Cat.]
DISTRIBUTION: Morocco (Metcalf Cat.)
- Goniagnathus engelhardti* Kusnezov
Goniognathus [sic] *engelhardti* Kusnezov 1928c: 50,51 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Goniagnathus ferganensis* Kusnezov
Goniognathus [sic] *ferganensis* Kusnezov 1929a: 322 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Goniagnathus formosanus* Matsumura
Goniognathus [sic] *formosanus* Matsumura 1913a: 69 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Goniagnathus fumosus* Distant
Goniagnathus fumosus Distant 1918b: 43 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Goniagnathus guttulinervis* (Kirschbaum)
Jassus (*Athysanus*) *guttulinervis* Kirschbaum 1868b: 116 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
Thamnotettix putoni Lethierry 1874b: 444 [n.sp.]; Metcalf 1967b, 6(10b): 1910 [Cat.]
- Goniognathus* [sic] *laminatus* Ivanoff 1885a: 143 [n.sp.]; Metcalf 1967b, 6(10b): 1911 [Cat.]
DISTRIBUTION: Widespread Europe, Italy, Northern Africa, Russia, Canary Islands, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Goniagnathus hyalinus* Bergevin
Goniagnathus hyalinus Bergevin 1924c: 99 [n.sp.]; Metcalf 1967b, 6(10b): 1913 [Cat.]
DISTRIBUTION: Egypt (Metcalf Cat.)
- Goniagnathus lukjanovitshi* Kusnezov
Goniagnathus lukjanovitshi Kusnezov 1929b: 184 [n.sp.]; Metcalf 1967b, 6(10b): 1913 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Goniagnathus minor* Kusnezov
Goniognathus [sic] *minor* Kusnezov 1928c: 51 [n.sp.]; Metcalf 1967b, 6(10b): 1913 [Cat.]
DISTRIBUTION: Ukraine (Metcalf Cat.)
- Goniagnathus nervosus* Melichar
Goniagnathus nervosus Melichar 1903b: 180 [n.sp.]; Metcalf 1967b, 6(10b): 1913 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Goniagnathus obesus* Jacobi
Goniagnathus obesus Jacobi 1910b: 133 [n.sp.]; Metcalf 1967b, 6(10b): 1913 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)

- Goniognathus ocellatus* Jacobi
Goniognathus ocellatus Jacobi 1910b: 133 [n.sp.];
 Metcalf 1967b, 6(10b): 1913 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
- Goniognathus palliatus* (Lethierry)
Athysanus palliatus Lethierry 1887 [in Puton & Lethierry 1887a: 310] [n.sp.]; Metcalf 1967b, 6(10b): 1914 [Cat.]
 DISTRIBUTION: Egypt, Algeria, Russia, Georgia, Azerbaijan, Libya, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Goniognathus punctifer* (Walker)
Bythoscopus punctifer Walker 1858a: 104 [n.sp.]; Metcalf 1967b, 6(10b): 1914 [Cat.]
Goniognathus elongatus Lethierry 1892c: 209 [n.sp.]; Metcalf 1967b, 6(10b): 1914 [Cat.]
Goniognathus spurcatus Melichar 1903b: 181 [n.sp.]; Metcalf 1967b, 6(10b): 1914 [Cat.]
 DISTRIBUTION: India, Sri Lanka, Myanmar, Madagascar, Oceania: Maldives Islands (Metcalf Cat.)
- Goniognathus rugulosus* (Haupt)
Athysanus rugulosus Haupt 1917d: 248 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: Turkmenistan (Metcalf Cat.)
- Goniognathus sanguinisparsus* (Haupt)
Athysanus sanguinisparsus Haupt 1917d: 248 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: Turkmenistan (Metcalf Cat.)
- Goniognathus turkestanicus* Kusnezov
Goniognathus [sic] *turkestanicus* Kusnezov 1929a: 322 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Goniognathus umnovi* Kusnezov
Goniognathus [sic] *umnovi* Kusnezov 1929a: 321 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Goniognathus uniformis* Distant
Goniognathus uniformis Distant 1908g: 312 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Goniognathus wulfsonae* Kusnezov
Goniognathus [sic] *wulfsonae* Kusnezov 1928c: 49 [n.sp.]; Metcalf 1967b, 6(10b): 1915 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Graminella albovenosa* (Sanders & DeLong)
Thamnotettix albovenosus Sanders & DeLong 1923a: 153 [n.sp.]; Metcalf 1967a, 6(10a): 858 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella ampla* Beamer
Graminella ampla Beamer 1938d: 229 [n.sp.]; Metcalf 1967a, 6(10a): 858 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella aureovittata* (Sanders & DeLong)
Thamnotettix aureovittatus Sanders & DeLong 1920b: 16 [n.sp.]; Metcalf 1967a, 6(10a): 858 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella cognita* Caldwell
Graminella cognita Caldwell 1952 [in Caldwell & Martorell 1952a: 64] [n.sp.]; Metcalf 1967a, 6(10a): 859 [Cat.]
 DISTRIBUTION: Puerto Rico, Virgin Islands: St. Thomas Island (Metcalf Cat.)
- Graminella colona* (Uhler)
Deltocephalus colonus Uhler 1895a: 80 [n.sp.]; Metcalf 1967a, 6(10a): 859 [Cat.]
Thamnotettix cubanus Osborn 1926e: 350 [n.sp.]; Metcalf 1967a, 6(10a): 860 [Cat.]
 DISTRIBUTION: United States, West Indies, Brazil (Metcalf Cat.)
- Graminella comata* (Ball)
Deltocephalus comatus Ball 1900c: 343 [n.sp.]; Metcalf 1967a, 6(10a): 862 [Cat.]
 DISTRIBUTION: Mexico, United States, West Indies, Brazil, Guatemala, Costa Rica (Metcalf Cat.)
- Graminella fitchii* (Van Duzee)
Thamnotettix fitchii Van Duzee 1890h: 133 [n.sp.]; Metcalf 1967a, 6(10a): 863 [Cat.]
 DISTRIBUTION: Canada, United States (Metcalf Cat.)
- Graminella floridana* DeLong & Mohr
Graminella floridana DeLong & Mohr 1937a: 625 [n.sp.]; Metcalf 1967a, 6(10a): 866 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella marginalis* (Osborn)
Thamnotettix marginalis Osborn 1923c: 66 [n.sp.]; Metcalf 1967a, 6(10a): 866 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)
- Graminella mohri* DeLong
Graminella mohri DeLong 1937a: 50 [n.sp.]; Metcalf 1967a, 6(10a): 866 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella nigrifrons* (Forbes)
Cicadula nigrifrons Forbes 1885a: 67 [n.sp.]; Metcalf 1967a, 6(10a): 867 [Cat.]
Thamnotettix perpunctata Van Duzee 1894f: 212 [n.sp.]; Metcalf 1967a, 6(10a): 867 [Cat.]
 DISTRIBUTION: Canada, United States, West Indies, Mexico (Metcalf Cat.)
- Graminella nigrinota* DeLong & Mohr
Graminella nigrinota DeLong & Mohr 1937a: 628 [n.sp.]; Metcalf 1967a, 6(10a): 873 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Graminella oquaka* DeLong
Graminella oquaka DeLong 1937a: 51 [n.sp.]; Metcalf 1967a, 6(10a): 873 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Graminella pallidula (Osborn)
 Thamnotettix pallidula Osborn 1898a: 245 [n.sp.];
 Metcalf 1967a, 6(10a): 873 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Graminella plana (DeLong)
 Thamnotettix planus DeLong 1924a: 65 [n.sp.];
 Metcalf 1967a, 6(10a): 874 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Graminella punctata Caldwell
Graminella punctata Caldwell 1952 [in Caldwell & Martorell 1952a: 66] [n.sp.]; Metcalf 1967a, 6(10a): 875 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
Graminella villica (Crumb)
Athy sanus (*Stirellus*) *villicus* Crumb 1915a: 194 [n.sp.]; Metcalf 1967a, 6(10a): 875 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Graminella virginiana (Sanders & DeLong)
 Thamnotettix virginianus Sanders & DeLong 1922a: 99 [n.sp.]; Metcalf 1967a, 6(10a): 875 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Grammacephalus pugio (Noualhier)
Platymetopius pugio Noualhier 1895 [in Puton & Noualhier 1895a: 176] [n.sp.]; Metcalf 1967c, 6(10c): 2343 [Cat.]
- DISTRIBUTION:** Turkey, Syria, Israel (Metcalf Cat.)
Graphocephala affinula Osborn
Graphocephala affinula Osborn 1926b:225 [n.sp.]; Metcalf 1965a, 6(1):368 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Graphocephala atropunctata (Signoret)
 Tettigonia atropunctata Signoret 1854b:354 [n.sp.]; Metcalf 1965a, 6(1):368 [Cat.]
- DISTRIBUTION:** United States, Mexico, Nicaragua (Young 1977a)
Graphocephala attenuata Osborn
Graphocephala attenuata Osborn 1926b:222 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
Graphocephala aurolineata (Fowler)
 Tettigonia aurolineata Fowler 1900d:283 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, Costa Rica, Panama (Young 1977a)
Graphocephala bilimeki (Fowler)
 Tettigonia bilimeki Fowler 1900a:263 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Graphocephala brevisula Osborn
Graphocephala brevisula Osborn 1926b:223 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
Graphocephala cardinula Osborn
Graphocephala cardinula Osborn 1926d:226 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
Graphocephala coccinea (Forster)
Cicada coccinea Forster 1771a:69 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- Tettigonia quadriplagiata* Say 1830b:312 [n.sp.]; Metcalf 1965a, 6(1):369 [Cat.]
- Tettigonia picta* Walker 1851b:758 [n.sp.]; Metcalf 1965a, 6(1):370 [Cat.]
- Tettigonia teliformis* Walker 1851b:764 [n.sp.]; Metcalf 1965a, 6(1):370 [Cat.]
- Tettigonia idonea* Fowler 1900c:276 [n.sp.]; Metcalf 1965a, 6(1):371 [Cat.]
- Graphocephala coccinea confluenta* Olsen 1918b:120 [n.subsp. of *coccinea*]; Metcalf 1965a, 6(1):373 [Cat.]
- Graphocephala coccinea punctata* Olsen 1918b:120 [n.subsp. of *coccinea*]; Metcalf 1965a, 6(1):373 [Cat.]
- Graphocephala coccinea sambuci* Olsen 1918b:120 [n.subsp. of *coccinea*]; Metcalf 1965a, 6(1):373 [Cat.]
- DISTRIBUTION:** Canada, United States, Mexico, Honduras, Nicaragua, Costa Rica, Panama (Young 1977a)
Graphocephala completa (Fowler)
Tettigonia completa Fowler 1900b:268 [n.sp.]; Metcalf 1965a, 6(1):378 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Graphocephala composita (Fowler)
Tettigonia composita Fowler 1900c:277 [n.sp.]; Metcalf 1965a, 6(1):379 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Young 1977a)
Graphocephala contractula Osborn
Graphocephala contractula Osborn 1926b:224 [n.sp.]; Metcalf 1965a, 6(1):379 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Graphocephala costaricensis (Distant)
Tettigonia costaricensis Distant 1879b:63 [n.sp.]; Metcalf 1965a, 6(1):379 [Cat.]
- DISTRIBUTION:** Costa Rica, Panama (Young 1977a)
Graphocephala curvatula Osborn
Graphocephala curvatula Osborn 1926b:224 [n.sp.]; Metcalf 1965a, 6(1):379 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Graphocephala cyathura (Baker)
Tettigonia cyathura Baker 1898c:286 [n.sp.]; Metcalf 1965a, 6(1):379 [Cat.]
- DISTRIBUTION:** United States (Young 1977a)
Graphocephala dominicana Dozier
Graphocephala dominicana Dozier 1931a:10 [n.sp.]; Metcalf 1965a, 6(1):380 [Cat.]
- DISTRIBUTION:** Hispaniola (Young 1977a)
Graphocephala flaccida (Fowler)
Tettigonia flaccida Fowler 1900c:278 [n.sp.]; Metcalf 1965a, 6(1):380 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)

- Graphocephala flavovittata* Metcalf
Tettigonia multicolor Signoret 1853b:363 [n.sp.];
 Metcalf 1965a,6(1):380 [Cat.]
- Graphocephala flavovittata* Metcalf 1955a:265
 [nom.nov. for *Tettigonia multicolor* Signoret
 1853]; Metcalf 1965a,6(1):380 [Cat.]
- DISTRIBUTION: Mexico, Panama (Young 1977a)
- Graphocephala haitiensis* Dozier
Graphocephala haitiensis Dozier 1931a:9 [n.sp.];
 Metcalf 1965a,6(1):380 [Cat.]
- DISTRIBUTION: Hispaniola (Young 1977a)
- Graphocephala humeralis* Osborn
Graphocephala humeralis Osborn 1926b:231 [n.sp.];
 Metcalf 1965a,6(1):380 [Cat.]
- DISTRIBUTION: Colombia (Metcalf Cat.)
- Graphocephala ignava* Ball
Graphocephala ignava Ball 1936a:22 [n.sp.]; Metcalf
 1965a,6(1):381 [Cat.]
- DISTRIBUTION: United States, Mexico (Young
 1977a)
- Graphocephala induta* (Fowler)
Tettigonia induta Fowler 1900b:270 [n.sp.]; Metcalf
 1965a,6(1):381 [Cat.]
- DISTRIBUTION: Mexico, Honduras, El Salvador,
 Costa Rica, Panama (Young 1977a)
- Graphocephala innervis* (Fowler)
Tettigonia innervis Fowler 1900c:274 [n.sp.]; Metcalf
 1965a,6(1):381 [Cat.]
- DISTRIBUTION: Mexico (Young 1977a)
- Graphocephala involuta* Osborn
Graphocephala involuta Osborn 1926b:223 [n.sp.];
 Metcalf 1965a,6(1):381 [Cat.]
- DISTRIBUTION: Brazil, Peru, Bolivia (Young
 1977a)
- Graphocephala lineola* Osborn
Graphocephala lineola Osborn 1926b:231 [n.sp.];
 Metcalf 1965a,6(1):381 [Cat.]
- DISTRIBUTION: Colombia, Venezuela (Young
 1977a)
- Graphocephala longula* Osborn
Graphocephala longula Osborn 1926b:225 [n.sp.];
 Metcalf 1965a,6(1):381 [Cat.]
- DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Graphocephala luculenta* (Fowler)
Tettigonia luculenta Fowler 1900d:284 [n.sp.];
 Metcalf 1965a,6(1):381 [Cat.]
- DISTRIBUTION: United States, Mexico (Young
 1977a)
- Graphocephala ludicula* (Osborn)
Tettigonia ludicula Osborn 1926b:226 [n.sp.]; Metcalf
 1965a,6(1):382 [Cat.]
- DISTRIBUTION: Ecuador (Young 1977a)
- Graphocephala plebejula* Osborn
Graphocephala plebejula Osborn 1926b:227 [n.sp.];
 Metcalf 1965a,6(1):382 [Cat.]
- DISTRIBUTION: Ecuador (Metcalf Cat.)
- Graphocephala rufimargo* (Walker)
Tettigonia rufimargo Walker 1858b:197 [n.sp.];
 Metcalf 1965a,6(1):382 [Cat.]
- DISTRIBUTION: Mexico, Honduras, Belize,
 Guatemala, Costa Rica, Panama (Young 1977a)
- Graphocephala rufimargo* propior (Fowler)
Tettigonia rufimargo propior Fowler 1900d:284
 [n.subsp. of *rufimargo*]; Metcalf 1965a,6(1):382
 [Cat.]
- DISTRIBUTION: Panama, Colombia (Metcalf Cat.)
- Graphocephala separata* Osborn
Graphocephala separata Osborn 1926b:226 [n.sp.];
 Metcalf 1965a,6(1):383 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Graphocephala sexlineata* (Signoret)
Tettigonia sexlineata Signoret 1855d:792 [n.sp.];
 Metcalf 1965a,6(1):383 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, El Salvador,
 Costa Rica, Panama, Brazil (?), Peru (?) (Young
 1977a)
- Graphocephala simillima* Osborn
Graphocephala simillima Osborn 1926b:222 [n.sp.];
 Metcalf 1965a,6(1):383 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Graphocephala sororia* (Fowler)
Tettigonia sororia Fowler 1900b:272 [n.sp.]; Metcalf
 1965a,6(1):383 [Cat.]
- DISTRIBUTION: Mexico (Young 1977a)
- Graphocephala spinosa* Osborn
Graphocephala spinosa Osborn 1926b:232 [n.sp.];
 Metcalf 1965a,6(1):384 [Cat.]
- DISTRIBUTION: Brazil (Young 1977a)
- Graphocephala submarginalis* Osborn
Graphocephala submarginalis Osborn 1926b:229
 [n.sp.]; Metcalf 1965a,6(1):384 [Cat.]
- DISTRIBUTION: Bolivia, Brazil (Young 1977a)
- Graphocephala trivirgata* (Fowler)
Tettigonia trivirgata Fowler 1900a:259 [n.sp.];
 Metcalf 1965a,6(1):384 [Cat.]
- DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Graphocephala trivittata* (Signoret)
Tettigonia pallipes Walker 1851b:765 [n.sp.]; Metcalf
 1965a,6(1):384 [Cat.]
- Tettigonia trivittata* Signoret 1851b:349 [nom.nov. for
Tettigonia pallipes Walker 1851]; Metcalf
 1965a,6(1):384 [Cat.]
- DISTRIBUTION: Costa Rica, Panama, Colombia,
 Peru, Bolivia, Brazil, Paraguay, Argentina (Young
 1977a)
- Graphocephala tunicata* (Fowler)
Tettigonia tunicata Fowler 1900b:271 [n.sp.]; Metcalf
 1965a,6(1):384 [Cat.]
- DISTRIBUTION: Mexico (Young 1977a)
- Graphocephala versuta* (Say)
Tettigonia versuta Say 1830b:311 [n.sp.]; Metcalf
 1965a,6(1):384 [Cat.]

- Tettigonia lineiceps* Spinola 1852a:283 [n.sp.];
Metcalf 1965a,6(1):384 [Cat.]
- Tettigonia redacta* Fowler 1900c:276 [n.sp.]; Metcalf
1965a,6(1):385 [Cat.]
- DISTRIBUTION: United States, Mexico, Costa Rica
(Young 1977a)
- Graphocephala virgaticeps* (Fowler)
Tettigonia virgaticeps Fowler 1900c:275 [n.sp.];
Metcalf 1965a,6(1):388 [Cat.]
- DISTRIBUTION: Guyana, French Guiana (Young
1977a)
- Graphocraerus ventralis* (Fallén)
Cicada ventralis Fallén 1806a: 18 [n.sp.]; Metcalf
1967b, 6(10b): 1711 [Cat.]
- Jassus punctifrons* Germar 1821a: 90 [n.sp.]; Metcalf
1967b, 6(10b): 1711 [Cat.]
- DISTRIBUTION: Widespread Europe, Italy,
Scandinavia, Great Britain, Russia, Northern
Africa, Canada (Metcalf Cat.)
- Grypotes illyricus* (Kirschbaum)
Jassus (Thamnotettix) illyricus Kirschbaum 1868b: 86
[n.sp.]; Metcalf 1967b, 6(10b): 1920 [Cat.]
- DISTRIBUTION: Yugoslavia, Austria, France,
Germany, Croatia, Italy, Hungary, Serbia,
Armenia (Metcalf Cat.)
- Grypotes insularis* White
Grypotes insularis White 1878a: 475 [n.sp.]; Metcalf
1967b, 6(10b): 1921 [Cat.]
- DISTRIBUTION: South Atlantic Ocean: St.Helena
(Metcalf Cat.)
- Grypotes puncticollis* (Herrick-Schaeffer)
Jassus puncticollis Herrich-Schaeffer 1834d: 7 [n.sp.];
Metcalf 1967b, 6(10b): 1921 [Cat.]
- Jassus pinetellus* Zetterstedt 1840a: 1077 [n.sp.];
Metcalf 1967b, 6(10b): 1922 [Cat.]
- Jassus (Thamnotettix) fallax* Kirschbaum 1868b: 85
[n.sp.]; Metcalf 1967b, 6(10b): 1922 [Cat.]
- DISTRIBUTION: Widespread Europe, Scandinavia,
Great Britain, Italy, Northern Africa, Russia
(Metcalf Cat.)
- Grypotes staurus* Ivanoff
Grypotes staurus Ivanoff 1885a: 140 [n.sp.]; Metcalf
1967b, 6(10b): 1928 [Cat.]
- Grypotes australis* Haupt 1927a: 18 [n.sp.]; Metcalf
1967b, 6(10b): 1928 [Cat.]
- DISTRIBUTION: Widespread Europe, Cyprus,
Canary Islands, Italy, Israel, Russia (Metcalf Cat.)
- Guliga erebus* Distant
Guliga erebus Distant 1908g:326 [n.sp.]; Metcalf
1964b,6(11):28 [Cat.]
- DISTRIBUTION: India, Myanmar (Metcalf Cat.)
- Gunhuyana cingalensis* Distant
Gunhuyana cingalensis Distant 1918b: 62 [n.sp.];
Metcalf 1967a, 6(10a): 542 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Gunhuyana gazana* Distant 1910e: 244 [n.sp.];
Metcalf 1967a, 6(10a): 542 [Cat.]
- DISTRIBUTION: South Africa, Zambia, Zimbabwe
(Metcalf Cat.)
- Gunhuyana ugandensis* Evans
Gunhuyana ugandensis Evans 1947a: 257 [n.sp.];
Metcalf 1967a, 6(10a): 542 [Cat.]
- DISTRIBUTION: Uganda, Zaire (Metcalf Cat.)
- Gunhilda noctua* Distant
Gunhilda noctua Distant 1918b:97 [n.sp.]; Metcalf
1966a,6(14):3 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Gununga aurora* (Melichar)
Tettigoniella aurora Melichar 1914b:127 [n.sp.];
Metcalf 1965a,6(1):253 [Cat.]
- DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Gununga cara* (Walker)
Tettigonia cara Walker 1851b:755 [n.sp.]; Metcalf
1965a,6(1):253 [Cat.]
- DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Gununga invadens* (Walker)
Tettigonia invadens Walker 1857b:168 [n.sp.];
Metcalf 1965a,6(1):253 [Cat.]
- DISTRIBUTION: Borneo, W.Indonesia (Metcalf Cat.)
- Gununga jacobsoni* Melichar
Gununga jacobsoni Melichar 1914b:129 [n.sp.];
Metcalf 1965a,6(1):253 [Cat.]
- DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Gununga lepidipennis* (Walker)
Tettigonia lepidipennis Walker 1857b:168 [n.sp.];
Metcalf 1965a,6(1):253 [Cat.]
- DISTRIBUTION: West Indonesia: Java (Young
1986a)
- Gununga matutinula* (Breddin)
Tetigonia matutinula Breddin 1903b:91 [n.sp.];
Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION: Madagascar (Young 1986a)
- Gununga quadrilineata* (Signoret)
Tettigonia quadrilineata Signoret 1853c:669 [n.sp.];
Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION: India (Young 1986a)
- Gununga rubrostigmatica* (Melichar)
Tettigoniella rubrostigmatica Melichar 1914b:128
[n.sp.]; Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Gununga scitipennis* (Walker)
Tettigonia scitipennis Walker 1857b:168 [n.sp.];
Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION: Bengal, S. India, Burma (Young
1986a)
- Gununga suavissima* (Walker)
Tettigonia suavissima Walker 1857a:97 [n.sp.];
Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION: Singapore Islands, Borneo (Metcalf
Cat.)
- Gununga vespertinula* (Breddin)

- Tettigonia vespertinula* Breddin 1903b:92 [n.sp.];
Metcalf 1965a,6(1):254 [Cat.]
- DISTRIBUTION:** Malaysia, Burma, India (Young 1986a)
- Gurawa albofasciata* Jacobi
Gurawa albofasciata Jacobi 1941a:306 [n.sp.]; Metcalf 1963c,6(8):218 [Cat.]
- DISTRIBUTION:** East Indonesia (Metcalf Cat.)
- Gurawa intermediatus* Singh-Pruthi
Gurawa intermediatus Singh-Pruthi 1936a:107 [n.sp.]; Metcalf 1963c,6(8):218 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Gurawa minorcephala* Singh-Pruthi
Gurawa minorcephala Singh-Pruthi 1930a:29 [n.sp.]; Metcalf 1963c,6(8):218 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Gurawa vexillum* Distant
Gurawa vexillum Distant 1908g:263 [n.sp.]; Metcalf 1963c,6(8):218 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Gypona abdominalis* Spångberg
Gypona abdominalis Spångberg 1878a:24 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Gypona adspersa* Stål
Gypona adspersa Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Brazil, Mexico (Metcalf Cat.)
- Gypona adusta* Fowler
Gypona adusta Fowler 1903b:308 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Gypona affinis* Spångberg
Gypona affinis Spångberg 1878a:17 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona albicans* Spångberg
Gypona albicans Spångberg 1878a:11 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Gypona albidosparsa* Stål
Gypona albidosparsa Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):20 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona albororata* Fowler
Gypona albororata Fowler 1930b:306 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Gypona ancona* Osborn
Gypona ancona Osborn 1938a:30 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Gypona angustata* Uhler
Gypona angustata Uhler 1895a:74 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** West Indies: St.Vincent Island (Metcalf Cat.)
- Gypona annulipes* Spångberg
Gypona annulipes Spångberg 1881a:35 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
- Gypona antica* Stål
Gypona antica Stål 1862e:46 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona approximata* Spångberg
Gypona approximata Spångberg 1883a:103 [n.sp.]; Metcalf 1962b,6(3):21 [Cat.]
- DISTRIBUTION:** Brazil (?) (Metcalf Cat.)
- Gypona assimilis* Spångberg
Gypona assimilis Spångberg 1878a:16 [n.sp.]; Metcalf 1962b,6(3):22 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Gypona atomaria* Stål
Gypona atomaria Stål 1862e:47 [n.sp.]; Metcalf 1962b,6(3):22 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona aurifascia* (Walker)
Penthimia aurifascia Walker 1858b:259 [n.sp.]; Metcalf 1962b,6(3):22 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona aurifera* Osborn
Gypona aurifera Osborn 1938a:24 [n.sp.]; Metcalf 1962b,6(3):22 [Cat.]
- DISTRIBUTION:** Argentina, Bolivia (Metcalf Cat.)
- Gypona aurulenta* (Fabricius)
Cercopis aurulenta Fabricius 1803a:92 [n.sp.]; Metcalf 1962b,6(3):22 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona australis* Spångberg
Gypona australis Spångberg 1878a:66 [n.sp.]; Metcalf 1962b,6(3):23 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Gypona bahia* Osborn
Gypona bahia Osborn 1938a:31 [n.sp.]; Metcalf 1962b,6(3):23 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Gypona bicolor* Spångberg
Gypona bicolor Spångberg 1878a:52 [n.sp.]; Metcalf 1962b,6(3):23 [Cat.]
- DISTRIBUTION:** French Guiana (Metcalf Cat.)
- Gypona bigemmis* Spångberg
Gypona bigemmis Spångberg 1878a:34 [n.sp., not nom.nov.]; Metcalf 1962b,6(3):23 [Cat.]
- DISTRIBUTION:** Guyana (Metcalf Cat.)
- Gypona bimaculata* Spångberg
Gypona bimaculata Spångberg 1878a:23 [n.sp.]; Metcalf 1962b,6(3):23 [Cat.]
- Gypona nixabunda* Gibson 1919a:92 [n.sp.]; Metcalf 1962b,6(3):24 [Cat.]

- DISTRIBUTION: Mexico, United States (Metcalf Cat.)
Gypona binotulata Berg
 Gypona binotulata Berg 1879d:257 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
Gypona bivittata Metcalf
 Gypona marginata Walker 1851b:838 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
Gypona bivittata Metcalf 1962b:25 [nom.nov. for Gypona marginata Walker 1851]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: locality unknown (Metcalf Cat.)
Gypona bogotana Spångberg
 Gypona bogotana Spångberg 1878a:36 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
Gypona bohemani Stål
 Gypona bohemani Stål 1864a:81 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: Colombia, Mexico (Metcalf Cat.)
Gypona breviceps Spångberg
 Gypona breviceps Spångberg 1881a:34 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: French Guiana (Metcalf Cat.)
Gypona brevipennis Spångberg
 Gypona brevipennis Spångberg 1878a:12 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
Gypona castanea Metcalf
 Gypona castanea Metcalf 1949b:275 [n.sp.]; Metcalf 1962b,6(3):25 [Cat.]
 DISTRIBUTION: Guyana (Metcalf Cat.)
Gypona chalcoptera Burmeister
 Gypona chalcoptera Burmeister 1839b:3 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona chilensis Spångberg
 Gypona chilensis Spångberg 1881a:32 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
Gypona compta Fowler
 Gypona compta Fowler 1903b:301 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona concinna Stål
 Gypona concinna Stål 1862e:48 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona concolor Spångberg
 Gypona concolor Spångberg 1878a:24 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
 DISTRIBUTION: Colombia, Bolivia (Metcalf Cat.)
Gypona conspersa Spångberg
 Gypona conspersa Spångberg 1878a:60 [n.sp.]; Metcalf 1962b,6(3):26 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona contana DeLong
 Gypona contana DeLong 1942d:20 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gypona crassa Spångberg
 Gypona crassa Spångberg 1881a:28 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona cruzana Osborn
 Gypona cruzana Osborn 1938a:29 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona decorata Fowler
 Gypona decorata Fowler 1903b:311 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: Panama (Metcalf Cat.)
Gypona diluta Stål
 Gypona diluta Stål 1854b:253 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
Gypona discicollis Stål
 Gypona discicollis Stål 1862e:48 [n.sp.]; Metcalf 1962b,6(3):27 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona dubia Fowler
 Gypona dubia Fowler 1903a:298 [n.sp.]; Metcalf 1962b,6(3):28 [Cat.]
 DISTRIBUTION: Panama (Metcalf Cat.)
Gypona ecuadora Osborn
 Gypona ecuadora Osborn 1938a:30 [n.sp.]; Metcalf 1962b,6(3):28 [Cat.]
 DISTRIBUTION: Ecuador (Metcalf Cat.)
Gypona equestris (Fabricius)
 Cercopis equestris Fabricius 1803a:92 [n.sp.]; Metcalf 1962b,6(3):28 [Cat.]
 DISTRIBUTION: Brazil, Guyana (Metcalf Cat.)
Gypona excelsa Fowler
 Gypona excelsa Fowler 1903a:299 [n.sp.]; Metcalf 1962b,6(3):28 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona extranea Fowler
 Gypona extranea Fowler 1903b:314 [n.sp.]; Metcalf 1962b,6(3):28 [Cat.]
 DISTRIBUTION: Guatemala, Panama (Metcalf Cat.)
Gypona extrema DeLong
 Gypona extrema DeLong 1942d:19 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gypona fallax Spångberg
 Gypona fallax Spångberg 1883a:103 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
 DISTRIBUTION: Locality unknown (Metcalf Cat.)
Gypona fastuosa Spångberg
 Gypona fastuosa Spångberg 1881a:36 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]

- DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona fervens Walker
Gypona fervens Walker 1851b:838 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
DISTRIBUTION: Venezuela, Colombia (Metcalf Cat.)
Gypona flavidosta Stål
Gypona flavidosta Stål 1862e:46 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
DISTRIBUTION: Brazil, French Guiana (Metcalf Cat.)
Gypona flavolimbata Metcalf
Gypona flavolimbata Metcalf 1949b:273 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
Gypona fulvotincta Osborn
Gypona fulvotincta Osborn 1938a:24 [n.sp.]; Metcalf 1962b,6(3):29 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Gypona funebris Spångberg
Gypona funebris Spångberg 1881a:37 [n.sp.]; Metcalf 1962b,6(3):30 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona fuscinervis Stål
Gypona fuscinervis Stål 1864a:84 [n.sp.]; Metcalf 1962b,6(3):30 [Cat.]
DISTRIBUTION: Mexico, Brazil, Guatemala (Metcalf Cat.)
Gypona fusiformis Walker
Gypona fusiformis Walker 1858b:257 [n.sp.]; Metcalf 1962b,6(3):30 [Cat.]
DISTRIBUTION: Brazil, Guyana (Metcalf Cat.)
Gypona gibbiceps Spångberg
Gypona gibbiceps Spångberg 1878a:37 [n.sp.]; Metcalf 1962b,6(3):30 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Gypona glauca (Fabricius)
Cercopis glauca Fabricius 1803a:91 [n.sp.]; Metcalf 1962b,6(3):30 [Cat.]
Gypona viridirufa Walker 1851b:836 [n.sp.]; Metcalf 1962b,6(3):31 [Cat.]
Gypona plana Walker 1858a:101 [n.sp.]; Metcalf 1962b,6(3):31 [Cat.]
DISTRIBUTION: Brazil, French Guiana, Panama, Peru (Metcalf Cat.)
Gypona glaucina Spångberg
Gypona glaucina Spångberg 1878a:16 [n.sp.]; Metcalf 1962b,6(3):32 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona gracilis Spångberg
Gypona gracilis Spångberg 1883a:105 [n.sp.]; Metcalf 1962b,6(3):32 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona guianae Metcalf
Acocephalus sparsus Walker 1851b:851 [n.sp.]; Metcalf 1962b,6(3):32 [Cat.]
Gypona guianae Metcalf 1962a:32 [nom.nov. for *Acocephalus sparsus* Walker 1851]; Metcalf 1962b,6(3):32 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
Gypona hebes Fowler
Gypona hebes Fowler 1903b:310 [n.sp.]; Metcalf 1962b,6(3):32 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
Gypona hyalina Osborn
Gypona hyalina Osborn 1938a:25 [n.sp.]; Metcalf 1962b,6(3):33 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona ignita (Fabricius)
Cicada ignita Fabricius 1787a:272 [n.sp.]; Metcalf 1962b,6(3):33 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
Gypona inornata Stål
Gypona inornata Stål 1862e:45 [n.sp.]; Metcalf 1962b,6(3):33 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona insignis Spångberg
Gypona insignis Spångberg 1883a:101 [n.sp.]; Metcalf 1962b,6(3):33 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona irrorata Stål
Gypona irrorata Stål 1862e:47 [n.sp.]; Metcalf 1962b,6(3):33 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Gypona kangrensis Kirkaldy
Gypona kangrensis Kirkaldy 1905a:267 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Pakistan (Metcalf Cat.)
Gypona lacteipennis Fowler
Gypona lacteipennis Fowler 1903a:299 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona laticeps Spångberg
Gypona laticeps Spångberg 1879a:17 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Uruguay, Argentina (Metcalf Cat.)
Gypona lativitta Walker
Gypona lativitta Walker 1858a:102 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: locality unknown (Metcalf Cat.)
Gypona limbata Spångberg
Gypona limbata Spångberg 1878a:39 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Gypona limbata fuscipennis Spångberg
Gypona limbata fuscipennis Spångberg 1878a:40 [n.subsp. of *limbata*]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Gypona lineosa Osborn
Gypona lineosa Osborn 1938a:25 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)

- Gypona liturata* Stål
Gypona liturata Stål 1862e:45 [n.sp.]; Metcalf 1962b,6(3):34 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona lobata* Spångberg
Gypona lobata Spångberg 1881a:31 [n.sp.]; Metcalf 1962b,6(3):35 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Gypona lugubrina* Spångberg
Gypona lugubrina Spångberg 1878a:13 [n.sp.]; Metcalf 1962b,6(3):35 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona marginata* (Fabricius)
Cercopis marginata Fabricius 1787a:273 [n.sp.]; Metcalf 1962b,6(3):35 [Cat.]
Cercopis atra Gmelin 1789a:2101 [nom.nov. for *Cercopis marginata* Fabricius 1787a:273]; Metcalf 1962b,6(3):35 [Cat.]
DISTRIBUTION: United States, Brazil, French Guiana (Metcalf Cat.)
- Gypona mediata* Caldwell
Gypona mediata Caldwell 1952 [in Caldwell & Martorell 1952a:19] [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Gypona megalops* Spångberg
Gypona megalops Spångberg 1883a:107 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)
- Gypona melanocephala* Spångberg
Gypona melanocephala Spångberg 1881a:30 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
- Gypona melanota* Spångberg
Gypona dorsalis Spångberg 1878a:30 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
Gypona melanota Spångberg 1878a:19 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
Gypona bipunctulata Woodworth 1890a:30 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
Gypona nigra Woodworth 1890a:31 [n.sp.]; Metcalf 1962b,6(3):36 [Cat.]
DISTRIBUTION: United States, Mexico, Canada (Metcalf Cat.)
- Gypona minuta* Spångberg
Gypona minuta Spångberg 1878a:37 [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona mirabilis* Spångberg
Gypona mirabilis Spångberg 1878a:31 [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
- Gypona mitana* DeLong
Gypona mitana DeLong 1942d:20 [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Gypona montana* Caldwell
Gypona montana Caldwell 1952 [in Caldwell & Martorell 1952a:18] [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Gypona nebulosa* Stål
Gypona nebulosa Stål 1862e:48 [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona nigronervosa* Stål
Gypona nigronervosa Stål 1854b:253 [n.sp.]; Metcalf 1962b,6(3):40 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona nigroterminata* Stål
Gypona nigroterminata Stål 1862e:45 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona notanda* Fowler
Gypona notanda Fowler 1930b:304 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Panama (Metcalf Cat.)
- Gypona nupera* Van Duzee
Gypona nupera Van Duzee 1907a:61 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Jamaica (Metcalf Cat.)
- Gypona obesa* Spångberg
Gypona obesa Spångberg 1883a:102 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Gypona obscurior* Fowler
Gypona obscurior Fowler 1903a:300 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Gypona ocellata* Spångberg
Gypona ocellata Spångberg 1878a:57 [n.sp.]; Metcalf 1962b,6(3):41 [Cat.]
DISTRIBUTION: Ecuador, Taiti (?) (Metcalf Cat.)
- Gypona opaca* Metcalf
Gypona opaca Metcalf 1949b:275 [n.sp.]; Metcalf 1962b,6(3):42 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Gypona pallens* Burmeister
Gypona pallens Burmeister 1839b:2 [n.sp.]; Metcalf 1962b,6(3):42 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona pallidovirens* Fowler
Gypona pallidovirens Fowler 1903a:298 [n.sp.]; Metcalf 1962b,6(3):42 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Gypona paupercula* Spångberg
Gypona paupercula Spångberg 1878a:35 [n.sp.]; Metcalf 1962b,6(3):42 [Cat.]
DISTRIBUTION: Argentina, Uruguay (Metcalf Cat.)
- Gypona peruviana* Osborn

- Gypona peruviana Osborn 1938a:28 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Gypona picturata Metcalf
 Gypona picturata Metcalf 1949b:273 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Gypona pinguis Stål
 Gypona pinguis Stål 1862e:46 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona placida Spångberg
 Gypona placida Spångberg 1883a:109 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Brazil (?) (Metcalf Cat.)
- Gypona plebeja Spångberg
 Gypona plebeja Spångberg 1878a:6 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona postica Walker
 Gypona postica Walker 1858b:258 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Mexico, Panama (Metcalf Cat.)
- Gypona praecellens Stål
 Gypona praecellens Stål 1862e:47 [n.sp.]; Metcalf 1962b,6(3):43 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona praeterita Fowler
 Gypona praeterita Fowler 1903b:314 [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Mexico, Costa Rica (Metcalf Cat.)
- Gypona prasina Burmeister
 Gypona prasina Burmeister 1839b:3 [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Brazil, Chile (Metcalf Cat.)
- Gypona pudica Spångberg
 Gypona pudica Spångberg 1881a:32 [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona puertoricensis Caldwell
 Gypona puertoricensis Caldwell 1952 [in Caldwell & Martorell 1952a:16] [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Gypona pulchella Osborn
 Gypona pulchella Osborn 1938a:21 [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Peru, French Guiana (Metcalf Cat.)
- Gypona pulchra Spångberg
 Gypona pulchra Spångberg 1878a:32 [n.sp.]; Metcalf 1962b,6(3):44 [Cat.]
DISTRIBUTION: Colombia, Venezuela, Bolivia (Metcalf Cat.)
- Gypona punctata Spångberg
 Gypona punctata Spångberg 1878a:67 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela (Metcalf Cat.)
- Gypona punctigera Stål
 Gypona punctigera Stål 1862e:45 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona punctipennis Spinola
 Gypona punctipennis Spinola 1852a:281 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Gypona puniceiventris Fowler
 Gypona puniceiventris Fowler 1903a:300 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Gypona quadrimacula Walker
 Gypona quadrimacula Walker 1851b:837 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona quadripunctata Stål
 Gypona quadripunctata Stål 1862e:48 [n.sp.]; Metcalf 1962b,6(3):45 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona reticulata Walker
 Gypona reticulata Walker 1851b:837 [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona retifera Berg
 Gypona retifera Berg 1899a:6 [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Gypona rogenhoferi Spångberg
 Gypona rogenhoferi Spångberg 1883a:108 [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona ruficauda Spångberg
 Gypona ruficauda Spångberg 1883a:104 [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Gypona sanctithomasi Caldwell
 Gypona sanctithomasi Caldwell 1952 [in Caldwell & Martorell 1952a:19] [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Virgin Islands (Metcalf Cat.)
- Gypona sanguineosparsa Stål
 Gypona sanguineosparsa Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):46 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona schaumi Stål
 Gypona schaumi Stål 1864a:83 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Gypona scutellata Fowler
 Gypona scutellata Fowler 1903b:308 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Gypona sellata Berg

- Gypona sellata Berg 1899a:5 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Gypona setinervis Spångberg
 Gypona setinervis Spångberg 1878a:22 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona sierra Osborn
 Gypona sierra Osborn 1938a:29 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Gypona signifera Walker
 Gypona signifera Walker 1851b:836 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
 DISTRIBUTION: Venezuela, Colombia (Metcalf Cat.)
- Gypona simulans Stål
 Gypona simulans Stål 1862e:45 [n.sp.]; Metcalf 1962b,6(3):47 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona smaragdula Walker
 Gypona smaragdula Walker 1851b:835 [n.sp.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona sobrina Spångberg
 Gypona sobrina Spångberg 1881a:25 [n.sp.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona spångbergii [sic] Berg
 Gypona spangbergii Berg 1879d:254 [n.sp.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Gypona spinifera Spångberg
 Gypona spinifera Spångberg 1878a:28 [n.sp.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona splendidula Spångberg
 Gypona splendidula Spångberg 1878a:19 [n.sp.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona stållii [sic] Spångberg
 Gypona stalii Spångberg 1878a:17 [n.sp., not nom.nov.]; Metcalf 1962b,6(3):48 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Gypona teapensis Fowler
 Gypona teapensis Fowler 1903b:307 [n.sp.]; Metcalf 1962b,6(3):49 [Cat.]
 DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Gypona testacea Metcalf
 Gypona thoracica Walker 1858b:257 [n.sp.]; Metcalf 1962b,6(3):49 [Cat.]
 Gypona testacea Metcalf 1962b:49 [nom.nov. for Gypona thoracica Walker 1858]; Metcalf 1962b,6(3):49 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona thoracica (Fabricius)
- Cercopis thoracica Fabricius 1803a:91 [n.sp.]; Metcalf 1962b,6(3):49 [Cat.]
 Gypona fusiformis Spångberg 1878a:29 [n.sp.]; Metcalf 1962b,6(3):49 [Cat.]
 DISTRIBUTION: Brazil, Guyana, French Guiana (Metcalf Cat.)
- Gypona translucens Metcalf
 Gypona translucens Metcalf 1949b:273 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Guyana (Metcalf Cat.)
- Gypona tristis Spångberg
 Gypona tristis Spångberg 1878a:14 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona trivialis Spångberg
 Gypona trivialis Spångberg 1881a:36 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona turpis Spångberg
 Gypona turpis Spångberg 1881a:30 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona varians Spångberg
 Gypona varians Spångberg 1878a:22 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Gypona verecunda Spångberg
 Gypona verecunda Spångberg 1881a:26 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona vernicosa Spångberg
 Gypona vernicosa Spångberg 1881a:29 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona versuta Spångberg
 Gypona versuta Spångberg 1881a:27 [n.sp.]; Metcalf 1962b,6(3):50 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Gypona verticalis Stål
 Gypona verticalis Stål 1864a:84 [n.sp.]; Metcalf 1962b,6(3):51 [Cat.]
 Gypona mexicana Spångberg 1878a:18 [n.sp.]; Metcalf 1962b,6(3):51 [Cat.]
 Gypona signoreti pilula Ball & Reeves 1927a:494 [n.subsp. of signoreti]; Metcalf 1962b,6(3):51 [Cat.]
 DISTRIBUTION: Mexico, United States, Central America (Metcalf Cat.)
- Gypona vexana DeLong
 Gypona vexana DeLong 1942d:19 [n.sp.]; Metcalf 1962b,6(3):52 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gypona viequensis Caldwell
 Gypona viequensis Caldwell 1952 [in Caldwell & Martorell 1952a:18] [n.sp.]; Metcalf 1962b,6(3):52 [Cat.]

- DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Gypona vilior Fowler
Gypona vilior Fowler 1903b:301 [n.sp.]; Metcalf
 1962b,6(3):52 [Cat.]
 DISTRIBUTION: Mexico, United States (Metcalf Cat.)
Gypona viridescens Walker
Gypona viridescens Walker 1858b:257 [n.sp.];
 Metcalf 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Gypona viridula Osborn
Gypona viridula Osborn 1938a:26 [n.sp.]; Metcalf
 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
Gypona vitrea Osborn
Gypona vitrea Osborn 1938a:26 [n.sp.]; Metcalf
 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
Gypona vitticollis Spångberg
Gypona vitticollis Spångberg 1878a:33 [n.sp.];
 Metcalf 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Colombia, Venezuela (Metcalf Cat.)
Gypona vittulata Stål
Gypona vittulata Stål 1854b:253 [n.sp.]; Metcalf
 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Brazil, Bolivia, Colombia (Metcalf Cat.)
Gypona vulnerata Walker
Gypona vulnerata Walker 1858a:102 [n.sp.]; Metcalf
 1962b,6(3):53 [Cat.]
 DISTRIBUTION: Brazil, Mexico, Panama, Costa Rica, Bolivia (Metcalf Cat.)
Gypona wallengreni Stål
Gypona wallengreni Stål 1864a:82 [n.sp.]; Metcalf
 1962b,6(3):54 [Cat.]
 DISTRIBUTION: Mexico, Panama (Metcalf Cat.)
Gyponana boliviiana (Osborn)
Gyponana boliviiana Osborn 1938a:19 [n.sp.]; Metcalf
 1962b,6(3):74 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
Gyponana brachycephala (Spångberg)
Gyponana brachycephala Spångberg 1878a:9 [n.sp.];
 Metcalf 1962b,6(3):74 [Cat.]
 DISTRIBUTION: Colombia, Brazil (Metcalf Cat.)
Gyponana chiriquensis (Fowler)
Gyponana chiriquensis Fowler 1903a:298 [n.sp.];
 Metcalf 1962b,6(3):75 [Cat.]
 DISTRIBUTION: Panama, Guyana, Peru, Bolivia, Brazil (Metcalf Cat.)
Gyponana delicata (Fowler)
Gyponana delicata Fowler 1903a:297 [n.sp.]; Metcalf
 1962b,6(3):75 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Gyponana dorsalis (Signoret)
Tettigonia dorsalis Signoret 1853b:349 [n.sp.];
 Metcalf 1962b,6(3):75 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Gyponana lineata (Burmeister)
Gyponana lineata Burmeister 1839b:4 [n.sp.]; Metcalf
 1962b,6(3):76 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
Gyponana (*Gyponana*) *accurata* DeLong
Gyponana (*Gyponana*) *DeLong* 1942d:43 [n.sp.]; Metcalf
 1962b,6(3):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *acia* DeLong
Gyponana *acia* DeLong 1942d:40 [n.sp.]; Metcalf
 1962b,6(3):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *aculeata* DeLong
Gyponana *aculeata* DeLong 1942d:51 [n.sp.]; Metcalf
 1962b,6(3):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *amara* DeLong
Gyponana *amara* DeLong 1942d:32 [n.sp.]; Metcalf
 1962b,6(3):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *angula* DeLong
Gyponana *angula* DeLong 1942d:54 [n.sp.]; Metcalf
 1962b,6(3):78 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *angulata* (Spångberg)
Gyponana *angulata* Spångberg 1878a:32 [n.sp.]; Metcalf
 1962b,6(3):79 [Cat.]
 DISTRIBUTION: United States, Mexico, Canada (Metcalf Cat.)
Gyponana (*Gyponana*) *appressa* DeLong
Gyponana *appressa* DeLong 1942d:28 [n.sp.]; Metcalf
 1962b,6(3):80 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *arcta* DeLong
Gyponana *arcta* DeLong 1942d:29 [n.sp.]; Metcalf
 1962b,6(3):80 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *avara* DeLong
Gyponana *avara* DeLong 1942d:25 [n.sp.]; Metcalf
 1962b,6(3):80 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *barda* DeLong
Gyponana *barda* DeLong 1942d:34 [n.sp.]; Metcalf
 1962b,6(3):81 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *brevihama* DeLong
Gyponana *brevihama* DeLong 1942d:24 [n.sp.];
 Metcalf 1962b,6(3):81 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Gyponana (*Gyponana*) *brevita* DeLong
Gyponana *brevita* DeLong 1942d:27 [n.sp.]; Metcalf
 1962b,6(3):81 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)

- Gyponana (Gyponana) cacumina DeLong
Gyponana cacumina DeLong 1942d:48 [n.sp.];
 Metcalf 1962b,6(3):81 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) calamistra DeLong
Gyponana calamistra DeLong 1942d:55 [n.sp.];
 Metcalf 1962b,6(3):82 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) cana (Burmeister)
Gyponana cana Burmeister 1839b:4 [n.sp.]; Metcalf
 1962b,6(3):82 [Cat.]
 DISTRIBUTION: United States, Canada, Mexico
 (Metcalf Cat.)
- Gyponana (Gyponana) compressa DeLong
Gyponana compressa DeLong 1942d:43 [n.sp.];
 Metcalf 1962b,6(3):84 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) conferta DeLong
Gyponana conferta DeLong 1942d:24 [n.sp.]; Metcalf
 1962b,6(3):84 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) conspira DeLong
Gyponana conspira DeLong 1942d:31 [n.sp.]; Metcalf
 1962b,6(3):84 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) contractura DeLong
Gyponana contractura DeLong 1942d:29 [n.sp.];
 Metcalf 1962b,6(3):85 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) cubita DeLong
Gyponana cubita DeLong 1942d:40 [n.sp.]; Metcalf
 1962b,6(3):85 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) cunea DeLong
Gyponana cunea DeLong 1942d:44 [n.sp.]; Metcalf
 1962b,6(3):85 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) delta Ball
Gyponana delta Ball 1935c:500 [n.sp.]; Metcalf
 1962b,6(3):85 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) delta alomogorda Ball
Gyponana delta alomogorda Ball 1935c:501 [n.subsp.
 of delta]; Metcalf 1962b,6(3):86 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) desa DeLong
Gyponana desa DeLong 1942d:33 [n.sp.]; Metcalf
 1962b,6(3):86 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) elongata Ball
Gyponana elongata Ball 1935c:500 [n.sp.]; Metcalf
 1962b,6(3):86 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) expanda DeLong
Gyponana expanda DeLong 1942d:38 [n.sp.]; Metcalf
 1962b,6(3):86 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) extenda DeLong
Gyponana extenda DeLong 1942d:39 [n.sp.]; Metcalf
 1962b,6(3):86 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) fagi DeLong
Gyponana fagi DeLong 1942d:39 [n.sp.]; Metcalf
 1962b,6(3):87 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) fastiga DeLong
Gyponana fastiga DeLong 1942d:52 [n.sp.]; Metcalf
 1962b,6(3):87 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) fimbriata DeLong
Gyponana fimbriata DeLong 1942d:28 [n.sp.];
 Metcalf 1962b,6(3):87 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) flavilineata (Fitch)
Gyponana flavilineata Fitch 1851a:57 [n.sp.]; Metcalf
 1962b,6(3):87 [Cat.]
 DISTRIBUTION: United States, Canada, Brazil (?)
 (Metcalf Cat.)
- Gyponana (Gyponana) germari (Stål)
Gyponana germari Stål 1864a:84 [n.sp.]; Metcalf
 1962b,6(3):90 [Cat.]
 DISTRIBUTION: Mexico, Guatemala, Costa Rica,
 Colombia, United States (Metcalf Cat.)
- Gyponana (Gyponana) gibbera DeLong
Gyponana gibbera DeLong 1942d:43 [n.sp.]; Metcalf
 1962b,6(3):91 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) gladia DeLong
Gyponana gladia DeLong 1942d:46 [n.sp.]; Metcalf
 1962b,6(3):91 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) hasta DeLong
Gyponana hasta DeLong 1942d:50 [n.sp.]; Metcalf
 1962b,6(3):91 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) lamina DeLong
Gyponana lamina DeLong 1942d:47 [n.sp.]; Metcalf
 1962b,6(3):91 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) librata DeLong
Gyponana librata DeLong 1942d:54 [n.sp.]; Metcalf
 1962b,6(3):92 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) mali DeLong
Gyponana mali DeLong 1942d:44 [n.sp.]; Metcalf
 1962b,6(3):92 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) morosita DeLong
Gyponana morosita DeLong 1942d:38 [n.sp.]; Metcalf
 1962b,6(3):92 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana (Gyponana) octolineata (Say)

- Tettigonia octolineata* Say 1825a:340 [n.sp.]; Metcalf 1962b,6(3):92,99 [Cat.]
- Gyponana geminata* Osborn 1905a:513 [n.sp.]; Metcalf 1962b,6(3):94 [Cat.]
- DISTRIBUTION: United States, Canada, Mexico (Metcalf Cat.)
- Gyponana* (*Gyponana*) *octolineata* *serpenta* DeLong
- Gyponana* *serpenta* DeLong 1942d:53 [n.subsp. of *octolineata*]; Metcalf 1962b,6(3):99 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *offula* DeLong
- Gyponana* *offula* DeLong 1942d:35 [n.sp.]; Metcalf 1962b,6(3):100 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *olivacea* (Spångberg)
- Gyponana* *olivacea* Spångberg 1881a:24 [n.sp.]; Metcalf 1962b,6(3):100 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *omani* DeLong
- Gyponana* *omani* DeLong 1942d:55 [n.sp.]; Metcalf 1962b,6(3):100 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *orientala* DeLong
- Gyponana* *orientala* DeLong 1942d:26 [n.sp.]; Metcalf 1962b,6(3):101 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *ortha* DeLong
- Gyponana* *ortha* DeLong 1942d:25 [n.sp.]; Metcalf 1962b,6(3):101 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *palma* DeLong
- Gyponana* *palma* DeLong 1942d:41 [n.sp.]; Metcalf 1962b,6(3):101 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *panda* DeLong
- Gyponana* *panda* DeLong 1942d:32 [n.sp.]; Metcalf 1962b,6(3):101 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *parallela* DeLong
- Gyponana* *parallela* DeLong 1942d:35 [n.sp.]; Metcalf 1962b,6(3):102 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *pingua* DeLong
- Gyponana* *pingua* DeLong 1942d:37 [n.sp.]; Metcalf 1962b,6(3):102 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *praelonga* DeLong
- Gyponana* *praelonga* DeLong 1942d:34 [n.sp.]; Metcalf 1962b,6(3):102 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *procera* DeLong
- Gyponana* *procera* DeLong 1942d:45 [n.sp.]; Metcalf 1962b,6(3):102 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *producta* DeLong
- Gyponana* *producta* DeLong 1942d:36 [n.sp.]; Metcalf 1962b,6(3):103 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *protenta* DeLong
- Gyponana* *protenta* DeLong 1942d:41 [n.sp.]; Metcalf 1962b,6(3):103 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *pruinosa* (Spångberg)
- Gyponana* *pruinosa* Spångberg 1878a:9 [n.sp.]; Metcalf 1962b,6(3):103 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Gyponana* (*Gyponana*) *quebecensis* (Provancher)
- Tettigonia* *quebecensis* Provancher 1872b:352 [n.sp.]; Metcalf 1962b,6(3):104 [Cat.]
- DISTRIBUTION: Canada, United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *salsa* DeLong
- Gyponana* *salsa* DeLong 1942d:49 [n.sp.]; Metcalf 1962b,6(3):105 [Cat.]
- DISTRIBUTION: Canada, United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *scrupulosa* (Spångberg)
- Gyponana* *scrupulosa* Spångberg 1878a:9 [n.sp.]; Metcalf 1962b,6(3):105 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *serrata* DeLong
- Gyponana* *serrata* DeLong 1942d:48 [n.sp.]; Metcalf 1962b,6(3):106 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Gyponana* (*Gyponana*) *serrata* *fatena* DeLong
- Gyponana* *fatena* DeLong 1942d:49 [n.subsp. of *serrata*]; Metcalf 1962b,6(3):106 [Cat.]
- DISTRIBUTION: Canada, United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *signoreti* (Stål)
- Gyponana* *signoreti* Stål 1864a:83 [n.sp.]; Metcalf 1962b,6(3):107 [Cat.]
- DISTRIBUTION: Mexico, Panama, Venezuela, Honduras, West Indies, United States, Costa Rica (Metcalf Cat.)
- Gyponana* (*Gyponana*) *spissa* DeLong
- Gyponana* *spissa* DeLong 1942d:30 [n.sp.]; Metcalf 1962b,6(3):107 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *striata* (Burmeister)
- Gyponana* *striata* Burmeister 1839b:3 [n.sp.]; Metcalf 1962b,6(3):107 [Cat.]
- DISTRIBUTION: Jamaica (Metcalf Cat.)
- Gyponana* (*Gyponana*) *tenella* (Spångberg)
- Gyponana* *tenella* Spångberg 1878a:34 [n.sp.]; Metcalf 1962b,6(3):111 [Cat.]
- DISTRIBUTION: United States, Costa Rica (Metcalf Cat.)
- Gyponana* (*Gyponana*) *trigona* DeLong

- Gyponana trigona* DeLong 1942d:26 [n.sp.]; Metcalf 1962b,6(3):112 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *tubera* DeLong
Gyponana tubera DeLong 1942d:33 [n.sp.]; Metcalf 1962b,6(3):112 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *turbina* DeLong
Gyponana turbina DeLong 1942d:37 [n.sp.]; Metcalf 1962b,6(3):112 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Gyponana* (*Gyponana*) *unicolor* (Stål)
Gypona unicolor Stål 1864a:84 [n.sp.]; Metcalf 1962b,6(3):113 [Cat.]
 DISTRIBUTION: Mexico, Guatemala, Costa Rica, Colombia, United States, West Indies, Panama, Nicaragua (Metcalf Cat.)
- Gyponana* (*Gyponana*) *unicolor nigrodorsalis* (Spångberg)
Gypona unicolor nigrodorsalis Spångberg 1883a:102 [n.subsp. of *unicolor*]; Metcalf 1962b,6(3):114 [Cat.]
 DISTRIBUTION: locality unknown (Metcalf Cat.)
- Gyponana* (*Gyponana*) *vasta* DeLong
Gyponana vasta DeLong 1942d:31 [n.sp.]; Metcalf 1962b,6(3):114 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Gyponana*) *vincula* DeLong
Gyponana vincula DeLong 1942d:47 [n.sp.]; Metcalf 1962b,6(3):114 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *ampliata* Ball
Gyponana ampliata Ball 1935c:498 [n.sp.]; Metcalf 1962b,6(3):115 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *chadana* Ball & Reeves
Gyponana chadana Ball & Reeves 1927a:493 [n.sp.]; Metcalf 1962b,6(3):115 [Cat.]
Gyponana turbinella Ball 1935c:499 [n.sp.]; Metcalf 1962b,6(3):115 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *fibrata* (DeLong)
Rugosana fibrata DeLong 1942d:66 [n.sp.]; Metcalf 1962b,6(3):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *lora* (DeLong)
Rugosana lora DeLong 1942d:70 [n.sp.]; Metcalf 1962b,6(3):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *manua* (DeLong)
Rugosana manua DeLong 1942d:70 [n.sp.]; Metcalf 1962b,6(3):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *plummeri* (DeLong)
Rugosana plummeri DeLong 1942d:72 [n.sp.]; Metcalf 1962b,6(3):117 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Gyponana* (*Rugosana*) *pullata* Ball
Gyponana pullata Ball 1935c:499 [n.sp.]; Metcalf 1962b,6(3):117 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *querci* (DeLong)
Rugosana querci DeLong 1942d:69 [n.sp.]; Metcalf 1962b,6(3):117 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *ramosa* (Kirkaldy)
Gypona ramosa Kirkaldy 1907i:60 [n.sp.]; Metcalf 1962b,6(3):117 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Gyponana* (*Rugosana*) *rugosa* (Spångberg)
Gypona rugosa Spångberg 1878a:6 [n.sp.]; Metcalf 1962b,6(3):118 [Cat.]
 DISTRIBUTION: Mexico, United States, Canada, Costa Rica (Metcalf Cat.)
- Gyponana* (*Rugosana*) *verrucosa* (DeLong)
Rugosana verrucosa DeLong 1942d:72 [n.sp.]; Metcalf 1962b,6(3):120 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Habralebra* *amoena* (Baker)
Protalebra amoena Baker 1889b:404 [n.sp.]; Metcalf 1968a,6(17):82 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Habralebra* *bifasciata* (Gillette)
Alebra bifasciata Gillette 1898a:711 [n.sp.]; Metcalf 1968a,6(17):82 [Cat.]
 DISTRIBUTION: Jamaica, Brazil, Puerto Rico, Cuba (Metcalf Cat.)
- Habralebra* *nicaraguensis* (Baker)
Protalebra nicaraguensis Baker 1903d:6 [n.sp.]; Metcalf 1968a,6(17):82 [Cat.]
 DISTRIBUTION: Nicaragua, Mexico (Metcalf Cat.)
- Habralebra* *trimaculata* (Gillette)
Alebra trimaculata Gillette 1898a:712 [n.sp.]; Metcalf 1968a,6(17):82 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Hackeriana* *glauca* Evans
Hackeriana glauca Evans 1936b:68 [n.sp.]; Metcalf 1962c,6(4):131 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Hackeriana* *huonensis* Evans
Hackeriana huonensis Evans 1936b:68 [n.sp.]; Metcalf 1962c,6(4):131 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Hackeriana* *rotundata* Evans
Hackeriana rotundata Evans 1936b:68 [n.sp.]; Metcalf 1962c,6(4):131 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Hackeriana* *translucens* Evans
Hackeriana translucens Evans 1941f:152 [n.sp.]; Metcalf 1962c,6(4):131 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Hadralebra* *laticeps* (Osborn)

- Dikraneura (Hyloidea) laticeps Osborn 1928a:277
 [n.sp.]; Metcalf 1968a,6(17):19 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Hadria balloui* Metcalf & Bruner
Hadria balloui Metcalf & Bruner 1936a:948 [n.sp.];
 Metcalf 1965a,6(1):395 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria convertibilis* Metcalf & Bruner
Hadria convertibilis Metcalf & Bruner 1936a:945
 [n.sp.]; Metcalf 1965a,6(1):395 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria convertibilis roigi* Metcalf & Bruner:947
Hadria convertibilis roigi Metcalf & Bruner:947 1936
 [n.subsp. of *convertibilis*]; Metcalf 1965a,6(1):395
 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria cubana* Metcalf & Bruner
Hadria cubana Metcalf & Bruner 1936a:955 [n.sp.];
 Metcalf 1965a,6(1):395 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria labyrinthica* Metcalf & Bruner
Hadria labyrinthica Metcalf & Bruner 1936a:953
 [n.sp.]; Metcalf 1965a,6(1):396 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria oteroi* Metcalf & Bruner
Hadria oteroi Metcalf & Bruner 1936a:950 [n.sp.];
 Metcalf 1965a,6(1):396 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Hadria trinitalis* Metcalf & Bruner
Hadria trinitalis Metcalf & Bruner 1936a:925 [n.sp.];
 Metcalf 1965a,6(1):396 [Cat.]
 DISTRIBUTION: Cuba (Young 1977a)
- Haldorus australis* (DeLong)
Deltocephalus (*Deltocephalus*) *australis* DeLong
 1926d: 90 [n.sp.]; Metcalf 1967b, 6(10b): 1878
 [Cat.]
 DISTRIBUTION: United States, Puerto Rico (Metcalf
 Cat.)
- Haldorus beieri* Linnavuori
Haldorus beieri Linnavuori 1955b: 128 [n.sp.];
 Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Haldorus curvatus* Linnavuori
Haldorus curvatus Linnavuori 1955b: 128 [n.sp.];
 Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Haldorus furcatus* Caldwell
Haldorus furcatus Caldwell 1952 [in Caldwell &
 Martorell 1952a: 57] [n.sp.]; Metcalf 1967b,
 6(10b): 1879 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Haldorus maculipes* Linnavuori
Haldorus maculipes Linnavuori 1955b: 128 [n.sp.];
 Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Haldorus paraguayensis* Linnavuori
Haldorus paraguayensis Linnavuori 1955b: 129
 [n.sp.]; Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Haldorus parallelocornis* Linnavuori
Haldorus parallelocornis Linnavuori 1955b: 128
 [n.sp.]; Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Haldorus serratus* Linnavuori
Haldorus serratus Linnavuori 1955b: 129 [n.sp.];
 Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Haldorus venatus* (Osborn)
Gypona venatus Osborn 1924c: 425 [n.sp.];
 Metcalf 1967b, 6(10b): 1879 [Cat.]
 DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
- Hamana annulicornis* (Van Duzee)
Gypona annulicornis Van Duzee 1923a:176 [n.sp.];
 Metcalf 1962b,6(3):123 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hamana dictatoria* (Gibson)
Gypona dictatoria Gibson 1919a:91 [n.sp.]; Metcalf
 1962b,6(3):123 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hamana dictatoria virescens* DeLong
Hamana virescens DeLong 1942d:88 [n.subsp. of
dictatoria]; Metcalf 1962b,6(3):124 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Hamana gelbata* DeLong
Hamana gelbata DeLong 1942d:89 [n.sp.]; Metcalf
 1962b,6(3):124 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Hamana herbida* DeLong
Hamana herbida DeLong 1942d:88 [n.sp.]; Metcalf
 1962b,6(3):124 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hamana incita* (Van Duzee)
Gypona incita Van Duzee 1923a:173 [n.sp.]; Metcalf
 1962b,6(3):124 [Cat.]
 DISTRIBUTION: Mexico, United States (Metcalf
 Cat.)
- Hamana manifesta* DeLong
Hamana manifesta DeLong 1942d:86 [n.sp.]; Metcalf
 1962b,6(3):124 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hamana marginifrons* (Fowler)
Gypona marginifrons Fowler 1903b:302 [n.sp.];
 Metcalf 1962b,6(3):124 [Cat.]
 DISTRIBUTION: Mexico, United States (Metcalf
 Cat.)
- Hamana transversa* DeLong
Hamana transversa DeLong 1942d:90 [n.sp.]; Metcalf
 1962b,6(3):125 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Handianus flavovarius* (Herrich-Schaeffer)
Jassus flavovarius Herrich-Schaeffer 1835c: 9 [n.sp.];
 Metcalf 1967a, 6(10a): 413 [Cat.]

- DISTRIBUTION:** Russia, Czech Republic, Denmark, Netherlands, Bulgaria, Poland, Ukraine, Romania, Austria, Germany, Latvia, Estonia, England (Metcalf Cat.)
- Handianus flavovarius palesscens** (Ivanov)
Euscelis *flavovarius palesscens* Ivanov 1928c: 191
[n.subsp. of *flavovarius*]; Metcalf 1967a, 6(10a): 414 [Cat.]
DISTRIBUTION: Ukraine (Metcalf Cat.)
- Handianus maculaticeps** (Reuter)
Athysanus *maculaticeps* Reuter 1885a: 34 [n.sp.]; Metcalf 1967a, 6(10a): 416 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Handianus procerus** (Herrick-Schaeffer)
Jassus procerus Herrich-Schaeffer 1835c: 10 [n.sp.]; Metcalf 1967a, 6(10a): 416 [Cat.]
DISTRIBUTION: Germany, Russia, Austria, Hungary, France, Georgia, Azerbaijan, Serbia, Czech Republic, Turkey, Slovakia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Handianus trispinosus** Linnauvuori
Handianus trispinosus Linnauvuori 1953a: 112 [n.sp.]; Metcalf 1967a, 6(10a): 418 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Handianus (Dlabolia) ignoscus** (Fieber)
Deltoccephalus ignoscus Fieber 1869a: 208 [n.sp.]; Metcalf 1967a, 6(10a): 415 [Cat.]
DISTRIBUTION: Widespread Europe, Russia, China, western Mediterranean region (Metcalf Cat.)
- Haranga borneensis** Distant
Haranga borneensis Distant 1912d:445 [n.sp.]; Metcalf 1962b,6(3):211 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Haranga decurtata** Distant
Haranga decurtata Distant 1908g:250 [n.sp.]; Metcalf 1962b,6(3):211 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Haranga orientalis** (Walker)
Penthimia orientalis Walker 1851b:841 [n.sp.]; Metcalf 1962b,6(3):211 [Cat.]
DISTRIBUTION: Locality unknown (Metcalf Cat.)
- Haranga scutellaris** Distant
Haranga scutellaris Distant 1908g:249 [n.sp.]; Metcalf 1962b,6(3):212 [Cat.]
DISTRIBUTION: India, Sri Lanka, Australia (Metcalf Cat.)
- Hardya dentata** (Osborn & Ball)
Athysanus dentatus Osborn & Ball 1898f: 95 [n.sp.]; Metcalf 1967a, 6(10a): 254 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hardya ribauti** Linnauvuori
Hardya ribauti Linnauvuori 1953a: 113 [n.sp.]; Metcalf 1967a, 6(10a): 255 [Cat.]
DISTRIBUTION: Russia, Georgia, Azerbaijan, Kazakstan, Turkmenistan (Metcalf Cat.)
- Hardya signifera** (Then)
Thamnotettix signifer Then 1897a: 105 [n.sp.]; Metcalf 1967a, 6(10a): 255 [Cat.]
DISTRIBUTION: Austria, Germany (Metcalf Cat.)
- Hardya youngi** Beirne
Hardya youngi Beirne 1954e: 550 [n.sp.]; Metcalf 1967a, 6(10a): 256 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hardya (Eohardya) byzantina** Zachvatkin
Hardya (Eohardya) byzantina Zachvatkin 1946b: 173 [n.sp.]; Metcalf 1967a, 6(10a): 265 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
- Hardya (Eohardya) imitata** (Haupt)
Thamnotettix imitatus Haupt 1924c: 231 [n.sp.]; Metcalf 1967a, 6(10a): 265 [Cat.]
DISTRIBUTION: Italy, France (Metcalf Cat.)
- Hardya (Eohardya) mira** Zachvatkin
Hardya (Eohardya) mira Zachvatkin 1946b: 173 [n.sp.]; Metcalf 1967a, 6(10a): 266 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Hardya (Hardya) alpina** Wagner
Hardya (Hardya) alpina Wagner 1955a: 173 [n.sp.]; Metcalf 1967a, 6(10a): 256 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Hardya (Hardya) anatolica** Zachvatkin
Hardya (Hardya) anatolica Zachvatkin 1946b: 168 [n.sp.]; Metcalf 1967a, 6(10a): 256 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
- Hardya (Hardya) iranicola** Zachvatkin
Hardya (Hardya) iranicola Zachvatkin 1946b: 166 [n.sp.]; Metcalf 1967a, 6(10a): 256 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Hardya (Hardya) melanopsis** (Hardy)
Aphrodes melanopsis Hardy 1850a: 427 [n.sp.]; Metcalf 1967a, 6(10a): 257 [Cat.]
Thamnotettix scotti Fieber 1885a: 66 [n.sp.]; Metcalf 1967a, 6(10a): 257 [Cat.]
- Thamnotettix aphrodoides** Haupt 1935a: 204 [n.sp.]; Metcalf 1967a, 6(10a): 258 [Cat.]
DISTRIBUTION: Great Britain, Italy, Northern Russia, France, Germany, Austria, Czech Republic, Netherlands (Metcalf Cat.)
- Hardya (Hardya) sevanensis** Zachvatkin
Hardya (Hardya) sevanensis Zachvatkin 1946b: 169 [n.sp.]; Metcalf 1967a, 6(10a): 259 [Cat.]
DISTRIBUTION: Armenia (Metcalf Cat.)
- Hardya (Hardya) tenuis** (Germar)
Jassus tenuis Germar 1821a: 92 [n.sp.]; Metcalf 1967a, 6(10a): 259 [Cat.]
Jassus (Deltoccephalus) badiellus Kirschbaum 1868b: 127 [n.sp.]; Metcalf 1967a, 6(10a): 259 [Cat.]
- Thamnotettix fulvopicta** Sahlberg 1871a: 212 [n.sp.]; Metcalf 1967a, 6(10a): 259 [Cat.]
DISTRIBUTION: Widespread Europe, Northern Russia, Northern Africa, Turkey, Canary Islands, western Mediterranean region (Metcalf Cat.)

- Hardya (Hardya) turanica Zachvatkin*
Hardya (Hardya) turanica Zachvatkin 1946b: 167
 [n.sp.]; Metcalf 1967a, 6(10a): 265 [Cat.]
DISTRIBUTION: Uzbekistan (Metcalf Cat.)
- Hardya (Mimohardya) heptneri Zachvatkin*
Hardya (Mimohardya) heptneri Zachvatkin 1946b:
 170 [n.sp.]; Metcalf 1967a, 6(10a): 266 [Cat.]
DISTRIBUTION: Turkmenistan (Metcalf Cat.)
- Hardyopsis fraudulenta (Horvath)*
Thamnotettix fraudulentus Horváth 1903a: 20 [n.sp.];
 Metcalf 1967a, 6(10a): 271 [Cat.]
Hardya insularis Lindberg 1948b: 155 [n.sp.]; Metcalf
 1967a, 6(10a): 271 [Cat.]
DISTRIBUTION: Serbia, Hungary, Spain, Cyprus,
 Sardinia, France (Metcalf Cat.)
- Hatigoria praeiens Distant*
Hatigoria praeiens Distant 1908g: 258 [n.sp.]; Metcalf
 1962a, 6(2): 10 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Hatigoria sauteri Jacobi*
Hatigoria sauteri Jacobi 1914a: 380 [n.sp.]; Metcalf
 1962a, 6(2): 10 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Hebecephalus aduersus Beamer & Tuthill*
Hebecephalus aduersus Beamer & Tuthill 1935a: 536
 [n.sp.]; Metcalf 1967b, 6(10b): 1855 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus algidus DeLong & Davidson*
Hebecephalus algidus DeLong & Davidson 1935b:
 166 [n.sp.]; Metcalf 1967b, 6(10b): 1855 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus borealis DeLong & Davidson*
Hebecephalus borealis DeLong & Davidson 1935b:
 166 [n.sp.]; Metcalf 1967b, 6(10b): 1856 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Hebecephalus caecus Beamer*
Hebecephalus caecus Beamer 1936d: 255 [n.sp.];
 Metcalf 1967b, 6(10b): 1856 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus callidus (Ball)*
Deltocephalus callidus Ball 1899d: 306 [n.sp.];
 Metcalf 1967b, 6(10b): 1856 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus crassus (DeLong)*
Deltocephalus (Hebecephalus) crassus DeLong 1926d:
 61 [n.subsp. of signatifrons]; Metcalf 1967b,
 6(10b): 1857 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus creinus Beirne*
Hebecephalus creinus Beirne 1954e: 552 [n.sp.];
 Metcalf 1967b, 6(10b): 1857 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Hebecephalus discussus (Van Duzee)*
Deltocephalus discussus Van Duzee 1925b: 416
 [n.sp.]; Metcalf 1967b, 6(10b): 1857 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus firmus Beamer*
Hebecephalus firmus Beamer 1936d: 253 [n.sp.];
 Metcalf 1967b, 6(10b): 1858 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus hilaris Beamer*
Hebecephalus hilaris Beamer 1936d: 252 [n.sp.];
 Metcalf 1967b, 6(10b): 1858 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus insularis (Van Duzee)*
Deltocephalus (Hebecephalus) insularis Van Duzee
 1933a: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1858
 [Cat.]
DISTRIBUTION: Oceania: Chatham Islands, Atlantic
 Ocean: Azores (Metcalf Cat.)
- Hebecephalus irritus Beamer*
Hebecephalus irritus Beamer 1936d: 253 [n.sp.];
 Metcalf 1967b, 6(10b): 1858 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus mornus Beirne*
Hebecephalus mornus Beirne 1954e: 552 [n.sp.];
 Metcalf 1967b, 6(10b): 1859 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Hebecephalus occidentalis Beamer & Tuthill*
Hebecephalus occidentalis Beamer & Tuthill 1935a:
 535 [n.sp.]; Metcalf 1967b, 6(10b): 1859 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Hebecephalus pedecurtus Wittlake & Beamer*
Hebecephalus pedecurtus Wittlake & Beamer 1952a:
 154 [n.sp.]; Metcalf 1967b, 6(10b): 1859 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Hebecephalus rostratus Beamer & Tuthill*
Hebecephalus rostratus Beamer & Tuthill 1935a: 534
 [n.sp.]; Metcalf 1967b, 6(10b): 1859 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Hebecephalus sagittatus Beamer & Tuthill*
Hebecephalus sagittatus Beamer & Tuthill 1935a: 533
 [n.sp.]; Metcalf 1967b, 6(10b): 1860 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebecephalus signatifrons (Van Duzee)*
Deltocephalus signatifrons Van Duzee 1892d: 305
 [n.sp.]; Metcalf 1967b, 6(10b): 1860 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Hebecephalus truncatus Beamer & Tuthill*
Hebecephalus truncatus Beamer & Tuthill 1935a: 534
 [n.sp.]; Metcalf 1967b, 6(10b): 1862 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Hebecephalus vinculatus (Ball)*
Deltocephalus vinculatus Ball 1899b: 191 [n.sp.];
 Metcalf 1967b, 6(10b): 1862 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hebixa incognita Oman*
Hebixa incognita Oman 1949a: 163 [n.sp.]; Metcalf
 1967b, 6(10b): 1572 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Hecaloidella nitida Osborn
Hecaloidella nitida Osborn 1934a: 174 [n.sp.]; Metcalf 1967c, 6(10c): 2352 [Cat.]
- DISTRIBUTION:** Oceania: Samoa Islands (Metcalf Cat.)
Hecaloidia nervosa Osborn
Hecaloidia nervosa Osborn 1923c: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1741 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
Hecalus afzelii (Stål)
Petalocephala afzelii Stål 1854b:251 [n.sp.]; Metcalf 1963d,6(9):12,13 [Cat.]
- DISTRIBUTION:** Sierra Leone, Nigeria, Somalia, Tanzania, South Africa, Congo, Ivory Coast, Guinea, Rwanda, Burundi, Zaire (Metcalf Cat.)
- Hecalus afzelii foliaticeps* (Stål)
Acocephalus foliaticeps Stål 1858d:454 [n.sp.]; Metcalf 1963d,6(9):13 [Cat.]
- DISTRIBUTION:** Nigeria (Metcalf Cat.)
Hecalus alienus Melichar
Hecalus alienus Melichar 1912c:114 [n.sp.,not nom.nov.]; Metcalf 1963d,6(9):13 [Cat.]
- DISTRIBUTION:** Tanzania, South Africa (Metcalf Cat.)
- Hecalus apicalis* Van Duzee
Hecalus apicalis Van Duzee 1909a:217 [n.sp.]; Metcalf 1963d,6(9):14 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Hecalus basedowi* Evans
Hecalus basedowi Evans 1938b:11 [n.sp.]; Metcalf 1963d,6(9):14 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Hecalus capitatus* Distant
Hecalus capitatus Distant 1918b:30 [n.sp.]; Metcalf 1963d,6(9):14 [Cat.]
- DISTRIBUTION:** India, Philippines (Metcalf Cat.)
- Hecalus dilatatus* Bierman
Hecalus dilatatus Bierman 1910a:65 [n.sp.]; Metcalf 1963d,6(9):14 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Hecalus durbanensis* Distant
Hecalus durbanensis Distant 1910e:238 [n.sp.]; Metcalf 1963d,6(9):14 [Cat.]
- DISTRIBUTION:** South Africa, Zaire (Metcalf Cat.)
- Hecalus ellipticus* Jacobi
Hecalus ellipticus Jacobi 1944a:53 [n.sp.]; Metcalf 1963d,6(9):15 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Hecalus elongatus* Evans
Hecalus elongatus Evans 1938b:11 [n.sp.]; Metcalf 1963d,6(9):15 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Hecalus facialis* Distant
Hecalus facialis Distant 1918b:29 [n.sp.]; Metcalf 1963d,6(9):15 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Hecalus formosanus Matsumura
Hecalus formosanus Matsumura 1912b:283 [n.sp.]; Metcalf 1963d,6(9):15 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
Hecalus foveolatus (Fieber)
Glossocratus foveolatus Fieber 1866a:513 [n.sp.]; Metcalf 1963d,6(9):15 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
Hecalus fukuroki Matsumura
Hecalus fukuroki Matsumura 1905a:49 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Hecalus godavariensis* Distant
Hecalus godavariensis Distant 1918b:30 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Hecalus gramineus* Merino
Hecalus gramineus Merino 1936a:353 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Hecalus grandis* Distant
Hecalus grandis Distant 1910e:239 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** South Africa, Zaire (Metcalf Cat.)
- Hecalus iguchii* Matsumura
Hecalus iguchii Matsumura 1912b:284 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Hecalus immaculatus* Kirkaldy
Hecalus immaculatus Kirkaldy 1906c:338 [n.sp.]; Metcalf 1963d,6(9):16 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Hecalus kuthyi* Tóth
Hecalus kuthyi Tóth 1938a:36 [n.sp.]; Metcalf 1963d,6(9):17 [Cat.]
- DISTRIBUTION:** Hungary (Metcalf Cat.)
- Hecalus ledrellus* Evans
Hecalus ledrellus Evans 1955b:5 [n.sp.]; Metcalf 1963d,6(9):17 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Hecalus lefroyi* Distant
Hecalus lefroyi Distant 1908g:275 [n.sp.]; Metcalf 1963d,6(9):17 [Cat.]
- DISTRIBUTION:** India, Japan, Taiwan, China, Afghanistan (Metcalf Cat.)
- Hecalus lineatus* (Uhler)
Glossocratus fenestratus Uhler 1877a:464 [n.sp.]; Metcalf 1963d,6(9):17 [Cat.]
- Glossocratus lineatus* Uhler 1877a:463 [n.sp.]; Metcalf 1963d,6(9):17 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Hecalus nervosus* Melichar
Hecalus nervosus Melichar 1903b:173 [n.sp.]; Metcalf 1963d,6(9):20 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)

- Hecalus pallescens Stål
Hecalus pallescens Stål 1864a:65 [n.sp.]; Metcalf 1963d,6(9):20 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Hecalus parvipictus Distant
Hecalus parvipictus Distant 1917c:191 [n.sp.]; Metcalf 1963d,6(9):20 [Cat.]
 DISTRIBUTION: Egypt, Ethiopia (Metcalf Cat.)
- Hecalus parvus (Walker)
Ledra parva Walker 1851b:828 [n.sp.]; Metcalf 1963d,6(9):20 [Cat.]
 DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Hecalus paykulli (Stål)
Petalocephala paykulli Stål 1854b:252 [n.sp.]; Metcalf 1963d,6(9):20 [Cat.]
 DISTRIBUTION: Senegal, India, China, Australia, Africa, Tanzania, Somalia, Kenya, Uganda (Metcalf Cat.)
- Hecalus platalea Noualhier
Hecalus platalea Noualhier 1869a:259 [n.sp.]; Metcalf 1963d,6(9):21 [Cat.]
 DISTRIBUTION: Thailand (Metcalf Cat.)
- Hecalus rubens Melichar
Hecalus (Glossocratus) rubens Melichar 1912c:114 [n.sp.]; Metcalf 1963d,6(9):21 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Hecalus scutellatus Distant
Hecalus scutellatus Distant 1910e:238 [n.sp.]; Metcalf 1963d,6(9):21 [Cat.]
 DISTRIBUTION: Mozambique, Zaire (Metcalf Cat.)
- Hecalus stenospatulatus Evans
Hecalus stenospatulatus Evans 1955a:9 [n.sp.]; Metcalf 1963d,6(9):22 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Hecalus sulcatus (Fieber)
Glossocratus sulcatus Fieber 1866a:513 [n.sp.]; Metcalf 1963d,6(9):22 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Hecalus syriacus Horváth
Hecalus syriacus Horváth 1911d:597 [n.sp.]; Metcalf 1963d,6(9):22 [Cat.]
 DISTRIBUTION: Syria (Metcalf Cat.)
- Hecalus umballaensis Distant
Hecalus umballaensis Distant 1908g:274 [n.sp.]; Metcalf 1963d,6(9):22 [Cat.]
 DISTRIBUTION: Pakistan (Metcalf Cat.)
- Hecullus balli (Beamer)
Hecalus balli Beamer 1937a:12 [n.sp.]; Metcalf 1963d,6(9):23 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hecullus bracteatus (Ball)
Hecalus bracteatus Ball 1901a:4 [n.sp.]; Metcalf 1963d,6(9):23 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Hegira brunnea Oman
Hegira brunnea Oman 1938b: 383 [n.sp.]; Metcalf 1967a, 6(10a): 160 [Cat.]
 DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Heliona adspersa Haupt
Heliona adspersa Haupt 1927a:41 [n.sp.]; Metcalf 1968a,6(17):612 [Cat.]
 DISTRIBUTION: Israel (Metcalf Cat.)
- Heliona constricta Melichar
Heliona constricta Melichar 1903b:215 [n.sp.]; Metcalf 1968a,6(17):612 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Heliona fasciolata Bodenheimer
Heliona fasciolata Bodenheimer 1930a:369 [n.sp.]; Metcalf 1968a,6(17):612 [Cat.]
 DISTRIBUTION: Israel, Sahara Desert (Metcalf Cat.)
- Helionides singularis Matsumura
Helionides singularis Matsumura 1931b:79 [n.sp.]; Metcalf 1968a,6(17):242 [Cat.]
 DISTRIBUTION: Japan, Hong Kong, China (Metcalf Cat.)
- Helionidia (Helionidia) biplagiata (Haupt)
Heliona biplagiata Haupt 1927a:42 [n.sp.]; Metcalf 1968a,6(17):1462 [Cat.]
 DISTRIBUTION: Israel (Metcalf Cat.)
- Helionidia (Helionidia) himyarita Zachvatkin
Helionidia (Helionidia) himyarita Zachvatkin 1946a:155 [n.sp.]; Metcalf 1968a,6(17):1462 [Cat.]
 DISTRIBUTION: Yemen (Metcalf Cat.)
- Helionidia (Helionidia) statices Zachvatkin
Helionidia (Helionidia) statices Zachvatkin 1946a:153 [n.sp.]; Metcalf 1968a,6(17):1462 [Cat.]
 DISTRIBUTION: Yemen (Metcalf Cat.)
- Helionidia (Tamaricella) biskrensis (Lethierry)
Typhlocyba (Chlorita) biskrensis Lethierry 1874c:449 [n.sp.]; Metcalf 1968a,6(17):1463 [Cat.]
 DISTRIBUTION: Algeria, Tunisia (Metcalf Cat.)
- Helionidia (Tamaricella) fasciolata (Lethierry)
Typhlocyba (Chlorita) fasciolata Lethierry 1874c:449 [n.sp.]; Metcalf 1968a,6(17):1463 [Cat.]
- Erythroneura cypria Ribaut 1948a:6 [n.subsp. of tamaricis]; Metcalf 1968a,6(17):1464 [Cat.]
 DISTRIBUTION: Greece, Algeria, Russia, Israel, Iran, Cyprus, Turkmenistan (Metcalf Cat.)
- Helionidia (Tamaricella) jaxartensis (Oshanin)
Zygina jaxartensis Oshanin 1871a:213 [n.sp.]; Metcalf 1968a,6(17):1464 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Helionidia (Tamaricella) ribauti Zachvatkin
Helionidia (Tamaricella) ribauti Zachvatkin 1947b:77,82 [n.sp.]; Metcalf 1968a,6(17):1464 [Cat.]
 DISTRIBUTION: Iran (Metcalf Cat.)
- Helionidia (Tamaricella) tamaricis (Puton)

- Typhlocyba* (*Zigyna* [sic]) *tamaricis* Puton 1872a:177
[n.sp.]; Metcalf 1968a,6(17):1465 [Cat.]
- DISTRIBUTION:** France, Russia, Georgia,
Azerbaijan, Hungary, Romania, Armenia, Spain,
Cyprus, Greece (Metcalf Cat.)
- Helochara argentina* (Berg)
Tettigonia argentina Berg 1879d:251 [n.sp.]; Metcalf
1965a,6(1):358 [Cat.]
- DISTRIBUTION:** Brazil, Argentina (Young 1977a)
- Helochara communis* Fitch
Helochara communis Fitch 1851a:56 [n.sp.]; Metcalf
1965a,6(1):359 [Cat.]
- Tettigonia herbida* Walker 1851b:769 [n.sp.]; Metcalf
1965a,6(1):359 [Cat.]
- DISTRIBUTION:** United States, Canada, Mexico
(Young 1977a)
- Helochara delta* Oman
Helochara delta Oman 1943a:74 [n.sp.]; Metcalf
1965a,6(1):364 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Helochara inflatoseta* (Lethierry)
Tettigonia inflatoseta Lethierry 1890a:158 [n.sp.];
Metcalf 1965a,6(1):364 [Cat.]
- DISTRIBUTION:** Venezuela (Young 1977a)
- Helochara punctatissima* (Signoret)
Tettigonia punctatissima Signoret 1854a:16 [n.sp.];
Metcalf 1965a,6(1):365 [Cat.]
- DISTRIBUTION:** Brazil, Argentina, Bolivia (Young
1977a)
- Helocharina albinervosa* (Signoret)
Tettigonia albinervosa Signoret 1854a:25 [n.sp.];
Metcalf 1965a,6(1):365 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
- Helocharina gayi* (Spinola)
Tettigonia gayi Spinola 1852a:285 [n.sp.]; Metcalf
1965a,6(1):365 [Cat.]
- DISTRIBUTION:** Chile (Young 1977a)
- Hemipeltis chilensis* Spinola
Hemipeltis chilensis Spinola 1852a:302 [n.sp.];
Metcalf 1962c,6(4):108 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
- Hemipeltis trigonus* Spinola
Hemipeltis trigonus Spinola 1852a:303 [n.sp.];
Metcalf 1962c,6(4):108 [Cat.]
- DISTRIBUTION:** Chile (Metcalf Cat.)
- Hemisudra borneensis* Schmidt
Hemisudra borneensis Schmidt 1911a:230 [n.sp.];
Metcalf 1962a,6(2):7 [Cat.]
- DISTRIBUTION:** Borneo (Metcalf Cat.)
- Henribautia beameri* Christian
Henribautia beameri Christian 1953a:1118 [n.sp.];
Metcalf 1968a,6(17):934 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Henribautia hubbardi* (McAtee)
Erythroneura hubbardi McAtee 1924c:35 [n.sp.];
Metcalf 1968a,6(17):934 [Cat.]
- DISTRIBUTION:** United States, Mexico (Metcalf
Cat.)
- Henribautia nigrocephala* (Beamer)
Typhlocyba nigrocephala Beamer 1943c:131 [n.sp.];
Metcalf 1968a,6(17):934 [Cat.]
- DISTRIBUTION:** United States, Mexico (Metcalf
Cat.)
- Henschia acuta* (Löw)
Thamnotettix acutus Löw 1885a: 349 [n.sp.]; Metcalf
1967b, 6(10b): 1745 [Cat.]
- Henschia seticauda* Lethierry 1892a: 69 [n.sp.];
Metcalf 1967b, 6(10b): 1745 [Cat.]
- DISTRIBUTION:** Austria, Germany, Hungary
(Metcalf Cat.)
- Henschia oculata* Lindberg
Henschia oculata Lindberg 1948b: 148 [n.sp.]; Metcalf
1967b, 6(10b): 1746 [Cat.]
- DISTRIBUTION:** Cyprus (Metcalf Cat.)
- Henschia vittata* Matsumura
Henschia vittata Matsumura 1914a: 228 [n.sp.];
Metcalf 1967b, 6(10b): 1746 [Cat.]
- DISTRIBUTION:** Taiwan, Singapore Island (Metcalf
Cat.)
- Hephatus freyi* (Fieber)
Pediopsis freyi Fieber 1868a:461 [n.sp.]; Metcalf
1966b,6(13):160 [Cat.]
- DISTRIBUTION:** Spain, Portugal, Italy, France,
Algeria (Metcalf Cat.)
- Hephatus nanus* (Herrich-Schaeffer)
Bythoscopus nanus Herrich-Schaeffer 1835a:69
[n.sp.]; Metcalf 1966b,6(13):160 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Scandinavia, Mediterranean, Baltic region, Russia,
Northern Africa (Metcalf Cat.)
- Hephatus nanus* cretaceus (Fieber)
Pediopsis nanus cretacea Fieber 1868a:461 [n.subsp.
of *nana*]; Metcalf 1966b,6(13):164 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Scandinavia, Mediterranean, Baltic region, Russia
(Metcalf Cat.)
- Hephatus nanus orientalis* Linnauvori
Hephatus orientalis Linnauvori 1953b:122 [n.subsp.
of *nanus*]; Metcalf 1966b,6(13):165 [Cat.]
- DISTRIBUTION:** Israel (Metcalf Cat.)
- Hesium falleni* Metcalf
Cicada biguttata Fallén 1806a: 27 [n.sp.]; Metcalf
1967a, 6(10a): 307 [Cat.]
- Hesium falleni* Metcalf 1955a: 265 [nom.nov. for
Cicada biguttata Fallén 1806]; Metcalf 1967a,
6(10a): 307 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
Scandinavia, Russia, United States (Metcalf Cat.)
- Heterostemma cuspidatum* (Signoret)
Tettigonia cuspidata Signoret 1855c:525 [n.sp.];
Metcalf 1965a,6(1):493 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)

- Heterostemma dolosum Melichar
Heterostemma dolosum Melichar 1924a:229 [n.sp.];
 Metcalf 1965a,6(1):494 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Heterostemma morosum Melichar
Heterostemma morosum Melichar 1924a:229 [n.sp.];
 Metcalf 1965a,6(1):494 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Heterostemma nervosum (Signoret)
Tettigonia nervosa Signoret 1855c:524 [n.sp.];
 Metcalf 1965a,6(1):494 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Hiratettix arisanellus Matsumura
Hiratettix arisanellus Matsumura 1932a:102 [n.sp.];
 Metcalf 1968a,6(17):241 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Hishimonus disciguttus (Walker)
Acocephalus discigutta Walker 1857b: 172 [n.sp.];
 Metcalf 1967a, 6(10a): 711 [Cat.]
Eutettix passiflorae Evans 1941e: 40 [n.sp.]; Metcalf
 1967a, 6(10a): 713 [Cat.]
 DISTRIBUTION: China, India, Australia, Malaysia,
 West Indonesia, Sri Lanka, Taiwan, New Guinea,
 Russia, Korea, Zaire, Ethiopia (Metcalf Cat.)
- Hishimonus sellatus (Uhler)
Thamnotettix sellatus Uhler 1896a: 294 [n.sp.];
 Metcalf 1967a, 6(10a): 713 [Cat.]
 DISTRIBUTION: Japan, New Guinea, West
 Indonesia, Sri Lanka, Australia, Philippines, India,
 Korea, China, Malaysia, Tanzania, Ethiopia
 (Metcalf Cat.)
- Hodoedocus acuminifrons Jacobi
Hodoedocus acuminifrons Jacobi 1910b:127 [n.sp.];
 Metcalf 1963b,6(7):24 [Cat.]
Kosasia typica Distant 1910e:240 [n.sp.]; Metcalf
 1963b,6(7):24 [Cat.]
Atritonia paradoxa Melichar 1914g:6 [n.sp.]; Metcalf
 1963b,6(7):24 [Cat.]
 DISTRIBUTION: Tanzania, South Africa, Zaire
 (Metcalf Cat.)
- Homalodisca angustata Melichar
Homalodisca angustata Melichar 1924a:232 [n.sp.];
 Metcalf 1965a,6(1):501 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Homalodisca apicalis Schmidt
Homalodisca apicalis Schmidt 1928c:58 [n.sp.];
 Metcalf 1965a,6(1):501 [Cat.]
 DISTRIBUTION: Costa Rica (Young 1968a)
- Homalodisca carbonaria Melichar
Homalodisca carbonaria Melichar 1924a:234 [n.sp.];
 Metcalf 1965a,6(1):501 [Cat.]
 DISTRIBUTION: Brazil, Paraguay (Young 1968a)
- Homalodisca elongata Ball
Homalodisca elongata Ball 1936a:178 [n.sp.]; Metcalf
 1965a,6(1):501 [Cat.]
 DISTRIBUTION: United States (Young 1968a)
- Homalodisca fabricii Metcalf
Cicada triangularis Fabricius 1803a:63 [n.sp.]; Metcalf
 1965a,6(1):501 [Cat.]
Homalodisca fabricii Metcalf 1965a:501 [nom.nov.
 for Cicada triangularis F abricius 1803];
 Metcalf 1965a,6(1):501 [Cat.]
 DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Homalodisca ignorata Melichar
Homalodisca ignorata Melichar 1924a:240 [n.sp.];
 Metcalf 1965a,6(1):502 [Cat.]
 DISTRIBUTION: Paraguay (Young 1968a)
- Homalodisca ignota Melichar
Homalodisca ignota Melichar 1924a:235 [n.sp.];
 Metcalf 1965a,6(1):502 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Homalodisca indefensa Melichar
Homalodisca indefensa Melichar 1924a:239 [n.sp.];
 Metcalf 1965a,6(1):502 [Cat.]
 DISTRIBUTION: Costa Rica (Young 1968a)
- Homalodisca insolita (Walker)
Proconia insolita Walker 1858b:227 [n.sp.]; Metcalf
 1965a,6(1):502 [Cat.]
 DISTRIBUTION: United States, Mexico, Guatemala,
 Panama, El Salvador, Costa Rica (Young 1968a)
- Homalodisca interjecta (Fowler)
Oncometopia interjecta Fowler 1899b:228 [n.sp.];
 Metcalf 1965a,6(1):503 [Cat.]
 DISTRIBUTION: Panama (Young 1968a)
- Homalodisca liturata Ball
Homalodisca liturata Ball 1901b:48 [n.sp.]; Metcalf
 1965a,6(1):503 [Cat.]
 DISTRIBUTION: United States: Arizona, California,
 Missouri;Mexico: Baja Calif., Sonora (Metcalf
 Cat.)
- Homalodisca lucernaria (Linnaeus)
Cicada lucernaria Linnaeus 1758a:434 [n.sp.]; Metcalf
 1965a,6(1):504 [Cat.]
Cicada brevirostris De Geer 1773a:203[nom.nov. for
 Cicada lucernaria L.1758&Fulgora
 lucernaria L.1767]; Metcalf 1965a,6(1):504 [Cat.]
 DISTRIBUTION: Guyana, French Guiana, Brazil,
 Venezuela, Colombia (Young 1968a)
- Homalodisca maculiventris Schmidt
Homalodisca maculiventris Schmidt 1928c:57 [n.sp.];
 Metcalf 1965a,6(1):505 [Cat.]
 DISTRIBUTION: Colombia (Young 1968a)
- Homalodisca separata Melichar
Homalodisca separata Melichar 1924a:238 [n.sp.];
 Metcalf 1965a,6(1):506 [Cat.]
 DISTRIBUTION: French Guiana: Cayenne;Brazil:
 Pará (Metcalf Cat.)
- Homalodisca triquetra (Fabricius)
Cicada triquetra Fabricius 1803a:63 [n.sp.]; Metcalf
 1965a,6(1):506 [Cat.]
Tettigonia vitripennis Germar 1821a:61 [n.sp.];
 Metcalf 1965a,6(1):506 [Cat.]

- Tettigonia coagulata* Say 1832b:307 [n.sp.]; Metcalf 1965a,6(1):506 [Cat.]
- Tettigonia ichthyocephala* Signoret 1854c:494 [n.sp.]; Metcalf 1965a,6(1):506 [Cat.]
- Proconia admittens* Walker 1858b:227 [n.sp.]; Metcalf 1965a,6(1):506 [Cat.]
- Proconia aurigena* Walker 1858b:228 [n.sp.]; Metcalf 1965a,6(1):506 [Cat.]
- Proconia excludens* Walker 1858a:98 [n.sp.]; Metcalf 1965a,6(1):506 [Cat.]
- DISTRIBUTION: South America (Young 1968a)
- Homalogoniella pubescens* (Signoret)
- Tettigonia pubescens* Signoret 1854d:721 [n.sp.]; Metcalf 1965a,6(1):523 [Cat.]
- DISTRIBUTION: Australia, Tasmania (Young 1986a)
- Homoscarta boliviiana* Schmidt
- Homoscarta boliviiana* Schmidt 1928a:46 [n.sp.]; Metcalf 1965a,6(1):602 [Cat.]
- DISTRIBUTION: Peru, Bolivia, Brazil (Young 1968a)
- Homoscarta ecuadoriana* Schmidt
- Homoscarta ecuadoriana* Schmidt 1928a:46 [n.sp.]; Metcalf 1965a,6(1):603 [Cat.]
- DISTRIBUTION: Ecuador (Young 1968a)
- Homoscarta irregularis* (Signoret)
- Tettigonia irregularis* Signoret 1855b:232 [n.sp.]; Metcalf 1965a,6(1):603 [Cat.]
- DISTRIBUTION: Peru, Bolivia, Brazil (Young 1968a)
- Homoscarta superciliaris* (Jacobi)
- Amblydisca superciliaris* Jacobi 1905c:165 [n.sp.]; Metcalf 1965a,6(1):603 [Cat.]
- DISTRIBUTION: Peru, Bolivia (Young 1968a)
- Hordnia circellata* (Baker)
- Tettigonia circellata* Baker 1898c:285 [n.sp.]; Metcalf 1965a,6(1):388 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hordnia dohrnii* (Signoret)
- Tettigonia dohrnii* Signoret 1855d:792 [n.sp.]; Metcalf 1965a,6(1):390 [Cat.]
- Tettigonia aurora* Baker 1898c:286 [n.sp.]; Metcalf 1965a,6(1):390 [Cat.]
- Tettigonia delicata* Fowler 1900b:269 [n.sp.]; Metcalf 1965a,6(1):390 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Hortlesia conciliata* Metcalf & Bruner
- Hortlesia conciliata* Metcalf & Bruner 1936a:932 [n.sp.]; Metcalf 1965a,6(1):431 [Cat.]
- DISTRIBUTION: Cuba (Young 1977a)
- Hortlesia cuneatula* (Osborn)
- Cicadella cuneatula* Osborn 1926b:205 [n.sp.]; Metcalf 1965a,6(1):431 [Cat.]
- DISTRIBUTION: Brazil, Bolivia, Argentina (Metcalf Cat.)
- Hortlesia filicis* Metcalf & Bruner
- Hortlesia filicis* Metcalf & Bruner 1936a:928 [n.sp.]; Metcalf 1965a,6(1):431 [Cat.]
- DISTRIBUTION: Cuba (Young 1977a)
- Hortlesia gundlachiana* Metcalf & Bruner
- Hortlesia gundlachiana* Metcalf & Bruner 1936a:930 [n.sp.]; Metcalf 1965a,6(1):431 [Cat.]
- DISTRIBUTION: Cuba (Metcalf Cat.)
- Hortlesia similis* (Walker)
- Tettigonia similis* Walker 1851b:769 [n.sp.]; Metcalf 1965a,6(1):431 [Cat.]
- Tettigonia prolixa* Fowler 1900c:275 [n.sp.]; Metcalf 1965a,6(1):432 [Cat.]
- DISTRIBUTION: Australia (Young 1986a)
- Huleria quadripunctata* Ball
- Huleria quadripunctata* Ball 1902b: 58 [n.sp.]; Metcalf 1967b, 6(10b): 1085 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hussa insignis* Distant
- Hussa insignis* Distant 1918b: 68 [n.sp.]; Metcalf 1967c, 6(10c): 2347 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Hybla maculata* McAtee
- Hybla maculata* McAtee 1932b:119 [n.sp.]; Metcalf 1968a,6(17):285 [Cat.]
- DISTRIBUTION: Puerto Rico, Dominican Republic, Costa Rica (Metcalf Cat.)
- Hybrasil brani* Kirkaldy
- Hybrasil brani* Kirkaldy 1907d: 41 [n.sp.]; Metcalf 1967c, 6(10c): 2089 [Cat.]
- DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Hylica paradoxa* Stål
- Hylica paradoxa* Stål 1863c:593 [n.sp.]; Metcalf 1962a,6(2):6 [Cat.]
- DISTRIBUTION: Myanmar, West Indonesia, India, Borneo (Metcalf Cat.)
- Hymetta anthisma* McAtee
- Hymetta anthisma* McAtee 1919a:123 [n.subsp. of *trifasciata*]; Metcalf 1968a,6(17):1468 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hymetta arizoniana* Fairbairn
- Hymetta arizoniana* Fairbairn 1928b:90 [n.sp.]; Metcalf 1968a,6(17):1468 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hymetta balteata* McAtee
- Hymetta balteata* McAtee 1919a:123 [n.subsp. of *trifasciata*]; Metcalf 1968a,6(17):1468,1470 [Cat.]
- Hymetta distincta* Fairbairn 1928b:87 [n.sp.]; Metcalf 1968a,6(17):1469 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hymetta balteata mediana* Fairbairn
- Hymetta balteata mediana* Fairbairn 1928b:89 [n.subsp. of *balteata*]; Metcalf 1968a,6(17):1470 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Hymetta kansasensis* [sic] Fairbairn

- Hymetta kansasensis* Fairbairn 1928b:90 [n.sp.];
Metcalf 1968a,6(17):1470 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Hymetta trifasciata* (Say)
Tettigonia trifasciata Say 1825a:343 [n.sp.]; Metcalf
 1968a,6(17):1470,1473 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Hymetta trifasciata albata* McAtee
Hymetta trifasciata albata McAtee 1919a:123
 [n.subsp. of *trifasciata*]; Metcalf 1968a,6(17):1473
 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Iassus aequalis* (Walker)
Bythoscopus aequalis Walker 1870b:318 [n.sp.];
 Metcalf 1966c,6(15):44 [Cat.]
DISTRIBUTION: New Guinea, East Indonesia: Mysol
 (Misool?) (Metcalf Cat.)
- Iassus albidus* (Walker)
Bythoscopus albidus Walker 1851b:872 [n.sp.];
 Metcalf 1966c,6(15):44 [Cat.]
DISTRIBUTION: Honduras (Metcalf Cat.)
- Iassus anguliferus* (Walker)
Bythoscopus anguliferus Walker 1851b:868 [n.sp.];
 Metcalf 1966c,6(15):45 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Iassus angustatus* (Osborn)
Bythoscopus angustatus Osborn 1934a:166 [n.sp.];
 Metcalf 1966c,6(15):45 [Cat.]
DISTRIBUTION: Oceania: Tonga Islands, Oceania:
 Samoa Islands (Metcalf Cat.)
- Iassus antarcticus* (Spinola)
Bythoscopus antarcticus Spinola 1852a:295 [n.sp.];
 Metcalf 1966c,6(15):45 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus apicalis* Spinola
Iassus apicalis Spinola 1852a:290 [n.sp.]; Metcalf
 1966c,6(15):45 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus arisanus* (Matsumura)
Macropsis arisanus Matsumura 1912b:299 [n.sp.];
 Metcalf 1966c,6(15):45 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Iassus atrifrons* (Metcalf)
Bythoscopus atrifrons Metcalf 1946d:136 [n.sp.];
 Metcalf 1966c,6(15):46 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Iassus australis* (Walker)
Bythoscopus australis Walker 1851b:872 [n.sp.];
 Metcalf 1966c,6(15):46 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Iassus bohemani* Metcalf
Jassus tiliae Boheman 1845b:162 [n.sp.]; Metcalf
 1966c,6(15):46 [Cat.]
- Iassus bohemani* Metcalf 1966c:46 [nom.nov. for
Jassus tiliae Boheman 1854]; Metcalf
 1966c,6(15):46 [Cat.]
DISTRIBUTION: Sweden (Metcalf Cat.)
- Iassus buxtoni* (Osborn)
Bythoscopus buxtoni Osborn 1934a:168 [n.sp.];
 Metcalf 1966c,6(15):47 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf
 Cat.)
- Iassus capensis* (Walker)
Bythoscopus capensis Walker 1851b:870 [n.sp.];
 Metcalf 1966c,6(15):47 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Iassus cephalotes* (Walker)
Bythoscopus cephalotes Walker 1857b:174 [n.sp.];
 Metcalf 1966c,6(15):47 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Iassus chilensis* Spinola
Iassus chilensis Spinola 1852a:291 [n.sp.]; Metcalf
 1966c,6(15):47 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus chortophilus* Walker
Iassus chortophilus Walker 1851b:893 [n.sp.]; Metcalf
 1966c,6(15):48 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Iassus clathratus* Blanchard
Iassus clathratus Blanchard 1852 [in Spinola
 1852a:291] [n.sp.]; Metcalf 1966c,6(15):48 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus collinus* (Osborn)
Bythoscopus collinus Osborn 1934b:242 [n.sp.];
 Metcalf 1966c,6(15):48 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands
 (Metcalf Cat.)
- Iassus compactus* (Evans)
Jassus compactus Evans 1947a:257 [n.sp.]; Metcalf
 1966c,6(15):48 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Iassus coriaceus* Walker
Iassus coriaceus Walker 1870b:324 [n.sp.]; Metcalf
 1966c,6(15):48 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool?)
 (Metcalf Cat.)
- Iassus costalis* Walker
Iassus costalis Walker 1870b:323 [n.sp.]; Metcalf
 1966c,6(15):49 [Cat.]
DISTRIBUTION: Indonesia: Morty Island (Metcalf
 Cat.)
- Iassus elegans* (Blanchard)
Bythoscopus elegans Blanchard 1852 [in Spinola
 1852a:297] [n.sp.]; Metcalf 1966c,6(15):49 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus epirrhoena* Walker
Iassus epirrhoena Walker 1851b:894 [n.sp.]; Metcalf
 1966c,6(15):50 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)

- Iassus evansi* Metcalf
Jassus acutus Evans 1955a:29 [n.sp.]; Metcalf
 1966c,6(15):50 [Cat.]
- Iassus evansi* Metcalf 1966c:50 [nom.nov. for for
Jassus acutus Evans 1955]; Metcalf
 1966c,6(15):50 [Cat.]
- DISTRIBUTION: Zaire (Metcalf Cat.)
- Iassus extremus* Walker
Iassus extremus Walker 1852a:1164 [n.sp.]; Metcalf
 1966c,6(15):50 [Cat.]
- DISTRIBUTION: Europe (Metcalf Cat.)
- Iassus flavipes* (Motschulsky)
Jassus flavipes Motschulsky 1859b:111 [n.sp.];
 Metcalf 1966c,6(15):51 [Cat.]
- DISTRIBUTION: locality unknown (Metcalf Cat.)
- Iassus flavoscutatus* (Blanchard)
Bythoscopus flavoscutatus Blanchard 1852 [in Spinola
 1852a:297] [n.sp.]; Metcalf 1966c,6(15):51 [Cat.]
- DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus formosanus* (Matsumura)
Pediopoides formosanus Matsumura 1912b:306
 [n.sp.]; Metcalf 1966c,6(15):51 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Iassus frontalis* (Blanchard)
Bythoscopus frontalis Blanchard 1852 [in Spinola
 1852a:298] [n.sp.]; Metcalf 1966c,6(15):51 [Cat.]
- DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus hyalinus* Palisot de Beauvois
Iassus hyalinus Palisot de Beauvois 1820a:170 [n.sp.];
 Metcalf 1966c,6(15):53 [Cat.]
- DISTRIBUTION: Africa (Metcalf Cat.)
- Iassus hypaulacius* (Walker)
Bythoscopus hypaulacia Walker 1851b:864 [n.sp.];
 Metcalf 1966c,6(15):53 [Cat.]
- DISTRIBUTION: France (Metcalf Cat.)
- Iassus ignicans* (Walker)
Bythoscopus ignicans Walker 1857b:175 [n.sp.];
 Metcalf 1966c,6(15):53 [Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Iassus immemorans* (Walker)
Bythoscopus immemorans Walker 1858a:110 [n.sp.];
 Metcalf 1966c,6(15):53 [Cat.]
- DISTRIBUTION: Uruguay (Metcalf Cat.)
- Iassus indicus* (Lethierry)
Macropsis indica Lethierry 1892c:209 [n.sp.]; Metcalf
 1966c,6(15):53 [Cat.]
- Pachyopsis chlorophana* Melichar 1903b:153 [n.sp.];
 Metcalf 1966c,6(15):53 [Cat.]
- DISTRIBUTION: India, Sri Lanka, Tanzania,
 Myanmar, West Indonesia, East Indonesia, Indian
 Ocean: Seychelles Islands, Oceania: Samoa
 Islands, Oceania: Marquesas Islands, Philippines,
 China (Metcalf Cat.)
- Iassus lanio* (Linnaeus)
Cicada lanio Linnaeus 1761a:242 [n.sp.]; Metcalf
 1966c,6(15):55 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Western Mediterranean, Baltic
 region, Russia, Northern Africa (Metcalf Cat.)
- Iassus lanio brunneus* (Fabricius)
Cicada lanio brunnea Fabricius 1794a:43 [n.sp.];
 Metcalf 1966c,6(15):67 [Cat.]
- DISTRIBUTION: Germany (Metcalf Cat.)
- Iassus lateralis* (Matsumura)
Macropsis lateralis Matsumura 1905a:51 [n.sp.];
 Metcalf 1966c,6(15):69 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Iassus laticeps* (Osborn)
Bythoscopus laticeps Osborn 1934a:168 [n.sp.];
 Metcalf 1966c,6(15):70 [Cat.]
- DISTRIBUTION: Oceania: Samoa Islands (Metcalf
 Cat.)
- Iassus latifrons* Blanchard
Iassus latifrons Blanchard 1852 [in Spinola
 1852a:293] [n.sp.]; Metcalf 1966c,6(15):70 [Cat.]
- DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus leucospilus* (Walker)
Bythoscopus leucospilus Walker 1851b:859 [n.sp.];
 Metcalf 1966c,6(15):70 [Cat.]
- DISTRIBUTION: Italy (Metcalf Cat.)
- Iassus leveri* (Evans)
Jassus leveri Evans 1947a:257 [n.sp.]; Metcalf
 1966c,6(15):71 [Cat.]
- DISTRIBUTION: Oceania: Solomon Islands (Metcalf
 Cat.)
- Iassus liber* (Walker)
Bythoscopus liber Walker 1858a:111 [n.sp.]; Metcalf
 1966c,6(15):71 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Iassus lineola* Walker
Iassus lineola Walker 1858b:272 [n.sp.]; Metcalf
 1966c,6(15):71 [Cat.]
- DISTRIBUTION: Gambia (Metcalf Cat.)
- Iassus lituriceps* Walker
Iassus lituriceps Walker 1870b:323 [n.sp.]; Metcalf
 1966c,6(15):71 [Cat.]
- DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Iassus lucidicosta* Walker
Iassus lucidicosta Walker 1870b:323 [n.sp.]; Metcalf
 1966c,6(15):71 [Cat.]
- DISTRIBUTION: New Guinea (Metcalf Cat.)
- Iassus maculatus* (Osborn)
Bythoscopus maculatus Osborn 1934b:243 [n.sp.];
 Metcalf 1966c,6(15):72 [Cat.]
- DISTRIBUTION: Oceania: Marquesas Islands
 (Metcalf Cat.)
- Iassus maculipennis* (Stål)
Macropsis maculipennis Stål 1870c:740 [n.sp.];
 Metcalf 1966c,6(15):72 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
- Iassus magnus* (Distant)

- Bythoscopus magnus* Distant 1916a:227 [n.sp.];
 Metcalf 1966c,6(15):72 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Iassus matsumurai* Metcalf
Macropsis punctata Matsumura 1912b:298 [n.sp.];
 Metcalf 1966c,6(15):72 [Cat.]
Iassus matsumurai Metcalf 1966c:72 [nom.nov. for
Macropsis punctata Matsumura 1912]; Metcalf
 1966c,6(15):72 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Iassus montaguei* (Distant)
Bythoscopus montaguei Distant 1920f:467 [n.sp.];
 Metcalf 1966c,6(15):73 [Cat.]
 DISTRIBUTION: New Caledonia (Metcalf Cat.)
- Iassus multisparsus* (Jacobi)
Bythoscopus multisparsus Jacobi 1917a:546 [n.sp.];
 Metcalf 1966c,6(15):73 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Iassus nacia* (Walker)
Bythoscopus nacia Walker 1851b:864 [n.sp.]; Metcalf
 1966c,6(15):73 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Iassus nigrifrons* (Osborn)
Bythoscopus nigrifrons Osborn 1924b:389 [n.sp.];
 Metcalf 1966c,6(15):74 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Iassus obliquus* (Walker)
Bythoscopus obliquus Walker 1858b:267 [n.sp.];
 Metcalf 1966c,6(15):74 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Iassus osborni* Metcalf
Bythoscopus hyalinus Osborn 1934a:169 [n.sp.];
 Metcalf 1966c,6(15):74 [Cat.]
Iassus osborni Metcalf 1966c:74 [nom.nov. for
Bythoscopus hyalinus Osborn 1934]; Metcalf
 1966c,6(15):74 [Cat.]
 DISTRIBUTION: Oceania: Samoa Islands (Metcalf
 Cat.)
- Iassus pallidus* (Osborn)
Bythoscopus pallidus Osborn 1924b:388 [n.sp.];
 Metcalf 1966c,6(15):75 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Iassus pedemantia* Walker
Iassus pedemantia Walker 1851b:893 [n.sp.]; Metcalf
 1966c,6(15):75 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Iassus pellucidus* (Osborn)
Bythoscopus pellucidus Osborn 1934b:242 [n.sp.];
 Metcalf 1966c,6(15):75 [Cat.]
 DISTRIBUTION: Oceania: Marquesas Islands
 (Metcalf Cat.)
- Iassus peltophlyctis* (Walker)
Bythoscopus peltophlyctis Walker 1851b:864 [n.sp.];
 Metcalf 1966c,6(15):75 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Iassus piceatus* (Distant)
- Bythoscopus piceatus* Distant 1908g:191 [n.sp.];
 Metcalf 1966c,6(15):75 [Cat.]
 DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
- Iassus politus* (Walker)
Bythoscopus politus Walker 1870b:320 [n.sp.];
 Metcalf 1966c,6(15):76 [Cat.]
 DISTRIBUTION: Indonesia: Morty Island (Metcalf
 Cat.)
- Iassus prostictops* Walker
Iassus prostictops Walker 1851b:893 [n.sp.]; Metcalf
 1966c,6(15):76 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Iassus pubipennis* (Lethierry)
Macropsis pubipennis Lethierry 1890a:156 [n.sp.];
 Metcalf 1966c,6(15):76 [Cat.]
 DISTRIBUTION: Venezuela (Metcalf Cat.)
- Iassus pulvereus* (Distant)
Bythoscopus pulvereus Distant 1908g:192 [n.sp.];
 Metcalf 1966c,6(15):77 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Iassus punctatissimus* (Melichar)
Pachyopsis punctatissima Melichar 1908b:12 [n.sp.];
 Metcalf 1966c,6(15):77 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
- Iassus punctatus* (Kirby)
Idiocerus punctatus Kirby 1900a:138 [n.sp.]; Metcalf
 1966c,6(15):77 [Cat.]
 DISTRIBUTION: Christmas Isl. (Indi.Ocean), Austro-
 Malayan Region (Metcalf Cat.)
- Iassus rinkihonis* (Matsumura)
Macropsis rinkihonis Matsumura 1912b:300 [n.sp.];
 Metcalf 1966c,6(15):78 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Iassus rubrofrontalis* (Distant)
Bythoscopus rubrofrontalis Distant 1908g:192 [n.sp.];
 Metcalf 1966c,6(15):78 [Cat.]
 DISTRIBUTION: Philippines, West Indonesia, East
 Indonesia, India (Metcalf Cat.)
- Iassus rufescens* (Blanchard)
Bythoscopus rufescens Blanchard 1852 [in Spinola
 1852a:298] [n.sp.]; Metcalf 1966c,6(15):79 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus schrankii* (Gmelin)
Cicada fenestrata Schrank 1776a:74 [n.sp.]; Metcalf
 1966c,6(15):79 [Cat.]
Cicada schrankii Gmelin 1789a:2109 [nom.nov. for
Cicada fenestrata Schrank 1776]; Metcalf
 1966c,6(15):79 [Cat.]
Cicada alni Schrank 1801a:50 [n.sp.]; Metcalf
 1966c,6(15):79 [Cat.]
Pediopsis heydenii Kirschbaum 1868b:172 [n.sp.];
 Metcalf 1966c,6(15):79 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Mediterranean, Baltic
 region, Russia, Japan (Metcalf Cat.)
- Iassus scutellaris* (Fieber)

- Macropsis scutellaris* Fieber 1868a:451 [n.sp.]; Metcalf 1966c,6(15):87 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Western Mediterranean (Metcalf Cat.)
- Iassus scutellaris* purpuratus (Horváth)
Macropsis scutellaris purpuratus Horváth 1897b:626 [n.subsp. of *scutellaris*]; Metcalf 1966c,6(15):89 [Cat.]
DISTRIBUTION: Hungary, Croatia, France, Austria (Metcalf Cat.)
- Iassus sinensis* (Walker)
Bythoscopus sinensis Walker 1851b:871 [n.sp.]; Metcalf 1966c,6(15):89 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Iassus smithii* (Baker)
Macropsis smithii Baker 1900a:56 [n.sp.]; Metcalf 1966c,6(15):89 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Iassus sordidus* (Baker)
Macropsis sordidus Baker 1900a:56 [n.sp.]; Metcalf 1966c,6(15):90 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Iassus stramineus* (Baker)
Macropsis stramineus Baker 1900a:59 [n.sp.]; Metcalf 1966c,6(15):90 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Iassus testaceus* (Walker)
Bythoscopus testaceus Walker 1852a:1163 [n.sp.]; Metcalf 1966c,6(15):91 [Cat.]
DISTRIBUTION: Australia, Borneo, Philippines (Metcalf Cat.)
- Iassus tetrops* (Jacobi)
Bythoscopus tetrops Jacobi 1917a:546 [n.sp.]; Metcalf 1966c,6(15):91 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Iassus tutuilanus* (Osborn)
Bythoscopus tutuilanus Osborn 1934a:166 [n.sp.]; Metcalf 1966c,6(15):91 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Iassus vermiculatus* Blanchard
Iassus vermiculatus Blanchard 1852 [in *Spinola* 1852a:293] [n.sp.]; Metcalf 1966c,6(15):92 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Iassus viduus* (Stål)
Bythoscopus viduus Stål 1859b:291 [n.sp.]; Metcalf 1966c,6(15):92 [Cat.]
DISTRIBUTION: Oceania: Hawaii Islands, Tahiti Islands (Metcalf Cat.)
- Iassus viridoflavidus* (Metcalf)
Bythoscopus viridoflavidus Metcalf 1946d:136 [n.sp.]; Metcalf 1966c,6(15):92 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Iassus walkeri* Metcalf
Bythoscopus unicolor Walker 1870b:320 [n.sp.]; Metcalf 1966c,6(15):93 [Cat.]
- Iassus walkeri* Metcalf 1966c:93 [nom.nov. for *Bythoscopus unicolor* Walker 1870]; Metcalf 1966c,6(15):93 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Iassus xantholues* Walker
Iassus xantholues Walker 1851b:894 [n.sp.]; Metcalf 1966c,6(15):93 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Iassus zinnevia* (Walker)
Bythoscopus zinnevia Walker 1851b:864 [n.sp.]; Metcalf 1966c,6(15):93 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Iberia bolivari* (Signoret)
Stegelytra bolivari Signoret 1880b:203 [n.sp.]; Metcalf 1964b,6(11):93 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Iberia putoni* (Mulsant & Rey)
Stegelytra putoni Mulsant & Rey 1875a:169 [n.sp.]; Metcalf 1964b,6(11):93 [Cat.]
DISTRIBUTION: Portugal, France, Spain, Austria, Morocco, Croatia (Metcalf Cat.)
- Ichthyobelus bellicosus* Melichar
Ichthyobelus bellicosus Melichar 1925a:361 [n.sp.]; Metcalf 1965a,6(1):540 [Cat.]
DISTRIBUTION: Ecuador, Peru, Bolivia (Young 1968a)
- Idiocerella obscura* Evans
Idiocerella obscura Evans 1941e: 39 [n.sp.]; Metcalf 1966d, 6(16): 216 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerinus bakeri* Merino
Idiocerinus bakeri Merino 1936a: 327 [n.sp.]; Metcalf 1966d, 6(16): 224 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Idiocerinus melichari* Baker
Idiocerinus melichari Baker 1915c: 341 [n.sp.]; Metcalf 1966d, 6(16): 224 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Idiocerinus nacreatus* Baker
Idiocerinus nacreatus Baker 1915c: 341 [n.sp.]; Metcalf 1966d, 6(16): 224 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Idiocerinus stali* (Fieber)
Idiocerus stali Fieber 1868a: 453 [n.sp.]; Metcalf 1966d, 6(16): 225 [Cat.]
- Idiocerus bicolor* Melichar 1896d: 205 [n.sp.]; Metcalf 1966d, 6(16): 225 [Cat.]
DISTRIBUTION: Turkey, Greece, Cyprus, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Idioceroides tettigiformis* Matsumura
Idioceroides tettigiformis Matsumura 1912b: 324 [n.sp.]; Metcalf 1966d, 6(16): 217 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Idiocerus aaliensis* Strand

- Idiocerus aaliensis* Strand 1913a: 271 [n.sp.]; Metcalf 1966d, 6(16): 22 [Cat.]
DISTRIBUTION: Norway (Metcalf Cat.)
- Idiocerus acuminatus* Osborn
Idiocerus acuminatus Osborn 1923b: 21 [n.sp.]; Metcalf 1966d, 6(16): 23 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Idiocerus affinis* Flor
Idiocerus affinis Flor 1861a: 176 [n.sp.]; Metcalf 1966d, 6(16): 23 [Cat.]
DISTRIBUTION: Latvia, Estonia (Metcalf Cat.)
- Idiocerus albicans* Kirschbaum
Idiocerus albicans Kirschbaum 1868a: 17 [n.sp.]; Metcalf 1966d, 6(16): 23 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Russia, United States (Metcalf Cat.)
- Idiocerus albicans fuscoceruleus* Edwards
Idiocerus albicans fuscocerulea Edwards 1914b: 812 [n.subsp. of *albicans*]; Metcalf 1966d, 6(16): 26 [Cat.]
DISTRIBUTION: Great Britain, Netherlands (Metcalf Cat.)
- Idiocerus albicollis* Osborn
Idiocerus albicollis Osborn 1924b: 391 [n.sp.]; Metcalf 1966d, 6(16): 26 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus almasyi* Horváth
Idiocerus almasyi Horváth 1904b: 588 [n.sp.]; Metcalf 1966d, 6(16): 26 [Cat.]
DISTRIBUTION: Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Idiocerus alnirubratus* Bliven
Idiocerus alnirubratus Bliven 1955b: 9 [n.sp.]; Metcalf 1966d, 6(16): 27 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus alternatus* Fitch
Idiocerus alternatus Fitch 1851a: 59 [n.sp.]; Metcalf 1966d, 6(16): 27 [Cat.]
- Idiocerus interruptus* Gillette & Baker 1895a: 74 [n.sp.]; Metcalf 1966d, 6(16): 27 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus amabilis* Ball
Idiocerus amabilis Ball 1902e: 306 [n.sp.]; Metcalf 1966d, 6(16): 30 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus amoenus* [sic] Van Duzee
Idiocerus amoemus Van Duzee 1894b: 89 [n.sp.]; Metcalf 1966d, 6(16): 31 [Cat.]
- Idiocerus amoenus* Gillette & Baker 1895a: 74 [implicit emend. of *amoemus*]; Metcalf 1966d, 6(16): 31 [Cat.]
- Idiocerus depictus* Ball 1902e: 313 [n.subsp. of *amoenus*]; Metcalf 1966d, 6(16): 31 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Idiocerus angustiloris* Reuter
Idiocerus angustiloris Reuter 1885a: 33 [n.sp.]; Metcalf 1966d, 6(16): 32 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Idiocerus apache* Ball & Parker
Idiocerus apache Ball & Parker 1946a: 76 [n.sp.]; Metcalf 1966d, 6(16): 32 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus apache juniperus* DeLong & Hershberger
Idiocerus apache juniperus DeLong & Hershberger 1947a: 46 [n.subsp. of *apache*]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus apertus* DeLong & Hershberger
Idiocerus apertus DeLong & Hershberger 1947a: 46 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus apicalis* Matsumura
Idiocerus apicalis Matsumura 1912b: 323 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Idiocerus areatus* Osborn
Idiocerus areatus Osborn 1923b: 17 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus astutus* Melichar
Idiocerus astutus Melichar 1903b: 150 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Idiocerus atkinsoni* Lethierry
Idiocerus atkinsoni Lethierry 1889c: 252 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
- Idiocerus quinquepunctatus* Melichar 1903b: 146 [n.sp.]; Metcalf 1966d, 6(16): 33 [Cat.]
DISTRIBUTION: India, Sri Lanka, Japan, Pakistan, Myanmar (Metcalf Cat.)
- Idiocerus aulonias* Kirkaldy
Idiocerus aulonias Kirkaldy 1907d: 34 [n.sp.]; Metcalf 1966d, 6(16): 35 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus bakeri* Metcalf
Idiocerus trifasciatus Osborn 1923b: 19 [n.sp.]; Metcalf 1966d, 6(16): 35 [Cat.]
- Idiocerus bakeri* Metcalf 1955a: 266 [nom.nov. for *Idiocerus trifasciatus* Osborn 1923]; Metcalf 1966d, 6(16): 35 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus bimaculatus* Singh-Pruthi
Idiocerus bimaculatus Singh-Pruthi 1936a: 102 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Idiocerus bipunctatus* Lindberg
Idiocerus bipunctatus Lindberg 1925a: 107 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]

- DISTRIBUTION:** Kazakhstan, Turkmenistan (Metcalf Cat.)
- Idiocerus borealis* DeLong & Caldwell
Idiocerus borealis DeLong & Caldwell 1937b: 161 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus bovinus* Ball & Parker
Idiocerus bovinus Ball & Parker 1946a: 79 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus braziliensis* Metcalf
Bythoscopus unicolor Stål 1862e: 54 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]
Idiocerus braziliensis Metcalf 1966d: 36 [nom.nov. for *Bythoscopus unicolor* Stål 1862]; Metcalf 1966d, 6(16): 36 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus breviatus* Osborn
Idiocerus breviatus Osborn 1924b: 392 [n.sp.]; Metcalf 1966d, 6(16): 36 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus brunneus* Osborn & Ball
Idiocerus brunneus Osborn & Ball 1898e: 72 [n.sp.]; Metcalf 1966d, 6(16): 37 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus brusinae* Horváth
Idiocerus brusinae Horváth 1895b: 46 [n.sp.]; Metcalf 1966d, 6(16): 37 [Cat.]
DISTRIBUTION: Widespread Balkans, Western Mediterranean (Metcalf Cat.)
- Idiocerus caliginosus* DeLong & Caldwell
Idiocerus caliginosus DeLong & Caldwell 1937b: 164 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus candidus* Evans
Idiocerus candidus Evans 1941f: 151 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus catalinus* Ball & Parker
Idiocerus catalinus Ball & Parker 1946a: 76 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus cauterus* Ball & Parker
Idiocerus cauterus Ball & Parker 1946a: 82 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus cephalicus* Ball & Parker
Idiocerus cephalicus Ball & Parker 1946a: 79 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus chicanus* Ball & Parker
Idiocerus chicanus Ball & Parker 1946a: 77 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus chisosus* DeLong & Caldwell
Idiocerus chisosus DeLong & Caldwell 1937b: 164 [n.sp.]; Metcalf 1966d, 6(16): 38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus chivensis* Kusnezov
Idiocerus chivensis Kusnezov 1929a: 309 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Idiocerus cinctus* DeLong & Caldwell
Idiocerus cinctus DeLong & Caldwell 1937b: 163 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus citrinus* Melichar
Indiocerus [sic] *citrinus* Melichar 1914g: 2 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Idiocerus clavopunctatus* Evans
Idiocerus clavopunctatus Evans 1954a: 106 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Idiocerus clypealis* Lethierry
Idiocerus clypealis Lethierry 1889c: 252 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
Idiocerus nigroclypeatus Melichar 1903b: 148 [n.sp.]; Metcalf 1966d, 6(16): 39 [Cat.]
DISTRIBUTION: India, Sri Lanka, Japan, Taiwan, West Indonesia, Malaysia, Philippines (Metcalf Cat.)
- Idiocerus coconinus* Ball & Parker
Idiocerus coconinus Ball & Parker 1946a: 75 [n.sp.]; Metcalf 1966d, 6(16): 42 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus cognatus* Fieber
Idiocerus bohemani Kirschbaum 1868b: 162 [n.sp.]; Metcalf 1966d, 6(16): 42 [Cat.]
Idiocerus cognatus Fieber 1868a: 455 [n.sp.]; Metcalf 1966d, 6(16): 42 [Cat.]
Idiocerus distinguendus Kirschbaum 1868a: 5 [n.sp.]; Metcalf 1966d, 6(16): 42 [Cat.]
Idiocerus lucidus Kirschbaum 1868a: 11 [n.sp.]; Metcalf 1966d, 6(16): 42 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandanvia, Canada, United States (Metcalf Cat.)
- Idiocerus coloratus* Evans
Idiocerus coloratus Evans 1941f: 150 [n.sp.]; Metcalf 1966d, 6(16): 47 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus concinnus* Ball
Idiocerus concinnus Ball 1902e: 306 [n.sp.]; Metcalf 1966d, 6(16): 47 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus confuscosus* Singh-Pruthi
Idiocerus confuscosus Singh-Pruthi 1936a: 104 [n.sp.]; Metcalf 1966d, 6(16): 47 [Cat.]

- DISTRIBUTION:** India (Metcalf Cat.)
- Idiocerus confusus** Flor
Idiocerus confusus Flor 1861a: 179 [n.sp.]; Metcalf 1966d, 6(16): 48 [Cat.]
- Idiocerus nubilis* Buckton 1890d: 118 [n.sp.]; Metcalf 1966d, 6(16): 49 [Cat.]
- DISTRIBUTION:** Widespread Scandinavia, Europe, Great Britain (Metcalf Cat.)
- Idiocerus confusus nigricans** Ossiannilsson
Idiocerus confusus nigricans Ossiannilsson 1942b: 114 [n.subsp. of *confusus*]; Metcalf 1966d, 6(16): 53 [Cat.]
- DISTRIBUTION:** Sweden, Poland (Metcalf Cat.)
- Idiocerus costalis** Osborn
Idiocerus costalis Osborn 1924b: 392 [n.sp.]; Metcalf 1966d, 6(16): 53 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Idiocerus couleanus** Ball & Parker
Idiocerus couleanus Ball & Parker 1946a: 73 [n.sp.]; Metcalf 1966d, 6(16): 53 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Idiocerus crassipes** Sahlberg
Idiocerus crassipes Sahlberg 1871a: 143 [n.sp.]; Metcalf 1966d, 6(16): 53 [Cat.]
- DISTRIBUTION:** Scandinavia, Russia (Metcalf Cat.)
- Idiocerus crataegi** Van Duzee
Idiocerus crataegi Van Duzee 1890a: 110 [n.sp.]; Metcalf 1966d, 6(16): 54 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Idiocerus cuneiformis** Naudé
Idiocerus cuneiformis Naudé 1926a: 16 [n.sp.]; Metcalf 1966d, 6(16): 55 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Idiocerus cupido** Kirkaldy
Idiocerus cupido Kirkaldy 1907d: 34 [n.sp.]; Metcalf 1966d, 6(16): 55 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus cupreus** (Walker)
Bythoscopus cupreus Walker 1851b: 871 [n.sp.]; Metcalf 1966d, 6(16): 55 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus cupreus lineolatus** Ribaut
Idiocerus cupreus lineolatus Ribaut 1952a: 380 [n.subsp. of *cupreus*]; Metcalf 1966d, 6(16): 56 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Idiocerus decimaquartus** (Schrank)
Cicada decimaquarta Schrank 1776a: 76 [n.sp.]; Metcalf 1966d, 6(16): 56 [Cat.]
- Bythoscopus crenatus* Herrich-Schaeffer 1835b: pl.10 [n.sp.]; Metcalf 1966d, 6(16): 56 [Cat.]
- Bythoscopus scurra* Herrich-Schaeffer 1835b: pl.11 [n.sp.]; Metcalf 1966d, 6(16): 56 [Cat.]
- Idiocerus germari** Fieber 1868a: 451 [n.sp.]; Metcalf 1966d, 6(16): 57 [Cat.]
- Idiocerus gemmisimulans** Leonard & Crosby 1915a: 541-547 [n.sp.]; Metcalf 1966d, 6(16): 60 [Cat.]
- DISTRIBUTION:** Widespread Europe, Western Mediterranean, Russia, Caspian Sea region, United States, Canada (Metcalf Cat.)
- Idiocerus decimaquartus fulvus** Rey
Idiocerus decimaquartus fulvus Rey 1894b: 30 [n.subsp. of *scurrus*]; Metcalf 1966d, 6(16): 64 [Cat.]
- DISTRIBUTION:** France, Netherlands (Metcalf Cat.)
- Idiocerus dimidiatus** Ribaut
Idiocerus dimidiatus Ribaut 1952a: 376 [n.sp.]; Metcalf 1966d, 6(16): 64 [Cat.]
- DISTRIBUTION:** France, Morocco, Italy (Metcalf Cat.)
- Idiocerus distinctus** Gillette & Baker
Idiocerus distinctus Gillette & Baker 1895a: 75 [n.sp.]; Metcalf 1966d, 6(16): 64 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Idiocerus divisus** Evans
Idiocerus divisus Evans 1935c: 80 [n.sp.]; Metcalf 1966d, 6(16): 65 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus dolosus** Ball
Idiocerus dolosus Ball 1902e: 304 [n.sp.]; Metcalf 1966d, 6(16): 65 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Idiocerus downesi** Ball & Parker
Idiocerus downesi Ball & Parker 1946a: 74 [n.sp.]; Metcalf 1966d, 6(16): 65 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Idiocerus duzeei** Provancher
Idiocerus duzeei Provancher 1889a: 289 [n.sp.]; Metcalf 1966d, 6(16): 66 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Idiocerus eburneomaculatus** Osborn
Idiocerus eburneomaculatus Osborn 1924b: 391 [n.sp.]; Metcalf 1966d, 6(16): 67 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Idiocerus elegans** Flor
Idiocerus elegans Flor 1861a: 174 [n.sp.]; Metcalf 1966d, 6(16): 67 [Cat.]
- Idiocerus viduatus* Edwards 1886a: 118 [n.sp.]; Metcalf 1966d, 6(16): 68 [Cat.]
- Idiocerus frontalis* Melichar 1896a: 160 [n.sp.]; Metcalf 1966d, 6(16): 69 [Cat.]
- DISTRIBUTION:** Widespread Scandinavia, Russia, Europe, Western Mediterranean (Metcalf Cat.)
- Idiocerus ensiger** Ball
Idiocerus ensiger Ball 1902e: 308 [n.sp.]; Metcalf 1966d, 6(16): 72 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Idiocerus erythrophthalmus (Schrank)
Cicada erythrophthalma Schrank 1776a: 77 [n.sp.];
 Metcalf 1966d, 6(16): 72 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
Idiocerus exquisitus Osborn
Idiocerus exquisitus Osborn 1924b: 394 [n.sp.];
 Metcalf 1966d, 6(16): 73 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Idiocerus fasciatus Fieber
Idiocerus fasciatus Fieber 1868a: 455 [n.sp.]; Metcalf
 1966d, 6(16): 73 [Cat.]
Idiocerus brunneipennis Matsumura 1908a: 45 [n.sp.];
 Metcalf 1966d, 6(16): 73 [Cat.]
DISTRIBUTION: Austria, Germany, France,
 Belgium, Czech Republic, Hungary, Spain,
 Netherlands (Metcalf Cat.)
Idiocerus fasciolatus Distant
Idiocerus fasciolatus Distant 1908g: 186 [n.sp.];
 Metcalf 1966d, 6(16): 74 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
Idiocerus femoratus Ball
Idiocerus femoratus Ball 1902e: 307 [n.sp.]; Metcalf
 1966d, 6(16): 74 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Idiocerus figuratus Osborn
Idiocerus figuratus Osborn 1924b: 394 [n.sp.]; Metcalf
 1966d, 6(16): 75 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Idiocerus fitchi Van Duzee
Idiocerus maculipennis Fitch 1851a: 59 [n.sp.];
 Metcalf 1966d, 6(16): 75 [Cat.]
Idiocerus fitchi Van Duzee 1909c: 383 [nom.nov. for
Idiocerus maculipennis Fitch 1851]; Metcalf
 1966d, 6(16): 75 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Idiocerus flammeus Osborn
Idiocerus flammeus Osborn 1924b: 394 [n.sp.];
 Metcalf 1966d, 6(16): 77 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Idiocerus flavidus Osborn
Idiocerus flavidus Osborn 1923b: 14 [n.sp.]; Metcalf
 1966d, 6(16): 77 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Idiocerus flavotinctus Osborn
Idiocerus flavotinctus Osborn 1924b: 393 [n.sp.];
 Metcalf 1966d, 6(16): 77 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
Idiocerus flindersi Evans
Idiocerus flindersi Evans 1941e: 37 [n.sp.]; Metcalf
 1966d, 6(16): 77 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Idiocerus formosanus Matsumura
Idiocerus formosanus Matsumura 1912b: 322 [n.sp.];
 Metcalf 1966d, 6(16): 77 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
Idiocerus formosus Ball
Idiocerus formosus Ball 1902e: 305 [n.sp.]; Metcalf
 1966d, 6(16): 78 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Idiocerus friscanus Ball & Parker
Idiocerus friscanus Ball & Parker 1946a: 74 [n.sp.];
 Metcalf 1966d, 6(16): 78 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Idiocerus fucatus Evans
Idiocerus fucatus Evans 1941f: 150 [n.sp.]; Metcalf
 1966d, 6(16): 85 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Idiocerus fuchsii Kirschbaum
Idiocerus fuchsii Kirschbaum 1868b: 164 [n.sp.];
 Metcalf 1966d, 6(16): 78 [Cat.]
DISTRIBUTION: Switzerland, Germany, Denmark,
 Netherlands (Metcalf Cat.)
Idiocerus fulgidus (Fabricius)
Cicada fulgida Fabricius 1775a: 687 [n.sp.]; Metcalf
 1966d, 6(16): 79 [Cat.]
Bythoscopus nitidissimus Herrich-Schaeffer 1835a: 68
 [n.sp.]; Metcalf 1966d, 6(16): 79 [Cat.]
Idiocerus minkii Kirschbaum 1868a: 5 [n.sp.]; Metcalf
 1966d, 6(16): 80 [Cat.]
Idiocerus ochroleucus Kirschbaum 1868a: 5 [n.sp.];
 Metcalf 1966d, 6(16): 80 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Scandanavia, Russia (Metcalf Cat.)
Idiocerus fulvotinctus Osborn
Idiocerus fulvotinctus Osborn 1924b: 395 [n.sp.];
 Metcalf 1966d, 6(16): 85 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Idiocerus fulvus Osborn
Idiocerus fulvus Osborn 1923b: 17 [n.sp.]; Metcalf
 1966d, 6(16): 85 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Idiocerus funereus Melichar
Idiocerus funereus Melichar 1911a: 111 [n.sp.];
 Metcalf 1966d, 6(16): 85 [Cat.]
DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf
 Cat.)
Idiocerus geoffroyi Distant
Idiocerus geoffroyi Distant 1908e: 99 [n.sp.]; Metcalf
 1966d, 6(16): 85 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Idiocerus harimensis Matsumura
Idiocerus harimensis Matsumura 1912b: 321 [n.sp.];
 Metcalf 1966d, 6(16): 86 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Idiocerus haupti Melichar
Idiocerus haupti Melichar 1908a: 65-66 [n.sp.];
 Metcalf 1966d, 6(16): 86 [Cat.]

- DISTRIBUTION:** Tanzania (Metcalf Cat.)
Idiocerus hebetus DeLong & Hershberger
 Idiocerus hebetus DeLong & Hershberger 1947a: 48
 [n.sp.]; Metcalf 1966d, 6(16): 86 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Idiocerus herrichii Kirschbaum
 Idiocerus herrichii Kirschbaum 1868a: 7 [n.sp.];
 Metcalf 1966d, 6(16): 86 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
 Scandinavia, Western Mediterranean, Russia,
 United States (Metcalf Cat.)
- Idiocerus hewitti* Cogan
 Idiocerus hewitti Cogan 1916a: 180 [n.sp.]; Metcalf
 1966d, 6(16): 89 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Idiocerus heydenii* Kirschbaum
 Idiocerus heydenii Kirschbaum 1868a: 5 [n.sp.];
 Metcalf 1966d, 6(16): 89 [Cat.]
- Idiocerus maculatus* Melichar 1896a: 156 [n.sp.];
 Metcalf 1966d, 6(16): 90 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain,
 Scandinavia, Western Mediterranean, Russia,
 United States (Metcalf Cat.)
- Idiocerus huachucae* Ball & Parker
 Idiocerus huachucae Ball & Parker 1946a: 80 [n.sp.];
 Metcalf 1966d, 6(16): 91 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Idiocerus humilis* Horváth
 Idiocerus humilis Horváth 1897b: 625 [n.sp.]; Metcalf
 1966d, 6(16): 91 [Cat.]
- DISTRIBUTION:** Hungary (Metcalf Cat.)
- Idiocerus hyalinus* Osborn
 Idiocerus hyalinus Osborn 1923b: 15 [n.sp.]; Metcalf
 1966d, 6(16): 92 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Metcalf Cat.)
- Idiocerus hyleorais* Kirkaldy
 Idiocerus hyleorais Kirkaldy 1907d: 34 [n.sp.];
 Metcalf 1966d, 6(16): 92 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus ikumae* Matsumura
 Idriocerus [sic] ikumae Matsumura 1911b: 24 [n.sp.];
 Metcalf 1966d, 6(16): 92 [Cat.]
- DISTRIBUTION:** Eastern Russia (Metcalf Cat.)
- Idiocerus impressifrons* Kirschbaum
 Idiocerus impressifrons Kirschbaum 1868a: 14 [n.sp.];
 Metcalf 1966d, 6(16): 92 [Cat.]
- Idiocerus signatus* Fieber 1868a: 453 [n.sp.]; Metcalf
 1966d, 6(16): 92 [Cat.]
- DISTRIBUTION:** Germany, Switzerland, Austria,
 France, Belgium, Czech Republic, Poland,
 Denmark, Netherlands (Metcalf Cat.)
- Idiocerus incertus* Baker
 Idiocerus maculatus Distant 1912e: 605 [n.sp.];
 Metcalf 1966d, 6(16): 94 [Cat.]
- Idiocerus incertus* Baker 1924d: 367 [nom.nov. for
Idiocerus maculatus Distant 1912]; Metcalf 1966d,
 6(16): 94 [Cat.]
- DISTRIBUTION:** India, Pakistan, East Indonesia
 (Metcalf Cat.)
- Idiocerus incomptus* DeLong & Hershberger
 Idiocerus incomptus DeLong & Hershberger 1947a:
 45 [n.sp.]; Metcalf 1966d, 6(16): 94 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Idiocerus inconsequens* Evans
 Idiocerus inconsequens Evans 1935c: 80 [n.sp.];
 Metcalf 1966d, 6(16): 94 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus ineffectus* (Walker)
 Bythoscopus ineffectus Walker 1858b: 266 [n.sp.];
 Metcalf 1966d, 6(16): 94 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Idiocerus insularis* Evans
 Idiocerus insularis Evans 1941e: 37 [n.sp.]; Metcalf
 1966d, 6(16): 95 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus intricatus* Osborn
 Idiocerus intricatus Osborn 1923b: 18 [n.sp.]; Metcalf
 1966d, 6(16): 95 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Idiocerus ipo* Kirkaldy
 Idiocerus ipo Kirkaldy 1906c: 466 [n.sp.]; Metcalf
 1966d, 6(16): 95 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus ishiyamae* Matsumura
 Idiocerus ishiyamae Matsumura 1905a: 67 [n.sp.];
 Metcalf 1966d, 6(16): 95 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Idiocerus katoi* Metcalf
 Idiocerus quadripunctatus Kato 1933c: 8 [n.sp.];
 Metcalf 1966d, 6(16): 96 [Cat.]
- Idiocerus katoi* Metcalf 1966d: 96 [nom.nov. for
Idiocerus quadripunctatus Kato 1933]; Metcalf
 1966d, 6(16): 96 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Idiocerus kirkaldyi* Evans
 Idiocerus kirkaldyi Evans 1935c: 79 [n.sp.]; Metcalf
 1966d, 6(16): 96 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Idiocerus kirschaumi* Baker
 Idiocerus aurulentus Kirschbaum 1868a: 5 [n.sp.];
 Metcalf 1966d, 6(16): 97 [Cat.]
- Idiocerus cupreus* Kirschbaum 1868a: 5 [n.sp.];
 Metcalf 1966d, 6(16): 96 [Cat.]
- Idiocerus decipiens* Kirschbaum 1868b: 158 [n.sp.];
 Metcalf 1966d, 6(16): 96 [Cat.]
- Idiocerus kirschaumi* Baker 1924d: 367 [nom.nov.
 for *Idiocerus cupreus* Kirschbaum 1868]; Metcalf
 1966d, 6(16): 96 [Cat.]

- DISTRIBUTION:** Widespread Europe, Western Mediterranean, Russia, Balkan region, Scandinavia (Metcalf Cat.)
- Idiocerus kisseis Kirkaldy**
Idiocerus kisseis Kirkaldy 1907d: 32 [n.sp.]; Metcalf 1966d, 6(16): 100 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus koreanus Matsumura**
Idiocerus koreanus Matsumura 1915a: 173 [n.sp.]; Metcalf 1966d, 6(16): 100 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Idiocerus lachrymalis Fitch**
Idiocerus lachrymalis Fitch 1851a: 58 [n.sp.]; Metcalf 1966d, 6(16): 100 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus lacustris Evans**
Idiocerus lacustris Evans 1942a: 28 [n.sp.]; Metcalf 1966d, 6(16): 103 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus lambertiei Melichar**
Idiocerus lambertiei Melichar 1913b: 15 [n.sp.]; Metcalf 1966d, 6(16): 103 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Idiocerus laminatus Flor**
Idiocerus laminatus Flor 1861a: 171 [n.sp.]; Metcalf 1966d, 6(16): 103 [Cat.]
DISTRIBUTION: Widespread Great Britain, Europe, Western Mediterranean, Russia (Metcalf Cat.)
- Idiocerus laribaeus Bliven**
Idiocerus laribaeus Bliven 1954a: 116 [n.sp.]; Metcalf 1966d, 6(16): 107 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus larvatus (Herrich-Schaeffer)**
Cicada exaltata Fabricius 1803a: 78 [n.sp.]; Metcalf 1966d, 6(16): 107 [Cat.]
Cicada notata Fabricius 1803a: 5 [nom.nov. for Cicada exaltata Fabricius 1803]; Metcalf 1966d, 6(16): 107 [Cat.]
Bythoscopus larvatus Herrich-Schaeffer 1835a: 69 [n.sp.]; Metcalf 1966d, 6(16): 107 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Western Mediterranean (Metcalf Cat.)
- Idiocerus laticeps (Walker)**
Iassus laticeps Walker 1870b: 323 [n.sp.]; Metcalf 1966d, 6(16): 110 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Idiocerus latifrons Matsumura**
Idiocerus latifrons Matsumura 1908a: 45 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
DISTRIBUTION: Hungary (Metcalf Cat.)
- Idiocerus lesmurdiensis Evans**
Idiocerus lesmurdiensis Evans 1935c: 80 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus leurensis Evans**
- Idiocerus leurensis Evans 1934a: 167 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus levius DeLong & Caldwell**
Idiocerus levius DeLong & Caldwell 1937b: 161 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus lindbergi Metcalf**
Idiocerus suturalis Lindberg 1929b: 3 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
Idiocerus lindbergi Metcalf 1966d: 111 [nom.nov. for Idiocerus suturalis Lindberg 1929]; Metcalf 1966d, 6(16): 111 [Cat.]
DISTRIBUTION: Eastern Russia (Metcalf Cat.)
- Idiocerus lituratus (Fallén)**
Jassus lituratus Fallén 1806b: 117 [n.sp.]; Metcalf 1966d, 6(16): 111 [Cat.]
Iassus dorsiger Peletier & Serville 1825a: 613 [n.sp.]; Metcalf 1966d, 6(16): 112 [Cat.]
Iassus lineolatus Peletier & Serville 1825a: 613 [n.sp.]; Metcalf 1966d, 6(16): 112 [Cat.]
Idiocerus maculipennis Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 112 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Western Mediterranean, Baltic region, United States (Metcalf Cat.)
- Idiocerus lituratus rubrifrons Rey**
Idiocerus lituratus rubrifrons Rey 1894b: 30 [n.sp.]; of lituratus]; Metcalf 1966d, 6(16): 121 [Cat.]
DISTRIBUTION: France, Netherlands, Germany (Metcalf Cat.)
- Idiocerus luteus Evans**
Idiocerus luteus Evans 1941f: 150 [n.sp.]; Metcalf 1966d, 6(16): 121 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus macropensis Evans**
Idiocerus macropensis Evans 1941e: 37 [n.sp.]; Metcalf 1966d, 6(16): 121 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus maculicollis (Curtis)**
Iassus maculicollis Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 121 [Cat.]
DISTRIBUTION: Great Britain (Metcalf Cat.)
- Idiocerus maculifrons Osborn**
Idiocerus maculifrons Osborn 1923b: 14 [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus madagascariensis Evans**
Idiocerus madagascariensis Evans 1954a: 106 [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Idiocerus maintiranus Evans**
Idiocerus maintiranus Evans 1954a: 107 [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Idiocerus maricensis Caldwell**

- Idiocerus maricensis* Caldwell 1952 [in Caldwell & Martorell 1952a: 25] [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Idiocerus marmoratus* Horváth
Idiocerus marmoratus Horváth 1894a: 185 [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Russia, Armenia, Azerbaijan, Georgia (Metcalf Cat.)
- Idiocerus mesopyrrhus* Kirschbaum
Idiocerus mesopyrrhus Kirschbaum 1868a: 5 [n.sp.]; Metcalf 1966d, 6(16): 122 [Cat.]
DISTRIBUTION: Italy, Russia, France, Portugal, Spain, Switzerland, Greece, Croatia (Metcalf Cat.)
- Idiocerus mesopyrrhus socialis* Fieber
Idiocerus mesopyrrhus socialis Fieber 1868a: 456 [n.sp.]; Metcalf 1966d, 6(16): 123 [Cat.]
DISTRIBUTION: France, Greece, Germany, Austria, Spain, Italy, Russia, Portugal, Belgium, Switzerland, Great Britain (Metcalf Cat.)
- Idiocerus mesopyrrhus variegatus* Ribaut
Idiocerus mesopyrrhus variegata Ribaut 1952a: 381 [n.subsp. of *mesopyrrhus*]; Metcalf 1966d, 6(16): 125 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Idiocerus mexicanus* Osborn & Ball
Idiocerus mexicanus Osborn & Ball 1898c: 126 [n.sp.]; Metcalf 1966d, 6(16): 125 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiocerus mimicus* Gillette & Baker
Idiocerus mimicus Gillette & Baker 1895a: 76 [n.sp.]; Metcalf 1966d, 6(16): 125 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus minutus* Osborn
Idiocerus minutus Osborn 1923b: 16 [n.sp.]; Metcalf 1966d, 6(16): 126 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus moniliferae* Osborn & Ball
Idiocerus moniliferae Osborn & Ball 1898e: 71 [n.sp.]; Metcalf 1966d, 6(16): 126 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus morosus* Ball
Idiocerus morosus Ball 1902e: 309 [n.sp.]; Metcalf 1966d, 6(16): 127 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus musteus* Ball
Idiocerus musteus Ball 1902e: 308 [n.sp.]; Metcalf 1966d, 6(16): 127 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus myrciae* Caldwell
Idiocerus myrciae Caldwell 1952 [in Caldwell & Martorell 1952a: 26] [n.sp.]; Metcalf 1966d, 6(16): 127 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Idiocerus nagpurensis* Singh-Pruthi
Idiocerus nagpurensis Singh-Pruthi 1930a: 17 [n.sp.]; Metcalf 1966d, 6(16): 127 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Idiocerus napais* Kirkaldy
Idiocerus napais Kirkaldy 1907d: 34 [n.sp.]; Metcalf 1966d, 6(16): 128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus nereias* Kirkaldy
Idiocerus nereias Kirkaldy 1907d: 34 [n.sp.]; Metcalf 1966d, 6(16): 128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus nervatus* Van Duzee
Idiocerus nervatus Van Duzee 1894f: 205 [n.sp.]; Metcalf 1966d, 6(16): 128 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus nigrens* DeLong & Caldwell
Idiocerus nigrens DeLong & Caldwell 1937b: 163 [n.sp.]; Metcalf 1966d, 6(16): 130 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus nigripectus* Matsumura
Idiocerus nigripectus Matsumura 1911b: 24 [n.sp.]; Metcalf 1966d, 6(16): 130 [Cat.]
DISTRIBUTION: Russia, Japan (Metcalf Cat.)
- Idiocerus nigronervosus* Kato
Idiocerus nigronervosus Kato 1932b: 225 [n.sp.]; Metcalf 1966d, 6(16): 131 [Cat.]
DISTRIBUTION: China, Japan (Metcalf Cat.)
- Idiocerus nitidulus* (Walker)
Iassus nitidulus Walker 1870b: 322 [n.sp.]; Metcalf 1966d, 6(16): 131 [Cat.]
DISTRIBUTION: Malaysia, East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Idiocerus nobilis* Fieber
Idiocerus nobilis Fieber 1868a: 452 [n.sp.]; Metcalf 1966d, 6(16): 131 [Cat.]
DISTRIBUTION: Austria, Russia, Germany, Hungary, Turkey, Italy, Aremnia, Ukraine, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Idiocerus nogalinus* Ball & Parker
Idiocerus nogalinus Ball & Parker 1946a: 80 [n.sp.]; Metcalf 1966d, 6(16): 132 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus nymphias* Kirkaldy
Idiocerus nymphias Kirkaldy 1907d: 33 [n.sp.]; Metcalf 1966d, 6(16): 132 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus obispanus* Ball & Parker
Idiocerus obispanus Ball & Parker 1946a: 81 [n.sp.]; Metcalf 1966d, 6(16): 132 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus obstinatus* Ball
Idiocerus obstinatus Ball 1902e: 310 [n.sp.]; Metcalf 1966d, 6(16): 133 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)

- Idiocerus occipitalis* Osborn
Idiocerus occipitalis Osborn 1924b: 390 [n.sp.]; Metcalf 1966d, 6(16): 133 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus ocellatus* Osborn
Idiocerus ocellatus Osborn 1923b: 20 [n.sp.]; Metcalf 1966d, 6(16): 133 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus ocularis* (Mulsant & Rey)
Bythoscopus ocularis Mulsant & Rey 1855a: 220 [n.sp.]; Metcalf 1966d, 6(16): 133 [Cat.]
Idiocerus taeniops Fieber 1868a: 454 [n.sp.]; Metcalf 1966d, 6(16): 133 [Cat.]
DISTRIBUTION: France, Spain, Italy, Tunisia, Portugal, Algeria, Croatia, Netherlands, Cyprus (Metcalf Cat.)
- Idiocerus oreias* Kirkaldy
Idiocerus oreias Kirkaldy 1907d: 33 [n.sp.]; Metcalf 1966d, 6(16): 134 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus orodemnias* Kirkaldy
Idiocerus orodemnias Kirkaldy 1907d: 33 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus osborni* Metcalf
Idiocerus rotundifrons Osborn 1923b: 15 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
Idiocerus osborni Metcalf 1966d: 135 [nom.nov. for *Idiocerus rotundifrons* Osborn 1923]; Metcalf 1966d, 6(16): 135 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus pacificus* Ball & Parker
Idiocerus pacificus Ball & Parker 1946a: 81 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus palawanensis* (Baker)
Idioscopus palawanensis Baker 1915c: 338 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Idiocerus pallidus* Fitch
Bythoscopus obsoletus Walker 1851b: 873 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
Idiocerus pallidus Fitch 1851a: 69 [n.sp.]; Metcalf 1966d, 6(16): 135 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus parvulus* Osborn
Idiocerus parvulus Osborn 1935a: 132 [n.sp.]; Metcalf 1966d, 6(16): 139 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Idiocerus poecilus* (Herrick-Schaeffer)
Bythoscopus poecilus Herrich-Schaeffer 1835a: 69 [n.sp.]; Metcalf 1966d, 6(16): 139 [Cat.]
Bythoscopus (*Jassus*) *falcifer* Boheman 1845b: 161 [n.sp.]; Metcalf 1966d, 6(16): 139 [Cat.]
- Idiocerus discolor* Flor 1861a: 164 [n.sp.]; Metcalf 1966d, 6(16): 139 [Cat.]
Idiocerus venustus Scott 1874c: 239 [n.sp.]; Metcalf 1966d, 6(16): 140 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, Baltic region, Western Mediterranean (Metcalf Cat.)
- Idiocerus populi* (Linnaeus)
Cicada coryli Linnaeus 1761a: 243 [n.sp.]; Metcalf 1966d, 6(16): 144 [Cat.]
Cicada populi Linnaeus 1761a: 242 [n.sp.]; Metcalf 1966d, 6(16): 144 [Cat.]
Cicada biguttata Fabricius 1794a: 43 [n.sp.]; Metcalf 1966d, 6(16): 145 [Cat.]
Jassus stigma Germar 1821a: 84 [n.sp.]; Metcalf 1966d, 6(16): 145 [Cat.]
Jassus margarita Peletier & Serville 1825a: 612 [n.sp.]; Metcalf 1966d, 6(16): 145 [Cat.]
- Idiocerus effulgens* Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 147 [Cat.]
- Idiocerus sulphureus* Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 147 [Cat.]
- Idiocerus aeneus* Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 147 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, Baltic region, Japan, Western Mediterranean, Northern Africa (Metcalf Cat.)
- Idiocerus principensis* Osborn
Idiocerus principensis Osborn 1924b: 393 [n.sp.]; Metcalf 1966d, 6(16): 158 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus productus* Gillette & Baker
Idiocerus productus Gillette & Baker 1895a: 78 [n.sp.]; Metcalf 1966d, 6(16): 158 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus prolixus* Horváth
Idiocerus prolixus Horváth 1894a: 186 [n.sp.]; Metcalf 1966d, 6(16): 159 [Cat.]
DISTRIBUTION: Armenia, Russia, Georgia, Azerbaijan (Metcalf Cat.)
- Idiocerus provancheri* Van Duzee
Idiocerus provancheri Van Duzee 1890a: 111 [n.sp.,not nom.nov.]; Metcalf 1966d, 6(16): 159 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus pruni* Ribaut
Idiocerus pruni Ribaut 1952a: 378 [n.sp.]; Metcalf 1966d, 6(16): 161 [Cat.]
DISTRIBUTION: France, Bulgaria (Metcalf Cat.)
- Idiocerus pyramidatus* DeLong & Caldwell
Idiocerus pyramidatus DeLong & Caldwell 1937b: 162 [n.sp.]; Metcalf 1966d, 6(16): 161 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus quadrangularis* Osborn

- Idiocerus quadrangularis* Osborn 1923b: 13 [n.sp.]; Metcalf 1966d, 6(16): 162 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Idiocerus quadripunctatus* Lindberg
Idiocerus quadripunctatus Lindberg 1929a: 52 [n.sp.]; Metcalf 1966d, 6(16): 162 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Idiocerus ramentosus* (Uhler)
Bythoscopus ramentosus Uhler 1877a: 465 [n.sp.]; Metcalf 1966d, 6(16): 162 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus renoanus* Ball & Parker
Idiocerus renoanus Ball & Parker 1946a: 78 [n.sp.]; Metcalf 1966d, 6(16): 163 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus rondulus* Ball & Parker
Idiocerus rondulus Ball & Parker 1946a: 73 [n.sp.]; Metcalf 1966d, 6(16): 163 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus rotundens* DeLong & Caldwell
Idiocerus rotundens DeLong & Caldwell 1937b: 162 [n.sp.]; Metcalf 1966d, 6(16): 163 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus rotundifrons* Kirschbaum
Idiocerus rotundifrons Kirschbaum 1868a: 5 [n.sp.]; Metcalf 1966d, 6(16): 164 [Cat.]
DISTRIBUTION: Germany, France, Italy (Metcalf Cat.)
- Idiocerus rubens* Evans
Idiocerus rubens Evans 1941f: 150 [n.sp.]; Metcalf 1966d, 6(16): 165 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus rufus* Gillette & Baker
Idiocerus rufus Gillette & Baker 1895a: 80 [n.sp.]; Metcalf 1966d, 6(16): 165 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus rufus cingulatus* Ball
Idiocerus rufus cingulatus Ball 1902e: 312 [n.subsp. of *rufus*]; Metcalf 1966d, 6(16): 165 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus rugifrons* Osborn
Idiocerus rugifrons Osborn 1924b: 396 [n.sp.]; Metcalf 1966d, 6(16): 166 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Idiocerus rutilans* Kirschbaum
Idiocerus rutilans Kirschbaum 1868a: 14 [n.sp.]; Metcalf 1966d, 6(16): 166 [Cat.]
DISTRIBUTION: Germany, Poland, France, Austria, Great Britain, Czech Republic, Italy (Metcalf Cat.)
- Idiocerus salgiris* Kusnezov
Idiocerus salgiris Kusnezov 1927c: 222 [n.sp.]; Metcalf 1966d, 6(16): 167 [Cat.]
DISTRIBUTION: Ukraine, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Idiocerus salicicola* Flor
Idiocerus salicicola Flor 1861a: 163 [n.sp.]; Metcalf 1966d, 6(16): 167 [Cat.]
DISTRIBUTION: Estonia, Latvia, Scandinavia, Germany, France, Russia, Romania, Belgium, Hungary, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Idiocerus scotti* Distant
Idiocerus scotti Distant 1917a: 307 [n.sp.]; Metcalf 1966d, 6(16): 168 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Idiocerus scutellatus* Distant
Idiocerus scutellatus Distant 1908g: 187 [n.sp.]; Metcalf 1966d, 6(16): 168 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Idiocerus seckeri* Evans
Idiocerus seckeri Evans 1935c: 79 [n.sp.]; Metcalf 1966d, 6(16): 168 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus shivelyanus* Bliven
Idiocerus shivelyanus Bliven 1954a: 114 [n.sp.]; Metcalf 1966d, 6(16): 169 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus similis* Kirschbaum
Idiocerus similis Kirschbaum 1868b: 154 [n.sp.]; Metcalf 1966d, 6(16): 169 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Western Mediterranean, Northern Africa, Russia, Baltic region (Metcalf Cat.)
- Idiocerus smithii* Baker
Idiocerus fasciatus Osborn 1923b: 19 [n.sp.]; Metcalf 1966d, 6(16): 175 [Cat.]
Idiocerus smithii Baker 1923b: 531 [nom.nov. for *Idiocerus fasciatus* Osborn 1923]; Metcalf 1966d, 6(16): 175 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus snowi* Gillette & Baker
Idiocerus snowi Gillette & Baker 1895a: 70 [n.sp.]; Metcalf 1966d, 6(16): 175 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus solus* DeLong & Caldwell
Idiocerus solus DeLong & Caldwell 1937b: 161 [n.sp.]; Metcalf 1966d, 6(16): 177 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus stellaris* DeLong & Caldwell
Idiocerus stellaris DeLong & Caldwell 1937b: 162 [n.sp.]; Metcalf 1966d, 6(16): 177 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus stigmatical Lewis*
Idiocerus stigmatical Lewis 1834a: 48 [n.sp.]; Metcalf 1966d, 6(16): 177 [Cat.]
- Bythoscopus adustus* Herrich-Schaeffer 1837a: 9 [n.sp.]; Metcalf 1966d, 6(16): 177 [Cat.]

- DISTRIBUTION:** Widespread Europe, Great Britain, Western Mediterranean, Baltic region, United States (Metcalf Cat.)
- Idiocerus striolus** Fieber
Idiocerus striola Fieber 1868a: 453 [n.sp.]; Metcalf 1966d, 6(16): 184 [Cat.]
DISTRIBUTION: Europe (?), Russia, United States (Metcalf Cat.)
- Idiocerus subnitens** Sanders & DeLong
Idiocerus subnitens Sanders & DeLong 1917a: 82 [n.sp.]; Metcalf 1966d, 6(16): 184 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus subopacus** Motschulsky
Idiocerus subopacus Motschulsky 1859b: 110 [n.sp.]; Metcalf 1966d, 6(16): 184 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Idiocerus suturalis** Fitch
Idiocerus suturalis Fitch 1851a: 59 [n.sp.]; Metcalf 1966d, 6(16): 185, 188 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus suturalis continuus** Ball
Idiocerus suturalis continuus Ball 1902e: 312 [n.subsp. of *suturalis*]; Metcalf 1966d, 6(16): 187 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus suturalis lunaris** Ball
Idiocerus suturalis lunaris Ball 1902e: 311 [n.subsp. of *suturalis*]; Metcalf 1966d, 6(16): 187 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus suturalis vagus** Ball
Idiocerus suturalis vagus Ball 1902e: 312 [n.subsp. of *suturalis*]; Metcalf 1966d, 6(16): 188 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiocerus swani** Evans
Idiocerus swani Evans 1941e: 37 [n.sp.]; Metcalf 1966d, 6(16): 189 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus tagalicus** (Baker)
Idioscopus tagalicus Baker 1915c: 338 [n.sp.]; Metcalf 1966d, 6(16): 189 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Idiocerus tahotus** Ball & Parker
Idiocerus tahotus Ball & Parker 1946a: 77 [n.sp.]; Metcalf 1966d, 6(16): 189 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus tambourinus** Evans
Idiocerus tambourinus Evans 1942a: 28 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus taxodium** DeLong
Idiocerus taxodium DeLong 1924a: 63 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus telus** DeLong & Hershberger
Idiocerus telus DeLong & Hershberger 1947a: 45 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus tenuens** DeLong & Caldwell
Idiocerus tenuens DeLong & Caldwell 1937b: 163 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus tontonus** Ball & Parker
Idiocerus tontonus Ball & Parker 1946a: 75 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus towadensis** Matsumura
Idiocerus towadensis Matsumura 1912b: 321 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Idiocerus tremulae** (Erlund)
Cicada tremulae Erlund 1796a: 129 [n.sp.]; Metcalf 1966d, 6(16): 190 [Cat.]
Idiocerus unifasciatus Curtis 1839a: pl.733 [n.sp.]; Metcalf 1966d, 6(16): 191 [Cat.]
Idiocerus fallenii Kirschbaum 1868b: 161 [n.sp.]; Metcalf 1966d, 6(16): 191 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Russia, Western Mediterranean, Baltic region (Metcalf Cat.)
- Idiocerus trifasciatus** (Kirschbaum)
Bythoscopus trifasciatus Kirschbaum 1868b: 167 [n.sp.]; Metcalf 1966d, 6(16): 195 [Cat.]
DISTRIBUTION: Russia, Mongolia, Armenia, Azerbaijan, Georgia, Lebanon, Syria (Metcalf Cat.)
- Idiocerus tumidulus** Osborn
Idiocerus tumidulus Osborn 1923b: 16 [n.sp.]; Metcalf 1966d, 6(16): 196 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus tutuilanus** Osborn
Idiocerus tutuilanus Osborn 1934a: 170 [n.sp.]; Metcalf 1966d, 6(16): 196 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Idiocerus urakawensis** Matsumura
Idiocerus urakawensis Matsumura 1912b: 319 [n.sp.]; Metcalf 1966d, 6(16): 196 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Idiocerus ustulatus** (Mulsant & Rey)
Cercopis viridis Schrank 1801a: 57 [n.sp.]; Metcalf 1966d, 6(16): 196 [Cat.]
Bythoscopus ustulatus Mulsant & Rey 1855a: 217 [n.sp.]; Metcalf 1966d, 6(16): 196 [Cat.]
Idiocerus prasinus Kirschbaum 1868a: 5 [n.sp.]; Metcalf 1966d, 6(16): 197 [Cat.]
DISTRIBUTION: Widespread Europe, Western Mediterranean, Baltic region, Northern Africa (Metcalf Cat.)
- Idiocerus ustulatus salicetorum** (Mulsant & Rey)

- Bythoscopus ustulatus salicetorum* Mulsant & Rey
1855a: 220 [n.sp.]; Metcalf 1966d, 6(16): 200
[Cat.]
DISTRIBUTION: France, Germany (Metcalf Cat.)
- Idiocerus utahnus* Ball & Parker
Idiocerus utahnus Ball & Parker 1946a: 78 [n.sp.];
Metcalf 1966d, 6(16): 200 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus varius* DeLong & Hershberger
Idiocerus varius DeLong & Hershberger 1947a: 46
[n.sp.]; Metcalf 1966d, 6(16): 200 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus verrucosus* Ball
Idiocerus verrucosus Ball 1902e: 309 [n.sp.]; Metcalf
1966d, 6(16): 200 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus vicinus* Melichar
Idiocerus vicinus Melichar 1898a: 66 [n.sp.]; Metcalf
1966d, 6(16): 201 [Cat.]
DISTRIBUTION: Spain, Portugal, France, Austria,
Italy (Metcalf Cat.)
- Idiocerus viridicatus* Osborn
Idiocerus viridicatus Osborn 1923b: 20 [n.sp.];
Metcalf 1966d, 6(16): 201 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Idiocerus viridiceps* Evans
Idiocerus viridiceps Evans 1941f: 151 [n.sp.]; Metcalf
1966d, 6(16): 201 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus vitreus* (Fabricius)
Cicada vitrea Fabricius 1803a: 79 [n.sp.]; Metcalf
1966d, 6(16): 202 [Cat.]
- Idiocerus auronitens* Kirschbaum 1868b: 158 [n.sp.];
Metcalf 1966d, 6(16): 202 [Cat.]
- Idiocerus h-album* Fieber 1868a: 455 [n.sp.]; Metcalf
1966d, 6(16): 202 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Western Mediterranean (Metcalf Cat.)
- Idiocerus vittatus* Osborn
Idiocerus vittatus Osborn 1924b: 395 [n.sp.]; Metcalf
1966d, 6(16): 205 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Idiocerus vitticollis* Matsumura
Idiocerus vitticollis Matsumura 1905a: 69 [n.sp.];
Metcalf 1966d, 6(16): 205 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Idiocerus vittifrons* Kirschbaum
Idiocerus tibialis Fieber 1868a: 452 [n.sp.]; Metcalf
1966d, 6(16): 206 [Cat.]
- Idiocerus vittifrons* Kirschbaum 1868b: 159 [n.sp.];
Metcalf 1966d, 6(16): 206 [Cat.]
- Idiocerus affinis* Fieber 1868a: 454 [n.sp.]; Metcalf
1966d, 6(16): 206 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Mediterranean, Russia (Metcalf Cat.)
- Idiocerus vittifrons cinctus* Dlabola
Idiocerus vittifrons cincta Dlabola 1954c: 234, 238, 239
[n.subsp. of vittifrons]; Metcalf 1966d, 6(16): 209
[Cat.]
DISTRIBUTION: Slovakia (Metcalf Cat.)
- Idiocerus wiyyotus* Bliven
Idiocerus wiyyotus Bliven 1954a: 114 [n.sp.]; Metcalf
1966d, 6(16): 209 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiocerus xantho* Kirkaldy
Idiocerus xantho Kirkaldy 1907d: 33 [n.sp.]; Metcalf
1966d, 6(16): 209 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Idiocerus yanonis* Matsumura
Idiocerus yanonis Matsumura 1912b: 320 [n.sp.];
Metcalf 1966d, 6(16): 209 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Idiodonus yezoensis* Matsumura
Idiodonus yezoensis Matsumura 1912b: 320 [n.sp.];
Metcalf 1966d, 6(16): 209 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Idiodonus acus* DeLong
Idiodonus acus DeLong 1946b: 20 [n.sp.]; Metcalf
1967b, 6(10b): 1286 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus albocinctus* DeLong
Idiodonus albocinctus DeLong 1946b: 22 [n.sp.];
Metcalf 1967b, 6(10b): 1286 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus anademos* DeLong
Idiodonus anademos DeLong 1946b: 29 [n.sp.];
Metcalf 1967b, 6(10b): 1286 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus apertus* DeLong
Idiodonus apertus DeLong 1946b: 14 [n.sp.]; Metcalf
1967b, 6(10b): 1287 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus aurantiacus* (Provancher)
Jassus aurantiacus Provancher 1872a: 377 [n.sp.];
Metcalf 1967b, 6(10b): 1287 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Idiodonus bakeri* DeLong
Idiodonus bakeri DeLong 1946b: 26 [n.sp.]; Metcalf
1967b, 6(10b): 1287 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus bicinctus* DeLong
Idiodonus bicinctus DeLong 1946b: 18 [n.sp.];
Metcalf 1967b, 6(10b): 1287 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus brittoni* (Osborn)
Thamnotettix brittoni Osborn 1907a: 166 [n.sp.];
Metcalf 1967b, 6(10b): 1287 [Cat.]
DISTRIBUTION: Canada, United States (Metcalf
Cat.)
- Idiodonus caldwelli* DeLong

- Idiodonus caldwelli* DeLong 1946b: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1288 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus clathrus* DeLong
Idiodonus clathrus DeLong 1946b: 18 [n.sp.]; Metcalf 1967b, 6(10b): 1289 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus claustrus* DeLong
Idiodonus claustrus DeLong 1946b: 18 [n.sp.]; Metcalf 1967b, 6(10b): 1289 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus cockerelli* (Ball)
Thamnotettix cockerelli Ball 1900c: 339 [n.sp.]; Metcalf 1967b, 6(10b): 1289 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Idiodonus copulus* DeLong
Idiodonus copulus DeLong 1946b: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1290 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus cruentatus* (Panzer)
Cicada cruentata Panzer 1799a: 15 [n.sp.]; Metcalf 1967b, 6(10b): 1290 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, western Mediterranean, Northern Africa, Korea (Metcalf Cat.)
- Idiodonus cruentatus* simulans Ribaut
Idiodonus cruentatus simulans Ribaut 1952a: 121 [n.subsp. of *cruentatus*]; Metcalf 1967b, 6(10b): 1297 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Idiodonus dampfi* DeLong
Idiodonus dampfi DeLong 1946b: 20 [n.sp.]; Metcalf 1967b, 6(10b): 1297 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus delongi* Ball
Idiodonus delongi Ball 1937b: 26 [n.sp.]; Metcalf 1967b, 6(10b): 1297 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiodonus diserus* DeLong
Idiodonus diserus DeLong 1946b: 24 [n.sp.]; Metcalf 1967b, 6(10b): 1297 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus edentulus* DeLong
Idiodonus edentulus DeLong 1946b: 25 [n.sp.]; Metcalf 1967b, 6(10b): 1298 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus excavatus* DeLong
Idiodonus excavatus DeLong 1946b: 25 [n.sp.]; Metcalf 1967b, 6(10b): 1298 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus goodi* DeLong
Idiodonus goodi DeLong 1946b: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1298 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus heidemanni* (Ball)
Thamnotettix heidemanni Ball 1900c: 338 [n.sp.]; Metcalf 1967b, 6(10b): 1298 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiodonus heidemanni* chinonus Ball
Idiodonus heidemanni chinonus Ball 1937b: 26 [n.subsp. of *heidemanni*]; Metcalf 1967b, 6(10b): 1299 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiodonus incidus* DeLong
Idiodonus incidus DeLong 1946b: 29 [n.sp.]; Metcalf 1967b, 6(10b): 1299 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus insculptus* DeLong
Idiodonus insculptus DeLong 1946b: 25 [n.sp.]; Metcalf 1967b, 6(10b): 1299 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus josea* (Ball)
Phlepsius josea Ball 1900c: 347 [n.sp.]; Metcalf 1967b, 6(10b): 1299 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiodonus latidens* DeLong
Idiodonus latidens DeLong 1946b: 26 [n.sp.]; Metcalf 1967b, 6(10b): 1300 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus mexicanus* DeLong
Idiodonus mexicanus DeLong 1946b: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1300 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus morsei* (Osborn)
Thamnotettix morsei Osborn 1915a: 134 [n.sp.]; Metcalf 1967b, 6(10b): 1300 [Cat.]
DISTRIBUTION: Mexico, Canada (Metcalf Cat.)
- Idiodonus nigridens* DeLong
Idiodonus nigridens DeLong 1946b: 29 [n.sp.]; Metcalf 1967b, 6(10b): 1301 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus plummeri* DeLong
Idiodonus plummeri DeLong 1946b: 25 [n.sp.]; Metcalf 1967b, 6(10b): 1301 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus pravus* DeLong
Idiodonus pravus DeLong 1946b: 24 [n.sp.]; Metcalf 1967b, 6(10b): 1301 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus rubellus* DeLong
Idiodonus rubellus DeLong 1946b: 15 [n.sp.]; Metcalf 1967b, 6(10b): 1301 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idiodonus rufescens* (Osborn)
Thamnotettix rufescens Osborn 1915a: 135 [n.sp.]; Metcalf 1967b, 6(10b): 1302 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Idiodonus spatulatus* DeLong
Idiodonus spatulatus DeLong 1946b: 15 [n.sp.]; Metcalf 1967b, 6(10b): 1302 [Cat.]

- DISTRIBUTION:** Mexico (Metcalf Cat.)
Idiodonus subcupraeus (Provancher)
Jassus subcupraeus Provancher 1872c: 377 [n.sp.];
 Metcalf 1967b, 6(10b): 1302 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Idiodonus titulus DeLong
Idiodonus titulus DeLong 1946b: 24 [n.sp.]; Metcalf 1967b, 6(10b): 1303 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus tubulus DeLong
Idiodonus tubulus DeLong 1946b: 22 [n.sp.]; Metcalf 1967b, 6(10b): 1303 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus turpiter DeLong
Idiodonus turpiter DeLong 1946b: 28 [n.sp.]; Metcalf 1967b, 6(10b): 1303 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus verecundus DeLong
Idiodonus verecundus DeLong 1946b: 20 [n.sp.]; Metcalf 1967b, 6(10b): 1304 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus vinculus DeLong
Idiodonus vinculus DeLong 1946b: 15 [n.sp.]; Metcalf 1967b, 6(10b): 1304 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus wickhami Ball
Idiodonus wickhami Ball 1937b: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1304 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
Idiodonus (Angulanus) incisurus DeLong
Idiodonus (Angulanus) incisurus DeLong 1946b: 30 [n.sp.]; Metcalf 1967b, 6(10b): 1304 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idiodonus (Idiodonus) kennicottii (Uhler)
Jassus kennicottii Uhler 1864a: 161 [n.sp.]; Metcalf 1967b, 6(10b): 1305 [Cat.]
DISTRIBUTION: Canada, United States (Metcalf Cat.)
Idiotettix boliviensis Osborn
Idiotettix boliviensis Osborn 1929a: 466 [n.sp.]; Metcalf 1966d, 6(16): 225 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Idiotettix brunneus Osborn
Idiotettix brunneus Osborn 1929a: 467 [n.sp.]; Metcalf 1966d, 6(16): 226 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
Idiotettix columbianus Nast
Idiotettix columbianus Nast 1952a: 2 [n.sp.]; Metcalf 1966d, 6(16): 226 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Idiotettix fasciatus Osborn
Idiotettix fasciatus Osborn 1929a: 466 [n.sp.]; Metcalf 1966d, 6(16): 226 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
- Idiotettix festivus** Maldonado Capriles
Idiotettix festivus Maldonado Capriles 1954a: 248 [n.sp.]; Metcalf 1966d, 6(16): 226 [Cat.]
DISTRIBUTION: Venezuela, Brazil (Metcalf Cat.)
Idiotettix invitus Nast
Idiotettix invitus Nast 1952a: 3 [n.sp.]; Metcalf 1966d, 6(16): 226 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
Idiotettix laetus Nast
Idiotettix laetus Nast 1952a: 3 [n.sp.]; Metcalf 1966d, 6(16): 227 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Idiotettix magnificus (Osborn)
Thamnotettix magnificus Osborn 1924c: 424 [n.sp.]; Metcalf 1966d, 6(16): 227 [Cat.]
DISTRIBUTION: Bolivia, Guyana (Metcalf Cat.)
Idiotettix magnus (Osborn)
Idiocerus magnus Osborn 1923b: 13 [n.sp.]; Metcalf 1966d, 6(16): 227 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Idiotettix stigmatus Nast
Idiotettix stigmatus Nast 1952a: 2 [n.sp.]; Metcalf 1966d, 6(16): 227 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Idona aperta (Beamer)
Dikranera aperta Beamer 1943b: 58 [n.sp.]; Metcalf 1968a, 6(17): 203 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Idona beameri Young
Dikranera hyaline Beamer 1943b: 58 [n.sp.]; Metcalf 1968a, 6(17): 203 [Cat.]
Idona beameri Young 1952b: 64 [nom.nov. for *Idona hyalina* Beamer 1943]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Idona biforma Ruppel & DeLong
Idona biforma Ruppel & DeLong 1952f: 188 [n.sp.]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idona eborolora Ruppel & DeLong
Idona eborolora Ruppel & DeLong 1952f: 189 [n.sp.]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idona ferrugina Ruppel & DeLong
Idona ferrugina Ruppel & DeLong 1952f: 191 [n.sp.]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idona gigantica Ruppel & DeLong
Idona gigantica Ruppel & DeLong 1952f: 189 [n.sp.]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Idona hyalina (Osborn)
Dikranera (Hyloidea) hyalina Osborn 1928a: 276 [n.sp.]; Metcalf 1968a, 6(17): 204 [Cat.]
DISTRIBUTION: Bolivia, Mexico (Metcalf Cat.)

- Idona minuenda* (Moznette)
Empoasca minuenda Mozzette 1919a:46 [n.sp.];
 Metcalf 1968a,6(17):205 [Cat.]
DISTRIBUTION: United States, Mexico, Puerto Rico,
 Atlantic Ocean: Bermuda Island, Haiti, Cuba
 (Metcalf Cat.)
- Idona minuenda clavigerana* (Ball)
Empoasca minuenda clavigerana Ball 1921a:24
 [n.subsp. of minueunda]; Metcalf 1968a,6(17):206
 [Cat.]
DISTRIBUTION: United States, Atlantic Ocean:
 Bermuda Island (Metcalf Cat.)
- Idona minuenda mozzettei* (Ball)
Empoasca minuenda mozzettei Ball 1921a:24
 [n.subsp. of minueunda]; Metcalf 1968a,6(17):206
 [Cat.]
DISTRIBUTION: United States, Atlantic Ocean:
 Bermuda Island (Metcalf Cat.)
- Idona parallela* Ruppel & DeLong
Idona parallela Ruppel & DeLong 1952f:191 [n.sp.];
 Metcalf 1968a,6(17):207 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idona reflexa* Ruppel & DeLong
Idona reflexa Ruppel & DeLong 1952f:192 [n.sp.];
 Metcalf 1968a,6(17):207 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Idona rubens* (Beamer)
Dikranera rubens Beamer 1934b:16 [n.sp.]; Metcalf
 1968a,6(17):207 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Idona sexmaculata* (DeLong)
Empoasca sexmaculata DeLong 1923 [in Wolcott
 1923b:270] [n.sp.]; Metcalf 1968a,6(17):208 [Cat.]
DISTRIBUTION: Puerto Rico, Virgin Islands: Saint
 Thomas Island (Metcalf Cat.)
- Idona usitata* Ruppel & DeLong
Idona usitata Ruppel & DeLong 1952f:188 [n.sp.];
 Metcalf 1968a,6(17):208 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Igerna bimaculicollis* (Stål)
Bythocopus (Oncopsis) bimaculicollis Stål 1855a:100
 [n.sp.]; Metcalf 1966a,6(14):147 [Cat.]
Agallia quadrinotata Melichar 1903b:151 [n.sp.];
 Metcalf 1966a,6(14):147 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island,
 Somalia, South Africa, Madagascar, Brazil, Zaire,
 Tanzania, India, Sri Lanka, Pakistan (Metcalf Cat.)
- Igerna clavata* (Oman)
Agalliotia clavata Oman 1938a:394 [n.sp.]; Metcalf
 1966a,6(14):148 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Igerna dentata* (Oman)
Agalliotia dentata Oman 1938a:394 [n.sp.]; Metcalf
 1966a,6(14):149 [Cat.]
DISTRIBUTION: Guapore (Metcalf Cat.)
- Igerna flavovenosa* Evans
Igerna flavovenosa Evans 1955b:13 [n.sp.]; Metcalf
 1966a,6(14):149 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Igerna nigrofusca* (Melichar)
Pachynus nigrofusca Melichar 1905a:298 [n.sp.];
 Metcalf 1966a,6(14):149 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Igerna parallela* (Oman)
Agalliotia parallela Oman 1938a:395 [n.sp.]; Metcalf
 1966a,6(14):149 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Igerna parma* (Oman)
Agalliotia parma Oman 1938a:396 [n.sp.]; Metcalf
 1966a,6(14):149 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Igerna punctata* (Oman)
Agallia punctata Oman 1934c:457 [n.sp.]; Metcalf
 1966a,6(14):149 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Igerna quadriocellata* (Melichar)
Pachynus quadriocellatus Melichar 1908b:11 [n.sp.];
 Metcalf 1966a,6(14):149 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Igerna quadripunctula* (Melichar)
Pachynus quadripunctulus Melichar 1908b:11 [n.sp.];
 Metcalf 1966a,6(14):150 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Igerna scutaria* (Oman)
Agalliotia scutaria Oman 1938a:393 [n.sp.]; Metcalf
 1966a,6(14):150 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Igerna usambarensis* (Melichar)
Agallia usambarensis Melichar 1908b:12 [n.sp.];
 Metcalf 1966a,6(14):150 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Igutettix pulverosus* Matsumura
Igutettix pulverosus Matsumura 1932a:105 [n.sp.];
 Metcalf 1968a,6(17):243 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Inazuma dorsalis* (Motschulsky)
Deltoccephalus dorsalis Motschulsky 1859b: 114
 [n.sp.]; Metcalf 1967b, 6(10b): 1601 [Cat.]
Deltoccephalus fulgoralis Matsumura 1902a: 391
 [n.sp.]; Metcalf 1967b, 6(10b): 1601 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, India, Borneo,
 Taiwan, China, Malaysia, Philippines, Korea
 (Metcalf Cat.)
- Inemadara oryzae* (Matsumura)
Deltoccephalus oryzae Matsumura 1902a: 390 [n.sp.];
 Metcalf 1967b, 6(10b): 1599 [Cat.]
DISTRIBUTION: Japan, China, Korea, Taiwan
 (Metcalf Cat.)
- Ipo conferta* Kirkaldy
Ipo conferta Kirkaldy 1906c:465 [n.sp.]; Metcalf
 1965b,6(12):35 [Cat.]

- Ipo pompais Kirkaldy 1907d:35 [n.sp.]; Metcalf
1965b,6(12):35 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo hilli Evans
Ipo hilli Evans 1934a:154 [n.sp.]; Metcalf
1965b,6(12):35 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo honiala Kirkaldy
Ipo honiala Kirkaldy 1906c:466 [n.sp.]; Metcalf
1965b,6(12):35 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo pellucida (Fabricius)
Cicada pellucida Fabricius 1775a:686 [n.sp.]; Metcalf
1965b,6(12):35 [Cat.]
Ipo aegrota Kirkaldy 1906c:466 [n.sp.]; Metcalf
1965b,6(12):36 [Cat.]
Ipo amrita Kirkaldy 1906c:465 [n.sp.]; Metcalf
1965b,6(12):36 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo sordida Evans
Ipo sordida Evans 1934a:154 [n.sp.]; Metcalf
1965b,6(12):36 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo speciosa Evans
Ipo speciosa Evans 1941f:144 [n.sp.]; Metcalf
1965b,6(12):36 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipo torpens Jacobi
Ipo torpens Jacobi 1909a:341 [n.sp.]; Metcalf
1965b,6(12):36 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipocerus kirkaldyi Baker
Ipocerus kirkaldyi Baker 1915c: 323 [n.sp.]; Metcalf
1966d, 6(16): 220 [Cat.]
DISTRIBUTION: Australia, Philippines (Metcalf Cat.)
- Ipoella canberrensis Evans
Ipoella canberrensis Evans 1934a:159 [n.sp.]; Metcalf
1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoella davisi Evans
Ipoella davisi Evans 1947f:227 [n.sp.]; Metcalf
1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoella fidelis Evans
Ipoella fidelis Evans 1934a:157 [n.sp.]; Metcalf
1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoella fulva Evans
Ipoella fulva Evans 1941f:144 [n.sp.]; Metcalf
1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoella insignis (Distant)
Eurymeloides insignis Distant 1908e:103 [n.sp.];
Metcalf 1965b,6(12):32 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoella norrisi Evans
Ipoella norrisi Evans 1939a:48 [n.sp.]; Metcalf
1965b,6(12):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides brunomaculata Evans
Ipoides brunomaculata Evans 1947f:226 [n.sp.];
Metcalf 1965b,6(12):32 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Ipoides casurinae Evans
Ipoides casurinae Evans 1934a:157 [n.sp.]; Metcalf
1965b,6(12):32 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides fasciata Evans
Ipoides fasciata Evans 1941f:144 [n.sp.]; Metcalf
1965b,6(12):32 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides hackeri Evans
Ipoides hackeri Evans 1934a:156 [n.sp.]; Metcalf
1965b,6(12):32 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides leai Evans
Ipoides leai Evans 1934a:156 [n.sp.]; Metcalf
1965b,6(12):32 [Cat.]
DISTRIBUTION: New Caledonia (Metcalf Cat.)
- Ipoides loranthae Evans
Ipoides loranthae Evans 1939a:48 [n.sp.]; Metcalf
1965b,6(12):33 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides maculosa Evans
Ipoides maculosa Evans 1939a:48 [n.sp.]; Metcalf
1965b,6(12):33 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides melaleucae Evans
Ipoides melaleucae Evans 1947f:226 [n.sp.]; Metcalf
1965b,6(12):33 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Ipoides ooldeae Evans
Ipoides ooldeae Evans 1934a:156 [n.sp.]; Metcalf
1965b,6(12):33 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Ipoides translucens Evans
Ipoides translucens Evans 1934a:156 [n.sp.]; Metcalf
1965b,6(12):33 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Iposcopus breviceps Baker
Iposcopus breviceps Baker 1915c: 320 [n.sp.]; Metcalf
1966d, 6(16): 228 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Iposcopus distanti Baker
Iposcopus distanti Baker 1915c: 320 [n.sp.]; Metcalf
1966d, 6(16): 228 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Inrula erythrocephala (Ferrari)
Cicadula erythrocephala Ferrari 1882a: 118 [n.sp.];
Metcalf 1967b, 6(10b): 2028 [Cat.]

- DISTRIBUTION:** Italy, France, Russia, Georgia, Azerbaijan, Iran, Serbia, Hungary, Japan, Taiwan, Switzerland, Oceania: Bonin Islands (Metcalf Cat.)
- Isaca bipars** Walker
Isaca bipars Walker 1857b:172 [n.sp.]; Metcalf 1966c,6(15):170 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Ishidaella albomarginata** (Signoret)
Tettigonia albomarginata Signoret 1853b:347 [n.sp.]; Metcalf 1965a,6(1):463 [Cat.]
Tettigonia pettimolua Kirkaldy 1906c:321 [n.sp.]; Metcalf 1965a,6(1):463 [Cat.]
DISTRIBUTION: Australia, China, Taiwan, Japan, New Guinea, E. Indonesia, Korea, Europe (Metcalf Cat.)
- Ishidaella flaveola** Matsumura
Ishidaella flaveola Matsumura 1915a:171 [n.sp.]; Metcalf 1965a,6(1):466 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
- Iturornia insulana** Evans
Iturornia insulana Evans 1954a:110 [n.sp.]; Metcalf 1964b,6(11):82 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Jafar javeti** (Signoret)
Gypona javeti Signoret 1858 [in Fairmaire & Signoret 1858a:342] [n.sp.]; Metcalf 1962b,6(3):214 [Cat.]
DISTRIBUTION: Nigeria (Metcalf Cat.)
- Jamitettix guamensis** Metcalf
Jamitettix guamensis Metcalf 1946d:119 [n.sp.]; Metcalf 1966c,6(15):181 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Jamitettix kotonis** Matsumura
Jamitettix kotonis Matsumura 1940d:40 [n.sp.]; Metcalf 1966c,6(15):182 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Japanagallia pteridis** (Matsumura)
Agallia pteridis Matsumura 1905a:68 [n.sp.]; Metcalf 1966a,6(14):60 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Japananus aceri** (Matsumura)
Platymetopius aceri Matsumura 1914a: 216 [n.sp.]; Metcalf 1967c, 6(10c): 2245 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Japananus hyalinus** (Osborn)
Platymetopius hyalinus Osborn 1900d: 501 [n.sp.]; Metcalf 1967c, 6(10c): 2245 [Cat.]
Platymetopius cinctus Matsumura 1914a: 215 [n.sp.]; Metcalf 1967c, 6(10c): 2245 [Cat.]
DISTRIBUTION: United States, Japan (Metcalf Cat.)
- Jassargus bicorniger** (Then)
Deltocephalus bicorniger Then 1896a: 183 [n.sp.]; Metcalf 1967b, 6(10b): 1202 [Cat.]
DISTRIBUTION: Austria, Italy (Metcalf Cat.)
- Jassargus bispinus** (Then)
Deltocephalus bispinus Then 1896a: 180 [n.sp.]; Metcalf 1967b, 6(10b): 1202 [Cat.]
DISTRIBUTION: Hungary, Italy, Austria, Croatia (Metcalf Cat.)
- Jassargus bisubulatus** (Then)
Deltocephalus bisubulatus Then 1896a: 178 [n.sp.]; Metcalf 1967b, 6(10b): 1203 [Cat.]
DISTRIBUTION: Germany, Austria, Italy (Metcalf Cat.)
- Jassargus falleni** [sic] (Fieber)
Deltocephalus falleni Fieber 1869a: 210 [n.sp.]; Metcalf 1967b, 6(10b): 1203 [Cat.]
DISTRIBUTION: Estonia, Latvia, Scandinavia, Germany, France, Austria, Russia, Belgium, Netherlands, Czech Republic (Metcalf Cat.)
- Jassargus neglectus** (Then)
Deltocephalus neglectus Then 1896a: 173 [n.sp.]; Metcalf 1967b, 6(10b): 1206 [Cat.]
DISTRIBUTION: Czech Republic, Germany, Austria, Hungary, Sweden, Bulgaria, Slovakia, Poland (Metcalf Cat.)
- Jassargus paleaceus** (Sahlberg)
Deltocephalus paleaceus Sahlberg 1871a: 316 [n.sp.]; Metcalf 1967b, 6(10b): 1207 [Cat.]
DISTRIBUTION: Scandanavia, Great Britain, Netherlands (Metcalf Cat.)
- Jassargus parallelus** (Fieber)
Deltocephalus parallelus Fieber 1869a: 209 [n.sp.]; Metcalf 1967b, 6(10b): 1208 [Cat.]
DISTRIBUTION: Germany, France, Austria, France, Belgium, Czech Republic, Yugoslavia, Denmark, Netherlands, England (Metcalf Cat.)
- Jassargus (Arrailus) alpinus** (Then)
Deltocephalus alpinus Then 1896a: 175 [n.sp.]; Metcalf 1967b, 6(10b): 1209 [Cat.]
DISTRIBUTION: Germany, Austria (Metcalf Cat.)
- Jassargus (Arrailus) cebennicus** (Ribaut)
Lausulus cebennicus Ribaut 1952a: 256 [n.sp.]; Metcalf 1967b, 6(10b): 1210 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Jassargus (Arrailus) flori** (Fieber)
Deltocephalus flori Fieber 1869a: 210 [n.sp.]; Metcalf 1967b, 6(10b): 1210 [Cat.]
Deltocephalus oculatus Sahlberg 1871a: 308 [n.sp.]; Metcalf 1967b, 6(10b): 1210 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, western Mediterranean (Metcalf Cat.)
- Jassargus (Aurkius) repletus** (Fieber)
Deltocephalus repletus Fieber 1869a: 208 [n.sp.]; Metcalf 1967b, 6(10b): 1216 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, western Mediterranean (Metcalf Cat.)
- Jassargus (Jassargus) avennicus** Ribaut

- Jassargus (*Jassargus*) avennicus Ribaut 1952a: 255
 [n.sp.]; Metcalf 1967b, 6(10b): 1218 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Jassargus (*Jassargus*) curvatus (Ribaut)
 Jassargus (*Jassargus*) curvatus Ribaut 1952a: 253
 [n.sp.]; Metcalf 1967b, 6(10b): 1218 [Cat.]
DISTRIBUTION: Spain, France (Metcalf Cat.)
- Jassargus (*Jassargus*) distinguendus (Flor)
 Deltoccephalus pseudocellaris Flor 1861a: 547
 [nom.nov. for *Deltoccephalus distinguendus* Flor
 1861]; Metcalf 1967b, 6(10b): 1219 [Cat.]
Jassus (*Deltoccephalus*) distinguendus Flor 1861a: 240
 [n.sp.]; Metcalf 1967b, 6(10b): 1219 [Cat.]
Jassus (*Deltoccephalus*) mattiacellus Kirschbaum
 1868b: 144 [n.sp.]; Metcalf 1967b, 6(10b): 1219
 [Cat.]
Deltoccephalus kemneri Ossiannilsson 1935b: 130
 [n.sp.]; Metcalf 1967b, 6(10b): 1225 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, western Mediterranean,
 Iceland (Metcalf Cat.)
- Jassargus (*Jassargus*) distinguendus gallicus Metcalf
Deltoccephalus distinguendus longiceps Rey 1894c: 46
 [n.subsp. of *distinguendus*]; Metcalf 1967b,
 6(10b): 1228 [Cat.]
Jassargus (*Jassargus*) distinguendus gallicus Metcalf
 1955a: 266 [nom.nov. for *Deltoccephalus*
distinguendus longiceps Rey 1894]; Metcalf
 1967b, 6(10b): 1228 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Jassargus (*Jassargus*) distinguendus reyi Metcalf
Deltoccephalus distinguendus confinis Rey 1894c: 46
 [n.subsp. of *distinguendus*]; Metcalf 1967b,
 6(10b): 1228 [Cat.]
Jassargus distinguendus reyi Metcalf 1955a: 266
 [nom.nov. for *Deltoccephalus* distinguendus
confinis Rey 1894]; Metcalf 1967b, 6(10b): 1228
 [Cat.]
DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Jassargus (*Jassargus*) obtusivalvis (Kirschbaum)
Jassus (*Deltoccephalus*) obtusivalvis Kirschbaum
 1868b: 142 [n.sp.]; Metcalf 1967b, 6(10b): 1228
 [Cat.]
Deltoccephalus picturatus Fieber 1869a: 209 [n.sp.];
 Metcalf 1967b, 6(10b): 1229 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, western Mediterranean
 (Metcalf Cat.)
- Jassargus (*Sayetus*) allobrigicus kocoureki (Dlabola)
Deltoccephalus allobrigicus kocoureki Dlabola 1944b:
 97 [n.subsp. of *allobrigicus*]; Metcalf 1967b,
 6(10b): 1235 [Cat.]
DISTRIBUTION: Czech Republic (Metcalf Cat.)
- Jassargus (*Sayetus*) allobrogicus (Ribaut)
Deltoccephalus allobrogicus Ribaut 1936a: 264 [n.sp.];
 Metcalf 1967b, 6(10b): 1233 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia,
 Russia (Metcalf Cat.)
- Jassargus (*Sayetus*) cordiger (Ribaut)
Deltoccephalus cordiger Ribaut 1936a: 265 [n.sp.];
 Metcalf 1967b, 6(10b): 1235 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Jassargus (*Sayetus*) sursumflexus (Then)
Deltoccephalus sursumflexus Then 1902a: 189 [n.sp.];
 Metcalf 1967b, 6(10b): 1235 [Cat.]
DISTRIBUTION: Austria, England, Germany,
 Belgium, Czech Republic, Sweden, Norway,
 Finland, Hungary, Switzerland (Metcalf Cat.)
- Jassoidula cuprescens Osborn
Jassoidula cuprescens Osborn 1934a: 187 [n.sp.];
 Metcalf 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Tonga Islands (Metcalf
 Cat.)
- Jassoidula infuscata Osborn
Jassoidula infuscata Osborn 1934a: 185 [n.sp.];
 Metcalf 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf
 Cat.)
- Jassoidula limbata Osborn
Jassoidula limbata Osborn 1934a: 186 [n.sp.]; Metcalf
 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands, Western
 Samoa Islands (Metcalf Cat.)
- Jassoidula metallica Osborn
Jassoidula metallica Osborn 1934a: 185 [n.sp.];
 Metcalf 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Tonga Islands (Metcalf
 Cat.)
- Jassoidula niuensis Osborn
Jassoidula niuensis Osborn 1934a: 183 [n.sp.]; Metcalf
 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Niue Island (Metcalf Cat.)
- Jassoidula ochracea Osborn
Jassoidula ochracea Osborn 1934a: 184 [n.sp.];
 Metcalf 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands, Western
 Samoa Islands (Metcalf Cat.)
- Jassoidula pallida Osborn
Jassoidula pallida Osborn 1934a: 187 [n.sp.]; Metcalf
 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Tonga Islands (Metcalf
 Cat.)
- Jassoidula straminea Osborn
Jassoidula straminea Osborn 1934a: 183 [n.sp.];
 Metcalf 1964b, 6(11): 83 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands, Western
 Samoa Islands (Metcalf Cat.)
- Jassonirvana lineata Baker
Jassonirvana lineata Baker 1923a: 399 [n.sp.]; Metcalf
 1963b, 6(7): 23 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Jassulus brunneus Evans

- Jassulus brunneus* Evans 1955a:31 [n.sp.]; Metcalf 1966c,6(15):115 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Jilijapa armata* Melichar
Jilijapa armata Melichar 1925a:356 [n.sp.]; Metcalf 1965a,6(1):538 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Joruma apicata* Caldwell
Joruma apicata Caldwell 1952 [in Caldwell & Martorell 1952a:100] [n.sp.]; Metcalf 1968a,6(17):600 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Joruma aurea* Ruppel & DeLong
Joruma aurea Ruppel & DeLong 1953d:340 [n.sp.]; Metcalf 1968a,6(17):600 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Joruma brevidens* (DeLong)
Empoasca brevidens DeLong 1923 [in Wolcott 1923b:269] [n.sp.]; Metcalf 1968a,6(17):600 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Joruma clavata* Ruppel & DeLong
Joruma clavata Ruppel & DeLong 1953d:340 [n.sp.]; Metcalf 1968a,6(17):601 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Joruma duplicata* Caldwell
Joruma duplicata Caldwell 1952 [in Caldwell & Martorell 1952a:100] [n.sp.]; Metcalf 1968a,6(17):601 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Joruma krausi* Ruppel & DeLong
Joruma krausi Ruppel & DeLong 1953d:342 [n.sp.]; Metcalf 1968a,6(17):601 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Joruma luciana* Osborn
Joruma luciana Osborn 1928a:282 [n.sp.]; Metcalf 1968a,6(17):601 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Joruma orizabae* Ruppel & DeLong
Joruma orizabae Ruppel & DeLong 1953d:342 [n.sp.]; Metcalf 1968a,6(17):601 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Joruma (Joruma) albifrons* McAtee
Joruma albifrons McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):602 [Cat.]
DISTRIBUTION: Brazil, Panama (Metcalf Cat.)
- Joruma (Joruma) ascripta* McAtee
Joruma ascripta McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):602 [Cat.]
DISTRIBUTION: Costa Rica, West Indies, Brazil, Dominican Republic (Metcalf Cat.)
- Joruma (Joruma) atratula* McAtee
Joruma atratula McAtee 1926b:166 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Joruma (Joruma) aurata* McAtee
- Joruma aurata* McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Joruma (Joruma) cingulata* McAtee
Joruma cingulata McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Joruma (Joruma) coccinea* McAtee
Joruma coccinea McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Costa Rica, Bolivia (Metcalf Cat.)
- Joruma (Joruma) ebria* McAtee
Joruma ebria McAtee 1926b:166 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Joruma (Joruma) feminea* McAtee
Joruma feminea McAtee 1926b:166 [n.sp.]; Metcalf 1968a,6(17):603 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Joruma (Joruma) fumosa* Osborn
Joruma fumosa Osborn 1928a:283 [n.sp.]; Metcalf 1968a,6(17):604 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Joruma (Joruma) fuscoclavata* Osborn
Joruma fuscoclavata Osborn 1928a:281 [n.sp.]; Metcalf 1968a,6(17):604 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Joruma (Joruma) neascripta* Oman
Joruma neascripta Oman 1937d:568 [n.sp.]; Metcalf 1968a,6(17):604 [Cat.]
DISTRIBUTION: Puerto Rico, Trinidad (Metcalf Cat.)
- Joruma (Joruma) nigricans* Osborn
Joruma nigricans Osborn 1928a:281 [n.sp.]; Metcalf 1968a,6(17):604 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Joruma (Joruma) peltata* McAtee
Joruma peltata McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):604 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Joruma (Joruma) pisca* McAtee
Joruma pisca McAtee 1924c:34 [n.sp.]; Metcalf 1968a,6(17):605 [Cat.]
DISTRIBUTION: United States, Honduras, Dominican Republic, Puerto Rico (Metcalf Cat.)
- Joruma (Joruma) proxima* McAtee
Joruma proxima McAtee 1926b:166 [n.sp.]; Metcalf 1968a,6(17):605 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Joruma (Joruma) semenula* McAtee
Joruma semenula McAtee 1926b:166 [n.sp.]; Metcalf 1968a,6(17):605 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Joruma (Joruma) subaurata* McAtee
Joruma subaurata McAtee 1926b:165 [n.sp.]; Metcalf 1968a,6(17):606 [Cat.]

- DISTRIBUTION: Cuba, Colombia (Metcalf Cat.)
Joruma (Jorumidia) curvata Osborn
Joruma curvata Osborn 1928a:284 [n.sp.]; Metcalf
 1968a,6(17):606 [Cat.]
 DISTRIBUTION: Brazil, Mexico (Metcalf Cat.)
Joruma (Jorumidia) minuta Lawson
Joruma minuta Lawson 1930a:136 [n.sp.]; Metcalf
 1968a,6(17):606 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Jukaruka typica Distant
Jukaruka typica Distant 1907g:190 [n.sp.]; Metcalf
 1962c,6(4):99 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Kahaono hanuala Kirkaldy
Kahaono hanuala Kirkaldy 1906c:361 [n.sp.]; Metcalf
 1968a,6(17):107 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Kahavalu gemma Kirkaldy
Kahavalu gemma Kirkaldy 1906c:371 [n.sp.]; Metcalf
 1962d,6(5):79 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Kalasha nativa Distant
Kalasha nativa Distant 1908g:254 [n.sp.]; Metcalf
 1962a,6(2):10 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Kalasha sondaica Jacobi
Kalasha sondaica Jacobi 1914a:379 [n.sp.]; Metcalf
 1962a,6(2):10 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
Kallebra ninettiae (Baker)
Protalebra ninettiae Baker 1899b:403 [n.sp.]; Metcalf
 1968a,6(17):21 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Kana anomala Baker
Kana anomala Baker 1923a:383 [n.sp.]; Metcalf
 1963b,6(7):5 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
Kana decora (Melichar)
Nirvana decora Melichar 1903b:166 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Kana dorrigensis Evans
Kana dorrigensis Evans 1938b:6 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Kana fasciata Singh-Pruthi
Kana fasciata Singh-Pruthi 1930a:22 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Kana illaborata Distant
Kana illaborata Distant 1908g:287 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Myanmar, Borneo, Singapore
 (Metcalf Cat.)
Kana illuminata Distant
- Kana illuminata Distant* 1918b:35 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Kana maculata Baker
Kana maculata Baker 1923a:382 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
Kana modesta Distant
Kana modesta Distant 1918b:36 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Kana ordinata Distant
Kana ordinata Distant 1908g:287 [n.sp.]; Metcalf
 1963b,6(7):6 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Kana picea Baker
Kana picea Baker 1923a:381 [n.sp.]; Metcalf
 1963b,6(7):7 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
Kana ramificata Distant
Kana ramificata Distant 1908g:286 [n.sp.]; Metcalf
 1963b,6(7):7 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Kana signata Distant
Kana signata Distant 1918b:34 [n.sp.]; Metcalf
 1963b,6(7):7 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Kana thoracica Distant
Kana thoracica Distant 1908g:285 [n.sp.]; Metcalf
 1963b,6(7):7 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Kanorba reflexa Oman
Kanorba reflexa Oman 1938b: 375 [n.sp.]; Metcalf
 1967c, 6(10c): 2203 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
Karasekia lata (Melichar)
Wolfella lata Melichar 1905a:299 [n.sp.]; Metcalf
 1962a,6(2):15 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
Karasekia pugionata Melichar
Karasekia pugionata Melichar 1912c:118 [n.sp.];
 Metcalf 1962a,6(2):15 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
Kashitettix quercus (Matsumura)
Eupteryx quercus Matsumura 1916b:394 [n.sp.];
 Metcalf 1968a,6(17):778 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Katipo rubrivenosa (Kirkaldy)
Eurmelooides lentiginosus Kirkaldy 1906c:353 [n.sp.];
 Metcalf 1965b,6(12):37 [Cat.]
Eurmelooides rubrivenosa Kirkaldy 1906c:353 [n.sp.];
 Metcalf 1965b,6(12):37 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Katipo signoreti Evans
Katipo signoreti Evans 1934a:161 [n.sp.]; Metcalf
 1965b,6(12):37 [Cat.]

- DISTRIBUTION: Australia (Metcalf Cat.)
Keonolla confluens (Uhler)
Proconia confluens Uhler 1861b:285 [n.sp.]; Metcalf 1965a,6(1):278 [Cat.]
- DISTRIBUTION: United States, Canada (Young 1977a)
Keonolla confluens pacifica DeLong & Severin
Keonolla confluens pacifica DeLong & Severin 1949a:177 [n.subsp. of *confluens*]; Metcalf 1965a,6(1):280 [Cat.]
- DISTRIBUTION: California (Metcalf Cat.)
Keonolla dolobrata (Ball)
Tettigonia hieroglyphica dolobrata Ball 1901b:52 [n.subsp. of *heiroglyphica*]; Metcalf 1965a,6(1):280 [Cat.]
- DISTRIBUTION: United States, Mexico, Guatemala (Metcalf Cat.)
Keonolla lugubris (Signoret)
Tettigonia lugubris Signoret 1854a:13 [n.sp.]; Metcalf 1965a,6(1):281 [Cat.]
- DISTRIBUTION: Mexico, United States (Metcalf Cat.)
Keonolla uhleri (Ball)
Tettigonia uhleri Ball 1901b:52 [n.subsp. of *hieroglyphica*]; Metcalf 1965a,6(1):281 [Cat.]
- Cicadella heiroglyphica barberi* Olsen 1922a:361 [n.subsp. of *heiroglyphica*]; Metcalf 1965a,6(1):282 [Cat.]
- DISTRIBUTION: United States, Mexico (Young 1977a)
Keonolla uhleri lutzi (Olsen)
Cicadella uhleri lutzi Olsen 1922a:360 [n.subsp. of *hieroglyphica*]; Metcalf 1965a,6(1):282 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Kidrella santana (Beamer)
Dikranura santana Beamer 1936a:8 [n.sp.]; Metcalf 1968a,6(17):191 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Kikuchiella gracilis Kato
Kikuchiella gracilis Kato 1932b:222 [n.sp.]; Metcalf 1965a,6(1):429 [Cat.]
- DISTRIBUTION: Nepal, India, Birma, Thailand, Taiwan, W. Malaysia, Java (Young 1986a)
Kinonia elongata Ball
Kinonia elongata Ball 1933c: 224 [n.sp.]; Metcalf 1967b, 6(10b): 1582 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Kirkaldiella euphorbiae Osborn
Kirkaldiella euphorbiae Osborn 1935b: 14 [n.sp.]; Metcalf 1967a, 6(10a): 464 [Cat.]
- DISTRIBUTION: Oceania: Hawaii Islands (Metcalf Cat.)
Kirkaldiella ewana Osborn
Kirkaldiella ewana Osborn 1935b: 15 [n.sp.]; Metcalf 1967a, 6(10a): 465 [Cat.]
- DISTRIBUTION: Oceania: Hawaii Islands (Metcalf Cat.)
Knullan hauchuca DeLong
Knullan hauchuca DeLong 1941a: 87 [n.sp.]; Metcalf 1967a, 6(10a): 840 [Cat.]
- Knullan huachuca* DeLong & Knoll 1946a: 62 [implicit emen. of *hauchuca*]; Metcalf 1967a, 6(10a): 840 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Knullan peregrina (Ball)
Thamnotettix peregrina Ball 1900c: 339 [n.sp.]; Metcalf 1967a, 6(10a): 840 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Knullan plummeri DeLong
Knullan plummeri DeLong 1941a: 88 [n.sp.]; Metcalf 1967a, 6(10a): 840 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Koebelia californica Baker
Koebelia californica Baker 1897a:76 [n.sp.]; Metcalf 1962c,6(4):122 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
Koebelia coronata Ball
Koebelia coronata Ball 1909b:185 [n.sp.]; Metcalf 1962c,6(4):123 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Koebelia grossa Ball
Koebelia grossa Ball 1909b:185 [n.sp.]; Metcalf 1962c,6(4):123 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Koebelia irrorata Ball
Koebelia irrorata Ball 1909b:185 [n.sp.]; Metcalf 1962c,6(4):123 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Kolla albescens Jacobi
Kolla albescens Jacobi 1943a:28 [n.sp.]; Metcalf 1965a,6(1):438 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
Kolla albida (Walker)
Tettigonia albida Walker 1851b:767 [n.sp.]; Metcalf 1965a,6(1):438 [Cat.]
- DISTRIBUTION: Sri Lanka (Young 1986a)
Kolla atronotata Distant
Kolla atronotata Distant 1918b:10 [n.sp.]; Metcalf 1965a,6(1):439 [Cat.]
- DISTRIBUTION: Malaysia, Thailand, Sumatra (Young 1986a)
Kolla auriculata Distant
Kolla auriculata Distant 1920f:470 [n.sp.]; Metcalf 1965a,6(1):439 [Cat.]
- DISTRIBUTION: Oceania: New Caledonia (Metcalf Cat.)
Kolla canidia Distant
Kolla canidia Distant 1908g:226 [n.sp.]; Metcalf 1965a,6(1):440 [Cat.]

- DISTRIBUTION: India (Metcalf Cat.)
Kolla carabela Metcalf & Bruner
 Kolla carabela Metcalf & Bruner 1936a:943 [n.sp.];
 Metcalf 1965a,6(1):440 [Cat.]
- DISTRIBUTION: Cuba (Metcalf Cat.)
Kolla diaphana Distant
 Kolla diaphana Distant 1918b:9 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: India (Young 1986a)
Kolla eliyana Distant
 Kolla eliyana Distant 1918b:10 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: Sri Lanka (Young 1986a)
Kolla funeralis Distant
 Kolla funeralis Distant 1917a:312 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: Seychelles Islands (Metcalf Cat.)
Kolla ganesa Distant
 Kolla ganesa Distant 1918b:8 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla gregalis Distant
 Kolla gregalis Distant 1908g:226 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla hyalina Kato
 Kolla hyalina Kato 1932b:223 [n.sp.]; Metcalf
 1965a,6(1):440 [Cat.]
- DISTRIBUTION: Japan, China (Metcalf Cat.)
Kolla immaculata (Walker)
 Tettigonia immaculata Walker 1851b:740 [n.sp.];
 Metcalf 1965a,6(1):441 [Cat.]
- DISTRIBUTION: Philippines (Young 1986a)
Kolla insignis Distant
 Kolla insignis Distant 1908g:223 [n.sp.]; Metcalf
 1965a,6(1):441 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla ithra Distant
 Kolla ithra Distant 1908a:530 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: Peru (Young 1977a)
Kolla javana Melichar
 Kolla javana Melichar 1914b:124 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: India (Young 1986a)
Kolla kodaiana Distant
 Kolla kodaiana Distant 1918b:9 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: Madagascar (Young 1986a)
Kolla lineata Distant
 Kolla lineatus Distant 1908g:224 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
Kolla lukjanovitshi Kusnezov
 Kolla lukjanovitshi Kusnezov 1929b:172 [n.sp.];
 Metcalf 1965a,6(1):442 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
Kolla maculifrons Schmidt
 Kolla maculifrons Schmidt 1911b:295 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla maculifrons similis Schmidt
 Kolla maculifrons similis Schmidt 1911b:296
 [n.subsp. of maculifrons]; Metcalf 1965a,6(1):442
 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla mandschurica Jacobi
 Kolla mandschurica Jacobi 1943a:27 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
Kolla melichari China
 Kolla melichari China 1935b:305 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: W.Indonesia (Metcalf Cat.)
Kolla mimica Distant
 Kolla mimica Distant 1908g:225 [n.sp.]; Metcalf
 1965a,6(1):442 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Kolla mungphuensis Distant
 Kolla mungphuensis Distant 1908g:225 [n.sp.];
 Metcalf 1965a,6(1):443 [Cat.]
- DISTRIBUTION: India, Nepal (Young 1986a)
Kolla opalinula Jacobi
 Kolla opalinula Jacobi 1941a:301 [n.sp.]; Metcalf
 1965a,6(1):443 [Cat.]
- DISTRIBUTION: E.Indonesia (Metcalf Cat.)
Kolla opponens (Walker)
 Tettigonia opponens Walker 1851b:757 [n.sp.];
 Metcalf 1965a,6(1):443 [Cat.]
- DISTRIBUTION: West Indonesia: Sumatra, Java,
 China (Hainan Is.), Nepal (Young 1986a)
Kolla pallidula Jacobi
 Kolla pallidula Jacobi 1941a:302 [n.sp.]; Metcalf
 1965a,6(1):443 [Cat.]
- DISTRIBUTION: Madagascar (Young 1986a)
Kolla parvipicta Distant
 Kolla parvipicta Distant 1902f:469 [n.sp.]; Metcalf
 1965a,6(1):443 [Cat.]
- DISTRIBUTION: Oceania: New Caledonia (Metcalf
 Cat.)
Kolla paulula (Walker)
 Tettigonia paulula Walker 1858b:219 [n.sp.]; Metcalf
 1965a,6(1):444 [Cat.]
- Tettigonia kinbergi Stål 1859b:288 [n.sp.]; Metcalf
 1965a,6(1):444 [Cat.]
- Tettigonia igniceps Walker 1870b:304 [n.sp.]; Metcalf
 1965a,6(1):444 [Cat.]
- DISTRIBUTION: Sri Lanka, E.Indonesia,
 W.Indonesia, Philippines, China, India, Myanmar
 (Metcalf Cat.)
- Kolla polita* (Walker)

- Tettigonia polita* Walker 1857b:168 [n.sp.]; Metcalf 1965a,6(1):444 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Kolla pronotalis* Distant
Kolla pronotalis Distant 1918b: [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Kolla raja* Distant
Kolla raja Distant 1918b:7 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Kolla santarosae* (Jensen-Haarup)
Tettigonia (*Kolla*) *santarosae* Jensen-Haarup 1922a:14 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Kolla semipellucida* Jacobi
Kolla semipellucida Jacobi 1912a:36 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Kolla seychellensis* Distant
Kolla seychellensis Distant 1917a:312 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: Seychelle Islands (Metcalf Cat.)
- Kolla tigrina* Distant
Kolla tigrina Distant 1918b:9 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Kolla trimaculata* Schmidt
Kolla trimaculata Schmidt 1911b:297 [n.sp.]; Metcalf 1965a,6(1):445 [Cat.]
 DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Kolla unimaculata* (Signoret)
Tettigonia unimaculata Signoret 1854a:26 [n.sp.]; Metcalf 1965a,6(1):446 [Cat.]
 DISTRIBUTION: Myanmar, India, Philippines, W.Indonesia, Sri Lanka, China (Metcalf Cat.)
- Kolla vesta* Distant
Kolla vesta Distant 1908g:224 [n.sp.]; Metcalf 1965a,6(1):446 [Cat.]
 DISTRIBUTION: West Indonesia: Java (Young 1986a)
- Korana maculosa* Distant
Korana maculosa Distant 1910e:241 [n.sp.]; Metcalf 1966c,6(15):207 [Cat.]
 DISTRIBUTION: South Africa, Zambia, Zimbabwe (Metcalf Cat.)
- Kosmiopelex rieki* (Evans)
Kosmioeplix [sic] *rieiki* Evans 1947a:253 [n.sp.]; Metcalf 1963c,6(8):208 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Kosmiopelex varicolor* Kirkaldy
Kosmiopelex varicolor Kirkaldy 1906c:335 [n.sp.]; Metcalf 1963c,6(8):208 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Krisna bipunctula* (Melichar)
Siva bipunctula Melichar 1904a:38 [n.sp.]; Metcalf 1966c,6(15):199 [Cat.]
 DISTRIBUTION: Somalia (Metcalf Cat.)
- Krisna colorata* Baker
Krisna colorata Baker 1919b:216 [n.sp.]; Metcalf 1966c,6(15):199 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Krisna gravis* (Stål)
Selenocephalus gravis Stål 1858d:453 [n.sp.]; Metcalf 1966c,6(15):200 [Cat.]
 DISTRIBUTION: Nigeria, Cameroon (Metcalf Cat.)
- Krisna indicata* (Walker)
Bythoscopus indicatus Walker 1858b:266 [n.sp.]; Metcalf 1966c,6(15):200 [Cat.]
 DISTRIBUTION: China, West Indonesia (Metcalf Cat.)
- Krisna insularis* Oman
Krisna insularis Oman 1936c:118 [n.sp.]; Metcalf 1966c,6(15):201 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Krisna kirbyi* (Kirkaldy)
Gypona striata Kirby 1891a:171 [n.sp.]; Metcalf 1966c,6(15):201 [Cat.]
Titia kirbyi Kirkaldy 1900d:294 [nom.nov. for *Gypona striata* Kirby 1891]; Metcalf 1966c,6(15):201 [Cat.]
 DISTRIBUTION: Sri Lanka, Philippines (Metcalf Cat.)
- Krisna magna* Baker
Krisna magna Baker 1919b:216 [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Krisna minima* Baker
Krisna minima Baker 1919b:214 [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Krisna montana* Caldwell
Krisna montana Caldwell 1952 [in Calwell & Martorell 1952a:21] [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Krisna muirii* Baker
Krisna muirii Baker 1919b:215 [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Krisna nigrifrons* Baker
Krisna nigrifrons Baker 1919b:215 [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Singapore (Metcalf Cat.)
- Krisna olivascens* Baker
Krisna olivascens Baker 1919b:215 [n.sp.]; Metcalf 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Singapore, Malaysia, Borneo (Metcalf Cat.)
- Krisna olivascens singaprensis* Baker

- Krisna olivascens singaporensis* Baker 1919b:216
 [n.subsp. of *olivascens*]; Metcalf 1966c,6(15):202
 [Cat.]
 DISTRIBUTION: Singapore (Metcalf Cat.)
- Krisna penangensis* Baker
Krisna penangensis Baker 1919b:215 [n.sp.]; Metcalf
 1966c,6(15):202 [Cat.]
 DISTRIBUTION: Malaysia (Metcalf Cat.)
- Krisna reticulata* (Melichar)
Siva reticulata Melichar 1905a:300 [n.sp.]; Metcalf
 1966c,6(15):203 [Cat.]
 DISTRIBUTION: Germany, East Africa (Metcalf
 Cat.)
- Krisna rosea* (Bierman)
Siva rosea Bierman 1910a:61 [n.sp.]; Metcalf
 1966c,6(15):203 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Krisna sherwilli* Distant
Krisna sherwilli Distant 1908g:299 [n.sp.]; Metcalf
 1966c,6(15):203 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Krisna simillima* Baker
Krisna simillima Baker 1919b:215 [n.sp.]; Metcalf
 1966c,6(15):203 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Krisna straminea* (Walker)
Acocephalus stramineus Walker 1851b:847 [n.sp.];
 Metcalf 1966c,6(15):203 [Cat.]
 DISTRIBUTION: West Indonesia, Borneo, China,
 India, Pakistan (Metcalf Cat.)
- Krisna strigicollis* (Spinola)
Siva strigicollis Spinola 1850b:128 [n.sp.]; Metcalf
 1966c,6(15):204 [Cat.]
Selenocephalus costalis Stål 1859b:290 [n.sp.];
 Metcalf 1966c,6(15):204 [Cat.]
 DISTRIBUTION: India, Philippines, Cambodia, West
 Indonesia, Myanmar, Malaysia, China, Zaire,
 Japan, Singapore Island, Borneo (Metcalf Cat.)
- Krisna uniformis* Distant
Krisna uniformis Distant 1910e:241 [n.sp.]; Metcalf
 1966c,6(15):206 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Krisna walkeri* Metcalf
Bythoscopus testaceus Walker 1857b:173 [n.sp.];
 Metcalf 1966c,6(15):206 [Cat.]
Krisna walkeri Metcalf 1955a:266 [nom.nov. for
Bythoscopus testaceus Walker 1857]; Metcalf
 1966c,6(15):206 [Cat.]
 DISTRIBUTION: Borneo, Australia (Metcalf Cat.)
- Kronos typicus* Distant
Kronos typicus Distant 1917a:308 [n.sp.]; Metcalf
 1962b,6(3):217 [Cat.]
 DISTRIBUTION: Indian Ocean: Seychelles Islands
 (Metcalf Cat.)
- Kunasia hyalinata* Kato
Kunasia hyalinata Kato 1929a:547 [n.sp.]; Metcalf
 1964b,6(11):27 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Kunasia nivosa* Distant
Kunasia nivosa Distant 1908g:339 [n.sp.]; Metcalf
 1964b,6(11):28 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Kunzeana acaciae* Ruppel & DeLong
Kunzeana acaciae Ruppel & DeLong 1951a:188
 [n.sp.]; Metcalf 1968a,6(17):195 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana aurulenta* (Lawson)
Dikraneura aurulenta Lawson 1930e:41 [n.sp.];
 Metcalf 1968a,6(17):195 [Cat.]
 DISTRIBUTION: United States, Puerto Rico, Mexico
 (Metcalf Cat.)
- Kunzeana benedicti* (Beamer)
Dikraneura benedicti Beamer 1943b:59 [n.sp.];
 Metcalf 1968a,6(17):195 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Kunzeana caldwelli* Ruppel & DeLong
Kunzeana caldwelli Ruppel & DeLong 1952b:226
 [n.sp.]; Metcalf 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana carmenae* Ruppel & DeLong
Kunzeana carmenae Ruppel & DeLong 1952b:228
 [n.sp.]; Metcalf 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana curiosa* (Beamer)
Dikraneura curiosa Beamer 1945b:83 [n.sp.]; Metcalf
 1968a,6(17):196 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Kunzeana deschoni* (Baker)
Erythria deschoni Baker 1903c:5 [n.sp.]; Metcalf
 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Nicaragua, Guatemala, Mexico
 (Metcalf Cat.)
- Kunzeana deserta* Ruppel & DeLong
Kunzeana deserta Ruppel & DeLong 1952b:227
 [n.sp.]; Metcalf 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana ebena* Ruppel & DeLong
Kunzeana ebena Ruppel & DeLong 1952c:354 [n.sp.];
 Metcalf 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana eburata* Ruppel & DeLong
Kunzeana eburata Ruppel & DeLong 1952b:226
 [n.sp.]; Metcalf 1968a,6(17):196 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana flavella* Ruppel & DeLong
Kunzeana flavella Ruppel & DeLong 1952b:224
 [n.sp.]; Metcalf 1968a,6(17):197 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana furcata* (Beamer)

- Dikraneura furcata Beamer 1943b:62 [n.sp.]; Metcalf 1968a,6(17):197 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Kunzeana galbana Ruppel & DeLong
 Kunzeana galbana Ruppel & DeLong 1952b:224 [n.sp.]; Metcalf 1968a,6(17):197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana hebea Ruppel & DeLong
 Kunzeana hebea Ruppel & DeLong 1952b:227 [n.sp.]; Metcalf 1968a,6(17):197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana kunzei (Gillette)
 Dicraneura kunzei Gillette 1898a:721 [n.sp.]; Metcalf 1968a,6(17):197 [Cat.]
DISTRIBUTION: United States, Guatemala, Mexico (Metcalf Cat.)
- Kunzeana lenta (McAtee)
 Dikraneura (Dikraneura) lenta McAtee 1926b:159 [n.subsp. of kunzei]; Metcalf 1968a,6(17):198 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Kunzeana meta Ruppel & DeLong
 Kunzeana meta Ruppel & DeLong 1952c:356 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana munda (Beamer)
 Dikraneura munda Beamer 1943b:62 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Kunzeana myersi (McAtee)
 Dikraneura (Dikraneura) myersi McAtee 1926b:159 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Cuba, Mexico (Metcalf Cat.)
- Kunzeana parrai Ruppel & DeLong
 Kunzeana parrai Ruppel & DeLong 1952c:354 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana popae Ruppel & DeLong
 Kunzeana popae Ruppel & DeLong 1951a:187 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana popae jacintae Ruppel & DeLong
 Kunzeana popae jacintae Ruppel & DeLong 1951a:188 [n.subsp. of popae]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana raia Ruppel & DeLong
 Kunzeana raia Ruppel & DeLong 1952c:353 [n.sp.]; Metcalf 1968a,6(17):199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana rosea (Osborn)
 Dikraneura (Hyloidea) rosea Osborn 1928a:278 [n.sp.]; Metcalf 1968a,6(17):200 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Kunzeana salicis (Beamer)
 Dikraneura salicis Beamer 1943b:63 [n.sp.]; Metcalf 1968a,6(17):200 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Kunzeana sandersi (Ball & DeLong)
 Dikraneura sandersi Ball & DeLong 1925a:332 [n.sp.]; Metcalf 1968a,6(17):200 [Cat.]
DISTRIBUTION: Panama, Mexico (Metcalf Cat.)
- Kunzeana scimetara Ruppel & DeLong
 Kunzeana scimetara Ruppel & DeLong 1952c:356 [n.sp.]; Metcalf 1968a,6(17):200 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Kunzeana semiluna Ruppel & DeLong
 Kunzeana semiluna Ruppel & DeLong 1951a:191 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana spinosa Ruppel & DeLong
 Kunzeana spinosa Ruppel & DeLong 1952b:228 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana tamazella Ruppel & DeLong
 Kunzeana tamazella Ruppel & DeLong 1952c:357 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana tenera (Beamer)
 Dikraneura tenera Beamer 1943b:61 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Kunzeana tessellata Ruppel & DeLong
 Kunzeana tessellata Ruppel & DeLong 1951a:190 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana texana (Beamer)
 Dikraneura texana Beamer 1943b:61 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Kunzeana usitata Ruppel & DeLong
 Kunzeana usitata Ruppel & DeLong 1952c:353 [n.sp.]; Metcalf 1968a,6(17):201 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana versicolora Ruppel & DeLong
 Kunzeana versicolora Ruppel & DeLong 1951a:190 [n.sp.]; Metcalf 1968a,6(17):202 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana vomerella Ruppel & DeLong
 Kunzeana vomerella Ruppel & DeLong 1952c:357 [n.sp.]; Metcalf 1968a,6(17):202 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Kunzeana youngi Ruppel & DeLong
 Kunzeana youngi Ruppel & DeLong 1952b:227 [n.sp.]; Metcalf 1968a,6(17):202 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)

- Kunzella marginella* (Baker)
Dikraneura marginatus DeLong 1924a:68 [n.sp.];
Metcalf 1968a,6(17):282 [Cat.]
- Dikraneura marginella* Baker 1925a:160 [nom.nov. for
Dikraneura marginata DeLong 1924]; Metcalf
1968a,6(17):282 [Cat.]
- DISTRIBUTION: United States, Panama, Puerto
Rico, Cuba (Metcalf Cat.)
- Kunzella russea* (McAtee)
Dikraneura (*Dikraneura*) *russea* McAtee 1926b:159
[n.sp.]; Metcalf 1968a,6(17):283 [Cat.]
- DISTRIBUTION: Honduras (Metcalf Cat.)
- Kurotsuyanus sachalinensis* (Oshanin)
Tettigonia fusca Matsumura 1911b:23 [n.sp.]; Metcalf
1965a,6(1):402 [Cat.]
- Tettigoniella sachalinensis* Oshanin 1912a:100
[nom.nov. for *Tettigonia fusca* Matsumura 1911];
Metcalf 1965a,6(1):401 [Cat.]
- DISTRIBUTION: Russia, Japan (Metcalf Cat.)
- Kutara brunnescens* Distant
Kutara brunnescens Distant 1908g:308 [n.sp.];
Metcalf 1966c,6(15):184 [Cat.]
- DISTRIBUTION: Sri Lanka, India, Zaire (Metcalf
Cat.)
- Kutara grisescens* Evans
Kutara grisescens Evans 1947a:256 [n.sp.]; Metcalf
1966c,6(15):184 [Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Kutara javana* Melichar
Kutara javana Melichar 1914b:132 [n.sp.]; Metcalf
1966c,6(15):185 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Kutara nigrofascialis* Distant
Kutara nigrofascialis Distant 1918b:42 [n.sp.]; Metcalf
1966c,6(15):185 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Kyphocotis brunneus* Evans
Kyphocotis [sic] *brunneus* Evans 1947a:252 [n.sp.];
Metcalf 1962c,6(4):118 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Kyphocotis fasciata* Distant
Kyphocotis fasciata Distant 1907g:196 [n.sp.];
Metcalf 1962c,6(4):119 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Kyphocotis nigrescens* (Distant)
Stenocotis nigrescens Distant 1907g:194 [n.sp.];
Metcalf 1962c,6(4):119 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Kyphocotis parva* Distant
Kyphocotis parva Distant 1907g:197 [n.sp.]; Metcalf
1962c,6(4):119 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Kyphocotis tessellata* Kirkaldy
Kyphocotis tessellata Kirkaldy 1906c:371 [n.sp.];
Metcalf 1962c,6(4):119 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Laburrus* (*Esolanus*) *pellax* (Horvath)
Athysanus pellax Horváth 1903c: 472 [n.sp.]; Metcalf
1967a, 6(10a): 88 [Cat.]
- Athysanus intermedius* Kusnezov 1926b: 145 [n.sp.];
Metcalf 1967a, 6(10a): 88 [Cat.]
- DISTRIBUTION: Hungary, Ukraine, Russia,
Kazakhstan, Kirghizia, Tadzhikistan,
Turkmenistan, Uzbekistan, Germany, Poland,
Switzerland, Czech Republic, Netherlands,
Slovakia (Metcalf Cat.)
- Laburrus* (*Laburrus*) *impictifrons* (Bohemian)
Deltcephalus impictifrons Boheman 1852b: 119
[n.sp.]; Metcalf 1967a, 6(10a): 80 [Cat.]
- Athysanus anomalus* Kirschbaum 1858a: 12 [n.sp.];
Metcalf 1967a, 6(10a): 80 [Cat.]
- Athysanus sulphureus* Kirschbaum 1858a: 12 [n.sp.];
Metcalf 1967a, 6(10a): 80 [Cat.]
- Athysanus thiogaster* Kirschbaum 1858a: 12 [n.sp.];
Metcalf 1967a, 6(10a): 80 [Cat.]
- Selenocephalus vittatipes* Uhler 1896a: 292 [n.sp.];
Metcalf 1967a, 6(10a): 82 [Cat.]
- DISTRIBUTION: Widespread Europe, Scandinavia,
Great Britain, Western Mediterranean, Russia,
Japan, Korea, China (Metcalf Cat.)
- Laburrus* (*Laburrus*) *quadratus* (Forel)
Athysanus quadratus Forel 1864a: 41 [n.sp.]; Metcalf
1967a, 6(10a): 86 [Cat.]
- Athysanus limbatus* Ferrari 1882a: 127 [n.sp.];
Metcalf 1967a, 6(10a): 87 [Cat.]
- DISTRIBUTION: Switzerland, France, Spain,
Portugal, Italy, Belgium, Armenia, Ukraine,
Morocco (Metcalf Cat.)
- Laburrus* (*Laburrus*) *quadratus atratus* Ribaut
Laburrus (*Laburrus*) *quadratus atrata* Ribaut 1952a: 86
[n.subsp. of *quadratus*]; Metcalf 1967a, 6(10a): 88
[Cat.]
- DISTRIBUTION: locality unknown (Metcalf Cat.)
- Laburrus* (*Laburrus*) *quadratus deletus* Ribaut
Laburrus (*Laburrus*) *quadratus deleta* Ribaut 1952a:
86 [n.subsp. of *quadratus*]; Metcalf 1967a, 6(10a):
88 [Cat.]
- DISTRIBUTION: locality unknown (Metcalf Cat.)
- Laevicephalus acus* (Sanders & DeLong)
Deltcephalus acus Sanders & DeLong 1920a: 6
[n.sp.]; Metcalf 1967b, 6(10b): 1832 [Cat.]
- Laevicephalus rotundens* DeLong & Davidson 1935b:
167 [n.sp.]; Metcalf 1967b, 6(10b): 1831 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus aridus* Oman
Laevicephalus aridus Oman 1934a: 77 [n.sp.]; Metcalf
1967b, 6(10b): 1832 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus austrinus* DeLong & Davidson
Laevicephalus austrinus DeLong & Davidson 1935b:
169 [n.sp.]; Metcalf 1967b, 6(10b): 1833 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)

- Laevicephalus bocanus* Oman
Laevicephalus bocanus Oman 1934a: 78 [n.sp.];
 Metcalf 1967b, 6(10b): 1833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus canyonensis* Knoll
Laevicephalus canyonensis Knoll 1951b: 176 [n.sp.];
 Metcalf 1967b, 6(10b): 1833 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus concinnus* (Sanders & DeLong)
Deltocephalus concinnus Sanders & DeLong 1917a:
 86 [n.sp.]; Metcalf 1967b, 6(10b): 1834 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus convergens* (DeLong)
Deltocephalus (Laevicephalus) convergens DeLong
 1926d: 70 [n.sp.]; Metcalf 1967b, 6(10b): 1834
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus curvus* Knoll
Laevicephalus curvus Knoll 1954a: 93 [n.sp.]; Metcalf
 1967b, 6(10b): 1835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus exiguus* Knoll
Laevicephalus exiguus Knoll 1954a: 94 [n.sp.];
 Metcalf 1967b, 6(10b): 1835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus hamatus* Beamer
Laevicephalus hamatus Beamer 1938c: 78 [n.sp.];
 Metcalf 1967b, 6(10b): 1835 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus incisurus* (DeLong)
Deltocephalus (Laevicephalus) incisurus DeLong
 1926d: 77 [n.subsp. of *concinnus*]; Metcalf 1967b,
 6(10b): 1835 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Laevicephalus inconditus* Knoll
Laevicephalus inconditus Knoll 1954a: 93 [n.sp.];
 Metcalf 1967b, 6(10b): 1836 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus longus* Knoll
Laevicephalus longus Knoll 1954a: 94 [n.sp.]; Metcalf
 1967b, 6(10b): 1836 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus melsheimerii* (Fitch)
Amblycephalus melsheimerii Fitch 1851a: 61 [n.sp.];
 Metcalf 1967b, 6(10b): 1836 [Cat.]
- Deltocephalus vicilinus* Crumb 1915a: 193 [n.sp.];
 Metcalf 1967b, 6(10b): 1838 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Laevicephalus minimus* (Osborn & Ball)
Deltocephalus minimus Osborn & Ball 1897a: 211
 [n.sp.]; Metcalf 1967b, 6(10b): 1841 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus monticola* (Gillette & Baker)
Deltocephalus monticola Gillette & Baker 1895a: 88
 [n.sp.]; Metcalf 1967b, 6(10b): 1842 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus nigripennis* (DeLong)
Deltocephalus nigripennis DeLong 1923 [in Wolcott
 1923b: 263] [n.sp.]; Metcalf 1967b, 6(10b): 1843
 [Cat.]
 DISTRIBUTION: Puerto Rico, Haiti, Cuba (Metcalf
 Cat.)
- Laevicephalus obvius* Knoll
Laevicephalus obvius Knoll 1951b: 176 [n.sp.];
 Metcalf 1967b, 6(10b): 1844 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus parvulus* (Gillette)
Deltocephalus parvulus Gillette 1898b: 23 [n.sp.];
 Metcalf 1967b, 6(10b): 1844 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus paulus* Knoll
Laevicephalus paulus Knoll 1951b: 176 [n.sp.];
 Metcalf 1967b, 6(10b): 1845 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus poudris* Tuthill
Laevicephalus poudris Tuthill 1930a: 44 [n.sp.];
 Metcalf 1967b, 6(10b): 1845 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus pravus* DeLong
Laevicephalus pravus DeLong 1937d: 34 [n.sp.];
 Metcalf 1967b, 6(10b): 1846 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus pupus* (Van Duzee)
Lonatura pupa Van Duzee 1925b: 423 [n.sp.]; Metcalf
 1967b, 6(10b): 1846 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus salarius* Knoll
Laevicephalus salarius Knoll 1954a: 96 [n.sp.];
 Metcalf 1967b, 6(10b): 1846 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus siclus* DeLong & Davidson
Laevicephalus siclus DeLong & Davidson 1935b: 169
 [n.sp.]; Metcalf 1967b, 6(10b): 1846 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus sylvestris* (Osborn & Ball)
Deltocephalus sylvestris Osborn & Ball 1897a: 213
 [n.sp.]; Metcalf 1967b, 6(10b): 1847 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Laevicephalus tantalus* Knoll
Laevicephalus tantalus Knoll 1954a: 96 [n.sp.];
 Metcalf 1967b, 6(10b): 1850 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus tritus* Beamer & Tuthill
Laevicephalus tritus Beamer & Tuthill 1934a: 17
 [n.sp.]; Metcalf 1967b, 6(10b): 1850 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus unicoloratus* (Gillette & Baker)

- Deltocephalus unicoloratus* Gillette & Baker 1895a: 89 [n.sp.]; Metcalf 1967b, 6(10b): 1850 [Cat.]
- Deltocephalus oculatus* Osborn & Ball 1897a: 212 [n.sp.]; Metcalf 1967b, 6(10b): 1850 [Cat.]
- Deltocephalus nominatus* Sanders & DeLong 1920a: 9 [nom.nov. for *Deltocephalus oculatus* Osborn & Ball 1897]; Metcalf 1967b, 6(10b): 1851 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Laevicephalus vafer* Knull
- Laevicephalus vafer* Knull 1951c: 182 [n.sp.]; Metcalf 1967b, 6(10b): 1853 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Laevicephalus vannus* Knull
- Laevicephalus vannus* Knull 1954a: 94 [n.sp.]; Metcalf 1967b, 6(10b): 1853 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Lampridius spectabilis* Distant
- Lampridius spectabilis* Distant 1918b: 58 [n.sp.]; Metcalf 1967a, 6(10a): 420 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Lamprotettix nitidulus* (Fabricius)
- Cicada nitidula* Fabricius 1787a: 273 [n.sp.]; Metcalf 1967b, 6(10b): 2053 [Cat.]
- Cicada octopunctata* Schrank 1796a: 211 [n.sp.]; Metcalf 1967b, 6(10b): 2053 [Cat.]
- Cicada splendida* Turton 1802a: 598 [n.sp.]; Metcalf 1967b, 6(10b): 2053 [Cat.]
- Cicada splendidula* Fabricius 1803a: 79 [nom.nov. for *Cicada nitidula* Fabr. 1787, nec. Fabr. 1794a]; Metcalf 1967b, 6(10b): 2053 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, China, Italy (Metcalf Cat.)
- Lasioscopus acmaeops* (Jacobi)
- Eurymeloides acmaeops* Jacobi 1909a: 340 [n.sp.]; Metcalf 1965b, 6(12): 41 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Latalus curtus* Beamer & Tuthill
- Latalus curtus* Beamer & Tuthill 1934a: 5 [n.sp.]; Metcalf 1967b, 6(10b): 1778 [Cat.]
- DISTRIBUTION: Canada (Metcalf Cat.)
- Latalus histrionicus* Beirne
- Latalus histrionicus* Beirne 1954b: 123 [n.sp.]; Metcalf 1967b, 6(10b): 1779 [Cat.]
- DISTRIBUTION: Canada (Metcalf Cat.)
- Latalus hultus* Beirne
- Latalus hultus* Beirne 1954b: 123 [n.sp.]; Metcalf 1967b, 6(10b): 1779 [Cat.]
- DISTRIBUTION: Canada (Metcalf Cat.)
- Latalus latidens* (Sanders & DeLong)
- Deltocephalus latidens* Sanders & DeLong 1919a: 234 [n.sp.]; Metcalf 1967b, 6(10b): 1779 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Latalus misellus* [sic] (Ball)
- Deltocephalus missellus* Ball 1899b: 191 [n.sp.]; Metcalf 1967b, 6(10b): 1779 [Cat.]
- Deltocephalus (Flexamia) occidentalis* DeLong 1926d: 41 [n.subsp. of *misellus*]; Metcalf 1967b, 6(10b): 1780 [Cat.]
- Latalus mundus* Beamer & Tuthill 1934a: 6 [n.sp.]; Metcalf 1967b, 6(10b): 1781 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Latalus personatus* Beirne
- Latalus personatus* Beirne 1954b: 126 [n.sp., not nom.nov.]; Metcalf 1967b, 6(10b): 1782 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Latalus sayii* (Fitch)
- Amblycephalus sayii* Fitch 1851a: 61 [n.sp.]; Metcalf 1967b, 6(10b): 1783 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Latalus uncinatus* Beamer & Tuthill
- Latalus uncinatus* Beamer & Tuthill 1934a: 6 [n.sp.]; Metcalf 1967b, 6(10b): 1788 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Ledra arcuatifrons* Walker
- Ledra arcuatifrons* Walker 1857b: 171 [n.sp.]; Metcalf 1962c, 6(4): 18 [Cat.]
- DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra auditura* Walker
- Ledra auditura* Walker 1858b: 249 [n.sp.]; Metcalf 1962c, 6(4): 18 [Cat.]
- DISTRIBUTION: Taiwan, Japan, China, Korea, Russia, Hong Kong Island (Metcalf Cat.)
- Ledra aurita* (Linnaeus)
- Cicada aurita* Linnaeus 1758a: 435 [n.sp.]; Metcalf 1962c, 6(4): 20 [Cat.]
- Cicada cristata* Schreber 1759a: 11 [n.sp.]; Metcalf 1962c, 6(4): 20 [Cat.]
- Cicada secunda* Schaeffer 1767a: pl. XCVI, fig. III [n.sp.]; Metcalf 1962c, 6(4): 20 [Cat.]
- DISTRIBUTION: Widespread Europe, Western Asia, United States (?) (Metcalf Cat.)
- Ledra bilobata* Schumacher
- Ledra bilobata* Schumacher 1915b: 119 [n.sp.]; Metcalf 1962c, 6(4): 34 [Cat.]
- DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Ledra buschi* Schmidt
- Ledra buschi* Schmidt 1926e: 5 [n.sp.]; Metcalf 1962c, 6(4): 34 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Ledra cingalensis* Distant
- Ledra dilatata* Melichar 1903b: 139 [described]; Metcalf 1962c, 6(4): 34 [Cat.]
- Ledra cingalensis* Distant 1908g: 175 [n.sp., not nom.nov.]; Metcalf 1962c, 6(4): 34 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Ledra concolor* Walker
- Ledra concolor* Walker 1851b: 826 [n.sp.]; Metcalf 1962c, 6(4): 35 [Cat.]

- DISTRIBUTION: Australia (Metcalf Cat.)
- Ledra conicifrons* Walker
Ledra conicifrons Walker 1857b:170 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
DISTRIBUTION: Borneo, Singapore (Metcalf Cat.)
- Ledra conifera* Walker
Ledra conifera Walker 1857a:98 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
DISTRIBUTION: Borneo, Singapore (Metcalf Cat.)
- Ledra depravata* Jacobi
Ledra depravata Jacobi 1944a:37 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Ledra dilatata* Walker
Ledra dilatata Walker 1851b:811 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
Ledra plana Walker 1851b:812 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
Ledra scutellata Walker 1851b:812 [n.sp.]; Metcalf 1962c,6(4):35 [Cat.]
DISTRIBUTION: India, Sri Lanka, Myanmar (Metcalf Cat.)
- Ledra dilatifrons* Walker
Ledra dilatifrons Walker 1857b:169 [n.sp.]; Metcalf 1962c,6(4):36 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra dorsalis* Walker
Ledra dorsalis Walker 1851b:810 [n.sp.]; Metcalf 1962c,6(4):36 [Cat.]
DISTRIBUTION: India, (Metcalf Cat.)
- Ledra episcopalalis* Walker
Ledra episcopalalis Walker 1851b:829 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Ledra gibba* Walker
Ledra gibba Walker 1851b:811 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Ledra gigantea* Distant
Ledra gigantea Distant 1909j:180 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Ledra imitatrix* [sic] Jacobi
Ledra imitatrix Jacobi 1944a:38 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Ledra intermedia* Distant
Ledra intermedia Distant 1908g:172 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
- Ledra kosempoensis* Schumacher
Ledra kosempoensis Schumacher 1915b:118 [n.sp.]; Metcalf 1962c,6(4):37 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Ledra laevis* Walker
Ledra laevis Walker 1851b:827 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Ledra lineata* Walker
Ledra lineata Walker 1851b:830 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ledra longifrons* Walker
Ledra longifrons Walker 1857b:170 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra muda* Distant
Ledra muda Distant 1909j:180 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Ledra mutica* Fabricius
Ledra mutica Fabricius 1803a:25 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
Ledra carinata Walker 1851b:815 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
Ledra fornicate Walker 1851b:815 [n.sp.]; Metcalf 1962c,6(4):38 [Cat.]
DISTRIBUTION: India, Myanmar, Pakistan (Metcalf Cat.)
- Ledra obtusifrons* Walker
Ledra obtusifrons Walker 1857b:171 [n.sp.]; Metcalf 1962c,6(4):39 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra orientalis* Ouchi
Ledra orientalis Ouchi 1938c:67 [n.sp.]; Metcalf 1962c,6(4):39 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Ledra planifrons* Walker
Ledra planifrons Walker 1857b:170 [n.sp.]; Metcalf 1962c,6(4):39 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra punctata* Walker
Ledra punctata Walker 1851b:824 [n.sp.]; Metcalf 1962c,6(4):39 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ledra quadricarina* Walker
Ledra quadricarina Walker 1858b:249 [n.sp.]; Metcalf 1962c,6(4):40 [Cat.]
DISTRIBUTION: Taiwan, India, China, Hong Kong (Metcalf Cat.)
- Ledra ranifrons* Walker
Ledra ranifrons Walker 1857b:171 [n.sp.]; Metcalf 1962c,6(4):40 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Ledra reclinata* Distant
Ledra reclinata Distant 1907g:189 [n.sp.]; Metcalf 1962c,6(4):40 [Cat.]
DISTRIBUTION: Cambodia (Metcalf Cat.)
- Ledra rugosa* Walker
Ledra rugosa Walker 1851b:816 [n.sp.]; Metcalf 1962c,6(4):40 [Cat.]

- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
Ledra serrulata Fabricius
 Ledra serrulata Fabricius 1803a:24 [n.sp.]; Metcalf 1962c,6(4):41 [Cat.]
DISTRIBUTION: Malaysia, India (Metcalf Cat.)
Ledra solita (Walker)
 Poeciloptera solita Walker 1851a:467 [n.sp.]; Metcalf 1962c,6(4):41 [Cat.]
DISTRIBUTION: Locality unknown (Metcalf Cat.)
Ledra sternalis Jacobi
 Ledra sternalis Jacobi 1944a:36 [n.sp.]; Metcalf 1962c,6(4):41 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
Ledra sublata Distant
 Ledra sublata Distant 1908g:173 [n.sp.]; Metcalf 1962c,6(4):41 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Ledra truncatifrons Walker
 Ledra truncatifrons Walker 1857b:171 [n.sp.]; Metcalf 1962c,6(4):41 [Cat.]
DISTRIBUTION: Borneo, Singapore (Metcalf Cat.)
Ledra tuberculifrons Walker
 Ledra tuberculifrons Walker 1857b:169 [n.sp.]; Metcalf 1962c,6(4):42 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
Ledra viridipennis Latreille
 Dedra [sic] viridipennis Latreille 1811a:215 [n.sp.]; Metcalf 1962c,6(4):42 [Cat.]
DISTRIBUTION: Colombia (Young 1968a)
Ledrachephala brevifrons (Walker)
 Ledra brevifrons Walker 1851b:825 [n.sp.]; Metcalf 1962c,6(4):100 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledracotis gunnensis Evans
 Ledracotis gunnensis Evans 1937b:162 [n.sp.]; Metcalf 1962c,6(4):119 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledraprora compressa Evans
 Ledraprora compressa Evans 1939a:45 [n.sp.]; Metcalf 1962c,6(4):133 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledraprora insularis Evans
 Ledraprora insularis Evans 1936a:41 [n.sp.]; Metcalf 1962c,6(4):133 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledraprora victoriensis Evans
 Ledraprora victoriensis Evans 1936a:41 [n.sp.]; Metcalf 1962c,6(4):133 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledrella brunnea Evans
 Ledrella brunnea Evans 1936a:40 [n.sp.]; Metcalf 1962c,6(4):134 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledroides reticulata Bierman
 Ledroides reticulata Bierman 1910a:60 [n.sp.]; Metcalf 1962b,6(3):217 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
Ledromorpha planirostris (Donovan)
 Fulgora planirostris Donovan 1805a:1 [n.sp.]; Metcalf 1962c,6(4):98 [Cat.]
Ledra gladiata Blanchard 1840a:194 [n.sp.]; Metcalf 1962c,6(4):98 [Cat.]
DISTRIBUTION: Australia, Sweden (?) (Metcalf Cat.)
Ledromorpha vaginata Stål
 Ledromorpha vaginata Stål 1864b:68 [n.sp.]; Metcalf 1962c,6(4):99 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledropsis acuminata Distant
 Ledropsis acuminata Distant 1917c:189 [n.sp.]; Metcalf 1962c,6(4):88 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledropsis angularis Distant
 Ledropsis angularis Distant 1916a:222 [n.sp.]; Metcalf 1962c,6(4):88 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Ledropsis cancroma White
 Ledropsis cancroma White 1844a:426 [n.sp.]; Metcalf 1962c,6(4):88 [Cat.]
DISTRIBUTION: Hong Kong, China (Metcalf Cat.)
Ledropsis coccinea Butler
 Ledropsis coccinea Butler 1874e:673 [n.sp.]; Metcalf 1962c,6(4):88 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledropsis crocina Distant
 Ledropsis crocina Distant 1917c:188 [n.sp.]; Metcalf 1962c,6(4):89 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledropsis discolor (Uhler)
 Petalocephala discolor Uhler 1896a:290 [n.sp.]; Metcalf 1962c,6(4):89 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
Ledropsis froggatti [sic] Distant
 Ledropsis froggatti Distant 1907g:192 [n.sp.]; Metcalf 1962c,6(4):90 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Ledropsis koreana (Matsumura)
 Ledromorpha koreana Matsumura 1915a:173 [n.sp.]; Metcalf 1962c,6(4):90 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
Ledropsis lutescens Distant
 Ledropsis lutescens Distant 1916a:221 [n.sp.]; Metcalf 1962c,6(4):90 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Ledropsis maculata Distant
 Ledropsis maculata Distant 1907g:191 [n.sp.]; Metcalf 1962c,6(4):91 [Cat.]
DISTRIBUTION: Singapore (Metcalf Cat.)
Ledropsis naso Walker
 Ledropsis naso Walker 1851b:831 [n.sp.]; Metcalf 1962c,6(4):91 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)

- Ledropsis obligens* (Walker)
Ledra obligens Walker 1858b:251 [n.sp.]; Metcalf 1962c,6(4):91 [Cat.]
DISTRIBUTION: Singapore, India, China, Sri Lanka (Metcalf Cat.)
- Ledropsis producta* (Melichar)
Ledromorpha producta Melichar 1903b:140 [n.sp.]; Metcalf 1962c,6(4):91 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia, India (Metcalf Cat.)
- Ledropsis punctulata* (Melichar)
Ledromorpha punctulata Melichar 1903b:141 [n.sp.]; Metcalf 1962c,6(4):91 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia, India (Metcalf Cat.)
- Ledropsis quinquepunctata* Bierman
Ledropsis quinquepunctata Bierman 1910a:50 [n.sp.]; Metcalf 1962c,6(4):92 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Ledropsis rubromaculata* Laidlaw
Ledropsis rubromaculata Laidlaw 1930a:129 [n.sp.]; Metcalf 1962c,6(4):92 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ledropsis singalensis* Distant
Ledropsis maculata Distant 1908g:181 [n.sp.]; Metcalf 1962c,6(4):92 [Cat.]
Ledropsis singalensis Distant 1912d:446 [nom.nov. for *Ledropsis maculata* Distant 1908]; Metcalf 1962c,6(4):92 [Cat.]
DISTRIBUTION: India, Sri Lanka (Metcalf Cat.)
- Ledropsis takasagona* Kato
Ledropsis takasagona Kato 1931e:437 [n.sp.]; Metcalf 1962c,6(4):92 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Ledropsis testacea* Distant
Ledropsis testacea Distant 1907g:192 [n.sp.]; Metcalf 1962c,6(4):92 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Ledropsis wakabae* Kato
Ledropsis wakabae Kato 1931e:437 [n.sp.]; Metcalf 1962c,6(4):93 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Ledropsis zombana* Distant
Ledropsis zombana Distant 1910e:231 [n.sp.]; Metcalf 1962c,6(4):93 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Ledrotypa cultrata* (Walker)
Ledra culobata Walker 1851b:827 [n.sp.]; Metcalf 1963d,6(9):7 [Cat.]
Ledra cultrata Walker 1852a:1159 [nom.nov. for *Ledra culobata* Walker 1851]; Metcalf 1963d,6(9):7 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ledrotypa greeni* Distant
Ledrotypa greeni Distant 1912d:442 [n.sp.]; Metcalf 1963d,6(9):7 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Ledrotypa misranus* (Distant)
Columbanus misranus Distant 1916a:224 [n.sp.]; Metcalf 1963d,6(9):7 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ledrotypa spatulata* Distant
Ledrotypa spatulata Distant 1912d:442 [n.sp.]; Metcalf 1963d,6(9):8 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Lemellus bimaculatus* (Gillette & Baker)
Deltocephalus bimaculatus Gillette & Baker 1895a: 86 [n.sp.]; Metcalf 1967b, 6(10b): 1863 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Leofa affinis* Distant
Leofa affinis Distant 1918b:87 [n.sp.]; Metcalf 1963c,6(8):225 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Leofa mysorensis* Distant
Leofa mysorensis Distant 1918b:86 [n.sp.]; Metcalf 1963c,6(8):226 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Leofa parwala* Singh-Pruthi
Leofa parwala Singh-Pruthi 1930a:26 [n.sp.]; Metcalf 1963c,6(8):226 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Leofa pedestris* Distant
Leofa pedestris Distant 1918b:88 [n.sp.]; Metcalf 1963c,6(8):226 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Leofa sanguinalis* Distant
Leofa sanguinalis Distant 1918b:87 [n.sp.]; Metcalf 1963c,6(8):226 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Leucopepla atropunctulata* Melichar
Leucopepla atropunctulata Melichar 1924a:211 [n.sp.]; Metcalf 1965a,6(1):470 [Cat.]
DISTRIBUTION: French Guiana (Metcalf Cat.)
- Leucopepla bituberculata* (Signoret)
Tettigonia bituberculata Signoret 1855c:528 [n.sp.]; Metcalf 1965a,6(1):470 [Cat.]
DISTRIBUTION: Uruguay, Brazil, Argentina (Metcalf Cat.)
- Leucopepla reticulata* Melichar
Leucopepla reticulata Melichar 1924a:212 [n.sp.]; Metcalf 1965a,6(1):470 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Leucopepla rubriventris* Schmidt
Leucopepla rubriventris Schmidt 1928a:37 [n.sp.]; Metcalf 1965a,6(1):470 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Liguropia juniperi* (Lethierry)

- Notus juniperi* Lethierry 1876a:xxxvii [n.sp.]; Metcalf 1968a,6(17):99 [Cat.]
Liguropia menozzii Haupt 1930a:158 [n.sp.]; Metcalf 1968a,6(17):100 [Cat.]
 DISTRIBUTION: France, Algeria, Germany, Austria, Italy (Metcalf Cat.)
- Limbanus deltus* (Ball)
Pasadenus deltus Ball 1936i: 193 [n.sp.]; Metcalf 1967a, 6(10a): 943 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limbanus limbatus* (Van Duzee)
Thamnotettix limbata Van Duzee 1890g: 92 [n.sp.]; Metcalf 1967a, 6(10a): 943 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limbanus omani* (Ball)
Pasadenus omani Ball 1936i: 192 [n.sp.]; Metcalf 1967a, 6(10a): 943 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limentinus aldabranus* Distant
Limentinus aldabranus Distant 1917a:316 [n.sp.]; Metcalf 1964b,6(11):30 [Cat.]
 DISTRIBUTION: Seychelles Islands (Metcalf Cat.)
- Limentinus aldabranus* punctatus Lallemand
Limentinus aldabranus punctatus Lallemand 1925a:8 [n.subsp. of *aldabranus*]; Metcalf 1964b,6(11):31 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Limotettix ainoicus* (Matsumura)
Athy sanus ainoicus Matsumura 1902a: 372 [n.sp.]; Metcalf 1967a, 6(10a): 133 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Limotettix atricapillus* (Boheman)
Thamnotettix atricapilla Boheman 1845b: 158 [n.sp.]; Metcalf 1967a, 6(10a): 133 [Cat.]
Limotettix nigrifrons Haupt 1935a: 198 [n.sp.]; Metcalf 1967a, 6(10a): 134 [Cat.]
 DISTRIBUTION: Germany, Sweden, Scandinavia, Russia, Great Britain, Ukraine, Netherlands (Metcalf Cat.)
- Limotettix bisoni* Knoll
Limotettix bisoni Knoll 1952a: 231-232 [n.sp.]; Metcalf 1967a, 6(10a): 136 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix capitatus* Kirkaldy
Limotettix capitatus Kirkaldy 1907d: 64 [n.sp.]; Metcalf 1967a, 6(10a): 136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Limotettix cuneatus* (Sanders & DeLong)
Euscelis cuneatus Sanders & DeLong 1920b: 17 [n.sp.]; Metcalf 1967a, 6(10a): 136 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix divaricatus* (Sanders & DeLong)
Euscelis divaricatus Sanders & DeLong 1923a: 151 [n.sp.]; Metcalf 1967a, 6(10a): 137 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix filicicola* Kirkaldy
Limotettix filicicola Kirkaldy 1907d: 63 [n.sp.]; Metcalf 1967a, 6(10a): 138 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Limotettix medianus* (Lawson)
Drylix medianus Lawson 1931c: 588 [n.sp.]; Metcalf 1967a, 6(10a): 139 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix nigrax* Medler
Limotettix nigrax Medler 1943a: 82 [n.sp.]; Metcalf 1967a, 6(10a): 139 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix onukii* (Matsumura)
Athy sanus onukii Matsumura 1902a: 375 [n.sp.]; Metcalf 1967a, 6(10a): 139 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Limotettix orichalceus* (Thomson)
Jassus orichalceus Thomson 1869a: 64 [n.sp.]; Metcalf 1967a, 6(10a): 140 [Cat.]
Limotettix (Ophiola) intractabilis Kontkanen 1949b: 87 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 141 [Cat.]
 DISTRIBUTION: Sweden, Finland, Austria, Germany, France, Russia, Czech Republic, China, Netherlands (Metcalf Cat.)
- Limotettix parallelus* (Van Duzee)
Athy sanus parallelus Van Duzee 1891a: 169 [n.sp.]; Metcalf 1967a, 6(10a): 142 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Limotettix striolus* (Fallén)
Jassus frenatus Germar 1821a: 86 [n.sp.]; Metcalf 1967a, 6(10a): 145 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, Russia, Balkan region, United Kingdom, Northern Africa, Canary Islands, Mediterranean region, United States, Canada, Japan, Korea, Atlantic Ocean: Azores (Metcalf Cat.)
- Cicada striola* Fallén: 31 [n.sp.]; Metcalf 1967a, 6(10a): 145 [Cat.]
- Limotettix tachyporius* Kirkaldy
Limotettix tachyporius Kirkaldy 1907d: 64 [n.sp.]; Metcalf 1967a, 6(10a): 158 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Limotettix truncatus* (Sleesman)
Drylix truncatus Sleesman 1929a: 100 [n.sp.]; Metcalf 1967a, 6(10a): 158 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Limotettix uneolus* (Ball)
Drylix uneolus Ball 1929a: 6 [n.sp.]; Metcalf 1967a, 6(10a): 159 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Limotettix unifasciatus* Haupt
Limotettix unifasciata Haupt 1930a: 159 [n.sp.]; Metcalf 1967a, 6(10a): 159 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)

- Limotettix utahnus* Lawson
Drylix utahnus Lawson 1931c: 590 [n.sp.]; Metcalf 1967a, 6(10a): 159 [Cat.]
 DISTRIBUTION: United States (Hamilton 1994a)
- Lindbergana freyi* (Lindberg)
Nesotettix freyi Lindberg 1936a: 6 [n.sp.]; Metcalf 1967c, 6(10c): 2461 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Lissoscarta vespiformis* (Fabricius)
Cicada vespiformis Fabricius 1803a:68 [n.sp.]; Metcalf 1965a,6(1):652 [Cat.]
 DISTRIBUTION: Guyana, Brazil (Young 1977a)
- Lissoscarta vespiformis* micans (Fabricius)
Cicada micans Fabricius 1803a:69 [n.sp.]; Metcalf 1965a,6(1):653 [Cat.]
 DISTRIBUTION: South America (?) (Metcalf Cat.)
- Loepotettix dilutior* (Kirschbaum)
Jassus (*Thamnotettix*) dilutior Kirschbaum 1868b: 92 [n.sp.]; Metcalf 1967a, 6(10a): 812 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain, western Mediterranean region, Northern Africa, Russia (Metcalf Cat.)
- Loepotettix dilutior erythrostictus* (Lethierry)
Athy sanus dilutior erythrostictus Lethierry 1880 [in Reiber & Puton 1880a: 66] [n.sp.]; Metcalf 1967a, 6(10a): 815, 816 [Cat.]
 DISTRIBUTION: Widespread Europe, western Mediterranean region, Northern Africa (Metcalf Cat.)
- Loepotettix exemptus* (Melichar)
Thamnotettix exemptus Melichar 1896a: 295 [n.sp.]; Metcalf 1967a, 6(10a): 819 [Cat.]
 DISTRIBUTION: Widespread Europe, western Mediterranean region (Metcalf Cat.)
- Lojata ohausi* (Schmidt)
Loja ohausi Schmidt 1932a:47 [n.sp.]; Metcalf 1965a,6(1):658 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Lonatura austrina* Kirkaldy
Lonatura austrina Kirkaldy 1907d: 62 [n.sp.]; Metcalf 1967b, 6(10b): 1478 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Lonatura balli* DeLong
Lonatura balli DeLong 1926c: 97 [n.sp.]; Metcalf 1967b, 6(10b): 1478 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura bicolor* Van Duzee
Lonatura bicolor Van Duzee 1909a: 221 [n.sp.]; Metcalf 1967b, 6(10b): 1478 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura bicolor mellea* DeLong
Lonatura bicolor mellea DeLong 1924a: 64 [n.subsp. of bicolor]; Metcalf 1967b, 6(10b): 1479 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura catalina* Osborn & Ball
Lonatura catalina Osborn & Ball 1898f: 83 [n.sp.]; Metcalf 1967b, 6(10b): 1479 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura delicata* Beamer
Lonatura delicata Beamer 1938b: 32 [n.sp.]; Metcalf 1967b, 6(10b): 1480 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura megalopa* Osborn & Ball
Lonatura megalopa Osborn & Ball 1898f: 85 [n.sp.]; Metcalf 1967b, 6(10b): 1480 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Lonatura melina* DeLong
Lonatura melina DeLong 1926c: 100 [n.sp.]; Metcalf 1967b, 6(10b): 1481 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura nana* Van Duzee
Lonatura nana Van Duzee 1923a: 183 [n.sp.]; Metcalf 1967b, 6(10b): 1481 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura nebulosa* Ball
Lonatura nebulosa Ball 1900c: 341 [n.sp.]; Metcalf 1967b, 6(10b): 1482 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura noctivaga* Ball
Lonatura noctivaga Ball 1900c: 342 [n.sp.]; Metcalf 1967b, 6(10b): 1482 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura notata* Osborn
Lonatura notata Osborn 1922b: 18 [n.sp.]; Metcalf 1967b, 6(10b): 1483 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura punctifrons* Beamer
Lonatura punctifrons Beamer 1938b: 31 [n.sp.]; Metcalf 1967b, 6(10b): 1483 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura salsura* Ball
Lonatura salsura Ball 1899d: 310 [n.sp.]; Metcalf 1967b, 6(10b): 1483 [Cat.]
Deltocephalus turbineus DeLong & Davidson 1935b: 171 [n.sp.]; Metcalf 1967b, 6(10b): 1483 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura teretis* Beamer
Lonatura teretis Beamer 1948b: 62 [n.sp.]; Metcalf 1967b, 6(10b): 1484 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lonatura ventralis* Van Duzee
Lonatura ventralis Van Duzee 1923a: 182 [n.sp.]; Metcalf 1967b, 6(10b): 1484 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lucumius triangularis* Metcalf & Bruner
Lucumius triangularis Metcalf & Bruner 1936a:968 [n.sp.]; Metcalf 1965a,6(1):394 [Cat.]
 DISTRIBUTION: Cuba (Metcalf Cat.)
- Luheria constricta* Osborn

- Luheria constricta* Osborn 1923c:31 [n.sp.]; Metcalf 1963c,6(8):226 [Cat.]
 DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Luzoniana philippina* (Metcalf)
Luzoniella philippina Metcalf 1953a:47 [n.sp.]; Metcalf 1965a,6(1):252 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Lycoides amoenus* (Van Duzee)
Aligia amoena Van Duzee 1923a: 176 [n.sp.]; Metcalf 1967a, 6(10a): 575 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Lycoides condalianus* (Ball)
Phlepsius (Dixianus) condalianus Ball 1931g: 89 [n.sp.]; Metcalf 1967a, 6(10a): 575 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides loculatus* (Ball)
Phlepsius loculatus Ball 1916c: 128 [n.sp.]; Metcalf 1967a, 6(10a): 576 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides lycoides* (Ball)
Phlepsius (Dixianus) lycoides Ball 1931g: 88 [n.sp.]; Metcalf 1967a, 6(10a): 576 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides mohavensis* (Ball)
Phlepsius (Dixianus) mohavensis Ball 1931g: 88 [n.sp.]; Metcalf 1967a, 6(10a): 577 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides nevadus* (Ball)
Phlepsius (Dixianus) nevadus Ball 1931g: 87 [n.sp.]; Metcalf 1967a, 6(10a): 577 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides stellaris* (Ball)
Phlepsius stellaris Ball 1916c: 129 [n.sp.]; Metcalf 1967a, 6(10a): 577 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lycoides ursinus* (Ball)
Phlepsius (Dixianus) ursinus Ball 1931g: 89 [n.subsp. of *condalianus*]; Metcalf 1967a, 6(10a): 578 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lystridea nuda* Oman
Lystridea nuda Oman 1938c:179 [n.sp.]; Metcalf 1963c,6(8):32 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Lystridea uhleri* (Baker)
Bathysmatophorus uhleri Baker 1898d:260 [n.sp.]; Metcalf 1963c,6(8):33 [Cat.]
- Lystridea conspersa* Baker 1898d:261 [n.sp.]; Metcalf 1963c,6(8):33 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Macroceps fasciatus* Signoret
Macroceps fasciatus Signoret 1880c:364 [n.sp.]; Metcalf 1962c,6(4):128 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Macroceps tamarensis* Evans
Macroceps tamarensis Evans 1936b:67 [n.sp.]; Metcalf 1962c,6(4):128 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Macroceps tonnoiri* Evans
Macroceps tonnoiri Evans 1936b:66 [n.sp.]; Metcalf 1962c,6(4):129 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Macroceratogonia aurea* Kirkaldy
Macroceratogonia aurea Kirkaldy 1906c:324 [n.sp.]; Metcalf 1963b,6(7):3 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsidius dispar* (Fieber)
Pediopsis dispar Fieber 1868a:459 [n.sp.]; Metcalf 1966b,6(13):159 [Cat.]
 DISTRIBUTION: Russia, Spain, France, Portugal, Tunisia, Hunagry, Germany, Austria (Metcalf Cat.)
- Macropsis abscondens* (Walker)
Bythoscopus abscondens Walker 1858b:267 [n.sp.]; Metcalf 1966b,6(13):28 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis aethiopica* (Melichar)
Pediopsis aethiopica Melichar 1911a:112 [n.sp.]; Metcalf 1966b,6(13):28 [Cat.]
 DISTRIBUTION: Ethiopia, South Africa (Metcalf Cat.)
- Macropsis africana* Metcalf
Macropsis viridula Melichar 1911a:113 [n.sp.]; Metcalf 1966b,6(13):28 [Cat.]
- Macropsis africana* Metcalf 1966b:28 [nom.nov. for *Macropsis viridula* Melichar 1911]; Metcalf 1966b,6(13):28 [Cat.]
 DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf Cat.)
- Macropsis albae* Wagner
Macropsis albae Wagner 1950b:99 [n.sp.]; Metcalf 1966b,6(13):28,29 [Cat.]
 DISTRIBUTION: Germany, Czech Republic, France (Metcalf Cat.)
- Macropsis albae* lanzkei Wagner
Macropsis albae lanzkei Wagner 1950b:99 [n.subsp. of *albae*]; Metcalf 1966b,6(13):29 [Cat.]
 DISTRIBUTION: Germany (Metcalf Cat.)
- Macropsis alluaudi* Evans
Macropsis alluaudi Evans 1954a:103 [n.sp.]; Metcalf 1966b,6(13):29 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Macropsis aurifera* Breakey
Macropsis aurifera Breakey 1932a:817 [n.sp.]; Metcalf 1966b,6(13):29 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis baicalica* Kusnezov
Macropsis baicalica Kusnezov 1929b:175 [n.sp.]; Metcalf 1966b,6(13):30 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Macropsis basalis* (Van Duzee)

- Pediopsis basalis* Van Duzee 1889a:171 [n.sp.]; Metcalf 1966b,6(13):30 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis basilana* Merino
Macropsis basilana Merino 1936a:323 [n.sp.]; Metcalf 1966b,6(13):32 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis benguetensis* Merino
Macropsis benguetensis Merino 1936a:321 [n.sp.]; Metcalf 1966b,6(13):32 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis bicolor* (Osborn)
Pediopsis bicolor Osborn 1915a:90 [n.sp.]; Metcalf 1966b,6(13):32 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis bifasciata* (Van Duzee)
Pediopsis bifasciata Van Duzee 1889a:173 [n.sp.]; Metcalf 1966b,6(13):32 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis breakeiana* Knoll
Macropsis breakeyi Knoll 1940a:371 [n.sp.]; Metcalf 1966b,6(13):34 [Cat.]
Macropsis breakeiana Knoll 1944a:371 [nom.nov. for *Macropsis breakyi* Knoll 1940]; Metcalf 1966b,6(13):34 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis breakeyi* Merino
Macropsis breakeyi Merino 1936a:320 [n.sp.]; Metcalf 1966b,6(13):34 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis canadensis* (Van Duzee)
Pediopsis canadensis Van Duzee 1890a:111 [n.sp., not nom.nov.]; Metcalf 1966b,6(13):34 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis canariensis* Lindberg
Macropsis canariensis Lindberg 1954a:198 [n.sp.]; Metcalf 1966b,6(13):36 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Macropsis capensis* (Cogan)
Pediopsis capensis Cogan 1916a:179 [n.sp.]; Metcalf 1966b,6(13):36 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Macropsis cerea* (Germar)
Jassus cereus Germar 1837b:99 pl.14 [n.sp.]; Metcalf 1966b,6(13):36,43 [Cat.]
Pediopsis planicollis Thomson 1870a:320 [n.sp.]; Metcalf 1966b,6(13):37 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Western Mediterranean, Scandinavia, Russia (Metcalf Cat.)
- Macropsis cerea harrisoni* Wagner
Macropsis cerea harrisoni Wagner 1950b:109 [n.subsp. of *cerea*]; Metcalf 1966b,6(13):43 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Macropsis chinai* Metcalf
Macropsis brunnea China 1925a:371 [n.sp.]; Metcalf 1966b,6(13):43 [Cat.]
Macropsis chinai Metcalf 1966b:43 [nom.nov. for *Macropsis brunnea* China 1925]; Metcalf 1966b,6(13):43 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Macropsis cinctifrons* (Provancher)
Pediopsis cinctifrons Provancher 1889a:292 [n.sp.]; Metcalf 1966b,6(13):43 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis cinerea* Breakey
Macropsis cinerea Breakey 1932a:816 [n.sp.]; Metcalf 1966b,6(13):43 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis citrina* Evans
Macropsis citrinus Evans 1941f:154 [n.sp.]; Metcalf 1966b,6(13):44 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis confusa* Breakey
Macropsis confusa Breakey 1932a:827 [n.sp.]; Metcalf 1966b,6(13):44 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis dapitana* Merino
Macropsis dapitana Merino 1936a:324 [n.sp.]; Metcalf 1966b,6(13):44 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis davaoensis* Merino
Macropsis davaoensis Merino 1936a:325 [n.sp.]; Metcalf 1966b,6(13):44 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis davisi* Knoll
Macropsis davisi Knoll 1940a:372 [n.sp.]; Metcalf 1966b,6(13):45 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis decliva* Evans
Macropsis declivus Evans 1941f:154 [n.sp.]; Metcalf 1966b,6(13):45 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis decorata* Edwards
Macropsis decoratus Edwards 1919a:55 [n.sp.]; Metcalf 1966b,6(13):45 [Cat.]
DISTRIBUTION: England, Netherlands (Metcalf Cat.)
- Macropsis delongi* Breakey
Macropsis delongi Breakey 1932a:816 [n.sp.]; Metcalf 1966b,6(13):45 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis eburnea* Evans
Macropsis eburneus Evans 1941f:153 [n.sp.]; Metcalf 1966b,6(13):45 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis erythrocephala* (Gillette & Baker)

- Pediopsis erythrocephala* Gillette & Baker 1895a:72
[n.sp.]; Metcalf 1966b,6(13):46 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis evansi* Metcalf
Macropsis occidentalis Evans 1935c:63 [n.sp.];
Metcalf 1966b,6(13):47 [Cat.]
Macropsis evansi Metcalf 1966b:47 [nom.nov. for
Macropsis occidentalis Evans 1935]; Metcalf
1966b,6(13):47 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis federalis* Evans
Macropsis federalis Evans 1935c:64 [n.sp.]; Metcalf
1966b,6(13):47 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Macropsis fergusoni* Evans
Macropsis fergusoni Evans 1942a:29 [n.sp.]; Metcalf
1966b,6(13):47 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis ferrugineoides* (Van Duzee)
Pediopsis ferrugineoides Van Duzee 1889a:171
[n.sp.]; Metcalf 1966b,6(13):47 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis fiebri* Ossiannilsson
Pediopsis fuscula Fieber 1868a:458 [n.sp.]; Metcalf
1966b,6(13):49 [Cat.]
Macropsis fiebri Ossiannilsson 1938b:76,78
[nom.nov. for *Pediopsis fuscula* Fieber 1868];
Metcalf 1966b,6(13):49 [Cat.]
DISTRIBUTION: France, Belgium, Kazakhstan,
Kirghizia, Tadzhikistan, Turkmenistan,
Uzbekistan, Russia (Metcalf Cat.)
- Macropsis filicis* Evans
Macropsis filicis Evans 1935c:64 [n.sp.]; Metcalf
1966b,6(13):50 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis flavomaculata* Evans
Macropsis flavomaculatus Evans 1941f:154 [n.sp.];
Metcalf 1966b,6(13):50 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis flexa* Evans
Macropsis flexus Evans 1941f:153 [n.sp.]; Metcalf
1966b,6(13):50 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis flindersi* Evans
Macropsis flindersi Evans 1935c:66 [n.sp.]; Metcalf
1966b,6(13):50 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis formosana* (Matsumura)
Pediopsis formosana Matsumura 1912b:308 [n.sp.];
Metcalf 1966b,6(13):50 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Macropsis fumipennis* (Gillette & Baker)
Pediopsis fumipennis Gillette & Baker 1895a:73
[n.sp.]; Metcalf 1966b,6(13):51 [Cat.]
- Pediopsis crocea* Osborn & Ball 1898e:68 [n.sp.];
Metcalf 1966b,6(13):51 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis fusca* Lallemand
Macropsis fusca Lallemand 1935b:84 [n.sp.]; Metcalf
1966b,6(13):52 [Cat.]
DISTRIBUTION: Somalia (Metcalf Cat.)
- Macropsis fuscinervis* (Bohemian)
Jassus fuscinervis Boheman 1845b:163 [n.sp.];
Metcalf 1966b,6(13):52 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Scandinavia, Russia, China, Baltic region (Metcalf Cat.)
- Macropsis fuscinervis thoracica* Ribaut
Macropsis fuscinervis thoracica Ribaut 1952a:430
[n.subsp. of *fuscinervis*]; Metcalf 1966b,6(13):55
[Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Macropsis fuscopunctata* Merino
Macropsis fuscopunctata Merino 1936a:322 [n.sp.];
Metcalf 1966b,6(13):55 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis fuscovenosa* Merino
Macropsis fuscovenosa Merino 1936a:322 [n.sp.];
Metcalf 1966b,6(13):56 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis fuscula* (Zetterstedt)
Jassus fusculus Zetterstedt 1828a:544 [n.subsp. of
*fruticola*Bythoscopus nassatus* Herrich-Schaeffer 1835a:69
[n.sp.]; Metcalf 1966b,6(13):56 [Cat.]
Jassus rubi Boheman 1845b:162 [n.sp.]; Metcalf
1966b,6(13):56 [Cat.]
DISTRIBUTION: Widespread Europe, United
Kingdom, Western Mediterranean, Scandinavia,
Russia, Japan, Canada (Metcalf Cat.)*
- Macropsis fuscula tibialis* (Scott)
Pediopsis tibialis Scott 1874b:195 [n.sp.]; Metcalf
1966b,6(13):66 [Cat.]
DISTRIBUTION: Widespread United Kingdom,
Europe, Western Mediterranean (Metcalf Cat.)
- Macropsis garuda* (Distant)
Pediopsis garuda Distant 1916a:239 [n.sp.]; Metcalf
1966b,6(13):67 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Macropsis gerhardi* Breakey
Macropsis gerhardi Breakey 1932a:796 [n.sp.];
Metcalf 1966b,6(13):68 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis glandacea* (Fieber)
Pediopsis glandacea Fieber 1868a:458 [n.sp.]; Metcalf
1966b,6(13):68 [Cat.]
Pediopsis ulmi Scott 1873g:129 [n.sp.]; Metcalf
1966b,6(13):68 [Cat.]

- DISTRIBUTION:** Widespread Europe, Great Britain, Baltic region, Western Mediterranean, United States (Metcalf Cat.)
- Macropsis glandacea viridiceps** Wagner
Macropsis glandacea viridiceps Wagner 1941a:104 [n.subsp. of *glandacea*]; Metcalf 1966b,6(13):71 [Cat.]
DISTRIBUTION: Germany (Metcalf Cat.)
- Macropsis gleditschiae** (Osborn & Ball)
Pediopsis gleditschiae Osborn & Ball 1898e:67 [n.sp.]; Metcalf 1966b,6(13):71 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis graminea** (Fabricius)
Cicada graminea Fabricius 1798a:521 [n.sp.]; Metcalf 1966b,6(13):73 [Cat.]
Pediopsis virescens unipunctum Rey 1894b:30 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):74 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Western Mediterranean, Baltic region, Russia, United States (Metcalf Cat.)
- Macropsis graminea populi** Edwards
Macropsis graminea populi Edwards 1919a:56 [n.sp.]; Metcalf 1966b,6(13):77 [Cat.]
DISTRIBUTION: Great Britain, Germany, France, Netherlands, Czech Republic, Slovakia (Metcalf Cat.)
- Macropsis gravesteini** Wagner
Macropsis gravesteini Wagner 1953a:232 [n.sp.]; Metcalf 1966b,6(13):78 [Cat.]
DISTRIBUTION: Netherlands (Metcalf Cat.)
- Macropsis gravesteini nigropicta** Wagner
Macropsis gravesteini nigropicta Wagner 1953a:232 [n.subsp. of *gravesteini*]; Metcalf 1966b,6(13):78 [Cat.]
DISTRIBUTION: Netherlands (Metcalf Cat.)
- Macropsis haupti** Wagner
Macropsis haupti Wagner 1941a:103,120 [n.sp.]; Metcalf 1966b,6(13):78 [Cat.]
DISTRIBUTION: Austria, Germany, France, England, Poland, Ukraine, Romania, Finland, Sweden (Metcalf Cat.)
- Macropsis hesperia** Breakey
Macropsis hesperia Breakey 1932a:805 [n.sp.]; Metcalf 1966b,6(13):80 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis hierroensis** Lindberg
Macropsis hierroensis Lindberg 1954a:200 [n.sp.]; Metcalf 1966b,6(13):80 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Macropsis hobartensis** Evans
Macropsis hobartensis Evans 1935c:66 [n.sp.]; Metcalf 1966b,6(13):80 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis illota** (Horváth)
- Pediopsis illota** Horváth 1899a:371 [n.sp.]; Metcalf 1966b,6(13):80 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Macropsis impura** (Bohemian)
Jassus impura Boheman 1847b:265 [n.sp.]; Metcalf 1966b,6(13):81 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Western Mediterranean, Scandinavia (Metcalf Cat.)
- Macropsis inflatifrons** (Provancher)
Pediopsis inflatifrons Provancher 1889a:292 [n.sp.]; Metcalf 1966b,6(13):84 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis infuscata** (Sahlberg)
Pediopsis infuscatus Sahlberg 1871a:118 [n.sp.]; Metcalf 1966b,6(13):84 [Cat.]
Pediopsis distinctus Scott 1874a:191 [n.sp.]; Metcalf 1966b,6(13):85 [Cat.]
Macropsis cerea borussica Wagner 1941a:113 [n.subsp. of *cerea*]; Metcalf 1966b,6(13):86 [Cat.]
Macropsis cerea kastneri Wagner 1941a:113 [n.subsp. of *cerea*]; Metcalf 1966b,6(13):86 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Western MediterraneanRussia (Metcalf Cat.)
- Macropsis insignis** (Van Duzee)
Pediopsis insignis Van Duzee 1889a:171 [n.sp.]; Metcalf 1966b,6(13):88 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis irrorata** (Matsumura)
Pediopsis irrorata Matsumura 1912b:307 [n.sp.]; Metcalf 1966b,6(13):90 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Macropsis jozankeana** (Matsumura)
Pediopsis jozankeana Matsumura 1912b:308 [n.sp.]; Metcalf 1966b,6(13):90 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Macropsis kagoshimensis** (Matsumura)
Pediopsis kagoshimensis Matsumura 1912b:311 [n.sp.]; Metcalf 1966b,6(13):91 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Macropsis kanongensis** Evans
Macropsis kanongensis Evans 1955a:23 [n.sp.]; Metcalf 1966b,6(13):91 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Macropsis kyushuensis** Metcalf
Pediopsis apicalis Matsumura 1912b:310 [n.sp.]; Metcalf 1966b,6(13):91 [Cat.]
Macropsis kyushuensis Metcalf 1966b:91 [nom.nov. for *Pediopsis apicalis* Matsumura 1912]; Metcalf 1966b,6(13):91 [Cat.]
DISTRIBUTION: China, Japan, Taiwan, Hong Kong (Metcalf Cat.)

- Macropsis lincolnensis* Evans
Macropsis lincolnensis Evans 1935c:66 [n.sp.];
 Metcalf 1966b,6(13):92 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis lovedalensis* (Distant)
Pediopsis lovedalensis Distant 1916a:239 [n.sp.];
 Metcalf 1966b,6(13):92 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Macropsis lutea* Evans
Macropsis luteus Evans 1935c:65 [n.sp.]; Metcalf
 1966b,6(13):92 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis luzonensis* Merino
Macropsis luzonensis Merino 1936a:324 [n.sp.];
 Metcalf 1966b,6(13):92 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis malagasis* Evans
Macropsis malagasis Evans 1954a:103 [n.sp.]; Metcalf
 1966b,6(13):92 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Macropsis marginata* (Herrick-Schaeffer)
Bythocorus marginatus Herrick-Schaeffer 1836a:7
 [n.sp.]; Metcalf 1966b,6(13):92,97 [Cat.]
DISTRIBUTION: Widespread Europe, Western
 Mediterranean, Scandinavia, Great Britain, Japan
 (Metcalf Cat.)
- Macropsis marginata injucunda* Wagner
Macropsis marginata injucunda Wagner 1950b:94
 [n.subsp. of marginata]; Metcalf 1966b,6(13):95
 [Cat.]
DISTRIBUTION: Czech Republic, Slovakia (Metcalf
 Cat.)
- Macropsis marginata latestriata* (Strobl)
Pediopsis marginata latestriata Strobl 1900a:209
 [n.sp.]; Metcalf 1966b,6(13):95 [Cat.]
DISTRIBUTION: Czech Republic, Poland, Hungary,
 Germany, Austria, Netherlands, France (Metcalf
 Cat.)
- Macropsis marginata lucifera* Wagner
Macropsis marginata lucifer Wagner 1941a:118
 [n.subsp. of virescens]; Metcalf 1966b,6(13):97
 [Cat.]
DISTRIBUTION: Austria, Germany, France, Czech
 Republic, Slovakia (Metcalf Cat.)
- Macropsis marginata notatifrons* (Rey)
Pediopsis marginata notatifrons Rey 1891a:244
 [n.subsp. of nassata]; Metcalf 1966b,6(13):97
 [Cat.]
DISTRIBUTION: France, Hunagry, Serbia, Germany,
 Austria, Denmark, Netherlands, Czech Republic,
 Slovakia, Poland (Metcalf Cat.)
- Macropsis marginata ossianilssonii* Wagner
Macropsis marginata ossianilssonii Wagner 1950b:94
 [n.subsp. of marginata]; Metcalf 1966b,6(13):98
 [Cat.]
- DISTRIBUTION:** France, Czech Republic, Slovakia,
 Poland, Germany (Metcalf Cat.)
- DISTRIBUTION:** Australia (Metcalf Cat.)
- DISTRIBUTION:** India (Metcalf Cat.)
- DISTRIBUTION:** Japan, China (Metcalf Cat.)
- DISTRIBUTION:** France, Czech Republic, Slovakia,
 Poland, Germany (Metcalf Cat.)
- Macropsis matsumurana* (China)
Pediopsis bifasciata Matsumura 1912b:309 [n.sp.];
 Metcalf 1966b,6(13):98 [Cat.]
Pediopsis matsumurana China 1925a:362 [nom.nov.
 for *Macropsis bifasciata* Matsumura 1912];
 Metcalf 1966b,6(13):98 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Macropsis megerlei* (Fieber)
Pediopsis megerlei Fieber 1868a:460 [n.sp.]; Metcalf
 1966b,6(13):99 [Cat.]
Pediopsis limbopunctata Reuter 1885a:29 [n.sp.];
 Metcalf 1966b,6(13):99 [Cat.]
DISTRIBUTION: Widespread Europe, Russia,
 Western Mediterranean, Scandinavia, Northern
 Africa (Metcalf Cat.)
- Macropsis megerlei bipunctata* (Lethierry)
Pediopsis megerlei bipunctata Lethierry 1876a:lxix
 [n.sp.]; Metcalf 1966b,6(13):100 [Cat.]
DISTRIBUTION: France, Spain, Greece, Tunisia,
 Germany, Austria, Portugal, Algeria, Romania,
 Czech Republic, Hungary (Metcalf Cat.)
- Macropsis megerlei ornata* Lindberg
Macropsis megerlei ornata Lindberg 1926c:20
 [n.subsp. of megerlei]; Metcalf 1966b,6(13):101
 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Macropsis megerlei punica* Linnauvori
Macropsis megerlei punica Linnauvori 1954b:80
 [n.subsp. of megerlei]; Metcalf 1966b,6(13):101
 [Cat.]
DISTRIBUTION: Tunisia (Metcalf Cat.)
- Macropsis mendax* (Fieber)
Pediopsis mendax Fieber 1868a:459 [n.sp.]; Metcalf
 1966b,6(13):101 [Cat.]
DISTRIBUTION: France, Russia, Austria, France,
 Germany, Belgium, Romania, Kazakhstan,
 Turkmenistan, Italy (Metcalf Cat.)
- Macropsis mulsanti* (Fieber)
Pediopsis hippophaes Kirschbaum 1868b:173 [n.sp.];
 Metcalf 1966b,6(13):103 [Cat.]
Pediopsis mulsanti Fieber 1868a:460 [n.sp.]; Metcalf
 1966b,6(13):103 [Cat.]
DISTRIBUTION: France, Switzerland, France,
 Romania, Germany, Croatia, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan,
 Uzbekistan, Austria, Kyrgyzstan (Metcalf Cat.)
- Macropsis nigraflavida* Evans
Macropsis nigraflavida Evans 1955b:14 [n.sp.];
 Metcalf 1966b,6(13):104 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Macropsis nigricans* Van Duzee

- Macropsis nigricans* Van Duzee 1916a:64 [n.sp., not nom.nov.]; Metcalf 1966b,6(13):104 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis nigrosignata* (Stål)
Bythoscopus nigrosignatus Stål 1858b:320 [n.sp.]; Metcalf 1966b,6(13):106 [Cat.]
DISTRIBUTION: South Africa, Namibia (Metcalf Cat.)
- Macropsis notata* (Prohaska)
Pediopsis notata Prohaska 1923a:83 [n.subsp. of virescens]; Metcalf 1966b,6(13):106 [Cat.]
Pediopsis virescens melanostigma Kupka 1925a:106 [n.subsp. of virescens]; Metcalf 1966b,6(13):106 [Cat.]
DISTRIBUTION: France, Germany, Italy, Austria, Czech Republic, Slovakia, Poland (Metcalf Cat.)
- Macropsis nubila* (Van Duzee)
Pediopsis nubila Van Duzee 1890d:37 [n.sp.]; Metcalf 1966b,6(13):107 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis occidentalis* (Van Duzee)
Pediopsis occidentalis Van Duzee 1889e:238 [n.sp.]; Metcalf 1966b,6(13):107 [Cat.]
Macropsis hawaiiensis Osborn 1935b:11 [n.sp.]; Metcalf 1966b,6(13):108 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis octopunctata* China
Macropsis octopunctata China 1925a:366 [n.sp.]; Metcalf 1966b,6(13):108 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Macropsis oeroe* Kirkaldy
Macropsis oeroe Kirkaldy 1907d:36 [n.sp.]; Metcalf 1966b,6(13):108 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis orientalis* (Distant)
Pediopsis orientalis Distant 1916a:239 [n.sp.]; Metcalf 1966b,6(13):109 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Macropsis osborni* Breakey
Macropsis osborni Breakey 1932a:817 [n.sp.]; Metcalf 1966b,6(13):109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis otanesi* Merino
Macropsis otanesi Merino 1936a:323 [n.sp.]; Metcalf 1966b,6(13):109 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis pallida* Breakey
Macropsis pallida Breakey 1932a:815 [n.sp.]; Metcalf 1966b,6(13):109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis pictipes* (Horváth)
Pediopsis pictipes Horváth 1904b:589 [n.sp.]; Metcalf 1966b,6(13):110 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Macropsis pondoensis* China
Macropsis pondoensis China 1925a:368 [n.sp.]; Metcalf 1966b,6(13):110 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Macropsis prasina* (Bohemian)
Iassus prasinus Boheman 1852b:123 [n.sp.]; Metcalf 1966b,6(13):110 [Cat.]
Pediopsis flavus Sahlberg 1871a:118 [n.sp.]; Metcalf 1966b,6(13):110 [Cat.]
DISTRIBUTION: Scandinavia, France, Russia, Great Britain, Germany, Czech Republic (Metcalf Cat.)
- Macropsis punctifrons* (Van Duzee)
Pediopsis punctifrons Van Duzee 1889a:174 [n.sp.]; Metcalf 1966b,6(13):112 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis quadrimaculata* Breakey
Macropsis quadrimaculata Breakey 1932a:823 [n.sp.]; Metcalf 1966b,6(13):113 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis quercus* (Matsumura)
Pediopsis quercus Matsumura 1912b:308 [n.sp.]; Metcalf 1966b,6(13):113 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Macropsis reversalis* (Osborn & Ball)
Pediopsis reversalis Osborn & Ball 1898e:69 [n.sp.]; Metcalf 1966b,6(13):113 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis rizali* Merino
Macropsis rizali Merino 1936a:320 [n.sp.]; Metcalf 1966b,6(13):114 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Macropsis robusta* Breakey
Macropsis robusta Breakey 1932a:823 [n.sp.]; Metcalf 1966b,6(13):114 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis rufocephala* Osborn
Macropsis scutellatus Osborn 1928b:218 [n.sp.]; Metcalf 1966b,6(13):115 [Cat.]
Macropsis rufocephalus Osborn 1932a:513 [nom.nov. for *Macropsis scutellatus* Osborn 1928]; Metcalf 1966b,6(13):115 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis sahlbergi* (Flor)
Pediopsis sahlbergi Flor 1861a:194 [n.sp.]; Metcalf 1966b,6(13):116 [Cat.]
DISTRIBUTION: Russia, Latvia, Estonia, Germany, Austria, Denmark, Netherlands, Switzerland, Poland (Metcalf Cat.)
- Macropsis satsumensis* (Matsumura)
Pediopsis satsumensis Matsumura 1912b:311 [n.sp.]; Metcalf 1966b,6(13):117 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)

- Macropsis scotti* Edwards
Macropsis scotti Edwards 1920a:55 [n.sp.]; Metcalf 1966b,6(13):117 [Cat.]
DISTRIBUTION: Great Britain, Germany, France, Norway, Austria (Metcalf Cat.)
- Macropsis scutellata* (Boheman)
Jassus scutellatus Boheman 1845b:162 [n.sp.]; Metcalf 1966b,6(13):118 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Mediterranean, Northern Africa, Baltic region, Russia, Japan, Korea, China, Northern Africa, United States (Metcalf Cat.)
- Macropsis sexpunctata* (Melichar)
Pediopsis sexpunctata Melichar 1911a:111 [n.sp.]; Metcalf 1966b,6(13):124 [Cat.]
DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf Cat.)
- Macropsis sibirica* Kusnezov
Macropsis sibirica Kusnezov 1929b:174 [n.sp.]; Metcalf 1966b,6(13):124 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Macropsis simplex* Jacobi
Macropsis simplex Jacobi 1910b:129 [n.sp.]; Metcalf 1966b,6(13):125 [Cat.]
DISTRIBUTION: Tanzania, Kenya, Zaire (Metcalf Cat.)
- Macropsis sordida* (Van Duzee)
Pediopsis sordida Van Duzee 1894b:89 [n.sp.]; Metcalf 1966b,6(13):125 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis suturalis* (Osborn & Ball)
Pediopsis suturalis Osborn & Ball 1898e:67 [n.sp.]; Metcalf 1966b,6(13):126 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis tasmaniensis* Evans
Macropsis tasmaniensis Evans 1935c:65 [n.sp.]; Metcalf 1966b,6(13):128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis thoantias* Kirkaldy
Macropsis thoantias Kirkaldy 1907d:37 [n.sp.]; Metcalf 1966b,6(13):128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis thyia* Kirkaldy
Macropsis thyia Kirkaldy 1907d:36 [n.sp.]; Metcalf 1966b,6(13):128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis thymele* Kirkaldy
Macropsis thymele Kirkaldy 1907d:36 [n.sp.]; Metcalf 1966b,6(13):128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis tiliae* (Germar)
Jassus tiliae Germar 1831a:pl.14 [n.sp.]; Metcalf 1966b,6(13):129 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Mediterranean, Baltic region, Russia, Japan, Korea, China, Northern Africa, United States (Metcalf Cat.)
- Macropsis trimaculata* (Fitch)
Pediopsis trimaculatus Fitch 1851a:60 [n.sp.]; Metcalf 1966b,6(13):133 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis tristis* (Van Duzee)
Pediopsis tristis Van Duzee 1890b:249 [n.sp.]; Metcalf 1966b,6(13):138 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis trivialis* (Ball)
Pediopsis trivialis Ball 1902e:304 [n.sp.]; Metcalf 1966b,6(13):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macropsis turneri* China
Macropsis turneri China 1925a:369 [n.sp.]; Metcalf 1966b,6(13):140 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Macropsis unicolor* Lindberg
Macropsis unicolor Lindberg 1926c:18 [n.sp.]; Metcalf 1966b,6(13):140 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Macropsis unicolor pellucens* Lindberg
Macropsis unicolor pellucens Lindberg 1926c:19 [n.subsp. of *unicolor*]; Metcalf 1966b,6(13):140 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Macropsis variabilis* Evans
Macropsis variabilis Evans 1941e:40 [n.sp.]; Metcalf 1966b,6(13):140 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis vestita* Ribaut
Macropsis vestita Ribaut 1952a:425 [n.sp.]; Metcalf 1966b,6(13):140 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Macropsis vicina* (Horváth)
Pediopsis vicina Horváth 1897b:626 [n.sp.]; Metcalf 1966b,6(13):141 [Cat.]
DISTRIBUTION: Hungary, Serbia, France, Poland (Metcalf Cat.)
- Macropsis victoriensis* Evans
Macropsis victoriensis Evans 1935c:64 [n.sp.]; Metcalf 1966b,6(13):141 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis virescens* (Gmelin)
Cicada virescens Gmelin 1789a:2111 [n.sp.]; Metcalf 1966b,6(13):141,154 [Cat.]

- Cicada virescens* Fabricius 1794a:46 [n.sp.]; Metcalf 1966b,6(13):141 [Cat.]
- Cicada viridans* Turton 1802a:598 [nom.nov. for *Cicada virescens* Fabricius 1794]; Metcalf 1966b,6(13):141 [Cat.]
- DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Mediterranean, Baltic region, Russia, Japan, Korea, China, Northern Africa, United States, Canada (Metcalf Cat.)
- Macropsis virescens costalis* (Matsumura)
- Pediopsis virescens costalis* Matsumura 1911b:23 [n.sp.]; Metcalf 1966b,6(13):152 [Cat.]
- DISTRIBUTION: Japan, Russia (Metcalf Cat.)
- Macropsis virescens flava* (Prohaksa)
- Pediopsis virescens flava* Prohaksa 1923a:83 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):153 [Cat.]
- DISTRIBUTION: Austria (Metcalf Cat.)
- Macropsis virescens latifasciata* Breakey
- Macropsis virescens latifasciata* Breakey 1932a:800 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):153 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis virescens lineola* (Horváth)
- Pediopsis virescens lineola* Horváth 1905b:276 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):153 [Cat.]
- DISTRIBUTION: Spain, Portugal, Netherlands (Metcalf Cat.)
- Macropsis virescens stigmatipennis* (Matsumura)
- Pediopsis virescens stigmatipennis* Matsumura 1912b:307 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):153 [Cat.]
- DISTRIBUTION: Japan, Russia (Metcalf Cat.)
- Macropsis virescens vittata* (Matsumura)
- Pediopsis virescens vittata* Matsumura 1920a:325 [n.subsp. of *virescens*]; Metcalf 1966b,6(13):154 [Cat.]
- DISTRIBUTION: Japan, Korea, China (Metcalf Cat.)
- Macropsis viridiceps* Evans
- Macropsis viridiceps* Evans 1941e:fig.10 [n.sp.]; Metcalf 1966b,6(13):154 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis viridinervis* Wagner
- Macropsis viridinervis* Wagner 1950b:98 [n.sp.]; Metcalf 1966b,6(13):155 [Cat.]
- DISTRIBUTION: Germany, Slovakia, Czech Republic (Metcalf Cat.)
- Macropsis viridis* (Fitch)
- Pediopsis viridis* Fitch 1851a:59 [n.sp.]; Metcalf 1966b,6(13):155 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macropsis wellingtonensis* Evans
- Macropsis wellingtonensis* Evans 1942a:29 [n.sp.]; Metcalf 1966b,6(13):158 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Macropsis wilsoni* Evans
- Macropsis wilsoni* Evans 1935c:67 [n.sp.]; Metcalf 1966b,6(13):158 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Macrosteles alpinus* (Zetterstedt)
- Cicada alpina* Zetterstedt 1828a: 533 [n.sp.]; Metcalf 1967c, 6(10c): 2491 [Cat.]
- DISTRIBUTION: Scandinavia, Switzerland, Germany, Austria, Bulgaria, Italy, France (Metcalf Cat.)
- Macrosteles artemisiae* (Matsumura)
- Cicadula artemisiae* Matsumura 1914a: 171 [n.sp.]; Metcalf 1967c, 6(10c): 2493 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Macrosteles bifurcatus* Beirne
- Macrosteles* (*Macrosteles*) *bifurcatus* Beirne 1952a: 230 [n.sp.]; Metcalf 1967c, 6(10c): 2493 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macrosteles bimaculatus* (Evans)
- Cicadula bimaculata* Evans 1940c: 11 [n.sp.]; Metcalf 1967c, 6(10c): 2494 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Macrosteles borealis* (Dorst)
- Cicadula borealis* Dorst 1931a: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2494 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macrosteles buzensis* (Matsumura)
- Cicadula buzensis* Matsumura 1902a: 365 [n.sp.]; Metcalf 1967c, 6(10c): 2494 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Macrosteles chobauti* Ribaut
- Macrosteles* (*Macrosteles*) *chobauti* Ribaut 1952a: 47 [n.sp.]; Metcalf 1967c, 6(10c): 2495 [Cat.]
- DISTRIBUTION: France (Metcalf Cat.)
- Macrosteles cristatus* (Ribaut)
- Cicadula cristata* Ribaut 1927a: 164 [n.sp.]; Metcalf 1967c, 6(10c): 2495 [Cat.]
- DISTRIBUTION: France, Germany, Sweden, Finland, Poland, Switzerland, Norway, Slovakia, Hungary, Czech Republic, Netherlands, Italy, China, United States (Metcalf Cat.)
- Macrosteles curvatus* Beirne
- Macrosteles* (*Macrosteles*) *curvatus* Beirne 1952a: 210 [n.sp.]; Metcalf 1967c, 6(10c): 2497 [Cat.]
- DISTRIBUTION: Canada (Metcalf Cat.)
- Macrosteles demittendus* (Kirkaldy)
- Euleimonios demittendus* Kirkaldy 1906c: 342 [n.sp.]; Metcalf 1967c, 6(10c): 2497 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Macrosteles divisus* (Uhler)
- Jassus divisus* Uhler 1877a: 472 [n.sp.]; Metcalf 1967c, 6(10c): 2498 [Cat.]

- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Macrosteles elongatus** Beirne
Macrosteles (*Macrosteles*) *elongatus* Beirne 1952a: 210 [n.sp.]; Metcalf 1967c, 6(10c): 2500 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Macrosteles empetri** (Ossiannilsson)
Cicadula *empetri* Ossiannilsson 1935a: 127 [n.sp.]; Metcalf 1967c, 6(10c): 2500 [Cat.]
- DISTRIBUTION:** Sweden, Germany, Finland, Norway, Netherlands (Metcalf Cat.)
- Macrosteles fascifrons** (Stål)
Thamnotettix *fascifrons* Stål 1858e: 194 [n.sp.]; Metcalf 1967c, 6(10c): 2501 [Cat.]
- Cicadula* *quadrilineatus* Forbes 1885a: 68 [n.sp.]; Metcalf 1967c, 6(10c): 2501 [Cat.]
- Cicadula* *pallida* Osborn 1915a: 146 [n.sp.]; Metcalf 1967c, 6(10c): 2506 [Cat.]
- Cicadula* *scriptus* DeLong 1924a: 67 [n.sp.]; Metcalf 1967c, 6(10c): 2508 [Cat.]
- Macrosteles wilburi** Dorst 1937a: 19 [n.sp.]; Metcalf 1967c, 6(10c): 2515 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Italy, China, Taiwan, Korea, India, Japan, Malaysia, Canary Islands, Northern Africa, Spain, United States, Canada, West Indies, Atlantic Ocean: Bermuda Island, Mexico, Panama (Metcalf Cat.)
- Macrosteles fieberi** (Edwards)
Cicadula *frontalis* Fieber 1885a: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2527 [Cat.]
- Cicadula* *fieberi* Edwards 1889a: 703 [nom.nov. for *Cicadula* *frontalis* Fieber 1885]; Metcalf 1967c, 6(10c): 2527 [Cat.]
- DISTRIBUTION:** Widespread Europe, United Kingdom, Russia, Italy, Scandinavia, United States, Canada (Metcalf Cat.)
- Macrosteles flaveolus** (Matsumura)
Cicadula *flaveola* Matsumura 1908a: 12 [n.sp.]; Metcalf 1967c, 6(10c): 2531 [Cat.]
- DISTRIBUTION:** Spain, Portugal, Grenada, Tunisia, Taiwan (Metcalf Cat.)
- Macrosteles forficulus** (Ribaut)
Cicadula *forficula* Ribaut 1927a: 165 [n.sp.]; Metcalf 1967c, 6(10c): 2531 [Cat.]
- DISTRIBUTION:** France, Hungary, Spain (Metcalf Cat.)
- Macrosteles frontalis** (Scott)
Cicadula *frontalis* Scott 1875b: 231 [n.sp.]; Metcalf 1967c, 6(10c): 2531 [Cat.]
- Cicadula* *tetricincta* Horváth 1897b: 629 [n.sp.]; Metcalf 1967c, 6(10c): 2532 [Cat.]
- Cicadula* *hamata* Ossiannilsson 1936c: 10 [n.sp.]; Metcalf 1967c, 6(10c): 2533 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Italy, Scandinavia (Metcalf Cat.)
- Macrosteles fuscinervis** (Matsumura)
Cicadula *fuscinervis* Matsumura 1914a: 171 [n.sp.]; Metcalf 1967c, 6(10c): 2535 [Cat.]
- DISTRIBUTION:** Korea, Japan, China (Metcalf Cat.)
- Macrosteles guttatus** (Matsumura)
Cicadula *guttata* Matsumura 1915a: 160 [n.sp.]; Metcalf 1967c, 6(10c): 2535 [Cat.]
- DISTRIBUTION:** Korea (Metcalf Cat.)
- Macrosteles halophilus** (Horváth)
Cicadula *halophila* Horváth 1903c: 472 [n.sp.]; Metcalf 1967c, 6(10c): 2535 [Cat.]
- Cicadula* *brevis* Matsumura 1908a: 13 [n.sp.]; Metcalf 1967c, 6(10c): 2535 [Cat.]
- DISTRIBUTION:** Hungary, Russia (Metcalf Cat.)
- Macrosteles horváthi** [sic] (Wagner)
Cicadula *horvathi* Wagner 1935a: 18 [n.sp., not nom.nov.]; Metcalf 1967c, 6(10c): 2536, 2539 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Japan, China, Canary Islands (Metcalf Cat.)
- Macrosteles horváthi** [sic] mannerheimi (Kontkanen)
Cicadula *horvathi* mannerheimi Kontkanen 1937a: 146 [n.sp.]; Metcalf 1967c, 6(10c): 2539 [Cat.]
- DISTRIBUTION:** Finland, Germany (Metcalf Cat.)
- Macrosteles horváthi** [sic] nubilus (Ossiannilsson)
Cicadula *horvathi* *nubila* Ossiannilsson 1936c: 10 [n.sp.]; Metcalf 1967c, 6(10c): 2539 [Cat.]
- DISTRIBUTION:** Sweden, Finland, Germany, Estonia, Latvia (Metcalf Cat.)
- Macrosteles laevis** (Ribaut)
Cicadula *laevis* Ribaut 1927a: 162 [n.sp.]; Metcalf 1967c, 6(10c): 2540 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Russia, Italy, Iceland, United States, China (Metcalf Cat.)
- Macrosteles lepidus** (Van Duzee)
Cicadula *lepidula* Van Duzee 1894c: 139 [n.sp.]; Metcalf 1967c, 6(10c): 2543 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Macrosteles lineatifrons** (Stål)
Thamnotettix *lineatifrons* Stål 1858e: 195 [n.sp.]; Metcalf 1967c, 6(10c): 2545 [Cat.]
- DISTRIBUTION:** United States, Canada, Russia (Metcalf Cat.)
- Macrosteles litoralis** (Matsumura)
Thamnotettix *litoralis* Matsumura 1902a: 367 [n.sp.]; Metcalf 1967c, 6(10c): 2545 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Macrosteles lividus** (Edwards)
Cicadula *livida* Edwards 1894a: 104 [n.sp.]; Metcalf 1967c, 6(10c): 2546 [Cat.]
- DISTRIBUTION:** England, Germany, Finland, Sweden, Poland (Metcalf Cat.)

- Macrosteles maculosus* (Then)
Cicadula maculosa Then 1897a: 102 [n.sp.]; Metcalf 1967c, 6(10c): 2548 [Cat.]
Macrosteles ribauti Dlabola 1946b: 98 [n.sp.]; Metcalf 1967c, 6(10c): 2548 [Cat.]
DISTRIBUTION: Austria, Germany, Hungary, Sweden, Czech Republic, Poland, Slovakia (Metcalf Cat.)
- Macrosteles nigrifacies* (Matsumura)
Cicadula nigrifacies Matsumura 1914a: 173 [n.sp.]; Metcalf 1967c, 6(10c): 2549 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Macrosteles obsoletus* (Dorst)
Cicadula obsoleta Dorst 1931a: 42 [n.sp.]; Metcalf 1967c, 6(10c): 2549 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macrosteles oculatus* Dlabola
Macrosteles oculata Dlabola 1952b: 35 [n.sp.]; Metcalf 1967c, 6(10c): 2549 [Cat.]
DISTRIBUTION: Iraq (Metcalf Cat.)
- Macrosteles osborni* (Dorst)
Cicadula osborni Dorst 1931a: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2549 [Cat.]
DISTRIBUTION: United States, Finland, Sweden (Metcalf Cat.)
- Macrosteles ossianilssonii* Lindberg
Macrosteles ossianilssonii Lindberg 1954a: 236 [n.sp.]; Metcalf 1967c, 6(10c): 2550 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Macrosteles potorius* (Ball)
Cicadula potoria Ball 1900c: 346 [n.sp.]; Metcalf 1967c, 6(10c): 2550 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Macrosteles quadricornis* Lindberg
Macrosteles quadricornis Lindberg 1954a: 234 [n.sp.]; Metcalf 1967c, 6(10c): 2551 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Macrosteles quadrimaculatus pallidulus* (Matsumura)
Cicadula quadrimaculatus pallidula Matsumura 1902a: 366 [n.subsp. of *masatonis*]; Metcalf 1967c, 6(10c): 2553 [Cat.]
DISTRIBUTION: Japan, Korea, Taiwan (Metcalf Cat.)
- Macrosteles quadripunctulatus* (Kirschbaum)
Jassus (*Thamnotettix*) *quadripunctulatus* Kirschbaum 1868b: 99 [n.sp.]; Metcalf 1967c, 6(10c): 2554 [Cat.]
Cicadula ramigera Zachvatkin 1933a: 48 [n.sp.]; Metcalf 1967c, 6(10c): 2554 [Cat.]
DISTRIBUTION: Germany, Austria, Denmark, Czech Republic, Slovakia, Netherlands, Sweden, Finland, Poland, Bulgaria, Greece, Iraq (Metcalf Cat.)
- Macrosteles quadrimaculatus* [sic] (Matsumura)
Cicadula quadrimaculata Matsumura 1900d: 398 [n.sp.]; Metcalf 1967c, 6(10c): 2551 [Cat.]
- Cicadula masatonis* Matsumura 1902a: 362 [n.sp.]; Metcalf 1967c, 6(10c): 2552 [Cat.]
Cicadula ishidae Matsumura 1910b: 125 [n.sp.]; Metcalf 1967c, 6(10c): 2552 [Cat.]
DISTRIBUTION: Japan, Korea, China (Metcalf Cat.)
- Macrosteles ramosus* Ribaut
Macrosteles (*Macrosteles*) *ramosus* Ribaut 1952a: 51 [n.sp.]; Metcalf 1967c, 6(10c): 2556 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Macrosteles salinus* (Reuter)
Cicadula salina Reuter 1886a: 211 [n.subsp. of *sexnotata*]; Metcalf 1967c, 6(10c): 2556 [Cat.]
DISTRIBUTION: Scandinavia, Germany, England, Czech Republic, Netherlands, Poland, United States, Canada (Metcalf Cat.)
- Macrosteles salsolae* (Puton)
Jassus (*Cicadula*) *salsolae* Puton 1872a: 177 [n.sp.]; Metcalf 1967c, 6(10c): 2558 [Cat.]
DISTRIBUTION: France, Italy, Belgium (Metcalf Cat.)
- Macrosteles sardus* Ribaut
Macrosteles sardus Ribaut 1948b: 217 [n.sp.]; Metcalf 1967c, 6(10c): 2559 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Macrosteles scoliatus* Dlabola
Macrosteles scoliatus Dlabola 1949a: 4 [n.sp.]; Metcalf 1967c, 6(10c): 2559 [Cat.]
DISTRIBUTION: Czech Republic, Slovakia (Metcalf Cat.)
- Macrosteles septemnotatus* (Fallén)
Cicada septemnotata Fallén 1806a: 35 [n.sp.]; Metcalf 1967c, 6(10c): 2559 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain, Russia, Japan, Morocco (Metcalf Cat.)
- Macrosteles sexnotatus* (Fallén)
Cicada sexnotata Fallén 1806a: 34 [n.sp.]; Metcalf 1967c, 6(10c): 2565, 2595 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Italy, Portugal, Spain, Cyprus, Northern Africa, South Africa, China, Iceland, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, Japan, India, Canary Islands, Atlantic Ocean: Azores (Metcalf Cat.)
- Macrosteles sexnotatus binotatus* (Rey)
Cicadula sexnotatus binotata Rey 1894c: 45 [n.subsp. of *sexnotata*]; Metcalf 1967c, 6(10c): 2589 [Cat.]
DISTRIBUTION: France, Belgium, Netherlands (Metcalf Cat.)
- Macrosteles sexnotatus devastans* (Guérin-Méneville)
Jassus sexnotatus devastans Guérin-Méneville 1852a: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2590 [Cat.]
DISTRIBUTION: France, Germany, Russia, Ukraine, Netherlands (Metcalf Cat.)
- Macrosteles sexnotatus didymus* (Mulsant & Rey)

- Jassus sexnotatus didymus* Mulsant & Rey 1855a: 230
[n.sp.]; Metcalf 1967c, 6(10c): 2591 [Cat.]
DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Macrosteles sexnotatus diminutus* (Lethierry)
Cicadula sexnotatus diminuta Lethierry 1876a: lxxxiv
[n.sp.]; Metcalf 1967c, 6(10c): 2592 [Cat.]
DISTRIBUTION: France, Finland, Belgium,
Romania, Netherlands, Russia, Germany, Turkey,
Israel (Metcalf Cat.)
- Macrosteles sexnotatus submaculatus* (Rey)
Cicadula sexnotatus submaculata Rey 1894c: 45
[n.subsp. of *sexnotata*]; Metcalf 1967c, 6(10c):
2595 [Cat.]
DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Macrosteles skalkahiensis* Beirne
Macrosteles (Macrosteles) skalkahiensis Beirne
1952a: 210 [n.sp.]; Metcalf 1967c, 6(10c): 2596
[Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Macrosteles slossonae* [sic] (Van Duzee)
Cicadula slossoni Van Duzee 1893a: 281 [n.sp.];
Metcalf 1967c, 6(10c): 2596 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Macrosteles variatus* (Fallén)
Cicada variata Fallén 1806a: 34 [n.sp.]; Metcalf
1967c, 6(10c): 2598 [Cat.]
Jassus fumatus Herrich-Schaeffer 1838a: 5 [n.sp.];
Metcalf 1967c, 6(10c): 2598 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
Great Britain, Russia, Japan, United States,
Canada (Metcalf Cat.)
- Macrosteles viridigriseus* (Edwards)
Cicadula viridigrisea Edwards 1924a: 54 [n.sp.];
Metcalf 1967c, 6(10c): 2608 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
Canada, United States, Scandinavia, Italy (Metcalf
Cat.)
- Macustus grisescens* (Zetterstedt)
Cicada grisescens Zetterstedt 1828a: 530 [n.sp.];
Metcalf 1967a, 6(10a): 231 [Cat.]
Jassus (Athysanus) validinervis Kirschbaum 1868b:
113 [n.sp.]; Metcalf 1967a, 6(10a): 232 [Cat.]
Athysanus cognatus Douglas & Scott 1873a: 211
[n.sp.]; Metcalf 1967a, 6(10a): 232 [Cat.]
Athysanus alpinus Ball 1899c: 173 [n.sp.]; Metcalf
1967a, 6(10a): 234 [Cat.]
DISTRIBUTION: United States, Widespread Europe,
Scandinavia, Russia, Great Britain (Metcalf Cat.)
- Madagella brunnea* Evans
Madagella brunnea Evans 1954a: 126 [n.sp.]; Metcalf
1967c, 6(10c): 2243 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Magnentius clavatus* Singh-Pruthi
Magnentius clavatus Singh-Pruthi 1930a: 7 [n.sp.];
Metcalf 1966b, 6(13): 247 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Magnentius congoensis* Evans
Magnentius congoensis Evans 1955a: 24 [n.sp.];
Metcalf 1966b, 6(13): 247 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Maguanga inconspicua* (Walker)
Tettigonia inconspicua Walker 1870b: 303 [n.sp.];
Metcalf 1965a, 6(1): 233 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Mahalana fidelis* Distant
Mahalana fidelis Distant 1918b: 63 [n.sp.]; Metcalf
1967c, 6(10c): 2204 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Mahalana lugubris* Distant
Mahalana lugubris Distant 1918b: 64 [n.sp.]; Metcalf
1967c, 6(10c): 2204 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Maiestas illustris* Distant
Maiestas illustris Distant 1917a: 313 [n.sp.]; Metcalf
1967c, 6(10c): 2175 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands
(Metcalf Cat.)
- Mainda praeculta* Distant
Mainda praeculta Distant 1908g: 230 [n.sp.]; Metcalf
1963a, 6(6): 51 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Makilingia banahaoensis* Baker
Makilingia banahaoensis Baker 1924a: 64 [n.sp.];
Metcalf 1965a, 6(1): 660 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia banahaoensis montalbanensis* Baker
Makilingia banahaoensis montalbanensis Baker
1924a: 64 [n.subsp. of *banahaoensis*]; Metcalf
1965a, 6(1): 660 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia colorata* Baker
Makilingia colorata Baker 1914a: 413 [n.sp.]; Metcalf
1965a, 6(1): 660 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia costalis* Baker
Makilingia costalis Baker 1924a: 69 [n.sp.]; Metcalf
1965a, 6(1): 660 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia flavifrons* Melichar
Makilingia flavifrons Melichar 1923c: 120 [n.sp.];
Metcalf 1965a, 6(1): 661 [Cat.]
Makilingia bimaculata Baker 1924a: 67 [n.sp.];
Metcalf 1965a, 6(1): 661 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia frontalis* Baker
Makilingia frontalis Baker 1924a: 69 [n.sp.]; Metcalf
1965a, 6(1): 661 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Makilingia haughtiana* Baker
Makilingia haughtiana Baker 1924a: 65 [n.sp.]; Metcalf
1965a, 6(1): 661 [Cat.]

- DISTRIBUTION:** Philippines (Metcalf Cat.)
Makilingia intermedia Melichar
Makilingia intermedia Melichar 1923c:119 [n.sp.];
 Metcalf 1965a,6(1):661 [Cat.]
Makilingia variabilis Baker 1924a:63 [n.sp.]; Metcalf
 1965a,6(1):661 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia intermedia bakeri Melichar
Makilingia intermedia bakeri Melichar 1923c:119
 [n.sp.]; Metcalf 1965a,6(1):661 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia intermedia suturalis Melichar
Makilingia intermedia suturalis Melichar 1923c:120
 [n.sp.]; Metcalf 1965a,6(1):662 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia lineata Baker
Makilingia lineata Baker 1924a:65 [n.sp.]; Metcalf
 1965a,6(1):662 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia maculata Baker
Makilingia maculata Baker 1914a:412 [n.sp.]; Metcalf
 1965a,6(1):662 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia nigra Baker
Makilingia nigra Baker 1914a:411 [n.sp.]; Metcalf
 1965a,6(1):662 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia pallida Baker
Makilingia pallida Baker 1914a:414 [n.sp.]; Metcalf
 1965a,6(1):663 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia pallida benguetensis Baker
Makilingia pallida benguetensis Baker 1924a:68
 [n.subsp. of *pallida*]; Metcalf 1965a,6(1):663
 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia panayensis Baker
Makilingia panayensis Baker 1924a:66 [n.sp.];
 Metcalf 1965a,6(1):663 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia pruinosa Baker
Makilingia pruinosa Baker 1914a:412 [n.sp.]; Metcalf
 1965a,6(1):663 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia sibuyanensis Baker
Makilingia sibuyanensis Baker 1924a:62 [n.sp.];
 Metcalf 1965a,6(1):663 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia speciosa Baker
Makilingia speciosa Baker 1924a:61 [n.sp.]; Metcalf
 1965a,6(1):663 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia surigaoensis Baker
Makilingia surigaoensis Baker 1924a:66 [n.sp.];
 Metcalf 1965a,6(1):664 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia tettigonoides Baker
Makilingia tettigonoides Baker 1924a:60 [n.sp.];
 Metcalf 1965a,6(1):664 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia variabilis [sic] *simillima* Baker
Makilingia intermedia simillima Baker 1924a:63
 [n.subsp. of *variabilis*]; Metcalf 1965a,6(1):662
 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Makilingia woodworthi Baker
Makilingia woodworthi Baker 1924a:68 [n.sp.];
 Metcalf 1965a,6(1):664 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Malagasiella minima Evans
Malagasiella minima Evans 1954a:110 [n.sp.];
 Metcalf 1964b,6(11):82 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Malasiella coronopunctata Evans
Malasiella coronopunctata Evans 1954a: 125 [n.sp.];
 Metcalf 1967c, 6(10c): 2243 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Malichus capitatus Distant
Malichus capitatus Distant 1918b:25 [n.sp.]; Metcalf
 1962b,6(3):213 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Malicia maculata Evans
Malicia maculata Evans 1954a:118 [n.sp.]; Metcalf
 1966c,6(15):208 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Malissiana fusca (Evans)
Malissiana fusca Evans 1954a:101 [n.sp.]; Metcalf
 1965a,6(1):105 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Malissiana madagascariensis (Signoret)
Tettigonia madagascariensis Signoret 1854b:344
 [n.sp.]; Metcalf 1965a,6(1):105 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Manzutus huachucanus (Ball)
Cicadella huachucanus Ball 1936a:19 [n.sp.]; Metcalf
 1965a,6(1):286 [Cat.]
DISTRIBUTION: United States, Mexico (Young
 1977a)
Manzutus multilineatus (Fowler)
Tettigonia multilineata Fowler 1899d:241 [n.sp.];
 Metcalf 1965a,6(1):286 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf
 Cat.)
Mapochia collaris Distant
Mapochia collaris Distant 1910e:232 [n.sp.]; Metcalf
 1963d,6(9):117 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Mapochia gracilis Schumacher
Mapochia gracilis Schumacher 1912b:249 [n.sp.];
 Metcalf 1963d,6(9):117 [Cat.]
DISTRIBUTION: Cameroon, Nigeria, Togo, Ghana
 (Metcalf Cat.)

- Marathonia marathonensis** (Olsen)
Cicadella marathonensis Olsen 1918a:3 [n.sp.];
 Metcalf 1965a,6(1):285 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Mareba eresia** Distant
Mareba eresia Distant 1908b:77 [n.sp.]; Metcalf 1965a,6(1):643 [Cat.]
DISTRIBUTION: Ecuador (Young 1968a)
- Mareba insignior** (Fowler)
Aulacizes insignior Fowler 1899a:220 [n.sp.]; Metcalf 1965a,6(1):643 [Cat.]
DISTRIBUTION: Panama (Young 1968a)
- Mareja anceps** (Fowler)
Tettigonia anceps Fowler 1900c:279 [n.sp.]; Metcalf 1965a,6(1):412 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Colombia, Venezuela (Young 1977a)
- Mareja limbaticollis** (Stål)
Tettigonia limbaticollis Stål 1864a:75 [n.sp.]; Metcalf 1965a,6(1):413 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Colombia, Costa Rica (Metcalf Cat.)
- Mareja urbana** (Stål)
Tettigonia urbana Stål 1864a:74 [n.sp.]; Metcalf 1965a,6(1):413 [Cat.]
DISTRIBUTION: Mexico, El Salvador, Guatemala, Nicaragua (Young 1977a)
- Marganalana testacea** Metcalf
Marganalana testacea Metcalf 1949b:277 [n.sp.];
 Metcalf 1962b,6(3):153 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Marganana suilla** (Ball)
Ponana suilla Ball 1935c:503 [n.subsp. of marginifrons]; Metcalf 1962b,6(3):154 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Maricaona polyamia** Caldwell
Maricaona polyamia Caldwell 1952 [in Caldwell & Martorell 1952a: 62] [n.sp.]; Metcalf 1967b, 6(10b): 1854 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Marizella polita** Schmidt
Marizella polita Schmidt 1928c:82 [n.sp.]; Metcalf 1965a,6(1):656 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Marquardtella brunki** Schmidt
Marquardtella brunki Schmidt 1930b:125 [n.sp.];
 Metcalf 1966c,6(15):20 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Marquardtella krusei** Schmidt
Marquardtella krusei Schmidt 1930b:124 [n.sp.];
 Metcalf 1966c,6(15):20 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Marquesitettix atra** (Osborn)
Marquesia atra Osborn 1934b: 250 [n.sp.]; Metcalf 1967c, 6(10c): 2486 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Mascarenotettix retinens** (Melichar)
Poeciloscarta retinens Melichar 1951a:82 [n.sp.];
 Metcalf 1965a,6(1):105 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Matsumurana facialis** Distant
Matsumurana facialis Distant 1917a: 317 [n.sp.];
 Metcalf 1967c, 6(10c): 2355 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Matsumuratettix hiroglyphicus** (Matsumura)
Epitettix hiroglyphicus Matsumura 1914a: 194 [n.sp.];
 Metcalf 1967a, 6(10a): 879 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Matsumurella kogotensis** (Matsumura)
Jassus (Allygus) dentatus Matsumura 1914a: 206 [n.sp.]; Metcalf 1967a, 6(10a): 1004 [Cat.]
Jassus (Allygus) kogotensis Matsumura 1914a: 206 [n.sp.]; Metcalf 1967a, 6(10a): 1004 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Matsumurella praesul** (Horváth)
Jassus praesul Horváth 1899a: 370 [n.sp.]; Metcalf 1967a, 6(10a): 1004 [Cat.]
DISTRIBUTION: Japan, China, Korea (Metcalf Cat.)
- Maximianus cephalicus** Distant
Maximianus cephalicus Distant 1918b: 80 [n.sp.];
 Metcalf 1967b, 6(10b): 1585 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Maximianus notatus** Distant
Maximianus notatus Distant 1918b: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1585 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Mcateeana sexnotata** (Van Duzee)
Empoa sexnotata Van Duzee 1914a:57 [n.subsp. of querci]; Metcalf 1968a,6(17):933 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Megabyzus signandus** Distant
Megabyzus signandus Distant 1908g: 295 [n.sp.];
 Metcalf 1967b, 6(10b): 1695 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Megagallia punctaticollis** (Stål)
Bythoscopus punctaticollis Stål 1862e:54 [n.sp.];
 Metcalf 1966a,6(14):151 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Megalopenthimia flava** Evans
Megalopenthimia flava Evans 1954a:113 [n.sp.];
 Metcalf 1962b,6(3):217 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Megipocerus mordvilkoi** Zachvatkin
Megipocerus mordvilkoi Zachvatkin 1945a: 4 [n.sp.];
 Metcalf 1966d, 6(16): 222 [Cat.]
DISTRIBUTION: Eastern Russia (Metcalf Cat.)
- Megophthalmus decimaquartus** (Schrank)
Cicada decimaquartus Schrank 1776a:76 [n.sp.];
 Metcalf 1962d,6(5):20 [Cat.]

- DISTRIBUTION:** Austria, Portugal (Metcalf Cat.)
Megophthalmus scabripennis Edwards
Megophthalmus scabripennis Edwards 1915a:206
[n.sp.]; Metcalf 1962d,6(5):21 [Cat.]
DISTRIBUTION: England, Italy, Great Britain,
France (Metcalf Cat.)
Megophthalmus scanicus (Fallén)
Cicada scanica Fallén 1806b:113 [n.sp.]; Metcalf
1962d,6(5):21 [Cat.]
Coelidia scutata Germar 1821a:79 [n.sp.]; Metcalf
1962d,6(5):21 [Cat.]
Megophthalmus bipunctatus Curtis 1833a:194 [n.sp.];
Metcalf 1962d,6(5):21 [Cat.]
Paropia pallidipennis Hardy 1850a:430 [n.sp.];
Metcalf 1962d,6(5):22 [Cat.]
Paropia vilis Snellen 1862 [in Graaf,Six & Snellen
1862a:81] [n.sp.]; Metcalf 1962d,6(5):23 [Cat.]
Paropia scanica innotata Rey 1894b:30 [n.subsp. of
scanica]; Metcalf 1962d,6(5):26 [Cat.]
DISTRIBUTION: Widespread United Kingdom,
Europe, Western Mediterranean, Scandinavia,
Russia (Metcalf Cat.)
Megulopa sahlbergorum Lindberg
Megulopa sahlbergorum Lindberg 1925a:107 [n.sp.];
Metcalf 1962d,6(5):86 [Cat.]
DISTRIBUTION: Egypt (Metcalf Cat.)
Melicharella decora Lindberg
Melicharella decora Lindberg 1925a:111 [n.sp.];
Metcalf 1966a,6(14):163 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
Cat.)
Melicharella planifrons (Melichar)
Ahneria planifrons Melichar 1902b:76 [n.sp.];
Metcalf 1966a,6(14):163 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan, Turkey
(Metcalf Cat.)
Melicharella salina Lindberg
Melicharella salina Lindberg 1954a:201 [n.sp.];
Metcalf 1966a,6(14):164 [Cat.]
DISTRIBUTION: Canary Islands (Metcalf Cat.)
Melichariella boninensis Matsumura
Melichariella boninensis Matsumura 1914a: 238
[n.sp.]; Metcalf 1967a, 6(10a): 547 [Cat.]
DISTRIBUTION: Oceania: Bonin Islands (Metcalf
Cat.)
Melichariella formosana Matsumura
Melichariella formosana Matsumura 1914a: 238
[n.sp.]; Metcalf 1967a, 6(10a): 548 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
Melichariella satsumensis Matsumura
Melichariella satsumensis Matsumura 1914a: 237
[n.sp.]; Metcalf 1967a, 6(10a): 548 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Melliola granulata (Schmidt)
Mellia granulata Schmidt 1920m:128 [n.sp.]; Metcalf
1962a,6(2):17 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
Memnonia acuta Beamer
Memnonia acuta Beamer 1938c:80 [n.sp.]; Metcalf
1963c,6(8):56 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Memnonia albolinea Ball
Memnonia albolinea Ball 1937a:131 [n.sp.]; Metcalf
1963c,6(8):56 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Memnonia consobrina Ball
Memnonia consobrina Ball 1900a:66 [n.sp.]; Metcalf
1963c,6(8):56 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Memnonia fossitia Ball
Memnonia fossitia Ball 1937a:132 [n.sp.]; Metcalf
1963c,6(8):57 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Memnonia fraterna Ball
Memnonia fraterna Ball 1900a:67 [n.sp.]; Metcalf
1963c,6(8):57 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Mendrausus chyzeri (Horváth)
Deltocephalus chyzeri Horváth 1897b: 636 [n.sp.];
Metcalf 1967b, 6(10b): 1475 [Cat.]
DISTRIBUTION: Hungary, Russia, Serbia, Czech
Republic, Slovakia (Metcalf Cat.)
Mendreus serratus (Ribaut)
Deltocephalus serratus Ribaut 1925a: 189 [n.sp.];
Metcalf 1967b, 6(10b): 1394 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Menosoma cincta (Osborn & Ball)
Eutettix cincta Osborn & Ball 1898f: 97 [n.sp.,not
nom.nov.]; Metcalf 1967a, 6(10a): 531 [Cat.]
DISTRIBUTION: United States, Canada, Brazil,
Mexico, Bolivia, Argentina, Paraguay (Metcalf
Cat.)
Menosoma cincta binaria Ball
Menosoma cincta binaria Ball 1931a: 5 [n.subsp. of
cincta]; Metcalf 1967a, 6(10a): 533 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Menosoma elegans (Osborn)
Eutettix elegans Osborn 1923c: 53 [n.sp.]; Metcalf
1967a, 6(10a): 534 [Cat.]
DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
Menosoma fasciata (Osborn)
Mesamia fasciata Osborn 1923c: 47 [n.sp.]; Metcalf
1967a, 6(10a): 534 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Menosoma mexicana DeLong
Menosoma cincta mexicana DeLong 1945a: 158
[n.sp.]; Metcalf 1967a, 6(10a): 534 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Menosoma neocincta (Osborn)

- Eutettix neocincta* Osborn 1923c: 49 [n.sp.]; Metcalf 1967a, 6(10a): 534 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Menosoma stonei* Ball
Menosoma stonei Ball 1931a: 5 [n.sp.]; Metcalf 1967a, 6(10a): 534 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Menosoma taeniata* Linnavuori
Menosoma taeniata Linnavuori 1955a: 112 [n.sp.]; Metcalf 1967a, 6(10a): 535 [Cat.]
DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)
- Mesadorus decempunctatus* Linnavuori
Mesadorus decempunctatus Linnavuori 1955b: 121 [n.sp.]; Metcalf 1967a, 6(10a): 932 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Mesadorus undatus* Linnavuori
Mesadorus undatus Linnavuori 1955b: 120 [n.sp.]; Metcalf 1967a, 6(10a): 932 [Cat.]
DISTRIBUTION: Brazil, Argentina, Taiwan (Metcalf Cat.)
- Mesagallia georgii* Zachvatkin
Mesagallia georgii Zachvatkin 1946b: 159 [n.sp.]; Metcalf 1966a, 6(14): 108 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
- Mesamia alta* DeLong & Hershberger
Mesamia alta DeLong & Hershberger 1947c: 260 [n.sp.]; Metcalf 1967c, 6(10c): 2078 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia bifurcata* DeLong & Hershberger
Mesamia bifurcata DeLong & Hershberger 1947c: 258 [n.sp.]; Metcalf 1967c, 6(10c): 2078 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia coloradensis* (Gillette & Baker)
Allygus coloradensis Gillette & Baker 1895a: 91 [n.sp.]; Metcalf 1967c, 6(10c): 2078 [Cat.]
Paramesus immaculatus Ball 1905b: 211 [n.sp.]; Metcalf 1967c, 6(10c): 2078 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Mesamia diana* Van Duzee
Mesamia diana Van Duzee 1925b: 410 [n.sp.]; Metcalf 1967c, 6(10c): 2079 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia divisa* DeLong & Hershberger
Mesamia divisa DeLong & Hershberger 1947c: 262 [n.sp.]; Metcalf 1967c, 6(10c): 2079 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia frigida* DeLong & Hershberger
Mesamia frigida DeLong & Hershberger 1947c: 265 [n.sp.]; Metcalf 1967c, 6(10c): 2080 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia infuscata* Beamer
Mesamia infuscata Beamer 1942b: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2080 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia interrupta* DeLong & Hershberger
- Mesamia interrupta* DeLong & Hershberger 1947c: 263 [n.sp.]; Metcalf 1967c, 6(10c): 2080 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia irreorella* (Stål)
Jassus (Athysanus) irreorella Stål 1859b: 295 [n.sp.]; Metcalf 1967c, 6(10c): 2080 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia ludovicia* Ball
Mesamia ludovicia Ball 1931c: 93 [n.sp.]; Metcalf 1967c, 6(10c): 2081 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia montana* DeLong & Hershberger
Mesamia montana DeLong & Hershberger 1947c: 262 [n.sp.]; Metcalf 1967c, 6(10c): 2081 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia nervosa* Osborn
Mesamia nervosus Osborn 1922b: 20 [n.sp.]; Metcalf 1967c, 6(10c): 2081 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia nigridorsum* (Ball)
Eutettix (Mesamia) nigridorsum Ball 1907a: 60 [n.sp.]; Metcalf 1967c, 6(10c): 2081 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia obliqua* (Walker)
Acocephalus obliquus Walker 1851b: 851 [n.sp.]; Metcalf 1967c, 6(10c): 2083 [Cat.]
DISTRIBUTION: Galapagos Islands, St.James Island (?) (Metcalf Cat.)
- Mesamia obtusa* Beamer
Mesamia obtusa Beamer 1924b: 44 [n.sp.]; Metcalf 1967c, 6(10c): 2083 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia orizaba* Ball
Mesamia orizaba Ball 1931c: 92 [n.sp.]; Metcalf 1967c, 6(10c): 2084 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia pagana* Van Duzee
Mesamia pagana Van Duzee 1925b: 409 [n.sp.]; Metcalf 1967c, 6(10c): 2084 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia prescotia* Ball
Mesamia prescotia Ball 1931c: 92 [n.sp.]; Metcalf 1967c, 6(10c): 2084 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia puebla* DeLong & Hershberger
Mesamia puebla DeLong & Hershberger 1947c: 264 [n.sp.]; Metcalf 1967c, 6(10c): 2084 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia retusa* Beamer
Mesamia retusa Beamer 1942b: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2085 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia separata* DeLong & Hershberger
Mesamia separata DeLong & Hershberger 1947c: 263 [n.sp.]; Metcalf 1967c, 6(10c): 2085 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)

- Mesamia separata quadripuncta DeLong & Hershberger
 Mesamia separata quadripuncta DeLong &
 Hershberger 1947c: 264 [n.subsp. of separata];
 Metcalf 1967c, 6(10c): 2085 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Mesamia straminea (Osborn)
 Paramesus stramineus Osborn 1898a: 241 [n.sp.];
 Metcalf 1967c, 6(10c): 2085 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia straminea dolosa Ball
 Mesamia straminea dolosa Ball 1931c: 91 [n.subsp. of
 straminea]; Metcalf 1967c, 6(10c): 2086 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia tarbela Ball
 Mesamia tarbela Ball 1931c: 91 [n.sp.]; Metcalf
 1967c, 6(10c): 2087 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Mesamia vermiculata Beamer
 Mesamia vermiculata Beamer 1942b: 44 [n.sp.];
 Metcalf 1967c, 6(10c): 2087 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mesamia visalia (Ball)
 Eutettix (Mesamia) visalia Ball 1916c: 128 [n.sp.];
 Metcalf 1967c, 6(10c): 2087 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mesargus asperatus Melichar
 Mesargus asperatus Melichar 1903b: 176 [n.sp.];
 Metcalf 1962d, 6(5): 85 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Mesodorydium famelicum Melichar
 Mesodorydium famelicum Melichar 1914g: 5 [n.sp.];
 Metcalf 1963d, 6(9): 117 [Cat.]
 DISTRIBUTION: Africa (Metcalf Cat.)
- Mesogonia apulia (Distant)
 Tettigoniella apulia Distant 1908a: 523 [n.sp.]; Metcalf
 1965a, 6(1): 267 [Cat.]
 DISTRIBUTION: Peru/Ecuador (Young 1977a)
- Mesogonia atramentatula (Breddin)
 Tettigonia atramentatula Breddin 1901h: 107 [n.sp.];
 Metcalf 1965a, 6(1): 267 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Mesogonia braccatula (Jacobi)
 Tettigoniella braccatula Jacobi 1905c: 181 [n.sp.];
 Metcalf 1965a, 6(1): 267 [Cat.]
 DISTRIBUTION: Brazil, Peru, Bolivia (Young
 1977a)
- Mesogonia ferrugatula (Breddin)
 Tettigonia ferrugatula Breddin 1901h: 107 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Brazil, Ecuador, Peru, Bolivia
 (Young 1977a)
- Mesogonia grandinula (Jacobi)
 Tettigoniella grandinula Jacobi 1905c: 182 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Mesogonia larvatula (Breddin)
 Tettigonia larvatula Breddin 1902a: 178 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Mesogonia paganula (Jacobi)
 Tettigoniella paganula Jacobi 1905c: 185 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Brazil, Ecuador (Young 1977a)
- Mesogonia personatula (Jacobi)
 Tettigoniella personatula Jacobi 1905c: 181 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Mesogonia pruriginosula (Jacobi)
 Tettigoniella pruriginosula Jacobi 1905c: 181 [n.sp.];
 Metcalf 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Mesogonia stillatula (Breddin)
 Tettigonia stillatula Breddin 1902b: 2 [n.sp.]; Metcalf
 1965a, 6(1): 268 [Cat.]
 DISTRIBUTION: Ecuador, Peru, Brazil (Young
 1977a)
- Mesogonia tractatula (Jacobi)
 Tettigoniella tractatula Jacobi 1905c: 182 [n.sp.];
 Metcalf 1965a, 6(1): 269 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Mesoparopia fruhstorferi Matsumura
 Mesoparopia fruhstorferi Matsumura 1912a: 28 [n.sp.];
 Metcalf 1962d, 6(5): 78 [Cat.]
 DISTRIBUTION: China, Vietnam (Metcalf Cat.)
- Mesoparopia nitobei Matsumura
 Mesoparopia nitobei Matsumura 1912a: 27 [n.sp.];
 Metcalf 1962d, 6(5): 78 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Mesotettix koshunensis Matsumura
 Mesotettix koshunensis Matsumura 1914a: 196
 [n.sp.]; Metcalf 1967a, 6(10a): 880 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Mesotettix shokaensis Matsumura
 Mesotettix shokaensis Matsumura 1914a: 196 [n.sp.];
 Metcalf 1967a, 6(10a): 880 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Metalimnus formosus (Bohemian)
 Deltocephalus formosus Boheman 1845b: 155 [n.sp.];
 Metcalf 1967b, 6(10b): 1881 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia,
 Great Britain, Italy, Japan, Korea, China (Metcalf
 Cat.)
- Metalimnus formosus confluens (Lindberg)
 Scaphoideus formosus confluens Lindberg 1924a: 18
 [n.subsp. of formosus]; Metcalf 1967b, 6(10b):
 1886 [Cat.]
 DISTRIBUTION: Germany, Finland, Russia (Metcalf
 Cat.)
- Metalimnus formosus gutticollis (Horváth)

- Deltocephalus formosus gutticollis* Horváth 1897b: 633 [n.subsp. of *formosus*]; Metcalf 1967b, 6(10b): 1887 [Cat.]
DISTRIBUTION: Hungary, Serbia, Netherlands, China, Poland (Metcalf Cat.)
- Metalimnus formosus ishidae* (Matsumura)
Paralimnus formosus ishidae Matsumura 1902a: 389 [n.subsp. of *formosus*]; Metcalf 1967b, 6(10b): 1887 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Metalimnus formosus steini* (Fieber)
Deltocephalus formosus steini Fieber 1869a: 203 [n.subsp. of *formosus*]; Metcalf 1967b, 6(10b): 1888 [Cat.]
DISTRIBUTION: Germany, Austria, Armenia, Azerbaijan, Georgia, Hungary, Japan, Great Britain, England, Finland, Netherlands, Poland, Ukraine, Romania (Metcalf Cat.)
- Metalimnus marmoratus* (Flor)
Jassus (*Deltocephalus*) *marmorata* Flor 1861a: 236 [n.subsp. of *formosus*]; Metcalf 1967b, 6(10b): 1889 [Cat.]
Deltocephalus stali Sahlberg 1871a: 301 [n.sp.]; Metcalf 1967b, 6(10b): 1889 [Cat.]
DISTRIBUTION: Estonia, Latvia, Scandinavia, Russia, Netherlands, Ukraine, Poland (Metcalf Cat.)
- Metapocirtus listatus* Costa
Metapocirtus listatus Costa 1834b: 86 [n.sp.]; Metcalf 1966d, 6(16): 234 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Metascarta civilis* (Fowler)
Tettigonia civilis Fowler 1900b: 272 [n.sp.]; Metcalf 1965a, 6(1): 196 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Metascarta coeruleovittata* (Signoret)
Tettigonia lineata Signoret 1854a: 21 [n.sp.]; Metcalf 1965a, 6(1): 196 [Cat.]
Tettigonia coeruleovittata Signoret 1855d: 813, 835 [nom.nov. for *Tettigonia lineata* Signoret 1854]; Metcalf 1965a, 6(1): 196 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Costa Rica, El Salvador, Venezuela, Colombia, Brazil (Young 1977a)
- Metascarta coeruleovittata delineata* (Fowler)
Tettigonia coeruleovittata delineata Fowler 1900c: 277 [n.subsp. of *coeruleovittata*]; Metcalf 1965a, 6(1): 197 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Metascarta flavipes* (Signoret)
Tettigonia flavipes Signoret 1854a: 22 [n.sp.]; Metcalf 1965a, 6(1): 197 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Metascarta guaranitica* (Berg)
Tettigonia guaranitica Berg 1884a: 24 [n.sp.]; Metcalf 1965a, 6(1): 197 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Metascarta hectica* (Signoret)
Tettigonia hectica Signoret 1854a: 20 [n.sp.]; Metcalf 1965a, 6(1): 197 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Metascarta impressifrons* (Signoret)
Tettigonia impressifrons Signoret 1854a: 16 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Venezuela, Colombia, Ecuador to Bolivia [Peru], Brazil (Young 1977a)
- Metascarta lineatipennis* (Stål)
Jassus lineatipennis Stål 1854b: 255 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Metascarta pedisequula* (Jacobi)
Tettigoniella pedisequula Jacobi 1905c: 178 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Colombia, Peru (Young 1977a)
- Metascarta perspicillatula* (Jacobi)
Tettigoniella perspicillatula Jacobi 1905c: 177 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Metascarta platensis* (Berg)
Acocephalus dubius Berg 1879d: 259 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
Tettigonia platensis Berg 1884a: 25 [nom.nov. for *Acocephalus dubius* Berg 1879]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Venezuela, Peru, Brazil, Paraguay, Argentina (Young 1977a)
- Metascarta subolivacea* (Stål)
Tettigonia subolivacea Stål 1862e: 42 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Peru, Bolivia, Brazil, Paraguay, Argentina (Young 1977a)
- Metascarta tenera* (Fowler)
Tettigonia tenera Fowler 1900d: 289 [n.sp.]; Metcalf 1965a, 6(1): 198 [Cat.]
DISTRIBUTION: Thailand, Malaysia, Borneo, West Indonesia (Young 1986a)
- Metascarta ventralis* (Signoret)
Tettigonia ventralis Signoret 1854a: 21 [n.sp.]; Metcalf 1965a, 6(1): 199 [Cat.]
DISTRIBUTION: Mexico, Belize, Guatemala to Colombia [El Salvador, Honduras, Nicaragua, Costa Rica, Panama], Ecuador (Young 1977a)
- Mexara atascosa* (Ball)
Amplicephalus atascus Ball 1936b: 20 [n.sp.]; Metcalf 1967b, 6(10b): 1824 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Mexicananus levis* DeLong
Mexicananus levis DeLong 1944e: 89 [n.sp.]; Metcalf 1967a, 6(10a): 710 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Microgoniella azeka* (Distant)

- Tettigoniella azeka* Distant 1908a:523 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Microgoniella bilineata* Melichar
Microgoniella bilineata Melichar 1951a:97 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Microgoniella carbuncula* (Breddin)
Tettigonia carbuncula Breddin 1901e:90 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Ecuador, Peru, Bolivia (Young 1977a)
- Microgoniella cinctella* Melichar
Microgoniella cinctella Melichar 1951a:97 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Microgoniella comitatula* Melichar
Microgoniella comitatula Melichar 1951a:100 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Colombia (Young 1977a)
- Microgoniella comperta* Melichar
Microgoniella comperta Melichar 1951a:97 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Microgoniella curvovittata* (Stål)
Tettigonia curvovittata Stål 1862e:43 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Microgoniella delicatula* Melichar
Microgoniella delicatula Melichar 1951a:99 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Colombia (Young 1977a)
- Microgoniella dilutula* Melichar
Microgoniella dilutula Melichar 1951a:103 [n.sp.]; Metcalf 1965a,6(1):85 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Microgoniella distanti* (Metcalf)
Tettigoniella cornelia Distant 1908a:521 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
Tettigella distanti Metcalf 1955a:264 [nom.nov. for *Tettigoniella cornelia* Distant 1908]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Microgoniella dorsigutta* Melichar
Microgoniella dorsigutta Melichar 1951a:102 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Microgoniella elegans* Melichar
Microgoniella elegans Melichar 1951a:101 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Microgoniella flavoapicata* Melichar
Microgoniella flavoapicata Melichar 1951a:106 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Microgoniella flavolineata* (Signoret)
Tettigonia flavolineata Signoret 1855d:791 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Microgoniella flavomaculata* (Blanchard)
Tettigonia flavomaculata Blanchard 1852 [in Spinola 1852a:282] [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
Tettigonia fenestrata Signoret 1854a:9 [n.sp.]; Metcalf 1965a,6(1):86 [Cat.]
DISTRIBUTION: Chile (Young 1977a)
- Microgoniella illustris* (Signoret)
Tettigonia illustris Signoret 1854a:11 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
DISTRIBUTION: Venezuela, French Guiana, Suriname, Brazil (Young 1977a)
- Microgoniella indignata* Melichar
Microgoniella indignata Melichar 1951a:98 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
DISTRIBUTION: Costa Rica (Young 1977a)
- Microgoniella lepida* (Signoret)
Tettigonia lepida Signoret 1855d:775 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
Tettigoniella espiella Distant 1908a:524 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
DISTRIBUTION: Peru, Brazil (Young 1977a)
- Microgoniella monacha* Melichar
Microgoniella monacha Melichar 1951a:99 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
DISTRIBUTION: Paraguay (?) (Young 1977a)
- Microgoniella nigrovittata* (Spinola)
Tettigonia nigrovittata Spinola 1852a:286 [n.sp.]; Metcalf 1965a,6(1):87 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Microgoniella obstinatula* Melichar
Microgoniella obstinatula Melichar 1951a:101 [n.sp.]; Metcalf 1965a,6(1):88 [Cat.]
DISTRIBUTION: see original description (Metcalf Cat.)
- Microgoniella quadrigula* (Jacobi)
Tettigoniella quadrigula Jacobi 1905c:183 [n.sp.]; Metcalf 1965a,6(1):88 [Cat.]
DISTRIBUTION: Ecuador, Peru (Young 1977a)
- Microgoniella rhienetta* (Signoret)
Tettigonia rhienetta Signoret 1854b:352 [n.sp.]; Metcalf 1965a,6(1):88 [Cat.]
DISTRIBUTION: Brazil, Argentina (Young 1977a)
- Microgoniella rubricauda* (Signoret)
Tettigonia rubricauda Signoret 1854b:351 [n.sp.]; Metcalf 1965a,6(1):88 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Microgoniella scapula* (Jacobi)
Tettigoniella scapula Jacobi 1905c:180 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Microgoniella sertigerula* (Jacobi)
Tettigoniella sertigerula Jacobi 1905c:180 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]

- DISTRIBUTION:** Ecuador, Peru, Bolivia (Young 1977a)
- Microgoniella sociata** (Fowler)
Tettigonia sociata Fowler 1900a:262 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
- DISTRIBUTION:** Costa Rica, Panama, Colombia (Young 1977a)
- Microgoniella striatella** Melichar
Microgoniella striatella Melichar 1951a:105 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
- DISTRIBUTION:** India, Sri Lanka (Young 1986a)
- Microgoniella suturalis** Melichar
Microgoniella suturalis Melichar 1951a:110 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
- Microgoniella vagans** Melichar
Microgoniella vagans Melichar 1951a:96 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
- DISTRIBUTION:** Costa Rica (Metcalf Cat.)
- Microgoniella xanthogramma** (Signoret)
Tettigonia xanthogramma Signoret 1854a:9 [n.sp.]; Metcalf 1965a,6(1):89 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Microgoniella** (*Microgoniella*) *pudica* (Fabricius)
Cicada pudica Fabricius 1803a:65 [n.sp.]; Metcalf 1965a,6(1):90 [Cat.]
- Tettigonia dilutipes* Stål 1862e:41 [n.sp.]; Metcalf 1965a,6(1):90 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
- Microgoniella** (*Microscita*) *dorsisignata* Melichar
Microgoniella (*Microscita*) *dorsisignata* Melichar 1951a:111 [n.sp.]; Metcalf 1965a,6(1):90 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Microgoniella** (*Microscita*) *morio* Melichar
Microgoniella (*Microscita*) *morio* Melichar 1951a:111 [n.sp.]; Metcalf 1965a,6(1):90 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Microgoniella** (*Microscita*) *naevula* Melichar
Microgoniella (*Microscita*) *naevula* Melichar 1951a:110 [n.sp.]; Metcalf 1965a,6(1):91 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Microgoniella** (*Microscita*) *ornatula* Melichar
Microgoniella (*Microscita*) *ornatula* Melichar 1951a:111 [n.sp.]; Metcalf 1965a,6(1):91 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Midoria capitata** Kato
Midoria capitata Kato 1931e:439 [n.sp.]; Metcalf 1962c,6(4):83 [Cat.]
- DISTRIBUTION:** Taiwan, Japan (Metcalf Cat.)
- Mileewa butleri** (Distant)
Faenius butleri Distant 1918b:15 [n.sp.]; Metcalf 1965a,6(1):299 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Mileewa centrilineata** Jacobi
Mileewa centrilineata Jacobi 1941a:301 [n.sp.]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)
- Mileewa dorsimaculata** (Melichar)
Tettigonia dorsimaculata Melichar 1902c:131 [n.sp.]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** E.Indonesia (Metcalf Cat.)
- Mileewa gillavyri** Melichar
Mileewa gillavyri Melichar 1914b:124 [n.sp.]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** W.Indonesia (Metcalf Cat.)
- Mileewa hyalinata** Evans
Mileewa hyalinata Evans 1955b:11 [n.sp.]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Mileewa luzonica** Baker
Mileewa luzonica Baker 1914a:415 [n.sp.]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Mileewa luzonica decolorata** Baker
Mileewa luzonica decolorata Baker 1914a:416 [n.subsp. of *luzonica*]; Metcalf 1965a,6(1):300 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Mileewa lynchi** (Distant)
Faenius lynchi Distant 1918b:14 [n.sp.]; Metcalf 1965a,6(1):301 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Mileewa margheritae** Distant
Mileewa margheritae Distant 1908g:238 [n.sp.]; Metcalf 1965a,6(1):301 [Cat.]
- Tylozygoidea artemisiae** Matsumura 1912a:43 [n.sp.]; Metcalf 1965a,6(1):301 [Cat.]
- DISTRIBUTION:** India, E.Indonesia, W.Indonesia, Taiwan, Myanmar, Japan, Korea (Metcalf Cat.)
- Mileewa nigra** Evans
Mileewa nigra Evans 1955b:10 [n.sp.]; Metcalf 1965a,6(1):302 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Mileewa pallida** Evans
Mileewa pallida Evans 1955a:21 [n.sp.]; Metcalf 1965a,6(1):302 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Mileewa picturata** Evans
Mileewa picturata Evans 1955b:11 [n.sp.]; Metcalf 1965a,6(1):302 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Mileewa rhodesiana** (Distant)
Bolinilala rhodesiana Distant 1910e:235 [n.sp.]; Metcalf 1965a,6(1):302 [Cat.]
- DISTRIBUTION:** Zambia/Zimbabwe (Metcalf Cat.)
- Mileewa signoreti** (Stål)
Tettigonia signoreti Stål 1855a:97 [n.sp.]; Metcalf 1965a,6(1):302 [Cat.]
- DISTRIBUTION:** South Africa, Cameroon, Tanzania (Metcalf Cat.)
- Mileewa signoreti actuosa** (Stål)

- Tettigonia signoreti actuosa* Stål 1855a:97 [n.sp.];
 Metcalf 1965a,6(1):303 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Mileewa typica* (Distant)
 Augulus typica Distant 1918b:99 [n.sp.]; Metcalf
 1965a,6(1):304 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Mileewa unifasciata* Evans
 Mileewa unifasciata Evans 1955a:20 [n.sp.]; Metcalf
 1965a,6(1):304 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Mimallygus lacteinervis* (Kirschbaum)
 Jassus (Athysanus) lacteinervis Kirschbaum 1868b:
 103 [n.sp.]; Metcalf 1967a, 6(10a): 1003 [Cat.]
 DISTRIBUTION: Germany, Switzerland, France,
 Austria, Croatia, Belgium, Italy (Metcalf Cat.)
- Mimotettix kawamurae* Matsumura
 Mimotettix kawamurae Matsumura 1914a: 198 [n.sp.];
 Metcalf 1967a, 6(10a): 880 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Mitelloides moaensis* Evans
 Mitelloides moaensis Evans 1939a:46 [n.sp.]; Metcalf
 1962c,6(4):126 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Mocuellus larrimeri* (DeLong)
 Deltoccephalus (Laevicephalus) larrimeri DeLong
 1926d: 82 [n.sp.]; Metcalf 1967b, 6(10b): 1376
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mocuellus perdignus* Knull
 Mocuellus perdignus Knull 1951b: 175 [n.sp.];
 Metcalf 1967b, 6(10b): 1376 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Mocuellus quadricornis* Dlabola
 Mocuellus quadricornis Dlabola 1949a: 2 [n.sp.];
 Metcalf 1967b, 6(10b): 1376 [Cat.]
 DISTRIBUTION: Czech Republic, Slovakia, Austria,
 Hungary, Romania (Metcalf Cat.)
- Mocuellus stehliki* Dlabola
 Mocuellus stehliki Dlabola 1951a: 9,15 [n.sp.];
 Metcalf 1967b, 6(10b): 1377 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Mocuellus (Erzaleus) metrius* (Flor)
 Jassus (Deltoccephalus) metrius Flor 1861a: 264
 [n.sp.]; Metcalf 1967b, 6(10b): 1383 [Cat.]
 Thamnotettix alismatis Haupt 1933b: 21 [n.sp.];
 Metcalf 1967b, 6(10b): 1385 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Russia (Metcalf Cat.)
- Mocuellus (Erzaleus) metrius modestus* (Lethierry)
 Cicadula metrius modesta Lethierry 1885b: 55 [n.sp.];
 Metcalf 1967b, 6(10b): 1386 [Cat.]
 DISTRIBUTION: France, Belgium (Metcalf Cat.)
- Mocuellus (Mocuellus) collinus* (Boheman)
 Deltoccephalus aridellus Boheman 1850a: 263 [n.sp.];
 Metcalf 1967b, 6(10b): 1377 [Cat.]
- Deltoccephalus collinus* Boheman 1850a: 261 [n.sp.];
 Metcalf 1967b, 6(10b): 1377 [Cat.]
 Athysanus lateralis Sahlberg 1871a: 281 [n.sp.];
 Metcalf 1967b, 6(10b): 1378 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, western Mediterranean region,
 Russia, Kazakhstan, Kirghizia, Tadzhikistan,
 Turkmenistan, Uzbekistan, Turkey, United States,
 Canada (Metcalf Cat.)
- Mocydia crocea* (Herrick-Schaeffer)
 Amblycephalus nervosus Curtis 1835a; pl.572 [n.sp.];
 Metcalf 1967a, 6(10a): 795 [Cat.]
 Jassus croceus Herrick-Schaeffer 1837a: 7 [n.sp.];
 Metcalf 1967a, 6(10a): 795 [Cat.]
 Jassus (Deltoccephalus) oxypterus Kirschbaum 1868b:
 130 [n.sp.]; Metcalf 1967a, 6(10a): 796 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 western Mediterranean region, Northern Africa
 (Metcalf Cat.)
- Mocydiopsis attenuata* (Germar)
 Jassus attenuatus Germar 1821a: 91 [n.sp.]; Metcalf
 1967a, 6(10a): 802 [Cat.]
 Iassus (Iassus) rupicarpa Marshall 1866g: 30 [n.sp.];
 Metcalf 1967a, 6(10a): 803 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 western Mediterranean region, Northern Africa
 (Metcalf Cat.)
- Mocydiopsis attenuata* ambigua (Fieber)
 Thamnotettix attenuata ambigua Fieber 1885a: 78
 [n.subsp. of *oxalidus*]; Metcalf 1967a, 6(10a): 808
 [Cat.]
 DISTRIBUTION: Serbia, Germany, Hungary,
 Netherlands (Metcalf Cat.)
- Mocydiopsis parvicauda* Ribaut
 Mocydiopsis parvicauda Ribaut 1939a: 277 [n.sp.];
 Metcalf 1967a, 6(10a): 809 [Cat.]
 DISTRIBUTION: France, Germany, Sweden, Great
 Britain (Metcalf Cat.)
- Mohunia flavostriata* Melichar
 Mohunia flavostriata Melichar 1914b:137 [n.sp.];
 Metcalf 1963b,6(7):16 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Mohunia modesta* Distant
 Mohunia modesta Distant 1918b:29 [n.sp.]; Metcalf
 1963b,6(7):16 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Mohunia splendens* Distant
 Mohunia splendens Distant 1908g:272 [n.sp.]; Metcalf
 1963b,6(7):16 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Molopopterus binotatus* Vayssiere
 Molopopterus binotatula Vayssiere 1930a:373 [n.sp.];
 Metcalf 1968a,6(17):780 [Cat.]
 DISTRIBUTION: Western Africa (Metcalf Cat.)
- Molopopterus nigriplaga* Jacobi

- Molopopterus nigriplaga* Jacobi 1910b:134 [n.sp.]; Metcalf 1968a,6(17):780 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Molopopterus velox* Vayssiére
Molopopterus velox Vayssiére 1930a:373 [n.sp.]; Metcalf 1968a,6(17):780 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Monobazus grandis* Singh-Pruthi
Monobazus grandis Singh-Pruthi 1936a: 122 [n.sp.]; Metcalf 1967a, 6(10a): 541 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Monobazus himalayensis* Distant
Monobazus himalayensis Distant 1908g: 352 [n.sp.]; Metcalf 1967a, 6(10a): 542 [Cat.]
DISTRIBUTION: India, Southern China (Metcalf Cat.)
- Moonia albimaculata* Distant
Moonia albimaculata Distant 1916a:233 [n.sp.]; Metcalf 1962d,6(5):81 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Moonia albivitta* Distant
Moonia albivitta Distant 1916a:236 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Moonia brunnea* Distant
Moonia brunnea Distant 1916a:234 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
- Moonia diversa* Distant 1916a:235 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Moonia capitata* Distant
Moonia capitata Distant 1916a:234 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Moonia guttulinervis* Kato
Moonia guttulinervis Kato 1933r:458 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Moonia lata* Kato
Moonia lata Kato 1933r:459 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Moonia naevia* Jacobi
Moonia naevia Jacobi 1944a:41 [n.sp.]; Metcalf 1962d,6(5):82 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Moonia sancta* Distant
Moonia sancta Distant 1908g:198 [n.sp.]; Metcalf 1962d,6(5):83 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Moonia sumatrana* Schmidt
Moonia sumatrana Schmidt 1926e:6 [n.sp.]; Metcalf 1962d,6(5):83 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Moonia variabilis* Distant
Moonia variabilis Distant 1916a:234 [n.sp.]; Metcalf 1962d,6(5):83 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Motschulskyia inspirata* (Motschulsky)
Conometopus inspiratus Motschulsky 1863a:104 [n.sp.]; Metcalf 1968a,6(17):233 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Muirella longiseta* (Melichar)
Muriella longiseta Melichar 1914b:135 [n.sp.]; Metcalf 1964b,6(11):22 [Cat.]
DISTRIBUTION: Java (Webb 1981b)
- Muirella oxyomma* (Kirkaldy)
Muriella oxyomma Kirkaldy 1907d:79 [n.sp.]; Metcalf 1964b,6(11):22 [Cat.]
DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Mukaria maculata* (Matsumura)
Parabolotettix maculatus Matsumura 1912b:281 [n.sp.]; Metcalf 1963b,6(7):30 [Cat.]
- Mukaria dorsivitta* Melichar 1914b:122 [n.sp.]; Metcalf 1963b,6(7):30 [Cat.]
DISTRIBUTION: Taiwan, China, Hong Kong, West Indonesia (Metcalf Cat.)
- Mukaria penthimiooides* Distant
Mukaria penthimiooides Distant 1908g:270 [n.sp.]; Metcalf 1963b,6(7):31 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Mukaria splendida* Distant
Mucaria [sic] *splendida* Distant 1908g:270 [n.sp.]; Metcalf 1963b,6(7):31 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Mukwana introducta* Distant
Mukwana introducta Distant 1908g:317 [n.sp.]; Metcalf 1964b,6(11):89 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Myerslophia magna* Evans
Myerslophia magna Evans 1947c:144 [n.sp.]; Metcalf 1962d,6(5):95 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Myerslophia parva* Evans
Myerslophia parva Evans 1947c:144 [n.sp.]; Metcalf 1962d,6(5):95 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Myittana dohertyi* Distant
Myittana dohertyi Distant 1908g: 340 [n.sp.]; Metcalf 1967b, 6(10b): 1893 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Myogonia holzfussi* Schmidt
Myogonia holzfussi Schmidt 1931b:76 [n.sp.]; Metcalf 1965a,6(1):651 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Myogonia hyalina* Schmidt
Myogonia hyalina Schmidt 1928a:54 [n.sp.]; Metcalf 1965a,6(1):651 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Myogonia limpida* (Signoret)

- Tettigonia limpida* Signoret 1855c:512 [n.sp.]; Metcalf 1965a,6(1):651 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Myogonia nigra* (Signoret)
Tettigonia nigra Signoret 1855c:513 [n.sp.]; Metcalf 1965a,6(1):652 [Cat.]
DISTRIBUTION: Brazil, Peru, Bolivia (Metcalf Cat.)
- Myrmecophryne formiceticola* Kirkaldy
Myrmecophryne formiceticola Kirkaldy 1906c: 462 [n.sp.]; Metcalf 1967c, 6(10c): 2354 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Mysolis flavidorsum* (Walker)
Norsia flavidorsum Walker 1870b:326 [n.sp.]; Metcalf 1966c,6(15):183 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?), New Guinea (Metcalf Cat.)
- Mysolis fulvescens* (Walker)
Norsia fulvescens Walker 1870b:326 [n.sp.; now TROPIDUCHIDAE]; Metcalf 1966c,6(15):183 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Nacolus assamensis* (Distant)
Ahenobarbus assamensis Distant 1918b:28 [n.sp.]; Metcalf 1962a,6(2):12 [Cat.]
DISTRIBUTION: India, Taiwan, Japan (Metcalf Cat.)
- Nacolus gavialis* Jacobi
Nacolus gavialis Jacobi 1914a:381 [n.sp.]; Metcalf 1962a,6(2):12 [Cat.]
DISTRIBUTION: Taiwan, China (Metcalf Cat.)
- Nacolus sinensis* (Ouchi)
Ahenobarbus sinensis Ouchi 1938b:27 [n.sp.]; Metcalf 1962a,6(2):12 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Nacolus tuberculatus* (Walker)
Prolepta tuberculata Walker 1858c:315 [n.sp.]; Metcalf 1962a,6(2):13 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Nakaharanus nakaharae* (Matsumura)
Eutettix nakaharae Matsumura 1914a: 190 [n.sp.]; Metcalf 1967a, 6(10a): 504 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Nakula multicolor* Distant
Nakula multicolor Distant 1918b:39 [n.sp.]; Metcalf 1966c,6(15):180 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Namsangia garialis* Distant
Namsangia garialis Distant 1908g:259 [n.sp.]; Metcalf 1965a,6(1):659 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Nandidrug speciosum* Distant
Nandidrug speciosum Distant 1918b: 74 [n.sp.]; Metcalf 1967c, 6(10c): 2347 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Nandidrug viridicans* Distant
Nandidrug viridicans Distant 1918b: 75 [n.sp.]; Metcalf 1967c, 6(10c): 2347 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Naratettix zonatus* (Matsumura)
Erythria zonata Matsumura 1915a:159 [n.sp.]; Metcalf 1968a,6(17):235,241 [Cat.]
DISTRIBUTION: Japan, Korea, China, Taiwan (Metcalf Cat.)
- Naratettix zonatus beppuanus* Matsumura
Naratettix beppuana Matsumura 1931b:73 [n.subsp. of zonatus]; Metcalf 1968a,6(17):236 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus bizonatus* (Matsumura)
Erythria zonatus bizonata Matsumura 1920a:304 [n.subsp. of zonata]; Metcalf 1968a,6(17):237 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus disciguttus* (Matsumura)
Erythria discigutta Matsumura 1920a:305 [n.subsp. of zonata]; Metcalf 1968a,6(17):237 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus fallax* Matsumura
Naratettix fallax Matsumura 1931b:74 [n.subsp. of zonatus]; Metcalf 1968a,6(17):238 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus ibukisanus* Matsumura
Naratettix ibukisana Matsumura 1931b:73 [n.subsp. of zonatus]; Metcalf 1968a,6(17):238 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus inornatus* (Matsumura)
Erythria inornata Matsumura 1920a:304 [n.subsp. of zonata]; Metcalf 1968a,6(17):238 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus issikii* Matsumura
Naratettix issikii Matsumura 1931b:74 [n.subsp. of zonatus]; Metcalf 1968a,6(17):238 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus koreanus* (Matsumura)
Erythria koreana Matsumura 1915a:159 [n.subsp. of zonata]; Metcalf 1968a,6(17):239 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Naratettix zonatus l-nigrum* Matsumura
Naratettix zonatus l-nigrum Matsumura 1931b:74 [n.subsp. of zonatus]; Metcalf 1968a,6(17):239 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus latus* (Matsumura)
Erythria zonatus lata Matsumura 1920a:305 [n.subsp. of zonata]; Metcalf 1968a,6(17):239 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus rubrovittatus* [sic] (Matsumura)
Erythria rubrovittata Matsumura 1920a:305 [n.subsp. of zonata]; Metcalf 1968a,6(17):240 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Naratettix zonatus sapporensis* Matsumura

- Naratettix sapporensis* Matsumura 1931b:75 [n.subsp. of *zonatus*]; Metcalf 1968a,6(17):240 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Narecho flavus* Evans
Narecho flavus Evans 1955a:17 [n.sp.]; Metcalf 1963b,6(7):19 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Narecho pallioviridis* Jacobi
Narecho pallioviridis Jacobi 1910b:128 [n.sp.]; Metcalf 1963b,6(7):19 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Negosiana dualis* (DeLong)
Prairiana dualis DeLong 1942d:82 [n.sp.]; Metcalf 1962b,6(3):66 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Negosiana fraterna* (Spångberg)
Gypona fraterna Spångberg 1878a:72 [n.sp.]; Metcalf 1962b,6(3):67 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Negosiana globosa* (DeLong)
Prairiana globosa DeLong 1942d:84 [n.sp.]; Metcalf 1962b,6(3):67 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Negosiana miliaris* (Stål)
Gypona miliaris Stål 1864a:83 [n.sp.]; Metcalf 1962b,6(3):67 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Negosiana negotiosa* (Gibson)
Gypona negotiosa Gibson 1910a:97 [n.sp.]; Metcalf 1962b,6(3):68 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Nehela albofrontalis* Distant
Nehela albofrontalis Distant 1920f:467 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: New Caledonia (Metcalf Cat.)
- Nehela aterrima* Distant
Nehela aterrima Distant 1917a:311 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela atrovenosa* (Melichar)
Agallia atrovenosa Melichar 1903b:152 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Nehela conspicua* Distant
Nehela conspicua Distant 1917a:310 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela elegantula* Distant
Nehela elegantula Distant 1917a:309 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela flavolineata* Distant
Nehela flavolineata Distant 1917a:310 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela lineoligera* Distant
Nehela lineoligera Distant 1917a:310 [n.sp.]; Metcalf 1966a,6(14):144 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela montana* (Distant)
Agallia montana Distant 1912e:607 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: Pakistan (Metcalf Cat.)
- Nehela ornata* Distant
Nehela ornata Distant 1914m:519 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: Nigeria (Metcalf Cat.)
- Nehela scutellata* Distant
Nehela scutellata Distant 1917a:310 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela spectabilis* Distant
Nehela spectabilis Distant 1917a:209 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Island (Metcalf Cat.)
- Nehela torrida* (Evans)
Astroagallia torrida Evans 1935c:70 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nehela violacea* Distant
Nehela violacea Distant 1916a:233 [n.sp.]; Metcalf 1966a,6(14):145 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Nehela vulturina* White
Nehela vulturina White 1878a:473 [n.sp.]; Metcalf 1966a,6(14):146 [Cat.]
DISTRIBUTION: South Atlantic Ocean: St.Helena (Metcalf Cat.)
- Neiva rufipes* Melichar
Neiva rufipes Melichar 1925a:368 [n.sp.]; Metcalf 1965a,6(1):558 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Neoaliturus alabangensis* (Merino)
Alituralis alabangensis Merino 1936a: 388 [n.sp.]; Metcalf 1967b, 6(10b): 1894 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Neoaliturus gardineri* (Distant)
Alitrus gardineri Distant 1908g: 398 [n.sp.]; Metcalf 1967b, 6(10b): 1894 [Cat.]
DISTRIBUTION: India, Arabian Sea: Laccadive Islands (Metcalf Cat.)
- Neoaliturus hui* (Chang)
Bothroganthus hui Chang 1938a: 211 [n.sp.]; Metcalf 1967b, 6(10b): 1895 [Cat.]

- DISTRIBUTION:** China (Metcalf Cat.)
Neobala boliviensis Metcalf
Thamnotettix pallidus Osborn 1923c: 67 [n.sp.];
 Metcalf 1967a, 6(10a): 810 [Cat.]
Neobala boliviensis Metcalf 1955a: 265 [nom.nov. for
Thamnotettix pallidus Osborn 1923]; Metcalf
 1967a, 6(10a): 810 [Cat.]
DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
Neobala guaporensis (Oman)
Thamnotettix sordidus Osborn 1923c: 66 [n.sp.];
 Metcalf 1967a, 6(10a): 810 [Cat.]
Thamnotettix guaporensis Oman 1938b: 396
 [nom.nov. for *Thamnotettix sordidus* Osborn
 1923]; Metcalf 1967a, 6(10a): 810 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Neobala quadrimaculata (Osborn)
Euscelis quadrimaculata Osborn 1923c: 43 [n.sp.];
 Metcalf 1967a, 6(10a): 810 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Neocoelidia balli Knull
Neocoelidia balli Knull 1942a:681 [n.sp.]; Metcalf
 1964b,6(11):97 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia bifida DeLong
Neocoelidia bifida DeLong 1953a:96 [n.sp.]; Metcalf
 1964b,6(11):98 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia candida Ball
Neocoelidia candida Ball 1909c:166 [n.sp.]; Metcalf
 1964b,6(11):98 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia diabola Knull
Neocoelidia diabola Knull 1942a:681 [n.sp.]; Metcalf
 1964b,6(11):98 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia gratiosus (Spångberg)
Jassus gratiosus Spångberg 1879a:25 [n.sp.]; Metcalf
 1964b,6(11):99 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidia lactipennis (Van Duzee)
Jassus lactipennis Van Duzee 1890e:49 [n.sp.];
 Metcalf 1964b,6(11):99 [Cat.]
Neocoelidia ramona Ball 1916b:206 [n.sp.]; Metcalf
 1964b,6(11):99 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia orientalis DeLong
Neocoelidia orientalis DeLong 1953a:96 [n.sp.];
 Metcalf 1964b,6(11):100 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia orovila Ball
Neocoelidia orovila Ball 1916b:206 [n.sp.]; Metcalf
 1964b,6(11):100 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia reticulata Ball
Neocoelidia reticulata Ball 1909c:167 [n.sp.]; Metcalf
 1964b,6(11):101 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Neocoelidia romantica Knull
Neocoelidia romantica Knull 1942a:681 [n.sp.];
 Metcalf 1964b,6(11):101 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidia tumidifrons Gillette & Baker
Neocoelidia tumidifrons Gillette & Baker 1895a:104
 [n.sp.]; Metcalf 1964b,6(11):101 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Neocoelidia vittapennis DeLong
Neocoelidia vittapennis DeLong 1924a:66 [n.subsp. of
tumidifrons]; Metcalf 1964b,6(11):103 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Neocoelidiana capitata DeLong
Neocoelidiana capitata DeLong 1953a:125 [n.sp.];
 Metcalf 1964b,6(11):106 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana carina DeLong
Neocoelidiana carina DeLong 1953a:123 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana filamenta DeLong
Neocoelidiana filamenta DeLong 1953a:123 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana fulgida DeLong
Neocoelidiana fulgida DeLong 1953a:124 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana mella DeLong
Neocoelidiana mella DeLong 1953a:124 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana tuxpana DeLong
Neocoelidiana tuxpana DeLong 1953a:125 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana (Cocoelidia) antlerae DeLong
Neocoelidiana (Cocoelidia) antlerae DeLong 1953a:127
 [n.sp.]; Metcalf 1964b,6(11):109 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana (Coelella) distincta (Oman)
Neocoelidnia distincta Oman 1931a:67 [n.sp.]; Metcalf
 1964b,6(11):109 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
Neocoelidiana (Coelella) venosa DeLong
Neocoelidiana (Coelella) venosa DeLong 1953a:126
 [n.sp.]; Metcalf 1964b,6(11):109 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Neocoelidiana (Neocoelidiana) obscura (Baker)
Neocoelidea [sic] *obscura* Baker 1898h:289 [n.sp.];
 Metcalf 1964b,6(11):107 [Cat.]

- Neocoelidia pentagona* Ball 1916b:207 [n.sp.];
Metcalf 1964b,6(11):108 [Cat.]
- Neocoelidia triunata* Ball 1916b:207 [n.sp.]; Metcalf
1964b,6(11):108 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Neodartellus maculatus* Evans
Neodartellus maculatus Evans 1955a:33 [n.sp.];
Metcalf 1962b,6(3):210 [Cat.]
- DISTRIBUTION: Zaire (Metcalf Cat.)
- Neodartus acocephaloides* Melichar
Neodartus acocephaloides Melichar 1903b:163 [n.sp.];
Metcalf 1962b,6(3):206 [Cat.]
- DISTRIBUTION: Sri Lanka, India, Philippines
(Metcalf Cat.)
- Neodartus bellus* (Stål)
Penthimia bella Stål 1855a:98 [n.sp.]; Metcalf
1962b,6(3):206 [Cat.]
- DISTRIBUTION: Tanzania, South Africa, Zaire,
Madagascar (Metcalf Cat.)
- Neodartus brunneus* (Evans)
Neovultenus brunneus Evans 1937a:151 [n.sp.];
Metcalf 1962b,6(3):207 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus lapsus* (Evans)
Neovultenus lapsus Evans 1937a:152 [n.sp.]; Metcalf
1962b,6(3):207 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus maculosus* (Evans)
Neovultenus maculosus Evans 1937a:152 [n.sp.];
Metcalf 1962b,6(3):207 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus mokanshanensis* Ouchi
Neodartus mokanshanensis Ouchi 1938d:72 [n.sp.];
Metcalf 1962b,6(3):207 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
- Neodartus pallidus* (Evans)
Neovultenus pallidus Evans 1937a:151 [n.sp.];
Metcalf 1962b,6(3):207 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus rufopunctatus* (Motschulsky)
Penthimia rufopunctatus Motschulsky 1863a:94
[n.sp.]; Metcalf 1962b,6(3):207 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Neodartus scutellatus* Distant
Neodartus scutellatus Distant 1908g:246 [n.sp.];
Metcalf 1962b,6(3):208 [Cat.]
- DISTRIBUTION: Sri Lanka, Myanmar, India
(Metcalf Cat.)
- Neodartus sordidus* (Evans)
Vultenus sordidus Evans 1937a:153 [n.sp.]; Metcalf
1962b,6(3):208 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus tsaratananus* Evans
Neodartus tsaratananus Evans 1954a:111 [n.sp.];
Metcalf 1962b,6(3):208 [Cat.]
- DISTRIBUTION: Madagascar (Metcalf Cat.)
- Neodartus vaecors* (Kirkaldy)
Vultenus vaecors Kirkaldy 1907d:84 [n.sp.]; Metcalf
1962b,6(3):208 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus vaedulcis* (Kirkaldy)
Vultenus vaedulcis Kirkaldy 1907d:84 [n.sp.];
Metcalf 1962b,6(3):208 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus vanduzeei* (Kirkaldy)
Vultenus vanduzeei Kirkaldy 1907d:83 [n.sp.];
Metcalf 1962b,6(3):209 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus vappus* (Kirkaldy)
Vultenus vappa Kirkaldy 1907d:85 [n.sp.]; Metcalf
1962b,6(3):209 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodartus variabilis* Evans
Neodartus variabilis Evans 1954a:112 [n.sp.]; Metcalf
1962b,6(3):209 [Cat.]
- DISTRIBUTION: Madagascar, Zaire (Metcalf Cat.)
- Neodartus vinulus* (Stål)
Penthimia vinulus Stål 1855a:98 [n.sp.]; Metcalf
1962b,6(3):209 [Cat.]
- DISTRIBUTION: Tanzania, South Africa, Somalia,
Zaire (Metcalf Cat.)
- Neodartus vultuosus* (Kirkaldy)
Vultenus vultuosus Kirkaldy 1907d:84 [n.sp.];
Metcalf 1962b,6(3):210 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Neodikrella disconotata* (Osborn)
Dikraneura (Hyloidea) disconotata Osborn 1928a:275
[n.sp.]; Metcalf 1968a,6(17):283 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Neodonus piperatus* DeLong & Hershberger
Neodonus piperatus DeLong & Hershberger 1948b:
159 [n.sp.]; Metcalf 1967b, 6(10b): 1237 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf
Cat.)
- Neojoruma adusta* (McAtee)
Joruma adusta McAtee 1924c:35 [n.sp.]; Metcalf
1968a,6(17):607 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Neokolla aridella* DeLong
Neokolla aridella DeLong 1948c:144 [n.sp.]; Metcalf
1965a,6(1):270 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Neokolla hieroglyphica* (Say)
Tettigonia hieroglyphica Say 1830b:313 [n.sp.];
Metcalf 1965a,6(1):270,277 [Cat.]
- Tettigonia gothica* Signoret 1854b:345 [n.sp.]; Metcalf
1965a,6(1):270 [Cat.]
- Tettigonia (Tettigonia) similis* Woodworth 1890a:25
[n.sp.]; Metcalf 1965a,6(1):271 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Neokolla hieroglyphica* atra (Barber)

- Cicadella hieroglyphica* atra Barber 1921b:130
[n.subsp. of *gothica*]; Metcalf 1965a,6(1):277
[Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Neokolla inscripta* (Olsen)
Cicadella inscripta Olsen 1922a:362 [n.subsp. of
heiroglyphica]; Metcalf 1965a,6(1):277 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Neokolla severini* DeLong
Neokolla severini DeLong 1948c:142 [n.sp.]; Metcalf
1965a,6(1):278 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Neolimnus aegyptiacus* [sic] (Matsumura)
Scaphoideus egyptiacus Matsumura 1908a: 29 [n.sp.];
Metcalf 1967c, 6(10c): 2156 [Cat.]
Scaphoideus aegyptiacus Oshanin 1910a: 162
[implicit emend. of *Scaphoideus egyptiacus*
Matsumura 1908]; Metcalf 1967c, 6(10c): 2156
[Cat.]
DISTRIBUTION: Egypt, Somalia (Metcalf Cat.)
- Neonirvana hyalina* Oman
Neonirvana hyalina Oman 1936c:117 [n.sp.]; Metcalf
1963b,6(7):21 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
- Neophlepsius gracilis* (Osborn)
Phlepsius gracilis Osborn 1923c: 57 [n.sp.]; Metcalf
1967a, 6(10a): 546 [Cat.]
DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
- Neophlepsius macilentus* Linnavuori
Neophlepsius macilentus Linnavuori 1955b: 119
[n.sp.]; Metcalf 1967a, 6(10a): 546 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
- Neopsis elegans* (Van Duzee)
Pediopsis elegans Van Duzee 1907a:58 [n.sp.];
Metcalf 1966b,6(13):167 [Cat.]
DISTRIBUTION: Jamaica, Brazil (Metcalf Cat.)
- Neoslossonia putnami* (Osborn)
Dorycephalus putnami Osborn 1907a:163 [n.sp.];
Metcalf 1963d,6(9):65 [Cat.]
Neoslossonia atra Van Duzee 1909a:218 [n.sp.];
Metcalf 1963d,6(9):65 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Neotituria kongosana* (Matsumura)
Ledropsis kongosana Matsumura 1915a:173 [n.sp.];
Metcalf 1962c,6(4):59 [Cat.]
DISTRIBUTION: Korea, Japan, China (Metcalf Cat.)
- Nephoris chalybaea* Jacobi
Nephoris chalybaea Jacobi 1912a: 39 [n.sp.]; Metcalf
1967a, 6(10a): 418 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Nephottetix apicalis* (Motschulsky)
Cicada bipunctata Fabricius 1803a: 78 [n.sp.]; Metcalf
1967a, 6(10a): 425 [Cat.]
Pediopsis apicalis Motschulsky 1859b: 110 [n.sp.];
Metcalf 1967a, 6(10a): 425 [Cat.]
- Pediopsis nigromaculatus* Motschulsky 1859b: 111
[n.sp.]; Metcalf 1967a, 6(10a): 425 [Cat.]
Thamnotettix nigropicta Stål 1870c: 740 [n.sp.];
Metcalf 1967a, 6(10a): 425 [Cat.]
Selenocephalus cincticeps Uhler 1896a: 292 [n.sp.];
Metcalf 1967a, 6(10a): 426 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nephottetix contemptus* Kirkaldy
Nephottetix contemptus Kirkaldy 1906c: 332 [n.sp.];
Metcalf 1967a, 6(10a): 444 [Cat.]
DISTRIBUTION: Sri Lanka, India, Japan,
Philippines, West Indonesia, Oceania: Guam,
Thailand, Korea, China, Taiwan, Singapore,
Malaysia, widespread Africa, Egypt, Madagascar
(Metcalf Cat.)
- Nephottetix eurytus* Kirkaldy
Nephottetix eurytus Kirkaldy 1907d: 54 [n.sp.];
Metcalf 1967a, 6(10a): 444 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nephottetix modulatus* Melichar
Nephottetix modulatus Melichar 1912c: 115 [n.sp.];
Metcalf 1967a, 6(10a): 444 [Cat.]
DISTRIBUTION: Zaire, Chad, Gabon, People's
Republic of the Congo, Central African Republic
(Metcalf Cat.)
- Nesaloha cantonis* Oman
Nesaloha cantonis Oman 1943b: 33 [n.sp.]; Metcalf
1967a, 6(10a): 1077 [Cat.]
DISTRIBUTION: Oceania: Canton Islands (Pheonix
Islands) (Metcalf Cat.)
- Nesoclutha obscura* Evans
Nesoclutha obscura Evans 1947e: 127 [n.sp.]; Metcalf
1967c, 6(10c): 2442 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nesolina lineata* Osborn
Nesolina lineata Osborn 1935b: 60 [n.sp.]; Metcalf
1967c, 6(10c): 2478 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (Metcalf
Cat.)
- Nesophrosyne* (*Nesophrosyne*) *affinis* Osborn
Nesophrosyne affinis Osborn 1935b: 21 [n.sp.];
Metcalf 1967b, 6(10b): 1678 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United
States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) *albicosta* Osborn
Nesophrosyne albicosta Osborn 1935b: 19 [n.sp.];
Metcalf 1967b, 6(10b): 1678 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United
States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) *angulifera* Osborn
Nesophrosyne angulifera Osborn 1935b: 22 [n.sp.];
Metcalf 1967b, 6(10b): 1678 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United
States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) *bicolorata* Osborn

- Nesophrosyne bicolorata Osborn 1935b: 25 [n.sp.]; Metcalf 1967b, 6(10b): 1679 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) bobeae Kirkaldy
 Nesophrosyne (Nesophrosyne) bobeae Kirkaldy 1910e: 564 [n.sp.]; Metcalf 1967b, 6(10b): 1679 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) caelicola Kirkaldy
 Nesophrosyne (Nesophrosyne) caelicola Kirkaldy 1910e: 566 [n.sp.]; Metcalf 1967b, 6(10b): 1679 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) cinerea Osborn
 Nesophrosyne cinerea Osborn 1935b: 35 [n.sp.]; Metcalf 1967b, 6(10b): 1679 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) craterigena Kirkaldy
 Nesophrosyne (Nesophrosyne) craterigena Kirkaldy 1910e: 571 [n.sp.]; Metcalf 1967b, 6(10b): 1680 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) cuprescens Osborn
 Nesophrosyne cuprescens Osborn 1935b: 26 [n.sp.]; Metcalf 1967b, 6(10b): 1680 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) ehu Kirkaldy
 Nesophrosyne (Nesophrosyne) ehu Kirkaldy 1910e: 569 [n.sp.]; Metcalf 1967b, 6(10b): 1680 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) furculata Osborn
 Nesophrosyne furculata Osborn 1935b: 29 [n.sp.]; Metcalf 1967b, 6(10b): 1680 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) giffardi Kirkaldy
 Nesophrosyne (Nesophrosyne) giffardi Kirkaldy 1910e: 563 [n.sp.]; Metcalf 1967b, 6(10b): 1680, 1681 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) giffardi interrupta Osborn
 Nesophrosyne giffardi interrupta Osborn 1935b: 32 [n.subsp. of giffardi]; Metcalf 1967b, 6(10b): 1681 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) gouldiae Kirkaldy
 Nesophrosyne (Nesophrosyne) gouldiae Kirkaldy 1910e: 560 [n.sp.]; Metcalf 1967b, 6(10b): 1681 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) haleakala Kirkaldy
 Nesophrosyne (Nesophrosyne) haleakala Kirkaldy 1910e: 567 [n.sp.]; Metcalf 1967b, 6(10b): 1681 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) halemanu Kirkaldy
 Nesophrosyne (Nesophrosyne) halemanu Kirkaldy 1910e: 559 [n.sp.]; Metcalf 1967b, 6(10b): 1682 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) ignigena Kirkaldy
 Nesophrosyne (Nesophrosyne) ignigena Kirkaldy 1910e: 570 [n.sp.]; Metcalf 1967b, 6(10b): 1682 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) imbricola Kirkaldy
 Nesophrosyne (Nesophrosyne) imbricola Kirkaldy 1910e: 566 [n.sp.]; Metcalf 1967b, 6(10b): 1682 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) lineata Osborn
 Nesophrosyne lineata Osborn 1935b: 20 [n.sp.]; Metcalf 1967b, 6(10b): 1682 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) mabae Osborn
 Nesophrosyne mabae Osborn 1935b: 49 [n.sp.]; Metcalf 1967b, 6(10b): 1683 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) maritima Kirkaldy
 Nesophrosyne (Nesophrosyne) maritima Kirkaldy 1910e: 560 [n.sp.]; Metcalf 1967b, 6(10b): 1683 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) milu Kirkaldy
 Nesophrosyne (Nesophrosyne) milu Kirkaldy 1910e: 565 [n.sp.]; Metcalf 1967b, 6(10b): 1683 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) monticola Kirkaldy
 Nesophrosyne (Nesophrosyne) monticola Kirkaldy 1910e: 562 [n.sp.]; Metcalf 1967b, 6(10b): 1683 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)

- Nesophrosyne (*Nesophrosyne*) montium Kirkaldy
Nesophrosyne (*Nesophrosyne*) montium Kirkaldy
 1910e: 569 [n.sp.]; Metcalf 1967b, 6(10b): 1684
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) montivaga Kirkaldy
Nesophrosyne (*Nesophrosyne*) montivaga Kirkaldy
 1910e: 569 [n.sp.]; Metcalf 1967b, 6(10b): 1684
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) myrsines Kirkaldy
Nesophrosyne (*Nesophrosyne*) arcadiicola Kirkaldy
 1910e: 571 [n.sp.]; Metcalf 1967b, 6(10b): 1684
 [Cat.]
Nesophrosyne (*Nesophrosyne*) myrsines Kirkaldy
 1910e: 568 [n.sp.]; Metcalf 1967b, 6(10b): 1684
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) nimbicola Kirkaldy
Nesophrosyne (*Nesophrosyne*) nimbicola Kirkaldy
 1910e: 565 [n.sp.]; Metcalf 1967b, 6(10b): 1684
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) nimbigena Kirkaldy
Nesophrosyne (*Nesophrosyne*) nimbigena Kirkaldy
 1910e: 567 [n.sp.]; Metcalf 1967b, 6(10b): 1685
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) notatula Osborn
Nesophrosyne notatula Osborn 1935b: 47 [n.sp.];
 Metcalf 1967b, 6(10b): 1685 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) nubigena Kirkaldy
Nesophrosyne (*Nesophrosyne*) nubigena Kirkaldy
 1910e: 567 [n.sp.]; Metcalf 1967b, 6(10b): 1685
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) nuenue Kirkaldy
Nesophrosyne (*Nesophrosyne*) nuenue Kirkaldy
 1910e: 572 [n.sp.]; Metcalf 1967b, 6(10b): 1685
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) obliqua Osborn
Nesophrosyne obliqua Osborn 1935b: 23 [n.sp.];
 Metcalf 1967b, 6(10b): 1686 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) oneanea Kirkaldy
Nesophrosyne (*Nesophrosyne*) oneanea Kirkaldy
 1910e: 566 [n.sp.]; Metcalf 1967b, 6(10b): 1686
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) opalescens Kirkaldy
Nesophrosyne (*Nesophrosyne*) opalescens Kirkaldy
 1910e: 561 [n.sp.]; Metcalf 1967b, 6(10b): 1686
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) oreadis Kirkaldy
Nesophrosyne (*Nesophrosyne*) oreadis Kirkaldy
 1910e: 569 [n.sp.]; Metcalf 1967b, 6(10b): 1686
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) palolo Osborn
Nesophrosyne palolo Osborn 1935b: 24 [n.sp.];
 Metcalf 1967b, 6(10b): 1687 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) paludicola Kirkaldy
Nesophrosyne (*Nesophrosyne*) paludicola Kirkaldy
 1910e: 564 [n.sp.]; Metcalf 1967b, 6(10b): 1687
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) palustris Kirkaldy
Nesophrosyne (*Nesophrosyne*) palustris Kirkaldy
 1910e: 564 [n.sp.]; Metcalf 1967b, 6(10b): 1687
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) pele Kirkaldy
Nesophrosyne (*Nesophrosyne*) pele Kirkaldy 1910e:
 570 [n.sp.]; Metcalf 1967b, 6(10b): 1687 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) peleae Osborn
Nesophrosyne peleae Osborn 1935b: 25 [n.sp.];
 Metcalf 1967b, 6(10b): 1687 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) perkinsi (Kirkaldy)
Eutettix perkinsi Kirkaldy 1904a: 178 [n.sp.]; Metcalf
 1967b, 6(10b): 1688 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) picturi Kirkaldy
Nesophrosyne (*Nesophrosyne*) picturi Kirkaldy
 1910e: 560 [n.sp.]; Metcalf 1967b, 6(10b): 1688
 [Cat.]
 DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne* (*Nesophrosyne*) pluvialis Kirkaldy

- Nesophrosyne (Nesophrosyne) pluvialis Kirkaldy
1910e: 568 [n.sp.]; Metcalf 1967b, 6(10b): 1689
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) ponapona Kirkaldy
Nesophrosyne (Nesophrosyne) ponapona Kirkaldy
1910e: 561 [n.sp.]; Metcalf 1967b, 6(10b): 1689
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) procellaris Kirkaldy
Nesophrosyne (Nesophrosyne) procellaris Kirkaldy
1910e: 565 [n.sp.]; Metcalf 1967b, 6(10b): 1689
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) signatula Osborn
Nesophrosyne signatula Osborn 1935b: 48 [n.sp.];
Metcalf 1967b, 6(10b): 1689 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) silvicola Kirkaldy
Nesophrosyne (Nesophrosyne) silvicola Kirkaldy
1910e: 570 [n.sp.]; Metcalf 1967b, 6(10b): 1690
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) silvigena Kirkaldy
Nesophrosyne (Nesophrosyne) silvigena Kirkaldy
1910e: 559 [n.sp.]; Metcalf 1967b, 6(10b): 1690
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) sinuata Osborn
Nesophrosyne sinuata Osborn 1935b: 34 [n.sp.];
Metcalf 1967b, 6(10b): 1690 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) touchardii Osborn
Nesophrosyne touchardii Osborn 1935b: 18 [n.sp.];
Metcalf 1967b, 6(10b): 1690 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) ulaula Kirkaldy
Nesophrosyne (Nesophrosyne) ulaula Kirkaldy 1910e:
563 [n.sp.]; Metcalf 1967b, 6(10b): 1691 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) ulaula nigrolineata Kirkaldy
Nesophrosyne (Nesophrosyne) ulaula nigrolineata
Kirkaldy 1910e: 563 [n.subsp. of ulaula]; Metcalf
1967b, 6(10b): 1691 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) umbratilis Kirkaldy
1910e: 558 [n.sp.]; Metcalf 1967b, 6(10b): 1691
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) umbricula Kirkaldy
Nesophrosyne (Nesophrosyne) umbricula Kirkaldy
1910e: 565 [n.sp.]; Metcalf 1967b, 6(10b): 1692
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesophrosyne) umbrigena Kirkaldy
Nesophrosyne (Nesophrosyne) umbrigena Kirkaldy
1910e: 571 [n.sp.]; Metcalf 1967b, 6(10b): 1692
[Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) comma Osborn
Nesophrosyne (Nesoreias) comma Osborn 1935b: 52
[n.sp.]; Metcalf 1967b, 6(10b): 1693 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) eburneola Osborn
Nesophrosyne (Nesoreias) eburneola Osborn 1935b:
54 [n.sp.]; Metcalf 1967b, 6(10b): 1693 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) insularis Kirkaldy
Nesophrosyne (Nesoreias) insularis Kirkaldy 1910e:
573 [n.sp.]; Metcalf 1967b, 6(10b): 1693 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) koleae Kirkaldy
Nesophrosyne (Nesoreias) koleae Kirkaldy 1910e:
562 [n.sp.]; Metcalf 1967b, 6(10b): 1693 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) marginalis Osborn
Nesophrosyne (Nesoreias) marginalis Osborn 1935b:
51 [n.sp.]; Metcalf 1967b, 6(10b): 1693 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) oceanides Kirkaldy
Nesophrosyne (Nesoreias) oceanides Kirkaldy 1910e:
573 [n.sp.]; Metcalf 1967b, 6(10b): 1694 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophrosyne (Nesoreias) sanguinea Osborn
Nesophrosyne (Nesoreias) sanguinea Osborn 1935b:
53 [n.sp.]; Metcalf 1967b, 6(10b): 1694 [Cat.]
DISTRIBUTION: Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophryne alticola Namba
Nesophryne alticola Namba 1955a: 572 [n.sp.];
Metcalf 1967b, 6(10b): 1674 [Cat.]

- DISTRIBUTION:** Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophryne kaiamamao* (Kirkaldy)
Bythoscopus kaiamamao Kirkaldy 1902a: 115 [n.sp.];
 Metcalf 1967b, 6(10b): 1674 [Cat.]
- Nesophryne filicicola* Kirkaldy 1907h: 160 [n.sp.];
 Metcalf 1967b, 6(10b): 1674 [Cat.]
- Nesophryne microleptiae* Kirkaldy 1910e: 556, 557
 [n.sp.]; Metcalf 1967b, 6(10b): 1674 [Cat.]
- DISTRIBUTION:** Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophryne kukanaroa* (Kirkaldy)
Bythoscopus kukanaroa Kirkaldy 1902a: 114 [n.sp.];
 Metcalf 1967b, 6(10b): 1675 [Cat.]
- DISTRIBUTION:** Oceania: Hawaiian Islands (United States) (Metcalf Cat.)
- Nesophyla breviata* Osborn
Nesophyla breviata Osborn 1934b: 256 [n.sp.];
 Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla flava* Osborn
Nesophyla flava Osborn 1934b: 257 [n.sp.]; Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla flavidabimaculata* Osborn
Nesophyla flavidabimaculata Osborn 1934b: 257
 [n.subsp. of *flavida*, as *breviata* (sic)]; Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla nigrifrons* Osborn
Nesophyla nigrifrons Osborn 1934b: 253 [n.sp.];
 Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla picta* Osborn
Nesophyla picta Osborn 1934b: 251 [n.sp.]; Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla sordida* Osborn
Nesophyla sordida Osborn 1934b: 253 [n.sp.]; Metcalf 1967c, 6(10c): 2485 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla testacea* Osborn
Nesophyla testacea Osborn 1934b: 254 [n.sp.];
 Metcalf 1967c, 6(10c): 2486 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla uapouana* Osborn
Nesophyla uapouana Osborn 1934b: 255 [n.sp.];
 Metcalf 1967c, 6(10c): 2486 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesophyla variata* Osborn
Nesophyla variata Osborn 1934b: 252 [n.sp.]; Metcalf 1967c, 6(10c): 2486 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesoriella maculata* Osborn
Nesoriella maculata Osborn 1934b: 248 [n.sp.];
 Metcalf 1967b, 6(10b): 1670 [Cat.]
- DISTRIBUTION:** Oceania: Marquesas Islands (Metcalf Cat.)
- Nesosteles aurantiigerus* Kirkaldy
Nesosteles aurantiigera Kirkaldy 1907d: 65 [n.sp.];
 Metcalf 1967c, 6(10c): 2445 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles bifasciatus* (Merino)
Agellus bifasciatus Merino 1936a: 383 [n.sp.]; Metcalf 1967c, 6(10c): 2445 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Nesosteles chloe* Kirkaldy
Nesosteles chloe Kirkaldy 1907d: 66 [n.sp.]; Metcalf 1967c, 6(10c): 2446 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles dryas* Kirkaldy
Nesosteles dryas Kirkaldy 1907d: 65 [n.sp.]; Metcalf 1967c, 6(10c): 2446 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles flavescens* (Baker)
Eugnathodus flavescens Baker 1903a: 2 [n.sp.];
 Metcalf 1967c, 6(10c): 2446 [Cat.]
- DISTRIBUTION:** Nicaragua, Brazil (Metcalf Cat.)
- Nesosteles floridanus* (DeLong & Davidson)
Eugnathodus floridana DeLong & Davidson 1933a: 56
 [n.sp.]; Metcalf 1967c, 6(10c): 2446 [Cat.]
- Nesosteles marquesana* Osborn 1934b: 265 [n.sp.];
 Metcalf 1967c, 6(10c): 2446 [Cat.]
- DISTRIBUTION:** United States, West Indies,
 Guatemala, Panama, Oceania: Marquesas Islands (Metcalf Cat.)
- Nesosteles glaucus* Kirkaldy
Nesosteles glauca Kirkaldy 1906c: 344 [n.sp.];
 Metcalf 1967c, 6(10c): 2447 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles guajanae* (DeLong)
Eugnathodus guajanae DeLong 1923 [in Wolcott 1923b: 267] [n.sp.]; Metcalf 1967c, 6(10c): 2447 [Cat.]
- Eugnathodus calcara* DeLong & Davidson 1933a: 57
 [n.sp.]; Metcalf 1967c, 6(10c): 2447 [Cat.]
- DISTRIBUTION:** West Indies, United States,
 Guatemala, Philippines, Oceania: Marquesas Island (Metcalf Cat.)
- Nesosteles hebe* Kirkaldy
Nesosteles hebe Kirkaldy 1906c: 343 [n.sp.]; Metcalf 1967c, 6(10c): 2449 [Cat.]

- DISTRIBUTION:** Australia, Oceania: Fiji Islands, Oceania: Samoa Islands, Oceania: Marquesas Islands, Oceania: Hawaiian Islands (Metcalf Cat.)
- Nesosteles hyalinus** (Osborn)
Balclutha hyalina Osborn 1926c: 352 [n.sp.]; Metcalf 1967c, 6(10c): 2449 [Cat.]
- DISTRIBUTION:** Cuba, Puerto Rico, United States (Metcalf Cat.)
- Nesosteles incisus** (Matsumura)
Gnathodus incisus Matsumura 1902a: 360 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Eugnathodus lacteus Baker 1903a: 2 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Eugnathodus bisinuatus DeLong 1923 [in Wolcott 1923b: 266] [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Eugnathodus pallidus Osborn 1926c: 352 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Eugnathodus bifurcata DeLong & Davidson 1933a: 58 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Nesosteles areolata** Osborn 1934b: 266 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- Nesosteles incisa tutuilana** Osborn 1934a: 188 [n.sp.]; Metcalf 1967c, 6(10c): 2450 [Cat.]
- DISTRIBUTION:** Japan, Philippines, Oceania: Marquesas Islands, Oceania: Samoa Islands, Oceania: Hawaiian Islands, West Indies, Bolivia, Costa Rica, United States (Metcalf Cat.)
- Nesosteles knulli** (Davidson & DeLong)
Agellus knulli Davidson & DeLong 1935a: 109 [n.sp.]; Metcalf 1967c, 6(10c): 2453 [Cat.]
- DISTRIBUTION:** United States, Cuba (Metcalf Cat.)
- Nesosteles lineatus** (Osborn)
Eugnathodus lineatus Osborn 1924c: 449 [n.sp.]; Metcalf 1967c, 6(10c): 2453 [Cat.]
- Eugnathodus flavidus Osborn 1926e: 351 [n.sp.]; Metcalf 1967c, 6(10c): 2453 [Cat.]
- DISTRIBUTION:** Santa Cruz, Bolivia, Cuba, Panama, Puerto Rico (Metcalf Cat.)
- Nesosteles longulus** (Distant)
Anomiana longula Distant 1918b: 109 [n.sp.]; Metcalf 1967c, 6(10c): 2454 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Nesosteles minutus** (Osborn)
Eugnathodus minutus Osborn 1929b: 101 [n.sp.]; Metcalf 1967c, 6(10c): 2454 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Nesosteles neglectus** (DeLong & Davidson)
Eugnathodus neglecta DeLong & Davidson 1933a: 55 [n.sp.]; Metcalf 1967c, 6(10c): 2454 [Cat.]
- Eugnathodus pallida DeLong & Davidson 1933a: 56 [n.subsp. of neglecta]; Metcalf 1967c, 6(10c): 2454 [Cat.]
- Nesosteles neglecta pallidens** DeLong 1945b: 272 [nom.nov. for Nesosteles neglecta pallida DeL. &
- Davidson 1933]; Metcalf 1967c, 6(10c): 2455 [Cat.]
- DISTRIBUTION:** United States, Puerto Rico, Guatemala, Panama, Philippines, Canada, United States (Metcalf Cat.)
- Nesosteles nevadensis** (Baker)
Eugnathodus nevadensis Baker 1903a: 1 [n.sp.]; Metcalf 1967c, 6(10c): 2457 [Cat.]
- DISTRIBUTION:** Nevada (Metcalf Cat.)
- Nesosteles philippinensis** (Merino)
Agellus philippinensis Merino 1936a: 382 [n.sp.]; Metcalf 1967c, 6(10c): 2457 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Nesosteles phryne** Kirkaldy
Nesosteles phryne Kirkaldy 1907d: 66 [n.sp.]; Metcalf 1967c, 6(10c): 2457 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles robustus** Caldwell
Nesosteles robusta Caldwell 1952 [in Caldwell & Martorell 1952a: 85] [n.sp.]; Metcalf 1967c, 6(10c): 2457 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Nesosteles rosaceus** (Osborn)
Eugnathodus rosaceus Osborn 1929b: 88,102 [n.sp.]; Metcalf 1967c, 6(10c): 2458 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Nesosteles rufofasciatus** (Merino)
Agellus rufofasciatus Merino 1936a: 381 [n.sp.]; Metcalf 1967c, 6(10c): 2458 [Cat.]
- DISTRIBUTION:** Philippines, Puerto Rico (Metcalf Cat.)
- Nesosteles sandersi** (Davidson & DeLong)
Agellus sandersi Davidson & DeLong 1935a: 108 [n.sp.]; Metcalf 1967c, 6(10c): 2458 [Cat.]
- DISTRIBUTION:** Panama, Puerto Rico, Bahamas (Metcalf Cat.)
- Nesosteles sandersi dubius** Caldwell
Nesosteles dubia Caldwell 1952 [in Caldwell & Martorell 1952a: 87] [n.subsp. of sandersi]; Metcalf 1967c, 6(10c): 2459 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Nesosteles sanguinescens** Kirkaldy
Nesosteles sanguinescens Kirkaldy 1906c: 344 [n.sp.]; Metcalf 1967c, 6(10c): 2459 [Cat.]
- DISTRIBUTION:** Australia, India, Oceania: Fiji Islands, Indian Ocean: Christmas Island (Metcalf Cat.)
- Nesosteles sordidior** Kirkaldy
Nesosteles sordidior Kirkaldy 1906c: 344 [n.sp.]; Metcalf 1967c, 6(10c): 2459 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles taedius** Kirkaldy
Nesosteles taedia Kirkaldy 1906c: 345 [n.sp.]; Metcalf 1967c, 6(10c): 2459 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Nesosteles uniformis** (Metcalf)

- Cicadulina uniformis* Metcalf 1946d: 135 [n.sp.];
Metcalf 1967c, 6(10c): 2459 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Nesosteles virescens* (Osborn)
Eugnathodus virescens Osborn 1926c: 351 [n.sp.];
Metcalf 1967c, 6(10c): 2460 [Cat.]
Eugnathodus abbreviata DeLong & Davidson 1933a:
57 [n.sp.]; Metcalf 1967c, 6(10c): 2460 [Cat.]
DISTRIBUTION: Cuba, Puerto Rico, United States,
Peru (Metcalf Cat.)
- Nesosteles viridis* (Metcalf)
Cicadulina viridis Metcalf 1946d: 134 [n.sp.]; Metcalf
1967c, 6(10c): 2460 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Neurotettix horishanus* Matsumura
Neurotettix horishanus Matsumura 1914a: 193 [n.sp.];
Metcalf 1967a, 6(10a): 879 [Cat.]
DISTRIBUTION: Taiwan, Oceania: Marquesas
Islands (Metcalf Cat.)
- Newmaniana viridis* Evans
Newmaniana viridis Evans 1941f: 152 [n.sp.]; Metcalf
1964b, 6(11): 124 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nigridonus illuminus* (Ball)
Eutettix (Mesamia) illumina Ball 1909a: 80 [n.sp.];
Metcalf 1967b, 6(10b): 1275 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Nikkotettix galloisi* Matsumura
Nikkotettix galloisi Matsumura 1931b: 77 [n.sp.];
Metcalf 1968a, 6(17): 269 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Nonia gagatina* Osborn
Nonia gagatina Osborn 1924c: 401 [n.sp.]; Metcalf
1966b, 6(13): 248 [Cat.]
DISTRIBUTION: Ecuador, Bolivia (Metcalf Cat.)
- Nonia gagatina brunnea* Osborn
Nonia gagatina brunnea Osborn 1924c: 402 [n.subsp.
of *gagatina*]; Metcalf 1966b, 6(13): 249 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Nonia major* Osborn
Nonia major Osborn 1924c: 401 [n.sp.]; Metcalf
1966b, 6(13): 249 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Nonia minor* Osborn
Nonia minor Osborn 1924c: 402 [n.sp.]; Metcalf
1966b, 6(13): 249 [Cat.]
DISTRIBUTION: South America (Metcalf Cat.)
- Nonia palmeri* (Van Duzee)
Goniagnathus palmeri Van Duzee 1891a: 171 [n.sp.];
Metcalf 1966b, 6(13): 249 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
Cat.)
- Nonia postica* (Stål)
Bythoscopus posticus Stål 1862e: 54 [n.sp.]; Metcalf
1966b, 6(13): 251 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Nirvana adelaideae* Evans
Nirvana adelaideae Evans 1938b: 5 [n.sp.]; Metcalf
1963b, 6(7): 9 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Nirvana insignis* Distant
Nirvana insignis Distant 1918b: 33 [n.sp.]; Metcalf
1963b, 6(7): 9 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Nirvana koreana* Matsumura
Nirvana koreana Matsumura 1915a: 171 [n.sp.];
Metcalf 1963b, 6(7): 9 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Nirvana orientalis* Matsumura
Nirvana orientalis Matsumura 1912b: 282 [n.sp.];
Metcalf 1963b, 6(7): 9 [Cat.]
DISTRIBUTION: Taiwan, Hong Kong, Japan, China
(Metcalf Cat.)
- Nirvana pallida* Melichar
Nirvana pallida Melichar 1903b: 166 [n.sp.]; Metcalf
1963b, 6(7): 10 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, India, Myanmar,
Taiwan, China, Philippines, India, Hong Kong,
West Indonesia, East Indonesia (Metcalf Cat.)
- Nirvana philippinensis* Baker
Nirvana philippinensis Baker 1923a: 385 [n.sp.];
Metcalf 1963b, 6(7): 12 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Nirvana philippinensis montana* Baker
Nirvana philippinensis montana Baker 1923a: 386
[n.subsp. of *philippinensis*]; Metcalf 1963b, 6(7): 12
[Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Nirvana placida* (Stål)
Jassus (Deltoccephalus) placidus Stål 1859b: 295
[n.sp.]; Metcalf 1963b, 6(7): 12 [Cat.]
DISTRIBUTION: Singapore, Hong Kong,
Philippines, Borneo, Taiwan, Japan (Metcalf Cat.)
- Nirvana pseudommatus* Kirkaldy
Nirvana pseudommatus Kirkaldy 1900d: 293 [n.sp.];
Metcalf 1963b, 6(7): 12 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Nirvana suturalis* Melichar
Nirvana suturalis Melichar 1903b: 166 [n.sp.]; Metcalf
1963b, 6(7): 12 [Cat.]
DISTRIBUTION: Sri Lanka, Myanmar, Taiwan,
China, India, Japan, China: Hainan Island, India,
West Indonesia (Metcalf Cat.)
- Nirvanoides amboinensis* Baker
Nirvanoides amboinensis Baker 1923a: 396 [n.sp.];
Metcalf 1963b, 6(7): 22 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Nisitrana breviceps* (Jacobi)

- Nisitra breviceps* Jacobi 1944a:51 [n.sp.]; Metcalf 1964b,6(11):85 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Nisitrania telifera* (Walker)
Nisitrania telifera Walker 1870b:328 [n.sp.]; Metcalf 1964b,6(11):85 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Nisitrania varipes* (Walker)
Nisitrania varipes Walker 1870b:328 [n.sp.]; Metcalf 1964b,6(11):85 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Norvellina apachana* Ball
Norvellina apachana Ball 1931a: 4 [n.sp.]; Metcalf 1967a, 6(10a): 506 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina bicolorata* (Ball)
Eutettix bicolorata Ball 1905b: 212 [n.sp.]; Metcalf 1967a, 6(10a): 506 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina bicolorata inflata* Lindsay
Norvellina bicolorata inflata Lindsay 1938a: 113 [n.subsp. of bicolorata]; Metcalf 1967a, 6(10a): 507 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina chenopodii* (Osborn)
Eutettix chenopodii Osborn 1923a: 161 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 507 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Norvellina clarivida* (Van Duzee)
Eutettix clarivida Van Duzee 1894c: 138 [n.sp.]; Metcalf 1967a, 6(10a): 509 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina columbiana* (Ball)
Eutettix columbiana Ball 1916c: 125 [n.sp.]; Metcalf 1967a, 6(10a): 510 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina curvata* Lindsay
Norvellina curvata Lindsay 1938a: 121 [n.sp.]; Metcalf 1967a, 6(10a): 511 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina excavata* Lindsay
Norvellina excavata Lindsay 1938a: 119 [n.sp.]; Metcalf 1967a, 6(10a): 511 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina flavigra* Lindsay
Norvellina flavigra Lindsay 1938a: 114 [n.sp.]; Metcalf 1967a, 6(10a): 511 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina glauca* Lindsay
Norvellina glauca Lindsay 1938a: 122 [n.sp.]; Metcalf 1967a, 6(10a): 511 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina helenae* Ball 1931a: 3 [n.sp.]; Metcalf 1967a, 6(10a): 511 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina mildrediae* (Ball)
Eutettix mildrediae Ball 1901d: 45 [n.sp.]; Metcalf 1967a, 6(10a): 512 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina mildrediae minuta* Lindsay
Norvellina mildrediae minuta Lindsay 1938a: 114 [n.subsp. of mildrediae]; Metcalf 1967a, 6(10a): 513 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina nevada* (Ball)
Eutettix nevada Ball 1916c: 126 [n.sp.]; Metcalf 1967a, 6(10a): 513 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina novica* Medler
Norvellina novica Medler 1943a: 94 [n.sp.]; Metcalf 1967a, 6(10a): 514 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina numerosa* Lindsay
Norvellina numerosa Lindsay 1938a: 117 [n.sp.]; Metcalf 1967a, 6(10a): 514 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina pannosa* (Ball)
Eutettix pannosa Ball 1902a: 12 [n.sp.]; Metcalf 1967a, 6(10a): 514 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina perelegantis* (Ball)
Eutettix perelegantis Ball 1901d: 46 [n.sp.]; Metcalf 1967a, 6(10a): 515 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina pulchella* (Baker)
Eutettix pulchella Baker 1896b: 24 [n.sp.]; Metcalf 1967a, 6(10a): 515 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Norvellina pullata* (Ball)
Eutettix pullata Ball 1901d: 48 [n.sp.]; Metcalf 1967a, 6(10a): 516 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina rostrata* Lindsay
Norvellina rostrata Lindsay 1938a: 120 [n.sp.]; Metcalf 1967a, 6(10a): 517 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina rubida* (Ball)
Eutettix rubida Ball 1916c: 126 [n.sp.]; Metcalf 1967a, 6(10a): 517 [Cat.]
- Norvellina oregonae* Ball 1931a: 3 [n.sp.]; Metcalf 1967a, 6(10a): 517 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina saucia* (Ball)
Eutettix saucia Ball 1901d: 46 [n.sp.]; Metcalf 1967a, 6(10a): 518 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina scabra* (Osborn & Ball)

- Eutettix scaber* Osborn & Ball 1898f: 96 [n.sp.]; Metcalf 1967a, 6(10a): 519 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina scitula* (Ball)
Eutettix scitula Ball 1901d: 47 [n.sp.]; Metcalf 1967a, 6(10a): 519 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Norvellina seminuda* (Say)
Jassus seminudus Say 1830b: 307 [n.sp.]; Metcalf 1967a, 6(10a): 520 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Norvellina snowi* (Ball)
Eutettix snowi Ball 1907a: 49 [n.sp.]; Metcalf 1967a, 6(10a): 525 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina texana* (Ball)
Eutettix texana Ball 1907a: 52 [n.sp.]; Metcalf 1967a, 6(10a): 526 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina varia* Lindsay
Norvellina varia Lindsay 1938a: 116 [n.sp.]; Metcalf 1967a, 6(10a): 526 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Norvellina vermiculata* Lindsay
Norvellina vermiculata Lindsay 1938a: 115 [n.sp.]; Metcalf 1967a, 6(10a): 527 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Notocephalus brunneus* (Waterhouse)
Cephalelus brunneus Waterhouse 1839a: 195 [n.sp.]; Metcalf 1962d, 6(5): 48 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Notocephalus hartmeyeri* Jacobi
Notocephalus hartmeyeri Jacobi 1909a: 339 [n.sp.]; Metcalf 1962d, 6(5): 48 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Notocephalus hudsoni* (Myers)
Cephalelus hudsoni Myers 1923a: 417 [n.sp.]; Metcalf 1962d, 6(5): 48 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Notocephalus leptocarpi* (Myers)
Cephalelus leptocarpi Myers 1923a: 420 [n.sp.]; Metcalf 1962d, 6(5): 49 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Notocephalus marginatus* (Waterhouse)
Cephalelus marginatus Waterhouse 1839a: 195 [n.sp.]; Metcalf 1962d, 6(5): 49 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Notocephalus montanus* (Evans)
Paracephaleus montanus Evans 1942c: 50 [n.sp.]; Metcalf 1962d, 6(5): 49 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Notocephalus pallidus* Evans
Notocephalus pallidus Evans 1947c: 146 [n.sp.]; Metcalf 1962d, 6(5): 50 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Notocephalus punctatus* (Evans)
Cephalelus punctatus Evans 1939a: 46 [n.sp.]; Metcalf 1962d, 6(5): 50 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Notocephalus westwoodi* (White)
Dorydium westwoodi White 1879a: 215 [n.sp.]; Metcalf 1962d, 6(5): 50 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
- Notus albicans* Lethierry
Notus albicans Lethierry 1876a: lxxxviii [n.sp.]; Metcalf 1968a, 6(17): 248 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Notus altus* (DeLong & Caldwell)
Dikraneura (*Curta*) *alta* DeLong & Caldwell 1937a: 31 [n.sp.]; Metcalf 1968a, 6(17): 248 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Notus dubitus* (DeLong & Caldwell)
Dikraneura (*Notus*) *dubitus* DeLong & Caldwell 1937a: 28 [n.sp.]; Metcalf 1968a, 6(17): 249 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Notus elongatus* (Ball & DeLong)
Dikraneura elongata Ball & DeLong 1925a: 327 [n.sp.]; Metcalf 1968a, 6(17): 249 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Notus flavipennis* (Zetterstedt)
Cicada flavipennis Zetterstedt 1828a: 525 [n.sp.]; Metcalf 1968a, 6(17): 249 [Cat.]
- Cicadula orichalcea* Dahlbom 1850a: 183 [n.sp.]; Metcalf 1968a, 6(17): 250 [Cat.]
- Notus marginatus* Sahlberg 1871a: 164 [n.sp.]; Metcalf 1968a, 6(17): 250 [Cat.]
- Dicraneura armata* Buckton 1891c: 107 [n.sp.]; Metcalf 1968a, 6(17): 252 [Cat.]
- Dicraneura armata* Haupt 1912a: 187 [n.sp.]; Metcalf 1968a, 6(17): 254 [Cat.]
- Dicraneura haupti* Oshanin 1912a: 112 [nom.nov. for *Dicraneura armata* Haupt 1912]; Metcalf 1968a, 6(17): 254 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, Turkey, Italy, Northern Africa (Metcalf Cat.)
- Notus genalis* Fieber
Notus genalis Fieber 1884a: 49 [n.sp.]; Metcalf 1968a, 6(17): 258 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Notus italicus* Wagner
Notus italicus Wagner 1954b: 59 [n.sp.]; Metcalf 1968a, 6(17): 258 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Notus minimus* Sahlberg
Notus minimus Sahlberg 1871a: 168 [n.sp.]; Metcalf 1968a, 6(17): 259 [Cat.]
DISTRIBUTION: Widespread Northern Europe, Scandinavia (Metcalf Cat.)
- Notus molliculus* (Boheman)

- Typhlocyba mollicula* Boheman 1845b:160 [n.sp.];
 Metcalf 1968a,6(17):260 [Cat.]
- Typhlocyba facialis* Flor 1861a:385 [n.sp.]; Metcalf
 1968a,6(17):260 [Cat.]
- Typhlocyba florii* Kirschbaum 1868b:179 [n.sp.];
 Metcalf 1968a,6(17):260 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, Italy, Northern Africa
 (Metcalf Cat.)
- Notus sitka* (DeLong & Caldwell)
 Dikraneura (*Curta*) *sitka* DeLong & Caldwell
 1937a:31 [n.sp.]; Metcalf 1968a,6(17):266 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Novothymbris cassiniaae* (Myers)
 Diedrocephala cassiniaiae Myers 1923a:408 [n.sp.];
 Metcalf 1962c,6(4):124 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Novothymbris dunensis* (Myers)
 Diedrocephala dunensis Myers 1923a:411 [n.sp.];
 Metcalf 1962c,6(4):125 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Novothymbris hinemoa* (Myers)
 Diedrocephala hinemoa Myers 1923a:412 [n.sp.];
 Metcalf 1962c,6(4):125 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Novothymbris hudsonica* (Myers)
 Diedrocephala hudsonica Myers 1923a:414 [n.sp.];
 Metcalf 1962c,6(4):125 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Novothymbris maorica* (Myers)
 Diedrocephala maorica Myers 1923a:409 [n.sp.];
 Metcalf 1962c,6(4):125 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Novothymbris tararua* (Myers)
 Diedrocephala tararua Myers 1923a:410 [n.sp.];
 Metcalf 1962c,6(4):125 [Cat.]
- DISTRIBUTION: New Zealand (Metcalf Cat.)
- Nurenus snowi* (Ball)
 Idiodonus snowi Ball 1937b: 26 [n.sp.]; Metcalf
 1967b, 6(10b): 1328 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Occinirvana eborea* Evans
 Occinirvana eborea Evans 1941f:157 [n.sp.]; Metcalf
 1963b,6(7):25 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Occipanocephalus ravus* Evans
 Occipanocephalus ravus Evans 1941f: 147 [n.sp.];
 Metcalf 1967b, 6(10b): 1891 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Ochrostacta diadema* (Burmeister)
 Tettigonia diadema Burmeister 1835a:120 [n.sp.];
 Metcalf 1965a,6(1):654 [Cat.]
- DISTRIBUTION: Brazil (Young 1968a)
- Odomas jacobii* Evans
 Odomas jacobii Evans 1955b:4 [n.sp.]; Metcalf
 1962d,6(5):38 [Cat.]
- DISTRIBUTION: Zaire (Metcalf Cat.)
- Odomas myops* Jacobi
 Odomas myops Jacobi 1912a:32 [n.sp.]; Metcalf
 1962d,6(5):38 [Cat.]
- DISTRIBUTION: Uganda, Zaire (Metcalf Cat.)
- Ohausia nigra* Schmidt
 Ohausia nigra Schmidt 1911b:301 [n.sp.]; Metcalf
 1962b,6(3):125 [Cat.]
- DISTRIBUTION: Ecuador (Metcalf Cat.)
- Ollarianus armus* (Ball)
 Exitianus armus Ball 1933c: 227 [n.sp.]; Metcalf
 1967a, 6(10a): 499 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Ollarianus balli* (Van Duzee)
 Eutettix balli Van Duzee 1907a: 68 [n.sp.]; Metcalf
 1967a, 6(10a): 499 [Cat.]
- DISTRIBUTION: Jamaica, United States (Metcalf
 Cat.)
- Ollarianus bidentatus* DeLong
 Ollarianus bidentatus DeLong 1944l: 397 [n.sp.];
 Metcalf 1967a, 6(10a): 499 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Ollarianus bullatus* Ball
 Ollarianus bullatus Ball 1936g: 433 [n.sp.]; Metcalf
 1967a, 6(10a): 500 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Ollarianus insanus* (Ball)
 Eutettix insana Ball 1900b: 203 [n.sp.]; Metcalf
 1967a, 6(10a): 500 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Ollarianus insanus coronatus* (Ball)
 Eutettix insana coronata Ball 1916c: 127 [n.subsp. of
 insana]; Metcalf 1967a, 6(10a): 501 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Ollarianus insignis* DeLong
 Ollarianus insignis DeLong 1944l: 396 [n.sp.];
 Metcalf 1967a, 6(10a): 501 [Cat.]
- DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Ollarianus kinoanus* (Ball)
 Exitianus kinoanus Ball 1936d: 72 [n.sp.]; Metcalf
 1967a, 6(10a): 501 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf
 Cat.)
- Ollarianus lobatus* DeLong
 Ollarianus lobatus DeLong 1944l: 397 [n.sp.]; Metcalf
 1967a, 6(10a): 501 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Ollarianus muesebecki* DeLong
 Ollarianus muesebecki DeLong 1944l: 396 [n.sp.];
 Metcalf 1967a, 6(10a): 502 [Cat.]

- DISTRIBUTION: Mexico (Metcalf Cat.)
Ollarianus ollus Ball
Ollarianus ollus Ball 1936g: 433 [n.sp.]; Metcalf 1967a, 6(10a): 502 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Ollarianus rudiculus Ball
Ollarianus rudiculus Ball 1936g: 434 [n.sp.]; Metcalf 1967a, 6(10a): 502 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
Ollarianus strictus (Ball)
Eutettix stricta Ball 1900b: 204 [n.sp.]; Metcalf 1967a, 6(10a): 502 [Cat.]
- Chlorotettix minor* DeLong 1918c: 6 [n.sp.]; Metcalf 1967a, 6(10a): 502 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Ollarianus tripartitus DeLong
Ollarianus tripartitus DeLong 1944l: 396 [n.sp.]; Metcalf 1967a, 6(10a): 503 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Ollarianus vestigii DeLong
Ollarianus vestigii DeLong 1944l: 398 [n.sp.]; Metcalf 1967a, 6(10a): 503 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omagua fitchii (Signoret)
Tettigonia fitchii Signoret 1855b:230 [n.sp.]; Metcalf 1965a, 6(1):522 [Cat.]
- DISTRIBUTION: French Guiana (Young 1968a)
Omanana angustata DeLong
Omanana angustata DeLong 1942a: 297 [n.sp.]; Metcalf 1967a, 6(10a): 535 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana arcata DeLong
Omanana arcata DeLong 1944f: 154 [n.sp.]; Metcalf 1967a, 6(10a): 535 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana bifurcata DeLong
Omanana bifurcata DeLong 1944f: 152 [n.sp.]; Metcalf 1967a, 6(10a): 536 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana dampfi DeLong
Omanana dampfi DeLong 1942a: 294 [n.sp.]; Metcalf 1967a, 6(10a): 536 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana divergens DeLong
Omanana divergens DeLong 1944f: 153 [n.sp.]; Metcalf 1967a, 6(10a): 536 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana duodens DeLong
Omanana duodens DeLong 1944f: 151 [n.sp.]; Metcalf 1967a, 6(10a): 536 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana litigiosa (Ball)
Athy sanus litigiosus Ball 1901d: 51 [n.sp.]; Metcalf 1967a, 6(10a): 536 [Cat.]
- DISTRIBUTION: Mexico, United States (Metcalf Cat.)
Omanana mediana DeLong
Omanana mediana DeLong 1944f: 154 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana nigrifrons DeLong
Omanana nigrifrons DeLong 1942a: 297 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana pallidens DeLong
Omanana pallidens DeLong 1942a: 296 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana similaris DeLong
Omanana similaris DeLong 1942a: 294 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana striata DeLong
Omanana striata DeLong 1942a: 296 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
Omanana tortolita (Ball)
Menosoma tortolita Ball 1931a: 6 [n.sp.]; Metcalf 1967a, 6(10a): 537 [Cat.]
- DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Omanella barberi Merino
Omanella barberi Merino 1936a:361 [n.sp.]; Metcalf 1966c, 6(15):170 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
Omanella johnsoni Merino
Omanella johnsoni Merino 1936a:363 [n.sp.]; Metcalf 1966c, 6(15):170 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
Omanella philippina Merino
Omanella philippina Merino 1936a:362 [n.sp.]; Metcalf 1966c, 6(15):171 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
Omaranus typicus Distant
Didius sexualis Distant 1918b:36 [n.sp.]; Metcalf 1963b, 6(7):20 [Cat.]
- Omaranus typicus* Distant 1918b:6 [n.sp.]; Metcalf 1963b, 6(7):20 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
Oncometopia coacta Schmidt
Oncometopia coacta Schmidt 1928c:70 [n.sp.]; Metcalf 1965a, 6(1):563 [Cat.]
- DISTRIBUTION: Colombia (Metcalf Cat.)
Oncometopia marginula Osborn
Oncometopia marginula Osborn 1926b:170 [n.sp.]; Metcalf 1965a, 6(1):564 [Cat.]

- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia minor Osborn
Oncometopia minor Osborn 1926b:170 [n.sp.];
 Metcalf 1965a,6(1):564 [Cat.]
- DISTRIBUTION:** Brazil, Paraguay, Peru (Metcalf Cat.)
Oncometopia ocellata Osborn
Oncometopia ocellata Osborn 1926b:169 [n.sp.];
 Metcalf 1965a,6(1):565 [Cat.]
- DISTRIBUTION:** Bolivia, Venezuela, Brazil (Young 1968a)
Oncometopia rosipennis Osborn
Oncometopia rosipennis Osborn 1926b:172 [n.sp.];
 Metcalf 1965a,6(1):565 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
Oncometopia suturalis (Fabricius)
Cicada suturalis Fabricius 1794a:34 [n.sp.]; Metcalf 1965a,6(1):565 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
Oncometopia (Egidemia) anceps Fowler
Oncometopia anceps Fowler 1899c:234 [n.sp.];
 Metcalf 1965a,6(1):596 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, Panama, Costa Rica (Metcalf Cat.)
Oncometopia (Egidemia) fowlerti Distant
Oncometopia fowlerti Distant 1908b:67 [n.sp., not nom.nov.]; Metcalf 1965a,6(1):596 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Metcalf Cat.)
Oncometopia (Egidemia) oaxacae Fowler
Oncometopia oaxacae Fowler 1899c:234 [n.sp.];
 Metcalf 1965a,6(1):597 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Oncometopia (Egidemia) obtusata Melichar
Oncometopia (Dichometopia) obtusata Melichar 1925a:406 [n.sp.]; Metcalf 1965a,6(1):597 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
Oncometopia (Egidemia) obtusifrons (Fowler)
Phera obtusifrons Fowler 1899a:223 [n.sp.]; Metcalf 1965a,6(1):597 [Cat.]
- DISTRIBUTION:** Guatemala, Costa Rica, Mexico, El Salvador (Metcalf Cat.)
Oncometopia (Egidemia) proxima Melichar
Oncometopia (Dichometopia) proxima Melichar 1925a:407 [n.sp.]; Metcalf 1965a,6(1):597 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Oncometopia (Egidemia) similis (Schmidt)
Dichometopia similis Schmidt 1928c: [n.sp.]; Metcalf 1965a,6(1):598 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Egidemia) tredecimpunctata (Signoret)
Tettigonia tredecimpunctata Signoret 1855b:231 [n.sp.]; Metcalf 1965a,6(1):598 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Hygogonia) reticulata Melichar
Oncometopia (Heterometopia) reticulata Melichar 1925a:386 [n.sp.]; Metcalf 1965a,6(1):585 [Cat.]
- DISTRIBUTION:** Peru, Bolivia, Brazil, Venezuela (Metcalf Cat.)
Oncometopia (Lebora) biimpressa (Signoret)
Tettigonia bimaculata Signoret 1854b:362 [n.sp.];
 Metcalf 1965a,6(1):586 [Cat.; priority error, ICZN Art. 59b]
- Tettigonia biimpressa** Signoret 1855d:811 [nom.nov. for *Tettigonia bimaculata* Signoret 1854]; Metcalf 1965a,6(1):586 [Cat.]
- DISTRIBUTION:** Mexico (Young 1968a)
Oncometopia (Lebora) brasiliensis Distant
Oncometopia brasiliensis Distant 1908b:65 [n.sp.];
 Metcalf 1965a,6(1):586 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) capito Distant
Oncometopia capito Distant 1908b:66 [n.sp.]; Metcalf 1965a,6(1):586 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) confluens Melichar
Oncometopia (Parametopia) confluens Melichar 1925a:393 [n.sp.]; Metcalf 1965a,6(1):586 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) consorta Melichar
Oncometopia (Parametopia) consorta Melichar 1925a:389 [n.sp.]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** French Guiana (Metcalf Cat.)
Oncometopia (Lebora) cumulata Melichar
Oncometopia (Parametopia) cumulata Melichar 1925a:390 [n.sp.]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) exaltata Melichar
Oncometopia (Parametopia) exaltata Melichar 1925a:389 [n.sp.]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) flavolimbata (Signoret)
Tettigonia flavolimbata Signoret 1854b:360 [n.sp.];
 Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) guttulata Melichar
Oncometopia (Parametopia) guttulata Melichar 1925a:396 [n.sp.]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
Oncometopia (Lebora) infulata Melichar
Oncometopia (Parametopia) infulata Melichar 1925a:388 [n.sp.]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
Oncometopia (Lebora) infulata luteiceps Melichar
Oncometopia (Parametopia) infulata luteiceps Melichar 1925a:389 [n.subsp. of *infulata*]; Metcalf 1965a,6(1):587 [Cat.]
- DISTRIBUTION:** Ecuador (Metcalf Cat.)
Oncometopia (Lebora) laminata (Signoret)
Tettigonia laminata Signoret 1855d:794 [n.sp.];
 Metcalf 1965a,6(1):588 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Oncometopia (Lebora) magna (Walker)

- Proconia magna* Walker 1851b:787 [n.sp.]; Metcalf 1965a,6(1):588 [Cat.]
- Oncometopia peruviensis* Distant 1908b:67b:67 [n.sp.]; Metcalf 1965a,6(1):588 [Cat.]
- DISTRIBUTION: Brazil, Peru (Metcalf Cat.)
- Oncometopia (Lebora) orbona* (Fabricius)
- Cicada orbona* Fabricius 1798a:520 [n.sp.]; Metcalf 1965a,6(1):588 [Cat.]
- DISTRIBUTION: United States, Brazil (Metcalf Cat.)
- Oncometopia (Lebora) terminalis* (Walker)
- Proconia terminalis* Walker 1851b:786 [n.sp.]; Metcalf 1965a,6(1):589 [Cat.]
- DISTRIBUTION: Brazil, Argentina (Metcalf Cat.)
- Oncometopia (Lebora) vagata* Melichar
- Oncometopia (Parametopia) vagata* Melichar 1925a:392 [n.sp.]; Metcalf 1965a,6(1):590 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Lebora) virescens* Distant
- Oncometopia virescens* Distant 1908b:65 [n.sp.]; Metcalf 1965a,6(1):590 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Lebora) xanthocephala* (Germar)
- Tettigonia xanthocephala* Germar 1821a:63 [n.sp.]; Metcalf 1965a,6(1):590 [Cat.]
- Tettigonia sellowii* Berg 1884a:22 [n.sp.]; Metcalf 1965a,6(1):590 [Cat.]
- DISTRIBUTION: Brazil, Uruguay (Metcalf Cat.)
- Oncometopia (Molomea) amblardii* (Signoret)
- Tettigonia amblardii* Signoret 1855a:53 [n.sp.]; Metcalf 1965a,6(1):591 [Cat.]
- DISTRIBUTION: Bolivia, Mexico, Brazil (Metcalf Cat.)
- Oncometopia (Molomea) amblardii scutellaris* (Schmidt)
- Centrometopia amblardii scutellaris* Schmidt 1928c:73 [n.subsp. of amblardii]; Metcalf 1965a,6(1):592 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Molomea) dufouri* (Signoret)
- Tettigonia dufouri* Signoret 1855a:55 [n.sp.]; Metcalf 1965a,6(1):592 [Cat.]
- DISTRIBUTION: Venezuela, Colombia, Bolivia, Peru (Metcalf Cat.)
- Oncometopia (Molomea) dufouri abdominalis* (Schmidt)
- Centrometopia dufouri abdominalis* Schmidt 1928c:72 [n.subsp. of dufouri]; Metcalf 1965a,6(1):592 [Cat.]
- DISTRIBUTION: Ecuador (Metcalf Cat.)
- Oncometopia (Molomea) insignis* Distant
- Oncometopia insignis* Distant 1908b:63 [n.sp.]; Metcalf 1965a,6(1):592 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Molomea) latifascia* (Walker)
- Aulacizes latifascia* Walker 1851b:796 [n.sp.]; Metcalf 1965a,6(1):593 [Cat.]
- DISTRIBUTION: Venezuela, Colombia, Brazil (Metcalf Cat.)
- Oncometopia (Molomea) latifascia angustifasciata* Melichar
- Oncometopia (Centrometopia) latifascia angustifasciata* Melichar 1925a:403 [n.subsp. of latifascia]; Metcalf 1965a,6(1):593 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Oncometopia (Molomea) maculipennis* (Schmidt)
- Centrometopia maculipennis* Schmidt 1928c:72 [n.sp.]; Metcalf 1965a,6(1):593 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Oncometopia (Molomea) personata* (Signoret)
- Tettigonia personata* Signoret 1854b:364 [n.sp.]; Metcalf 1965a,6(1):593 [Cat.]
- Aulacizes magnifrons* Walker 1858b:239 [n.sp.]; Metcalf 1965a,6(1):593 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Molomea) separata* (Signoret)
- Tettigonia separata* Signoret 1855a:54 [n.sp.]; Metcalf 1965a,6(1):594 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Oncometopia (Molomea) signoreti* Melichar
- Oncometopia (Centrometopia) signoreti* Melichar 1925a:402 [n.sp.]; Metcalf 1965a,6(1):594 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Oncometopia (Mucrometopia) caudata* (Walker)
- Tettigonia caudata* Walker 1851b:749 [n.sp.]; Metcalf 1965a,6(1):594 [Cat.]
- DISTRIBUTION: Bolivia, Brazil, Peru (Metcalf Cat.)
- Oncometopia (Mucrometopia) infuscata* Melichar
- Oncometopia (Mucrometopia) infuscata* Melichar 1925a:404 [n.sp.]; Metcalf 1965a,6(1):595 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Oncometopia (Mucrometopia) nitida* (Signoret)
- Tettigonia nitida* Signoret 1855d:799 [n.sp.]; Metcalf 1965a,6(1):595 [Cat.]
- DISTRIBUTION: Guatemala (Metcalf Cat.)
- Oncometopia (Mucrometopia) tartarea* (Stål)
- Phera tartarea* Stål 1864a:78 [n.sp.]; Metcalf 1965a,6(1):595 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, Brazil (Metcalf Cat.)
- Oncometopia (Oncometopia) alpha* Fowler
- Oncometopia alpha* Fowler 1899b:232 [n.sp.]; Metcalf 1965a,6(1):567 [Cat.]
- Oncometopia undata garryae* Cockerell 1903a:453 [n.subsp. of undata]; Metcalf 1965a,6(1):567 [Cat.]
- DISTRIBUTION: United States, Mexico, Canada (Metcalf Cat.)
- Oncometopia (Oncometopia) asperula* Melichar
- Oncometopia asperula* Melichar 1925a:371 [n.sp.]; Metcalf 1965a,6(1):567 [Cat.]
- DISTRIBUTION: Ecuador (Young 1968a)
- Oncometopia (Oncometopia) batesi* Distant
- Oncometopia batesi* Distant 1908b:62 [n.sp.]; Metcalf 1965a,6(1):568 [Cat.]

- DISTRIBUTION:** Brazil (Amazonas) (Metcalf Cat.)
Oncometopia (Oncometopia) cincta (Signoret)
Tettigonia cincta Signoret 1854b:363 [n.sp.]; Metcalf
 1965a,6(1):568 [Cat.]
- DISTRIBUTION:** Brazil (Young 1968a)
Oncometopia (Oncometopia) clathrata (Signoret)
Tettigonia clathrata Signoret 1855d:795 [n.sp.];
 Metcalf 1965a,6(1):568 [Cat.]
- DISTRIBUTION:** Venezuela (Young 1977a)
Oncometopia (Oncometopia) congregata (Signoret)
Tettigonia congregata Signoret 1854b:358 [n.sp.];
 Metcalf 1965a,6(1):568 [Cat.]
- DISTRIBUTION:** Venezuela, Colombia, Suriname
 (Metcalf Cat.)
- Oncometopia (Oncometopia) cordata Melichar**
Oncometopia (Oncometopia) cordata Melichar
 1925a:376 [n.sp.]; Metcalf 1965a,6(1):569 [Cat.]
- DISTRIBUTION:** Brazil (Young 1968a)
Oncometopia (Oncometopia) dispar Fowler
Oncometopia dispar Fowler 1899b:229 [n.sp.];
 Metcalf 1965a,6(1):569 [Cat.]
- DISTRIBUTION:** Guatemala (Young 1968a)
Oncometopia (Oncometopia) expansa Melichar
Oncometopia (Oncometopia) expansa Melichar
 1925a:377 [n.sp.]; Metcalf 1965a,6(1):569 [Cat.]
- DISTRIBUTION:** Peru, Mexico, Colombia (Metcalf
 Cat.)
- Oncometopia (Oncometopia) facialis (Signoret)**
Tettigonia facialis Signoret 1854c:489 [n.sp.]; Metcalf
 1965a,6(1):569 [Cat.]
- DISTRIBUTION:** Colombia, Ecuador, Bolivia, Brazil,
 Paraguay (Young 1968a)
- Oncometopia (Oncometopia) fusca Melichar**
Oncometopia (Oncometopia) fusca Melichar
 1925a:374 [n.sp.]; Metcalf 1965a,6(1):569 [Cat.]
- DISTRIBUTION:** Brazil (Young 1968a)
Oncometopia (Oncometopia) fuscipennis Fowler
Oncometopia fuscipennis Fowler 1899b:230 [n.sp.];
 Metcalf 1965a,6(1):570 [Cat.]
- DISTRIBUTION:** Mexico, Ecuador (Metcalf Cat.)
- Oncometopia (Oncometopia) hamata Melichar**
Oncometopia (Oncometopia) hamata Melichar
 1925a:378 [n.sp.]; Metcalf 1965a,6(1):570 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Oncometopia (Oncometopia) hamleti Distant**
Oncometopia hamleti Distant 1908b:63 [n.sp.];
 Metcalf 1965a,6(1):570 [Cat.]
- DISTRIBUTION:** Brazil (Young 1968a)
Oncometopia (Oncometopia) herpes (Signoret)
Tettigonia herpes Signoret 1855d:796 [n.sp.]; Metcalf
 1965a,6(1):570 [Cat.]
- DISTRIBUTION:** Mexico, Colombia, Brazil (Young
 1968a)
- Oncometopia (Oncometopia) lineatifrons Melichar**
Oncometopia (Oncometopia) lineatifrons Melichar
 1925a:376 [n.sp.]; Metcalf 1965a,6(1):570 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
Oncometopia (Oncometopia) miniatiipennis Fowler
Oncometopia miniatiipennis Fowler 1899b:231 [n.sp.];
 Metcalf 1965a,6(1):571 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Oncometopia (Oncometopia) nigricans (Walker)**
Cicada undata Fabricius 1794a:32 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia badia Walker** 1851b:786 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia marginata Walker** 1851b:785 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia nigricans Walker** 1851b:783 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia plagiata Walker** 1851b:788 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia scutellata Walker** 1851b:786 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- Proconia tenebrosa Walker** 1851b:787 [n.sp.]; Metcalf
 1965a,6(1):571 [Cat.]
- DISTRIBUTION:** United States (Young 1968a)
- Oncometopia (Oncometopia) obtusa (Fabricius)**
Cicada obtusa Fabricius 1787a:269 [n.sp.]; Metcalf
 1965a,6(1):579 [Cat.]
- Proconia clarior Walker** 1851b:784 [n.sp.]; Metcalf
 1965a,6(1):580 [Cat.]
- Proconia parallela Walker** 1851b:788 [n.sp.]; Metcalf
 1965a,6(1):580 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela, Trinidad,
 Suriname (Young 1968a)
- Oncometopia (Oncometopia) obtusa funebris (Signoret)**
Tettigonia funebris Signoret 1854c:490 [n.sp.];
 Metcalf 1965a,6(1):582 [Cat.]
- DISTRIBUTION:** Mexico (Young 1968a)
- Oncometopia (Oncometopia) quadrinotata Fowler**
Oncometopia quadrinotata Fowler 1899b:230 [n.sp.];
 Metcalf 1965a,6(1):583 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Oncometopia (Oncometopia) resistens Melichar**
Oncometopia (Oncometopia) resistens Melichar
 1925a:384 [n.sp.]; Metcalf 1965a,6(1):583 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Oncometopia (Oncometopia) rubescens Fowler**
Oncometopia rubescens Fowler 1899c:233 [n.sp.];
 Metcalf 1965a,6(1):583 [Cat.]
- DISTRIBUTION:** Costa Rica, Colombia, Panama,
 Brazil, Venezuela, Ecuador (Young 1968a)
- Oncometopia (Oncometopia) rubiginosa (Signoret)**
Tettigonia rubiginosa Signoret 1854c:491 [n.sp.];
 Metcalf 1965a,6(1):583 [Cat.]
- DISTRIBUTION:** Mexico (Young 1968a)
- Oncometopia (Oncometopia) scutellaris Melichar**
Oncometopia (Oncometopia) scutellaris Melichar
 1925a:374 [n.sp.]; Metcalf 1965a,6(1):583 [Cat.]
- DISTRIBUTION:** Venezuela, Costa Rica, Colombia
 (Metcalf Cat.)

- Oncometopia (Oncometopia) tomentosa Distant
Oncometopia tomentosa Distant 1908b:67 [n.sp.];
 Metcalf 1965a,6(1):584 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Oncometopia (Oncometopia) trilobata Melichar
Oncometopia (Oncometopia) trilobata Melichar
 1925a:377 [n.sp.]; Metcalf 1965a,6(1):584 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Oncometopia (Oncometopia) venosula Distant
Oncometopia venosula Distant 1908b:64 [n.sp.];
 Metcalf 1965a,6(1):584 [Cat.]
 DISTRIBUTION: Ecuador, Peru (Young 1968a)
- Oncometopia (Oncometopia) viridula Melichar
Oncometopia (Oncometopia) viridula Melichar
 1925a:372 [n.sp.]; Metcalf 1965a,6(1):584 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Oncopsis aenea Evans
Oncopsis aeneus Evans 1941f:154 [n.sp.]; Metcalf
 1966b,6(13):174 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis appendiculata Wagner
Oncopsis appendiculata Wagner 1944a:130,131
 [n.sp.]; Metcalf 1966b,6(13):174 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia
 (Metcalf Cat.)
- Oncopsis appendiculata fasciifrons Linnauvori
Oncopsis appendiculata fasciifrons Linnauvori
 1952e:73 [n.subsp. of *appendiculata*]; Metcalf
 1966b,6(13):175 [Cat.]
 DISTRIBUTION: Finland (Metcalf Cat.)
- Oncopsis avellanae Edwards
Oncopsis avellanae Edwards 1920a:54 [n.sp.]; Metcalf
 1966b,6(13):175 [Cat.]
 DISTRIBUTION: England, Germany (Metcalf Cat.)
- Oncopsis balli Kirkaldy
Oncopsis balli Kirkaldy 1907d:38 [n.sp.]; Metcalf
 1966b,6(13):175 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis bicolorata Evans
Oncopsis bicolorata Evans 1941f:155 [n.sp.]; Metcalf
 1966b,6(13):175 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis carpini (Sahlberg)
Pediopsis carpini Sahlberg 1871a:118 [n.sp.]; Metcalf
 1966b,6(13):176 [Cat.]
- Oncopsis carpinicola Edwards 1920a:54 [n.sp.];
 Metcalf 1966b,6(13):176 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia
 (Metcalf Cat.)
- Oncopsis cognata Spinola
Oncopsis [sic] cognata Spinola 1852a:299 [n.sp.];
 Metcalf 1966b,6(13):177 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Oncopsis coloradensis (Baker)
Bythoscopus coloradensis Baker 1898a:198 [n.subsp.
 of *variabilis*]; Metcalf 1966b,6(13):177 [Cat.]
- Oncopsis californicus Van Duzee 1917a:291 [n.sp.];
 Metcalf 1966b,6(13):177 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Oncopsis despecta (Walker)
Bythoscopus despectus Walker 1870c:2404 [n.sp.];
 Metcalf 1966b,6(13):178 [Cat.]
 DISTRIBUTION: Egypt (Metcalf Cat.)
- Oncopsis dithyris Beirne
Oncopsis dithyris Beirne 1951a:190 [n.sp.]; Metcalf
 1966b,6(13):178 [Cat.]
 DISTRIBUTION: Canada (Metcalf Cat.)
- Oncopsis dorsalis Blanchard
Onocopsis [sic] dorsalis Blanchard 1852 [in Spinola
 1852a:300] [n.sp.]; Metcalf 1966b,6(13):178 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Oncopsis fagi (Fitch)
Athy sanus fagi Fitch 1851a:61 [n.sp.]; Metcalf
 1966b,6(13):179 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Oncopsis fitchi Van Duzee
Athy sanus fenestratus Fitch 1851a:60 [n.sp.]; Metcalf
 1966b,6(13):180 [Cat.]
- Athy sanus minor* Fitch 1851a:60 [n.sp.]; Metcalf
 1966b,6(13):180 [Cat.]
- Macropsis ocellatus* Provancher 1872c:377 [n.sp.];
 Metcalf 1966b,6(13):180 [Cat.]
- Bythoscopus pruni* Provancher 1890a:290 [n.sp.];
 Metcalf 1966b,6(13):180 [Cat.]
- Oncopsis fitchi Van Duzee 1916a:65 [nom.nov. for
Athy sanus fenestratus Fitch 1851]; Metcalf
 1966b,6(13):180 [Cat.]
 DISTRIBUTION: Widespread United States, Canada
 (Metcalf Cat.)
- Oncopsis flavicollis (Linnaeus)
Cicada flavicollis Linnaeus 1761a:242 [n.sp.]; Metcalf
 1966b,6(13):186,209 [Cat.]
- Cicada reticulata* Gmelin 1789a:2111 [n.sp.]; Metcalf
 1966b,6(13):186 [Cat.]
- Cicada bipustulata* Fabricius 1794a:45 [n.sp.]; Metcalf
 1966b,6(13):186 [Cat.]
- Cicada diadema* Fabricius 1794a:44 [n.sp.]; Metcalf
 1966b,6(13):186 [Cat.]
- Jassus fruticola* Fallén 1806b:120 [n.sp.]; Metcalf
 1966b,6(13):187 [Cat.]
- Cercopis fuscula* Gravenhorst 1807a:343 [n.sp.];
 Metcalf 1966b,6(13):187 [Cat.]
- Iassus fenestratus* Curtis 1837c:pl.636 [n.sp.]; Metcalf
 1966b,6(13):190 [Cat.]
- Iassus ferrugineus* Curtis 1837c:pl.636 [n.sp.]; Metcalf
 1966b,6(13):190 [Cat.]
- Iassus personatus* Curtis 1837c:pl.636 [n.sp.]; Metcalf
 1966b,6(13):190 [Cat.]
- Iassus pulchellus* Curtis 1837c:pl.636 [n.sp.]; Metcalf
 1966b,6(13):190 [Cat.]

- Iassus reticulatus* Curtis 1837c:pl.636 [n.sp.]; Metcalf 1966b,6(13):190 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Mediterranean, Baltic region, Russia, Japan, Northern Africa (Metcalf Cat.)
- Oncopsis flavicollis capucina* (Zetterstedt)
Jassus flavicollis capucinus Zetterstedt 1840a:303
[n.subsp. of *fruticola*]; Metcalf 1966b,6(13):208 [Cat.]
DISTRIBUTION: Scandinavia, Germany, France, Czech Republic, Hungary (Metcalf Cat.)
- Oncopsis flavicollis dubia* (Fieber)
Bythoscopus flavicollis dubius Fieber 1868a:457
[n.sp.]; Metcalf 1966b,6(13):209 [Cat.]
DISTRIBUTION: Russia, Germany, Czech Republic, Slovakia, Sweden, France (Metcalf Cat.)
- Oncopsis flavicollis hyalina* Wagner
Oncopsis flavicollis hyalina Wagner 1944a:131
[n.subsp. of *flavicollis*]; Metcalf 1966b,6(13):210 [Cat.]
DISTRIBUTION: Germany, Sweden, Czech Republic (Metcalf Cat.)
- Oncopsis flavicollis luteomaculata* Wagner
Oncopsis flavicollis luteomaculata Wagner 1944a:131
[n.subsp. of *flavicollis*]; Metcalf 1966b,6(13):210 [Cat.]
DISTRIBUTION: Germany, Sweden (Metcalf Cat.)
- Oncopsis flavicollis nigritula* (Zetterstedt)
Jassus flavicollis nigritulus Zetterstedt 1828a:544
[n.sp.]; Metcalf 1966b,6(13):211 [Cat.]
DISTRIBUTION: Scandinavia, Germany, Great Britain, Russia, Netherlands, France, Estonia, Latvia (Metcalf Cat.)
- Oncopsis flavicollis obscura* (Zetterstedt)
Jassus flavicollis obscurus Zetterstedt 1828a:543
[n.subsp. of *fruticola*]; Metcalf 1966b,6(13):213 [Cat.]
DISTRIBUTION: Scandinavia, Estonia, Latvia, Great Britain, Russia, Netherlands, Armenia, Germany, France (Metcalf Cat.)
- Oncopsis flavicollis ochracea* (Rey)
Bythoscopus flavicollis ochraceus Rey 1894b:30
[n.subsp. of *flavicollis*]; Metcalf 1966b,6(13):214 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Oncopsis flavicollis pallens* (Zetterstedt)
Jassus flavicollis pallens Zetterstedt 1828a:543
[n.subsp. of *fruticola*]; Metcalf 1966b,6(13):214 [Cat.]
DISTRIBUTION: Scandinavia, Great Britain, Russia, Austria, France, Netherlands, Armenia, Germany, Estonia, Latvia (Metcalf Cat.)
- Oncopsis flavicollis transita* (Rey)
- Bythoscopus flavicollis transitus* Rey 1894b:30
[n.subsp. of *flavicollis*]; Metcalf 1966b,6(13):216 [Cat.]
DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Oncopsis flavicollis triangularis* (Fabricius)
Cicada flavicollis triangularis Fabricius 1794a:46
[n.sp.]; Metcalf 1966b,6(13):216 [Cat.]
DISTRIBUTION: Scandinavia, Poland, Germany, Estonia, Latvia, Great Britain, Austria, Russia, France (Metcalf Cat.)
- Oncopsis fusca* (Melichar)
Bythoscopus fuscus Melichar 1902c:120 [n.sp.]; Metcalf 1966b,6(13):219 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Oncopsis fuscopunctata* Evans
Oncopsis fuscopunctatus Evans 1941f:155 [n.sp.]; Metcalf 1966b,6(13):220 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis gibba* Evans
Oncopsis gibbus Evans 1941f:154 [n.sp.]; Metcalf 1966b,6(13):220 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis juglans* (Matsumura)
Bythoscopus juglans Matsumura 1912b:304 [n.sp.]; Metcalf 1966b,6(13):220 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis kogotensis* (Matsumura)
Bythoscopus kogotensis Matsumura 1912b:305
[n.sp.]; Metcalf 1966b,6(13):220 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis lutea* Evans
Oncopsis luteus Evans 1941f:155 [n.sp.]; Metcalf 1966b,6(13):221 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis mali* (Matsumura)
Bythoscopus mali Matsumura 1905a:67 [n.sp.]; Metcalf 1966b,6(13):221 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis mellea* Evans
Oncopsis melleus Evans 1935c:68 [n.sp.]; Metcalf 1966b,6(13):222 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis nigrinasi* (Fitch)
Athy sanus nigrinasi Fitch 1851a:61 [n.sp.]; Metcalf 1966b,6(13):222 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Oncopsis nigrita* Melichar
Oncopsis nigritus Melichar 1914b:121 [n.sp.]; Metcalf 1966b,6(13):224 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Oncopsis nitobei* (Matsumura)
Bythoscopus nitobei Matsumura 1912b:303 [n.sp.]; Metcalf 1966b,6(13):224 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis norrisi* Evans

- Oncopsis norrisi* Evans 1941e:40 [n.sp.]; Metcalf 1966b,6(13):224 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis omogonis* Ishihara
Oncopsis omogonis Ishihara 1953 [in Ishihara et al. 1953a:118] [n.sp.]; Metcalf 1966b,6(13):224 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis planiscuta* (Thomson)
Pediopsis planiscuta Thomson 1870a:318 [n.sp.]; Metcalf 1966b,6(13):224 [Cat.]
DISTRIBUTION: Scandinavia, Russia, North America (?) (Metcalf Cat.)
- Oncopsis pulla* Evans
Oncopsis pullus Evans 1935c:67 [n.sp.]; Metcalf 1966b,6(13):225 [Cat.]
DISTRIBUTION: Nigeria (Federal Capital Territory) (Metcalf Cat.)
- Oncopsis punctatissima* Jacobi
Oncopsis punctatissima Jacobi 1941a:303 [n.sp.]; Metcalf 1966b,6(13):225 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Oncopsis scopula* Evans
Oncopsis scopulus Evans 1935c:67 [n.sp.]; Metcalf 1966b,6(13):226 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis sobria* (Walker)
Bythocorus sobrius Walker 1851b:874 [n.sp.]; Metcalf 1966b,6(13):226 [Cat.]
- Bythocorus cognatus* Van Duzee 1890i:226 [n.sp.]; Metcalf 1966b,6(13):226 [Cat.]
- Bythocorus truncatus* Baker 1898b:198 [n.sp.]; Metcalf 1966b,6(13):226 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Oncopsis subangulata* (Sahlberg)
Pediopsis subangulatus Sahlberg 1871a:125 [n.sp.]; Metcalf 1966b,6(13):229 [Cat.]
- Oncopsis fortior* Wagner 1944a:129 [n.sp.]; Metcalf 1966b,6(13):229 [Cat.]
DISTRIBUTION: Widespread Scandanvia, Europe (Metcalf Cat.)
- Oncopsis subfuscata* Evans
Oncopsis subfuscus Evans 1935c:69 [n.sp.]; Metcalf 1966b,6(13):230 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis tepperi* Evans
Oncopsis tepperi Evans 1935c:69 [n.sp.]; Metcalf 1966b,6(13):230 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Oncopsis towadensis* (Matsumura)
Bythocorus towadensis Matsumura 1912b:304 [n.sp.]; Metcalf 1966b,6(13):230 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oncopsis translucens* Evans
Oncopsis translucens Evans 1935c:68 [n.sp.]; Metcalf 1966b,6(13):231 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Oncopsis tristis* (Zetterstedt)
Jassus tristis Zetterstedt 1840a:303 [n.subsp. of *fruticola*]; Metcalf 1966b,6(13):231 [Cat.]
- Pediopsis fruticola* frontalis Flor 1861a:186 [n.subsp. of *fruticola*]; Metcalf 1966b,6(13):231 [Cat.]
- Bythocorus rufusculus* Fieber 1868a:456 [n.sp.]; Metcalf 1966b,6(13):231 [Cat.]
- Pediopsis brevicauda* Thomson 1870a:318 [n.sp.]; Metcalf 1966b,6(13):231 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Baltic region, Russia, Japan (Metcalf Cat.)
- Oncopsis variabilis* (Fitch)
Athy sanus abietis Fitch 1851a:60 [n.sp.]; Metcalf 1966b,6(13):237 [Cat.]
- Athy sanus variabilis* Fitch 1851a:60 [n.sp.]; Metcalf 1966b,6(13):237 [Cat.]
- Bythocorus flavus* Walker 1851b:875 [n.sp.]; Metcalf 1966b,6(13):237 [Cat.]
- Macropsis clitellarius* Provancher 1872c:377 [n.sp.]; Metcalf 1966b,6(13):237 [Cat.]
- Pediopsis flavescens* Provancher 1872c:376 [n.sp.]; Metcalf 1966b,6(13):237 [Cat.]
- Oncopsis tumidifrons* DeLong 1923a:70 [n.sp.]; Metcalf 1966b,6(13):239 [Cat.]
DISTRIBUTION: Widespread United States, Canada (Metcalf Cat.)
- Oncopsis verticis* (Say)
Jassus verticis Say 1830b:308 [n.sp.]; Metcalf 1966b,6(13):242 [Cat.]
- Bythocorus distinctus* Van Duzee 1890i:225 [n.sp.]; Metcalf 1966b,6(13):242 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Onega avella* Distant
Onega avella Distant 1908a:528 [n.sp.]; Metcalf 1965a,6(1):265 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Onega stella* Distant
Onega stella Distant 1908a:529 [n.sp.]; Metcalf 1965a,6(1):265 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Oniella excelsa* (Melichar)
Tettigonia excelsa Melichar 1902c:131 [n.sp.]; Metcalf 1963b,6(7):15 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Oniella honesta* (Melichar)
Tettigonia honesta Melichar 1902c:132 [n.sp.]; Metcalf 1963b,6(7):15 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Oniella leucocephala* Matsumura
Oniella leucocephala Matsumura 1912a:47 [n.sp.]; Metcalf 1963b,6(7):15 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Oniella niisimae* Matsumura

- Oniella niisimae* Matsumura 1912a:47 [n.sp.]; Metcalf 1963b,6(7):16 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Oniroxis kariana* China
Oniroxis kariana China 1925c:484 [n.sp.]; Metcalf 1963c,6(8):225 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Onukia arisana* Matsumura
Onukia arisana Matsumura 1912a:45 [n.sp.]; Metcalf 1963a,6(6):49 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Onukia burmanica* (Distant)
Apphia burmanica Distant 1918b:5 [n.sp.]; Metcalf 1963a,6(6):49 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Onukia corporaali* Baker
Onukia corporaali Baker 1923a:370 [n.sp.]; Metcalf 1963a,6(6):49 [Cat.]
DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Onukia flavifrons* Matsumura
Onukia flavifrons Matsumura 1912a:45 [n.sp.]; Metcalf 1963a,6(6):49 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Onukia flavimacula* Kato
Onukia flavimacula Kato 1933r:455 [n.sp.]; Metcalf 1963a,6(6):49 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Onukia kelloggi* Baker
Onukia kelloggi Baker 1923a:372 [n.sp.]; Metcalf 1963a,6(6):50 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Onukia muirii* Baker
Onukia muirii Baker 1923a:371 [n.sp.]; Metcalf 1963a,6(6):50 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Onukia onukii* Matsumura
Onukia onukii Matsumura 1912a:44 [n.sp.]; Metcalf 1963a,6(6):50 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Onukigallia onukii* (Matsumura)
Agallia onukii Matsumura 1912b:315 [n.sp.]; Metcalf 1966a,6(14):61 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Onura eburneola* Oman
Onura eburneola Oman 1938b: 387 [n.sp.]; Metcalf 1967a, 6(10a): 839 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Ootacamundus minutus Distant
Ootacamundus minutus Distant 1918b: 58 [n.sp.]; Metcalf 1967c, 6(10c): 2353 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ootacamundus typicus Distant
Ootacamundus typicus Distant 1918b: 57 [n.sp.]; Metcalf 1967c, 6(10c): 2354 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Ophiola angustata* (Osborn)
- Athysanus angustatus* Osborn 1915a: 130 [n.sp.]; Metcalf 1967a, 6(10a): 165 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola anthracina* (Van Duzee)
Athysanus anthracinus Van Duzee 1894c: 136 [n.sp.]; Metcalf 1967a, 6(10a): 166 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola arctostaphyli* (Ball)
Athysanus arctostaphyli Ball 1899c: 172 [n.sp.]; Metcalf 1967a, 6(10a): 169 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola bicolor* Singh-Pruthi
Ophiola bicolor Singh-Pruthi 1936a: 123 [n.sp.]; Metcalf 1967a, 6(10a): 171 [Cat.]
DISTRIBUTION: Pakistan (Metcalf Cat.)
- Ophiola bullata* (Ball)
Thamnotettix bullata Ball 1902a: 17 [n.sp.]; Metcalf 1967a, 6(10a): 171 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ophiola cacheola* Ball
Ophiola cacheola Ball 1928c: 189 [n.sp.]; Metcalf 1967a, 6(10a): 172 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ophiola comptoniana* Ball
Ophiola comptoniana Ball 1928c: 186 [n.sp.]; Metcalf 1967a, 6(10a): 172 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ophiola cornicula* (Marshall)
Cicada striatula Fallén 1806a: 31 [n.sp.]; Metcalf 1967a, 6(10a): 172 [Cat.]
Iassus corniculus Marshall 1866l: 119 [n.sp.]; Metcalf 1967a, 6(10a): 173 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Russia, Balkan region, Great Britain, Mediterranean region, United States, Canada, Japan (Metcalf Cat.)
- Ophiola dasida* (Medler)
Scleroracus dasidus Medler 1955b: 212 [n.sp.]; Metcalf 1967a, 6(10a): 188 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola decumana* (Kontkanen)
Limotettix (*Ophiola*) *decumana* Kontkanen 1949b: 89 [n.subsp. of *russeolus*]; Metcalf 1967a, 6(10a): 188 [Cat.]
DISTRIBUTION: Finland, Russia, Sweden (Metcalf Cat.)
- Ophiola elongata* (Osborn)
Athysanus elongatus Osborn 1915a: 129 [n.sp.]; Metcalf 1967a, 6(10a): 188 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola finitima* (Van Duzee)

- Euscelis finitimus* Van Duzee 1925b: 422 [n.sp.]; Metcalf 1967a, 6(10a): 189 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola flavopicta* (Ishihara)
Omaniella flavopicta Ishihara 1953a: 197 [n.sp.]; Metcalf 1967a, 6(10a): 190 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Ophiola gentilis* (Van Duzee)
Euscelis gentilis Van Duzee 1925b: 420 [n.sp.]; Metcalf 1967a, 6(10a): 190 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola glomerosa* (Ball)
Thamnotettix glomerosa Ball 1910c: 308 [n.sp.]; Metcalf 1967a, 6(10a): 191 [Cat.]
Athysanus calvatus Ball 1916a: 173 [n.sp.]; Metcalf 1967a, 6(10a): 191 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola humida* (Osborn)
Athysanus humidus Osborn 1915a: 131 [n.sp.]; Metcalf 1967a, 6(10a): 191 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola instabilis* (Van Duzee)
Athysanus instabilis Van Duzee 1893a: 284 [n.sp.]; Metcalf 1967a, 6(10a): 192 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola krypta* (Medler)
Scleroracus kryptus Medler 1955b: 213 [n.sp.]; Metcalf 1967a, 6(10a): 194 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola luteola* Sleesman
Ophiola luteola Sleesman 1929a: 120 [n.sp.]; Metcalf 1967a, 6(10a): 194 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola melastigma* (Medler)
Scleroracus melastigma Medler 1955b: 214 [n.sp.]; Metcalf 1967a, 6(10a): 194 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola ocellaris* (Lethierry)
Athysanus ocellaris Lethierry 1880 [in Reiber & Puton 1880a: 65] [n.sp.]; Metcalf 1967a, 6(10a): 195 [Cat.]
DISTRIBUTION: Widespread Europe, Northern Africa, Turkey, Italy, Russia (Metcalf Cat.)
- Ophiola omani* (Medler)
Scleroracus omani Medler 1955b: 215 [n.sp.]; Metcalf 1967a, 6(10a): 195 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola osborni* Ball
Ophiola osborni Ball 1928c: 186 [n.sp.]; Metcalf 1967a, 6(10a): 196 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola plutonia* (Uhler)
Jassus plutonius Uhler 1877a: 470 [n.sp.]; Metcalf 1967a, 6(10a): 196 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola robusta* (Linnauvoori)
Scleroracus robustus Linnauvoori 1953d: 60 [n.sp.]; Metcalf 1967a, 6(10a): 198 [Cat.]
DISTRIBUTION: Northern Russia (Metcalf Cat.)
- Ophiola russeola* (Fallén)
Cicada russeola Fallén 1826a: 34 [n.sp.]; Metcalf 1967a, 6(10a): 199 [Cat.]
DISTRIBUTION: Northern Africa, widespread Europe, Russia, Scandinavia (Metcalf Cat.)
- Ophiola shasta* (Ball)
Athysanus shasta Ball 1916a: 174 [n.sp.]; Metcalf 1967a, 6(10a): 202 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ophiola striatulella* (Edwards)
Thamnotettix striatulellus Edwards 1894a: 102 [n.sp.]; Metcalf 1967a, 6(10a): 203 [Cat.]
DISTRIBUTION: Northern Europe, Great Britain, Northern Africa (Metcalf Cat.)
- Ophiola suturalis* (Matsumura)
Athysanus suturalis Matsumura 1914a: 187 [n.sp.]; Metcalf 1967a, 6(10a): 204 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Ophiola symphoricarpae* (Ball)
Athysanus symphoricarpae Ball 1901a: 5 [n.sp.]; Metcalf 1967a, 6(10a): 204 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ophiola transversa* (Fallén)
Cicada transversa Fallén 1826a: 37 [n.sp.]; Metcalf 1967a, 6(10a): 206 [Cat.]
Cicada lineigera Zetterstedt 1840a: 1076 [n.sp.]; Metcalf 1967a, 6(10a): 206 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Russia (Metcalf Cat.)
- Ophiola transversa* paradoxa (Linnauvoori)
Scleroracus paradoxus Linnauvoori 1953d: 61 [n.subsp. of *transversus*]; Metcalf 1967a, 6(10a): 209 [Cat.]
DISTRIBUTION: Northern Russia (Metcalf Cat.)
- Ophiola uhleri* (Ball)
Athysanus (Conosanus) uhleri Ball 1911a: 200 [n.sp., not nom.nov.]; Metcalf 1967a, 6(10a): 210 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ophiola uhleri* speculata Ball
Ophiola uhleri speculata Ball 1928c: 187 [n.subsp. of *uhleri*]; Metcalf 1967a, 6(10a): 211 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Ophiola vaccinii (Van Duzee)
 Athysanus vaccinii Van Duzee 1890h: 135 [n.sp., not nom.nov.]; Metcalf 1967a, 6(10a): 212 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
Ophiola vara (Ball)
 Athysanus varus Ball 1901a: 5 [n.sp.]; Metcalf 1967a, 6(10a): 214 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Ophiola yatungensis Singh-Pruthi
Ophiola yatungensis Singh-Pruthi 1936a: 125 [n.sp.]; Metcalf 1967a, 6(10a): 215 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
Ophiolix paludosus (Boheman)
 Thamnotettix paludosa Boheman 1845a: 34 [n.sp.]; Metcalf 1967a, 6(10a): 161 [Cat.]
- DISTRIBUTION:** Sweden, Russia, Finland, Norway, Germany, Estonia, Latvia (Metcalf Cat.)
Ophiuchus basilanus Baker
Ophiuchus basilanus Baker 1923a: 394 [n.sp.]; Metcalf 1963b, 6(7): 21 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
Ophiuchus marginatus Baker
Ophiuchus marginatus Baker 1923a: 396 [n.sp.]; Metcalf 1963b, 6(7): 21 [Cat.]
- DISTRIBUTION:** Singapore (Metcalf Cat.)
Ophiuchus montanus Baker
Ophiuchus montanus Baker 1923a: 395 [n.sp.]; Metcalf 1963b, 6(7): 21 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
Ophiuchus pallidus Evans
Ophiuchus pallidus Evans 1938b: 6 [n.sp.]; Metcalf 1963b, 6(7): 22 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
Ophiuchus princeps Distant
Ophiuchus princeps Distant 1918b: 34 [n.sp.]; Metcalf 1963b, 6(7): 22 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Opio multistriga (Walker)
Bythoscopus multistriga Walker 1858a: 105 [n.sp.]; Metcalf 1965b, 6(12): 38 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
Opsioides discussus (Horvath)
Athysanus discussus Horváth 1911d: 596 [n.sp.]; Metcalf 1967a, 6(10a): 451 [Cat.]
- DISTRIBUTION:** Russia, Georgia, Azerbaijan (Metcalf Cat.)
Opsioides heydeni (Lethierry)
Athysanus heydeni Lethierry 1876 [in Lethierry & Puton 1876a: 51] [n.sp.]; Metcalf 1967a, 6(10a): 451 [Cat.]
- Opsioides lethierryi* Wagner 1942a: 121 [unnecessary nom.nov. for *Opsioides heydeni* Leth. 1897]; Metcalf 1967a, 6(10a): 453 [Cat.]
- DISTRIBUTION:** Russia, Germany, Austria, France, Belgium, Armenia, Canary Islands, Egypt, Italy, Libya, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Sweden, Morocco, Sardinia, Atlantic Ocean: Azores (Metcalf Cat.)
Opsioides jucundus (Lethierry)
Athysanus jucundus Lethierry 1874c: 449 [n.sp.]; Metcalf 1967a, 6(10a): 454 [Cat.]
- DISTRIBUTION:** Russia, Algeria, Turkey, Iraq, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Opsioides scutellaris (Lethierry)
Athysanus scutellaris Lethierry 1874c: 449 [n.sp.]; Metcalf 1967a, 6(10a): 455 [Cat.]
- DISTRIBUTION:** Algeria, Libya, China, Canary Islands (Metcalf Cat.)
Opsioides stactogalus Fieber
Opsioides stactogalus Fieber 1866a: 505 [n.sp., not nom.nov.]; Metcalf 1967a, 6(10a): 455 [Cat.]
Jassus (Thamnotettix) *tamaricis* Kirschbaum 1868b: 90 [n.sp.]; Metcalf 1967a, 6(10a): 456 [Cat.]
Eutettix osborni Ball 1907a: 39 [n.sp.]; Metcalf 1967a, 6(10a): 458 [Cat.]
- DISTRIBUTION:** Widespread Europe, Mediterranean region, Great Britain, United States, Canada, Argentina, Panama (Metcalf Cat.)
Opsioides tamaricis (Becker)
Jassus tamaricis Becker 1865a: 490 [n.sp.]; Metcalf 1967a, 6(10a): 463 [Cat.]
- Athysanus pallasi* Lethierry 1874c: 449 [n.sp.]; Metcalf 1967a, 6(10a): 463 [Cat.]
- DISTRIBUTION:** Spain, Russia, Algeria, France, Greece, Tunisia, Turkey, Armenia, Azerbaijan, Georgia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Oragua amulae (Fowler)
Tettigonia amulae Fowler 1899e: 252 [n.sp.]; Metcalf 1965a, 6(1): 294 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Oragua aphrophoroides (Fowler)
Tettigonia aphrophoroides Fowler 1899e: 250 [n.sp.]; Metcalf 1965a, 6(1): 294 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Oragua cervina (Fowler)
Tettigonia cervina Fowler 1899e: 250 [n.sp.]; Metcalf 1965a, 6(1): 294 [Cat.]
- DISTRIBUTION:** Guatemala (Young 1977a)
Oragua guerreroensis (Fowler)
Tettigonia guerreroensis Fowler 1899d: 246 [n.sp.]; Metcalf 1965a, 6(1): 294 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Oragua ignobilis (Fowler)
Tettigonia ignobilis Fowler 1899d: 248 [n.sp.]; Metcalf 1965a, 6(1): 294 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
Oragua nebulosa (Signoret)

- Tettigonia nebulosa* Signoret 1854b:343 [n.sp.];
Metcalf 1965a,6(1):294 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Oragua stylata* (Signoret)
Tettigonia stylata Signoret 1854b:344 [n.sp.]; Metcalf
1965a,6(1):295 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Oragua superflua* (Fowler)
Tettigonia superflua Fowler 1899d:248 [n.sp.];
Metcalf 1965a,6(1):295 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Oragua transfuga* (Fowler)
Tettigonia transfuga Fowler 1899d:247 [n.sp.];
Metcalf 1965a,6(1):295 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Gorgona Isl.
(Young 1977a)
- Oragua variolosa* (Signoret)
Tettigonia variolosa Signoret 1854b:341 [n.sp.];
Metcalf 1965a,6(1):295 [Cat.]
DISTRIBUTION: French Guiana (Young 1977a)
- Oragua velutina* (Fowler)
Tettigonia velutina Fowler 1899e:251 [n.sp.]; Metcalf
1965a,6(1):295 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
- Orechona superba* Melichar
Orechona superba Melichar 1926a:346 [n.sp.];
Metcalf 1965a,6(1):27 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Orechona trifoveolata* Melichar
Orechona trifoveolata Melichar 1926a:346 [n.sp.];
Metcalf 1965a,6(1):27 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Orectogonia flavoscutellata* (Signoret)
Tettigonia flavoscutellata Signoret 1855c:509 [n.sp.];
Metcalf 1965a,6(1):417 [Cat.]
DISTRIBUTION: Brazil, Venezuela, Guyana, United
States (?) (Metcalf Cat.)
- Orectogonia sparsuta* (Signoret)
Tettigonia sparsuta Signoret 1855c:508 [n.sp.];
Metcalf 1965a,6(1):417 [Cat.]
DISTRIBUTION: Venezuela, Colombia, Brazil
(Metcalf Cat.)
- Orientus ishidae* (Matsumura)
Phlepsius ishidae Matsumura 1902a: 382 [n.sp.];
Metcalf 1967a, 6(10a): 708 [Cat.]
Phlepsius tinctorius Sanders & DeLong 1919a: 235
[n.sp.]; Metcalf 1967a, 6(10a): 709 [Cat.]
DISTRIBUTION: United States, Japan, Taiwan,
Korea, Philippines (Metcalf Cat.)
- Orocastus aurarius* Knoll
Orocastus aurarius Knoll 1951c: 182 [n.sp.]; Metcalf
1967b, 6(10b): 1390 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Orocastus omani* Knoll
Orocastus omani Knoll 1951c: 182 [n.sp.]; Metcalf
1967b, 6(10b): 1390 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Orocastus perpusillus* (Ball & DeLong)
Deltacephalus perpusillus Ball & DeLong 1926a: 241
[n.sp.]; Metcalf 1967b, 6(10b): 1390 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Orosius albicinctus* Distant
Orosius albicinctus Distant 1918b: 85 [n.sp.]; Metcalf
1967b, 6(10b): 1670 [Cat.]
DISTRIBUTION: India, Oceania: Norfolk Island
(Australia) (Metcalf Cat.)
- Orosius argentatus* (Evans)
Thamnotettix argentata Evans 1938b: 15 [n.sp.];
Metcalf 1967b, 6(10b): 1671 [Cat.]
DISTRIBUTION: Australia, Malaysia, Oceania: Ulithi
Atoll (Federated States of Micronesia), Oceania:
Kermadec Islands, Oceania: Canton Island
(Phoenix Islands), Africa (?), India (?) (Metcalf
Cat.)
- Orosius filigranus* (Haupt)
Thamnotettix filigranus Haupt 1927a: 30 [n.sp.];
Metcalf 1967b, 6(10b): 1672 [Cat.]
DISTRIBUTION: Israel, Iraq (Metcalf Cat.)
- Orosius maculatus* Singh-Pruthi
Orosius maculatus Singh-Pruthi 1930a: 67 [n.sp.];
Metcalf 1967b, 6(10b): 1672 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Orosius santali* Singh-Pruthi
Orosius santali Singh-Pruthi 1934a: 25 [n.sp.]; Metcalf
1967b, 6(10b): 1672 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Orsalebra robusta* Young
Orsalebra robusta Young 1952b:24 [n.sp.]; Metcalf
1968a,6(17):20 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Ortega truncatipennis* (Signoret)
Scaris obliqua Walker 1851b:833 [n.sp.]; Metcalf
1965a,6(1):604 [Cat.; priority error, ICZN Art.
59b]
Tettigonia truncatipennis Signoret 1854d:717
[nom.nov. for *Scaris obliqua* Walker 1851];
Metcalf 1965a,6(1):604 [Cat.]
DISTRIBUTION: Colombia (Young 1977a)
- Orthojassus philagroides* Jacobi
Orthojassus philagroides Jacobi 1914a:382 [n.sp.];
Metcalf 1964b,6(11):30 [Cat.]
DISTRIBUTION: Taiwan, China (Metcalf Cat.)
- Osbornellus acuminatus* DeLong
Osbornellus acuminatus DeLong 1942c: 93 [n.sp.];
Metcalf 1967c, 6(10c): 2178 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Osbornellus affinis* (Osborn)
Scaphoideus affinis Osborn 1923c: 39 [n.sp.]; Metcalf
1967c, 6(10c): 2178 [Cat.]
DISTRIBUTION: Bolivia, Colombia (Metcalf Cat.)
- Osbornellus alatus* Beamer

- Osbornellus alatus* Beamer 1937d: 105 [n.sp.]; Metcalf 1967c, 6(10c): 2178 [Cat.]
DISTRIBUTION: United States, Mexico (?) (Metcalf Cat.)
- Osbornellus alaudus* DeLong
Osbornellus alaudus DeLong 1942c: 92 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Osbornellus albocinctus* DeLong
Osbornellus albocinctus DeLong 1941e: 266 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus albolineus* DeLong
Osbornellus albolineus DeLong 1941e: 269 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus apicatus* DeLong
Osbornellus apicatus DeLong 1941e: 268 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: Mexico, Panama (Metcalf Cat.)
- Osbornellus appressus* DeLong
Osbornellus appressus DeLong 1942c: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus ater* Beamer
Osbornellus ater Beamer 1937d: 108 [n.sp.]; Metcalf 1967c, 6(10c): 2179 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus auronitens* (Provancher)
Scaphoideus auronitens Provancher 1889a: 276 [n.sp.]; Metcalf 1967c, 6(10c): 2180 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus bifasciatus* Beamer
Osbornellus bifasciatus Beamer 1937d: 97 [n.sp.]; Metcalf 1967c, 6(10c): 2183 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus bimarginatus* (DeLong)
Scaphoideus bimarginatus DeLong 1923 [in Wolcott 1923b: 261] [n.sp.]; Metcalf 1967c, 6(10c): 2184 [Cat.]
DISTRIBUTION: Puerto Rico, Cuba (Metcalf Cat.)
- Osbornellus bimarginatus montanus* Caldwell
Osbornellus bimarginatus montanus Caldwell 1952 [in Caldwell & Martorell 1952a: 51] [n.subsp. of *bimarginatus*]; Metcalf 1967c, 6(10c): 2184 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Osbornellus borealis* DeLong & Mohr
Osbornellus borealis DeLong & Mohr 1936a: 976 [n.sp.]; Metcalf 1967c, 6(10c): 2184 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus capitatus* DeLong & Knoll
Osbornellus capitatus DeLong & Knoll 1941a: 177 [n.sp.]; Metcalf 1967c, 6(10c): 2185 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus clarus* Beamer
Osbornellus clarus Beamer 1937d: 99 [n.sp.]; Metcalf 1967c, 6(10c): 2185 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus concentricus* DeLong
Osbornellus concentricus DeLong 1942c: 98 [n.sp.]; Metcalf 1967c, 6(10c): 2185 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus consors* (Uhler)
Scaphoideus consors Uhler 1889a: 36 [n.sp.]; Metcalf 1967c, 6(10c): 2185 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus corniger* Beamer
Osbornellus corniger Beamer 1937d: 102 [n.sp.]; Metcalf 1967c, 6(10c): 2188 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus curvatus* Beamer
Osbornellus curvatus Beamer 1937d: 101 [n.sp.]; Metcalf 1967c, 6(10c): 2188 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus decorus* Beamer
Osbornellus decorus Beamer 1937d: 98 [n.sp.]; Metcalf 1967c, 6(10c): 2188 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus fasciatus* Metcalf
Osbornellus fasciatus Metcalf 1954c: 31 [n.sp.]; Metcalf 1967c, 6(10c): 2188 [Cat.]
DISTRIBUTION: Bahamas (Metcalf Cat.)
- Osbornellus filamentus* DeLong & Beery
Osbornellus filamenta DeLong & Beery 1937a: 266 [n.sp.]; Metcalf 1967c, 6(10c): 2188 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus fulvomaculatus* (Osborn)
Scaphoideus fulvomaculatus Osborn 1923c: 40 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Osbornellus fumidus* Beamer
Osbornellus fumidus Beamer 1937d: 104 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus furcillatus* DeLong
Osbornellus furcillatus DeLong 1941e: 264 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus grandis* DeLong
Osbornellus grandis DeLong 1942c: 99 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus hyalinus* (Osborn)
Scaphoideus hyalinus Osborn 1923c: 38 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: Bolivia, Brazil, Paraguay (Metcalf Cat.)
- Osbornellus ignavus* Ball

- Osbornellus ignavus* Ball 1936b: 18 [n.sp.]; Metcalf 1967c, 6(10c): 2189 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus infuscatus* Linnavuori
Osbornellus infuscatus Linnavuori 1955a: 102 [n.sp.]; Metcalf 1967c, 6(10c): 2190 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Osbornellus knulli* DeLong & Beery
Osbornellus knulli DeLong & Beery 1937a: 266 [n.sp.]; Metcalf 1967c, 6(10c): 2190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus libratus* DeLong
Osbornellus libratus DeLong 1941e: 267 [n.sp.]; Metcalf 1967c, 6(10c): 2190 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Osbornellus limosus* DeLong
Osbornellus limosus DeLong 1941b: 179 [n.sp.]; Metcalf 1967c, 6(10c): 2190 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus lineatus* Beamer
Osbornellus lineatus Beamer 1937d: 106 [n.sp.]; Metcalf 1967c, 6(10c): 2190 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus mexicanus* (Osborn)
Scaphoideus mexicanus Osborn 1900a: 197 [n.sp.]; Metcalf 1967c, 6(10c): 2191 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Costa Rica (Metcalf Cat.)
- Osbornellus nigrocinctus* DeLong
Osbornellus nigrocinctus DeLong 1942c: 96 [n.sp.]; Metcalf 1967c, 6(10c): 2191 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus omani* Beamer
Osbornellus omani Beamer 1937d: 100 [n.sp.]; Metcalf 1967c, 6(10c): 2191 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus pallidus* Beamer
Osbornellus pallidus Beamer 1937d: 106 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus pandus* DeLong
Osbornellus pandus DeLong 1941e: 267 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus parallelus* DeLong & Knoll
Osbornellus parallelus DeLong & Knoll 1941a: 178 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus puniceus* DeLong
Osbornellus puniceus DeLong 1941e: 264 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus rarus* DeLong
Osbornellus rarus DeLong 1941e: 268 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Osbornellus reversus* DeLong
Osbornellus reversus DeLong 1942c: 100 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus ritanus* Ball
Osbornellus ritanus Ball 1932a: 17 [n.sp.]; Metcalf 1967c, 6(10c): 2192 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus rotundus* Beamer
Osbornellus rotundus Beamer 1937d: 93 [n.sp.]; Metcalf 1967c, 6(10c): 2193 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus rubellus* DeLong
Osbornellus rubellus DeLong 1941e: 266 [n.sp.]; Metcalf 1967c, 6(10c): 2193 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus rurrens* DeLong
Osbornellus rurrens DeLong 1941e: 265 [n.sp.]; Metcalf 1967c, 6(10c): 2193 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus salsus* DeLong
Osbornellus salsus DeLong 1942c: 95 [n.sp.]; Metcalf 1967c, 6(10c): 2193 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus scalaris* (Van Duzee)
Scaphoideus scalaris Van Duzee 1890e: 51 [n.sp.]; Metcalf 1967c, 6(10c): 2194 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Osbornellus separatus* DeLong
Osbornellus separatus DeLong 1942c: 97 [n.sp.]; Metcalf 1967c, 6(10c): 2196 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Osbornellus spicatus* Beamer
Osbornellus spicatus Beamer 1937d: 103 [n.sp.]; Metcalf 1967c, 6(10c): 2196 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus spinosus* DeLong
Osbornellus spinosus DeLong 1942c: 98 [n.sp.]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus tenuis* Beamer
Osbornellus tenuis Beamer 1937d: 97 [n.sp.]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornellus trimaculatus* DeLong
Osbornellus trimaculatus DeLong 1942c: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus tripartitus* DeLong
Osbornellus tripartitus DeLong 1941e: 265 [n.sp.]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus tumidus* DeLong

- Osbornellus tumidus* DeLong 1942c: 100 [n.sp.]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Osbornellus unicolor* (Osborn)
Scaphoideus unicolor Osborn 1900a: 196 [n.subsp. of *consors*]; Metcalf 1967c, 6(10c): 2197 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Osbornitettix metrosideri* (Osborn)
Calotettix metrosideri Osborn 1934b: 247 [n.sp.]; Metcalf 1967c, 6(10c): 2339 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Osbornitettix metrosideri tincta* (Osborn)
Calotettix metrosideri tincta Osborn 1934b: 248 [n.subsp. of *metrosideri*]; Metcalf 1967c, 6(10c): 2339 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Ossana bicolor* Distant
Ossana bicolor Distant 1914m:519 [n.sp.]; Metcalf 1966c, 6(15): 117 [Cat.]
DISTRIBUTION: Nigeria (Metcalf Cat.)
- Ossiannilssonola antigone* (McAtee)
Typhlocyba antigone McAtee 1926a: 8 [n.sp.]; Metcalf 1968a, 6(17): 955 [Cat.]
Typhlocyba eurydice distincta McAtee 1926a: 38 [n.subsp. of *eurydice*]; Metcalf 1968a, 6(17): 955 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola appendiculata* (Malloch)
Typhlocyba appendiculata Malloch 1920a: 95 [n.sp.]; Metcalf 1968a, 6(17): 955 [Cat.]
Typhlocyba gillettei sellata McAtee 1926a: 25 [n.subsp. of *gillettei*]; Metcalf 1968a, 6(17): 955 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ossiannilssonola australis* (Walsh)
Erythroneura australis Walsh 1862a: 149 [n.sp.]; Metcalf 1968a, 6(17): 956 [Cat.]
Typhlocyba nicarete McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 957 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola bangsoni* Christian
Ossiannilssonola bangsoni Christian 1953a: 1145 [n.sp.]; Metcalf 1968a, 6(17): 957 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola berenice* (McAtee)
Typhlocyba berenice McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 958 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ossiannilssonola clymene* (McAtee)
Typhlocyba clymene McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 958 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Ossiannilssonola danae* (McAtee)
Typhlocyba danae McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 959 [Cat.]
Typhlocyba eurydice McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 959 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola duplicata* (McAtee)
Typhlocyba duplicata McAtee 1926a: 9 [n.sp.]; Metcalf 1968a, 6(17): 960 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ossiannilssonola flavomarginata* (Gillette & Baker)
Typhlocyba flavomarginata Gillette & Baker 1895a: 112 [n.sp.]; Metcalf 1968a, 6(17): 960 [Cat.]
Typhlocyba flavomarginata media McAtee 1926a: 18 [n.subsp. of *flavomarginata*]; Metcalf 1968a, 6(17): 960 [Cat.]
Typhlocyba flavomarginata scorta McAtee 1926a: 18 [n.subsp. of *flavomarginata*]; Metcalf 1968a, 6(17): 961 [Cat.]
Typhlocyba flavomarginata vesta McAtee 1926a: 18 [n.subsp. of *flavomarginata*]; Metcalf 1968a, 6(17): 961 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola hermione* (McAtee)
Typhlocyba hermione McAtee 1926a: 35 [n.sp.]; Metcalf 1968a, 6(17): 962 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola hinei* (Knull)
Typhlocyba hinei Knull 1945a: 272 [n.sp.]; Metcalf 1968a, 6(17): 962 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola knulli* Christian
Ossiannilssonola knulli Christian 1953a: 1154 [n.sp.]; Metcalf 1968a, 6(17): 962 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola macteei* Christian
Ossiannilssonola macteei Christian 1953a: 1148 [n.sp.]; Metcalf 1968a, 6(17): 962 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola phryne* (McAtee)
Typhlocyba phryne McAtee 1926a: 9 [n.sp.]; Metcalf 1968a, 6(17): 963 [Cat.]
Typhlocyba phryne subpulchra McAtee 1926a: 35 [n.subsp. of *phryne*]; Metcalf 1968a, 6(17): 963 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Ossiannilssonola quadrata* (DeLong & Johnson)
Typhlocyba quadrata DeLong & Johnson 1936a: 102 [n.sp.]; Metcalf 1968a, 6(17): 963 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola rossi* Christian

- Ossiannilssonola rossi Christian 1953a:1153 [n.sp.]; Metcalf 1968a,6(17):964 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola serrula (Ross & DeLong)
Typhlocyba serrula Ross & DeLong 1949a:118 [n.sp.]; Metcalf 1968a,6(17):964 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola troza (Ross & DeLong)
Typhlocyba troza Ross & DeLong 1949a:117 [n.sp.]; Metcalf 1968a,6(17):964 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola tunicarubra (Gillette)
Typhlocyba tunicarubra Gillette 1898a:752 [n.sp.]; Metcalf 1968a,6(17):965 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ossiannilssonola volans (McAtee)
Typhlocyba volans McAtee 1919b:225 [n.subsp. of *querici*]; Metcalf 1968a,6(17):966 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Oxycorpha spatulata (Signoret)
Tettigonia spatulata Signoret 1854d:722 [n.sp.]; Metcalf 1965a,6(1):414 [Cat.]
DISTRIBUTION: Colombia, Brazil, Grenada (Metcalf Cat.)
- Oxygonalia ignifera (Walker)
Ciccus ignifer Walker 1851b:804 [n.sp.]; Metcalf 1965a,6(1):412 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Oxytettigella viridinervis (Kirschbaum)
Jassus (*Thamnotettix*) viridinervis Kirschbaum 1868b: 97 [n.sp.]; Metcalf 1967a, 6(10a): 335 [Cat.]
DISTRIBUTION: Italy, Spain, Portugal, Scandinavia, Russia (Metcalf Cat.)
- Ozias pedestris Jacobi
Ozias pedestris Jacobi 1912a:40 [n.sp.]; Metcalf 1962d,6(5):80 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Pachitea habenula (Jacobi)
Tettigoniella habenula Jacobi 1905c:183 [n.sp.]; Metcalf 1965a,6(1):411 [Cat.]
DISTRIBUTION: India (Young 1986a)
- Pachyledra kamerunensis Schumacher
Pachyledra kamerunensis Schumacher 1912b:249 [n.sp.]; Metcalf 1962c,6(4):84 [Cat.]
DISTRIBUTION: Cameroon, Nigeria (Metcalf Cat.)
- Pachymetopius decoratus [sic] Matsumura
Pachymetopius decoratus Matsumura 1914a: 218 [n.sp.]; Metcalf 1966d, 6(16): 232 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Pachyopsis laeta Uhler
Pachyopsis laetus Uhler 1877a:466 [n.sp.]; Metcalf 1966c,6(15):95 [Cat.]
Macropsis idioceroides Baker 1900a:55 [n.sp.]; Metcalf 1966c,6(15):96 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Pachyopsis laeta paeta (Ball)
Macropsis laeta paeta Ball 1900d:130 [n.subsp. of *laeta*]; Metcalf 1966c,6(15):97 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paganalia virescens Distant
Paganalia virescens Distant 1917a: 314 [n.sp.]; Metcalf 1967c, 6(10c): 2175 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Pagaronia confusa Oman
Pagaronia confusa Oman 1938c:167 [n.sp.]; Metcalf 1963c,6(8):14 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Pagaronia furcata Oman
Pagaronia furcata Oman 1938c:168 [n.sp.]; Metcalf 1963c,6(8):15 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Pagaronia mollicella (Fowler)
Tettigonia mollicella Fowler 1900d:289 [n.sp.]; Metcalf 1963c,6(8):15 [Cat.]
DISTRIBUTION: Mexico, Belize, Guatemala, Costa Rica, Panama, Colombia, Venezuela, French Guiana, Ecuador, Bolivia, Paraguay, Brazil, Argentina (Young 1977a)
- Pagaronia tredecimpunctata Ball
Pagaronia tredecimpunctata Ball 1902a:20 [n.sp.]; Metcalf 1963c,6(8):15 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Pagaronia tredecimpunctata octopunctata Kirkaldy
Pagaronia tredecimpunctata octopunctata Kirkaldy 1909e:70 [n.subsp. of *tredecimpunctata*]; Metcalf 1963c,6(8):16 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Pagaronia triunata Ball
Pagaronia triunata Ball 1902a:20 [n.subsp. of *tredecimpunctata*]; Metcalf 1963c,6(8):17 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paivanana durga Distant
Paivanana durga Distant 1918b: 96 [n.sp.]; Metcalf 1967b, 6(10b): 1673 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Paivanana indra (Distant)
Typhlocyba indra Distant 1908g: 415 [n.sp.]; Metcalf 1967b, 6(10b): 1673 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Paluda gladiola (Ball)
Thamnotettix gladiola Ball 1910c: 309 [n.sp.]; Metcalf 1967a, 6(10a): 841 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paluda mella (Sanders & DeLong)
Thamnotettix placidus Osborn 1905a: 536 [n.sp.]; Metcalf 1967a, 6(10a): 841 [Cat.]
Thamnotettix mellus Sanders & DeLong 1917a: 91 [n.sp.]; Metcalf 1967a, 6(10a): 841 [Cat.]

- Thamnotettix placatus* Baker 1924d: 367 [nom.nov.]
for *Thamnotettix placidus* Osborn 1905; Metcalf
1967a, 6(10a): 842 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Pamplona feralis* (Fowler)
Tettigonia feralis Fowler 1899e:254 [n.sp.]; Metcalf
1965a, 6(1):401 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
- Papallacta haenschi* Schmidt
Papallacta haenschi Schmidt 1932a:49 [n.sp.]; Metcalf
1965a, 6(1):658 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Parabolitus anceps* Naudé
Parabolitus anceps Naudé 1926a:37 [n.sp.]; Metcalf
1963d, 6(9):24 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Parabolocratialis elongatus* Evans
Parabolocratialis elongatus Evans 1955a:13 [n.sp.];
Metcalf 1963d, 6(9):49 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Parabolocratialis lusingae* Evans
Parabolocratialis lusingae Evans 1955a:12 [n.sp.];
Metcalf 1963d, 6(9):49 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Parabolocratialis platalis* Evans
Parabolocratialis platalis Evans 1955a:11 [n.sp.];
Metcalf 1963d, 6(9):49 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Parabolocratialis viridis* Evans
Parabolocratialis viridis Evans 1955a:10 [n.sp.];
Metcalf 1963d, 6(9):49 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Parabolocratus aegyptiacus* Signoret
Parabolocratus aegyptiacus Signoret 1879a:277
[n.sp.]; Metcalf 1963d, 6(9):28 [Cat.]
DISTRIBUTION: Egypt (Metcalf Cat.)
- Parabolocratus albomaculata* (Distant)
Thomsoniella albomaculata Distant 1908g:280 [n.sp.];
Metcalf 1963d, 6(9):29 [Cat.]
DISTRIBUTION: India, Sri Lanka, Philippines, East
Indonesia (Metcalf Cat.)
- Parabolocratus arenarius* Horváth
Parabolocratus arenarius Horváth 1897b:627 [n.sp.];
Metcalf 1963d, 6(9):29 [Cat.]
DISTRIBUTION: Hungary, Israel, Iran, Czech
Republic, Slovakia (Metcalf Cat.)
- Parabolocratus atascaderus* Ball
Parabolocratus atascaderus Ball 1933c:223 [n.sp.];
Metcalf 1963d, 6(9):30 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus attenuatus* Shaw
Parabolocratus attenuatus Shaw 1932a:40 [n.sp.];
Metcalf 1963d, 6(9):30 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus attenuatus* purpureus Ball
Parabolocratus attenuatus purpureus Ball 1933c:223
[n.subsp. of attenuatus]; Metcalf 1963d, 6(9):30
[Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus australis* Evans
Parabolocratus [sic] australis Evans 1941e:fig.13
[n.sp.]; Metcalf 1963d, 6(9):30 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Parabolocratus brunneus* Ball
Parabolocratus brunneus Ball 1900a:71 [n.sp.];
Metcalf 1963d, 6(9):31 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus citrinus* Evans
Parabolocratus citrinus Evans 1941e:36 [n.sp.];
Metcalf 1963d, 6(9):31 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Parabolocratus concentricus* Matsumura
Parabolocratus concentricus Matsumura 1940d:36
[n.sp.]; Metcalf 1963d, 6(9):31 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Parabolocratus constrictus* DeLong
Parabolocratus constrictus DeLong 1938d:302 [n.sp.];
Metcalf 1963d, 6(9):31 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus continuus* DeLong
Parabolocratus continuus DeLong 1938c:301 [n.sp.];
Metcalf 1963d, 6(9):31 [Cat.]
Parabolocratus inflatus DeLong 1938d:301 [n.sp.];
Metcalf 1963d, 6(9):31 [Cat.]
DISTRIBUTION: Canada, United States (Metcalf
Cat.)
- Parabolocratus curtus* Shaw
Parabolocratus curtus Shaw 1932a:41 [n.sp.]; Metcalf
1963d, 6(9):32 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus dubius* Bierman
Parabolocratus dubius Bierman 1910a:64 [n.sp.];
Metcalf 1963d, 6(9):32 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Parabolocratus dubius* (Melichar)
Hecalus dubius Melichar 1904a:36 [n.sp.]; Metcalf
1963d, 6(9):32 [Cat.]
DISTRIBUTION: Somalia, Ethiopia, Algeria, Kenya,
Uganda, Tanzania (Metcalf Cat.)
- Parabolocratus elongatus* DeLong
Parabolocratus elongatus DeLong 1938d:302 [n.sp.];
Metcalf 1963d, 6(9):32 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus erythropygus* Kusnezov
Parabolocratus erythropygus Kusnezov 1929b:176
[n.sp.]; Metcalf 1963d, 6(9):32 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Parabolocratus eximius* (Kirschbaum)
Jassus (Deltoccephalus) eximius Kirschbaum
1868b:128 [n.sp.]; Metcalf 1963d, 6(9):33 [Cat.]

- DISTRIBUTION:** Italy, Iran, Israel, Spain (Metcalf Cat.)
- Parabolocratus fenestrellus** Ball
Parabolocratus fenestrellus Ball 1937a:130 [n.sp.]; Metcalf 1963d,6(9):33 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus ferrugineus** Melichar
Parabolocratus ferrugineus Melichar 1914g:7 [n.sp.]; Metcalf 1963d,6(9):33 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
- Parabolocratus flavidus** Signoret
Parabolocratus flavidus Signoret 1879b:276 [n.sp.]; Metcalf 1963d,6(9):34 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus florii** (Stål)
Hecalus florii Stål 1870c:737 [n.sp.]; Metcalf 1963d,6(9):35 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Parabolocratus glaucescens** Fieber
Parabolocratus glaucescens Fieber 1866a:513 [n.sp.]; Metcalf 1963d,6(9):35 [Cat.]
Parabolocratus storai Lindberg 1936a:4 [n.sp.]; Metcalf 1963d,6(9):36 [Cat.]
DISTRIBUTION: Spain, Russia, Italy, Hungary, Tunisia, Portugal, Iran, Romania, Morocco, Kazakstan, Algeria, Canary Islands, France, Cyprus, Turkmenistan (Metcalf Cat.)
- Parabolocratus grandis** Shaw
Parabolocratus grandis Shaw 1932a:44 [n.sp.]; Metcalf 1963d,6(9):37 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus hepneri** Beamer
Parabolocratus hepneri Beamer 1948b:63 [n.sp.]; Metcalf 1963d,6(9):37 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus ikumae** Matsumura
Parabolocratus ikumae Matsumura 1915a:170 [n.sp.]; Metcalf 1963d,6(9):38 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
- Parabolocratus kansiensis** Shaw
Parabolocratus kansiensis Shaw 1932a:47 [n.sp.]; Metcalf 1963d,6(9):38 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus katoi** Metcalf
Parabolocratus lineatus Kato 1933c:7 [n.sp.]; Metcalf 1963d,6(9):38 [Cat.]
Parabolocratus katoi Metcalf 1963d:38 [nom.nov. for *Parabolocratus lineatus* Kato 1933]; Metcalf 1963d,6(9):38 [Cat.]
DISTRIBUTION: China, Japan (Metcalf Cat.)
- Parabolocratus lacteus** Melichar
Parabolocratus lacteus Melichar 1922a:302 [n.sp.]; Metcalf 1963d,6(9):38 [Cat.]
DISTRIBUTION: Ethiopia (Metcalf Cat.)
- Parabolocratus lineatus** Horváth
Parabolocratus lineatus Horváth 1899a:370 [n.sp.]; Metcalf 1963d,6(9):38 [Cat.]
DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Parabolocratus lippensi** Evans
Parabolocratus lippensi Evans 1955b:6 [n.sp.]; Metcalf 1963d,6(9):39 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Parabolocratus lutescens** Distant
Parabolocratus lutescens Distant 1918b:31 [n.sp.]; Metcalf 1963d,6(9):39 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Parabolocratus major** Osborn
Parabolocratus major Osborn 1915a:110 [n.sp.]; Metcalf 1963d,6(9):39 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Parabolocratus mandlensis** Singh-Pruthi
Parabolocratus mandlensis Singh-Pruthi 1930a:20 [n.sp.]; Metcalf 1963d,6(9):40 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Parabolocratus minutus** Bierman
Parabolocratus minutus Bierman 1910a:63 [n.sp.]; Metcalf 1963d,6(9):40 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Parabolocratus montanus** Ball
Parabolocratus montanus Ball 1900a:71 [n.sp.]; Metcalf 1963d,6(9):40 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Parabolocratus nigrafasciatus** Beamer
Parabolocratus nigrafasciatus Beamer 1938c:82 [n.sp.]; Metcalf 1963d,6(9):40 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus nimbosus** Ball
Parabolocratus nimbosus Ball 1937a:129 [n.sp.]; Metcalf 1963d,6(9):41 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus nitobei** Matsumura
Parabolocratus nitobei Matsumura 1912b:286 [n.sp.]; Metcalf 1963d,6(9):41 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Parabolocratus okinawensis** Matsumura
Parabolocratus okinawensis Matsumura 1906b:32 [n.sp.]; Metcalf 1963d,6(9):41 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Parabolocratus planus** Shaw
Parabolocratus planus Shaw 1932a:48 [n.sp.]; Metcalf 1963d,6(9):41 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Parabolocratus prasinus** Matsumura
Parabolocrates [sic] *prasinus* Matsumura 1905a:48 [n.sp.]; Metcalf 1963d,6(9):42 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Parabolocratus rotundus** DeLong
Parabolocratus rotundus DeLong 1938d:302 [n.sp.]; Metcalf 1963d,6(9):42 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Parabolocratus rusticus Distant
Thomsoniella viridis Distant 1908g:280 [n.sp.];
 Metcalf 1963d,6(9):43 [Cat.]
Parabolocratus rusticus Distant 1918b:31 [nom.nov.
 for *Thomsoniella viridis* Distant 1908]; Metcalf
 1963d,6(9):43 [Cat.]
DISTRIBUTION: India, West Indonesia (Metcalf
 Cat.)
Parabolocratus spadix Ball
Parabolocratus spadix Ball 1937a:130 [n.sp.]; Metcalf
 1963d,6(9):43 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Parabolocratus taenionotus Jacobi
Parabolocratus taenionotus Jacobi 1904a:780 [n.sp.];
 Metcalf 1963d,6(9):43 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
Parabolocratus taiwanus Matsumura
Parabolocratus taiwanus Matsumura 1912b:286
 [n.sp.]; Metcalf 1963d,6(9):43 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
Parabolocratus tripunctatus Matsumura
Parabolocratus tripunctatus Matsumura 1915a:170
 [n.sp.]; Metcalf 1963d,6(9):44 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
Parabolocratus unicolor Jacobi
Parabolocratus unicolor Jacobi 1910b:124 [n.sp.];
 Metcalf 1963d,6(9):44 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
Parabolocratus virescens Distant
Parabolocratus virescens Distant 1910e:239 [n.sp.];
 Metcalf 1963d,6(9):44 [Cat.]
DISTRIBUTION: Madagascar, South Africa, Zaire
 (Metcalf Cat.)
Parabolocratus viridis (Uhler)
Glossocratus viridis Uhler 1877a:462 [n.sp.]; Metcalf
 1963d,6(9):44 [Cat.]
Parabolocratus terminus DeLong 1938d:301 [n.sp.];
 Metcalf 1963d,6(9):47 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Parabolocratus wallengrenii (Stål)
Hecalus wallengrenii Stål 1870c:736 [n.sp.]; Metcalf
 1963d,6(9):48 [Cat.]
DISTRIBUTION: Philippines, India (Metcalf Cat.)
Parabolopona camphorae Matsumura
Parabolopona camphorae Matsumura 1912b:288
 [n.sp.]; Metcalf 1966c,6(15):139 [Cat.]
DISTRIBUTION: Japan (Webb 1981b)
Parabolopona guttata (Uhler)
Parabolocratus guttatus Uhler 1896a:291 [n.sp.];
 Metcalf 1966c,6(15):139 [Cat.]
DISTRIBUTION: Japan, Taiwan, Philippines (Metcalf
 Cat.)
Paracatua rubrolimbata (Signoret)
Tettigonia rubrolimbata Signoret 1854d:718 [n.sp.];
 Metcalf 1965a,6(1):232 [Cat.]
DISTRIBUTION: Colombia, Venezuela (Young
 1977a)
Paracicadula coniceps Osborn
Paracicadula coniceps Osborn 1934b:260 [n.sp.];
 Metcalf 1963b,6(7):17 [Cat.]
DISTRIBUTION: Oceania: Marquesas Islands
 (Metcalf Cat.)
Paracoelidea fusconeura Oman
Paracoelidia [sic] *fusconeura* Oman 1930a:78 [n.sp.];
 Metcalf 1964b,6(11):105 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Paracoelidea mexicana DeLong
Paracoelidia [sic] *mexicana* DeLong 1953a:102
 [n.sp.]; Metcalf 1964b,6(11):105 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Paracoelidea teretis Beamer
Paracoelidia [sic] *teretis* Beamer 1936e:31 [n.sp.];
 Metcalf 1964b,6(11):105 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Paracoelidea tuberculata Baker
Paracoelidea tuberculata Baker 1898h:292 [n.sp.];
 Metcalf 1964b,6(11):105 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Paradorydium angolensis Evans
Paradorydium angolensis Evans 1947a:253 [n.sp.];
 Metcalf 1963d,6(9):109 [Cat.]
DISTRIBUTION: Angola (Metcalf Cat.)
Paradorydium aurantium (Naudé)
Dorydium aurantium Naudé 1926a:32 [n.sp.]; Metcalf
 1963d,6(9):109 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Paradorydium breviceps (Melichar)
Dorydium breviceps Melichar 1902c:125 [n.sp.];
 Metcalf 1963d,6(9):109 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
Paradorydium casuarinae Evans
Paradorydium casuarinae Evans 1936a:47 [n.sp.];
 Metcalf 1963d,6(9):110 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Paradorydium elongatum (Naudé)
Dorydium elongatum Naudé 1926a:31 [n.sp.]; Metcalf
 1963d,6(9):110 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Paradorydium foveolatum (Signoret)
Dorydium foveolatum Signoret 1880a:44 [n.sp.];
 Metcalf 1963d,6(9):110 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Paradorydium menalus Kirkaldy
Paradorydium menalus Kirkaldy 1906c:339 [n.sp.];
 Metcalf 1963d,6(9):110 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Paradorydium occidentale Lindberg
Paradorydium occidentale Lindberg 1954a:208 [n.sp.];
 Metcalf 1963d,6(9):110 [Cat.]

- DISTRIBUTION:** Canary Islands (Metcalf Cat.)
Paradorydium paradoxum (Herrick-Schaeffer)
Jassus paradoxus Herrick-Schaeffer 1837a:6 [n.sp.];
 Metcalf 1963d,6(9):111 [Cat.]
Dorydium lanceolatum Burmeister 1839a:4 [n.sp.];
 Metcalf 1963d,6(9):111 [Cat.]
DISTRIBUTION: Widespread Europe, Western
 Mediterranean, Northern Africa, Russia (Metcalf
 Cat.)
Paradorydium philpotti Myers
Paradorydium philpotti Myers 1923a:417 [n.sp.];
 Metcalf 1963d,6(9):113 [Cat.]
DISTRIBUTION: New Zealand (Metcalf Cat.)
Paradorydium pseudolyricen Kirkaldy
Paradorydium pseudolyricen Kirkaldy 1906c:340
 [n.sp.]; Metcalf 1963d,6(9):113 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Paradorydium quadrigonum (Naudé)
Dorydium quadrigonum Naudé 1926a:32 [n.sp.];
 Metcalf 1963d,6(9):113 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Paradorydium sefrense (Puton)
Dorydium sefrense Puton 1898b:274 [n.sp.]; Metcalf
 1963d,6(9):113 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
Paradorydium spatulatum (Naudé)
Dorydium spatulatum Naudé 1926a:33 [n.sp.];
 Metcalf 1963d,6(9):113 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Paradorydium upembae Evans
Paradorydium upembae Evans 1955a:14 [n.sp.];
 Metcalf 1963d,6(9):114 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
Paraganus spinosus Linnauvori
Paraganus spinosus Linnauvori 1955a: 111 [n.sp.];
 Metcalf 1967b, 6(10b): 1241 [Cat.]
DISTRIBUTION: Paraguay (Metcalf Cat.)
Paragonalia sanguinicollis (Latreille)
Tettigonia sanguinicollis Latreille 1811a:191 [n.sp.];
 Metcalf 1965a,6(1):257 [Cat.]
Tettigonia farinaria Amyot & Serville 1843b:733
 [n.sp.]; Metcalf 1965a,6(1):257 [Cat.]
DISTRIBUTION: Suriname (Young 1977a)
Paralaeviccephalus nigrifemoratus (Matsumura)
Deltaecephalus nigrifemoratus Matsumura 1902a: 399
 [n.sp.]; Metcalf 1967b, 6(10b): 1307 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Paralimnus albomaculatus Distant
Paralimnus albomaculatus Distant 1908g: 397 [n.sp.];
 Metcalf 1967b, 6(10b): 1867 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia, India,
 Zaire (Metcalf Cat.)
Paralimnus confuscus Singh-Pruthi
Paralimnus confuscus Singh-Pruthi 1936a: 129 [n.sp.];
 Metcalf 1967b, 6(10b): 1867 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Paralimnus exiguum Melichar
Paralimnus exiguum Melichar 1914b: 135 [n.sp.];
 Metcalf 1967b, 6(10b): 1867 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
Paralimnus facialis Distant
Paralimnus facialis Distant 1918b: 62 [n.sp.]; Metcalf
 1967b, 6(10b): 1868 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Paralimnus fallaciosus Matsumura
Paralimnus fallaciosus Matsumura 1902a: 387 [n.sp.];
 Metcalf 1967b, 6(10b): 1868 [Cat.]
DISTRIBUTION: Iran, Japan, Korea, Pakistan
 (Metcalf Cat.)
Paralimnus fuscus Melichar
Paralimnus fuscus Melichar 1914b: 134 [n.sp.];
 Metcalf 1967b, 6(10b): 1868 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
Paralimnus lateralis (Walker)
Bythoscopus lateralis Walker 1857b: 173 [n.sp.];
 Metcalf 1967b, 6(10b): 1869 [Cat.]
Thamnotettix alboguttulatus Melichar 1903b: 184
 [n.sp.]; Metcalf 1967b, 6(10b): 1869 [Cat.]
DISTRIBUTION: Borneo, Sri Lanka, Tanzania, India,
 West Indonesia, Taiwan (Metcalf Cat.)
Paralimnus lefroyi Distant
Paralimnus lefroyi Distant 1918b: 63 [n.sp.]; Metcalf
 1967b, 6(10b): 1869 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Paralimnus minor Kusnezov
Paralimnus minor Kusnezov 1929a: 319 [n.sp.];
 Metcalf 1967b, 6(10b): 1869 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
Paralimnus phragmitis (Boheman)
Thamnotettix phragmitis Boheman 1847b: 265 [n.sp.];
 Metcalf 1967b, 6(10b): 1870 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Great Britain, Russia, Japan, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan
 (Metcalf Cat.)
Paralimnus phragmitis lugens (Horváth)
Deltaecephalus phragmitis lugens Horváth 1897b: 632
 [n.subsp. of *phragmitis*]; Metcalf 1967b, 6(10b):
 1874 [Cat.]
DISTRIBUTION: Hungary, Armenia, Azerbaijan,
 Georgia, Germany, Netherlands, Russia (Metcalf
 Cat.)
Paralimnus picturatus Haupt
Paralimnus picturatus Haupt 1930c: 207 [n.sp.];
 Metcalf 1967b, 6(10b): 1875 [Cat.]
DISTRIBUTION: Turkey (Metcalf Cat.)
Paralimnus pulchellus (Rey)
Deltaecephalus pulchellus Rey 1891a: 251 [n.sp.];
 Metcalf 1967b, 6(10b): 1875 [Cat.]

- DISTRIBUTION:** France, Russia, Belgium, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
- Paralimnus rotundiceps** (Lethierry)
Deltacephalus rotundiceps Lethierry 1885a: 111
 [n.sp.]; Metcalf 1967b, 6(10b): 1876 [Cat.]
- DISTRIBUTION:** France, Hungary, Austria, Belgium, Germany, Switzerland, Norway, Finland, Sweden, Italy, England (Metcalf Cat.)
- Paralimnus silhouettensis** Distant
Paralimnus silhouettensis Distant 1917a: 320 [n.sp.];
 Metcalf 1967b, 6(10b): 1877 [Cat.]
- DISTRIBUTION:** Seychelles Island (Metcalf Cat.)
- Paralimnus tamagawanus** Matsumura
Paralimnus tamagawanus Matsumura 1914a: 207
 [n.sp.]; Metcalf 1967b, 6(10b): 1877 [Cat.]
- DISTRIBUTION:** Japan, Korea (Metcalf Cat.)
- Paralimnus tredecimpunctatus** Lindberg
Paralimnus tredecimpunctatus Lindberg 1929b: 6
 [n.sp.]; Metcalf 1967b, 6(10b): 1877 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Paralimnus umbratus** (Melichar)
Thamnotettix umbratus Melichar 1903b: 185 [n.sp.];
 Metcalf 1967b, 6(10b): 1878 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Parallaxis beata** McAtee
Parallaxis beata McAtee 1926b:154 [n.subsp. of
 tessellata]; Metcalf 1968a,6(17):101 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Parallaxis colorata** Linnavuori
Parallaxis colorata Linnavuori 1954f:154 [n.sp.];
 Metcalf 1968a,6(17):102 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Parallaxis donaldsoni** (Baker)
Erythria donaldsoni Baker 1903c:4 [n.sp.]; Metcalf
 1968a,6(17):102 [Cat.]
- Parallaxis diffusa** Ruppel & DeLong 1953b:181
 [n.sp.]; Metcalf 1968a,6(17):102 [Cat.]
- DISTRIBUTION:** Nicaragua, Mexico, Costa Rica, Venezuela, Brazil, Paraguay, Argentina, Panama (Metcalf Cat.)
- Parallaxis guzmani** (Baker)
Erythria guzmani Baker 1903c:4 [n.sp.]; Metcalf
 1968a,6(17):102 [Cat.]
- Parallaxis clathrata** McAtee 1926b:154 [n.sp.];
 Metcalf 1968a,6(17):102 [Cat.]
- DISTRIBUTION:** Nicaragua, Honduras, Panama, Mexico, Costa Rica, Peru, Guatemala (Metcalf Cat.)
- Parallaxis imitans** Linnavuori
Parallaxis imitans Linnavuori 1954f:161 [n.sp.];
 Metcalf 1968a,6(17):103 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Parallaxis jalapai** DeLong & Ruppel
Parallaxis jalapai DeLong & Ruppel 1951b:36 [n.sp.];
 Metcalf 1968a,6(17):103 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Parallaxis ornata** Osborn
Parallaxis ornata Osborn 1928a:266 [n.sp.]; Metcalf
 1968a,6(17):103 [Cat.]
- DISTRIBUTION:** Colombia (Metcalf Cat.)
- Parallaxis permunda** (Stål)
Typhlocyba permunda Stål 1862e:56 [n.sp.]; Metcalf
 1968a,6(17):103 [Cat.]
- DISTRIBUTION:** Brazil, Paraguay, Argentina (Metcalf Cat.)
- Parallaxis praenubila** Linnavuori
Parallaxis praenubila Linnavuori 1954f:153 [n.sp.];
 Metcalf 1968a,6(17):104 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Parallaxis respsra** McAtee
Parallaxis respsra McAtee 1926b:154 [n.sp.]; Metcalf
 1968a,6(17):104 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Parallaxis respsra** decrepita McAtee
Parallaxis respsra decrepita McAtee 1926b:156
 [n.subsp. of respsra]; Metcalf 1968a,6(17):104
 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Parallaxis rufula** Osborn
Parallaxis rufula Osborn 1928a:267 [n.sp.]; Metcalf
 1968a,6(17):104 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Parallaxis tessellata** McAtee
Parallaxis tessellata McAtee 1926b:154 [n.sp.];
 Metcalf 1968a,6(17):104,105 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Parallaxis tessellata** mendica McAtee
Parallaxis tessellata mendica McAtee 1926b:155
 [n.subsp. of tessellata]; Metcalf 1968a,6(17):105
 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Parallaxis vacillans** McAtee
Parallaxis vacillans McAtee 1926b:154 [n.sp.];
 Metcalf 1968a,6(17):105 [Cat.]
- DISTRIBUTION:** Brazil, Honduras, Mexico, Colombia, Bolivia (Metcalf Cat.)
- Parallygus divaricatus** Melichar
Parallygus divaricatus Melichar 1903b: 179 [n.sp.];
 Metcalf 1967a, 6(10a): 548 [Cat.]
- DISTRIBUTION:** Sri Lanka, Taiwan, India (Metcalf Cat.)
- Paramacroceps fouquei** Bergevin
Paramacroceps fouquei Bergevin 1926a:34 [n.sp.];
 Metcalf 1966a,6(14):160 [Cat.]
- DISTRIBUTION:** Algeria (Metcalf Cat.)
- Paramacroceps kiritshenkoi** Bergevin
Paramacroceps kiritshenkoi Bergevin 1926a:32
 [n.sp.]; Metcalf 1966a,6(14):160 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)

- Paramelia pallida* Evans
Paramelia pallida Evans 1954a: 125 [n.sp.]; Metcalf 1967c, 6(10c): 2243 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Paramelia typica* Evans
Paramelia typica Evans 1954a: 125 [n.sp.]; Metcalf 1967c, 6(10c): 2243 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Paramesodes albinervosa* (Matsumura)
Athysanus albinervosus Matsumura 1902a: 372
[n.sp.]; Metcalf 1967c, 6(10c): 2088 [Cat.]
DISTRIBUTION: Japan, Taiwan, China, Singapore Island (Metcalf Cat.)
- Paramesus ancorifer* Linnauori
Paramesus ancorifer Linnauori 1953a: 113 [n.sp.]; Metcalf 1967b, 6(10b): 2066 [Cat.]
DISTRIBUTION: Aegean Sea: Lesbos Island (Greece) (Metcalf Cat.)
- Paramesus japonicus* Matsumura
Paramesus japonicus Matsumura 1914a: 239 [n.sp.]; Metcalf 1967b, 6(10b): 2066 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Paramesus lineaticollis* Distant
Paramesus lineaticollis Distant 1908g: 294 [n.sp.]; Metcalf 1967b, 6(10b): 2066 [Cat.]
DISTRIBUTION: India, West Indonesia, Philippines, Taiwan (Metcalf Cat.)
- Paramesus major* Haupt
Paramesus major Haupt 1927a: 24 [n.sp.]; Metcalf 1967b, 6(10b): 2067 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
- Paramesus obtusiceps* Berg
Paramesus obtusiceps Berg 1884a: 37 [n.sp.]; Metcalf 1967b, 6(10b): 2067 [Cat.]
DISTRIBUTION: Uruguay (Metcalf Cat.)
- Paramesus obtusifrons* (Stål)
Cicada nervosa Fallén 1826a: 39 [n.sp.]; Metcalf 1967b, 6(10b): 2067 [Cat.]
Athysanus obtusifrons Stål 1853a: 175 [n.sp.]; Metcalf 1967b, 6(10b): 2067 [Cat.]
- Athysanus verralli* Scott 1875c: 268 [n.sp.]; Metcalf 1967b, 6(10b): 2068 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, Italy, Cyprus, Canada (Metcalf Cat.)
- Paramesus obtusifrons caucasicus* Melichar
Paramesus caucasicus Melichar 1913a: 328 [n.subsp. of *nervosus*]; Metcalf 1967b, 6(10b): 2073 [Cat.]
DISTRIBUTION: Russia, Georgia, Azerbaijan (Metcalf Cat.)
- Paramesus orientalis* Lindberg
Paramesus orientalis Lindberg 1929b: 4 [n.sp.]; Metcalf 1967b, 6(10b): 2074 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Paramesus paludosus* Ribaut 1952a: 199 [n.sp.]; Metcalf 1967b, 6(10b): 2074 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Paramesus reticulatus* Horváth
Paramesus reticulatus Horváth 1897b: 628 [n.sp.]; Metcalf 1967b, 6(10b): 2074 [Cat.]
DISTRIBUTION: Hungary, Romania, Russia, Georgia, Azerbaijan, Germany, Netherlands (Metcalf Cat.)
- Paramesus taeniatus* Horváth
Paramesus taeniatus Horváth 1911d: 598 [n.sp.]; Metcalf 1967b, 6(10b): 2074 [Cat.]
DISTRIBUTION: Hungary (Metcalf Cat.)
- Parapetalocephala montana* Kato
Parapetalocephala montana Kato 1931e: 435 [n.sp.]; Metcalf 1962c, 6(4): 64 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Paraphlepsius abruptus* (DeLong)
Phlepsius abruptus DeLong 1938f: 238 [n.sp.]; Metcalf 1967a, 6(10a): 579 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius acutus* Crowder
Paraphlepsius acutus Crowder 1952a: 407 [n.sp.]; Metcalf 1967a, 6(10a): 580 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius altus* (Osborn & Ball)
Phlepsius altus Osborn & Ball 1897a: 228 [n.sp.]; Metcalf 1967a, 6(10a): 580 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius apertinus* (Osborn & Lathrop)
Phlepsius (Phlepsius) apertinus Osborn & Lathrop 1923a: 329 [n.sp.]; Metcalf 1967a, 6(10a): 581 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius apertus* (Van Duzee)
Phlepsius apertus Van Duzee 1892c: 76 [n.sp.]; Metcalf 1967a, 6(10a): 582 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius attractus* (Ball)
Phlepsius attractus Ball 1909a: 77 [n.sp.]; Metcalf 1967a, 6(10a): 584 [Cat.]
Phlepsius (Dixianus) graniticus Osborn & Lathrop 1923a: 317 [n.sp.]; Metcalf 1967a, 6(10a): 584 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius auroalbus* (Walker)
Bythoscopus auroalbus Walker 1851b: 875 [n.sp.]; Metcalf 1967a, 6(10a): 585 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius avicephalus* Crowder
Paraphlepsius avicephalus Crowder 1952a: 424 [n.sp.]; Metcalf 1967a, 6(10a): 585 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius bifidus* (Sanders & DeLong)

- Phlepsius bifidus* Sanders & DeLong 1917a: 89
[n.sp.]; Metcalf 1967a, 6(10a): 585 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius bipartitus* (DeLong)
Phlepsius bipartitus DeLong 1926b: 90 [n.sp.];
Metcalf 1967a, 6(10a): 586 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius brunneus* (DeLong)
Phlegsius [sic] *brunneus* DeLong 1916a: 74 [n.sp.];
Metcalf 1967a, 6(10a): 587 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius carolinus* (Lathrop)
Phlepsius carolinus Lathrop 1917a: 127 [n.sp.];
Metcalf 1967a, 6(10a): 587 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius certus* (DeLong)
Phlepsius certus DeLong 1938a: 44 [n.sp.]; Metcalf 1967a, 6(10a): 588 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius cinereus* (Van Duzee)
Phlepsius cinereus Van Duzee 1892c: 68 [n.sp.];
Metcalf 1967a, 6(10a): 589 [Cat.]
DISTRIBUTION: United States, Cuba (Metcalf Cat.)
- Paraphlepsius collitus* (Ball)
Phlepsius collitus Ball 1903b: 227 [n.sp.]; Metcalf 1967a, 6(10a): 590 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius continuus* (DeLong)
Phlepsius continuus DeLong 1938f: 239 [n.sp.];
Metcalf 1967a, 6(10a): 592 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala (Metcalf Cat.)
- Paraphlepsius cornutus* (Crowder)
Phlepsius cornutus Crowder 1952a: 386 [n.sp.];
Metcalf 1967a, 6(10a): 593 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius dentatus* (Baker)
Phlepsius dentatus Baker 1898e: 65 [n.sp.]; Metcalf 1967a, 6(10a): 593 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius divergens* (Oman)
Phlepsius divergens Oman 1931b: 435 [n.sp.]; Metcalf 1967a, 6(10a): 594 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius docilis* (Van Duzee)
Phlepsius docilis Van Duzee 1923a: 184 [n.sp.];
Metcalf 1967a, 6(10a): 594 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius eburneolus* (Osborn & Lathrop)
Phlepsius (*Phlepsius*) *eburneolus* Osborn & Lathrop 1923a: 331 [n.sp.]; Metcalf 1967a, 6(10a): 594 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius electus* (DeLong)
Phlepsius electus DeLong 1938a: 43 [n.sp.]; Metcalf 1967a, 6(10a): 595 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius emarginatus* Crowder
Paraphlepsius emarginatus Crowder 1952a: 429 [n.sp.]; Metcalf 1967a, 6(10a): 595 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius excavatus* Crowder
Paraphlepsius excavatus Crowder 1952a: 406 [n.sp.]; Metcalf 1967a, 6(10a): 595 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius fastuosus* (Ball)
Phlepsius fastuosus Ball 1905b: 210 [n.sp.]; Metcalf 1967a, 6(10a): 596 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius floridanus* (Ball)
Phlepsius floridanus Ball 1909a: 78 [n.sp.]; Metcalf 1967a, 6(10a): 596 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius fulvidorsum* (Fitch)
Jassus fulvidorsum Fitch 1851a: 62 [n.sp.]; Metcalf 1967a, 6(10a): 597 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius fuscipennis* (Van Duzee)
Phlepsius fuscipennis Van Duzee 1892c: 70 [n.sp.];
Metcalf 1967a, 6(10a): 600 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius fuscipennis seminolus* (DeLong)
Phlepsius fuscipennis seminolus DeLong 1938f: 237 [n.subsp. of *fuscipennis*]; Metcalf 1967a, 6(10a): 602 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Paraphlepsius hemicolor* (Sanders & DeLong)
Phlepsius hemicolor Sanders & DeLong 1923a: 152 [n.sp.]; Metcalf 1967a, 6(10a): 603 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius humidus* (Van Duzee)
Phlepsius humidus Van Duzee 1892c: 76 [n.sp.];
Metcalf 1967a, 6(10a): 603 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius incisus* (Van Duzee)
Phlepsius incisus Van Duzee 1892c: 73 [n.sp.];
Metcalf 1967a, 6(10a): 605 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Paraphlepsius irroratus* (Say)
Jassus irroratus Say 1830b: 308 [n.sp.]; Metcalf 1967a, 6(10a): 607 [Cat.]
Jassus (*Jassus*) *testudinarius* Burmeister 1838b: 13 [n.sp.]; Metcalf 1967a, 6(10a): 607 [Cat.]

- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Paraphlepsius lascivius** (Ball)
Phlepsius lascivius Ball 1900b: 200 [n.sp.]; Metcalf 1967a, 6(10a): 615 [Cat.]
- Phlepsius** (*Phlepsius*) *micronotatus* Osborn & Lathrop 1923a: 321 [n.sp.]; Metcalf 1967a, 6(10a): 616 [Cat.]
- DISTRIBUTION:** United States, Canada, Mexico (Metcalf Cat.)
- Paraphlepsius latifrons** (Van Duzee)
Phlepsius latifrons Van Duzee 1892c: 66 [n.sp.]; Metcalf 1967a, 6(10a): 617 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius lippulus** (Ball)
Phlepsius lippulus Ball 1903b: 227 [n.sp.]; Metcalf 1967a, 6(10a): 618 [Cat.]
- Phlepsius** (*Phlepsius*) *fulviceps* Osborn & Lathrop 1923a: 333 [n.sp.]; Metcalf 1967a, 6(10a): 618 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius lobatus** (Osborn)
Phlepsius lobatus Osborn 1898a: 247 [n.sp.]; Metcalf 1967a, 6(10a): 619 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Paraphlepsius maculellus** (Osborn)
Phlepsius maculellus Osborn 1915a: 141 [n.sp.]; Metcalf 1967a, 6(10a): 620 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius maculosus** (Osborn)
Phlepsius maculatus Osborn 1905d: 276 [n.sp.]; Metcalf 1967a, 6(10a): 621 [Cat.]
- Phlepsius maculosus* Osborn 1923[in Osb. & Lathrop 1923a: 319][nom.nov. for *Phlepsius maculatus* Osb. 1905]; Metcalf 1967a, 6(10a): 621 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius mimus** (Baker)
Phlepsius mimus Baker 1898e: 67 [n.sp.]; Metcalf 1967a, 6(10a): 622 [Cat.]
- Phlepsius cottoni* Sanders & DeLong 1922a: 98 [n.sp.]; Metcalf 1967a, 6(10a): 622 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius nudus** (Ball)
Phlepsius nudus Ball 1911a: 204 [n.sp.]; Metcalf 1967a, 6(10a): 623 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius obvius** (Oman)
Phlepsius obvius Oman 1931b: 435 [n.sp.]; Metcalf 1967a, 6(10a): 624 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius occidentalis** (Baker)
Phlepsius occidentalis Baker 1898e: 66 [n.sp.]; Metcalf 1967a, 6(10a): 624 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Paraphlepsius operculatus** (Ball)
Phlepsius operculatus Ball 1927d: 265 [n.sp.]; Metcalf 1967a, 6(10a): 625 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius optatus** (Crumb)
Phlepsius optatus Crumb 1915a: 194 [n.sp.]; Metcalf 1967a, 6(10a): 626 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius pallidus** (Van Duzee)
Phlepsius pallidus Van Duzee 1892c: 69 [n.sp.]; Metcalf 1967a, 6(10a): 626 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius palustris** (Sanders & DeLong)
Phlepsius palustris Sanders & DeLong 1923a: 153 [n.sp.]; Metcalf 1967a, 6(10a): 627 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius particolor** (Sanders & DeLong)
Phlepsius particolor Sanders & DeLong 1920b: 15 [n.sp.]; Metcalf 1967a, 6(10a): 628 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Paraphlepsius planus** (Sanders & DeLong)
Phlepsius planus Sanders & DeLong 1922a: 98 [n.sp.]; Metcalf 1967a, 6(10a): 628 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius punctiscriptus** (Van Duzee)
Phlepsius punctiscriptus Van Duzee 1892c: 75 [n.sp.]; Metcalf 1967a, 6(10a): 629 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius pusillus** (Baker)
Phlepsius pusillus Baker 1898e: 66 [n.sp.]; Metcalf 1967a, 6(10a): 630 [Cat.]
- Phlepsius* (*Phlepsius*) *collinus* Osborn & Lathrop 1923a: 324 [n.sp.]; Metcalf 1967a, 6(10a): 630 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius ramosus** Baker
Paraphlepsius ramosus Baker 1897c: 158 [n.sp.]; Metcalf 1967a, 6(10a): 632 [Cat.]
- Phlepsius tenuifrons* Sanders & DeLong 1919a: 235 [n.sp.]; Metcalf 1967a, 6(10a): 632 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Paraphlepsius rileyi** (Baker)
Phlepsius rileyi Baker 1898f: 32 [n.sp.]; Metcalf 1967a, 6(10a): 633 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius rossi** (DeLong)
Phlepsius rossi DeLong 1938a: 43 [n.sp.]; Metcalf 1967a, 6(10a): 634 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Paraphlepsius siclus** (DeLong)
Phlepsius siclus DeLong 1938f: 238 [n.sp.]; Metcalf 1967a, 6(10a): 634 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius slossonae [sic] (Ball)
Phlepsius slossoni Ball 1905b: 209 [n.sp.]; Metcalf
 1967a, 6(10a): 635 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius solidaginis (Walker)
Acocephalus solidaginis Walker 1851b: 847 [n.sp.];
 Metcalf 1967a, 6(10a): 636 [Cat.]
Phlepsius nebulosus Van Duzee 1892c: 77 [n.sp.];
 Metcalf 1967a, 6(10a): 636 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Paraphlepsius spinosus (Crowder)
Paraphlebius spinosus Crowder 1952a: 423 [n.sp.];
 Metcalf 1967a, 6(10a): 640 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius stipatus (Walker)
Bythoscopus stipatus Walker 1851b: 874 [n.sp.];
 Metcalf 1967a, 6(10a): 640 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius strobi (Fitch)
Bythoscopus strobi Fitch 1851a: 58 [n.sp.]; Metcalf
 1967a, 6(10a): 640 [Cat.]
Phlepsius uhleri Van Duzee 1892c: 67 [n.sp.]; Metcalf
 1967a, 6(10a): 641 [Cat.]
Phlepsius franconiana Ball 1903b: 228 [n.sp.]; Metcalf
 1967a, 6(10a): 641 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Paraphlepsius supinus (DeLong)
Phlepsius supinus DeLong 1938b: 217 [n.sp.]; Metcalf
 1967a, 6(10a): 645 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius tennesseus (DeLong)
Phlepsius tennessee DeLong 1916a: 75 [n.sp.]; Metcalf
 1967a, 6(10a): 646 [Cat.]
Phlepsius similis Lathrop 1917a: 128 [n.sp.]; Metcalf
 1967a, 6(10a): 646 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius texanus (Baker)
Phlepsius texanus Baker 1898f: 31 [n.sp.]; Metcalf
 1967a, 6(10a): 647 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius tigrinus (Ball)
Phlepsius tigrinus Ball 1909a: 80 [n.sp.]; Metcalf
 1967a, 6(10a): 648 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius torridus (Lathrop)
Phlepsius [sic] *torridus* Lathrop 1917a: 126 [n.sp.];
 Metcalf 1967a, 6(10a): 648 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius truncatus (Van Duzee)
Phlepsius truncatus Van Duzee 1892c: 72 [n.sp.];
 Metcalf 1967a, 6(10a): 649 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius tubus (Ball)
Phlepsius tubus Ball 1909a: 78 [n.sp.]; Metcalf 1967a,
 6(10a): 651 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius tullahomi (DeLong)
Phlepsius tullahomi DeLong 1916a: 73 [n.sp.];
 Metcalf 1967a, 6(10a): 652 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Paraphlepsius turpiculus (Ball)
Phlepsius turpiculus Ball 1900b: 200 [n.sp.]; Metcalf
 1967a, 6(10a): 653 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Paraphlepsius umbrosus (Sanders & DeLong)
Phlepsius umbrosus Sanders & DeLong 1917a: 88
 [n.sp.]; Metcalf 1967a, 6(10a): 654 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Parasitades baileyi Singh-Pruthi
Parasitades baileyi Singh-Pruthi 1936a: 106 [n.sp.];
 Metcalf 1966b, 6(13): 165 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Parasudra sumatrana Schmidt
Parasudra sumatrana Schmidt 1909d: 265 [n.sp.];
 Metcalf 1962a, 6(2): 8 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
Parathonax cayennensis (Gmelin)
Cicada lyncea Fabricius 1787a: 267 [n.sp.]; Metcalf
 1965a, 6(1): 648 [Cat.]
Cicada myopa Fabricius 1794a: 33 [n.sp.]; Metcalf
 1965a, 6(1): 648 [Cat.]
Cicada cayennensis Gmelin 1798a: 2105 [nom.nov. for
Cicada lyncea Fabricius 1787]; Metcalf
 1965a, 6(1): 648 [Cat.]
Tettigonia cyanescens Walker 1851b: 760 [n.sp.];
 Metcalf 1965a, 6(1): 648 [Cat.]
 DISTRIBUTION: Panama, Trinidad, Venezuela,
 Colombia (Young 1977a)
Paromenia auroguttata (Signoret)
Tettigonia auroguttata Signoret 1853b: 373 [n.sp.];
 Metcalf 1965a, 6(1): 257 [Cat.]
 DISTRIBUTION: Venezuela, Ecuador, Peru, Bolivia,
 Brazil (Young 1977a)
Paromenia erumpens (Fowler)
Tettigonia erumpens Fowler 1899e: 256 [n.sp.];
 Metcalf 1965a, 6(1): 258 [Cat.]
 DISTRIBUTION: Guatemala, Nicaragua, Panama
 (Metcalf Cat.)
Paromenia longipes (Walker)
Tettigonia longipes Walker 1851b: 748 [n.sp.]; Metcalf
 1965a, 6(1): 258 [Cat.]
Tettigonia pellucida Signoret 1853b: 373 [nom.nov. for
Tettigonia longipes Walker 1851]; Metcalf
 1965a, 6(1): 258 [Cat.]
 DISTRIBUTION: Ecuador, Brazil (Metcalf Cat.)
Paromenia macroptera (Latreille)
Tettigonia macroptera Latreille 1811b: 57 [n.sp.];
 Metcalf 1965a, 6(1): 258 [Cat.]

- DISTRIBUTION:** Burma, Vietnam (Young 1986a)
- Paromenia quimbayensis* (Kuhlgatz & Melichar)
Tettigonia quimbayensis Kuhlgatz & Melichar
1902a:252 [n.sp.]; Metcalf 1965a,6(1):258 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
- Paromenia rufa* (Walker)
Tettigonia intacta Walker 1851b:746 [n.sp.]; Metcalf
1965a,6(1):258 [Cat.]
- Tettigonia rufa Walker 1851b:742 [n.sp.]; Metcalf
1965a,6(1):258 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela, Ecuador,
Peru (Young 1977a)
- Paromenia spectralis* (Fowler)
Tettigonia spectralis Fowler 1899e:256 [n.sp.];
Metcalf 1965a,6(1):259 [Cat.]
- DISTRIBUTION:** Guatemala (Metcalf Cat.)
- Paropulopa lineata* Fieber
Paropulopa lineata Fieber 1866a:512 [n.sp.]; Metcalf
1962d,6(5):34 [Cat.]
- DISTRIBUTION:** France, Spain (Metcalf Cat.)
- Pasadenus anzonus* Beamer
Pasadenus anzonus Beamer 1939b: 190 [n.sp.];
Metcalf 1967a, 6(10a): 945 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pasadenus bicolor* Beamer
Pasadenus bicolor Beamer 1939b: 190 [n.sp.]; Metcalf
1967a, 6(10a): 945 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pasadenus chicanus* Ball
Pasadenus chicanus Ball 1936g: 431 [n.sp.]; Metcalf
1967a, 6(10a): 945 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pasadenus margaritae* Ball
Pasadenus margaritae Ball 1936g: 431 [n.sp.]; Metcalf
1967a, 6(10a): 945 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pasadenus pasadenus* (Ball)
Thamnotettix pasadena Ball 1914a: 212 [n.sp.];
Metcalf 1967a, 6(10a): 945 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pasaremus concentricus* (Van Duzee)
Deltcephalus concentricus Van Duzee 1894f: 208
[n.sp.]; Metcalf 1967b, 6(10b): 2060 [Cat.]
- Thamnotettix flavomarginata Gillette & Baker 1895a:
96 [n.sp.]; Metcalf 1967b, 6(10b): 2060 [Cat.]
- Athysanus escalantus* Ball 1916a: 175 [n.sp.]; Metcalf
1967b, 6(10b): 2060 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
Cat.)
- Paternus khewrensis* Singh-Pruthi
Paternus khewrensis Singh-Pruthi 1936a: 111 [n.sp.];
Metcalf 1967c, 6(10c): 2349 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Paternus pusanus* Distant
Paternus pusanus Distant 1918b: 71 [n.sp.]; Metcalf
1967c, 6(10c): 2350 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Paternus verticus* Singh-Pruthi
Paternus verticus Singh-Pruthi 1930a: 44 [n.sp.];
Metcalf 1967c, 6(10c): 2350 [Cat.]
- DISTRIBUTION:** India, Sri Lanka (Metcalf Cat.)
- Paternus viridulus* Singh-Pruthi
Paternus viridulus Singh-Pruthi 1930a: 42 [n.sp.];
Metcalf 1967c, 6(10c): 2350 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Paulianiana dracula* Evans
Paulianiana dracula Evans 1954a:91 [n.sp.]; Metcalf
1962d,6(5):79 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Paulomanus cecropiae* Young
Paulomanus cecropiae Young 1952b:109 [n.sp.];
Metcalf 1968a,6(17):607 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Pauripo continentalis* Evans
Pauripo continentalis Evans 1934a:163 [n.sp.];
Metcalf 1965b,6(12):37 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Pauripo insularis* Evans
Pauripo insularis Evans 1934a:161 [n.sp.]; Metcalf
1965b,6(12):38 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Pauroeumela amplicincta* (Walker)
Eurymela amplicincta Walker 1858a:84 [n.sp.];
Metcalf 1965b,6(12):26 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Pauroeumela parva* Evans
Pauroeumela parva Evans 1933a:79 [n.sp.]; Metcalf
1965b,6(12):26 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Pazu balli* (Beamer)
Hebecephalus balli Beamer 1936d: 252 [n.sp.];
Metcalf 1967b, 6(10b): 1812 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Peconus scriptanus* (Oman)
Hebecephalus scriptanus Oman 1934a: 77 [n.sp.];
Metcalf 1967b, 6(10b): 1824 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Pedioscopus angustatus* Baker
Pedioscopus angustatus Baker 1915c: 331 [n.sp.];
Metcalf 1966d, 6(16): 217 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Pedioscopus coloratus* Baker
Pedioscopus coloratus Baker 1915c: 331 [n.sp.];
Metcalf 1966d, 6(16): 218 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Pedioscopus coloratus bicoloratus* Baker
Pedioscopus coloratus bicoloratus Baker 1915c: 338
[n.subsp. of coloratus]; Metcalf 1966d, 6(16): 218
[Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Pedioscopus coloratus mindanaensis* Baker

- Pedioscopus coloratus mindanaensis* Baker 1915c: 337
 [n.subsp. of *coloratus*]; Metcalf 1966d, 6(16): 218
 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus disjunctus* Baker
Pedioscopus disjunctus Baker 1915c: 331 [n.sp.];
 Metcalf 1966d, 6(16): 218 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus maquilingensis* Baker
Pedioscopus maquilingensis Baker 1915c: 331 [n.sp.];
 Metcalf 1966d, 6(16): 218 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus modestus* Baker
Pedioscopus modestus Baker 1915c: 331 [n.sp.];
 Metcalf 1966d, 6(16): 218 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus philenor* Kirkaldy
Pedioscopus philenor Kirkaldy 1906c: 349 [n.sp.];
 Metcalf 1966d, 6(16): 219 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Pedioscopus polydoros* Kirkaldy
Pedioscopus agenor Kirkaldy 1906c: 350 [n.sp.];
 Metcalf 1966d, 6(16): 219 [Cat.]
Pedioscopus polydoros Kirkaldy 1906c: 349 [n.sp.];
 Metcalf 1966d, 6(16): 219 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Pedioscopus similis* Baker
Pedioscopus similis Baker 1915c: 331 [n.sp.]; Metcalf
 1966d, 6(16): 219 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus simplex* Baker
Pedioscopus simplex Baker 1915c: 331 [n.sp.];
 Metcalf 1966d, 6(16): 219 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Pedioscopus unimaculatus* (Melichar)
Idiocerus unimaculatus Melichar 1903b: 149 [n.sp.];
 Metcalf 1966d, 6(16): 219 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Peltocheirus bigibbosus* (Signoret)
Tettigonia bigibbosa Signoret 1855c: 510 [n.sp.];
 Metcalf 1965a, 6(1): 650 [Cat.]
 DISTRIBUTION: Suriname, French Guiana (Young
 1968a)
- Peltocheirus paradoxus* Melichar
Peltocheirus paradoxus Melichar 1926a: 332 [n.sp.];
 Metcalf 1965a, 6(1): 650 [Cat.]
 DISTRIBUTION: Venezuela, Brazil (Young 1968a)
- Penehuleria acuticeps* Beamer
Penehuleria acuticeps Beamer 1934a: 43 [n.sp.];
 Metcalf 1967b, 6(10b): 1088 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Penestirellus catalinus* Beamer & Tuthill
Penestirellus catalinus Beamer & Tuthill 1934a: 22
 [n.sp.]; Metcalf 1967a, 6(10a): 116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Penestirellus fulvus* DeLong & Hershberger
- Penestirellus fulvus* DeLong & Hershberger 1949b:
 120 [n.sp.]; Metcalf 1967a, 6(10a): 116 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Penestirellus fumidus* DeLong & Hershberger
Penestirellus fumidus DeLong & Hershberger 1949b:
 120 [n.sp.]; Metcalf 1967a, 6(10a): 116 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Penestirellus pressus* DeLong & Hershberger
Penestirellus pressus DeLong & Hershberger 1949b:
 118 [n.sp.]; Metcalf 1967a, 6(10a): 117 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Penthimia aethiopica* Distant
Penthimia aethiopica Distant 1910e: 237 [n.sp.];
 Metcalf 1962b, 6(3): 168 [Cat.]
 DISTRIBUTION: Cameroon, Nigeria (Metcalf Cat.)
- Penthimia albигuttula* Stål
Penthimia albигuttula Stål 1870c: 737 [n.sp.]; Metcalf
 1962b, 6(3): 168 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Penthimia americana* Fitch
Penthimia americana Fitch 1851a: 57 [n.sp.]; Metcalf
 1962b, 6(3): 168 [Cat.]
Penthimia vicaria Walker 1851b: 841 [n.sp.]; Metcalf
 1962b, 6(3): 168 [Cat.]
Penthimia picta Provancher 1872b: 352 [n.sp.];
 Metcalf 1962b, 6(3): 168 [Cat.]
Penthimia farcta Glover 1878a: pl. 1, fig. 44 [n.sp.];
 Metcalf 1962b, 6(3): 168 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Penthimia apicata* Bierman
Penthimia apicata Bierman 1910a: 56 [n.sp.]; Metcalf
 1962b, 6(3): 171 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Penthimia atomaria* Walker
Penthimia atomaria Walker 1870b: 307 [n.sp.]; Metcalf
 1962b, 6(3): 171 [Cat.]
 DISTRIBUTION: East Indonesia: Mysol (Misool
 Island?) (Metcalf Cat.)
- Penthimia attenuata* Distant
Penthimia attenuata Distant 1918b: 22 [n.sp.]; Metcalf
 1962b, 6(3): 172 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia australis* (Walker)
Scaris australis Walker 1858b: 253 [n.sp.]; Metcalf
 1962b, 6(3): 172 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Penthimia badia* Distant
Penthimia badia Distant 1918b: 17 [n.sp.]; Metcalf
 1962b, 6(3): 172 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia caliginosa* Walker
Penthimia caliginosa Walker 1870b: 306 [n.sp.];
 Metcalf 1962b, 6(3): 172 [Cat.]
 DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Penthimia castanaica* Jacobi

- Penthimia castanaica* Jacobi 1944a:48 [n.sp.]; Metcalf 1962b,6(3):173 [Cat.]
 DISTRIBUTION: Southeast China (Metcalf Cat.)
- Penthimia castanea* Walker
Penthimia castanea Walker 1857a:98 [n.sp.]; Metcalf 1962b,6(3):173 [Cat.]
 DISTRIBUTION: Myanmar, Malaysia (Metcalf Cat.)
- Penthimia compacta* Walker
Penthimia compacta Walker 1851b:842 [n.sp.]; Metcalf 1962b,6(3):173 [Cat.]
 DISTRIBUTION: India, Pakistan (Metcalf Cat.)
- Penthimia distanti* Baker
Penthimia nitida Distant 1912d:444 [n.sp.]; Metcalf 1962b,6(3):173 [Cat.]
Penthimia distanti Baker 1924d:367 [nom.nov. for *Penthimia nitida* Distant 1912]; Metcalf 1962b,6(3):173 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Penthimia erebus* Distant
Penthimia erebus Distant 1908g:245 [n.sp.]; Metcalf 1962b,6(3):173 [Cat.]
 DISTRIBUTION: Sri Lanka, West Indonesia, India, Phillipines (Metcalf Cat.)
- Penthimia escalerae* Distant
Penthimia escalerae Distant 1910e:237 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: Cameroon, Nigeria (Metcalf Cat.)
- Penthimia flavinotum* Matsumura
Penthimia flavinotum Matsumura 1912a:50 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Penthimia flavitarsis* Melichar
Penthimia flavitarsis Melichar 1914b:130 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Penthimia flavocapitata* Distant
Penthimia flavocapitata Distant 1918b:20 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia floridana* Lawson
Penthimia floridana Lawson 1933a:34 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Penthimia formosana* Matsumura
Penthimia formosana Matsumura 1912a:49 [n.sp.]; Metcalf 1962b,6(3):174 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Penthimia fraterna* Distant
Penthimia fraterna Distant 1918b:21 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia funebris* Distant
Penthimia funebris Distant 1918b:19 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia guttula* Matsumura
Penthimia guttula Matsumura 1912a:49 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Penthimia hemifuscata* Merino
Penthimia hemifuscata Merino 1936a:349 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Penthimia iris* Bierman
Penthimia iris Bierman 1910a:57 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Penthimia irrorata* Horvath
Penthimia irrorata Horvath 1909a:297 [n.sp.]; Metcalf 1962b,6(3):175 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Penthimia juno* Distant
Penthimia juno Distant 1908g:245 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Penthimia lurida* Walker
Penthimia lurida Walker 1870b:306 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Penthimia maculata* Evans
Penthimia maculata Evans 1947a:256 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: Sierra Leone (Metcalf Cat.)
- Penthimia maculipennis* Spinola
Penthimia maculipennis Spinola 1852a:279 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Penthimia majuscula* Distant
Penthimia majuscula Distant 1918b:18 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia melanocephala* Motschulsky
Penthimia melanocephala Motschulsky 1863a:95 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: Sri Lanka, India, Myanmar (Metcalf Cat.)
- Penthimia montana* Distant
Penthimia montana Distant 1918b:17 [n.sp.]; Metcalf 1962b,6(3):176 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia mudonensis* Distant
Penthimia mudonensis Distant 1912d:444 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Penthimia nana* Kusnezov
Penthimia nana Kusnezov 1931a:12 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
 DISTRIBUTION: Northeast China, Southeast Russia (Metcalf Cat.)
- Penthimia nigerrima* Jacobi

- Penthimia nigerrima* Jacobi 1944a:48 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Penthimia nigra* (Goeze)
 Cicada nigra Goeze 1778a:161 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
Cercopis atra Fabricius 1794a:50 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
 DISTRIBUTION: Widespread Europe and Asia, United States (Metcalf Cat.)
- Penthimia nigra castanea* (Gmelin)
 Cicada nigra castanea Gmelin 1789a:2116 [n.sp.]; Metcalf 1962b,6(3):187 [Cat.]
 DISTRIBUTION: France, Netherlands, Czech Republic, Italy, Moravia, Tunisia (Metcalf Cat.)
- Penthimia nigra caucasica* (Kusnezov)
 Penthemia nigra caucasica Kusnezov 1931a:10 [n.subsp. of nigra]; Metcalf 1962b,6(3):188 [Cat.]
 DISTRIBUTION: Southern Russia (Metcalf Cat.)
- Penthimia nigra clavalis* Ribaut
 Penthimia nigra clavalis Ribaut 1952a:357 [n.subsp. of nigra]; Metcalf 1962b,6(3):188 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Penthimia nigra fulva* Ribaut
 Penthimia nigra fulva Ribaut 1952a:357 [n.subsp. of nigra]; Metcalf 1962b,6(3):188 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Penthimia nigra haemorrhoa* (Schrank)
 Cicada aethiops Schrank 1781a:255 [n.sp.]; Metcalf 1962b,6(3):177 [Cat.]
Cicada nigra haemorrhoa Schrank 1781a:256 [n.sp.]; Metcalf 1962b,6(3):189 [Cat.]
 DISTRIBUTION: Widespread Western Asia and Europe (Metcalf Cat.)
- Penthimia nigra maculata* Melichar
 Penthimia nigra maculata Melichar 1896a:182 [n.subsp. of atra]; Metcalf 1962b,6(3):193 [Cat.]
 DISTRIBUTION: France, Netherlands, Germany, Italy, Czech Republic (Metcalf Cat.)
- Penthimia nigra maculipennis* Ribaut
 Penthimia nigra maculipennis Ribaut 1952a:357 [n.subsp. of nigra]; Metcalf 1962b,6(3):193 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Penthimia nigra ruficollis* (Fabricius)
Cicada biguttata Gmelin 1789a:2110 [n.sp.]; Metcalf 1962b,6(3):193 [Cat.]
Cercopis nigra ruficollis Fabricius 1794a:55 [n.sp.]; Metcalf 1962b,6(3):193 [Cat.]
Cicada thoracica Panzer 1799a:18 [n.sp.]; Metcalf 1962b,6(3):194 [Cat.]
Cercopis sanguinicollis Fabricius 1803a:94 [nom.nov. for *Cicada thoracica* Panzer 1799]; Metcalf 1962b,6(3):194 [Cat.]
 DISTRIBUTION: Widespread Asia and Europe (Metcalf Cat.)
- Penthimia nigropicea* Motschulsky
- Penthimia nigropicea* Motschulsky 1863a:95 [n.sp.]; Metcalf 1962b,6(3):198 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Penthimia nilgiriensis* Distant
 Penthimia nilgiriensis Distant 1918b:16 [n.sp.]; Metcalf 1962b,6(3):198 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia nitida* Lethierry
 Penthimia nitida Lethierry 1876a:lxixii [n.sp.]; Metcalf 1962b,6(3):199 [Cat.]
 DISTRIBUTION: China, Korea, Europe, Taiwan, Japan, Russia (Metcalf Cat.)
- Penthimia nitida maikoensis* Matsumura
 Penthimia nitida maikoensis Matsumura 1912a:48 [n.subsp. of nitida]; Metcalf 1962b,6(3):200 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Penthimia noctua* Distant
 Penthimia noctua Distant 1918b:22 [n.sp.]; Metcalf 1962b,6(3):200 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia ochraea* Naudé
 Penthimia ochraea Naudé 1926a:26 [n.sp.]; Metcalf 1962b,6(3):200 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Penthimia quadrinotata* Distant
 Penthimia quadrinotata Distant 1918b:21 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia raniformis* Walker
 Penthimia raniformis Walker 1870b:305 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Penthimia rawasi* Bierman
 Penthimia rawasi Bierman 1910a:58 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Penthimia retifera* Walker
 Penthimia retifera Walker 1870b:306 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Penthimia robusta* Melichar
 Penthimia robusta Melichar 1914g:8 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: Cameroon, Nigeria, Zaire (Metcalf Cat.)
- Penthimia scapularis* Distant
 Penthimia maculosa Distant 1908g:244 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
Penthimia scapularis Distant 1908g:244 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: India, Myanmar, Mergui Archipelago (Metcalf Cat.)
- Penthimia scutellata* Melichar
 Penthimia scutellata Melichar 1902c:128 [n.sp.]; Metcalf 1962b,6(3):201 [Cat.]
 DISTRIBUTION: Yemen, Iran (Metcalf Cat.)

- Penthimia subnigra* Distant
Penthimia subniger Distant 1908g:243 [n.sp.]; Metcalf 1962b,6(3):202 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia testudinea* Evans
Penthimia testudinea Evans 1955a:32 [n.sp.]; Metcalf 1962b,6(3):202 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Penthimia theae* Matsumura
Penthimia theae Matsumura 1912a:50 [n.sp.]; Metcalf 1962b,6(3):202 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Penthimia thoracica* Distant
Penthimia thoracica Distant 1918b:19 [n.sp.]; Metcalf 1962b,6(3):202 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia trimaculata* Motschulsky
Penthimia trimaculata Motschulsky 1863a:96 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Penthimia vanduzeei* (Kirkaldy)
Ectopiocephalus vanduzeei Kirkaldy 1906c:464 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
- Penthimia reticulata* Distant 1908e:108 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
- Penthimia reticulosa* Distant 1911a:258 [nom.nov. for *Penthimia reticulata* Distant 1908]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Penthimia variabilis* Distant
Penthimia variabilis Distant 1918b:18 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Penthimia variolosa* Walker
Penthimia variolosa Walker 1870b:305 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: East Indonesia: Waigiou (Waigeo Island?) (Metcalf Cat.)
- Penthimia vittatifrons* Distant
Penthimia vittatifrons Distant 1918b:17 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Penthimia zampa* Distant
Penthimia zampa Distant 1910e:236 [n.sp.]; Metcalf 1962b,6(3):203 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Penthimidia eximia* Haglund
Penthimidia eximia Haglund 1899a:56 [n.sp.]; Metcalf 1962b,6(3):205 [Cat.]
 DISTRIBUTION: Cameroon, Nigeria (Metcalf Cat.)
- Peragallia avicula* (Ribaut)
Agallia avicula Ribaut 1935a:31 [n.sp.]; Metcalf 1966a,6(14):80 [Cat.]
 DISTRIBUTION: France, Morocco, Italy (Metcalf Cat.)
- Peragallia hilaris* (Horváth)
Agallia hilaris Horváth 1909a:297 [n.sp.]; Metcalf 1966a,6(14):80 [Cat.]
 DISTRIBUTION: Canary Islands, Algeria, Portugal (Metcalf Cat.)
- Peragallia macchiai* Lindberg
Peragallia macchiai Lindberg 1954a:193 [n.sp.]; Metcalf 1966a,6(14):80 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Peragallia sinuata* (Mulsant & Rey)
Bythoscopus sinuatus Mulsant & Rey 1855a:222 [n.sp.]; Metcalf 1966a,6(14):81 [Cat.]
- Agallia quadrisignata* Flor 1861a:550 [n.sp.]; Metcalf 1966a,6(14):81 [Cat.]
- Agallia homeyeri* Kirschbaum 1868b:149 [n.sp.]; Metcalf 1966a,6(14):81 [Cat.]
- Agallia fiebri* Vismara 1878a:41 [n.sp.]; Metcalf 1966a,6(14):81 [Cat.]
 DISTRIBUTION: Widespread Europe, Russia, Western Mediterranean, Great Britain, Canary Islands, India, Northern Africa (Metcalf Cat.)
- Peragallia sinuata laevis* (Bergevin)
Agallia sinuata laevis Bergevin 1934b:129 [n.subsp. of *sinuata*]; Metcalf 1966a,6(14):85 [Cat.]
 DISTRIBUTION: Algeria (Metcalf Cat.)
- Perotettix pictus* (Lethierry)
Thamnotettix picta Lethierry 1880 [in Reiber & Puton 1880a: 64] [n.sp.]; Metcalf 1967a, 6(10a): 222 [Cat.]
 DISTRIBUTION: Widespread Europe, western Mediterranean region (Metcalf Cat.)
- Petalocephala adelungi* (Melichar)
Ledropsis adelungi Melichar 1902c:119 [n.sp.]; Metcalf 1962c,6(4):68 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Petalocephala aurescens* Distant
Petalocephala aurescens Distant 1920f:466 [n.sp.]; Metcalf 1962c,6(4):68 [Cat.]
 DISTRIBUTION: Oceania: New Caladonia (Metcalf Cat.)
- Petalocephala bainbriggei* Distant
Petalocephala bainbriggei Distant 1916a:220 [n.sp.]; Metcalf 1962c,6(4):68 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala bicolor* Distant
Petalocephala bicolor Distant 1908g:167 [n.sp.]; Metcalf 1962c,6(4):69 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala bipunctata* Melichar
Petalocephala bipunctata Melichar 1914b:120 [n.sp.]; Metcalf 1962c,6(4):69 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Petalocephala bohemani* Stål
Petalocephala bohemani Stål 1854b:251 [n.sp.]; Metcalf 1962c,6(4):69 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Petalocephala castanea* Kato

- Petalocephala castanea* Kato 1931e:434 [n.sp.]; Metcalf 1962c,6(4):69 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala cephalotes* Distant
Petalocephala cephalotes Distant 1916a:218 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala chlorocephala* (Walker)
Ledra chlorocephala Walker 1851b:825 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
Ledropsis fuscipennis Melichar 1903b:144 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
 DISTRIBUTION: India, Sri Lanka (Metcalf Cat.)
- Petalocephala confusa* Distant
Petalocephala confusa Distant 1908g:164 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala conica* (Walker)
Ledra conica Walker 1851b:823 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
Ledropsis stali Melichar 1903b:143 [n.sp.]; Metcalf 1962c,6(4):70 [Cat.]
 DISTRIBUTION: Sri Lanka, Philippines (Metcalf Cat.)
- Petalocephala conspicua* Distant
Petalocephala conspicua Distant 1907g:189 [n.sp.]; Metcalf 1962c,6(4):71 [Cat.]
 DISTRIBUTION: Singapore (Metcalf Cat.)
- Petalocephala convexifrons* Schumacher
Petalocephala convexifrons Schumacher 1912b:247 [n.sp.]; Metcalf 1962c,6(4):71 [Cat.]
 DISTRIBUTION: Guinea (Metcalf Cat.)
- Petalocephala cultellifera* (Walker)
Ledra cultellifera Walker 1857a:98 [n.sp.]; Metcalf 1962c,6(4):71 [Cat.]
Ledra punctifera Walker 1858b:249 [n.sp.]; Metcalf 1962c,6(4):71 [Cat.]
 DISTRIBUTION: Singapore, India, Taiwan, Japan, Philippines, Malaysia (Metcalf Cat.)
- Petalocephala declivis* Walker
Petalocephala declivis Walker 1870b:308 [n.sp.]; Metcalf 1962c,6(4):72 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Petalocephala engelhardti* Kusnezov
Petalocephala engelhardti Kusnezov 1931e:112 [n.sp.]; Metcalf 1962c,6(4):72 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Petalocephala fasciifrons* Melichar
Petalocephala fasciifrons Melichar 1914g:3 [n.sp.]; Metcalf 1962c,6(4):72 [Cat.]
 DISTRIBUTION: Africa (Metcalf Cat.)
- Petalocephala formosana* (Matsumura)
Lepropsis [sic] *formosana* Matsumura 1912a:29 [n.sp.]; Metcalf 1962c,6(4):72 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala fusiformis* (Walker)
Ledra fusiformis Walker 1851b:823 [n.sp.]; Metcalf 1962c,6(4):72 [Cat.]
 DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Petalocephala glauca* (Melichar)
Ledropsis glauca Melichar 1903b:142 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala gonzalezi* Lindberg
Petalocephala gonzalezi Lindberg 1954a:203 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: Canary Islands (Metcalf Cat.)
- Petalocephala granulosa* Distant
Petalocephala granulosa Distant 1910g:196 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala hearsayi* Distant
Petalocephala hearsayi Distant 1908g:163 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala horishana* (Matsumura)
Ledropsis horishana Matsumura 1912a:30 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala hornei* Distant
Petalocephala hornei Distant 1908g:166 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: Pakistan (Metcalf Cat.)
- Petalocephala humerosa* Naudé
Petalocephala humerosa Naudé 1926a:10 [n.sp.]; Metcalf 1962c,6(4):73 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Petalocephala insignis* Distant
Petalocephala insignis Distant 1908g:167 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala kempfi* Singh-Pruthi
Petalocephala kempfi Singh-Pruthi 1936a:101 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala koshunensis* Schumacher
Petalocephala koshunensis Schumacher 1915b:117 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Petalocephala latifrons* (Walker)
Ledra latifrons Walker 1851b:824 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: India, Sri Lanka (Metcalf Cat.)
- Petalocephala manchurica* Kato
Petalocephala manchurica Kato 1932b:221 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: China, Japan, Korea (Metcalf Cat.)
- Petalocephala minuta* Schumacher
Petalocephala minuta Schumacher 1912b:246 [n.sp.]; Metcalf 1962c,6(4):74 [Cat.]
 DISTRIBUTION: Cameroon, Nigeria, Zaire (Metcalf Cat.)

- Petalocephala nigrilinea* (Walker)
Ledra nigrilinea Walker 1857a:98 [n.sp.]; Metcalf
1962c,6(4):75 [Cat.]
Ledropsis dimidiata Stål 1858d:452 [n.sp.]; Metcalf
1962c,6(4):75 [Cat.]
DISTRIBUTION: Singapore, Sri Lanka, India,
Myanmar, West Indonesia (Metcalf Cat.)
- Petalocephala perakensis* Distant
Petalocephala perakensis Distant 1912d:441 [n.sp.];
Metcalf 1962c,6(4):76 [Cat.]
DISTRIBUTION: Philippines, Malaysia (Metcalf
Cat.)
- Petalocephala perductalis* (Kirby)
Clovia perductalis Kirby 1891a:161 [n.sp.]; Metcalf
1962c,6(4):76 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala philippina* Stål
Petalocephala philippina Stål 1870c:732 [n.sp.];
Metcalf 1962c,6(4):76 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Petalocephala platyops* Jacobi
Petalocephala platyops Jacobi 1910b:123 [n.sp.];
Metcalf 1962c,6(4):76 [Cat.]
DISTRIBUTION: Tanzania, Togo, Zaire (Metcalf
Cat.)
- Petalocephala porrigena* Walker
Petalocephala porrigena Walker 1870b:308 [n.sp.];
Metcalf 1962c,6(4):76 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Petalocephala potanini* Melichar
Petalocephala potanini Melichar 1902c:118 [n.sp.];
Metcalf 1962c,6(4):76 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Petalocephala punctatissima* Stål
Petalocephala punctatissima Stål 1870c:732 [n.sp.];
Metcalf 1962c,6(4):77 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Petalocephala quadrimaculata* (Matsumura)
Ledropsis quadrimaculata Matsumura 1912a:32
[n.sp.]; Metcalf 1962c,6(4):77 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala raniceps* Jacobi
Petalocephala raniceps Jacobi 1912a:33 [n.sp.];
Metcalf 1962c,6(4):77 [Cat.]
DISTRIBUTION: Uganda, Zaire, Sierra Leone,
Cameroon, Nigeria, Guinea (Metcalf Cat.)
- Petalocephala remota* (Melichar)
Ledropsis remota Melichar 1903b:144 [n.sp.]; Metcalf
1962c,6(4):77 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala rubromarginata* Kato
Petalocephala rubromarginata Kato 1931e:433 [n.sp.];
Metcalf 1962c,6(4):77 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala signata* Distant
Petalocephala signata Distant 1916a:218 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala sjöstedti* [sic] Haglund
Petalocephala sjostedti Haglund 1899a:55 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Cameroon, Nigeria, Zaire (Metcalf
Cat.)
- Petalocephala subacta* Walker
Petalocephala subacta Walker 1870b:308 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Mysol (Metcalf Cat.)
- Petalocephala subaquila* Distant
Petalocephala subaquila Distant 1908g:163 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Myanmar, West Indonesia, India
(Metcalf Cat.)
- Petalocephala tabulata* Distant
Petalocephala tabulata Distant 1908g:169 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Petalocephala taihorensis* Schumacher
Petalocephala taihorensis Schumacher 1915a:92
[n.sp.]; Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala taikosana* Kato
Petalocephala taikosana Kato 1931e:434 [n.sp.];
Metcalf 1962c,6(4):78 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala tenuifrons* (Walker)
Ledra tenuifrons Walker 1857b:170 [n.sp.]; Metcalf
1962c,6(4):79 [Cat.]
DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
- Petalocephala umbrosa* Distant
Petalocephala umbrosa Distant 1908g:165 [n.sp.];
Metcalf 1962c,6(4):79 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Petalocephala uniformis* Distant
Petalocephala uniformis Distant 1908g:165 [n.sp.];
Metcalf 1962c,6(4):79 [Cat.]
- Petalocephala bombayensis* Distant 1912d:441 [n.sp.];
Metcalf 1962c,6(4):79 [Cat.]
DISTRIBUTION: India, Sri Lanka, Myanmar,
Singapore (Metcalf Cat.)
- Petalocephala vittata* (Matsumura)
Ledropsis vittata Matsumura 1912a:31 [n.sp.]; Metcalf
1962c,6(4):80 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalocephala wahlbergi* Stål
Petalocephala wahlbergi Stål 1854b:251 [n.sp.];
Metcalf 1962c,6(4):80 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
- Petalocephala walkeri* (Melichar)
Ledropsis walkeri Melichar 1903b:144 [n.sp.];
Metcalf 1962c,6(4):80 [Cat.]

- Petalocephala brachycephala* Distant 1908g:170
[n.sp.]; Metcalf 1962c,6(4):80 [Cat.]
DISTRIBUTION: Sri Lanka, India (Metcalf Cat.)
- Petalocephaloides laticapitata* Kato
Petalocephaloides laticapitata Kato 1931e:436 [n.sp.];
Metcalf 1962c,6(4):83 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Petalopoda annulipes* Spångberg
Petalopoda annulipes Spångberg 1879a:18 [n.sp.];
Metcalf 1964b,6(11):29 [Cat.]
DISTRIBUTION: Brazil, French Guiana (Metcalf Cat.)
- Petalopoda pictifrons* Spångberg
Petalopoda pictifrons Spångberg 1879a:19 [n.sp.];
Metcalf 1964b,6(11):30 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Pettya anemolua* Kirkaldy
Pettya anemolua Kirkaldy 1906c: 343 [n.sp.]; Metcalf
1967c, 6(10c): 2462 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Peyerimhoffiola galeata* Bergevin
Peyerimhoffiola galeata Bergevin 1928b:275 [n.sp.];
Metcalf 1966a,6(14):165 [Cat.]
DISTRIBUTION: Algeria, Tunisia (Metcalf Cat.)
- Phera aterrima* Fowler
Phera aterrima Fowler 1899a:224 [n.sp.]; Metcalf
1965a,6(1):496 [Cat.]
DISTRIBUTION: Mexico (Young 1968a)
- Phera atrata* Fowler
Phera atrata Fowler 1899a:222 [n.sp.]; Metcalf
1965a,6(1):496 [Cat.]
DISTRIBUTION: Guatemala, Costa Rica, United
States: Texas (Metcalf Cat.)
- Phera centroleinata* (Signoret)
Tettigonia centroleinata Signoret 1855b:239 [n.sp.];
Metcalf 1965a,6(1):496 [Cat.]
Ciccus nigrilux Walker 1858b:246 [n.sp.]; Metcalf
1965a,6(1):496 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala
(Young 1968a)
- Phera lacerta* Fowler
Phera lacerta Fowler 1899b:225 [n.sp.]; Metcalf
1965a,6(1):497 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala,
Costa Rica (Young 1968a)
- Phera luciola* (Signoret)
Tettigonia luciola Signoret 1855b:239 [n.sp.]; Metcalf
1965a,6(1):497 [Cat.]
DISTRIBUTION: Mexico (Young 1968a)
- Phera nigriceps* (Signoret)
Tettigonia nigriceps Signoret 1855c:508 [n.sp.];
Metcalf 1965a,6(1):498 [Cat.]
DISTRIBUTION: Guatemala, Costa Rica, Panama,
Venezuela (Young 1968a)
- Phera rufipennis* (Signoret)
- Tettigonia rufipennis* Signoret 1855d:797 [n.sp.];
Metcalf 1965a,6(1):498 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Phera tiarata* Stål
Phera tiarata Stål 1864a:79 [n.sp.]; Metcalf
1965a,6(1):498 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Phera unipunctata* Evans
Phera unipunctata Evans 1947a:253 [n.sp.]; Metcalf
1965a,6(1):499 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Phera wallengreni* Stål
Phera wallengreni Stål 1864a:78 [n.sp.]; Metcalf
1965a,6(1):499 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Phereurhinus batillus* Jacobi
Phereurhinus batillus Jacobi 1905c:168 [n.sp.];
Metcalf 1965a,6(1):414 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Pherodes flammecicolor* Fowler
Pherodes flammecicolor Fowler 1899b:226 [n.sp.];
Metcalf 1965a,6(1):419 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Pherodes sagittarius* (Walker)
Ciccus sagittarius Walker 1858b:245 [n.sp.]; Metcalf
1965a,6(1):419 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Philaia jassargiforma* Dlabola
Philaia jassargiforma Dlabola 1952a: 50 [n.sp.];
Metcalf 1967b, 6(10b): 1242 [Cat.]
DISTRIBUTION: Slovakia (Metcalf Cat.)
- Phlepsanus angustus* Crowder
Phlepsanus angustus Crowder 1952a: 448 [n.sp.];
Metcalf 1967a, 6(10a): 655 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Phlepsanus denudatus* (Ball)
Phlepsius denudatus Ball 1901a: 11 [n.sp.]; Metcalf
1967a, 6(10a): 655 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Phlepsanus denudatus carpolus* (Ball)
Phlepsius (Dixianus) denudatus carpolus Ball 1931g:
87 [n.subsp. of denudatus]; Metcalf 1967a, 6(10a):
656 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Phlepsanus nigrifrons* (Ball)
Phlepsius nigrifrons Ball 1905b: 210 [n.sp.]; Metcalf
1967a, 6(10a): 656 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf
Cat.)
- Phlepsanus tumidatus* Crowder
Phlepsanus tumidatus Crowder 1952a: 450 [n.sp.];
Metcalf 1967a, 6(10a): 657 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Phlepsanus vanduzeei* [sic] (Ball)
Phlepsius vanduzei Ball 1901a: 9 [n.sp.]; Metcalf
1967a, 6(10a): 657 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Phlepsius annulatus Osborn
Phlepsius annulatus Osborn 1923c: 61 [n.sp.]; Metcalf 1967a, 6(10a): 555 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Phlepsius bergi Metcalf
Deltocephalus variegatus Berg 1879d: 264 [n.sp.]; Metcalf 1967a, 6(10a): 556 [Cat.]
- Phlepsius bergi** Metcalf 1955a: 265 [nom.nov. for *Deltocephalus variegatus* Berg 1879]; Metcalf 1967a, 6(10a): 556 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
Phlepsius chloroticus Melichar
Phlepsius chloroticus Melichar 1904a: 38 [n.sp.]; Metcalf 1967a, 6(10a): 556 [Cat.]
- DISTRIBUTION:** Somalia (Metcalf Cat.)
Phlepsius cirrus DeLong
Phlepsius cirrus DeLong 1944d: 86 [n.sp.]; Metcalf 1967a, 6(10a): 557 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Phlepsius clypeatus Osborn
Phlepsius clypeatus Osborn 1923c: 62 [n.sp.]; Metcalf 1967a, 6(10a): 557 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Metcalf Cat.)
Phlepsius dampfi DeLong
Phlepsius dampfi DeLong 1939c: 381 [n.sp.]; Metcalf 1967a, 6(10a): 557 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Phlepsius dubius Jacobi
Phlepsius dubius Jacobi 1941a: 310 [n.sp.]; Metcalf 1967a, 6(10a): 558 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
Phlepsius fasciolatus Melichar
Phlepsius fasciolatus Melichar 1904a: 39 [n.sp.]; Metcalf 1967a, 6(10a): 558 [Cat.]
- DISTRIBUTION:** Somalia (Metcalf Cat.)
Phlepsius guttatus (Matsumura)
Parallygus guttatus Matsumura 1914a: 205 [n.sp.]; Metcalf 1967a, 6(10a): 558 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
Phlepsius hasemani Osborn
Phlepsius hasemani Osborn 1923c: 58 [n.sp.]; Metcalf 1967a, 6(10a): 559 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Phlepsius intricatus (Herrick-Schaeffer)
Jassus intricatus Herrick-Schaeffer 1838b: 5 [n.sp.]; Metcalf 1967a, 6(10a): 559 [Cat.]
- Jassus (Jassus) octopunctatus** Burmeister 1838b: 13 [n.sp.]; Metcalf 1967a, 6(10a): 559 [Cat.]
- Athy sanus ornatus** Perris 1857a: 174 [n.sp.]; Metcalf 1967a, 6(10a): 559 [Cat.]
- Phlepsius maculatus** Fieber 1866a: 514 [n.sp.]; Metcalf 1967a, 6(10a): 559 [Cat.]
- DISTRIBUTION:** Widespread Europe, western Mediterranean region, Northern Africa, Turkey, Iran, Iraq, Serbia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Phlepsius lacerdae** Signoret
Phlepsius lacerdae Signoret 1880a: 69 [n.sp.]; Metcalf 1967a, 6(10a): 563 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
Phlepsius loricatus Osborn
Phlepsius loricatus Osborn 1923c: 60 [n.sp.]; Metcalf 1967a, 6(10a): 563 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Phlepsius melichari Baker
Phlepsius pallidus Melichar 1911a: 110 [n.sp.]; Metcalf 1967a, 6(10a): 564 [Cat.]
- Phlepsius melichari** Baker 1925a: 160 [nom.nov. for *Phlepsius pallidus* Melichar 1911]; Metcalf 1967a, 6(10a): 564 [Cat.]
- DISTRIBUTION:** Kenya, Uganda, Tanzania (Metcalf Cat.)
Phlepsius microcephalus Kusnezov
Phlepsius microcephalus Kusnezov 1929a: 315 [n.sp.]; Metcalf 1967a, 6(10a): 564 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Phlepsius multifarius Berg
Phlepsius multifarius Berg 1884b: 117 [n.sp.]; Metcalf 1967a, 6(10a): 564 [Cat.]
- DISTRIBUTION:** Uruguay (Metcalf Cat.)
Phlepsius plumbeus Distant
Phlepsius plumbeus Distant 1908g: 347 [n.sp.]; Metcalf 1967a, 6(10a): 565 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
Phlepsius pulcher Melichar
Phlepsius pulcher Melichar 1898a: 65 [n.sp.]; Metcalf 1967a, 6(10a): 565 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey (Metcalf Cat.)
Phlepsius punctatus (Osborn)
Eutettix punctatus Osborn 1923c: 50 [n.sp.]; Metcalf 1967a, 6(10a): 565 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Phlepsius quadripunctatus Melichar
Phlepsius quadripunctatus Melichar 1911a: 109 [n.sp.]; Metcalf 1967a, 6(10a): 565 [Cat.]
- DISTRIBUTION:** Kenya, Uganda, Tanzania (Metcalf Cat.)
Phlepsius reticulatus Signoret
Phlepsius reticulatus Signoret 1880b: 196 [n.sp.]; Metcalf 1967a, 6(10a): 566 [Cat.]
- DISTRIBUTION:** Russia, Israel, Germany, Iran (Metcalf Cat.)
Phlepsius rhomboideus Melichar
Phlepsius rhomboideus Melichar 1904a: 40 [n.sp.]; Metcalf 1967a, 6(10a): 566 [Cat.]
- DISTRIBUTION:** Somalia (Metcalf Cat.)

- Phlepsius saranensis* Osborn
Phlepsius saranensis Osborn 1923c: 59 [n.sp.];
 Metcalf 1967a, 6(10a): 566 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Phlepsius sexnotatus* Kusnezov
Phlepsius sexnotatus Kusnezov 1929a: 314 [n.sp.];
 Metcalf 1967a, 6(10a): 567 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Phlepsius signatus* Osborn
Phlepsius signatus Osborn 1923c: 64 [n.sp.]; Metcalf
 1967a, 6(10a): 567 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Phlepsius smithi* Dozier
Phlepsius smithi Dozier 1931a: 11 [n.sp.]; Metcalf
 1967a, 6(10a): 567 [Cat.]
 DISTRIBUTION: Haiti (Metcalf Cat.)
- Phlepsius sparsus* Osborn
Phlepsius sparsus Osborn 1923c: 59 [n.sp.]; Metcalf
 1967a, 6(10a): 567 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Phlepsius tumidus* Melichar
Phlepsius tumidus Melichar 1911a: 109 [n.sp.];
 Metcalf 1967a, 6(10a): 568 [Cat.]
 DISTRIBUTION: Kenya, Kenya, Uganda, Tanzania
 (Metcalf Cat.)
- Phlepsius venosulus* (Berg)
Deltocephalus venosulus Berg 1879d: 266 [n.sp.];
 Metcalf 1967a, 6(10a): 568 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Phlepsius ventosus* DeLong
Phlepsius ventosus DeLong 1944d: 86 [n.sp.]; Metcalf
 1967a, 6(10a): 568 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Phlogotettix cyclops* (Mulsant & Rey)
Jassus cyclops Mulsant & Rey 1855a: 227 [n.sp.];
 Metcalf 1967a, 6(10a): 382 [Cat.]
 DISTRIBUTION: France, Hungary, Germany,
 Austria, Romania, Japan, Russia, Manchuria,
 Serbia, Korea, Taiwan, Slovakia, Belgium
 (Metcalf Cat.)
- Phrynophyes fatiganda* (Kirkaldy)
Phrynomorphus fatigandus Kirkaldy 1906c: 327
 [n.sp.]; Metcalf 1967b, 6(10b): 1659 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Phrynophyes kirkaldyi* Evans
Phrynophyes kirkaldyi Evans 1938b: 15 [n.sp.];
 Metcalf 1967b, 6(10b): 1659 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Phrynophyes parvula* (Buckton)
Philya parvula Buckton 1901a: 57 [n.sp.]; Metcalf
 1967b, 6(10b): 1659 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Phrynophyes phrynophyes* Kirkaldy
 Kirkaldy 1906c: 327
 [n.sp.]; Metcalf 1967b, 6(10b): 1659 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Phycotettix matsumuri* (Metcalf)
Thamnotettix acuminatus Matsumura 1908a: 27
 [n.sp.]; Metcalf 1967b, 6(10b): 1742 [Cat.]
Thamnotettix matsumuri Metcalf 1955a: 265
 [nom.nov. for *Thamnotettix acuminatus*
 Matsumura 1908]; Metcalf 1967b, 6(10b): 1742
 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Phycotettix paryphantus* (Lethierry)
Thamnotettix paryphanta Lethierry 1878d: xxviii
 [n.sp.]; Metcalf 1967b, 6(10b): 1742 [Cat.]
Thamnotettix rubrostriatus Löw 1885a: 348 [n.subsp.
 of *paryphantus*]; Metcalf 1967b, 6(10b): 1743
 [Cat.]
 DISTRIBUTION: Algeria, Tunisia, Morocco,
 Portugal, Spain, Greece, Italy, Sudan (Metcalf
 Cat.)
- Phycotettix paryphantus abalius* (Ferrari)
Thamnotettix paryphantus abalia Ferrari 1884a: 514
 [n.sp.]; Metcalf 1967b, 6(10b): 1743 [Cat.]
 DISTRIBUTION: Spain, Portugal, Greece, Tunisia,
 Algeria, Kazakhstan, Kirghizia, Tadzhikistan,
 Turkmenistan, Uzbekistan (Metcalf Cat.)
- Piezauchenia aphrophoroides* Spinola
Piezauchenia aphrophoroides Spinola 1852a: 288
 [n.sp.]; Metcalf 1966c, 6(15): 187 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Pinumius areatus* (Stål)
Deltocephalus areatus Stål 1858e: 193 [n.sp.]; Metcalf
 1967b, 6(10b): 1424 [Cat.]
Deltocephalus sexmaculatus Gillette & Baker 1895a:
 88 [n.sp.]; Metcalf 1967b, 6(10b): 1424 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia,
 Russia, Italy, United States, Canada (Metcalf Cat.)
- Pisachoides pallescens* (Distant)
Pisacha pallescens Distant 1908g: 231 [n.sp.]; Metcalf
 1965a, 6(1): 462 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Pisachoides primitiva* (Distant)
Pisacha primitiva Distant 1908g: 231 [n.sp.]; Metcalf
 1965a, 6(1): 462 [Cat.]
 DISTRIBUTION: India, Burma (Young 1986a)
- Pithyotettix abietinus* (Fallén)
Cicada abietina Fallén 1806a: 28 [n.sp.]; Metcalf
 1967a, 6(10a): 224, 229 [Cat.]
Jassus proteus Herrich-Schaeffer 1834c: 8 [n.sp.];
 Metcalf 1967a, 6(10a): 224 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia,
 western Mediterranean region, Northern Africa
 (Metcalf Cat.)
- Pithyotettix abietinus pinastri* (Fieber)

- Thamnotettix abietinus pinastri* Fieber 1885a: 80
[n.subsp. of *abietinus*]; Metcalf 1967a, 6(10a): 229
[Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
western Mediterranean region, Northern Africa
(Metcalf Cat.)
- Placidus hornei* Distant
Placidus hornei Distant 1908g:342 [n.sp.]; Metcalf
1964b,6(11):27 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Placidus orientalis* Schumacher
Placidus orientalis Schumacher 1915a:104 [n.sp.];
Metcalf 1964b,6(11):27 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Placotettix taeniatifrons* (Kirschbaum)
Jassus (*Thamnotettix*) *taeniatifrons* Kirschbaum
1868b: 89 [n.sp.]; Metcalf 1967a, 6(10a): 384
[Cat.]
Thamnotettix fieberi Ferrari 1882a: 122 [n.sp.];
Metcalf 1967a, 6(10a): 384 [Cat.]
DISTRIBUTION: Italy, France, England, Romania,
Belgium, Tunisia (Metcalf Cat.)
- Placotettix taeniatifrons ochracea* (Rey)
Thamnotettix taeniatifrons ochracea Rey 1894c: 45
[n.sp.]; Metcalf 1967a, 6(10a): 387 [Cat.]
DISTRIBUTION: France, Belgium (Metcalf Cat.)
- Placotettix taeniatifrons* var. *meridionalis* Metcalf
Thamnotettix aliena Fieber 1885a: 61 [n.sp.]; Metcalf
1967a, 6(10a): 386 [Cat.]
Placotettix taeniatifrons var. *meridionalis* Metcalf
1967a: 386 [nom.nov. for *Thamnotettix aliena*
Fieber 1885]; Metcalf 1967a, 6(10a): 386 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Plagalebra similis* (Baker)
Protalebra similis Baker 1899b:403 [n.sp.]; Metcalf
1968a,6(17):23 [Cat.]
DISTRIBUTION: Brazil, Panama, Honduras, Puerto
Rico, Grenada, West Indies: Saint Vincent Island,
Cuba, Guatemala, Haiti (Metcalf Cat.)
- Plagalebra singularis* (Baker)
Protalebra singularis Baker 1899b:402 [n.sp.]; Metcalf
1968a,6(17):24 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Platycyba bistrigata* Matsumura
Platycyba bistrigata Matsumura 1932a:103 [n.sp.];
Metcalf 1968a,6(17):1047 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Platyeyrmeta atra* (Walker)
Eurytmeta atra Walker 1851b:645 [n.sp.]; Metcalf
1965b,6(12):10 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platyeyrmeta semifascia* (Walker)
Eurytmeta semifascia Walker 1851b:643 [n.sp.];
Metcalf 1965b,6(12):10 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platyeyrmeta semifascia tasmani* (Distant)
Eurytmeta semifascia tasmani Distant 1908e:106
[n.sp.]; Metcalf 1965b,6(12):10 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platygonia praestantior* (Fowler)
Tettigonia praestantior Fowler 1899e:254 [n.sp.];
Metcalf 1965a,6(1):522 [Cat.]
Diedrocephala zea Distant 1908b:60 [n.sp.]; Metcalf
1965a,6(1):522 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Platygonia unidecimmaculata* (Fowler)
Tettigonia unidecimmaculata Fowler 1899e:254
[n.sp.]; Metcalf 1965a,6(1):522 [Cat.]
DISTRIBUTION: Ecuador (Young 1977a)
- Platyhynna bdellostoma* (Berg)
Epiclines bdellostoma Berg 1879d:253 [n.sp.];
Metcalf 1962c,6(4):97 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Platyjassus viridis* Evans
Platyjassus viridis Evans 1954a:114 [n.sp.]; Metcalf
1966c,6(15):208 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Platelyedra hirsuta* Evans
Platelyedra hirsuta Evans 1936a:40 [n.sp.]; Metcalf
1962c,6(4):99 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platelyedra monstrosa* Evans
Platelyedra monstrosa Evans 1939a:45 [n.sp.]; Metcalf
1962c,6(4):99 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platymetopius apicalis* Puton
Platymetopius apicalis Puton 1877b: lxii [n.sp.];
Metcalf 1967c, 6(10c): 2219 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Platymetopius breviceps* Lindberg
Platymetopius breviceps Lindberg 1927b: 28 [n.sp.];
Metcalf 1967c, 6(10c): 2219 [Cat.]
DISTRIBUTION: Kazakhstan, Turkmenistan (Metcalf
Cat.)
- Platymetopius chloroticus* Puton
Platymetopius chloroticus Puton 1877b: lxii [n.sp.];
Metcalf 1967c, 6(10c): 2219 [Cat.]
DISTRIBUTION: Russia, Turkmenistan (Metcalf
Cat.)
- Platymetopius cruentatus* Haupt
Platymetopius cruentatus Haupt 1927a: 22 [n.sp.];
Metcalf 1967c, 6(10c): 2220 [Cat.]
DISTRIBUTION: Israel, Iraq (Metcalf Cat.)
- Platymetopius dorsovittatus* Kato
Platymetopius dorsovittatus Kato 1933c: 5 [n.sp.];
Metcalf 1967c, 6(10c): 2221 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Platymetopius ferrarii* Haupt
Platymetopius ferrarii Haupt 1927a: 21 [n.sp.];
Metcalf 1967c, 6(10c): 2221 [Cat.]
DISTRIBUTION: Israel (Metcalf Cat.)
- Platymetopius filigranus* (Scott)

- Phlepsius filigranus* Scott 1876d: 84 [n.sp.]; Metcalf 1967c, 6(10c): 2221 [Cat.]
DISTRIBUTION: France, Italy, Germany, Austria, Hungary, Croatia, Belgium, Spain, Slovakia, Czech Republic (Metcalf Cat.)
- Platymetopius hopponis* Matsumura
Platymetopius hopponis Matsumura 1914a: 214 [n.sp.]; Metcalf 1967c, 6(10c): 2223 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Platymetopius kempfi* Singh-Pruthi
Platymetopius kempfi Singh-Pruthi 1934a: 28 [n.sp.]; Metcalf 1967c, 6(10c): 2223 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Platymetopius koreanus* Matsumura
Platymetopius koreanus Matsumura 1915a: 169 [n.sp.]; Metcalf 1967c, 6(10c): 2223 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Platymetopius major* (Kirschbaum)
Jassus (*Platymetopius*) major Kirschbaum 1868b: 147 [n.sp.]; Metcalf 1967c, 6(10c): 2224 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Northern Africa, Italy (Metcalf Cat.)
- Platymetopius niveimarginatus* Melichar
Platymetopius niveimarginatus Melichar 1904a: 43 [n.sp.]; Metcalf 1967c, 6(10c): 2226 [Cat.]
DISTRIBUTION: Ethiopia (Metcalf Cat.)
- Platymetopius notatus* Fieber
Platymetopius notatus Fieber 1869a: 202 [n.sp.]; Metcalf 1967c, 6(10c): 2226 [Cat.]
DISTRIBUTION: Spain, Portugal, Morocco (Metcalf Cat.)
- Platymetopius obsoletus* (Signoret)
Phlepsius obsoletus Signoret 1880b: 194 [n.sp.]; Metcalf 1967c, 6(10c): 2227 [Cat.]
DISTRIBUTION: Russia, Georgia, Azerbaijan, Italy, Armenia, Iran, Ukraine, Turkey, Israel, Croatia (Metcalf Cat.)
- Platymetopius rahmani* Singh-Pruthi
Platymetopius rahmani Singh-Pruthi 1930a: 33 [n.sp.]; Metcalf 1967c, 6(10c): 2228 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Platymetopius rostratus* (Herrick-Schaeffer)
Jassus rostratus Herrick-Schaeffer 1834a: 2 [n.sp.]; Metcalf 1967c, 6(10c): 2228 [Cat.]
DISTRIBUTION: Austria, Germany, England, Switzerland, France, Italy, Russia, Armenia, Czech Republic, Hungary, Georgia, Azerbaijan, Serbia, Belgium, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Bulgaria, Turkey, Spain, Slovakia (Metcalf Cat.)
- Platymetopius rostratus decipiens* Horváth
Platymetopius rostratus decipiens Horváth 1894a: 187 [n.subsp. of *rostratus*]; Metcalf 1967c, 6(10c): 2230 [Cat.]
DISTRIBUTION: Armenia, Russia, Georgia, Azerbaijan (Metcalf Cat.)
- Platymetopius signoreti* Metcalf
Platymetopius signoreti Metcalf 1967c: 2230 [n.sp. by bibliog. Ref to Signoret 1880a: 70; not nom.nov.]; Metcalf 1967c, 6(10c): 2230 [Cat.]
DISTRIBUTION: Italy, Austria, Greece, Croatia (Metcalf Cat.)
- Platymetopius tenuifrons* Baker
Platymetopius tenuifrons Baker 1900c: 50 [n.sp.]; Metcalf 1967c, 6(10c): 2231 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Platymetopius turkestanicus* [sic] Kusnezov
Platymetopius turkestanicus Kusnezov 1929a: 44 [n.sp.]; Metcalf 1967c, 6(10c): 2231 [Cat.]
Platymetopius turkestanicus Kusnezov 1932a: 318 [implicit emend. of *turkestanicus*]; Metcalf 1967c, 6(10c): 2231 [Cat.]
DISTRIBUTION: Russia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Platymetopius undatus* (De Geer)
Cicada undata De Geer 1773a: 185 [n.sp.]; Metcalf 1967c, 6(10c): 2231 [Cat.]
Cicada flammigera Villers 1789a: 468 [n.sp.]; Metcalf 1967c, 6(10c): 2232 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Russia, Korea, Italy, Spain, Portugal, Tunisia (Metcalf Cat.)
- Platymetopius undatus chosenensis* Matsumura
Platymetopius undatus chosenensis Matsumura 1915a: 169 [n.subsp. of *undatus* (as *undulatus*)]; Metcalf 1967c, 6(10c): 2240 [Cat.]
DISTRIBUTION: Korea (Metcalf Cat.)
- Platymetopius undatus distinctus* Melichar
Platymetopius undatus distinctus Melichar 1902c: 124 [n.subsp. of *undatus*]; Metcalf 1967c, 6(10c): 2241 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Platymetopius zizyphi* Bergevin
Platymetopius zizyphi Bergevin 1922a: 63 [n.sp.]; Metcalf 1967c, 6(10c): 2241 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Platyproctus agraphopteron* Bergevin
Platyproctus agraphopteron Bergevin 1932d: 234 [n.sp.]; Metcalf 1966a, 6(14): 160 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Platyproctus alendae* Bergevin
Platyproctus alendae Bergevin 1932c: 128 [n.sp.]; Metcalf 1966a, 6(14): 161 [Cat.]
DISTRIBUTION: Tunisia (Metcalf Cat.)
- Platyproctus flaveolus* Lindberg
Platyproctus flaveolus Lindberg 1925a: 113 [n.sp.]; Metcalf 1966a, 6(14): 161 [Cat.]
DISTRIBUTION: Turkmenistan, Russia, Kazakhstan, Kirghizia, Tadzhikistan, Uzbekistan (Metcalf Cat.)
- Platyproctus hieroglyphicus* (Bergevin)

- Melicharella hieroglyphica* Bergevin 1925d:318
[n.sp.]; Metcalf 1966a,6(14):161 [Cat.]
DISTRIBUTION: Algeria, Tunisia (Metcalf Cat.)
- Platyproctus maculipes* Bergevin
Platyproctus maculipes Bergevin 1932d:236 [n.sp.];
Metcalf 1966a,6(14):161 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Platyproctus minor* Bergevin
Platyproctus minor Bergevin 1932c:126 [n.sp.];
Metcalf 1966a,6(14):161 [Cat.]
DISTRIBUTION: Algeria, Libya (Metcalf Cat.)
- Platyproctus tessellatus* Lindberg
Platyproctus tessellatus Lindberg 1925a:112 [n.sp.];
Metcalf 1966a,6(14):162 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
Cat.)
- Platyretus albosignatus* Distant
Platyretus albosignatus Distant 1918b: 38 [n.sp.];
Metcalf 1967c, 6(10c): 2090 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Platyretus connexus* Distant
Platyretus connexus Distant 1918b: 37 [n.sp.]; Metcalf
1967c, 6(10c): 2090 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Platyretus himalayanus* Distant
Platyretus himalayanus Distant 1918b: 38 [n.sp.];
Metcalf 1967c, 6(10c): 2090 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Platyretus marginatus* Melichar
Platyretus marginatus Melichar 1903b: 174 [n.sp.];
Metcalf 1967c, 6(10c): 2090 [Cat.]
DISTRIBUTION: Sri Lanka, West Indonesia, East
Indonesia, Myanmar (Metcalf Cat.)
- Platyretus tricolor* (Walker)
Typhlocyba tricolor Walker 1851b: 905 [n.sp.];
Metcalf 1967c, 6(10c): 2090 [Cat.]
- Jassus amaeonus* Stål 1855a: 99 [n.sp.]; Metcalf 1967c,
6(10c): 2090 [Cat.]
- Bythoscopus aperiens* Walker 1858b: 266 [n.sp.];
Metcalf 1967c, 6(10c): 2090 [Cat.]
- Iassus vitreicosta* Walker 1858b: 272 [n.sp.]; Metcalf
1967c, 6(10c): 2090 [Cat.]
- Platyretus cinctus* Melichar 1905a: 301 [n.sp.];
Metcalf 1967c, 6(10c): 2091 [Cat.]
DISTRIBUTION: South Africa, Zaire, Tanzania,
Somalia (Metcalf Cat.)
- Platyscopus badius* Evans
Platyscopus badius Evans 1941f:146 [n.sp.]; Metcalf
1962b,6(3):204 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platyscopus coloratus* Evans
Platyscopus coloratus Evans 1941f:146 [n.sp.];
Metcalf 1962b,6(3):204 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Platytteticis pulchra* (Matsumura)
- Motschulskia* [sic] *pulchra* Matsumura 1916b:397
[n.sp.]; Metcalf 1968a,6(17):1046 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Plesiomma alcorni* Beamer
Plesiomma alcorni Beamer 1953a:65 [n.sp.]; Metcalf
1965a,6(1):459 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Plesiomma mollicula* (Fowler)
Tettigonia mollicula Fowler 1900d:288 [n.sp.];
Metcalf 1965a,6(1):459 [Cat.]
DISTRIBUTION: United States, Mexico, El Salvador
(Young 1977a)
- Plesiomma tripunctata* (Fitch)
Tettigonia tripunctata Fitch 1851a:55 [n.sp.]; Metcalf
1965a,6(1):459 [Cat.]
- Plesiomma biundulata* Provancher 1889a:264 [n.sp.];
Metcalf 1965a,6(1):460 [Cat.]
DISTRIBUTION: United States, Canada (Young
1977a)
- Plummerella alpina* DeLong
Plummerella alpina DeLong 1942b:200 [n.sp.];
Metcalf 1965a,6(1):344 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Plummerella lineata* DeLong
Plummerella lineata DeLong 1944b:68 [n.sp.];
Metcalf 1965a,6(1):344 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Poecilocarda alboplagiata* (Melichar)
Poeciloscarta alboplagiata Melichar 1951a:84
[n.sp.]; Metcalf 1965a,6(1):96 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda binaria* (Signoret)
Tettigonia binaria Signoret 1860a:204 [n.sp.]; Metcalf
1965a,6(1):96 [Cat.]
DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda blandula* (Signoret)
Tettigonia blandula Signoret 1860a:203 [n.sp.];
Metcalf 1965a,6(1):96 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda blattea* (Bergroth)
Tettigonia blattea Bergroth 1894a:161 [n.sp.]; Metcalf
1965a,6(1):96 [Cat.]
DISTRIBUTION: China (Young 1986a)
- Poecilocarda blattinula* (Jacobi)
Tettigoniella blattinula Jacobi 1917a:547 [n.sp.];
Metcalf 1965a,6(1):97 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda collaris* (Signoret)
Tettigonia collaris Signoret 1854b:346 [n.sp.]; Metcalf
1965a,6(1):97 [Cat.]
DISTRIBUTION: India (?), West Indonesia (Young
1986a)
- Poecilocarda collina* (Jacobi)
Tettigoniella collina Jacobi 1910b:128 [n.sp.]; Metcalf
1965a,6(1):97 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)

- Poecilocarda commersoni (Jacobi)
Tettigoniella commersoni Jacobi 1917a:549 [n.sp.];
 Metcalf 1965a,6(1):97 [Cat.]
 DISTRIBUTION: Australia (Young 1986a)
- Poecilocarda coquerelii (Signoret)
Tettigonia coquerelii Signoret 1853b:352 [n.sp.];
 Metcalf 1965a,6(1):98 [Cat.]
 DISTRIBUTION: Philippines (Young 1986a)
- Poecilocarda cosmopolita (Signoret)
Tettigonia cosmopolita Signoret 1853b:364 [n.sp.];
 Metcalf 1965a,6(1):98 [Cat.]
 DISTRIBUTION: South Africa, Mexico, Brazil,
 Nigeria, Central America, Uganda (Metcalf Cat.)
- Poecilocarda cosmopolita sarniensis (Melichar)
Poeciloscarta cosmopolita sarniensis Melichar
 1951a:92 [n.subsp. of *cosmopolita*]; Metcalf
 1965a,6(1):99 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Poecilocarda elongatula (Melichar)
Poeciloscarta elongatula Melichar 1951a:87 [n.sp.];
 Metcalf 1965a,6(1):99 [Cat.]
 DISTRIBUTION: India, Bengal (Young 1986a)
- Poecilocarda flavosparsa (Signoret)
Tettigonia flavosparsa Signoret 1853c:674 [n.sp.];
 Metcalf 1965a,6(1):99 [Cat.]
 DISTRIBUTION: New Guinea (Young 1986a)
- Poecilocarda fuscocostatula (Jacobi)
Tettigoniella fuscocostatula Jacobi 1917a:547 [n.sp.];
 Metcalf 1965a,6(1):99 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda grisea Evans
Poeciloscarta grisea Evans 1955b:9 [n.sp.]; Metcalf
 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Poecilocarda hildebrandti (Jacobi)
Tettigoniella hildebrandti Jacobi 1917a:549 [n.sp.];
 Metcalf 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Australia (Young 1986a)
- Poecilocarda melancholica (Melichar)
Poeciloscarta melancholica Melichar 1951a:92 [n.sp.];
 Metcalf 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda mocquerysii (Melichar)
Poeciloscarta mocquerysii Melichar 1951a:77 [n.sp.];
 Metcalf 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda nigrifrons (Distant)
Tettigoniella nigrifrons Distant 1917c:190 [n.sp.];
 Metcalf 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Cameroon, Zaire (Metcalf Cat.)
- Poecilocarda nigrifrontula (Jacobi)
Tettigoniella nigrifrontula Jacobi 1917a:548 [n.sp.];
 Metcalf 1965a,6(1):100 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda nigrinervis (Stål)
Tettigonia nigrinervis Stål 1866a:116 [n.sp., not
 nom.nov.]; Metcalf 1965a,6(1):101 [Cat.]
- Poecilocarda mitrata Gerstaeker 1892a:58 [n.sp.];
 Metcalf 1965a,6(1):101 [Cat.]
 DISTRIBUTION: Nigeria, South Africa, Mexico,
 Brazil, Tanzania, Cameroon, Togo, Uganda, Zaire,
 Angola (Metcalf Cat.)
- Poecilocarda nigripennis Metcalf
Tettigonia scutellata Signoret 1860a:203 [n.sp.];
 Metcalf 1965a,6(1):101 [Cat.]
- Poecilocarda nigripennis Metcalf 1955a:264
 [nom.nov. for *Tettigonia scutellata* Signoret 1860];
 Metcalf 1965a,6(1):101 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda objecta (Melichar)
Poeciloscarta objecta Melichar 1951a:88 [n.sp.];
 Metcalf 1965a,6(1):102 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda pontificia (Bergroth)
Tettigonia pontificia Bergroth 1894a:160 [n.sp.];
 Metcalf 1965a,6(1):102 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda quadrigatula (Jacobi)
Tettigoniella quadrigatula Jacobi 1917a:548 [n.sp.];
 Metcalf 1965a,6(1):102 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda resonabilis (Melichar)
Poeciloscarta resonabilis Melichar 1951a:86 [n.sp.];
 Metcalf 1965a,6(1):102 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda restricta (Melichar)
Poeciloscarta restricta Melichar 1951a:78 [n.sp.];
 Metcalf 1965a,6(1):102 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda salebra (Melichar)
Poeciloscarta salebra Melichar 1951a:79 [n.sp.];
 Metcalf 1965a,6(1):103 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda segnita (Melichar)
Poeciloscarta segnita Melichar 1951a:79 [n.sp.];
 Metcalf 1965a,6(1):103 [Cat.]
 DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda sikorae (Jacobi)
Tettigoniella sikorae Jacobi 1917a:548 [n.sp.]; Metcalf
 1965a,6(1):103 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda simulantula (Jacobi)
Tettigoniella simulantula Jacobi 1917a:548 [n.sp.];
 Metcalf 1965a,6(1):103 [Cat.]
 DISTRIBUTION: Madagascar (Metcalf Cat.)
- Poecilocarda sorora (Melichar)
Tettigoniella sorora Melichar 1905a:298 [n.sp.];
 Metcalf 1965a,6(1):103 [Cat.]
 DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Poecilocarda sumptuosa (Blanchard)

- Tettigonia sumptuosa* Blanchard 1840a:192 [n.sp.]; Metcalf 1965a,6(1):104 [Cat.]
DISTRIBUTION: Borneo (Young 1986a)
- Poecilocarda superba* (Melichar)
Poeciloscarta superba Melichar 1951a:76 [n.sp.]; Metcalf 1965a,6(1):104 [Cat.]
DISTRIBUTION: Madagascar (Young 1986a)
- Poecilocarda tergiplagatula* (Jacobi)
Tettigoniella tergiplagatula Jacobi 1917a:548 [n.sp.]; Metcalf 1965a,6(1):104 [Cat.]
DISTRIBUTION: Madagascar (Young 1986a)
- Poeciloscarta albiceps* (Fowler)
Tettigonia albiceps Fowler 1900b:265 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Poeciloscarta albidonotata* (Fowler)
Tettigonia albidonotata Fowler 1899e:250 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Poeciloscarta albobifasciata* (Melichar)
Cardioscarta albobifasciata Melichar 1932a:327 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Poeciloscarta albonotata* (Melichar)
Cardioscarta albonotata Melichar 1932a:316 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta alboparallela* (Signoret)
Tettigonia alboparallela Signoret 1855d:784 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: India, Bengal, China, Burma, Thailand (Young 1986a)
- Poeciloscarta amoena* (Walker)
Tettigonia amoena Walker 1851b:759 [n.sp.]; Metcalf 1965a,6(1):60 [Cat.]
DISTRIBUTION: Colombia, Venezuela (Young 1977a)
- Poeciloscarta aurorula* (Breddin)
Tettigonia aurorula Breddin 1901d:84 [n.sp.]; Metcalf 1965a,6(1):61 [Cat.]
DISTRIBUTION: Colombia, Peru, Bolivia, Brazil (Young 1977a)
- Poeciloscarta avallonia* (Melichar)
Cardioscarta avallonia Melichar 1932a:308 [n.sp.]; Metcalf 1965a,6(1):61 [Cat.]
DISTRIBUTION: Bolivia, Peru (Metcalf Cat.)
- Poeciloscarta bigutta* (Signoret)
Tettigonia bigutta Signoret 1854a:6 [n.sp.]; Metcalf 1965a,6(1):61 [Cat.]
DISTRIBUTION: French Guiana, Brazil (Young 1977a)
- Poeciloscarta bilimitata* (Signoret)
Tettigonia bilimitata Signoret 1855d:770 [n.sp.]; Metcalf 1965a,6(1):61 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta bilineata* (Fowler)
Tettigonia bilineata Fowler 1900a:257 [n.sp.]; Metcalf 1965a,6(1):61 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Poeciloscarta bisellata* (Signoret)
Tettigonia bisellata Signoret 1862d:586 [n.sp.]; Metcalf 1965a,6(1):62 [Cat.]
DISTRIBUTION: Colombia, Guyana, French Guiana, Brazil, Ecuador to Bolivia [Peru] (Young 1977a)
- Poeciloscarta cardinalis* (Fabricius)
Cicada cardinalis Fabricius 1803a:71 [n.sp.]; Metcalf 1965a,6(1):62 [Cat.]
DISTRIBUTION: Colombia, Guyana, Suriname, French Guiana, Brazil (Young 1977a)
- Poeciloscarta cardini* Metcalf & Bruner
Poeciloscarta cardini Metcalf & Bruner 1936a:937 [n.sp.]; Metcalf 1965a,6(1):62 [Cat.]
DISTRIBUTION: Cuba (Young 1977a)
- Poeciloscarta cinctovittata* (Stål)
Tettigonia cinctovittata Stål 1855b:192 [n.sp.]; Metcalf 1965a,6(1):63 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta circumcincta* (Signoret)
Tettigonia circumcincta Signoret 1855d:775 [n.sp.]; Metcalf 1965a,6(1):63 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta comitatula* (Melichar)
Cardioscarta comitatula Melichar 1932a:297 [n.sp.]; Metcalf 1965a,6(1):63 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Poeciloscarta concinna* (Perty)
Tettigonia concinna Perty 1833a:180 [n.sp.]; Metcalf 1965a,6(1):63 [Cat.]
DISTRIBUTION: Borneo (Young 1986a)
- Poeciloscarta congruens* (Fowler)
Tettigonia congruens Fowler 1899e:252 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Mexico, Panama (Young 1977a)
- Poeciloscarta consobrina* (Fowler)
Tettigonia consobrina Fowler 1899d:245 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Young 1977a)
- Poeciloscarta daeta* (Distant)
Tettigoniella daeta Distant 1908a:522 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Poeciloscarta detracta* (Fowler)
Tettigonia detracta Fowler 1900a:258 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Poeciloscarta dilectula* (Jacobi)
Tettigoniella dilectula Jacobi 1905c:174 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Poeciloscarta distanti* Metcalf
Tettigonia scutellata Distant 1879b:62 [n.sp.]; Metcalf 1965a,6(1):64 [Cat.]

- Poeciloscarta distanti Metcalf 1965a:64 [nom.nov. for *Tettigonia scutellata* Disant 1879]; Metcalf 1965a,6(1):64 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Poeciloscarta distinguenda (Fowler)
Tettigonia distinguenda Fowler 1900a:257 [n.sp.]; Metcalf 1965a,6(1):65 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Colombia, Ecuador (Young 1977a)
- Poeciloscarta duplicaria (Distant)
Tettigonia duplicaria Distant 1891d:120 [n.sp.]; Metcalf 1965a,6(1):65 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Poeciloscarta electa (Melichar)
Cardioscarta electa Melichar 1932a:307 [n.sp.]; Metcalf 1965a,6(1):65 [Cat.]
DISTRIBUTION: Ecuador, Bolivia (Young 1977a)
- Poeciloscarta erupta (Melichar)
Cardioscarta erupta Melichar 1932a:300 [n.sp.]; Metcalf 1965a,6(1):65 [Cat.]
DISTRIBUTION: Costa Rica (Young 1977a)
- Poeciloscarta fabricii Metcalf
Cicada cruenta Fabricius 1798a:521 [n.sp.]; Metcalf 1965a,6(1):65 [Cat.]
Poeciloscarta fabricii Metcalf 1965a:65 [nom.nov. for *Cicada cruenta* Fabricius 1798]; Metcalf 1965a,6(1):65 [Cat.]
DISTRIBUTION: Venezuela, Brazil, Guyana, Suriname, French Guiana (Young 1977a)
- Poeciloscarta fairmairei [sic] (Signoret)
Tettigonia fairmairii Signoret 1853c:685 [n.sp.]; Metcalf 1965a,6(1):66 [Cat.]
Tettigonia fairmairii Dohrn 1859a:90 [implicit emend. of *fairmairii* Signoret]; Metcalf 1965a,6(1):66 [Cat.]
DISTRIBUTION: Venezuela, Ecuador, Bolivia, Brazil, Paraguay, Argentina (Young 1977a)
- Poeciloscarta fatidica (Melichar)
Cardioscarta fatidica Melichar 1932a:312 [n.sp.]; Metcalf 1965a,6(1):66 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta festiva (Melichar)
Cardioscarta festiva Melichar 1932a:319 [n.sp.]; Metcalf 1965a,6(1):66 [Cat.]
DISTRIBUTION: Colombia (Young 1977a)
- Poeciloscarta flammidula (Jacobi)
Tettigoniella flammidula Jacobi 1905c:178 [n.sp.]; Metcalf 1965a,6(1):66 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Poeciloscarta flavicollis (Signoret)
Tettigonia flavicollis Signoret 1853b:350 [n.sp.]; Metcalf 1965a,6(1):67 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Poeciloscarta flavifrons (Signoret)
Tettigonia flavifrons Signoret 1853b:350 [n.sp.]; Metcalf 1965a,6(1):67 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta flavifrons transversa (Melichar)
Cardioscarta flavifrons transversa Melichar 1932a:313 [n.subsp. of *flavifrons*]; Metcalf 1965a,6(1):67 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta flavivitta (Fowler)
Tettigonia flavivitta Fowler 1900b:271 [n.sp.]; Metcalf 1965a,6(1):67 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Poeciloscarta flavoornata (Stål)
Tettigonia flavoornata Stål 1862e:41 [n.sp.]; Metcalf 1965a,6(1):67 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta fulgida (Melichar)
Cardioscarta fulgida Melichar 1932a:296 [n.sp.]; Metcalf 1965a,6(1):67 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Poeciloscarta guadulpensis (Lethierry)
Tettigonia guadulpensis Lethierry 1881b:17 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
DISTRIBUTION: St. Vincent Is., Guadeloupe Is., Chile (Young 1977a)
- Poeciloscarta guttata (Signoret)
Tettigonia guttata Signoret 1854b:355 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Poeciloscarta helvola (Melichar)
Cardioscarta helvola Melichar 1932a:320 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta hilaris (Stål)
Tettigonia hilaris Stål 1864a:75 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Poeciloscarta histrio (Fabricius)
Cicada histrio Fabricius 1794a:34 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
Tettigonia robusta Walker 1851b:777 [n.sp.]; Metcalf 1965a,6(1):68 [Cat.]
Tettigonia interrupta Signoret 1855d:785 [n.sp.]; Metcalf 1965a,6(1):69 [Cat.]
Tettigonia sirena Stål 1864a:76 [n.sp.]; Metcalf 1965a,6(1):69 [Cat.]
DISTRIBUTION: Cuba, Puerto Rico, Haiti (Young 1977a)
- Poeciloscarta histrio baraguensis Metcalf & Bruner
Poeciloscarta histrio baraguensis Metcalf & Bruner 1936a:937 [n.subsp. of *histrio*]; Metcalf 1965a,6(1):71 [Cat.]
DISTRIBUTION: Cuba (Young 1977a)
- Poeciloscarta histrio sanguinipes (Van Duzee)
Tettigonia sanguinipes Van Duzee 1907a:59 [n.subsp. of *histrio*]; Metcalf 1965a,6(1):71 [Cat.]
DISTRIBUTION: Cuba, Jamaica (Young 1977a)
- Poeciloscarta homalina (Melichar)

- Cardioscarta homalina* Melichar 1932a:295 [n.sp.];
 Metcalf 1965a,6(1):71 [Cat.]
- DISTRIBUTION:** Peru (Young 1977a)
- Poeciloscarta hyalinosparsa* (Melichar)
 Cardioscarta hyalinosparsa Melichar 1932a:316
 [n.sp.]; Metcalf 1965a,6(1):71 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta ignicolor* (Signoret)
 Tettigonia ignicolor Signoret 1854a:8 [n.sp.]; Metcalf
 1965a,6(1):71 [Cat.]
- DISTRIBUTION:** Brazil, Argentina (Young 1977a)
- Poeciloscarta incarnatula* (Melichar)
 Cardioscarta incarnatula Melichar 1932a:311 [n.sp.];
 Metcalf 1965a,6(1):71 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Poeciloscarta laticeps* Metcalf & Bruner
 Poeciloscarta laticeps Metcalf & Bruner 1936a:940
 [n.sp.]; Metcalf 1965a,6(1):72 [Cat.]
- DISTRIBUTION:** West Indies (Metcalf Cat.)
- Poeciloscarta lucasii* (Signoret)
 Tettigonia lucasii Signoret 1855d:778 [n.sp.]; Metcalf
 1965a,6(1):72 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, Honduras, El
 Salvador (Young 1977a)
- Poeciloscarta lutea* (Signoret)
 Tettigonia lutea Signoret 1855d:773 [n.sp.]; Metcalf
 1965a,6(1):72 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, El Salvador,
 Costa Rica (Young 1977a)
- Poeciloscarta maculicollis* (Signoret)
 Tettigonia maculicollis Signoret 1855d:776 [n.sp.];
 Metcalf 1965a,6(1):73 [Cat.]
- DISTRIBUTION:** Colombia, Brazil, Venezuela
 (Metcalf Cat.)
- Poeciloscarta maculicosta* (Melichar)
 Cardioscarta maculicosta Melichar 1932a:328 [n.sp.];
 Metcalf 1965a,6(1):73 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Poeciloscarta mendica* (Melichar)
 Cardioscarta mendica Melichar 1932a:317 [n.sp.];
 Metcalf 1965a,6(1):73 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta multiplicator* (Melichar)
 Cardioscarta multiplicator Melichar 1932a:304 [n.sp.];
 Metcalf 1965a,6(1):73 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta nigriventris* (Signoret)
 Tettigonia nigriventris Signoret 1855d:784 [n.sp.];
 Metcalf 1965a,6(1):73 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta nigrofasciata* Metcalf
 Cardioscarta quadrifasciata Melichar 1932a:301
 [n.sp.]; Metcalf 1965a,6(1):74 [Cat.]
- Poeciloscarta nigrofasciata* Metcalf 1949b:266 [n.sp.,
 not nom.nov.]; Metcalf 1965a,6(1):74 [Cat.]
- DISTRIBUTION:** Peru, Bolivia, Brazil, Suriname
 (Metcalf Cat.)
- Poeciloscarta nigroguttata* (Signoret)
 Tettigonia nigroguttata Signoret 1855d:772 [n.sp.];
 Metcalf 1965a,6(1):74 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala (Young 1977a)
- Poeciloscarta notaticeps* (Fowler)
 Tettigonia notaticeps Fowler 1900c:273 [n.sp.];
 Metcalf 1965a,6(1):74 [Cat.]
- DISTRIBUTION:** Guatemala (Young 1977a)
- Poeciloscarta obstinata* (Melichar)
 Cardioscarta obstinata Melichar 1932a:294 [n.sp.];
 Metcalf 1965a,6(1):74 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
- Poeciloscarta occulta* (Melichar)
 Cardioscarta occulta Melichar 1932a:300 [n.sp.];
 Metcalf 1965a,6(1):74 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Poeciloscarta oriunda* (Melichar)
 Cardioscarta oriunda Melichar 1932a:320 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Peru (Young 1977a)
- Poeciloscarta peragilis* (Melichar)
 Cardioscarta peragilis Melichar 1932a:295 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
- Poeciloscarta pergrata* (Melichar)
 Cardioscarta pergrata Melichar 1932a:298 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Colombia, Peru, Brazil (Young
 1977a)
- Poeciloscarta perspicua* (Melichar)
 Cardioscarta perspicua Melichar 1932a:303 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Poeciloscarta perturbata* (Melichar)
 Cardioscarta perturbata Melichar 1932a:303 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Colombia (Young 1977a)
- Poeciloscarta peruviana* (Signoret)
 Tettigonia peruviana Signoret 1862d:587 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Poeciloscarta proxima* (Signoret)
 Tettigonia proxima Signoret 1853b:361 [n.sp.];
 Metcalf 1965a,6(1):75 [Cat.]
- DISTRIBUTION:** Guatemala, Honduras (Young
 1977a)
- Poeciloscarta pulchella* (Guérin-Méneville)
 Tettigonia pulchella Guérin-Méneville
 1829a:pl.59,fig.10 [n.sp.]; Metcalf 1965a,6(1):76
 [Cat.]
- Tettigonia cruciata* Signoret 1853b:361 [n.sp.];
 Metcalf 1965a,6(1):76 [Cat.]
- DISTRIBUTION:** Mexico (Young 1977a)
- Poeciloscarta quadrifasciata* (Linnaeus)

- Cicada quadrifasciata* Linnaeus 1758a:436 [n.sp.]; Metcalf 1965a,6(1):77 [Cat.]
- Tettigonia miniata* Germar 1821a:69 [n.sp.]; Metcalf 1965a,6(1):77 [Cat.]
- DISTRIBUTION: Colombia, Guyana, French Guiana, Peru, Bolivia (Young 1977a)
- Poeciloscarta quatuordecimpunctata* (Signoret)
- Tettigonia quatuordecimpunctata* Signoret 1855d:782 [n.sp.]; Metcalf 1965a,6(1):79 [Cat.]
- DISTRIBUTION: Mexico (Young 1977a)
- Poeciloscarta redundans* (Fowler)
- Tettigonia redundans* Fowler 1899e:251 [n.sp.]; Metcalf 1965a,6(1):80 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, El Salvador (Young 1977a)
- Poeciloscarta reservata* (Fowler)
- Tettigonia reservata* Fowler 1900b:267 [n.sp.]; Metcalf 1965a,6(1):80 [Cat.]
- DISTRIBUTION: Honduras, Belize, Costa Rica, Panama (Young 1977a)
- Poeciloscarta rogata* (Melichar)
- Cardioscarta rogata* Melichar 1932a:308 [n.sp.]; Metcalf 1965a,6(1):80 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Poeciloscarta rubripennis* (Signoret)
- Cicada rubripennis* Signoret 1854a:5 [n.sp.]; Metcalf 1965a,6(1):80 [Cat.]
- DISTRIBUTION: Brazil, Suriname (Metcalf Cat.)
- Poeciloscarta rufofasciata* (Distant)
- Tettigonia rufofasciata* Distant 1879b:63 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Costa Rica, Gorgona Is., Colombia, Ecuador (Young 1977a)
- Poeciloscarta salutaris* (Fowler)
- Tettigonia salutaris* Fowler 1900d:281 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Poeciloscarta seguyi* (Melichar)
- Cardioscarta seguyi* Melichar 1932a:297 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta semiflava* (Melichar)
- Cardioscarta semiflava* Melichar 1932a:328 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Poeciloscarta semipunctulata* (Melichar)
- Cardioscarta semipunctulata* Melichar 1932a:314 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta serena* (Melichar)
- Cardioscarta serena* Melichar 1932a:301 [n.sp.]; Metcalf 1965a,6(1):81 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Poeciloscarta sermuncula* (Melichar)
- Cardioscarta sermuncula* Melichar 1932a:295 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: Brazil, Suriname, Peru, Bolivia (Young 1977a)
- Poeciloscarta servula* (Melichar)
- Cardioscarta servula* Melichar 1932a:293 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: French Guiana, Suriname, Brazil, Ecuador, Peru, Bolivia (Young 1977a)
- Poeciloscarta smidti* Metcalf
- Cicada tristis* Fabricius 1803a:74 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- Poeciloscarta smidti* Metcalf 1965a:82 [nom.nov. for *Cicada tristis* Fabricius 1803]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: Peru (Young 1977a)
- Poeciloscarta solida* (Melichar)
- Cardioscarta solida* Melichar 1932a:293 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: Brazil, Peru (Young 1977a)
- Poeciloscarta solitaris* (Signoret)
- Tettigonia solitaris* Signoret 1853b:346 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: French Guiana, Guyana, Colombia, Brazil, Peru (Young 1977a)
- Poeciloscarta spectabilis* (Melichar)
- Cardioscarta spectabilis* Melichar 1932a:305 [n.sp.]; Metcalf 1965a,6(1):82 [Cat.]
- DISTRIBUTION: Colombia, Peru (Young 1977a)
- Poeciloscarta sponda* (Melichar)
- Cardioscarta sponda* Melichar 1932a:311 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: Brazil (Young 1977a)
- Poeciloscarta taeniata* (Fowler)
- Tettigonia taeniata* Fowler 1900a:257 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: Costa Rica, Panama (Young 1977a)
- Poeciloscarta ulla* (Distant)
- Tettigoniella ulla* Distant 1908a:522 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Poeciloscarta vallonia* (Distant)
- Tettigoniella vallonia* Distant 1908a:522 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: Peru, Bolivia, Brazil (Young 1977a)
- Poeciloscarta velocissima* (Melichar)
- Cardioscarta velocissima* Melichar 1932a:294 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Poeciloscarta venator* (Melichar)
- Cardioscarta venator* Melichar 1932a:307 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]
- DISTRIBUTION: French Guiana, Bolivia (Young 1977a)
- Poeciloscarta venusta* (Stål)
- Tettigonia venusta* Stål 1864a:75 [n.sp.]; Metcalf 1965a,6(1):83 [Cat.]

- DISTRIBUTION:** Mexico, Guatemala (Young 1977a)
Poeciloscarta vernicosa (Peletier & Serville)
Tettigonia vernicosa Peletier & Serville 1825a:601
 [n.sp.]; Metcalf 1965a,6(1):84 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
Poeciloscarta victimia (Germar)
Tettigonia victimia Germar 1821a:68 [n.sp.]; Metcalf
 1965a,6(1):84 [Cat.]
DISTRIBUTION: Brazil, Paraguay, Argentina (Young
 1977a)
Pogonoscopus clarki China
Pogonoscopus clarki China 1926d:293 [n.sp.]; Metcalf
 1965b,6(12):40 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Pogonoscopus fuscus China
Pogonoscopus fuscus China 1926d:293 [n.sp.];
 Metcalf 1965b,6(12):40 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Pogonoscopus lenis (Jacobi)
Eurymeloides lenis Jacobi 1909a:341 [n.sp.]; Metcalf
 1965b,6(12):40 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Pogonoscopus myrmex China
Pogonoscopus myrmex China 1924c:530 [n.sp.];
 Metcalf 1965b,6(12):41 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Pogonoscopus myrmex confluens China
Pogonoscopus myrmex confluens China 1926d:292
 [n.subsp. of *myrmex*]; Metcalf 1965b,6(12):41
 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Polana celata (Fowler)
Gypona celata Fowler 1903b:316 [n.sp.]; Metcalf
 1962b,6(3):156 [Cat.]
Gypona resima Fowler 1903b:316 [n.sp.]; Metcalf
 1962b,6(3):156 [Cat.]
DISTRIBUTION: Panama, Central America, Mexico,
 United States (Metcalf Cat.)
Polana draba Evans
Polana draba Evans 1947a:256 [n.sp.]; Metcalf
 1962b,6(3):156 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
Polana exornata (Fowler)
Gypona exornata Fowler 1903b:315 [n.sp.]; Metcalf
 1962b,6(3):157 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
Polana quadrinotata (Spångberg)
Gypona quadrinotata Spångberg 1878a:56 [n.sp.];
 Metcalf 1962b,6(3):157 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polisanella bakeri Metcalf
Polisanella bakeri Metcalf 1953a:50 [n.sp.]; Metcalf
 1965a,6(1):265 [Cat.]
DISTRIBUTION: Philippines (Young 1986a)
Polyamia alboneura (DeLong)
Deltacephalus alboneura DeLong 1918b: 236 [n.sp.];
 Metcalf 1967b, 6(10b): 1789 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia apicata (Osborn)
Deltacephalus apicatus Osborn 1900b: 285 [n.sp.];
 Metcalf 1967b, 6(10b): 1790 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Polyamia brevipennis DeLong & Davidson
Polyamia brevipennis DeLong & Davidson 1934b:
 164 [n.sp.]; Metcalf 1967b, 6(10b): 1792 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia caperata (Ball)
Deltacephalus caperatus Ball 1900c: 343 [n.sp.];
 Metcalf 1967b, 6(10b): 1792 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia compacta (Osborn & Ball)
Deltacephalus compactus Osborn & Ball 1897a: 217
 [n.sp.]; Metcalf 1967b, 6(10b): 1793 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia dilata DeLong
Polyamia dilata DeLong 1937d: 33 [n.sp.]; Metcalf
 1967b, 6(10b): 1796 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia grama DeLong
Polyamia grama DeLong 1935a: 156 [n.sp.]; Metcalf
 1967b, 6(10b): 1796 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia herbida DeLong
Polyamia herbida DeLong 1935a: 155 [n.sp.]; Metcalf
 1967b, 6(10b): 1796 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia incerta Beamer & Tuthill
Polyamia incerta Beamer & Tuthill 1934a: 13 [n.sp.];
 Metcalf 1967b, 6(10b): 1797 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia interrupta (DeLong)
Deltacephalus interruptus DeLong 1916a: 51 [n.sp.];
 Metcalf 1967b, 6(10b): 1797 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia lobata Beamer & Tuthill
Polyamia lobata Beamer & Tuthill 1934a: 8 [n.sp.];
 Metcalf 1967b, 6(10b): 1798 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia micaria (Ball)
Deltacephalus micarius Ball 1911a: 203 [n.sp.];
 Metcalf 1967b, 6(10b): 1798 [Cat.]
DISTRIBUTION: United States, Cuba (Metcalf Cat.)
Polyamia multicella Beamer & Tuthill
Polyamia multicella Beamer & Tuthill 1934a: 14
 [n.sp.]; Metcalf 1967b, 6(10b): 1799 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Polyamia nana Beamer & Tuthill
Polyamia nana Beamer & Tuthill 1934a: 9 [n.sp.];
 Metcalf 1967b, 6(10b): 1800 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)

- Polyamia obtecta* (Osborn & Ball)
Deltocephalus obtectus Osborn & Ball 1898f: 78
[n.sp.]; Metcalf 1967b, 6(10b): 1800 [Cat.]
DISTRIBUTION: United States, Cuba (Metcalf Cat.)
- Polyamia pulla* Beamer & Tuthill
Polyamia pulla Beamer & Tuthill 1934a: 11 [n.sp.];
Metcalf 1967b, 6(10b): 1802 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia ritana* Beamer & Tuthill
Polyamia ritana Beamer & Tuthill 1934a: 11 [n.sp.];
Metcalf 1967b, 6(10b): 1802 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia rossi* DeLong
Polyamia rossi DeLong 1937d: 32 [n.sp.]; Metcalf
1967b, 6(10b): 1803 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia sabina* Beamer & Tuthill
Polyamia sabina Beamer & Tuthill 1934a: 15 [n.sp.];
Metcalf 1967b, 6(10b): 1803 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia santana* Beamer & Tuthill
Polyamia santana Beamer & Tuthill 1934a: 12 [n.sp.];
Metcalf 1967b, 6(10b): 1803 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia satur* (Ball)
Deltocephalus satur Ball 1899d: 309 [n.sp.]; Metcalf
1967b, 6(10b): 1803 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia saxosa* DeLong
Polyamia saxosa DeLong 1935a: 156 [n.sp.]; Metcalf
1967b, 6(10b): 1804 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia similaris* DeLong & Davidson
Polyamia similaris DeLong & Davidson 1935b: 164
[n.sp.]; Metcalf 1967b, 6(10b): 1804 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia singularis* Beamer & Tuthill
Polyamia singularis Beamer & Tuthill 1934a: 13
[n.sp.]; Metcalf 1967b, 6(10b): 1804 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia tantilla* Beamer & Tuthill
Polyamia tantilla Beamer & Tuthill 1934a: 10 [n.sp.];
Metcalf 1967b, 6(10b): 1805 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia texana* (DeLong)
Deltocephalus (Polyamia) texanus DeLong 1926d: 50
[n.sp.]; Metcalf 1967b, 6(10b): 1805 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia trilobata* (DeLong)
Deltocephalus trilobatus DeLong 1923 [in Wolcott
1923b: 263] [n.sp.]; Metcalf 1967b, 6(10b): 1805
[Cat.]
DISTRIBUTION: Puerto Rico, Cuba (Metcalf Cat.)
- Polyamia vinnula* (Crumb)
Deltocephalus vinnulus Crumb 1915a: 192 [n.sp.];
Metcalf 1967b, 6(10b): 1806 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia viridis* (Osborn)
Deltocephalus viridis Osborn 1920a: 163 [n.sp.];
Metcalf 1967b, 6(10b): 1806 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia weedi* (Van Duzee)
Deltocephalus weedi Van Duzee 1892d: 306 [n.sp.];
Metcalf 1967b, 6(10b): 1806 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Polyamia yavapai* (Tuthill)
Deltocephalus yavapai Tuthill 1930a: 45 [n.sp.];
Metcalf 1967b, 6(10b): 1809 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana bicolorata* Osborn
Ponana bicolorata Osborn 1938a: 43 [n.sp.]; Metcalf
1962b, 6(3): 127 [Cat.]
DISTRIBUTION: Brazil, Peru (Metcalf Cat.)
- Ponana bisignata* (Fowler)
Gypona bisignata Fowler 1903b: 313 [n.sp.]; Metcalf
1962b, 6(3): 127 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Ponana bruneola* Osborn
Ponana bruneola Osborn 1938a: 46 [n.sp.]; Metcalf
1962b, 6(3): 127 [Cat.]
DISTRIBUTION: Colombia, Bolivia (Metcalf Cat.)
- Ponana fastosa* Metcalf & Bruner
Ponana fastosa Metcalf & Bruner 1949a: 97 [n.sp.];
Metcalf 1962b, 6(3): 127 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Ponana fulva* Metcalf
Ponana fulva Metcalf 1949b: 275 [n.sp.]; Metcalf
1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Ponana fusconotata* Osborn
Ponana fusconotata Osborn 1938a: 48 [n.sp.]; Metcalf
1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ponana grossa* Osborn
Ponana grossa Osborn 1938a: 42 [n.sp.]; Metcalf
1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Brazil, Bolivia, French Guiana
(Metcalf Cat.)
- Ponana hieroglyphica* (Fowler)
Gypona hieroglyphica Fowler 1903b: 312 [n.sp.];
Metcalf 1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Ponana insularis* Caldwell
Ponana insularis Caldwell 1952 [in Caldwell &
Martorell 1952a: 15] [n.sp.]; Metcalf
1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Ponana labella* Osborn
Ponana labella Osborn 1938a: 45 [n.sp.]; Metcalf
1962b, 6(3): 128 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ponana magna* Caldwell

- Ponana magna Caldwell 1952 [in Caldwell & Martorell 1952a:15] [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Ponana marmorata (Spångberg)
Gypona marmorata Spångberg 1878a:59 [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Colombia, Venezuela (Metcalf Cat.)
- Ponana nana (Fowler)
Gypona nana Fowler 1903b:315 [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Mexico, Panama, Colombia (Metcalf Cat.)
- Ponana notatula Osborn
Ponana notatula Osborn 1938a:41 [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ponana notula (Fowler)
Gypona notula Fowler 1903b:313 [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Panama, Mexico (Metcalf Cat.)
- Ponana obtusa (Spångberg)
Gypona obtusa Spångberg 1878a:55 [n.sp.]; Metcalf 1962b,6(3):129 [Cat.]
DISTRIBUTION: Colombia, Bolivia (Metcalf Cat.)
- Ponana ornata Osborn
Ponana ornata Osborn 1938a:44 [n.sp.]; Metcalf 1962b,6(3):130 [Cat.]
DISTRIBUTION: Bolivia, Peru (Metcalf Cat.)
- Ponana puertoricensis Caldwell
Ponana puertoricensis Caldwell 1952 [in Caldwell & Martorell 1952a:14] [n.sp.]; Metcalf 1962b,6(3):130 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Ponana reservanda (Fowler)
Gypona reservanda Fowler 1903b:313 [n.sp.]; Metcalf 1962b,6(3):130 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Ponana sarana Osborn
Ponana sarana Osborn 1938a:42 [n.sp.]; Metcalf 1962b,6(3):131 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ponana sulfurea Osborn
Ponana sulfurea Osborn 1938a:43 [n.sp.]; Metcalf 1962b,6(3):131 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Ponana venosa (Stål)
Gypona venosa Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):131 [Cat.]
DISTRIBUTION: Brazil, Argentina, Colombia, Venezuela (Metcalf Cat.)
- Ponana vinula (Stål)
Gypona vinula Stål 1864a:81 [n.sp.]; Metcalf 1962b,6(3):132 [Cat.]
- DISTRIBUTION:** Mexico, Guatemala, United States, Costa Rica, Bolivia, Brazil (Metcalf Cat.)
- Ponana vinula ornata (Fowler)
Gypona vinula ornata Fowler 1903b:311 [n.subsp. of vinula]; Metcalf 1962b,6(3):132 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Ponana (Bulbana) extensa (DeLong)
Bulbana extensa DeLong 1942d:108 [n.sp.]; Metcalf 1962b,6(3):153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Bulbana) inflata (DeLong)
Bulbana inflata DeLong 1942d:108 [n.sp.]; Metcalf 1962b,6(3):153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Bulbana) integra (DeLong)
Bulbana integra DeLong 1942d:109 [n.sp.]; Metcalf 1962b,6(3):153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Bulbana) pura (DeLong)
Bulbana pura DeLong 1942d:108 [n.sp.]; Metcalf 1962b,6(3):153 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Ponana) aenea DeLong
Ponana aenea DeLong 1942d:94 [n.sp.]; Metcalf 1962b,6(3):133 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Ponana) affinula Osborn
Ponana affinula Osborn 1938a:44 [n.sp.]; Metcalf 1962b,6(3):133 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Ponana (Ponana) alboguttata (Spångberg)
Gypona alboguttata Spångberg 1878a:58 [n.sp.]; Metcalf 1962b,6(3):133 [Cat.]
DISTRIBUTION: French Guiana, Brazil, Bolivia, Peru (Metcalf Cat.)
- Ponana (Ponana) albosignata (Uhler)
Gypona albosignata Uhler 1895a:74 [n.sp.]; Metcalf 1962b,6(3):133 [Cat.]
DISTRIBUTION: West Indies: St Vincent Island, United States, Canada (Metcalf Cat.)
- Ponana (Ponana) aquila (Gibson)
Gypona aquila Gibson 1919a:99 [n.sp.]; Metcalf 1962b,6(3):134 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Ponana) cacozelia (Gibson)
Gypona cacozelia Gibson 1919a:94 [n.sp.]; Metcalf 1962b,6(3):134 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ponana (Ponana) candida (Van Duzee)
Gypona candida Van Duzee 1923a:175 [n.sp.]; Metcalf 1962b,6(3):134 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Ponana (Ponana) citrina (Spångberg)
Gypona citrina Spångberg 1878a:45 [n.sp.]; Metcalf 1962b,6(3):135 [Cat.]

- DISTRIBUTION:** United States, (Metcalf Cat.)
Ponana (Ponana) curiata (Gibson)
Gypona punctipennis Stål 1864a:82 [n.sp.]; Metcalf
 1962b,6(3):136 [Cat.]
Gypona curiata Gibson 1919a:97 [n.sp.]; Metcalf
 1962b,6(3):136 [Cat.]
DISTRIBUTION: Mexico, Guatemala, United States,
 Colombia (Metcalf Cat.)
Ponana (Ponana) dohrni (Stål)
Gypona dohrni Stål 1864a:82 [n.sp.]; Metcalf
 1962b,6(3):136 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf
 Cat.)
Ponana (Ponana) floridana DeLong
Ponana floridana DeLong 1942d:102 [n.sp.]; Metcalf
 1962b,6(3):137 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) limbatipennis (Spångberg)
Gypona limbatipennis Spångberg 1878a:47 [n.sp.];
 Metcalf 1962b,6(3):137 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) limonea Ball & Reeves
Ponana limonea Ball & Reeves 1927a:498 [n.subsp. of
 scarlatina]; Metcalf 1962b,6(3):138 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) modesta (Spångberg)
Gypona modesta Spångberg 1883a:107 [n.sp.];
 Metcalf 1962b,6(3):139 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) occlusa (Gibson)
Gypona occlusa Gibson 1919a:94 [n.sp.]; Metcalf
 1962b,6(3):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) pauperata (Spångberg)
Gypona pauperata Spångberg 1881a:33 [n.sp.];
 Metcalf 1962b,6(3):140 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) pectoralis (Spångberg)
Gypona pectoralis Spångberg 1878a:46 [n.sp.];
 Metcalf 1962b,6(3):140 [Cat.]
Gypona hullensis Provancher 1889a:269 [n.sp.];
 Metcalf 1962b,6(3):140 [Cat.]
Gypona albimarginata Woodworth 1890a:31 [n.sp.];
 Metcalf 1962b,6(3):140 [Cat.]
Gypona bimaculata Woodworth 1890a:32 [n.sp.];
 Metcalf 1962b,6(3):140 [Cat.]
Gypona woodworthi Van Duzee 1914c:389 [nom.nov.
 for *Gypona bimaculata* Woodworth 1890]; Metcalf
 1962b,6(3):141 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Ponana (Ponana) piceata Osborn
Ponana piceata Osborn 1938a:45 [n.sp.]; Metcalf
 1962b,6(3):144 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Ponana (Ponana) praeusta (Stål)
Gypona praeusta Stål 1854b:252 [n.sp.]; Metcalf
 1962b,6(3):144 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Ponana (Ponana) propior (Fowler)
Gypona propior Fowler 1903b:311 [n.sp.]; Metcalf
 1962b,6(3):144 [Cat.]
Gypona tergata Fowler 1903b:312 [n.sp.]; Metcalf
 1962b,6(3):144 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Panama
 (Metcalf Cat.)
Ponana (Ponana) punctatella Osborn
Ponana punctatella Osborn 1938a:49 [n.sp.]; Metcalf
 1962b,6(3):145 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Ponana (Ponana) puncticollis (Spångberg)
Gypona grisea Spångberg 1878a:64 [n.sp.]; Metcalf
 1962b,6(3):145 [Cat.]
Gypona puncticollis Spångberg 1878a:54 [n.sp.];
 Metcalf 1962b,6(3):145 [Cat.]
Gypona sanguinolenta Spångberg 1878a:63 [n.sp.];
 Metcalf 1962b,6(3):145 [Cat.]
Gypona proscripta Fowler 1903b:309 [n.sp.]; Metcalf
 1962b,6(3):145 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala,
 West Indies, Canada, Costa Rica (Metcalf Cat.)
Ponana (Ponana) quadralaba DeLong
Ponana quadralaba DeLong 1942d:98 [n.sp.]; Metcalf
 1962b,6(3):148 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Ponana (Ponana) rubida DeLong
Ponana rubida DeLong 1942d:95 [n.sp.]; Metcalf
 1962b,6(3):148 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) rubrapuncta DeLong
Ponana rubrapuncta DeLong 1942d:99 [n.sp.]; Metcalf
 1962b,6(3):148 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) scarlatina (Fitch)
Gypona scarlatina Fitch 1851a:57 [n.sp.]; Metcalf
 1962b,6(3):148,151 [Cat.]
Gypona irrorella Spångberg 1878a:60 [n.sp.]; Metcalf
 1962b,6(3):148 [Cat.]
Gypona spadix DeLong 1918b:235 [n.sp.]; Metcalf
 1962b,6(3):149 [Cat.]
Gypona (Ponana) scarlatina rodora Ball 1920a:96
 [n.subsp. of scarlatina]; Metcalf 1962b,6(3):150
 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
Ponana (Ponana) sonora Ball
Ponana sonora Ball 1935c:502 [n.sp.]; Metcalf
 1962b,6(3):152 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Ponana (Ponana) sparsa DeLong

- Ponana sparsa DeLong 1942d:103 [n.sp.]; Metcalf 1962b,6(3):152 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Poochara brevifrons (Walker)
Cicada farinosa Fabricius 1803a:70 [n.sp.]; Metcalf 1965a,6(1):259 [Cat.]
Tettigonia brevifrons Walker 1851b:754 [n.sp.]; Metcalf 1965a,6(1):259 [Cat.]
Tettigonia albigena Signoret 1853b:372 [n.sp.]; Metcalf 1965a,6(1):259 [Cat.]
DISTRIBUTION: Singapore, Malaysia, W. Indonesia (Metcalf Cat.)
- Porcorhinus mastersi Goding
Porcorhinus mastersi Goding 1903a:39 [n.sp.]; Metcalf 1962c,6(4):94 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Porcorhinus typicus (Distant)
Gudwana typica Distant 1917c:189 [n.sp.]; Metcalf 1962c,6(4):94 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Portanus boliviensis (Baker)
Scaphoideus bicolor Osborn 1923c: 36 [n.sp.]; Metcalf 1967c, 6(10c): 2202 [Cat.]
Scaphoideus boliviensis Baker 1923b: 532 [nom.nov. for *Scaphoideus bicolor* Osborn 1923]; Metcalf 1967c, 6(10c): 2202 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Portanus hasemani (Baker)
Scaphoideus hasemani Baker 1923b: 532 [nom.nov. for *Scaphoideus punctulatus* Osborn 1923]; Metcalf 1967c, 6(10c): 2202 [Cat.]
Scaphoideus punctulatus Osborn 1923c: 37 [n.sp.]; Metcalf 1967c, 6(10c): 2202 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Portanus longicornis (Osborn)
Scaphoideus longicornis Osborn 1923c: 37 [n.sp.]; Metcalf 1967c, 6(10c): 2202 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Portanus stigmatus (Uhler)
Scaphoideus stigmatus Uhler 1895a: 77 [n.sp.]; Metcalf 1967c, 6(10c): 2203 [Cat.]
DISTRIBUTION: West Indies, Central America (?), North America (?) (Metcalf Cat.)
- Postomus facialis Distant
Postomus facialis Distant 1918b:84 [n.sp.]; Metcalf 1963c,6(8):224 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Postomus hyalinus Evans
Postomus hyalinus Evans 1947a:253 [n.sp.]; Metcalf 1963c,6(8):225 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Praganus hofferi (Dlabola)
Deltocephalus hofferi Dlabola 1947a: 19 [n.sp.]; Metcalf 1967b, 6(10b): 1200 [Cat.]
DISTRIBUTION: Czech Republic (Metcalf Cat.)
- Prairiana acunai Metcalf & Bruner
Gypona acunai Metcalf & Bruner 1949a:92 [n.sp.]; Metcalf 1962b,6(3):57 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Prairiana albimaculata (Osborn)
Gypona albimaculata Osborn 1926c:342 [n.sp.]; Metcalf 1962b,6(3):57 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Prairiana basalis Osborn
Prairiana basalis Osborn 1938a:34 [n.sp.]; Metcalf 1962b,6(3):57 [Cat.]
DISTRIBUTION: French Guiana, Bolivia (Metcalf Cat.)
- Prairiana bicolorata Metcalf & Bruner
Prairiana bicolorata Metcalf & Bruner 1949a:93 [n.sp.]; Metcalf 1962b,6(3):57 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Prairiana bifurcata DeLong
Prairiana bifurcata DeLong 1942d:84 [n.sp.]; Metcalf 1962b,6(3):57 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Prairiana cinerea (Uhler)
Gypona cinerea Uhler 1877a:460 [n.sp.]; Metcalf 1962b,6(3):57,59 [Cat.]
DISTRIBUTION: United States, Canada, Mexico (Metcalf Cat.)
- Prairiana cinerea spreta (Fowler)
Gypona spreta Fowler 1903b:304 [n.sp.]; Metcalf 1962b,6(3):59 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Prairiana cubana (Osborn)
Gypona cubana Osborn 1926c:341 [n.sp.]; Metcalf 1962b,6(3):59 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Prairiana fowleri Metcalf
Gypona marmorata Fowler 1903b:306 [n.sp.]; Metcalf 1962b,6(3):59 [Cat.]
Prairiana fowleri Metcalf 1962b:59 [nom.nov. for *Gypona marmorata* Fowler 1903]; Metcalf 1962b,6(3):59 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Prairiana fraudulenta (Spångberg)
Gypona fraudulenta Spångberg 1883a:108 [n.sp.]; Metcalf 1962b,6(3):60 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Prairiana griseola Osborn
Prairiana griseola Osborn 1938a:38 [n.sp.]; Metcalf 1962b,6(3):60 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Prairiana hirsuta DeLong
Prairiana hirsuta DeLong 1942d:77 [n.sp.]; Metcalf 1962b,6(3):60 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Prairiana histrio (Burmeister)
Gypona histrio Burmeister 1839b:3 [n.sp.]; Metcalf 1962b,6(3):60 [Cat.]

- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
Prairiana interspersa (Stål)
 Gypona interspersa Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):60 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
Prairiana jansoni (Fowler)
 Gypona jansoni Fowler 1903b:306 [n.sp.]; Metcalf 1962b,6(3):61 [Cat.]
- DISTRIBUTION:** Guatemala, Nicaragua, Bolivia (Metcalf Cat.)
- Prairiana kansana* (Ball)
 Gypona (Prairiana) kansana Ball 1920a:91 [n.subsp. of *cinerea*]; Metcalf 1962b,6(3):61 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana kansana angustens DeLong
 Prairiana kansana angustens DeLong 1942d:83 [n.subsp. of *kansana*]; Metcalf 1962b,6(3):61 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana latens DeLong
 Prairiana latens DeLong 1942d:80 [n.sp.]; Metcalf 1962b,6(3):62 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana major Metcalf & Bruner
 Prairiana major Metcalf & Bruner 1949a:95 [n.sp.]; Metcalf 1962b,6(3):62 [Cat.]
- DISTRIBUTION:** Cuba (Metcalf Cat.)
Prairiana moesta (Spångberg)
 Gypona moesta Spångberg 1878a:66 [n.sp.]; Metcalf 1962b,6(3):62 [Cat.]
- DISTRIBUTION:** Suriname, Brazil (Metcalf Cat.)
Prairiana moneta (Van Duzee)
 Gypona moneta Van Duzee 1923a:174 [n.sp.]; Metcalf 1962b,6(3):62 [Cat.]
- DISTRIBUTION:** Mexico, United States (Metcalf Cat.)
Prairiana mystica (Spångberg)
 Gypona mystica Spångberg 1878a:71 [n.sp.]; Metcalf 1962b,6(3):63 [Cat.]
- Gypona abjecta Fowler 1903b:309 [n.sp.]; Metcalf 1962b,6(3):63 [Cat.]
- Gypona atitlana Fowler 1903b:305 [n.sp.]; Metcalf 1962b,6(3):63 [Cat.]
- DISTRIBUTION:** Mexico, Colombia, Argentina, Panama, Bolivia (Metcalf Cat.)
- Prairiana nigrifrons* Osborn
 Prairiana nigrifrons Osborn 1938a:33 [n.sp.]; Metcalf 1962b,6(3):63 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Metcalf Cat.)
Prairiana nigrina (Stål)
 Gypona nigrina Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):63 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
Prairiana orizaba Ball & Reeves
 Prairiana orizaba Ball & Reeves 1927a:496 [n.subsp. of *cinerea*]; Metcalf 1962b,6(3):63 [Cat.]
- DISTRIBUTION:** Mexico, United States (Metcalf Cat.)
Prairiana orizaba DeLong
 Prairiana orizaba DeLong 1942d:80 [n.subsp. of *orizaba*]; Metcalf 1962b,6(3):64 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana ponderosa (Ball)
 Gypona (Prairiana) ponderosa Ball 1920a:91 [n.subsp. of *cinerea*]; Metcalf 1962b,6(3):64 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana ponderosa longiora DeLong
 Prairiana ponderosa longiora DeLong 1942d:79 [n.subsp. of *ponderosa*]; Metcalf 1962b,6(3):64 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana robusta Osborn
 Prairiana robusta Osborn 1938a:34 [n.sp.]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** Bolivia, Peru, Brazil (Metcalf Cat.)
Prairiana rosacea Osborn
 Prairiana rosacea Osborn 1938a:38 [n.sp.]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
Prairiana serrata Metcalf
 Prairiana serrata Metcalf 1954c:21 [n.sp.]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** Bahamas (Metcalf Cat.)
Prairiana sidana Ball
 Prairiana sidana Ball 1935c:501 [n.sp.]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana sordida (Stål)
 Gypona sordida Stål 1854b:252 [n.sp.]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** Brazil, Bolivia (Metcalf Cat.)
Prairiana subta (Ball)
 Gypona (Prairiana) subta Ball 1920a:92 [n.subsp. of *cinerea*]; Metcalf 1962b,6(3):65 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
Prairiana subtacta (Walker)
 Gypona subtacta Walker 1858b:256 [n.sp.]; Metcalf 1962b,6(3):66 [Cat.]
- DISTRIBUTION:** Mexico, Bolivia (Metcalf Cat.)
Prairiana variegata Osborn
 Prairiana variegata Osborn 1938a:39 [n.sp.]; Metcalf 1962b,6(3):66 [Cat.]
- DISTRIBUTION:** Bolivia, Peru (Metcalf Cat.)
Prasutagus pulchellus Distant
 Prasutagus pulchellus Distant 1918b: 53 [n.sp.]; Metcalf 1967a, 6(10a): 418 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
Premanus hebatis DeLong
 Premanus hebatis DeLong 1944g: 98 [n.sp.]; Metcalf 1967a, 6(10a): 547 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
Prescottia bicalcea DeLong

- Prescottia bicalcea* DeLong 1941c: 181 [n.sp.]; Metcalf 1967c, 6(10c): 2199 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Prescottia brickelliae* Ball
Prescottia brickelliae Ball 1932a: 16 [n.sp.]; Metcalf 1967c, 6(10c): 2199 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Prescottia lobata* (Van Duzee)
Scaphoideus lobatus Van Duzee 1894f: 211 [n.sp.]; Metcalf 1967c, 6(10c): 2200 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Preta gratiosa* (Melichar)
Signoretia gratiosa Melichar 1903b: 160 [n.sp.]; Metcalf 1963a, 6(6): 57 [Cat.]
DISTRIBUTION: Sri Lanka, Myanmar, Singapore Island, Borneo, Malaysia, E. Indonesia, Philippines (Metcalf Cat.)
- Preta luzonensis* Baker
Preta luzonensis Baker 1923a: 361 [n.sp.]; Metcalf 1963a, 6(6): 58 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Proceps acicularis* Mulsant & Rey
Proceps acicularis Mulsant & Rey 1855a: 238 [n.sp.]; Metcalf 1967c, 6(10c): 2337 [Cat.]
- Jassus (Platymetopius) albobilobatus* Kirschbaum 1868b: 148 [n.sp.]; Metcalf 1967c, 6(10c): 2337 [Cat.]
DISTRIBUTION: France, Italy, Croatia, Bosnia-Herzegovina, Hungary (Metcalf Cat.)
- Proconia aequabilis* Walker
Proconia aequabilis Walker 1858a: 98 [n.sp.]; Metcalf 1965a, 6(1): 476 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Proconia alternata* (Signoret)
Tettigonia alternata Signoret 1855d: 795 [n.sp.]; Metcalf 1965a, 6(1): 477 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Proconia bicolorata* Melichar
Proconia bicolorata Melichar 1924a: 204 [n.sp.]; Metcalf 1965a, 6(1): 477 [Cat.]
DISTRIBUTION: Suriname (Metcalf Cat.)
- Proconia bipunctata* Schmidt
Proconia bipunctata Schmidt 1928a: 33 [n.sp.]; Metcalf 1965a, 6(1): 477 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Proconia esmeraldae* Melichar
Proconia esmeraldae Melichar 1924a: 203 [n.sp.]; Metcalf 1965a, 6(1): 478 [Cat.]
DISTRIBUTION: Venezuela, Trinidad, French Guiana, Peru (Young 1968a)
- Proconia fastigiata* (Uhler)
Tettigonia (Proconia) fastigiata Uhler 1895a: 75 [n.sp.]; Metcalf 1965a, 6(1): 478 [Cat.]
DISTRIBUTION: Cuba (Metcalf Cat.)
- Proconia fusca* Melichar
Proconia fusca Melichar 1924a: 204 [n.sp.]; Metcalf 1965a, 6(1): 478 [Cat.]
DISTRIBUTION: Peru (Young 1968a)
- Proconia lurida* (Germar)
Tettigonia lurida Germar 1821a: 70 [n.sp.]; Metcalf 1965a, 6(1): 479 [Cat.]
DISTRIBUTION: Suriname, Brazil (Metcalf Cat.)
- Proconia lutzi* Schmidt
Proconia lutzi Schmidt 1928a: 32 [n.sp.]; Metcalf 1965a, 6(1): 479 [Cat.]
DISTRIBUTION: Ecuador, Peru (Young 1968a)
- Proconia marmorata* (Fabricius)
Cicada marmorata Fabricius 1803a: 61 [n.sp.]; Metcalf 1965a, 6(1): 479, 483 [Cat.]
Germaria cucullata Laporte 1832b: 223 [n.sp.]; Metcalf 1965a, 6(1): 480 [Cat.]
Germaria dorsicrista Walker 1858a: 97 [n.sp.]; Metcalf 1965a, 6(1): 480 [Cat.]
Eustollia jubata Goding 1926a: 105 [n.sp. by bibliog. ref. to Stoll]; Metcalf 1965a, 6(1): 480 [Cat.]
DISTRIBUTION: Colombia, Bolivia, Brazil (Young 1968a)
- Proconia marmorata boliviensis* Melichar
Proconia marmorata boliviensis Melichar 1924a: 203 [n.subsp. of marmorata]; Metcalf 1965a, 6(1): 482 [Cat.]
DISTRIBUTION: Bolivia, Peru, Spain (Metcalf Cat.)
- Proconia marmorata fabricii* Metcalf
Cicada cristata Fabricius 1803a: 5, 62 [n.sp.]; Metcalf 1965a, 6(1): 482 [Cat.]
Proconia marmorata fabricii Metcalf 1965a: 482 [n.var. of marmorata, nom. nov. for Cicada cristata Fab. 1803]; Metcalf 1965a, 6(1): 482 [Cat.]
DISTRIBUTION: Suriname, French Guiana, Peru (Metcalf Cat.)
- Proconia rubricosa* (Uhler)
Tettigonia (Proconia) rubricosa Uhler 1895a: 75 [n.sp.]; Metcalf 1965a, 6(1): 484 [Cat.]
DISTRIBUTION: St. Vincent Is., B.W.I. (Young 1977a)
- Proconia rubromaculata* Schmidt
Proconia rubromaculata Schmidt 1928a: 31 [n.sp.]; Metcalf 1965a, 6(1): 484 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Proconia solita* Melichar
Proconia solita Melichar 1925a: 204 [n.sp.]; Metcalf 1965a, 6(1): 484 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Proconia speculifera* Walker
Proconia speculifera Walker 1851b: 790 [n.sp.]; Metcalf 1965a, 6(1): 484 [Cat.]
DISTRIBUTION: Brazil, Paraguay, Argentina (Young 1968a)
- Proconia sulphurea* Schmidt
Proconia sulphurea Schmidt 1928a: 35 [n.sp.]; Metcalf 1965a, 6(1): 485 [Cat.]

- DISTRIBUTION:** Peru (Metcalf Cat.)
Proconia tomentosa Walker
Proconia tomentosa Walker 1858a:99 [n.sp.]; Metcalf 1965a,6(1):485 [Cat.]
DISTRIBUTION: Brazil (Amazonas) (Metcalf Cat.)
Proconia tuberculicollis (Blanchard & Brullé)
Cercopis tuberculicollis Blanchard & Brullé 1846a:222 [n.sp.]; Metcalf 1965a,6(1):485 [Cat.]
Proconia andina Schmidt 1928a:34 [n.sp.]; Metcalf 1965a,6(1):485 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Propetes compressa Walker
Propetes compressa Walker 1851b:797 [n.sp.]; Metcalf 1965a,6(1):517 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
Propetes schmidti Melichar
Propetes schmidti Melichar 1925a:336 [n.sp.]; Metcalf 1965a,6(1):517 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
Propetes trimaculata Schmidt
Propetes trimaculata Schmidt 1928c:62 [n.sp.]; Metcalf 1965a,6(1):517 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Proranus adspersipennis Stål
Proranus adspersipennis Stål 1862e:49 [n.sp.]; Metcalf 1962c,6(4):95 [Cat.]
Epiclines godmani Fowler 1903a:293 [n.sp.]; Metcalf 1962c,6(4):95 [Cat.]
DISTRIBUTION: Brazil, Mexico, Guatemala, Panama, Bolivia (Metcalf Cat.)
Proranus ghilianii Spinola
Proranus ghilianii Spinola 1850b:124 [n.sp.]; Metcalf 1962c,6(4):96 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Prosopoxys thoracicus Jacobi
Prosopoxys thoracicus Jacobi 1917a:546 [n.sp.]; Metcalf 1966c,6(15):116 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Protalebra alliodorae Caldwell & Martorell
Protalebra alliodorae Caldwell & Martorell 1952b:88 [n.sp.]; Metcalf 1968a,6(17):86 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Protalebra apicalis Van Duzee
Protalebra apicalis Van Duzee 1907a:74 [n.sp.]; Metcalf 1968a,6(17):86 [Cat.]
DISTRIBUTION: Jamaica (Metcalf Cat.)
Protalebra aureocosta Ruppel & DeLong
Protalebra aureocosta Ruppel & DeLong 1953c:227 [n.sp.]; Metcalf 1968a,6(17):86 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra aureovittata (DeLong)
Alebra aureovittatus DeLong 1923 [in Wolcott 1923b:267] [n.sp.]; Metcalf 1968a,6(17):86 [Cat.]
Protalebra pallida Osborn 1928a:260 [n.sp.]; Metcalf 1968a,6(17):86 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Protalebra caldwelli Ruppel & DeLong
Protalebra caldwelli Ruppel & DeLong 1953c:228 [n.sp.]; Metcalf 1968a,6(17):87 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra clitellaria Osborn
Protalebra clitellaria Osborn 1928a:257 [n.sp.]; Metcalf 1968a,6(17):87 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Protalebra conica Ruppel & DeLong
Protalebra conica Ruppel & DeLong 1953c:228 [n.sp.]; Metcalf 1968a,6(17):87 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra cordiae Osborn
Protalebra cordiae Osborn 1929b:102 [n.sp.]; Metcalf 1968a,6(17):87 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Protalebra curvilinea (Gillette)
Alebra curvilinea Gillette 1898a:710 [n.sp.]; Metcalf 1968a,6(17):88 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Protalebra decorata (Osborn)
Alebra decorata Osborn 1928a:255 [n.sp.]; Metcalf 1968a,6(17):88 [Cat.]
DISTRIBUTION: Guatemala, Costa Rica (Metcalf Cat.)
Protalebra fulveola Osborn
Protalebra fulveola Osborn 1928a:256 [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Protalebra insularis Caldwell
Protalebra insularis Caldwell 1952 [in Caldwell & Martorell 1952a:94] [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Virgin Islands: St. Thomas Island (Metcalf Cat.)
Protalebra lenticula Osborn
Protalebra lenticula Osborn 1929b:103 [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Puerto Rico, Brazil, Jamaica (Metcalf Cat.)
Protalebra lineatella Osborn
Protalebra lineatella Osborn 1928a:257 [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
Protalebra lineola Osborn
Protalebra lineola Osborn 1928a:263 [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
Protalebra montana Caldwell
Protalebra montana Caldwell 1952 [in Caldwell & Martorell 1952a:96] [n.sp.]; Metcalf 1968a,6(17):89 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Protalebra nexa McAtee
Protalebra (Protalebra) nexa McAtee 1926b:48 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]

- DISTRIBUTION: Virgin Islands (Metcalf Cat.)
Protalebra omega Van Duzee
Protalebra omega Van Duzee 1907a:75 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]
DISTRIBUTION: Jamaica (Metcalf Cat.)
Protalebra pallida Ruppel & DeLong
Protalebra pallida Ruppel & DeLong 1953c:228 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra picea Osborn
Protalebra picea Osborn 1928a:265 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Protalebra plummeri Ruppel & DeLong
Protalebra plummeri Ruppel & DeLong 1953c:226 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra sabana Osborn
Protalebra sabana Osborn 1928a:259 [n.sp.]; Metcalf 1968a,6(17):90 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
Protalebra scriptozona Van Duzee
Protalebra scriptozona Van Duzee 1923a:186 [n.sp.]; Metcalf 1968a,6(17):91 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra sobrina Ruppel & DeLong
Protalebra sobrina Ruppel & DeLong 1953c:228 [n.sp.]; Metcalf 1968a,6(17):91 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra sublunata (Osborn)
Erythroneura sublunata Osborn 1928a:289 [n.sp.]; Metcalf 1968a,6(17):91 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
Protalebra transversalis Baker
Protalebra transversalis Baker 1903d:6 [n.sp.]; Metcalf 1968a,6(17):91 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
Protalebra variata Ruppel & DeLong
Protalebra variata Ruppel & DeLong 1953c:226 [n.sp.]; Metcalf 1968a,6(17):91 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Protalebra vexillifera Baker
Protalebra vexillifera Baker 1899b:404 [n.sp.]; Metcalf 1968a,6(17):92 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Protalebra ziczac Osborn
Protalebra ziczac Osborn 1929b:104 [n.sp.]; Metcalf 1968a,6(17):92 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Protalebrella brasiliensis (Baker)
Protalebrella brasiliensis Baker 1899b:405 [n.sp.]; Metcalf 1968a,6(17):92 [Cat.]
DISTRIBUTION: Brazil, West Indies, Bolivia, Honduras, Mexico, Colombia, Guatemala, Panama, Venezuela, United States (Metcalf Cat.)
Protalebrella schachovskoyi Torres
Protalebrella schachovskoyi Torres 1955a:89-92 [n.sp.]; Metcalf 1968a,6(17):94 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
Protalebrella terminata (Baker)
Protalebrella terminata Baker 1899b:404 [n.sp.]; Metcalf 1968a,6(17):94 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
Protonesis delagorguei Spinola
Protonesis delagorguei Spinola 1850b:126 [n.sp.]; Metcalf 1964b,6(11):84 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
Psammotettix affinis (Gillette & Baker)
Deltocephalus affinis Gillette & Baker 1895a: 84 [n.sp.]; Metcalf 1967b, 6(10b): 1489 [Cat.]
DISTRIBUTION: Canada, United States (Metcalf Cat.)
Psammotettix albomarginatus Wagner
Psammotettix albomarginatus Wagner 1941a: 128 [n.sp.]; Metcalf 1967b, 6(10b): 1493 [Cat.]
DISTRIBUTION: Germany, Sweden, Netherlands, Czech Republic, Finland, England, Russia, Poland (Metcalf Cat.)
Psammotettix alboniger (Lethierry)
Deltocephalus alboniger Lethierry 1889b: 81 [n.sp.]; Metcalf 1967b, 6(10b): 1494 [Cat.]
Deltocephalus v-nigrum Matsumura 1908a: 39 [n.sp.]; Metcalf 1967b, 6(10b): 1494 [Cat.]
DISTRIBUTION: Russia, Hungary, Ukraine (Metcalf Cat.)
Psammotettix alienus (Dahlbom)
Thamnotettix aliena Dahlbom 1850a: 187 [n.sp.]; Metcalf 1967b, 6(10b): 1494 [Cat.]
Laevicephalus latipex DeLong & Caldwell 1937b: 170 [n.sp.]; Metcalf 1967b, 6(10b): 1495 [Cat.]
DISTRIBUTION: Widespread Europe, United States, Canada, Scandinavia, Russia, Canary Islands (Metcalf Cat.)
Psammotettix amplus (DeLong & Davidson)
Laevicephalus amplus DeLong & Davidson 1935b: 171 [n.sp.]; Metcalf 1967b, 6(10b): 1497 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Psammotettix angulatus (Then)
Deltocephalus angulatus Then 1899a: 137 [n.sp.]; Metcalf 1967b, 6(10b): 1497 [Cat.]
DISTRIBUTION: Italy, Hungary, Croatia, Austria, Czech Republic (Metcalf Cat.)
Psammotettix arcuatus Ribaut
Psammotettix arcuatus Ribaut 1938b: 167 [n.sp.]; Metcalf 1967b, 6(10b): 1498 [Cat.]
DISTRIBUTION: France, Czech Republic (Metcalf Cat.)
Psammotettix asper (Ribaut)
Deltocephalus asper Ribaut 1925b: 16 [n.sp.]; Metcalf 1967b, 6(10b): 1498 [Cat.]
DISTRIBUTION: Hungary, Czech Republic, Slovakia, Canada (Metcalf Cat.)

- Psammotettix attenuens* (DeLong & Davidson)
Laevicephalus attenuens DeLong & Davidson 1935b:
 170 [n.sp.]; Metcalf 1967b, 6(10b): 1498 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix breviceps* (Kirschbaum)
Jassus (Deltoccephalus) breviceps Kirschbaum 1868b:
 132 [n.sp.]; Metcalf 1967b, 6(10b): 1499 [Cat.]
Deltoccephalus flavidus Fieber 1869a: 213 [n.sp.];
 Metcalf 1967b, 6(10b): 1499 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Russia (Metcalf Cat.)
- Psammotettix cahuilla* (Van Duzee)
Deltoccephalus cahuilla Van Duzee 1925b: 417 [n.sp.];
 Metcalf 1967b, 6(10b): 1503 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix calamagrostidis* Moravskaja
Psammotettix calamagrostidis Moravskaja 1952a: 266
 [n.sp.]; Metcalf 1967b, 6(10b): 1503 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Psammotettix cephalotes* (Herrick-Schaeffer)
Jassus cephalotes Herrick-Schaeffer 1834c: 6 [n.sp.];
 Metcalf 1967b, 6(10b): 1503 [Cat.]
Jassus (Deltoccephalus) citrinellus Kirschbaum 1868b:
 134 [n.sp.]; Metcalf 1967b, 6(10b): 1503 [Cat.]
Jassus (Deltoccephalus) sulphurellus Kirschbaum
 1868b: 138 [n.sp.]; Metcalf 1967b, 6(10b): 1503
 [Cat.]
Jassus (Deltoccephalus) tristis Kirschbaum 1868b: 138
 [n.sp.]; Metcalf 1967b, 6(10b): 1503 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Italy, Russia, Algeria (Metcalf Cat.)
- Psammotettix cephalotes helvolus* (Kirschbaum)
Jassus (Deltoccephalus) cephalotes helvolus
 Kirschbaum 1868b: 134 [n.sp.]; Metcalf 1967b,
 6(10b): 1512 [Cat.]
DISTRIBUTION: Scandinavia, Germany,
 Switzerland, Netherlands, England, Czech
 Republic, Croatia, Austria, Tunisia, France, Italy,
 Slovakia (Metcalf Cat.)
- Psammotettix cerinus* (Lindberg)
Deltoccephalus cerinus Lindberg 1948b: 150 [n.sp.];
 Metcalf 1967b, 6(10b): 1513 [Cat.]
DISTRIBUTION: Cyprus (Metcalf Cat.)
- Psammotettix confinis* (Dahlbom)
Deltoccephalus confinis Dahlbom 1850a: 193 [n.sp.];
 Metcalf 1967b, 6(10b): 1513 [Cat.]
Deltoccephalus heydeni Fieber 1872b: 32 [n.sp., not
 nom.nov.]; Metcalf 1967b, 6(10b): 1513 [Cat.]
Deltoccephalus thenii Edwards 1915a: 208 [n.sp.];
 Metcalf 1967b, 6(10b): 1513 [Cat.]
Deltoccephalus spathifer Ribaut 1925b: 19 [n.sp.];
 Metcalf 1967b, 6(10b): 1514 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 United Kingdom, Italy, United States (?) (Metcalf
 Cat.)
- Psammotettix dentatus* Knoll
- Psammotettix dentatus* Knoll 1954c: 55 [n.sp.];
 Metcalf 1967b, 6(10b): 1517 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix excavatus* (Oman)
Laevicephalus excavatus Oman 1931b: 430 [n.sp.];
 Metcalf 1967b, 6(10b): 1518 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix exilis* Wagner
Psammotettix exilis Wagner 1941a: 127 [n.sp.];
 Metcalf 1967b, 6(10b): 1518 [Cat.]
DISTRIBUTION: Germany, Netherlands, Czech
 Republic, Sweden (Metcalf Cat.)
- Psammotettix ferratus* (DeLong & Davidson)
Laevicephalus ferratus DeLong & Davidson 1935b:
 170 [n.sp.]; Metcalf 1967b, 6(10b): 1518 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix frigidus* (Bohemian)
Deltoccephalus frigidus Boheman 1845b: 156 [n.sp.];
 Metcalf 1967b, 6(10b): 1519 [Cat.]
Deltoccephalus aquilonis Ossiannilsson 1938a: 6
 [n.sp.]; Metcalf 1967b, 6(10b): 1521 [Cat.]
DISTRIBUTION: Scandinavia, Estonia, Latvia,
 Germany, Greenland, Russia, Czech Republic
 (Metcalf Cat.)
- Psammotettix halophilus* (Edwards)
Deltoccephalus halophilus Edwards 1924a: 53 [n.sp.];
 Metcalf 1967b, 6(10b): 1521 [Cat.]
DISTRIBUTION: Great Britain, Netherlands,
 Germany, Czech Republic, France (Metcalf Cat.)
- Psammotettix harrimani* (Ashmead)
Deltoccephalus harrimani Ashmead 1904a: 132 [n.sp.];
 Metcalf 1967b, 6(10b): 1522 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix lapponicus* (Ossiannilsson)
Deltoccephalus lapponicus Ossiannilsson 1938a: 4
 [n.sp.]; Metcalf 1967b, 6(10b): 1523 [Cat.]
DISTRIBUTION: Sweden, Czech Republic, Canada
 (Metcalf Cat.)
- Psammotettix lividellus* (Zetterstedt)
Cicada lividella Zetterstedt 1840a: 290 [n.sp.]; Metcalf
 1967b, 6(10b): 1523 [Cat.]
Deltoccephalus excisus Matsumura 1906a: 79 [n.sp.];
 Metcalf 1967b, 6(10b): 1524 [Cat.]
DISTRIBUTION: Greenland, Scandinavia, Czech
 Republic, Germany, Poland, Russia, Estonia,
 Latvia, Denmark, Netherlands, Canada, United
 States (Metcalf Cat.)
- Psammotettix majusculus* Linnavuori
Psammotettix majusculus Linnavuori 1951a: 59
 [n.sp.]; Metcalf 1967b, 6(10b): 1526 [Cat.]
DISTRIBUTION: Cyprus, Israel (Metcalf Cat.)
- Psammotettix makarovi* Moravskaja
Psammotettix makarovi Moravskaja 1952a: 264
 [n.sp.]; Metcalf 1967b, 6(10b): 1526 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Psammotettix maritimus* (Perris)

- Athysanus maritimus* Perris 1857a: 172 [n.sp.]; Metcalf 1967b, 6(10b): 1526 [Cat.]
DISTRIBUTION: France, Belgium, Japan, Germany, Sweden, Netherlands, Czech Republic (Metcalf Cat.)
- Psammotettix nodosus* (Ribaut)
Deltocephalus nodosus Ribaut 1925b: 17 [n.sp.]; Metcalf 1967b, 6(10b): 1528 [Cat.]
DISTRIBUTION: United Kingdom, France, Germany, Poland, Sweden, Norway, Estonia, Czech Republic, Russia, Italy, Slovakia (Metcalf Cat.)
- Psammotettix normani* (Scott)
Athysanus normani Scott 1881b: 105 [n.sp.]; Metcalf 1967b, 6(10b): 1530 [Cat.]
Deltocephalus substrriatus Then 1902a: 186 [n.sp.]; Metcalf 1967b, 6(10b): 1530 [Cat.]
DISTRIBUTION: United Kingdom, Austria, Czech Republic, Germany, Netherlands (Metcalf Cat.)
- Psammotettix notatus* (Melichar)
Deltocephalus notatus Melichar 1896a: 234 [n.sp.]; Metcalf 1967b, 6(10b): 1532 [Cat.]
DISTRIBUTION: Austria, Hungary, Germany, Denmark, Netherlands, France, Portugal, Bulgaria, Poland, Czech Republic, Italy (Metcalf Cat.)
- Psammotettix notatus dilutus* Ribaut
Psammotettix notatus diluta Ribaut 1952a: 242 [n.subsp. of notatus]; Metcalf 1967b, 6(10b): 1533 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Psammotettix obesus* Knoll
Psammotettix obesus Knoll 1954c: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1533 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix ornaticeps* (Horváth)
Deltocephalus ornaticeps Horváth 1897b: 635 [n.sp.]; Metcalf 1967b, 6(10b): 1534 [Cat.]
DISTRIBUTION: Hungary, Romania, Bulgaria, Germany, Czech Republic (Metcalf Cat.)
- Psammotettix pallidinervis* (Dahlbom)
Deltocephalus pallidinervis Dahlbom 1850a: 190 [n.sp.]; Metcalf 1967b, 6(10b): 1534 [Cat.]
Deltocephalus hannoveranus Wagner 1937a: 70 [n.sp.]; Metcalf 1967b, 6(10b): 1535 [Cat.]
DISTRIBUTION: Great Britain, Scandinavia, Romania, Russia, Germany, Poland, Hungary (Metcalf Cat.)
- Psammotettix pictipennis* (Kirschbaum)
Jassus (*Deltocephalus*) *pictipennis* Kirschbaum 1868b: 125 [n.sp.]; Metcalf 1967b, 6(10b): 1536 [Cat.]
Deltocephalus fasciatus Fieber 1869a: 211 [n.sp.]; Metcalf 1967b, 6(10b): 1536 [Cat.]
DISTRIBUTION: Austria, Germany, Russia, Spain, England, France, Portugal, Hungary, Belgium, Slovakia, Ukraine, Romania (Metcalf Cat.)
- Psammotettix poecilus* (Flor)
Jassus (*Deltocephalus*) *poecilus* Flor 1861a: 261 [n.sp.]; Metcalf 1967b, 6(10b): 1537 [Cat.]
DISTRIBUTION: Estonia, Latvia, Finland, Russia, Ukraine, Germany (Metcalf Cat.)
- Psammotettix provincialis* (Ribaut)
Deltocephalus provincialis Ribaut 1925b: 11 [n.sp.]; Metcalf 1967b, 6(10b): 1538 [Cat.]
DISTRIBUTION: France, Armenia, Azerbaijan, Georgia, Russia, Turkey, China, Poland, Czech Republic, Bulgaria, Cyprus, Greece, Italy, Hungary (Metcalf Cat.)
- Psammotettix putoni* (Then)
Deltocephalus putoni Then 1898a: 49 [n.sp.]; Metcalf 1967b, 6(10b): 1539 [Cat.]
DISTRIBUTION: France, Austria, Belgium, Germany, Netherlands, Czech Republic, Morocco, Sweden (Metcalf Cat.)
- Psammotettix revae* Knoll
Psammotettix revae Knoll 1954c: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1540 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix sabulicola* (Curtis)
Aphrodes sabulicola Curtis 1837b; pl.633 [n.sp.]; Metcalf 1967b, 6(10b): 1540 [Cat.]
Deltocephalus arenicola Sahlberg 1871a: 343 [n.sp.]; Metcalf 1967b, 6(10b): 1541 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Russia, Northern Africa (Metcalf Cat.)
- Psammotettix sachtlebeni* Dlabola
Psammotettix sachtlebeni Dlabola 1955a: 126 [n.sp.]; Metcalf 1967b, 6(10b): 1545 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Psammotettix scutuliferus* Wagner
Psammotettix scutuliferus Wagner 1939a: 160 [n.sp.]; Metcalf 1967b, 6(10b): 1545 [Cat.]
DISTRIBUTION: Germany, Poland, Netherlands, Czech Republic (Metcalf Cat.)
- Psammotettix shoshone* (DeLong & Davidson)
Laevicephalus shoshone DeLong & Davidson 1934b: 221 [n.sp.]; Metcalf 1967b, 6(10b): 1545 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Psammotettix similis* Wagner
Psammotettix similis Wagner 1947c: 76 [n.sp.]; Metcalf 1967b, 6(10b): 1546 [Cat.]
DISTRIBUTION: Germany, Czech Republic, Russia, Slovakia, Hungary (Metcalf Cat.)
- Psammotettix slovacus* Dlabola
Psammotettix slovacus Dlabola 1949a: 2 [n.sp.]; Metcalf 1967b, 6(10b): 1546 [Cat.]
DISTRIBUTION: Slovakia, Hungary (Metcalf Cat.)
- Psammotettix striatus* (Linnaeus)
Cicada striata Linnaeus 1758a: 437 [n.sp.]; Metcalf 1967b, 6(10b): 1547 [Cat.]

- Jassus strigatus* Germar 1821a: 92 [nom.nov. for *Cicada striata* Fabricius 1794]; Metcalf 1967b, 6(10b): 1547 [Cat.]
- Deltocephalus amyoti* Vismara 1878a: 37 [n.sp.]; Metcalf 1967b, 6(10b): 1550 [Cat.]
- DISTRIBUTION:** Holarctic, Northern Africa, Atlantic Ocean: Azores, Canary Islands, India, Malaysia, Korea (Metcalf Cat.)
- Psammotettix striatus capitatus* (Matsumura)
- Deltocephalus capitatus* Matsumura 1908a: 38 [n.sp.]; Metcalf 1967b, 6(10b): 1567 [Cat.]
- DISTRIBUTION:** Poland, Germany, Denmark, Netherlands (Metcalf Cat.)
- Psammotettix striatus divergens* (Rey)
- Deltocephalus striatus divergens* Rey 1894c: 46 [n.subsp. of *striatus*]; Metcalf 1967b, 6(10b): 1567 [Cat.]
- DISTRIBUTION:** France, Belgium, Netherlands (Metcalf Cat.)
- Psammotettix striatus flavipennis* (Scott)
- Deltocephalus striatus flavipennis* Scott 1876b: 242 [n.sp.]; Metcalf 1967b, 6(10b): 1567 [Cat.]
- DISTRIBUTION:** Northern Africa, Great Britain, Croatia, Czech Republic, Germany, Sweden, Switzerland, Netherlands, France, Italy, Austria, Hungary, Romania, Japan, Finland, Norway, Estonia, Latvia, Russia, Armenia, Azerbaijan, Georgia, Libya, China (Metcalf Cat.)
- Psammotettix striatus immundus* (Matsumura)
- Deltocephalus immundus* Matsumura 1908a: 33 [n.sp.]; Metcalf 1967b, 6(10b): 1569 [Cat.]
- DISTRIBUTION:** Hungary (Metcalf Cat.)
- Psammotettix striatus kolosvarensis* (Matsumura)
- Deltocephalus kolosvarensis* Matsumura 1908a: 35 [n.sp.]; Metcalf 1967b, 6(10b): 1569 [Cat.]
- DISTRIBUTION:** Hungary (Metcalf Cat.)
- Psammotettix striatus obtusiceps* (Kirschbaum)
- Jassus* (*Deltocephalus*) *striatus obtusiceps* Kirschbaum 1868b: 131 [n.sp.]; Metcalf 1967b, 6(10b): 1570 [Cat.]
- DISTRIBUTION:** Switzerland, Germany (Metcalf Cat.)
- Psammotettix striatus pallidus* (Flor)
- Jassus* (*Deltocephalus*) *striatus pallidus* Flor 1861a: 262 [n.subsp. of *striatus*]; Metcalf 1967b, 6(10b): 1570 [Cat.]
- DISTRIBUTION:** Latvia, Estonia (Metcalf Cat.)
- Psammotettix striatus varipennis* (Herrick-Schaeffer)
- Jassus striatus varipennis* Herrich-Schaeffer 1838a: 3 [n.sp.]; Metcalf 1967b, 6(10b): 1570 [Cat.]
- DISTRIBUTION:** Hungary, France, Netherlands, Germany, Austria, Denmark (Metcalf Cat.)
- Psammotettix stummeri* (Horváth)
- Deltocephalus stummeri* Horváth 1904b: 587 [n.sp.]; Metcalf 1967b, 6(10b): 1571 [Cat.]
- DISTRIBUTION:** Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Psammotettix totalus* (DeLong & Davidson)
- Laevicephalus totalus* DeLong & Davidson 1935b: 171 [n.sp.]; Metcalf 1967b, 6(10b): 1571 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Psammotettix unciger* Ribaut
- Psammotettix unciger* Ribaut 1938b: 169 [n.sp., not nom.nov.]; Metcalf 1967b, 6(10b): 1572 [Cat.]
- DISTRIBUTION:** Germany (Metcalf Cat.)
- Pseigmatus lethierryi* Signoret
- Pseigmatus lethierryi* Signoret 1880a: 47 [n.sp.]; Metcalf 1963d, 6(9): 50 [Cat.]
- DISTRIBUTION:** Russia, Georgia (Metcalf Cat.)
- Pseudaconura luxorensis* Linnauvuori
- Pseudaconura luxorensis* Linnauvuori 1952b: 183 [n.sp.]; Metcalf 1967b, 6(10b): 1598 [Cat.]
- DISTRIBUTION:** Egypt (Metcalf Cat.)
- Pseudobalbillus protrudens* Jacobi
- Pseudobalbillus protrudens* Jacobi 1912a: 37 [n.sp.]; Metcalf 1963b, 6(7): 3 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Pseudometopia appendiculata* Schmidt
- Pseudometopia appendiculata* Schmidt 1928c: 74 [n.sp.]; Metcalf 1965a, 6(1): 559 [Cat.]
- DISTRIBUTION:** Colombia (Young 1968a)
- Pseudophera atra* (Walker)
- Proconia atra* Walker 1851b: 789 [n.sp.]; Metcalf 1965a, 6(1): 514 [Cat.]
- DISTRIBUTION:** Honduras (Young 1968a)
- Pseudophera contraria* (Walker)
- Proconia contraria* Walker 1851b: 789 [n.sp.]; Metcalf 1965a, 6(1): 515 [Cat.]
- DISTRIBUTION:** Guatemala, Costa Rica (Young 1968a)
- Pseudophera divergens* (Schmidt)
- Phera divergens* Schmidt 1911b: 294 [n.sp.]; Metcalf 1965a, 6(1): 516 [Cat.]
- DISTRIBUTION:** Guatemala, Costa Rica (Young 1968a)
- Pseudophera heterogena* Schmidt
- Pseudophera heterogena* Schmidt 1928c: 60 [n.sp.]; Metcalf 1965a, 6(1): 516 [Cat.]
- DISTRIBUTION:** Mexico, Panama, Suriname (Young 1968a)
- Pseudophera procera* Melichar
- Pseudophera procera* Melichar 1925a: 334 [n.sp.]; Metcalf 1965a, 6(1): 516 [Cat.]
- DISTRIBUTION:** Costa Rica (Metcalf Cat.)
- Pseudophera tibialis* Schmidt
- Pseudophera tibialis* Schmidt 1928c: 61 [n.sp.]; Metcalf 1965a, 6(1): 516 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Pseudophlepsius binotatus* (Signoret)

- Phlepsius binotatus* Signoret 1880b: 189 [n.sp.]; Metcalf 1967a, 6(10a): 707 [Cat.]
- Phlepsius comma* Haupt 1917d: 243 [n.sp.]; Metcalf 1967a, 6(10a): 707 [Cat.]
- DISTRIBUTION: Russia, Iran, Armenia, Georgia, Azerbaijan, Afghanistan, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Turkey, Ukraine, Morocco (Metcalf Cat.)
- Pseudoscarta aubei* (Signoret)
- Tettigonia aubei* Signoret 1855d:771 [n.sp.]; Metcalf 1965a,6(1):206 [Cat.]
- DISTRIBUTION: Colombia (Metcalf Cat.)
- Pseudoscarta auctula* (Jacobi)
- Tettigoniella (Amblyscarta) auctula* Jacobi 1905c:173 [n.sp.]; Metcalf 1965a,6(1):206 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Pseudoscarta bracteatula* (Jacobi)
- Tettigoniella bracteatula* Jacobi 1905c:174 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Pseudoscarta chiriquensis* (Fowler)
- Tettigonia chiriquensis* Fowler 1899c:237 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta corixoides* (Fowler)
- Tettigonia corixoides* Fowler 1899c:240 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta cynthia* (Fowler)
- Tettigonia cynthia* Fowler 1899c:236 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta fastuosa* (Fabricius)
- Cicada fastuosa* Fabricius 1803a:70 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- Tettigonia instans* Walker 1858b:213 [n.sp.]; Metcalf 1965a,6(1):207 [Cat.]
- DISTRIBUTION: Brazil, Argentina, Ecuador, Bolivia, Guyana, French Guiana (Metcalf Cat.)
- Pseudoscarta gaudens* (Walker)
- Tettigonia gaudens* Walker 1851b:743 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Pseudoscarta jemima* (Distant)
- Tettigoniella jemima* Distant 1908a:519 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Pseudoscarta larvata* (Fowler)
- Tettigonia larvata* Fowler 1899c:238 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta lenea* (Distant)
- Tettigoniella lenea* Distant 1908a:520 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Peru (Metcalf Cat.)
- Pseudoscarta lignea* (Fowler)
- Tettigonia lignea* Fowler 1899c:239 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Pseudoscarta lineosa* (Fowler)
- Tettigonia lineosa* Fowler 1899c:240 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta melancholica* (Fowler)
- Tettigonia melancholica* Fowler 1899c:240 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Pseudoscarta mosaica* (Fowler)
- Tettigonia mosaica* Fowler 1899c:239 [n.sp.]; Metcalf 1965a,6(1):208 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Pseudoscarta obliquatula* (Jacobi)
- Tettigoniella (Amblyscarta) obliquatula* Jacobi 1905c:173 [n.sp.]; Metcalf 1965a,6(1):209 [Cat.]
- DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Pseudoscarta pardalina* (Fowler)
- Tettigonia pardalina* Fowler 1899c:238 [n.sp.]; Metcalf 1965a,6(1):209 [Cat.]
- DISTRIBUTION: Mexico, Panama, Costa Rica (Metcalf Cat.)
- Pseudoscarta segmentalis* (Signoret)
- Tettigonia segmentalis* Signoret 1853b:345 [n.sp.]; Metcalf 1965a,6(1):209 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Pseudoscarta spectabilis* (Distant)
- Tettigoniella spectabilis* Distant 1908a:519 [n.sp.]; Metcalf 1965a,6(1):209 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Pseudosudra borneensis* (Schmidt)
- Sudra borneensis* Schmidt 1909d:265 [n.sp.]; Metcalf 1962a,6(2):9 [Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Pteropyx hyalinus* Haupt
- Pteropyx hyalinus* Haupt 1927a: 28 [n.sp.]; Metcalf 1967c, 6(10c): 2484 [Cat.]
- DISTRIBUTION: Israel (Metcalf Cat.)
- Pugla sigillaris* Distant
- Pugla sigillaris* Distant 1908g: 319 [n.sp.]; Metcalf 1967c, 6(10c): 2351 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Purpuranus argostagum* (Walker)
- Acocephalus argostagum* Walker 1851b: 850 [n.sp. by bibliog.ref.]; Metcalf 1967c, 6(10c): 2205 [Cat.]
- Platymetopius guttatus* Fieber 1869a: 202 [n.sp.]; Metcalf 1967c, 6(10c): 2205 [Cat.]
- DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain (?), Cyprus, Italy, Portugal, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Australia (Metcalf Cat.)
- Purpuranus rubrostriatus* (Horváth)

- Platymetopius rubrostriatus* Horváth 1907a: 317
[n.sp.]; Metcalf 1967c, 6(10c): 2208 [Cat.]
- Platymetopius rubrovittatus* Matsumura 1914a: 214
[n.sp.]; Metcalf 1967c, 6(10c): 2208 [Cat.]
- DISTRIBUTION: Taiwan, Korea, Japan, Italy,
Cyprus, Russia, Georgia, Azerbaijan, Kazakhstan,
Turkmenistan (Metcalf Cat.)
- Putoniessa dignissima* Kirkaldy
Putoniessa dignissima Kirkaldy 1907d:50 [n.sp.];
Metcalf 1962c,6(4):129 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Putoniessa galliensis* Evans
Putoniessa galliensis Evans 1936b:65 [n.sp.]; Metcalf
1962c,6(4):129 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Putoniessa maculata* Evans
Putoniessa maculata Evans 1936b:65 [n.sp.]; Metcalf
1962c,6(4):129 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Putoniessa nigra* (Walker)
Gypona nigra Walker 1862a:319 [n.sp.]; Metcalf
1962c,6(4):130 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Putoniessa nota* Evans
Putoniessa nota Evans 1941f:151 [n.sp.]; Metcalf
1962c,6(4):130 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Putoniessa rivularis* (Walker)
Bythoscopus dorsalis Walker 1851b:867 [n.sp.];
Metcalf 1962c,6(4):130 [Cat.]
- Bythoscopus rivularis* Walker 1851b:865 [n.sp.];
Metcalf 1962c,6(4):130 [Cat.]
- Bythoscopus repletus* Walker 1858b:267 [n.sp.];
Metcalf 1962c,6(4):130 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Pygotettix botelensis* Matsumura
Pygotettix botelensis Matsumura 1940d: 42 [n.sp.];
Metcalf 1967a, 6(10a): 389 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Pygotettix formosanus* Matsumura
Pygotettix formosanus Matsumura 1940d: 41 [n.sp.];
Metcalf 1967a, 6(10a): 389 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Pyramidotettix citri* (Matsumura)
Conometopius [sic] *citri* Matsumura 1907c:113
[n.sp.]; Metcalf 1968a,6(17):229 [Cat.]
- DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Pythamus dealbatus* Melichar
Pythamus dealbatus Melichar 1903b:161 [n.sp.];
Metcalf 1963a,6(6):46 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Pythamus decoratus* Baker
Pythamus decoratus Baker 1923a:365 [n.sp.]; Metcalf
1963a,6(6):47 [Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Pythamus melichari* Baker
- Pythamus melichari* Baker 1915b:198 [n.sp.]; Metcalf
1963a,6(6):47 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
- Pythamus melichari bilobatus* Baker
Pythamus melichari bilobatus Baker 1923a:367
[n.subsp. of *melichari*]; Metcalf 1963a,6(6):47
[Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Pythamus melichari borneensis* Baker
Pythamus melichari borneensis Baker 1923a:368
[n.subsp. of *melichari*]; Metcalf 1963a,6(6):47
[Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Pythamus melichari mindanaensis* Baker
Pythamus melichari mindanaensis Baker 1915b:200
[n.subsp. of *melichari*]; Metcalf 1963a,6(6):47
[Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
- Pythamus melichari singaporenensis* Baker
Pythamus melichari singaporenensis Baker 1923a:368
[n.subsp. of *melichari*]; Metcalf 1963a,6(6):47
[Cat.]
- DISTRIBUTION: Singapore Island, Philippines
(Metcalf Cat.)
- Pythamus productus* Baker
Pythamus productus Baker 1923a:364 [n.sp.]; Metcalf
1963a,6(6):48 [Cat.]
- DISTRIBUTION: Philippines (Metcalf Cat.)
- Pythonirvana muiri* Baker
Pythonirvana muiri Baker 1923a:397 [n.sp.]; Metcalf
1963b,6(7):22 [Cat.]
- DISTRIBUTION: Borneo, East Indonesia (Metcalf
Cat.)
- Rabela tabebuiae* (Dozier)
Protalebra tabebuiae Dozier 1927b:260 [n.sp.];
Metcalf 1968a,6(17):20 [Cat.]
- Protalebra bicincta* Osborn 1928a:259 [n.sp.]; Metcalf
1968a,6(17):20 [Cat.]
- DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Radhades crassus* Distant
Radhades crassus Distant 1912e:606 [n.sp.]; Metcalf
1962d,6(5):88 [Cat.]
- DISTRIBUTION: Myanmar (Metcalf Cat.)
- Raphirhinus acuminatus* (Olivier)
Fulgora acuminata Olivier 1791a:571 [n.sp.]; Metcalf
1965a,6(1):530 [Cat.]
- DISTRIBUTION: Suriname (Metcalf Cat.)
- Raphirhinus fasciatus* (Fabricius)
Fulgora fasciata Fabricius 1787a:261 [n.sp.]; Metcalf
1965a,6(1):531 [Cat.]
- Tettigonia flammearia* Olivier 1791a:570 [n.sp. by
bibliog. ref. to Stoll]; Metcalf 1965a,6(1):531
[Cat.]
- Raphirhinus obliquatus* Laporte 1832d:415 [n.sp.,not
nom.nov.]; Metcalf 1965a,6(1):531 [Cat.]

- Tettigonia fabricii* Signoret 1855c:521 [nom.nov. for *Cicada fasciata* Fabricius 1787]; Metcalf 1965a,6(1):532 [Cat.]
- DISTRIBUTION: Suriname, French Guiana, Brazil, Bolivia, Peru, Guyana (Metcalf Cat.)
- Raphirhinus phosphoreus* (Linnaeus)
- Cicada phosphorea* Linnaeus 1758a:434 [n.sp.]; Metcalf 1965a,6(1):533 [Cat.]
- Cicada filirostris* De Geer 1774a:201 [nom.nov. for *Cicada phosphorea* Linnaeus 1758]; Metcalf 1965a,6(1):533 [Cat.]
- Fulgora adscendens* Fabricius 1787a:260 [n.sp.]; Metcalf 1965a,6(1):534 [Cat.]
- Raphirhinus cupriventris* Laporte 1832d:414 [nom.nov. for *Fulgora adscendens* Fabricius 1787]; Metcalf 1965a,6(1):535 [Cat.]
- Rhaphirhinus* [sic] *angustus* Walker 1851b:806 [n.sp.]; Metcalf 1965a,6(1):536 [Cat.]
- DISTRIBUTION: Ecuador, Bolivia, Peru, Colombia, Venezuela, Trinidad, Guyana, Suriname, French Guiana, Brazil (Young 1968a)
- Raphirhinus rugosus* (Signoret)
- Tettigonia rugosa* Signoret 1855c:522 [n.sp.]; Metcalf 1965a,6(1):537 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Raphirhinus subulatus* Melichar
- Raphirhinus subulatus* Melichar 1925a:355 [n.sp.]; Metcalf 1965a,6(1):537 [Cat.]
- DISTRIBUTION: Guiana (Metcalf Cat.)
- Raphirhinus vagatus* Melichar
- Raphirhinus vagatus* Melichar 1925a:355 [n.sp.]; Metcalf 1965a,6(1):537 [Cat.]
- DISTRIBUTION: Trinidad (Metcalf Cat.)
- Recilia coronifera* (Marshall)
- Jassus* (*Deltocephalus*) *coronifer* Marshall 1866a: 222 [n.sp.]; Metcalf 1967a, 6(10a): 935 [Cat.]
- Jassus* (*Deltocephalus*) *coroniceps* Kirschbaum 1868b: 126 [n.sp.]; Metcalf 1967a, 6(10a): 935 [Cat.]
- DISTRIBUTION: Widespread Europe, Russia, Georgia, Azerbaijan, western Mediterranean region, central and northern Africa, Japan (Metcalf Cat.)
- Recilia elongatoocellata* (Motschulsky)
- Deltocephalus elongatoocellatus* Motschulsky 1859b: 113 [n.sp.]; Metcalf 1967a, 6(10a): 941 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Recilia elongatoocellata* jenjouristi Zachvatkin
- Recilia elongatoocellata* jenjouristi Zachvatkin 1935a: 110 [n.subsp. of *elongatoocellata*]; Metcalf 1967a, 6(10a): 941 [Cat.]
- DISTRIBUTION: Yemen (Metcalf Cat.)
- Recilia schmidtgeni* (Wagner)
- Deltocephalus schmidtgeni* Wagner 1939a: 164 [n.sp.]; Metcalf 1967a, 6(10a): 941 [Cat.]
- DISTRIBUTION: England, Germany, Czech Republic, France, Israel, Hungary, China, Italy, Slovakia (Metcalf Cat.)
- Recilia tricuspidis* (Dlabola)
- Deltocephalus* (*Recilia*) *tricuspidis* Dlabola 1955a: 126 [n.sp.]; Metcalf 1967a, 6(10a): 942 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
- Remadosus fumidus* (Osborn)
- Euscelis* (*Athy sanus*) *drakei* Osborn 1922b: 19 [n.sp.]; Metcalf 1967a, 6(10a): 445 [Cat.]
- Euscelis* (*Athy sanus*) *fumidus* Osborn 1922b: 19 [n.sp.]; Metcalf 1967a, 6(10a): 445 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Remadosus magnus* (Osborn & Ball)
- Athy sanus* *magnus* Osborn & Ball 1897a: 225 [n.sp.]; Metcalf 1967a, 6(10a): 446 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Remadosus osborni* Metcalf
- Euscelis* (*Athy sanus*) *piceus* Osborn 1922b: 20 [n.subsp. of *magnus*]; Metcalf 1967a, 6(10a): 448 [Cat.]
- Remadosus osborni* Metcalf 1955a: 265 [nom.nov. for *Euscelis* *magnus* *piceus* Osborn 1922]; Metcalf 1967a, 6(10a): 448 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Retusanus apicatus* DeLong
- Retusanus apicatus* DeLong 1945g: 138 [n.sp.]; Metcalf 1967b, 6(10b): 1658 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Retusanus irroratus* DeLong
- Retusanus irroratus* DeLong 1945g: 140 [n.sp.]; Metcalf 1967b, 6(10b): 1658 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Retusanus luteus* DeLong
- Retusanus luteus* DeLong 1945g: 136 [n.sp.]; Metcalf 1967b, 6(10b): 1658 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Retusanus pulverus* DeLong
- Retusanus pulverus* DeLong 1945g: 136 [n.sp.]; Metcalf 1967b, 6(10b): 1658 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Retusanus punctatus* DeLong
- Retusanus punctatus* DeLong 1945g: 135 [n.sp.]; Metcalf 1967b, 6(10b): 1658 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Reuteriella flavescens* (Signoret)
- Reuteria flavescens* Signoret 1880a:46 [n.sp.]; Metcalf 1966c,6(15):135 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Reuteriella hobartensis* Evans
- Reuteriella hobartensis* Evans 1938b:11 [n.sp.]; Metcalf 1966c,6(15):136 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Rhabdotalebra brunnea* (Oman)
- Protalebra brunnea* Oman 1937d:567 [n.sp.]; Metcalf 1968a,6(17):80 [Cat.]

- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
Rhabdotalebra octolineata (Baker)
Protalebra octolineata Baker 1903d:7 [n.sp.]; Metcalf 1968a,6(17):80 [Cat.]
- DISTRIBUTION:** Nicaragua, Guatemala, Jamaica, Mexico, Honduras, Grenada, Panama (Metcalf Cat.)
- Rhabdotalebra signata** (McAtee)
Protalebra (Protalebra) signata McAtee 1926b:148 [n.subsp. of *octolineata*]; Metcalf 1968a,6(17):81 [Cat.]
- DISTRIBUTION:** Panama (Metcalf Cat.)
- Rhagosana rugulosa** Osborn
Rhagosana rugulosa Osborn 1938a:15 [n.sp.]; Metcalf 1962b,6(3):55 [Cat.]
- DISTRIBUTION:** French Guiana (Metcalf Cat.)
- Rhombopsana chatterjeei** (Singh-Pruthi)
Rhombopsis chatterjeei Singh-Pruthi 1934a: 26 [n.sp.]; Metcalf 1967c, 6(10c): 2346 [Cat.]
- DISTRIBUTION:** India, Sri Lanka (Metcalf Cat.)
- Rhombopsana virens** (Haupt)
Rhombopsis virens Haupt 1927a: 23 [n.sp.]; Metcalf 1967c, 6(10c): 2346 [Cat.]
- DISTRIBUTION:** Israel (Metcalf Cat.)
- Rhombopsana viridis** (Singh-Pruthi)
Rhombopsis viridis Singh-Pruthi 1930a: 34 [n.sp.]; Metcalf 1967c, 6(10c): 2346 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Rhopalogonia purpurata** (Germar)
Tettigonia purpurata Germar 1821a:63 [n.sp.]; Metcalf 1965a,6(1):255 [Cat.]
- DISTRIBUTION:** Brazil, Suriname, Brazil, Guyana, French Guiana (Metcalf Cat.)
- Rhopalogonia scita** (Walker)
Tettigonia scita Walker 1851b:753 [n.sp.]; Metcalf 1965a,6(1):255 [Cat.]
- DISTRIBUTION:** Venezuela, Brazil (?) (Young 1977a)
- Rhopalopyx elongata** Wagner
Rhopalopyx elongata Wagner 1952a: 83 [n.sp.]; Metcalf 1967a, 6(10a): 398 [Cat.]
- DISTRIBUTION:** Spain (Metcalf Cat.)
- Rhopalopyx flaveola** (Bohemian)
Thamnotettix flaveola Boheman 1845b: 157 [n.sp.]; Metcalf 1967a, 6(10a): 398 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Great Britain, Italy, Eastern Baltic States (Metcalf Cat.)
- Rhopalopyx monticola** Ribaut
Rhopalopyx monticola Ribaut 1939a: 272 [n.sp.]; Metcalf 1967a, 6(10a): 402 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Rhopalopyx parvispina** Wagner
Rhopalopyx parvispina Wagner 1947b: 98,100 [n.sp.]; Metcalf 1967a, 6(10a): 402 [Cat.]
- DISTRIBUTION:** Czech Republic, Slovakia, Hungary (Metcalf Cat.)
- Rhopalopyx preyssleri** (Herrick-Schaeffer)
Jassus preyssleri Herrich-Schaeffer 1838c: 7 [n.sp.]; Metcalf 1967a, 6(10a): 403 [Cat.]
- Cicada adumbrata** Sahlberg 1842a: 91 [n.sp.]; Metcalf 1967a, 6(10a): 403 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Great Britain, Eastern Baltic States (Metcalf Cat.)
- Rhopalopyx vitripennis** (Flor)
Jassus (Deltoccephalus) vitripennis Flor 1861a: 255 [n.sp.]; Metcalf 1967a, 6(10a): 408 [Cat.]
- Thamnotettix andropogonis** Haupt 1924d: 291 [n.sp.]; Metcalf 1967a, 6(10a): 410 [Cat.]
- Thamnotettix graminis** Haupt 1935a: 204 [n.sp.]; Metcalf 1967a, 6(10a): 410 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Great Britain, Northern Africa (Metcalf Cat.)
- Rhotidoides dongarrensis** Evans
Rhotidoides dongarrensis Evans 1941f:152 [n.sp.]; Metcalf 1962c,6(4):126 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides montana** Evans
Rhotidoides montana Evans 1936b:60 [n.sp.]; Metcalf 1962c,6(4):126 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides norfolkensis** Evans
Rhotidoides norfolkensis Evans 1936b:60 [n.sp.]; Metcalf 1962c,6(4):127 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides sidnica** Evans
Rhotidoides sidnica Evans 1939a:47 [n.sp.]; Metcalf 1962c,6(4):127 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides aequalis** Distant
Rhotidoides aequalis Distant 1907g:193 [n.sp.]; Metcalf 1962c,6(4):135 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides breviceps** Stål
Rhotidoides breviceps Stål 1865b:157 [n.sp.]; Metcalf 1962c,6(4):135 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides convivus** Stål
Rhotidoides [sic] convivus Stål 1865b:157 [n.sp.]; Metcalf 1962c,6(4):136 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides cuneatus** Walker
Rhotidoides cuneatus Walker 1862a:319 [n.sp.]; Metcalf 1962c,6(4):136 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Rhotidoides cuspidatus** (Walker)
Ledra cuspidata Walker 1851b:830 [n.sp.]; Metcalf 1962c,6(4):136 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)

- Rhotidus flavomaculatus* Kirkaldy
Rhotidus flavomaculatus Kirkaldy 1906c:367 [n.sp.];
 Metcalf 1962c,6(4):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus horrendus* Kirkaldy
Rhotidus horrendus Kirkaldy 1906c:368 [n.sp.];
 Metcalf 1962c,6(4):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus informis* Kirkaldy
Rhotidus informis Kirkaldy 1906c:367 [n.sp.]; Metcalf
 1962c,6(4):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus ingens* Kirkaldy
Rhotidus ingens Kirkaldy 1906c:366 [n.sp.]; Metcalf
 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus insularis* Evans
Rhotidus insularis Evans 1936b:62 [n.sp.]; Metcalf
 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus kiatensis* Evans
Rhotidus kiatensis Evans 1936b:63 [n.sp.]; Metcalf
 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus ledropsiformis* Kirkaldy
Rhotidus ledropsiformis Kirkaldy 1906c:367 [n.sp.];
 Metcalf 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus leucostictus* Stål
Rhothidus [sic] *leucostictus* Stål 1865b:157 [n.sp.];
 Metcalf 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus leurensis* Evans
Rhotidus leurensis Evans 1936b:62 [n.sp.]; Metcalf
 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus monstrum* Kirkaldy
Rhotidus monstrum Kirkaldy 1906c:367 [n.sp.];
 Metcalf 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus naviculus* (Walker)
Ledra navicula Walker 1851b:826 [n.sp.]; Metcalf
 1962c,6(4):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus ståli* [sic] Kirkaldy
Rhothidus [sic] *navicula* Stål 1865b:157 [n.sp.];
 Metcalf 1962c,6(4):138 [Cat.]
Rhotidus stali Kirkaldy 1907d:26 [nom.nov. for
Rhothidus navicula Stål 1865]; Metcalf
 1962c,6(4):138 [Cat.]
- Rhotidus kirkaldyi* Metcalf 1955a:265 [nom.nov. for
Ledropsis stali Kirkaldy 1907]; Metcalf
 1962c,6(4):138 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus teliformis* (Walker)
Ledra teliformis Walker 1851b:826 [n.sp.]; Metcalf
 1962c,6(4):138 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus viridescens* Kirkaldy
Rhotidus viridescens Kirkaldy 1906c:368 [n.sp.];
 Metcalf 1962c,6(4):138 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhotidus wilsoni* Evans
Rhotidus wilsoni Evans 1936b:62 [n.sp.]; Metcalf
 1962c,6(4):138 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Rhytidostylus proceps* (Kirschbaum)
Jassus (*Athysanus*) *proceps* Kirschbaum 1868b: 105
 [n.sp.]; Metcalf 1967b, 6(10b): 1698 [Cat.]
Athysanus canescens Douglas & Scott 1873a: 210
 [n.sp.]; Metcalf 1967b, 6(10b): 1698 [Cat.]
- Rhytidostylus pellucidus* Melichar 1900c: 268-270
 [n.sp.]; Metcalf 1967b, 6(10b): 1699 [Cat.]
 DISTRIBUTION: Germany, France, Great Britain,
 Austria, Netherlands, Belgium, Czech Republic,
 Denmark, Poland, Sweden (Metcalf Cat.)
- Ribautiana cruciata* (Ribaut)
Typhlocyba cruciata Ribaut 1931b:282 [n.sp.];
 Metcalf 1968a,6(17):907 [Cat.]
 DISTRIBUTION: Sweden, Italy, Great Britain,
 France, Switzerland, Netherlands, United States,
 Canada (Metcalf Cat.)
- Ribautiana debilis* (Douglas)
Typhlocyba debilis Douglas 1876a:204 [n.sp.];
 Metcalf 1968a,6(17):908 [Cat.]
 DISTRIBUTION: Great Britain, France, Netherlands,
 Czech Republic, United States (Metcalf Cat.)
- Ribautiana foliosa* (Knoll)
Typhlocyba foliosa Knoll 1945b:104 [n.sp.]; Metcalf
 1968a,6(17):910 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Ribautiana luculla* (Medler)
Typhlocyba luculla Medler 1943a:139 [n.sp.]; Metcalf
 1968a,6(17):910 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ribautiana multispinosa* Christian
Ribautiana multispinosa Christian 1953a:1125 [n.sp.];
 Metcalf 1968a,6(17):911 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ribautiana parapiscator* Christian
Ribautiana parapiscator Christian 1953a:1123 [n.sp.];
 Metcalf 1968a,6(17):911 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Ribautiana piscator* (McAtee)
Typhlocyba piscator McAtee 1926a:5 [n.sp.]; Metcalf
 1968a,6(17):911 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Ribautiana scalaris* (Ribaut)

- Typhlocyba scalaris* Ribaut 1931b:281 [n.sp.]; Metcalf 1968a,6(17):912 [Cat.]
DISTRIBUTION: France, Switzerland, Great Britain, Netherlands, Germany, Czech Republic, Slovakia, Hungary (Metcalf Cat.)
- Ribautiana sciotoensis* (Knoll)
Typhlocyba sciotoensis Knoll 1945b:103 [n.sp.]; Metcalf 1968a,6(17):912 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Ribautiana tenerima* (Herrick-Schaeffer)
Typhlocyba tenerima Herrick-Schaeffer 1834b:10 [n.sp.]; Metcalf 1968a,6(17):913,920 [Cat.]
Typhlocyba rubi Hardy 1850a:417 [n.sp.]; Metcalf 1968a,6(17):913 [Cat.]
Typhlocyba misella Boheman 1852b:122 [n.sp.]; Metcalf 1968a,6(17):913 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Russia, United States, Canada (Metcalf Cat.)
- Ribautiana tenerima* disjuncta Zachvatkin
Ribautiana tenerima disjuncta Zachvatkin 1947a:113,115 [n.subsp. of tenerima]; Metcalf 1968a,6(17):920 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Ribautiana ulmi* (Linnaeus)
Cicada ulmi Linnaeus 1758a:439 [n.sp.]; Metcalf 1968a,6(17):921 [Cat.]
Cicada musciformis De Geer 1773a:189 [n.sp.]; Metcalf 1968a,6(17):921 [Cat.]
Eupteryx ocellata Curtis 1837d:pl.640 [n.sp.]; Metcalf 1968a,6(17):922 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Russia, United States, Canada (Metcalf Cat.)
- Ribautiana ulmi* thecla (Ferrari)
Typhlocyba ulmi thecla Ferrari 1882a:155 [n.subsp. of ulmi]; Metcalf 1968a,6(17):931 [Cat.]
DISTRIBUTION: Italy, Netherlands (Metcalf Cat.)
- Ribautiana unca* (McAtee)
Typhlocyba unca McAtee 1926a:5 [n.sp.]; Metcalf 1968a,6(17):932 [Cat.]
Typhlocyba surda DeLong & Johnson 1936a:101 [n.sp.]; Metcalf 1968a,6(17):932 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Rosenus acutus* (Beamer)
Hebecephalus acutus Beamer 1938c: 79 [n.sp.]; Metcalf 1967b, 6(10b): 1810 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Rosenus cruciatus* (Osborn & Ball)
Deltocephalus cruciatus Osborn & Ball 1898f: 77 [n.sp.]; Metcalf 1967b, 6(10b): 1810 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Rosenus obliqua* (DeLong & Davidson)
Hebecephalus obliqua DeLong & Davidson 1935b: 165 [n.sp.]; Metcalf 1967b, 6(10b): 1811 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Rosenus pagosus* (Beamer)
Hebecephalus pagosus Beamer 1938c: 78 [n.sp.]; Metcalf 1967b, 6(10b): 1811 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Rotifunkia guttifera* (Walker)
Paropia guttifera Walker 1851b: 845 [n.sp.]; Metcalf 1966d, 6(16): 228 [Cat.]
DISTRIBUTION: Sierra Leone (Metcalf Cat.)
- Roxasella camusi* Merino
Roxasella camusi Merino 1936a:360 [n.sp.]; Metcalf 1966c,6(15):170 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Roxasella losbanosa* Merino
Roxasella losbanosa Merino 1936a:360 [n.sp.]; Metcalf 1966c,6(15):170 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Rubria cariosa* (Stål)
Petalocephala (*Rubria*) *carnosa* Stål 1865b:159 [n.sp.]; Metcalf 1962c,6(4):103 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Rubria sanguinosa* (Stål)
Petalocephala (*Rubria*) *sanguinosa* Stål 1865b:158 [n.sp.]; Metcalf 1962c,6(4):103 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Rubria sidnica* (Stål)
Xerophloea sidnica Stål 1859b:288 [n.sp.]; Metcalf 1962c,6(4):103 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Rubria vitticollis* (Stål)
Acocephalus vitticollis Stål 1855a:98 [n.sp.]; Metcalf 1962c,6(4):104 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Sabima aryana* Distant
Sabima aryana Distant 1918b:46 [n.sp.]; Metcalf 1964b,6(11):20 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Sabima prima* Distant
Sabima prima Distant 1908g:325 [n.sp.]; Metcalf 1964b,6(11):20 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Sabima rostrata* Kato
Sabima rostrata Kato 1933r:457 [n.sp.]; Metcalf 1964b,6(11):20 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Sabima stellifera* Distant
Sabima stellifera Distant 1908g:325 [n.sp.]; Metcalf 1964b,6(11):21 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Sabimamorpha speciosissima* Schumacher
Sabimamorpha speciosissima Schumacher 1915b:124 [n.sp.]; Metcalf 1964b,6(11):21 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Sabimamorpha speciosissima* atava Schumacher

- Sabimamorpha speciosissima atava* Schumacher
1915a:103 [n.subsp. of *speciosissima*]; Metcalf
1964b,6(11):21 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Sabimoides cardamomi* Evans
Sabimoides cardamomi Evans 1947a:254 [n.sp.];
Metcalf 1964b,6(11):94 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Sacapome formosana* Schumacher
Sacapome formosana Schumacher 1915b:128 [n.sp.];
Metcalf 1968a,6(17):1045 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Sagatus punctifrons* (Fallén)
Cicada punctifrons Fallén 1826a: 42 [n.sp.]; Metcalf
1967c, 6(10c): 2631 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
Great Britain, Russia, Japan, United States,
Canada, Atlantic Ocean: Bermuda Island (Metcalf
Cat.)
- Sagatus punctifrons additus* (Rey)
Cicadula punctifrons addita Rey 1894c: 45 [n.subsp.
of *punctifrons*]; Metcalf 1967c, 6(10c): 2639 [Cat.]
DISTRIBUTION: Austria, Netherlands (Metcalf Cat.)
- Sagatus punctifrons repletus* (Fieber)
Cicadula punctifrons repleta Fieber 1855a: 49
[n.subsp. of *punctifrons*]; Metcalf 1967c, 6(10c):
2640 [Cat.]
DISTRIBUTION: Ukraine, Russia, Hungary, Serbia,
Russia, Yugoslavia, Netherlands (Metcalf Cat.)
- Salvina dorsisignata* (Fowler)
Tettigonia dorsisignata Fowler 1900d:282 [n.sp.];
Metcalf 1964b,6(11):113 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Sanctanus aestuarium* (DeLong & Sleesman)
Polyamius aestuarium DeLong & Sleesman 1929a:
101 [n.sp.]; Metcalf 1967c, 6(10c): 2092 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus balli* Beamer
Sanctanus balli Beamer 1938d: 224 [n.sp.]; Metcalf
1967c, 6(10c): 2093 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus discalis* (Van Duzee)
Scaphoideus discalis Van Duzee 1933a: 31 [n.sp.];
Metcalf 1967c, 6(10c): 2093 [Cat.]
DISTRIBUTION: Pacific Ocean: Chatham Island
(Metcalf Cat.)
- Sanctanus eburneus* (DeLong)
Deltocephalus eburneus DeLong 1924a: 63 [n.sp.];
Metcalf 1967c, 6(10c): 2093 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus fusconotatus* (Osborn)
Deltocephalus fusconotatus Osborn 1922b: 17 [n.sp.];
Metcalf 1967c, 6(10c): 2094 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus lepidellus* (Stål)
Jassus (Deltocephalus) lepidellus Stål 1862e: 53
[n.sp.]; Metcalf 1967c, 6(10c): 2094 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Sanctanus limiculus* (Osborn)
Deltocephalus limiculus Osborn 1922b: 17 [n.sp.];
Metcalf 1967c, 6(10c): 2095 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus orbiculatus* Ball
Sanctanus orbiculatus Ball 1932a: 11 [n.sp.]; Metcalf
1967c, 6(10c): 2095 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus ornatipennis* (Stål)
Jassus (Deltocephalus) ornatipennis Stål 1859b: 294
[n.sp.]; Metcalf 1967c, 6(10c): 2095 [Cat.]
DISTRIBUTION: Peru, Bolivia (Metcalf Cat.)
- Sanctanus tectus* Oman
Sanctanus tectus Oman 1934a: 75 [n.sp.]; Metcalf
1967c, 6(10c): 2096 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus (Cruciatus) cruciatus* (Osborn)
Scaphoideus cruciatus Osborn 1911c: 253 [n.sp.];
Metcalf 1967c, 6(10c): 2097 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus (Cruciatus) dampfi* DeLong & Hershberger
Sanctanus (Cruciatus) dampfi DeLong &
Hershberger 1946a: 223 [n.sp.]; Metcalf 1967c,
6(10c): 2098 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Cruciatus) fasciatus* (Osborn)
Scaphoideus fasciatus Osborn 1900a: 190 [n.sp.];
Metcalf 1967c, 6(10c): 2098 [Cat.]
Scaphoideus neglectus Osborn 1911c: 252 [n.sp.];
Metcalf 1967c, 6(10c): 2098 [Cat.]
DISTRIBUTION: United States, Mexico, West Indies,
Guyana (Metcalf Cat.)
- Sanctanus (Cruciatus) fasciatus variabilis* Osborn
Sanctanus variabilis Osborn 1935a: 149 [n.subsp. of
fasciatus]; Metcalf 1967c, 6(10c): 2100 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Sanctanus (Cruciatus) marginellus* DeLong &
Hershberger
Sanctanus (Cruciatus) marginellus DeLong &
Hershberger 1946a: 222 [n.sp.]; Metcalf 1967c,
6(10c): 2100 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Sanctanus (Cruciatus) sonorus* DeLong & Hershberger
Sanctanus (Cruciatus) sonorus DeLong &
Hershberger 1946a: 223 [n.sp.]; Metcalf 1967c,
6(10c): 2101 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Cruciatus) virgatus* DeLong & Hershberger
Sanctanus (Cruciatus) virgatus DeLong &
Hershberger 1946a: 224 [n.sp.]; Metcalf 1967c,
6(10c): 2101 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) apicalis* DeLong & Hershberger

- Sanctanus (Sanctanus) apicalis* DeLong & Hershberger 1946a: 214 [n.sp.]; Metcalf 1967c, 6(10c): 2101 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) elegans* DeLong & Hershberger
Sanctanus (Sanctanus) elegans DeLong & Hershberger 1946a: 218 [n.sp.]; Metcalf 1967c, 6(10c): 2101 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) elongatus* DeLong & Hershberger
Sanctanus (Sanctanus) elongatus DeLong & Hershberger 1946a: 214 [n.sp.]; Metcalf 1967c, 6(10c): 2101 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) gelbus* DeLong & Hershberger
Sanctanus (Sanctanus) gelbus DeLong & Hershberger 1946a: 212 [n.sp.]; Metcalf 1967c, 6(10c): 2102 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) pallidens* DeLong & Hershberger
Sanctanus (Sanctanus) pallidens DeLong & Hershberger 1946a: 212 [n.sp.]; Metcalf 1967c, 6(10c): 2102 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sanctanus (Sanctanus) sanctus* (Say)
Jassus sanctus Say 1830b: 307 [n.sp.]; Metcalf 1967c, 6(10c): 2102 [Cat.]
Scaphoideus picturatus Osborn 1898b: 20 [n.sp.]; Metcalf 1967c, 6(10c): 2102 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Sanctanus (Sanctanus) similarus* DeLong & Hershberger
Sanctanus (Sanctanus) similarus DeLong & Hershberger 1946a: 210 [n.sp.]; Metcalf 1967c, 6(10c): 2104 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Sandersellus carinatus* DeLong
Sandersellus carinatus DeLong 1945d: 415 [n.sp.]; Metcalf 1964b, 6(11): 95 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Saranella micronotata* (Osborn)
Dikraneura (Hyloidea) micronotata Osborn 1928a: 278 [n.sp.]; Metcalf 1968a, 6(17): 285 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Sarascarta fulva* (Osborn)
Dikraneura (Hyloidea) fulva Osborn 1928a: 277 [n.sp.]; Metcalf 1968a, 6(17): 284 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Sardius argus* (Marshall)
Iassus (Deltocephalus) argus Marshall 1866c: 221 [n.sp.]; Metcalf 1967b, 6(10b): 1387 [Cat.]
Jassus (Deltocephalus) elegantulus Kirschbaum 1868b: 127 [n.sp.]; Metcalf 1967b, 6(10b): 1387 [Cat.]
DISTRIBUTION: England, Germany, France, Austria, Belgium, Switzerland, Denmark, Netherlands, Wales, Italy, Morocco (Metcalf Cat.)
- Sarpestus bistriga* (Walker)
Bythoscopus bistriga Walker 1870b: 317 [n.sp.]; Metcalf 1964b, 6(11): 144 [Cat.]
Sarpestus specularis Spångberg 1878c: 11 [n.sp.]; Metcalf 1964b, 6(11): 144 [Cat.]
DISTRIBUTION: East Indonesia: Mysol (Misool Island?), New Guinea (Metcalf Cat.)
- Satumanus satsumae* (Matsumura)
Eutettix satsumae Matsumura 1914a: 191 [n.sp.]; Metcalf 1967a, 6(10a): 505 [Cat.]
DISTRIBUTION: Japan, Hong Kong, China (Metcalf Cat.)
- Scaphoideus alboguttatus* Matsumura
Scaphoideus alboguttatus Matsumura 1914a: 221 [n.sp.]; Metcalf 1967c, 6(10c): 2112 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus albovittatus* Matsumura
Scaphoideus albovittatus Matsumura 1913a: 68 [n.sp.]; Metcalf 1967c, 6(10c): 2113 [Cat.]
DISTRIBUTION: Korea, Japan, China, Taiwan (Metcalf Cat.)
- Scaphoideus amplus* DeLong & Mohr
Scaphoideus amplus DeLong & Mohr 1936a: 973 [n.sp.]; Metcalf 1967c, 6(10c): 2113 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus angustatus* DeLong & Beery
Scaphoideus angustatus DeLong & Beery 1936a: 335 [n.sp.]; Metcalf 1967c, 6(10c): 2114 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus assamensis* Distant
Scaphoideus assamensis Distant 1918b: 67 [n.sp.]; Metcalf 1967c, 6(10c): 2114 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus atlantus* Ball
Scaphoideus atlantus Ball 1932a: 14 [n.sp.]; Metcalf 1967c, 6(10c): 2114 [Cat.]
Scaphoideus motus DeLong 1949a: 83 [n.sp.]; Metcalf 1967c, 6(10c): 2114 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus auctus* DeLong & Mohr
Scaphoideus auctus DeLong & Mohr 1936a: 970 [n.sp.]; Metcalf 1967c, 6(10c): 2115 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus baeticus* (Distant)
Bolanus baeticus Distant 1918b: 89 [n.sp.]; Metcalf 1967c, 6(10c): 2115 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus bifurcatus* DeLong & Mohr
Scaphoideus bifurcatus DeLong & Mohr 1936a: 974 [n.sp.]; Metcalf 1967c, 6(10c): 2115 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus brachycephalus* Distant
Scaphoideus brachycephalus Distant 1918b: 66 [n.sp.]; Metcalf 1967c, 6(10c): 2116 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus camurus* DeLong & Mohr

- Scaphoideus camurus* DeLong & Mohr 1936a: 967
 [n.sp.]; Metcalf 1967c, 6(10c): 2116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus carinatus* Osborn
Scaphoideus carinatus Osborn 1900a: 201 [n.sp.];
 Metcalf 1967c, 6(10c): 2116 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphoideus chelus* DeLong & Beery
Scaphoideus chelus DeLong & Beery 1936a: 339
 [n.sp.]; Metcalf 1967c, 6(10c): 2118 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus cinerosus* Osborn
Scaphoideus cinerosus Osborn 1900a: 208 [n.sp.];
 Metcalf 1967c, 6(10c): 2118 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus consanguineus* Distant
Scaphoideus consanguineus Distant 1908g: 375
 [n.sp.]; Metcalf 1967c, 6(10c): 2119 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus crassus* DeLong & Mohr
Scaphoideus crassus DeLong & Mohr 1936a: 966
 [n.sp.]; Metcalf 1967c, 6(10c): 2119 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus cuprescens* Naude
Scaphoideus cuprescens Naudé 1926a: 43 [n.sp.];
 Metcalf 1967c, 6(10c): 2119 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Scaphoideus curvatus* DeLong & Mohr
Scaphoideus curvatus DeLong & Mohr 1936a: 967
 [n.sp.]; Metcalf 1967c, 6(10c): 2120 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus cylindratus* DeLong & Beery
Scaphoideus cylindratus DeLong & Beery 1936a: 338
 [n.sp.]; Metcalf 1967c, 6(10c): 2120 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus cypris* Ball
Scaphoideus cypris Ball 1932a: 12 [n.sp.]; Metcalf
 1967c, 6(10c): 2120 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus densus* DeLong & Beery
Scaphoideus densus DeLong & Beery 1936a: 340
 [n.sp.]; Metcalf 1967c, 6(10c): 2121 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphoideus dilatus* DeLong & Mohr
Scaphoideus dilatus DeLong & Mohr 1936a: 966
 [n.sp.]; Metcalf 1967c, 6(10c): 2121 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus diminutus* Matsumura
Scaphoideus diminutus Matsumura 1914a: 226 [n.sp.];
 Metcalf 1967c, 6(10c): 2121 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus diutius* DeLong & Mohr
Scaphoideus diutius DeLong & Mohr 1936a: 972
 [n.sp.]; Metcalf 1967c, 6(10c): 2122 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus elegans* Melichar
Scaphoideus elegans Melichar 1903b: 198 [n.sp.];
 Metcalf 1967c, 6(10c): 2122 [Cat.]
- Scaphoideus elegantulus* Distant 1908g: 375 [implicit
 emend. of *elegantulus*]; Metcalf 1967c, 6(10c):
 2122 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Scaphoideus elongatus* DeLong & Beery
Scaphoideus elongatus DeLong & Beery 1936a: 337
 [n.sp.]; Metcalf 1967c, 6(10c): 2122 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus festivus* Matsumura
Scaphoideus festivus Matsumura 1902a: 384 [n.sp.];
 Metcalf 1967c, 6(10c): 2123 [Cat.]
- DISTRIBUTION: Japan, Sri Lanka, India, Pakistan,
 Taiwan, China, Korea (Metcalf Cat.)
- Scaphoideus fletcheri* Distant
Scaphoideus fletcheri Distant 1908g: 377 [n.sp.];
 Metcalf 1967c, 6(10c): 2124 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Scaphoideus frisoni* DeLong & Mohr
Scaphoideus frisoni DeLong & Mohr 1936a: 975
 [n.sp.]; Metcalf 1967c, 6(10c): 2124 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus hieroglyphicus* Distant
Scaphoideus hieroglyphicus Distant 1918b: 65 [n.sp.];
 Metcalf 1967c, 6(10c): 2125 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus horvathi* Matsumura
Scaphoideus horvathi Matsumura 1908a: 30 [n.sp.];
 Metcalf 1967c, 6(10c): 2125 [Cat.]
- DISTRIBUTION: Algeria (Metcalf Cat.)
- Scaphoideus incisus* Osborn
Scaphoideus incisus Osborn 1900a: 206 [n.subsp. of
immistus]; Metcalf 1967c, 6(10c): 2125 [Cat.]
- Scaphoideus flexus* DeLong & Mohr 1936a: 968
 [n.sp.]; Metcalf 1967c, 6(10c): 2125 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Scaphoideus indicus* Distant
Scaphoideus indicus Distant 1908g: 374 [n.sp.];
 Metcalf 1967c, 6(10c): 2126 [Cat.]
- DISTRIBUTION: India, West Indonesia (Metcalf
 Cat.)
- Scaphoideus ineffectus* Baker
Scaphoideus tessellatus Distant 1917a: 319 [n.sp.];
 Metcalf 1967c, 6(10c): 2126 [Cat.]
- Scaphoideus ineffectus* Baker 1924d: 367 [nom.nov.
 for *Scaphoideus tessellatus* Distant 1917]; Metcalf
 1967c, 6(10c): 2126 [Cat.]
- DISTRIBUTION: Seychelles Islands (Metcalf Cat.)
- Scaphoideus intermedius* Matsumura
Scaphoideus intermedius Matsumura 1914a: 225
 [n.sp.]; Metcalf 1967c, 6(10c): 2127 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)

- Scaphoideus intricatus* Uhler
Scaphoideus intricatus Uhler 1889a: 34 [n.sp.];
 Metcalf 1967c, 6(10c): 2127 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus inundatus* Ball
Scaphoideus inundatus Ball 1932a: 15 [n.sp.]; Metcalf
 1967c, 6(10c): 2128 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus kotoshonis* Matsumura
Scaphoideus kotoshonis Matsumura 1950d: 37 [n.sp.];
 Metcalf 1967c, 6(10c): 2129 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus kumamotonis* Matsumura
Scaphoideus kumamotonis Matsumura 1914a: 224
 [n.sp.]; Metcalf 1967c, 6(10c): 2129 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Scaphoideus literatus* Distant
Scaphoideus literatus Distant 1908f: 151 [n.sp.];
 Metcalf 1967c, 6(10c): 2129 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Scaphoideus littoralis* Ball
Scaphoideus littoralis Ball 1932a: 15 [n.sp.]; Metcalf
 1967c, 6(10c): 2129 [Cat.]
Scaphoideus brevidens DeLong & Mohr 1936a: 971
 [n.sp.]; Metcalf 1967c, 6(10c): 2129 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus luteolus* Van Duzee
Scaphoideus luteolus Van Duzee 1894f: 210 [n.sp.];
 Metcalf 1967c, 6(10c): 2130 [Cat.]
Scaphoideus baculus DeLong & Mohr 1936a: 970
 [n.sp.]; Metcalf 1967c, 6(10c): 2131 [Cat.]
 DISTRIBUTION: United States, Atlantic Ocean:
 Bermuda Island (Metcalf Cat.)
- Scaphoideus major* Osborn
Scaphoideus major Osborn 1900a: 205 [n.subsp. of
immistus]; Metcalf 1967c, 6(10c): 2133 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus melanotus* Osborn
Scaphoideus melanotus Osborn 1900a: 206 [n.sp.];
 Metcalf 1967c, 6(10c): 2134 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus merus* DeLong & Beery
Scaphoideus merus DeLong & Beery 1936a: 336
 [n.sp.]; Metcalf 1967c, 6(10c): 2135 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus minor* Osborn
Scaphoideus minor Osborn 1900a: 205 [n.subsp. of
immistus]; Metcalf 1967c, 6(10c): 2135 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus morosus* Melichar
Scaphoideus morosus Melichar 1903b: 197 [n.sp.];
 Metcalf 1967c, 6(10c): 2136 [Cat.]
 DISTRIBUTION: Sri Lanka, India, Taiwan,
 Philippines, West Indonesia, East Indonesia
 (Metcalf Cat.)
- Scaphoideus nigrellus* DeLong & Mohr
- Scaphoideus nigrellus* DeLong & Mohr 1936a: 973
 [n.sp.]; Metcalf 1967c, 6(10c): 2137 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus nigricans* Osborn
Scaphoideus nigricans Osborn 1911c: 258 [n.sp.];
 Metcalf 1967c, 6(10c): 2137 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus nitobei* Matsumura
Scaphoideus nitobei Matsumura 1914a: 222 [n.sp.];
 Metcalf 1967c, 6(10c): 2138 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus notatus* Distant
Scaphoideus notatus Distant 1908g: 377 [n.sp.];
 Metcalf 1967c, 6(10c): 2138 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Scaphoideus nutans* Distant
Scaphoideus nutans Distant 1918b: 65 [n.sp.]; Metcalf
 1967c, 6(10c): 2138 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus obtusus* Osborn
Scaphoideus obtusus Osborn 1900a: 207 [n.sp.];
 Metcalf 1967c, 6(10c): 2138 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus ochraceus* Osborn
Scaphoideus ochraceus Osborn 1898a: 242 [n.sp.];
 Metcalf 1967c, 6(10c): 2139 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Scaphoideus opalinus* Osborn
Scaphoideus opalinus Osborn 1905a: 525 [n.sp.];
 Metcalf 1967c, 6(10c): 2141 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Scaphoideus ornatus* Melichar
Scaphoideus ornatus Melichar 1903b: 196 [n.sp.];
 Metcalf 1967c, 6(10c): 2142 [Cat.]
 DISTRIBUTION: Sri Lanka, India, Taiwan (Metcalf
 Cat.)
- Scaphoideus pallifrons* Distant
Scaphoideus pallifrons Distant 1918b: 66 [n.sp.];
 Metcalf 1967c, 6(10c): 2142 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus paludosus* Ball
Scaphoideus paludosus Ball 1932a: 13 [n.sp.]; Metcalf
 1967c, 6(10c): 2142 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus polymitus* Distant
Scaphoideus polymitus Distant 1908g: 376 [n.sp.];
 Metcalf 1967c, 6(10c): 2143 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus pristidens* Kirkaldy
Scaphoideus pristidens Kirkaldy 1906c: 333 [n.sp.];
 Metcalf 1967c, 6(10c): 2143 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Scaphoideus productus* Osborn

- Scaphoideus productus* Osborn 1900a: 200 [n.sp.]; Metcalf 1967c, 6(10c): 2143 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus pullus* DeLong & Mohr
Scaphoideus pullus DeLong & Mohr 1936a: 969 [n.sp.]; Metcalf 1967c, 6(10c): 2145 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus punctulatus* (Melichar)
Eutettix punctulatus Melichar 1903b: 191 [n.sp.]; Metcalf 1967c, 6(10c): 2145 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Scaphoideus radix* DeLong & Mohr
Scaphoideus radix DeLong & Mohr 1936a: 969 [n.sp.]; Metcalf 1967c, 6(10c): 2145 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus redundans* Distant
Scaphoideus redundans Distant 1918b: 64 [n.sp.]; Metcalf 1967c, 6(10c): 2146 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus rubranotum* DeLong
Scaphoideus rubranotum DeLong 1939a: 39 [n.sp.]; Metcalf 1967c, 6(10c): 2146 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus rubroguttatus* Matsumura
Scaphoideus rubroguttatus Matsumura 1914a: 223 [n.sp.]; Metcalf 1967c, 6(10c): 2146 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus russus* Distant
Scaphoideus russus Distant 1908g: 377 [n.sp.]; Metcalf 1967c, 6(10c): 2146 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus scelestus* DeLong & Mohr
Scaphoideus scelestus DeLong & Mohr 1936a: 974 [n.sp.]; Metcalf 1967c, 6(10c): 2146 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus sensibilis* Ball
Scaphoideus sensibilis Ball 1932a: 14 [n.sp.]; Metcalf 1967c, 6(10c): 2147 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus seychellensis* Distant
Scaphoideus seychellensis Distant 1917a: 320 [n.sp.]; Metcalf 1967c, 6(10c): 2147 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Scaphoideus speciosus* Schumacher
Scaphoideus speciosus Schumacher 1915b: 125 [n.sp.]; Metcalf 1967c, 6(10c): 2147 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus stigmaticus* Distant
Scaphoideus stigmaticus Distant 1918b: 67 [n.sp.]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Scaphoideus strigulatus* Melichar
Scaphoideus strigulatus Melichar 1904a: 42 [n.sp.]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: Somalia, Tanzania (Metcalf Cat.)
- Scaphoideus tergatus* DeLong
Scaphoideus tergatus DeLong 1939a: 45 [n.sp.]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus tessellatus* Osborn
Scaphoideus tessellatus Osborn 1909a: 465 [n.sp.]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Scaphoideus titanus* Ball
Scaphoideus titanus Ball 1932a: 12 [n.subsp. of *immistus*]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphoideus torqus* DeLong & Beery
Scaphoideus torqus DeLong & Beery 1936a: 337 [n.sp.]; Metcalf 1967c, 6(10c): 2148 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus transeus* DeLong
Scaphoideus transeus DeLong 1936a: 339 [n.sp.]; Metcalf 1967c, 6(10c): 2149 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus triunatus* Ball
Scaphoideus triunatus Ball 1932a: 13 [n.sp.]; Metcalf 1967c, 6(10c): 2149 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus umbrinus* Schumacher
Scaphoideus umbrinus Schumacher 1915a: 105 [n.sp.]; Metcalf 1967c, 6(10c): 2149 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphoideus vagans* Distant
Scaphoideus vagans Distant 1917a: 319 [n.sp.]; Metcalf 1967c, 6(10c): 2150 [Cat.]
DISTRIBUTION: Indian Ocean: Seychelles Islands (Metcalf Cat.)
- Scaphoideus veterator* DeLong & Beery
Scaphoideus veterator DeLong & Beery 1936a: 334 [n.sp.]; Metcalf 1967c, 6(10c): 2150 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphoideus (Scaphoideus) immistus* (Say)
Jassus immistus Say 1830b: 306 [n.sp.]; Metcalf 1967c, 6(10c): 2151 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphoideus (Scaphoidophyes) annae* Kirkaldy
Scaphoideus (Scaphoidophyes) annae Kirkaldy 1906e: 154 [n.sp.]; Metcalf 1967c, 6(10c): 2150 [Cat.]
DISTRIBUTION: Ivory Coast (Metcalf Cat.)
- Scaphoidula cingulata* Osborn
Scaphoidula cingulata Osborn 1923c: 41 [n.sp.]; Metcalf 1967c, 6(10c): 2204 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Scaphoidula dentata* Osborn
Scaphoidula dentata Osborn 1937b: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2204 [Cat.]
DISTRIBUTION: West Indies: Saint Lucia (Metcalf Cat.)

- Scaphoidula incisa* Oman
Scaphoidula incisa Oman 1937b: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2204 [Cat.]
 DISTRIBUTION: Panama, Guyana (Metcalf Cat.)
- Scaphoidula unica* Oman
Scaphoidula unica Oman 1937b: 95 [n.sp.]; Metcalf 1967c, 6(10c): 2204 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaphoidulina obliqua* Osborn
Scaphoidulina obliqua Osborn 1934b: 246 [n.sp.]; Metcalf 1967c, 6(10c): 2469 [Cat.]
 DISTRIBUTION: Oceania: Marquesas Islands (Metcalf Cat.)
- Scaphotettix viridis* Matsumura
Scaphotettix viridis Matsumura 1914a: 227 [n.sp.]; Metcalf 1967a, 6(10a): 494 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Scaphytopius abruptus* (DeLong)
Hebenarus abruptus DeLong 1944c: 44 [n.sp.]; Metcalf 1967c, 6(10c): 2251 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius albascutellus* Caldwell
Scaphytopius albascutellus Caldwell 1952 [in Caldwell & Martorell 1952a: 46] [n.sp.]; Metcalf 1967c, 6(10c): 2251 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Scaphytopius altus* (DeLong)
Hebenarus altus DeLong 1944c: 44 [n.sp.]; Metcalf 1967c, 6(10c): 2251 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius anticus* (Stål)
Jassus (*Deltocephalus*) *anticus* Stål 1862e: 53 [n.sp.]; Metcalf 1967c, 6(10c): 2252 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaphytopius arcuatus* (DeLong)
Hebenarus arcuatus DeLong 1944c: 48 [n.sp.]; Metcalf 1967c, 6(10c): 2252 [Cat.]
 DISTRIBUTION: Guatemala (Metcalf Cat.)
- Scaphytopius boliviensis* Oman
Platymetopius lineolatus Osborn 1923c: 33 [n.sp.]; Metcalf 1967c, 6(10c): 2252 [Cat.]
Scaphytopius boliviensis Oman 1938b: 368 [nom.nov. for *Platymetopius lineolatus* Osborn 1923]; Metcalf 1967c, 6(10c): 2252 [Cat.]
 DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Scaphytopius cornutus* (DeLong)
Hebenarus cornutus DeLong 1944c: 47 [n.sp.]; Metcalf 1967c, 6(10c): 2253 [Cat.]
 DISTRIBUTION: Guatemala (Metcalf Cat.)
- Scaphytopius curtus* (DeLong)
Hebenarus curtus DeLong 1944c: 47 [n.sp.]; Metcalf 1967c, 6(10c): 2253 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius dilatus* (DeLong)
Tumeus dilatus DeLong 1944a: 172 [n.sp.]; Metcalf 1967c, 6(10c): 2253 [Cat.]
- DISTRIBUTION: Panama (Metcalf Cat.)
- Scaphytopius divisus* (DeLong)
Tumeus divisus DeLong 1944a: 171 [n.sp.]; Metcalf 1967c, 6(10c): 2253 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius elongatus* (DeLong)
Tumeus elongatus DeLong 1944a: 170 [n.sp.]; Metcalf 1967c, 6(10c): 2254 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius fuliginosus* (Osborn)
Platymetopius fuliginosus Osborn 1923c: 34 [n.sp.]; Metcalf 1967c, 6(10c): 2254 [Cat.]
- DISTRIBUTION: Colombia, Costa Rica, Puerto Rico, Mexico (Metcalf Cat.)
- Scaphytopius irrorellus* (DeLong)
Tumeus irrorellus DeLong 1944k: 131 [n.sp.]; Metcalf 1967c, 6(10c): 2255 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaphytopius jandacephalus* Caldwell
Scaphytopius jandacephalus Caldwell 1952 [in Caldwell & Martorell 1952a: 50] [n.sp.]; Metcalf 1967c, 6(10c): 2255 [Cat.]
- DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Scaphytopius latidens* (DeLong)
Tumeus latidens DeLong 1944a: 172 [n.sp.]; Metcalf 1967c, 6(10c): 2255 [Cat.]
- DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Scaphytopius limbatus* (Osborn)
Platymetopius limbatus Osborn 1926c: 343 [n.sp.]; Metcalf 1967c, 6(10c): 2255 [Cat.]
- DISTRIBUTION: Cuba, Guatemala, Mexico (Metcalf Cat.)
- Scaphytopius lineacephalus* Caldwell
Scaphytopius lineacephalus Caldwell 1952 [in Caldwell & Martorell 1952a: 47] [n.sp.]; Metcalf 1967c, 6(10c): 2256 [Cat.]
- DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Scaphytopius luteus* (DeLong)
Hebenarus luteus DeLong 1944c: 52 [n.sp.]; Metcalf 1967c, 6(10c): 2256 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius maculosus* (DeLong)
Hebenarus maculosus DeLong 1944c: 51 [n.sp.]; Metcalf 1967c, 6(10c): 2256 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius marginellus* (DeLong)
Hebenarus marginellus DeLong 1944c: 48 [n.sp.]; Metcalf 1967c, 6(10c): 2256 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius monticolus* (DeLong)
Hebenarus monticolus DeLong 1944c: 50 [n.sp.]; Metcalf 1967c, 6(10c): 2257 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius neloricatus* Caldwell

- Scaphytopius neloricatus* Caldwell 1952 [in Caldwell & Martorell 1952a: 47] [n.sp.]; Metcalf 1967c, 6(10c): 2257 [Cat.]
DISTRIBUTION: Puerto Rico, Guatemala (Metcalf Cat.)
- Scaphytopius nigrinus* Caldwell
Scaphytopius nigrinus Caldwell 1952 [in Caldwell & Martorell 1952a: 46] [n.sp.]; Metcalf 1967c, 6(10c): 2257 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Scaphytopius pallidus* (DeLong)
Hebenarus pallidus DeLong 1944c: 42 [n.sp.]; Metcalf 1967c, 6(10c): 2257 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius rubratus* (DeLong)
Hebenarus rubratus DeLong 1944c: 46 [n.sp.]; Metcalf 1967c, 6(10c): 2258 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius serrellus* (DeLong)
Tumeus serrellus DeLong 1944a: 168 [n.sp.]; Metcalf 1967c, 6(10c): 2258 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius sulphureus* (Osborn)
Platymetopius sulphureus Osborn 1923c: 35 [n.sp.]; Metcalf 1967c, 6(10c): 2258 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Scaphytopius (Cloanthanus) abbreviatus* (DeLong)
Platymetopius abbreviatus DeLong 1916a: 39 [n.sp.]; Metcalf 1967c, 6(10c): 2266 [Cat.]
Cloanthanus niger DeLong 1945c: 27 [n.subsp. of *parvus*]; Metcalf 1967c, 6(10c): 2266 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) acuminatus* (DeLong)
Cloanthanus acuminatus DeLong 1943d: 174 [n.sp.]; Metcalf 1967c, 6(10c): 2267 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) acutus* (Say)
Jassus acutus Say 1830b: 306 [n.sp.]; Metcalf 1967c, 6(10c): 2267 [Cat.]
Platymetopius modestus Stål 1854b: 255 [n.sp.]; Metcalf 1967c, 6(10c): 2267 [Cat.]
Cloanthanus filamentus DeLong 1945c: 22 [n.sp.]; Metcalf 1967c, 6(10c): 2272 [Cat.]
Cloanthanus tenuis DeLong 1945c: 24 [n.sp.]; Metcalf 1967c, 6(10c): 2272 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) aequinoctialis* (Van Duzee)
Platymetopius aequinoctialis Van Duzee 1933a: 30 [n.sp.]; Metcalf 1967c, 6(10c): 2275 [Cat.]
DISTRIBUTION: Albemarle Island, James Island (Metcalf Cat.)
- Scaphytopius (Cloanthanus) aequus* (DeLong)
Cloanthanus aequus DeLong 1943d: 162 [n.sp.]; Metcalf 1967c, 6(10c): 2275 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) alas* (DeLong)
Cloanthanus alas DeLong 1943d: 168 [n.sp.]; Metcalf 1967c, 6(10c): 2275 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) alas parvalas* (DeLong)
Cloanthanus alas parvalas DeLong 1943d: 168 [n.subsp. of *alas*]; Metcalf 1967c, 6(10c): 2275 [Cat.]
DISTRIBUTION: Mexico, Belize (Metcalf Cat.)
- Scaphytopius (Cloanthanus) albocephalus* (DeLong)
Cloanthanus albocephalus DeLong 1943d: 186 [n.sp.]; Metcalf 1967c, 6(10c): 2275 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) albocinctus* (DeLong)
Cloanthanus albocinctus DeLong 1943d: 191 [n.sp.]; Metcalf 1967c, 6(10c): 2276 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) albomarginatus* (DeLong)
Cloanthanus albomarginatus DeLong 1943d: 194 [n.sp.]; Metcalf 1967c, 6(10c): 2276 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) amplinotus* Hepner
Scaphytopius (Cloanthanus) amplinotus Hepner 1946a: 98 [n.sp.]; Metcalf 1967c, 6(10c): 2276 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) anadamus* (DeLong)
Cloanthanus anadamus DeLong 1943d: 170 [n.sp.]; Metcalf 1967c, 6(10c): 2276 [Cat.]
DISTRIBUTION: Panama (Metcalf Cat.)
- Scaphytopius (Cloanthanus) analis* (Van Duzee)
Platymetopius analis Van Duzee 1923a: 181 [n.sp.]; Metcalf 1967c, 6(10c): 2276 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) analis castranus* (Ball)
Convelinus analis castranus Ball 1931e: 228 [n.subsp. of *analis*]; Metcalf 1967c, 6(10c): 2277 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) andromus* (Ball)
Nasutoideus andromus Ball 1931d: 221 [n.sp.]; Metcalf 1967c, 6(10c): 2277 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) angustatus* (Osborn)
Platymetopius angustatus Osborn 1905a: 518 [n.sp.]; Metcalf 1967c, 6(10c): 2278 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) apertus* (DeLong)
Cloanthanus apertus DeLong 1943d: 165 [n.sp.]; Metcalf 1967c, 6(10c): 2280 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) argutus* (DeLong)
Cloanthanus argutus DeLong 1945c: 24 [n.sp.]; Metcalf 1967c, 6(10c): 2280 [Cat.]
Cloanthanus hastus DeLong 1945c: 24 [n.sp.]; Metcalf 1967c, 6(10c): 2280 [Cat.]

- Cloanthanus lanceus* DeLong 1945c: 26 [n.sp.]; Metcalf 1967c, 6(10c): 2280 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) atrafrons* (DeLong)
Cloanthanus atrafrons DeLong 1943d: 172 [n.sp.]; Metcalf 1967c, 6(10c): 2281 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) brevis* (Van Duzee)
Platymetopius brevis Van Duzee 1907a: 66 [n.sp.]; Metcalf 1967c, 6(10c): 2281 [Cat.]
DISTRIBUTION: United States, West Indies, Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) caldwelli* (DeLong)
Cloanthanus caldwelli DeLong 1943d: 167 [n.sp.]; Metcalf 1967c, 6(10c): 2282 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) calliandrus* (Ball)
Nasutoideus calliandrus Ball 1931d: 222 [n.sp.]; Metcalf 1967c, 6(10c): 2282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) campester* (DeLong)
Cloanthanus campester DeLong 1943d: 177 [n.sp.]; Metcalf 1967c, 6(10c): 2282 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) canus* Hepner
Scaphytopius (Cloanthanus) canus Hepner 1946a: 107 [n.sp.]; Metcalf 1967c, 6(10c): 2282 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) cinctus* (DeLong)
Cloanthanus cinctus DeLong 1943d: 193 [n.sp.]; Metcalf 1967c, 6(10c): 2283 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) cinereus* (Osborn & Ball)
Platymetopius cinereus Osborn & Ball 1897a: 193 [n.sp.]; Metcalf 1967c, 6(10c): 2283 [Cat.]
- Platymetopius parvus* Lathrop 1917a: 122 [n.sp.]; Metcalf 1967c, 6(10c): 2283 [Cat.]
- Platymoideus ovioides* Ball 1931e: 227 [n.sp.]; Metcalf 1967c, 6(10c): 2284 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) cinnamoneus* (Osborn)
Platymetopius cinnamoneus Osborn 1915a: 114 [n.subsp. of *magdalensis*]; Metcalf 1967c, 6(10c): 2286 [as sp.], 2309 [as subsp] [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) cruzianus* Metcalf
Cloanthanus dilatus DeLong 1944k: 129 [n.sp.]; Metcalf 1967c, 6(10c): 2287 [Cat.]
- Scaphytopius cruzianus* Metcalf 1967c: 2287 [nom.nov. for *Cloanthanus (Cloanthanus) dilatus* DeLong 1944]; Metcalf 1967c, 6(10c): 2287 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) delongi* Young
- Scaphytopius delongi* Young 1952c: 248 [n.sp., not nom.nov.]; Metcalf 1967c, 6(10c): 2287 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) deltensis* Hepner
Scaphytopius (Cloanthanus) deltensis Hepner 1946a: 97 [n.sp.]; Metcalf 1967c, 6(10c): 2287 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) diabolus* (Van Duzee)
Platymetopius diabolus Van Duzee 1925b: 413 [n.sp.]; Metcalf 1967c, 6(10c): 2288 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) dorsalis* (Ball)
Platymetopius dorsalis Ball 1909c: 164 [n.subsp. of *frontalis*]; Metcalf 1967c, 6(10c): 2288 [Cat.]
- Platymetopius bicolor* DeLong 1916a: 38 [n.sp.]; Metcalf 1967c, 6(10c): 2288 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) dubius* (Van Duzee)
Platymetopius dubius Van Duzee 1910a: 220 [n.subsp. of *acus*]; Metcalf 1967c, 6(10c): 2289 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) duocolorus* (DeLong)
Cloanthanus duocolorus DeLong 1943d: 187 [n.sp.]; Metcalf 1967c, 6(10c): 2291 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) falcatus* (DeLong)
Cloanthanus falcatus DeLong 1943d: 190 [n.sp.]; Metcalf 1967c, 6(10c): 2291 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) fasciatus* (DeLong)
Cloanthanus fasciatus DeLong 1944k: 130 [n.sp.]; Metcalf 1967c, 6(10c): 2291 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) flavens* (DeLong)
Cloanthaus [sic] *flavens* DeLong 1943d: 182 [n.sp.]; Metcalf 1967c, 6(10c): 2291 [Cat.]
DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Scaphytopius (Cloanthanus) fluxus* (DeLong)
Cloanthanus fluxus DeLong 1943d: 174 [n.sp.]; Metcalf 1967c, 6(10c): 2292 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) frontalis* (Van Duzee)
Platymetopius frontalis Van Duzee 1890a: 112 [n.sp.]; Metcalf 1967c, 6(10c): 2292 [Cat.]
DISTRIBUTION: United States, Canada, Mexico, Costa Rica, Puerto Rico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) fulvus* (Osborn)
Platymetopius fulvus Osborn 1905a: 519 [n.sp.]; Metcalf 1967c, 6(10c): 2297 [Cat.]
- Platymetopius collaris* Sanders & DeLong 1919a: 232 [n.sp.]; Metcalf 1967c, 6(10c): 2297 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) fuscicephalus* Nepner

- Scaphytopius (Cloanthanus) fuscicephalus* Nepner 1946a: 105 [n.sp.]; Metcalf 1967c, 6(10c): 2298 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) goodi* (DeLong) Cloanthanus goodi DeLong 1943d: 186 [n.sp.]; Metcalf 1967c, 6(10c): 2299 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) graneticus* (Ball) Platymoideus graneticus Ball 1931e: 226 [n.sp.]; Metcalf 1967c, 6(10c): 2299 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) guterranus* (Ball) Platymoideus guterranus Ball 1931e: 227 [n.sp.]; Metcalf 1967c, 6(10c): 2299 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) hambletoni* (DeLong) Cloanthanus hambletoni DeLong 1944k: 129 [n.sp.]; Metcalf 1967c, 6(10c): 2300 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaphytopius (Cloanthanus) hebatis* (DeLong) Cloanthanus hebatis DeLong 1943d: 163 [n.sp.]; Metcalf 1967c, 6(10c): 2300 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) heldoranus* (Ball) Nasutoideus heldoranus Ball 1931e: 226 [n.sp.]; Metcalf 1967c, 6(10c): 2300 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) hymenocleae* (Van Duzee) Platymetopius hymenocleae Van Duzee 1923a: 178 [n.sp.]; Metcalf 1967c, 6(10c): 2300 [Cat.]
 DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) insolitus* Hepner Scaphytopius (Cloanthanus) insolitus Hepner 1946a: 99 [n.sp.]; Metcalf 1967c, 6(10c): 2301 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) jocosus* (Van Duzee) Platymetopius jocosus Van Duzee 1923a: 179 [n.sp.]; Metcalf 1967c, 6(10c): 2301 [Cat.]
 DISTRIBUTION: United States, Ceralbo Island (?) (Metcalf Cat.)
- Scaphytopius (Cloanthanus) latens* (DeLong) Cloanthanus latens DeLong 1943d: 163 [n.sp.]; Metcalf 1967c, 6(10c): 2302 [Cat.]
 DISTRIBUTION: Panama, Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) latus* (Baker) Platymetopius latus Baker 1900c: 50 [n.sp.]; Metcalf 1967c, 6(10c): 2302 [Cat.]
 Platymetopius cuprescens Osborn 1905a: 517 [n.sp.]; Metcalf 1967c, 6(10c): 2302 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) limbramentus* (DeLong) Cloanthanus limbramentus DeLong 1943d: 185 [n.sp.]; Metcalf 1967c, 6(10c): 2304 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) lineafrons* (DeLong) Cloanthanus lineafrons DeLong 1943d: 178 [n.sp.]; Metcalf 1967c, 6(10c): 2304 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) lumenotus* (DeLong) Cloanthanus lumenotus DeLong 1943d: 190 [n.sp.]; Metcalf 1967c, 6(10c): 2304 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) magdalensis* (Provancher) Platymetopius magdalensis Provancher 1889a: 275 [n.sp.]; Metcalf 1967c, 6(10c): 2305 [Cat.]
- Platymetopius obscurus* Osborn 1905d: 274 [n.sp.]; Metcalf 1967c, 6(10c): 2305 [Cat.]
- Platymetopius carolinus* Lathrop 1917a: 123 [n.sp.]; Metcalf 1967c, 6(10c): 2305 [Cat.]
- Cloanthanus atratus* DeLong 1945c: 27 [n.sp.]; Metcalf 1967c, 6(10c): 2307 [Cat.]
- Cloanthanus vaccinum* DeLong 1945c: 27 [n.sp.]; Metcalf 1967c, 6(10c): 2307 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) marginifrons* (DeLong) Cloanthanus marginifrons DeLong 1943d: 179 [n.sp.]; Metcalf 1967c, 6(10c): 2309 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) meridianus* Hepner Scaphytopius (Cloanthanus) meridianus Hepner 1946a: 100 [n.subsp. of scriptus]; Metcalf 1967c, 6(10c): 2309 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) modicus* Hepner Scaphytopius (Cloanthanus) modicus Hepner 1946a: 102 [n.sp.]; Metcalf 1967c, 6(10c): 2309 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) nanus* (Van Duzee) Platymetopius nanus Van Duzee 1907a: 65 [n.sp.]; Metcalf 1967c, 6(10c): 2309 [Cat.]
 DISTRIBUTION: Jamaica, Cuba, Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) nasutus* (Van Duzee) Platymetopius nasutus Van Duzee 1907a: 64 [n.sp.]; Metcalf 1967c, 6(10c): 2310 [Cat.]
 DISTRIBUTION: United States, West Indies (Metcalf Cat.)
- Scaphytopius (Cloanthanus) nigrifrons* (DeLong) Platymetopius nigrifrons DeLong 1923a: 103 [n.subsp. of frontalis]; Metcalf 1967c, 6(10c): 2311 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) nigriviridis* (Ball) Platymetopius nigriviridis dixianus Ball 1909c: 163 [n.subsp. of nigriviridis]; Metcalf 1967c, 6(10c): 2311 [Cat.]

- Platymetopius nigriviridis* Ball 1909c: 163 [n.sp.]; Metcalf 1967c, 6(10c): 2311 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) nitridus* (DeLong)
Cloanthanus nitridus DeLong 1943d: 166 [n.sp.]; Metcalf 1967c, 6(10c): 2313 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) oregonensis* (Baker)
Platymetopius oregonensis Baker 1900c: 49 [n.sp.]; Metcalf 1967c, 6(10c): 2313 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) osborni* (Van Duzee)
Platymetopius osborni Van Duzee 1910a: 229 [n.sp.]; Metcalf 1967c, 6(10c): 2314 [Cat.]
DISTRIBUTION: Guatemala, Mexico, United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) pallidicapitatus* Hepner
Scaphytopius (Cloanthanus) pallidicapitatus Hepner 1946a: 103 [n.sp.]; Metcalf 1967c, 6(10c): 2314 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) pallidiscutus* Hepner
Scaphytopius (Cloanthanus) pallidiscutus Hepner 1946a: 96 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) parallelus* (DeLong)
Cloanthanus parallelus DeLong 1943d: 179 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) piperatus* (DeLong)
Cloanthanus piperatus DeLong 1943d: 166 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) plummeri* (DeLong)
Cloanthanus plummeri DeLong 1943d: 191 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) quinquenotatus* (DeLong)
Cloanthanus quinquenotatus DeLong 1943d: 189 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) radiatus* Hepner
Scaphytopius (Cloanthanus) radiatus Hepner 1946a: 101 [n.sp.]; Metcalf 1967c, 6(10c): 2315 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) retusus* (Van Duzee)
Platymetopius retusus Van Duzee 1937a: 123 [n.sp.]; Metcalf 1967c, 6(10c): 2316 [Cat.]
DISTRIBUTION: Galapagos Islands (Metcalf Cat.)
- Scaphytopius (Cloanthanus) rubellus* (Sanders & DeLong)
Platymetopius rubellus Sanders & DeLong 1919a: 231 [n.sp.]; Metcalf 1967c, 6(10c): 2316 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) sarissus* Beirne
Scaphytopius (Cloanthanus) sarissus Beirne 1952c: 311 [n.sp.]; Metcalf 1967c, 6(10c): 2317 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) scriptus* (Ball)
Platymetopius scriptus Ball 1909c: 165 [n.sp.]; Metcalf 1967c, 6(10c): 2317 [Cat.]
Cloanthanus varius DeLong 1945c: 26 [n.sp.]; Metcalf 1967c, 6(10c): 2317 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) scutellatus* (Van Duzee)
Platymetopius scutellatus Van Duzee 1923a: 180 [n.sp.]; Metcalf 1967c, 6(10c): 2318 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) serratus* (DeLong)
Cloanthanus serratus DeLong 1943d: 162 [n.sp.]; Metcalf 1967c, 6(10c): 2318 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) slossonae* [sic] (Van Duzee)
Platymetopius slossoni Van Duzee 1910a: 222 [n.sp.]; Metcalf 1967c, 6(10c): 2318 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) spadix* (DeLong)
Cloanthanus spadix DeLong 1943d: 181 [n.sp.]; Metcalf 1967c, 6(10c): 2319 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) speciosus* (Van Duzee)
Platymetopius speciosus Van Duzee 1923a: 179 [n.sp.]; Metcalf 1967c, 6(10c): 2319 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) stonei* (DeLong)
Cloanthanus stonei DeLong 1943d: 175 [n.sp.]; Metcalf 1967c, 6(10c): 2320 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) subniger* (DeLong)
Cloanthanus subniger DeLong 1943d: 182 [n.sp.]; Metcalf 1967c, 6(10c): 2320 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) triangularis* (DeLong)
Cloanthanus triangularis DeLong 1945c: 27 [n.sp.]; Metcalf 1967c, 6(10c): 2320 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) trilineatus* (Ball)
Platymetopius trilineatus Ball 1916b: 204 [n.sp.]; Metcalf 1967c, 6(10c): 2321 [Cat.]
Platymetopius pexus Van Duzee 1925b: 415 [n.sp.]; Metcalf 1967c, 6(10c): 2321 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) trilineatus spicatus* Hepner
Scaphytopius (Cloanthanus) trilineatus spicatus Hepner 1946a: 108 [n.subsp. of *trilineatus*]; Metcalf 1967c, 6(10c): 2322 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) tripunctatus* (DeLong)

- Cloanthanus tripunctatus* DeLong 1943d: 183 [n.sp.]; Metcalf 1967c, 6(10c): 2322 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) utahensis* Hepner
Scaphytopius (Cloanthanus) utahensis Hepner 1946a: 107 [n.sp.]; Metcalf 1967c, 6(10c): 2322 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) verecundus* (Van Duzee)
Platymetopius verecundus Van Duzee 1910a: 227 [n.sp.]; Metcalf 1967c, 6(10c): 2322 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaphytopius (Cloanthanus) vermiculatus* (DeLong)
Cloanthanus vermiculatus DeLong 1943d: 164 [n.sp.]; Metcalf 1967c, 6(10c): 2324 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) vinculus* (DeLong)
Cloanthanus vinculus DeLong 1943d: 164 [n.sp.]; Metcalf 1967c, 6(10c): 2324 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Cloanthanus) viridicephalus* Hepner
Scaphytopius (Cloanthanus) viridicephalus Hepner 1946a: 105 [n.sp.]; Metcalf 1967c, 6(10c): 2324 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Cloanthanus) vittifrons* Hepner
Scaphytopius (Cloanthanus) vittifrons Hepner 1946a: 104 [n.sp.]; Metcalf 1967c, 6(10c): 2324 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) albifrons* Hepner
Scaphytopius (Cloanthanus) albifrons Hepner 1946a: 89 [n.sp.]; Metcalf 1967c, 6(10c): 2325 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) anisacanus* (Ball)
Nasutoideus anisacanus Ball 1931d: 222 [n.sp.]; Metcalf 1967c, 6(10c): 2325 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) brunneus* Hepner
Scaphytopius (Cloanthanus) brunneus Hepner 1946a: 93 [n.sp.]; Metcalf 1967c, 6(10c): 2326 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) californiensis* Hepner
Scaphytopius (Cloanthanus) californiensis Hepner 1946a: 95 [n.sp.]; Metcalf 1967c, 6(10c): 2326 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) celtidis* (Ball)
Nasutoideus celtidis Ball 1931e: 224 [n.sp.]; Metcalf 1967c, 6(10c): 2326 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) contractus* Hepner
Scaphytopius (Cloanthanus) contractus Hepner 1946a: 92 [n.sp.]; Metcalf 1967c, 6(10c): 2327 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) desertanus* (Ball)
Nasutoideus desertanus Ball 1931e: 225 [n.sp.]; Metcalf 1967c, 6(10c): 2327 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) dodonanus* (Ball)
Nasutoideus dodonanus Ball 1931e: 225 [n.sp.]; Metcalf 1967c, 6(10c): 2327 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) flavifrons* Hepner
Scaphytopius (Cloanthanus) flavifrons Hepner 1946a: 91 [n.sp.]; Metcalf 1967c, 6(10c): 2328 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) fuscifrons* (Van Duzee)
Platymetopius fuscifrons Van Duzee 1894f: 206 [n.sp.]; Metcalf 1967c, 6(10c): 2328 [Cat.]
Platymetopius abruptus Ball 1909c: 165 [n.sp.]; Metcalf 1967c, 6(10c): 2328 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) fuscifrons compactus* (Ball)
Platymetopius fuscifrons compactus Ball 1916a: 176 [n.sp.]; Metcalf 1967c, 6(10c): 2330 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) fuscifrons minutus* Hepner
Scaphytopius (Cloanthanus) fuscifrons minutus Hepner 1946a: 94 [n.subsp. of fuscifrons]; Metcalf 1967c, 6(10c): 2330 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) irroratus* (Van Duzee)
Platymetopius irroratus Van Duzee 1910a: 227 [n.sp.]; Metcalf 1967c, 6(10c): 2330 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Scaphytopius (Convelinus) irroratus nogalinus* (Ball)
Nasutoideus irroratus nogalinus Ball 1931e: 226 [n.subsp. of irroratus]; Metcalf 1967c, 6(10c): 2331 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) irroratus xanthanous* (Ball)
Nasutoideus irroratus xanthanous Ball 1931e: 225 [n.sp.]; Metcalf 1967c, 6(10c): 2332 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) loricatus* (Van Duzee)
Platymetopius loricatus Van Duzee 1894f: 205 [n.sp.]; Metcalf 1967c, 6(10c): 2332 [Cat.]
DISTRIBUTION: United States, West Indies, Mexico, Guatemala, Colombia (Metcalf Cat.)
- Scaphytopius (Convelinus) marginelineatus* (Stål)
Jassus (Deltoccephalus) marginelineatus Stål 1859b: 294 [n.sp.]; Metcalf 1967c, 6(10c): 2334 [Cat.]
DISTRIBUTION: Brazil, Guyana (Metcalf Cat.)
- Scaphytopius (Convelinus) nigricollis* (Ball)
Platymetopius nigricollis Ball 1916b: 205 [n.sp.]; Metcalf 1967c, 6(10c): 2334 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Scaphytopius (Convelinus) pennatus* Hepner

- Scaphytopius (Cloanthanus) pennatus* Hepner 1946a: 90 [n.sp.]; Metcalf 1967c, 6(10c): 2335 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Convelinus) torridus* (Ball)
Platymetopius torridus Ball 1916b: 205 [n.subsp. of *brevis*]; Metcalf 1967c, 6(10c): 2335 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Scaphytopius (Scaphytopius) catalinus* (Ball)
Scaphoideus catalinus Ball 1909a: 82 [n.sp.]; Metcalf 1967c, 6(10c): 2259 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Scaphytopius) elegans* (Van Duzee)
Platymetopus [sic] *elegans* Van Duzee 1890g: 94 [n.sp.]; Metcalf 1967c, 6(10c): 2260 [Cat.]
- Scaphytopius floridanus* Ball 1931d: 220 [n.sp.]; Metcalf 1967c, 6(10c): 2260 [Cat.]
- Scaphytopius elegans glennanus* Ball 1931d: 220 [n.subsp. of *elegans*]; Metcalf 1967c, 6(10c): 2260 [Cat.]
- Scaphytopius floridanus roseus* Ball 1931d: 221 [n.subsp. of *floridanus*]; Metcalf 1967c, 6(10c): 2260 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Scaphytopius) huachucus* (DeLong)
Hebenarus huachucus DeLong 1944c: 49 [n.sp.]; Metcalf 1967c, 6(10c): 2262 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Scaphytopius) majestus* (Ball)
Platymetopius majestus Ball 1909c: 164 [n.sp.]; Metcalf 1967c, 6(10c): 2262 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Scaphytopius) ritanus* Ball
Scaphytopius ritanus Ball 1931d: 221 [n.sp.]; Metcalf 1967c, 6(10c): 2262 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaphytopius (Scaphytopius) ritanus rubralineus* (DeLong)
Hebenarus ritanus rubralineus DeLong 1944c: 43 [n.subsp. of *ritanus*]; Metcalf 1967c, 6(10c): 2263 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scaphytopius (Scaphytopius) texanus* (DeLong)
Tumeus texanus DeLong 1944a: 170 [n.sp.]; Metcalf 1967c, 6(10c): 2263 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Scaris badia* (Walker)
Tettigonia badia Walker 1851b: 756 [n.sp.]; Metcalf 1962b,6(3):70 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Scaris bipunctata* (Walker)
Darma bipunctata Walker 1858a: 103 [n.sp.]; Metcalf 1962b,6(3):71 [Cat.]
DISTRIBUTION: Uruguay (Metcalf Cat.)
- Scaris ferruginea* (Fabricius)
Iassus ferruginea Fabricius 1803a: 86 [n.sp.]; Metcalf 1962b,6(3):71 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaris fervida* (Walker)
Tettigonia fervida Walker 1851b: 751 [n.sp.]; Metcalf 1962b,6(3):71 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Scaris multilinea* Walker
Scaris multilinea Walker 1858b: 252 [n.sp.]; Metcalf 1962b,6(3):72 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaris picea* Walker
Scaris picea Walker 1851b: 832 [n.sp.]; Metcalf 1962b,6(3):72 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaris punctata* Blanchard
Scaris punctata Blanchard 1840a: 195 [n.sp.]; Metcalf 1962b,6(3):72 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Scaris sanguinosa* Walker
Scaris sanguinosa Walker 1858a: 101 [n.sp.]; Metcalf 1962b,6(3):72 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
- Scaris tristis* Signoret
Scaris tristis Signoret 1860a: 205 [n.sp.]; Metcalf 1962b,6(3):72 [Cat.]
DISTRIBUTION: Madagascar, Africa (Metcalf Cat.)
- Scarisanas variabilis* Metcalf
Scarisanas variabilis Metcalf 1949b: 277 [n.sp.]; Metcalf 1962b,6(3):66 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Scaroidana flavidula* Osborn
Scaroidana flavidula Osborn 1938a: 50 [n.sp.]; Metcalf 1962b,6(3):55 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Scaroidana fulvula* Osborn
Scaroidana fulvula Osborn 1938a: 51 [n.sp.]; Metcalf 1962b,6(3):55 [Cat.]
DISTRIBUTION: Brazil, Bolivia (Metcalf Cat.)
- Scinda circula* (DeLong & Ruppel)
Cicadella (*Scinda*) *circula* DeLong & Ruppel 1951a: 96 [n.sp.]; Metcalf 1968a,6(17): 779 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scinda cochlea* (DeLong & Ruppel)
Cicadella (*Scinda*) *cochlea* DeLong & Ruppel 1951a: 96 [n.sp.]; Metcalf 1968a,6(17): 779 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scinda cordoba* (DeLong & Ruppel)
Cicadella (*Scinda*) *cordoba* DeLong & Ruppel 1951a: 95 [n.sp.]; Metcalf 1968a,6(17): 779 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Scinda scarlatina* (DeLong & Ruppel)
Cicadella (*Scinda*) *scarlatina* DeLong & Ruppel 1951a: 95 [n.sp.]; Metcalf 1968a,6(17): 779 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Secopennis slossonae* [sic] (Ball)

- Deltocephalus slossoni* Ball 1905a: 119 [n.sp.]; Metcalf 1967b, 6(10b): 1773 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Selenocephalus abbreviatus* Melichar
Selenocephalus abbreviatus Melichar 1896b:178 [n.sp.]; Metcalf 1966c,6(15):148 [Cat.]
DISTRIBUTION: Greece (Metcalf Cat.)
- Selenocephalus africanus* Stål
Selenocephalus africanus Stål 1854b:254 [n.sp.]; Metcalf 1966c,6(15):148 [Cat.]
DISTRIBUTION: Sierra Leone (Metcalf Cat.)
- Selenocephalus bacteriophora* Bergevin
Selenocephalus bacteriophora Bergevin 1926c:260 [n.sp.]; Metcalf 1966c,6(15):149 [Cat.]
DISTRIBUTION: Congo (Metcalf Cat.)
- Selenocephalus brunneoflavus* Evans
Selenocephalus brunneoflavus Evans 1955b:18 [n.sp.]; Metcalf 1966c,6(15):149 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Selenocephalus brunneus* Singh-Pruthi
Selenocephalus brunneus Singh-Pruthi 1930a:37 [n.sp.]; Metcalf 1966c,6(15):149 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Selenocephalus clypeocarinatus* Melichar
Selenocephalus clypeocarinatus Melichar 1911a:110 [n.sp.]; Metcalf 1966c,6(15):149 [Cat.]
DISTRIBUTION: Ethiopia, Kenya, Uganda, Tanzania (Metcalf Cat.)
- Selenocephalus compactus* Gerstaecker
Selenocephalus compactus Gerstaecker 1873a:433 [n.sp.]; Metcalf 1966c,6(15):149 [Cat.]
DISTRIBUTION: Zaire, Kenya, Uganda, Tanzania (Metcalf Cat.)
- Selenocephalus conspersus* (Herrick-Schaeffer)
Jassus conspersus Herrick-Schaeffer 1834b:12 [n.sp.]; Metcalf 1966c,6(15):150 [Cat.]
Selenocephalus corsicus Lethierry 1876c:12 [n.sp.]; Metcalf 1966c,6(15):150 [Cat.]
DISTRIBUTION: Widespread Europe, Western Mediterranean (Metcalf Cat.)
- Selenocephalus disparatus* Melichar
Selenocephalus disparatus Melichar 1903b:169 [n.sp.]; Metcalf 1966c,6(15):152 [Cat.]
DISTRIBUTION: India, Sri Lanka (Metcalf Cat.)
- Selenocephalus dolens* Melichar
Selenocephalus dolens Melichar 1903b:170 [n.sp.]; Metcalf 1966c,6(15):152 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Selenocephalus egregius* Stål
Selenocephalus egregius Stål 1864b:66 [n.sp.]; Metcalf 1966c,6(15):152 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Selenocephalus guttatus* (Walker)
Ledra guttata Walker 1851b:829 [n.sp.]; Metcalf 1966c,6(15):152 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Selenocephalus harterti* Bergevin
Selenocephalus harterti Bergevin 1926b:146 [n.sp.]; Metcalf 1966c,6(15):153 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Selenocephalus idioceroides* Bergroth
Selenocephalus idioceroides Bergroth 1920a:26 [n.sp.]; Metcalf 1966c,6(15):153 [Cat.]
DISTRIBUTION: Kenya (Metcalf Cat.)
- Selenocephalus invariatus* (Walker)
Ledra invaria Walker 1851b:828 [n.sp.]; Metcalf 1966c,6(15):153 [Cat.]
DISTRIBUTION: Locality unknown (Metcalf Cat.)
- Selenocephalus irroratus* Melichar
Selenocephalus irroratus Melichar 1911a:110 [n.sp.]; Metcalf 1966c,6(15):153 [Cat.]
DISTRIBUTION: Kenya, Uganda, Tanzania, Zaire (Metcalf Cat.)
- Selenocephalus kalalae* Dlabora
Selenocephalus kalalae Dlabora 1952b:36 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Iraq (Metcalf Cat.)
- Selenocephalus kankundensis* Evans
Selenocephalus kankundensis Evans 1955a:35 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Selenocephalus lacteisparsus* Jacobi
Selenocephalus lacteisparsus Jacobi 1910b:125 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Selenocephalus marmoreus* Walker
Selenocephalus marmoreus Walker 1870b:325 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: East Indonesia, New Guinea (Metcalf Cat.)
- Selenocephalus micans* Stål
Selenocephalus micans Stål 1858d:453 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Nigeria (Metcalf Cat.)
- Selenocephalus monticola* Jacobi
Selenocephalus monticola Jacobi 1910b:125 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Selenocephalus nervosus* Lindberg
Selenocephalus nervosus Lindberg 1948b:143 [n.sp.]; Metcalf 1966c,6(15):154 [Cat.]
DISTRIBUTION: Cyprus, Mediterranean region (Metcalf Cat.)
- Selenocephalus nitens* Stål
Selenocephalus nitens Stål 1866a:110 [n.sp.]; Metcalf 1966c,6(15):155 [Cat.]
DISTRIBUTION: Nigeria, French Equatorial Africa (Chad, Gabon, Congo) (Metcalf Cat.)
- Selenocephalus notulus* Walker
Selenocephalus notulus Walker 1870b:326 [n.sp.]; Metcalf 1966c,6(15):155 [Cat.]

- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Selenocephalus nuchalis* Jacobi
Selenocephalus nuchalis Jacobi 1943a:30 [n.sp.]; Metcalf 1966c,6(15):155 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Selenocephalus pallidus* Kirschbaum
Selenocephalus pallidus Kirschbaum 1868b:81 [n.sp.]; Metcalf 1966c,6(15):155 [Cat.]
- DISTRIBUTION:** Widespread Europe, Cyprus, Western Mediterranean region, Northern Africa (Metcalf Cat.)
- Selenocephalus planescens* Naudé
Selenocephalus planescens Naudé 1926a:41 [n.sp.]; Metcalf 1966c,6(15):157 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Cyprus, Northern Africa, Greece, Turkey (Metcalf Cat.)
- Selenocephalus planus* (Turton)
Cicada grisea Fabricius 1794a:43 [n.sp.]; Metcalf 1966c,6(15):157 [Cat.]
- Cicada plana* Turton 1802a:597 [n.sp.]; Metcalf 1966c,6(15):157 [Cat.]
- Jassus obsoletus* Germar 1817b:281 [n.sp.]; Metcalf 1966c,6(15):157 [Cat.]
- Selenocephalus punctatonervosus* Stål 1854b:254 [n.sp.]; Metcalf 1966c,6(15):158 [Cat.]
- DISTRIBUTION:** Widespread Northern Africa, Western Mediterranean, Europe, Balkan region (Metcalf Cat.)
- Selenocephalus planus lusitanicus* Signoret
Selenocephalus planus lusitanicus Signoret 1880a:58 [n.sp.]; Metcalf 1966c,6(15):164 [Cat.]
- DISTRIBUTION:** Spain, Portugal, Morocco, Italy (Metcalf Cat.)
- Selenocephalus planus pallens* Lindberg
Selenocephalus planus pallens Lindberg 1948b:147 [n.subsp. of *griseus*, not nom.nov.]; Metcalf 1966c,6(15):165 [Cat.]
- DISTRIBUTION:** Tunisia, Greece, Israel (Metcalf Cat.)
- Selenocephalus pseudoniger* [sic] Evans
Selenocephalus pseudonigrus Evans 1955b:19 [n.sp.]; Metcalf 1966c,6(15):165 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Selenocephalus robustus* Jacobi
Selenocephalus robustus Jacobi 1910b:124 [n.sp.]; Metcalf 1966c,6(15):165 [Cat.]
- DISTRIBUTION:** Tanzania, Zaire (Metcalf Cat.)
- Selenocephalus rossicus* Zachvatkin
Selenocephalus rossicus Zachvatkin 1945b:6,7 [n.sp.]; Metcalf 1966c,6(15):165,166 [Cat.]
- DISTRIBUTION:** Ukraine, Russia, Bulgaria (Metcalf Cat.)
- Selenocephalus rossicus tesquicola* Zachvatkin
Selenocephalus rossicus tesquicola Zachvatkin 1945b:8 [n.subsp. of *rossicus*]; Metcalf 1966c,6(15):166 [Cat.]
- DISTRIBUTION:** Ukraine (Metcalf Cat.)
- Selenocephalus solidus* Melichar
Selenocephalus solidus Melichar 1914g:7 [n.sp.]; Metcalf 1966c,6(15):166 [Cat.]
- DISTRIBUTION:** Eastern Africa (Metcalf Cat.)
- Selenocephalus stenopterus* Signoret
Selenocephalus stenopterus Signoret 1880a:59 [n.sp.]; Metcalf 1966c,6(15):166 [Cat.]
- DISTRIBUTION:** Widespread Balkans, Russia (Metcalf Cat.)
- Selenocephalus stenopterus simavensis* Zachvatkin
Selenocephalus stenopterus simavensis Zachvatkin 1946b:162 [n.subsp. of *stenopterus*]; Metcalf 1966c,6(15):167 [Cat.]
- DISTRIBUTION:** Turkey (Metcalf Cat.)
- Selenocephalus stenopterus tauricus* Zachvatkin
Selenocephalus stenopterus tauricus Zachvatkin 1946b:163 [n.subsp. of *stenopterus*]; Metcalf 1966c,6(15):167 [Cat.]
- DISTRIBUTION:** Ukraine (Metcalf Cat.)
- Selenocephalus strigulatus* Melichar
Selenocephalus strigulatus Melichar 1905a:300 [n.sp.]; Metcalf 1966c,6(15):167 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Selenocephalus taiwanus* Matsumura
Selenocephalus taiwanus Matsumura 1912b:295 [n.sp.]; Metcalf 1966c,6(15):167 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Selenocephalus tenebrosus* (Distant)
Penthimia tenebrosa Distant 1910e:236 [n.sp.]; Metcalf 1966c,6(15):167 [Cat.]
- DISTRIBUTION:** Nigeria, South Africa, Zaire (Metcalf Cat.)
- Selenocephalus usambarae* Melichar
Selenocephalus usambarae Melichar 1905a:300 [n.sp.]; Metcalf 1966c,6(15):168 [Cat.]
- DISTRIBUTION:** Tanzania, Zaire (Metcalf Cat.)
- Selenocephalus uvarovi* Zachvatkin
Selenocephalus uvarovi Zachvatkin 1946b:163 [n.sp.]; Metcalf 1966c,6(15):168 [Cat.]
- DISTRIBUTION:** Turkey (Metcalf Cat.)
- Selenocephalus variabilis* Evans
Selenocephalus variabilis Evans 1955a:34 [n.sp.]; Metcalf 1966c,6(15):168 [Cat.]
- DISTRIBUTION:** Zaire (Metcalf Cat.)
- Selenocephalus varius* Signoret
Selenocephalus varius Signoret 1858 [in Fairmaire & Signoret 1858a:343] [n.sp.]; Metcalf 1966c,6(15):168 [Cat.]
- DISTRIBUTION:** Nigeria, Somalia (Metcalf Cat.)
- Selenocephalus virescens* Distant
Selenocephalus virescens Distant 1908g:291 [n.sp.]; Metcalf 1966c,6(15):169 [Cat.]

- DISTRIBUTION:** India (Metcalf Cat.)
Selenocephalus viridipes Distant
Selenocephalus viridipes Distant 1920f:467 [n.sp.];
 Metcalf 1966c,6(15):169 [Cat.]
DISTRIBUTION: Oceania: New Caledonia (Metcalf Cat.)
Selenopsis subaptera Spinola
Selenopsis subaptera Spinola 1850b:135 [n.sp.];
 Metcalf 1964b,6(11):86 [Cat.]
DISTRIBUTION: South Africa, Brazil (?) (Metcalf Cat.)
Semenovium ferganae Kusnezov
Semenovium ferganae Kusnezov 1929a:313 [n.sp.];
 Metcalf 1963d,6(9):75 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Sequoialettix eurekae (Bliven)
Colladonus eurekae Bliven 1954a: 117 [n.sp.]; Metcalf
 1967b, 6(10b): 1312 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Serpa plumbea (Walker)
Tettigonia plumbea Walker 1851b:754 [n.sp.]; Metcalf
 1965a,6(1):256 [Cat.]
DISTRIBUTION: Ecuador, Colombia (Young 1977a)
Sibovia anita (Fowler)
Tettigonia anita Fowler 1900d:281 [n.sp.]; Metcalf
 1965a,6(1):31 [Cat.]
DISTRIBUTION: Costa Rica, Panama, Venezuela,
 Ecuador (Young 1977a)
Sibovia aprica (Melichar)
Entogonia aprica Melichar 1926a:364 [n.sp.]; Metcalf
 1965a,6(1):31 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
Sibovia boliviiana (Schmidt)
Entogonia boliviiana Schmidt 1928c:87 [n.sp.];
 Metcalf 1965a,6(1):31 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
Sibovia carissima (Fowler)
Tettigonia carissima Fowler 1900c:280 [n.sp.];
 Metcalf 1965a,6(1):32 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
Sibovia coffeacola (Dozier)
Cicadella coffeacola Dozier 1927b:264 [n.sp.];
 Metcalf 1965a,6(1):32 [Cat.]
DISTRIBUTION: Puerto Rico (Young 1977a)
Sibovia coffeaphila (Dozier)
Cicadella coffeaphila Dozier 1927b:263 [n.sp.];
 Metcalf 1965a,6(1):32 [Cat.]
DISTRIBUTION: Puerto Rico (Young 1977a)
Sibovia cognata (Schmidt)
Entogonia cognata Schmidt 1928c:88 [n.sp.]; Metcalf
 1965a,6(1):33 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
Sibovia conferta (Melichar)
Entogonia conferta Melichar 1926a:365 [n.sp.];
 Metcalf 1965a,6(1):33 [Cat.]
DISTRIBUTION: Costa Rica, Panama (Young 1977a)
Sibovia conjuncta (Melichar)
Entogonia conjuncta Melichar 1926a:363 [n.sp.];
 Metcalf 1965a,6(1):33 [Cat.]
DISTRIBUTION: Colombia (Metcalf Cat.)
Sibovia constans (Walker)
Tettigonia constans Walker 1858b:198 [n.sp.]; Metcalf
 1965a,6(1):33 [Cat.]
DISTRIBUTION: Cuba, Hispaniola (Young 1977a)
Sibovia convergens (Melichar)
Entogonia convergens Melichar 1926a:365 [n.sp.];
 Metcalf 1965a,6(1):34 [Cat.]
DISTRIBUTION: Costa Rica (Metcalf Cat.)
Sibovia flavovittata (Stål)
Tettigonia flavovittata Stål 1859b:288 [n.sp.]; Metcalf
 1965a,6(1):34 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
Sibovia hispaniola (Dozier)
Cicadella hispaniola Dozier 1931a:8 [n.sp.]; Metcalf
 1965a,6(1):34 [Cat.]
DISTRIBUTION: Hispaniola (Young 1977a)
Sibovia inexpectata (Metcalf & Bruner)
Entogonia inexpectata Metcalf & Bruner 1936a:967
 [n.sp.]; Metcalf 1965a,6(1):34 [Cat.]
DISTRIBUTION: Cuba (Young 1977a)
Sibovia inflata (Fowler)
Tettigonia inflata Fowler 1900d:282 [n.sp.]; Metcalf
 1965a,6(1):34 [Cat.]
DISTRIBUTION: Mexico, Costa Rica, Panama,
 Colombia (Young 1977a)
Sibovia intensa (Walker)
Tettigonia intensa Walker 1851b:767 [n.sp.]; Metcalf
 1965a,6(1):34 [Cat.]
DISTRIBUTION: Jamaica (Young 1977a)
Sibovia inverta (Melichar)
Entogonia inverta Melichar 1926a:369 [n.sp.]; Metcalf
 1965a,6(1):35 [Cat.]
DISTRIBUTION: Venezuela (Metcalf Cat.)
Sibovia lineata (Osborn)
Entogonia lineata Osborn 1935a:136 [n.sp.]; Metcalf
 1965a,6(1):35 [Cat.]
DISTRIBUTION: Puerto Rico (Young 1977a)
Sibovia obtecta (Signoret)
Tettigonia obtecta Signoret 1855d:798 [n.sp.]; Metcalf
 1965a,6(1):35 [Cat.]
Tettigonia lativittata Fowler 1900d:281 [n.sp.];
 Metcalf 1965a,6(1):35 [Cat.]
DISTRIBUTION: Brazil, Peru, Bolivia (Young
 1977a)
Sibovia occatoria (Say)
Tettigonia occatoria Say 1830b:311 [n.sp.]; Metcalf
 1965a,6(1):35 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala,
 El Salvador (Young 1977a)

- Sibovia occatoria* (Fowler)
Tettigonia compta Fowler 1900b:271 [n.sp.]; Metcalf 1965a,6(1):38 [Cat.]
DISTRIBUTION: United States, Mexico, Guatemala, El Salvador, Costa Rica (Young 1977a)
- Sibovia praevia* (Melichar)
Entogonia praevia Melichar 1926a:362 [n.sp.]; Metcalf 1965a,6(1):38 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Sibovia sagata* (Signoret)
Tettigonia sagata Signoret 1854a:27 [n.sp.]; Metcalf 1965a,6(1):38 [Cat.]
DISTRIBUTION: Brazil, Argentina, Bolivia (Young 1977a)
- Sibovia sanguineovittata* (Signoret)
Tettigonia sanguineovittata Signoret 1855d:777 [n.sp.]; Metcalf 1965a,6(1):39 [Cat.]
DISTRIBUTION: Bolivia, Brazil (Young 1977a)
- Sibovia taeniatifrons* [sic] (Schmidt)
Entogonia taeniatifrons Schmidt 1928c:89 [n.sp.]; Metcalf 1965a,6(1):39 [Cat.]
DISTRIBUTION: Colombia, Ecuador, Peru (Young 1977a)
- Sibovia vulnerata* (Signoret)
Tettigonia vulnerata Signoret 1855d:782 [n.sp.]; Metcalf 1965a,6(1):39 [Cat.]
DISTRIBUTION: Mexico, Honduras, Guatemala, Nicaragua (Young 1977a)
- Sibovia xanthonota* (Signoret)
Tettigonia xanthonota Signoret 1854b:350 [n.sp.]; Metcalf 1965a,6(1):40 [Cat.]
DISTRIBUTION: Mexico (Young 1977a)
- Sichaea coraria* Stål
Sichaea coraria Stål 1866a:106 [n.sp.]; Metcalf 1962d,6(5):84 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Sichaea missella* (Stål)
Acocephalus missellus Stål 1855a:98 [n.sp.]; Metcalf 1962d,6(5):84 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Signoretia aureola* Distant
Signoretia aureola Distant 1908g:232 [n.sp.]; Metcalf 1963a,6(6):54 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Signoretia benguetensis* Baker
Signoretia benguetensis Baker 1923a:359 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Signoretia bilineata* Baker
Signoretia bilineata Baker 1923a:358 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Signoretia carinata* Baker
Signoretia carinata Baker 1923a:358 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Signoretia greeni* Distant
Signoretia greeni Distant 1908g:233 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Signoretia karaseki* Melichar
Signoretia karaseki Melichar 1905a:299 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Tanzania, Zaire (Metcalf Cat.)
- Signoretia maculata* Baker
Signoretia maculata Baker 1923a:357 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Signoretia malaya* (Stål)
Thamnotettix malaya Stål 1855b:192 [n.sp.]; Metcalf 1963a,6(6):55 [Cat.]
DISTRIBUTION: Malaysia, Myanmar, Philippines, Singapore, China (Metcalf Cat.)
- Signoretia malaya philippinensis* Baker
Signoretia malaya philippinensis Baker 1923a:357 [n.subsp. of *malaya*]; Metcalf 1963a,6(6):56 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Signoretia pacifica* (Walker)
Tettigonia pacifica Walker 1858c:357 [n.sp.]; Metcalf 1963a,6(6):56 [Cat.]
DISTRIBUTION: Africa (Metcalf Cat.)
- Signoretia sumatrana* Schmidt
Signoretia sumatrana Schmidt 1911b:298 [n.sp.]; Metcalf 1963a,6(6):56 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Signoretia tagalica* Baker
Signoretia tagalica Baker 1915b:196 [n.sp.]; Metcalf 1963a,6(6):56 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Sinalebra hummeli* Zachvatkin
Sinalebra hummeli Zachvatkin 1936 [in Lindberg & Zachv. 1936a:16] [n.sp.]; Metcalf 1968a,6(17):97 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Sirosoma abrupta* McAtee
Sirosoma abrupta McAtee 1933a:546 [n.sp.]; Metcalf 1968a,6(17):1474 [Cat.]
DISTRIBUTION: Malaysia (Metcalf Cat.)
- Sirosoma arcuata* McAtee
Sirosoma arcuata McAtee 1933a:546 [n.sp.]; Metcalf 1968a,6(17):1474 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Sirosoma bakeri* McAtee
Sirosoma bakeri McAtee 1933a:546 [n.sp.]; Metcalf 1968a,6(17):1474 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Sirosoma batilla* McAtee
Sirosoma batilla McAtee 1933a:546 [n.sp.]; Metcalf 1968a,6(17):1474 [Cat.]
DISTRIBUTION: Singapore (Metcalf Cat.)
- Sirosoma canalicula* McAtee

- Sirosoma canalicula* McAtee 1933a:546 [n.sp.];
 Metcalf 1968a,6(17):1474 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Sirosoma clavata* McAtee
 Sirosoma clavata McAtee 1933a:547 [n.sp.]; Metcalf
 1968a,6(17):1474 [Cat.]
 DISTRIBUTION: Malaysia (Metcalf Cat.)
- Sirosoma emarginata* McAtee
 Sirosoma emarginata McAtee 1933a:547 [n.sp.];
 Metcalf 1968a,6(17):1474 [Cat.]
 DISTRIBUTION: Malaysia (Metcalf Cat.)
- Sirosoma frontalis* McAtee
 Sirosoma frontalis McAtee 1933a:547 [n.sp.]; Metcalf
 1968a,6(17):1475 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Sirosoma hiaticula* McAtee
 Sirosoma hiaticula McAtee 1933a:546 [n.sp.]; Metcalf
 1968a,6(17):1475 [Cat.]
 DISTRIBUTION: Malaysia, Borneo (Metcalf Cat.)
- Sirosoma maquilinga* McAtee
 Sirosoma maquilinga McAtee 1933a:546 [n.sp.];
 Metcalf 1968a,6(17):1475 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Sirosoma saccula* McAtee
 Sirosoma saccula McAtee 1933a:546 [n.sp.]; Metcalf
 1968a,6(17):1475 [Cat.]
 DISTRIBUTION: Malaysia (Metcalf Cat.)
- Sitades fasciatus* Distant
 Sitades fasciatus Distant 1912e:608 [n.sp.]; Metcalf
 1962d,6(5):88 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Smicrocotis chelonia* Evans
 Smicrocotis chelonia Evans 1937b:160 [n.sp.];
 Metcalf 1962c,6(4):117 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis claudenda* (Walker)
 Ledra claudenda Walker 1858c:359 [n.sp.]; Metcalf
 1962c,6(4):117 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis infuscata* Distant
 Smicrocotis infuscata Distant 1907g:195 [n.sp.];
 Metcalf 1962c,6(4):117 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis obscura* Kirkaldy
 Smicrocotis obscura Kirkaldy 1906c:370 [n.sp.];
 Metcalf 1962c,6(4):117 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis pallescens* Distant
 Smicrocotis pallescens Distant 1907g:195 [n.sp.];
 Metcalf 1962c,6(4):117 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis projecta* Distant
 Smicrocotis projecta Distant 1907g:196 [n.sp.];
 Metcalf 1962c,6(4):118 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis sidnica* Kirkaldy
 Smicrocotis sidnica Kirkaldy 1907d:28 [n.sp.];
 Metcalf 1962c,6(4):118 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Smicrocotis solomoni* Evans
 Smicrocotis solomoni Evans 1937b:160 [n.sp.];
 Metcalf 1962c,6(4):118 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Sobara palliolata* (Ball)
 Eutettix palliolata Ball 1902a: 13 [n.sp.]; Metcalf
 1967c, 6(10c): 2172 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Soibanga bella* (Walker)
 Tettigonia bella Walker 1851b:778 [n.sp.]; Metcalf
 1965a,6(1):91 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Solenopyx sulphurella* (Zetterstedt)
 Cicada sulphurella Zetterstedt 1828a: 534 [n.sp.];
 Metcalf 1967b, 6(10b): 1931 [Cat.]
 Thamnotettix excisus Haupt 1917d: 252 [n.sp.];
 Metcalf 1967b, 6(10b): 1938 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia,
 United Kingdom, Russia, Northern Africa, Cyprus,
 Italy, Turkey, Japan, Korea (Metcalf Cat.)
- Sonronius anderi* (Ossiannilsson)
 Macrosteles anderi Ossiannilsson 1948b: 26 [n.sp.];
 Metcalf 1967c, 6(10c): 2618 [Cat.]
 DISTRIBUTION: Sweden, Finland (Metcalf Cat.)
- Sonronius binotatus* (Sahlberg)
 Limotettix binotata Sahlberg 1871a: 242 [n.sp.];
 Metcalf 1967c, 6(10c): 2618 [Cat.]
 Cicadula arcuata Gillette & Baker 1895a: 105 [n.sp.];
 Metcalf 1967c, 6(10c): 2618 [Cat.]
 Cicadula suffusa Osborn 1915a: 146 [n.sp.]; Metcalf
 1967c, 6(10c): 2618 [Cat.]
 DISTRIBUTION: Scandinavia, Northern Europe,
 Russia, United States, Canada, Turkey,
 Kazakhstan, Kirghizia, Tadzhikistan,
 Turkmenistan, Uzbekistan (Metcalf Cat.)
- Sonronius clavatus* (DeLong & Davidson)
 Cicadula clavata DeLong & Davidson 1934b: 233
 [n.sp.]; Metcalf 1967c, 6(10c): 2621 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Sonronius maculipes* (Zetterstedt)
 Cicada quadripunctata Fallén 1806a: 32 [n.sp.];
 Metcalf 1967c, 6(10c): 2622 [Cat.]
 Cicadula dahlbomi Zetterstedt 1840a: 297 [n.sp.];
 Metcalf 1967c, 6(10c): 2622 [Cat.]
 Cicadula maculipes Zetterstedt 1840a: 297 [n.sp.];
 Metcalf 1967c, 6(10c): 2622 [Cat.]
 Jassus laetus Uhler 1876a: 360 [n.sp.]; Metcalf 1967c,
 6(10c): 2624 [Cat.]
 Cicadula perplexa Rey 1891a: 245 [n.sp.]; Metcalf
 1967c, 6(10c): 2624 [Cat.]
 Eutettix vanduzei Gillette & Baker 1895a: 103 [n.sp.];
 Metcalf 1967c, 6(10c): 2624 [Cat.]

- DISTRIBUTION:** Widespread Europe, Scandinavia, United Kingdom, Northern Africa, Russia, Japan, United States, Canada (Metcalf Cat.)
- Sorotana simulata* Distant
Sorotana simulata Distant 1908g:319 [n.sp.]; Metcalf 1964b,6(11):89 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Sophonia davaoensis* (Baker)
Pseudonirvana davaoensis Baker 1923a:391 [n.sp.]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Sophonia davaoensis* luzonensis (Baker)
Pseudonirvana davaoensis luzonensis Baker 1923a:392 [n.subsp. of *davaoensis*]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Sophonia greeni* (Distant)
Nirvana greeni Distant 1908g:283 [n.sp.]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** Sri Lanka, Mysore (Metcalf Cat.)
- Sophonia linealis* (Distant)
Nirvana linealis Distant 1908g:282 [n.sp.]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** India, West Indonesia (Metcalf Cat.)
- Sophonia longitudinalis* (Distant)
Nirvana longitudinalis Distant 1908g:283 [n.sp.]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** Myanmar, Philippines, Singapore, Hong Kong, Borneo, India (Metcalf Cat.)
- Sophonia malayana* (Baker)
Pseudonirvana malayana Baker 1923a:389 [n.sp.]; Metcalf 1963b,6(7):27 [Cat.]
- DISTRIBUTION:** Borneo, Philippines, Singapore (Metcalf Cat.)
- Sophonia malayana auricolor* (Baker)
Pseudonirvana malayana auricolor Baker 1923a:390 [n.subsp. of *malayana*]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Sophonia ocellaris* (Baker)
Pseudonirvana ocellaris Baker 1923a:387 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Borneo (Metcalf Cat.)
- Sophonia penangensis* (Baker)
Pseudonirvana penangensis Baker 1923a:388 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Sophonia rufitellum* Walker
Sophonia rufitellum Walker 1870b:327 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Sophonia sandakanensis* (Baker)
Pseudonirvana sandakanensis Baker 1923a:390 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Borneo (Metcalf Cat.)
- Sophonia sanguineolineata* (Baker)
Pseudonirvana sanguineolineata Baker 1923a:392 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Borneo, Philippines (Metcalf Cat.)
- Sophonia singaprensis* (Baker)
Pseudonirvana singaprensis Baker 1923a:389 [n.sp.]; Metcalf 1963b,6(7):28 [Cat.]
- DISTRIBUTION:** Singapore (Metcalf Cat.)
- Soracte apollonos* Kirkaldy
Soracte apollonos Kirkaldy 1907d: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1748 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Sorhoanus bicornis* Linnauvori
Sorhoanus bicornis Linnauvori 1953a: 116 [n.sp.]; Metcalf 1967b, 6(10b): 1455 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Sorhoanus bidentatus* (DeLong & Davidson)
Laevicephalus bidentata DeLong & Davidson 1935b: 169 [n.sp.]; Metcalf 1967b, 6(10b): 1455 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Sorhoanus caricis* (Gillette & Baker)
Cicadula lutea Gillette & Baker 1895a: 106 [n.sp.]; Metcalf 1967b, 6(10b): 1456 [Cat.]
- Thamnotettix caricis* Gillette & Baker 1895a: 95 [n.sp.]; Metcalf 1967b, 6(10b): 1456 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Sorhoanus debilis* (Uhler)
Deltocephalus debilis Uhler 1876a: 360 [n.sp.]; Metcalf 1967b, 6(10b): 1456 [Cat.]
- Deltocephalus cadyi* Deay 1927a: 55 [n.sp.]; Metcalf 1967b, 6(10b): 1458 [Cat.]
- Laevicephalus orbicularis* DeLong & Sleesman 1929a: 103 [n.sp.]; Metcalf 1967b, 6(10b): 1458 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Sorhoanus fidus* Knoll
Sorhoanus fidus Knoll 1954c: 57 [n.sp.]; Metcalf 1967b, 6(10b): 1459 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Sorhoanus fiebri* Metcalf
Deltocephalus aurantiacus Fieber 1869a: 218 [n.sp.]; Metcalf 1967b, 6(10b): 1459 [Cat.]
- Sorhoanus fiebri* Metcalf 1967b: 1459 [nom.nov. for *Deltocephalus aurantiacus* Fieber 1869]; Metcalf 1967b, 6(10b): 1459 [Cat.]
- DISTRIBUTION:** Russia, Austria, Hungary, Germany, Poland (Metcalf Cat.)
- Sorhoanus flavovirens* (Gillette & Baker)
Deltocephalus flavovirens Gillette & Baker 1895a: 87 [n.sp.]; Metcalf 1967b, 6(10b): 1460 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Sorhoanus helvinus* (Van Duzee)
Thamnotettix helvinus Van Duzee 1917a: 300 [n.sp.]; Metcalf 1967b, 6(10b): 1461 [Cat.]

- Laevicephalus flabellum* DeLong 1938b: 217 [n.sp.]; Metcalf 1967b, 6(10b): 1462 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Sorhoanus lenis* (Van Duzee)
- Thamnotettix lenis* Van Duzee 1925b: 423 [n.sp.]; Metcalf 1967b, 6(10b): 1462 [Cat.]
- Laevicephalus wilsoni* Oman 1932a: 91 [n.sp.]; Metcalf 1967b, 6(10b): 1462 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Sorhoanus orientalis* (DeLong & Davidson)
- Laevicephalus orientalis* DeLong & Davidson 1935b: 167 [n.sp.]; Metcalf 1967b, 6(10b): 1463 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Sorhoanus spicatus* (DeLong)
- Deltcephalus* (*Laevicephalus*) *spicatus* DeLong 1926d: 74 [n.sp.]; Metcalf 1967b, 6(10b): 1463 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Sorhoanus uhleri* (Oman)
- Laevicephalus uhleri* Oman 1931b: 432 [n.sp.]; Metcalf 1967b, 6(10b): 1464 [Cat.]
- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Sorhoanus (Arctotettix) abiskoensis* (Lindberg)
- Deltcephalus abiskoensis* Lindberg 1926b: 112 [n.sp.]; Metcalf 1967b, 6(10b): 1465 [Cat.]
- DISTRIBUTION: Russia, Scandinavia (Metcalf Cat.)
- Sorhoanus (Rhoanarus) hypochlorus* (Fieber)
- Deltcephalus hypochlorus* Fieber 1869a: 215 [n.sp.]; Metcalf 1967b, 6(10b): 1474 [Cat.]
- DISTRIBUTION: Austria, Germany, Russia, Czech Republic, Hungary, Serbia, Italy, Turkey, Slovakia (Metcalf Cat.)
- Sorhoanus (Sorhoanus) acarifer* (Lethierry)
- Deltcephalus acarifer* Lethierry 1888b: 253 [n.sp.]; Metcalf 1967b, 6(10b): 1465 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Sorhoanus (Sorhoanus) assimilis* (Fallén)
- Cicada assimilis* Fallén 1806a: 22 [n.sp.]; Metcalf 1967b, 6(10b): 1466 [Cat.]
- DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain, Russia, Korea (Metcalf Cat.)
- Sorhoanus (Sorhoanus) medius* (Mulsant & Rey)
- Deltcephalus medius* Mulsant & Rey 1855a: 234 [n.sp.]; Metcalf 1967b, 6(10b): 1472 [Cat.]
- Deltcephalus reiberi* Puton 1877a: xxiv [n.sp.]; Metcalf 1967b, 6(10b): 1472 [Cat.]
- DISTRIBUTION: France, Russia, Switzerland, Hungary, Germany, Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Sorhoanus (Sorhoanus) schmidti* (Wagner)
- Deltcephalus schmidti* Wagner 1939a: 166 [n.sp.]; Metcalf 1967b, 6(10b): 1473 [Cat.]
- DISTRIBUTION: Germany (Metcalf Cat.)
- Sorhoanus (Sorhoanus) ussuriensis* (Melichar)
- Deltcephalus ussuriensis* Melichar 1902c: 144 [n.sp.]; Metcalf 1967b, 6(10b): 1473 [Cat.]
- DISTRIBUTION: Russia, China (Metcalf Cat.)
- Sotanus thenii* (Löw)
- Athysanus thenii* Löw 1885a: 350 [n.sp.]; Metcalf 1967a, 6(10a): 391 [Cat.]
- Athysanus truncatus* Löw 1885a: 351 [n.sp.]; Metcalf 1967a, 6(10a): 391 [Cat.]
- DISTRIBUTION: Austria, Germany, Italy, Ukraine, Switzerland (Metcalf Cat.)
- Sotanus thenii* albostriatus (Strobl)
- Athysanus thenii* albostriatus Strobl 1900a: 214 [n.subsp. of thenii]; Metcalf 1967a, 6(10a): 393 [Cat.]
- DISTRIBUTION: Austria (Metcalf Cat.)
- Spangbergiella felix* Berg
- Spangbergiella felix* Berg 1884a: 35 [n.sp.]; Metcalf 1963d, 6(9): 53 [Cat.]
- DISTRIBUTION: Argentina (Metcalf Cat.)
- Spangbergiella lynchii* (Berg)
- Hecalus lynchii* Berg 1879d: 268 [n.sp.]; Metcalf 1963d, 6(9): 54 [Cat.]
- DISTRIBUTION: Argentina, Brazil (Metcalf Cat.)
- Spangbergiella mexicana* Baker
- Spangbergiella mexicana* Baker 1897c: 157 [n.sp.]; Metcalf 1963d, 6(9): 54 [Cat.]
- DISTRIBUTION: Mexico, United States, Costa Rica (Metcalf Cat.)
- Spangbergiella punctatoguttata* Berg
- Spangbergiella punctatoguttata* Berg 1884a: 34 [n.sp.]; Metcalf 1963d, 6(9): 55 [Cat.]
- DISTRIBUTION: Argentina, Uruguay (Metcalf Cat.)
- Spangbergiella quadripunctata* Lawson
- Spangbergiella quadripunctata* Lawson 1932c: 120 [n.sp.]; Metcalf 1963d, 6(9): 55 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Spangbergiella uruguayensis* (Berg)
- Parabolocratus uruguayensis* Berg 1884a: 36 [n.sp.]; Metcalf 1963d, 6(9): 56 [Cat.]
- DISTRIBUTION: Uruguay (Metcalf Cat.)
- Spangbergiella vulnerata* (Uhler)
- Glossocratus vulnerata* Uhler 1877a: 464 [n.sp.]; Metcalf 1963d, 6(9): 56, 59 [Cat.]
- DISTRIBUTION: United States, Brazil, Argentina, Uruguay, West Indies, Cuba, Puerto Rico, Bolivia, Paraguay, Venezuela, Mexico (Metcalf Cat.)
- Spangbergiella vulnerata* convexa Lawson
- Spangbergiella vulnerata* convexa Lawson 1932c: 118 [n.subsp. of vulnerata]; Metcalf 1963d, 6(9): 59 [Cat.]
- DISTRIBUTION: United States, Puerto Rico, Virgin Islands (Metcalf Cat.)
- Spangbergiella vulnerata lativittata* Lawson

- Spangbergiella vulnerata lativittata* Lawson 1932c:118
 [n.subsp. of *vulnerata*]; Metcalf 1963d,6(9):59
 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathanus acuminatus* (Baker)
Athy sanus acuminatus Baker 1896c: 25 [n.sp.];
 Metcalf 1967a, 6(10a): 538 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathanus acutus* Knull
Spathanus acutus Knull 1949a: 121 [n.sp.]; Metcalf
 1967a, 6(10a): 539 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathanus aureus* Knull
Spathanus aureus Knull 1949a: 121 [n.sp.]; Metcalf
 1967a, 6(10a): 539 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathanus excavatus* Knull
Spathanus excavatus Knull 1949a: 122 [n.sp.]; Metcalf
 1967a, 6(10a): 539 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathanus mirus* (Van Duzee)
Scaphoideus mirus Van Duzee 1925b: 419 [n.sp.];
 Metcalf 1967a, 6(10a): 539 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Spathifer dubius* Linnavuori
Spathifer dubius Linnavuori 1955b: 126 [n.sp.];
 Metcalf 1967b, 6(10b): 1880 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Spathifer fuscatus* Linnavuori
Spathifer fuscatus Linnavuori 1955b: 126 [n.sp.];
 Metcalf 1967b, 6(10b): 1880 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)
- Speudotettix subfuscus* (Fallén)
Cicada subfuscula Fallén 1806a: 30 [n.sp.]; Metcalf
 1967a, 6(10a): 240 [Cat.]
- Jassus pectoralis* Germar 1821a: 91 [n.sp.]; Metcalf
 1967a, 6(10a): 240 [Cat.]
- Aphrodes craticula* Curtis 1837b: pl.633 [n.sp.];
 Metcalf 1967a, 6(10a): 240 [Cat.]
 DISTRIBUTION: Widespread Europe, Russia,
 Scandinavia, Great Britain, Ireland, Northern
 Africa, Baltic region, Japan, Korea (Metcalf Cat.)
- Sphaeropogonia aureatula* Breddin
Sphaeropogonia aureatula Breddin 1901f:101 [n.sp.];
 Metcalf 1965a,6(1):657 [Cat.]
 DISTRIBUTION: Ecuador (Young 1977a)
- Sphaeropogonia facula* Breddin
Sphaeropogonia facula Breddin 1901f:101 [n.sp.];
 Metcalf 1965a,6(1):657 [Cat.]
 DISTRIBUTION: Peru (Young 1977a)
- Sphaeropogonia incorrupta* Melichar
Sphaeropogonia incorrupta Melichar 1926a:339
 [n.sp.]; Metcalf 1965a,6(1):657 [Cat.]
 DISTRIBUTION: Colombia (Young 1977a)
- Sphaeropogonia maculipennis* Schmidt
Sphaeropogonia maculipennis Schmidt 1928c:80
 [n.sp.]; Metcalf 1965a,6(1):657 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Sphaeropogonia miniatula* Jacobi
Sphaeropogonia miniatula Jacobi 1905c:172 [n.sp.];
 Metcalf 1965a,6(1):658 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Sphinctogonia comitatula* Melichar
Sphinctogonia comitatula Melichar 1926a:357 [n.sp.];
 Metcalf 1965a,6(1):56 [Cat.]
 DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Sphinctogonia guttivitta* (Walker)
Tettigonia guttivitta Walker 1870b:301 [n.sp.];
 Metcalf 1965a,6(1):56 [Cat.]
- Sphinctogonia quincuncula* Breddin 1901a:128 [n.sp.];
 Metcalf 1965a,6(1):56 [Cat.]
 DISTRIBUTION: W.Indonesia: Sulawsei (Metcalf
 Cat.)
- Sphinctogonia lineolata* (Walker)
Tettigonia lineolata Walker 1857b:167 [n.sp.]; Metcalf
 1965a,6(1):57 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Sphinctogonia reginula* Breddin
Sphinctogonia reginula Breddin 1901a:130 [n.sp.];
 Metcalf 1965a,6(1):57 [Cat.]
 DISTRIBUTION: W.Indonesia: Sulawsei (Metcalf
 Cat.)
- Sphinctogonia servula* Breddin
Sphinctogonia servula Breddin 1901a:129 [n.sp.];
 Metcalf 1965a,6(1):57 [Cat.]
 DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Splonia acutalis* Signoret
Splonia acutalis Signoret 1891a:468 [n.sp.]; Metcalf
 1965a,6(1):540 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
- Stegelytra alticeps* Mulsant & Rey
Stegelytra alticeps Mulsant & Rey 1855a:225 [n.sp.];
 Metcalf 1964b,6(11):91 [Cat.]
 DISTRIBUTION: France, Spain, Portugal (Metcalf
 Cat.)
- Stegelytra erythroneura* [sic] Haupt
Stegelytra erythroneura Haupt 1924c:229 [n.sp.];
 Metcalf 1964b,6(11):92 [Cat.]
 DISTRIBUTION: Italy (Metcalf Cat.)
- Stegelytra gavoyi* Ribaut
Stegelytra gavoyi Ribaut 1952a:322 [n.sp.]; Metcalf
 1964b,6(11):92 [Cat.]
 DISTRIBUTION: France, Spain, Portugal (Metcalf
 Cat.)
- Stenipo bifurcata* Evans
Stenipo bifurcata Evans 1934a:155 [n.sp.]; Metcalf
 1965b,6(12):33 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Stenipo grisea* Evans
Stenipo grisea Evans 1941f:145 [n.sp.]; Metcalf
 1965b,6(12):33 [Cat.]

- DISTRIBUTION: Australia (Metcalf Cat.)
Stenipo swani Evans
 Stenipo swani Evans 1934a:155 [n.sp.]; Metcalf 1965b,6(12):34 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Stenocoelidia clara DeLong
 Stenocoelidia clara DeLong 1953a:104 [n.sp.]; Metcalf 1964b,6(11):114 [Cat.]
 DISTRIBUTION: Honduras (Metcalf Cat.)
Stenocoelidia coronata (Ball)
 Neocoelidia coronata Ball 1916b:208 [n.sp.]; Metcalf 1964b,6(11):114 [Cat.]
 DISTRIBUTION: Central America (Metcalf Cat.)
Stenocoelidia crenulata (Osborn)
 Neocoelidia crenulata Osborn 1923c:79 [n.sp.]; Metcalf 1964b,6(11):114 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
Stenocoelidia hyalina DeLong
 Stenocoelidia hyalina DeLong 1953a:108 [n.sp.]; Metcalf 1964b,6(11):115 [Cat.]
 DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
Stenocoelidia minuenda DeLong
 Stenocoelidia minuenda DeLong 1953a:112 [n.sp.]; Metcalf 1964b,6(11):115 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia plummeri DeLong
 Stenocoelidia plummeri DeLong 1953a:110 [n.sp.]; Metcalf 1964b,6(11):115 [Cat.]
 DISTRIBUTION: Guatemala (Metcalf Cat.)
Stenocoelidia sagula DeLong
 Stenocoelidia sagula DeLong 1953a:106 [n.sp.]; Metcalf 1964b,6(11):115 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia stigma DeLong
 Stenocoelidia stigma DeLong 1953a:106 [n.sp.]; Metcalf 1964b,6(11):115 [Cat.]
 DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
Stenocoelidia tamazella DeLong
 Stenocoelidia tamazella DeLong 1953a:106 [n.sp.]; Metcalf 1964b,6(11):116 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia texana (Oman)
 Neocoelidia texana Oman 1931a:62 [n.sp.]; Metcalf 1964b,6(11):116 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Stenocoelidia tigrina DeLong
 Stenocoelidia tigrina DeLong 1953a:108 [n.sp.]; Metcalf 1964b,6(11):116 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) barretti (Baker)
 Neocoelidea [sic] barretti Baker 1898h:291 [n.sp.]; Metcalf 1964b,6(11):117 [Cat.]
 DISTRIBUTION: Mexico, United States, Guatemala (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) beameri (Oman)
 Neocoelidia beameri Oman 1931a:63 [n.sp.]; Metcalf 1964b,6(11):117 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) bilobata DeLong
 Stenocoelidia (Eurycoelidia) bilobata DeLong 1953a:114 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) brunnea DeLong
 Stenocoelidia (Eurycoelidia) brunnea DeLong 1953a:117 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) compta (Ball)
 Neocoelidia compta Ball 1909c:167 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: United States, Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) comptana DeLong
 Stenocoelidia (Eurycoelidia) comptana DeLong 1953a:119 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) erecta DeLong
 Stenocoelidia (Eurycoelidia) erecta DeLong 1953a:117 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: Honduras (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) fuscodorsata (Fowler)
 Tettigonia fuscodorsata Fowler 1900b:269 [n.sp.]; Metcalf 1964b,6(11):118 [Cat.]
 DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) fuscovittata (Oman)
 Neocoelidia fuscovittata Oman 1931a:65 [n.sp.]; Metcalf 1964b,6(11):119 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) goodi DeLong
 Stenocoelidia (Eurycoelidia) goodi DeLong 1953a:119 [n.sp.]; Metcalf 1964b,6(11):119 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) grandiosa (Knoll)
 Neocoelidia grandiosa Knoll 1942a:681,689 [n.sp.]; Metcalf 1964b,6(11):119 [Cat.]
 DISTRIBUTION: United States, Mexico, Guatemala (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) lineata (Baker)
 Neocoelidea [sic] lineata Baker 1898h:289 [n.sp.]; Metcalf 1964b,6(11):120 [Cat.]
 DISTRIBUTION: United States, Canada (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) lineata penelineata (Oman)
 Neocoelidia lineata penelineata Oman 1931a:66 [n.sp.]; Metcalf 1964b,6(11):120 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) marginella DeLong
 Stenocoelidia (Eurycoelidia) marginella DeLong 1953a:121 [n.sp.]; Metcalf 1964b,6(11):120 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Stenocoelidia (Eurycoelidia) nitida DeLong

- Stenocoelidia (*Eurycoelidia*) nitida DeLong 1953a:113 [n.sp.]; Metcalf 1964b,6(11):121 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) pallida (Baker)
Neocoelidea [sic] *pallida* Baker 1898h:290 [n.sp.]; Metcalf 1964b,6(11):121 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) pallida acuta (Knoll)
Neocoelidia pallida acuta Knoll 1942a:681 [n.subsp. of *pallida*]; Metcalf 1964b,6(11):121 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) pallida blanda (Knoll)
Neocoelidia pallida blanda Knoll 1942a:681 [n.subsp. of *pallida*]; Metcalf 1964b,6(11):121 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) pulchella (Ball)
Neocoelidia pulchella Ball 1909c:168 [n.sp.]; Metcalf 1964b,6(11):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) recurvata DeLong
Stenocoelidia (*Eurycoelidia*) *recurvata* DeLong 1953a:120 [n.sp.]; Metcalf 1964b,6(11):122 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) stonei DeLong
Stenocoelidia (*Eurycoelidia*) *stonei* DeLong 1953a:120 [n.sp.]; Metcalf 1964b,6(11):122 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) tempora DeLong
Stenocoelidia (*Eurycoelidia*) *tempora* DeLong 1953a:113 [n.sp.]; Metcalf 1964b,6(11):122 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) tripunctata (Ball)
Neocoelidia tripunctata Ball 1909c:168 [n.sp.]; Metcalf 1964b,6(11):122 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) verecunda (Fowler)
Tettigonia verecunda Fowler 1900b:269 [n.sp.]; Metcalf 1964b,6(11):123 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Stenocoelidia (*Eurycoelidia*) verecunda cuernavacae (Fowler)
Tettigonia verecunda cuernavacae Fowler 1900b:270 [n.subsp. of *vereceunda*]; Metcalf 1964b,6(11):123 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocoelidia (*Stenocoelidia*) virgata DeLong
Stenocoelidia *virgata* DeLong 1953a:112 [n.sp.]; Metcalf 1964b,6(11):116 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stenocotis brevis (Walker)
Ledra australis Walker 1851b:821 [n.sp.]; Metcalf 1962c,6(4):112 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis caudata (Walker)
Ledra caudata Walker 1851b:813 [n.sp.]; Metcalf 1962c,6(4):112 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis conferta (Walker)
Ledra conferta Walker 1851b:818 [n.sp.]; Metcalf 1962c,6(4):113 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Stenocotis corticalis (Walker)
Ledra corticalis Walker 1851b:814 [n.sp.]; Metcalf 1962c,6(4):113 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Stenocotis costalis (Walker)
Ledra costalis Walker 1851b:821 [n.sp.]; Metcalf 1962c,6(4):114 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis depressa (Walker)
Ledra depressa Walker 1851b:817 [n.sp.]; Metcalf 1962c,6(4):114 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis ferruginea (Walker)
Ledra ferruginea Walker 1851b:817 [n.sp.]; Metcalf 1962c,6(4):115 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis planiuscula Stål
Stenocotis planiuscula Stål 1854b:254 [n.sp.]; Metcalf 1962c,6(4):115 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis reticulata Kirkaldy
Stenocotis reticulata Kirkaldy 1907d:27 [n.sp.,not nom.nov.]; Metcalf 1962c,6(4):116 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Stenocotis unicolor (Walker)
Ledra unicolor Walker 1851b:819 [n.sp.]; Metcalf 1962c,6(4):116 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Stenoledra decorsei Evans
Stenoledra decorsei Evans 1954a:93 [n.sp.]; Metcalf 1962c,6(4):110 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Stenometopiellus angorensis Zachvatkin
Stenometopiellus angorensis Zachvatkin 1946b: 176 [n.sp.]; Metcalf 1967a, 6(10a): 1024 [Cat.]
- DISTRIBUTION:** Turkey (Metcalf Cat.)
- Stenometopiellus araxis Zachvatkin

- Stenometopiellus araxis* Zachvatkin 1946b: 176
[n.sp.]; Metcalf 1967a, 6(10a): 1024 [Cat.]
DISTRIBUTION: Armenia, Azerbaijan (Metcalf Cat.)
- Stenometopiellus cookei* (Gillette)
Deltoccephalus cookei Gillette 1898b: 24 [n.sp.];
Metcalf 1967a, 6(10a): 1024 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stenometopiellus iranicus* Zachvatkin
Stenometopiellus iranicus Zachvatkin 1946b: 176
[n.sp.]; Metcalf 1967a, 6(10a): 1025 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Stenometopiellus sigillatus* Haupt
Stenometopiellus sigillatus Haupt 1917d: 251 [n.sp.];
Metcalf 1967a, 6(10a): 1025 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
Cat.)
- Stenometopius formosanus* Matsumura
Stenometopius formosanus Matsumura 1914a: 217
[n.sp.]; Metcalf 1963b, 6(7): 29 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Stenometopius mindanaensis* Baker
Stenometopius mindanaensis Baker 1923a: 400
[n.sp.]; Metcalf 1963b, 6(7): 29 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Stenomiella viridis* Evans
Stenomiella viridis Evans 1955a: 39 [n.sp.]; Metcalf
1967b, 6(10b): 1891 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Stenomisella nigrovenella* Evans
Stenomisella nigrovenella Evans 1954a: 123 [n.sp.];
Metcalf 1967a, 6(10a): 79 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Stenopoides turneri* Evans
Stenopoides turneri Evans 1941f: 153 [n.sp.]; Metcalf
1966b, 6(13): 166 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Stenoscopus drummondi* Evans
Stenoscopus drummondi Evans 1934a: 167 [n.sp.];
Metcalf 1966b, 6(13): 167 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Stenotartessus mullensis* (Evans)
Euprora mullensis Evans 1938b: 10 [n.sp.]; Metcalf
1964b, 6(11): 145 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Stenotortor inocarpi* Baker
Stenotortor inocarpi Baker 1923a: 377 [n.sp.]; Metcalf
1963b, 6(7): 4 [Cat.]
DISTRIBUTION: Singapore (Metcalf Cat.)
- Stictocoris hybneri* (Gmelin)
Cicada lineata Fabricius 1787a: 270 [n.sp.]; Metcalf
1967a, 6(10a): 949 [Cat.]
Cicada hybneri Gmelin 1789a: 2107 [nom.nov. for
Cicada lineata Fabricius 1787]; Metcalf 1967a,
6(10a): 949 [Cat.]
- Cicada picturata* Sahlberg 1842a: 89 [n.sp.]; Metcalf
1967a, 6(10a): 950 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
Great Britain, Russia, Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
Cat.)
- Stictoscarta dissimilis* Schmidt
Stictoscarta dissimilis Schmidt 1928a: 44 [n.sp.];
Metcalf 1965a, 6(1): 600 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Stictoscarta exoleta* Melichar
Stictoscarta exoleta Melichar 1926a: 278 [n.sp.];
Metcalf 1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Colombia (Young 1968a)
- Stictoscarta indebita* Melichar
Stictoscarta indebita Melichar 1926a: 277 [n.sp.];
Metcalf 1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Brazil (Young 1968a)
- Stictoscarta linearis* (Walker)
Aulacizes linearis Walker 1851b: 791 [n.sp.]; Metcalf
1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Guyana, Brazil (Young 1968a)
- Stictoscarta marcia* Distant
Stictoscarta marcia Distant 1908b: 68 [n.sp.]; Metcalf
1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Peru, Ecuador (Young 1968a)
- Stictoscarta pruinina* (Signoret)
Tettigonia pruinina Signoret 1853b: 342 [n.sp.];
Metcalf 1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Stictoscarta ruficollis* Schmidt
Stictoscarta ruficollis Schmidt 1928a: 45 [n.sp.];
Metcalf 1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Stictoscarta sulcicollis* (Germar)
Tettigonia sulcicollis Germar 1821a: 62 [n.sp.];
Metcalf 1965a, 6(1): 601 [Cat.]
DISTRIBUTION: Trinidad, Brazil, Argentina (Young
1968a)
- Stirellus affinis* Osborn
Stirellus affinis Osborn 1934a: 180 [n.sp.]; Metcalf
1967a, 6(10a): 104 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf
Cat.)
- Stirellus beameri* Ball
Stirellus beameri Ball 1933c: 226 [n.sp.]; Metcalf
1967a, 6(10a): 104 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus bicolor* (Van Duzee)
Athy sanus bicolor Van Duzee 1892a: 114 [n.sp.];
Metcalf 1967a, 6(10a): 105 [Cat.]
Deltoccephalus virgulatus Uhler 1895a: 78 [n.sp.];
Metcalf 1967a, 6(10a): 105 [Cat.]
DISTRIBUTION: North, Central and South America,
West Indies (Metcalf Cat.)
- Stirellus convexus* Thomas

- Stirellus convexus* Thomas 1933a: 130 [n.sp.]; Metcalf 1967a, 6(10a): 108 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus dixianus* Thomas
Stirellus dixianus Thomas 1933a: 131 [n.sp.]; Metcalf 1967a, 6(10a): 109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus dixianus acutus* Thomas
Stirellus dixianus acutus Thomas 1933a: 132 [n.subsp. of *dixianus*]; Metcalf 1967a, 6(10a): 109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus dixianus robustus* Thomas
Stirellus dixianus robustus Thomas 1933a: 132 [n.subsp. of *dixianus*]; Metcalf 1967a, 6(10a): 109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus elegantulus* Linnauvori
Stirellus picinus elegantulus Linnauvori 1954a: 60 [n.sp.]; Metcalf 1967a, 6(10a): 110 [Cat.]
DISTRIBUTION: Argentina, Paraguay (Metcalf Cat.)
- Stirellus hospes* (Kirkaldy)
Deltocephalus hospes Kirkaldy 1904a: 177 [n.sp.]; Metcalf 1967a, 6(10a): 110 [Cat.]
DISTRIBUTION: Oceania: Hawaii Islands, Oceania: Guam, Oceania: Mariana Islands, Australia (Metcalf Cat.)
- Stirellus mexicanus* (Osborn & Ball)
Athysanus mexicanus Osborn & Ball 1902a: 254 [n.sp.]; Metcalf 1967a, 6(10a): 111 [Cat.]
DISTRIBUTION: Mexico, Cuba, United States (Metcalf Cat.)
- Stirellus nigripectus* Merino
Stirellus nigripectus Merino 1936a: 372 [n.sp.]; Metcalf 1967a, 6(10a): 111 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Stirellus obtutus* (Van Duzee)
Athysanus obtusus Van Duzee 1892a: 115 [n.sp.]; Metcalf 1967a, 6(10a): 111 [Cat.]
Athysanus obtutus Van Duzee 1892f: 156 [nom.nov. for *Athysanus obtusus* Van Duzee 1892]; Metcalf 1967a, 6(10a): 111 [Cat.]
DISTRIBUTION: United States, Cuba (Metcalf Cat.)
- Stirellus osborni* Knoll
Stirellus osborni Knoll 1944c: 240 [n.sp.]; Metcalf 1967a, 6(10a): 114 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus pacificus* Osborn
Stirellus pacificus Osborn 1934a: 179 [n.sp.]; Metcalf 1967a, 6(10a): 114 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Stirellus samoanus* Osborn
Stirellus samoanus Osborn 1934a: 180 [n.sp.]; Metcalf 1967a, 6(10a): 115 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Stirellus subnubilus* Knoll
Stirellus subnubilus Knoll 1949a: 119 [n.sp.]; Metcalf 1967a, 6(10a): 115 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stirellus subviridis* Metcalf
Stirellus subviridis Metcalf 1946d: 125 [n.sp.]; Metcalf 1967a, 6(10a): 115 [Cat.]
DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Stirellus tauensis* Osborn
Stirellus tauensis Osborn 1934a: 181 [n.sp.]; Metcalf 1967a, 6(10a): 115 [Cat.]
DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Stonasla censors* (White)
Stonasia censors White 1878a:472 [n.sp.]; Metcalf 1966a,6(14):4 [Cat.]
DISTRIBUTION: South Atlantic Ocean: St.Helena (Metcalf Cat.)
- Stonasla undulata* (White)
Stonasia undulata White 1878a:472 [n.sp.]; Metcalf 1966a,6(14):4 [Cat.]
DISTRIBUTION: South Atlantic Ocean: St.Helena (Metcalf Cat.)
- Stoneana balli* DeLong
Stoneana balli DeLong 1943b: 449 [n.sp.]; Metcalf 1967b, 6(10b): 1748 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stoneana marthae* DeLong
Stoneana marthae DeLong 1943b: 448 [n.sp.]; Metcalf 1967b, 6(10b): 1748 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stoneana separata* DeLong
Stoneana separatus DeLong 1943b: 450 [n.sp.]; Metcalf 1967b, 6(10b): 1748 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stragania acutistylata* Beamer & Lawson
Stragania acutistylata Beamer & Lawson 1945a:55 [n.sp.]; Metcalf 1966c,6(15):100 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania acutistylata gibbosa* Beamer & Lawson
Stragania acutistylata gibbosa Beamer & Lawson 1945a:55 [n.subsp. of *acutistylata*]; Metcalf 1966c,6(15):100 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania alabamensis* (Baker)
Macropsis alabamensis Baker 1900a:58 [n.sp.]; Metcalf 1966c,6(15):101 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania alboscutellata* Beamer & Lawson
Stragania alboscutellata Beamer & Lawson 1945a:62 [n.sp.]; Metcalf 1966c,6(15):101 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania apicalis* (Osborn & Ball)
Macropsis apicalis Osborn & Ball 1898e:64 [n.sp.]; Metcalf 1966c,6(15):101 [Cat.]

- DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Stragania atra* (Baker)
Macropsis atra Baker 1900a:56 [n.sp.]; Metcalf 1966c,6(15):103 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania bisignata* (Ball)
Macropsis bisignata Ball 1902e:303 [n.sp.]; Metcalf 1966c,6(15):104 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania brunnea* (Matsumura)
Macropsis brunnea Matsumura 1912b:301 [n.sp.]; Metcalf 1966c,6(15):104 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Stragania californica* (Baker)
Macropsis californicus Baker 1900a:57 [n.sp.]; Metcalf 1966c,6(15):105 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania diminuta* (Matsumura)
Macropsis diminuta Matsumura 1912b:297 [n.sp.]; Metcalf 1966c,6(15):105 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Stragania divisa* (Stål)
Gypona (Stragania) divisa Stål 1862e:49 [n.sp.]; Metcalf 1966c,6(15):105 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Stragania franciscana* (Baker)
Macropsis franciscana Baker 1903e:12 [n.sp.]; Metcalf 1966c,6(15):106 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania grandis* (Ball)
Macropsis grandis Ball 1909b:186 [n.sp.]; Metcalf 1966c,6(15):106 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania hualpaiana* Knoll
Stragania (Penestragania) hualpaiana Knoll 1949a:119 [n.sp.]; Metcalf 1966c,6(15):107 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania humilis* Stål
Stragania humilis Stål 1864a:85 [n.sp.]; Metcalf 1966c,6(15):107 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Stragania hyalina* Beamer & Lawson
Stragania hyalina Beamer & Lawson 1945a:60 [n.sp.]; Metcalf 1966c,6(15):107 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania innervis* (Fowler)
Gargaropsis innervis Fowler 1896a:168 [n.sp.]; Metcalf 1966c,6(15):108 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Stragania longistylata* Beamer & Lawson
Stragania longistylata Beamer & Lawson 1945a:56 [n.sp.]; Metcalf 1966c,6(15):108 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania magna* (Baker)
- Macropsis magnus Baker 1900a:57 [n.sp.]; Metcalf 1966c,6(15):108 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania major* Beamer & Lawson
Stragania major Beamer & Lawson 1945a:57 [n.sp.]; Metcalf 1966c,6(15):108 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania marginata* Beamer & Lawson
Stragania marginata Beamer & Lawson 1945a:54 [n.sp.]; Metcalf 1966c,6(15):109 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania matsumurai* [sic] Metcalf
Macropsis dorsalis Matsumura 1912b:300 [n.sp.]; Metcalf 1966c,6(15):109 [Cat.]
Stragania matsumuri Metcalf 1955a:266 [nom.nov. for Macropsis dorsalis Matsumura 1912]; Metcalf 1966c,6(15):109 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Stragania misella* Stål
Stragania misella Stål 1864a:85 [n.sp.]; Metcalf 1966c,6(15):109 [Cat.]
DISTRIBUTION: Mexico, United States (Metcalf Cat.)
- Stragania munda* (Uhler)
Pachyopsis mundus Uhler 1896a:292 [n.sp.]; Metcalf 1966c,6(15):110 [Cat.]
DISTRIBUTION: Japan, China, Korea (Metcalf Cat.)
- Stragania nicaraguensis* (Baker)
Macropsis nicaraguensis Baker 1903e:11 [n.sp.]; Metcalf 1966c,6(15):111 [Cat.]
DISTRIBUTION: Nicaragua (Metcalf Cat.)
- Stragania ogasawarensis* (Matsumura)
Macropsis ogasawarensis Matsumura 1912b:299 [n.sp.]; Metcalf 1966c,6(15):111 [Cat.]
DISTRIBUTION: Bonin Islands (Metcalf Cat.)
- Stragania oregonensis* Beamer & Lawson
Stragania oregonensis Beamer & Lawson 1945a:56 [n.sp.]; Metcalf 1966c,6(15):111 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania ornatula* (Stål)
Gypona (Stragania) ornatula Stål 1862e:49 [n.sp.]; Metcalf 1966c,6(15):111 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Stragania pallescens* (Stål)
Gypona (Stragania) pallescens Stål 1862e:49 [n.sp.]; Metcalf 1966c,6(15):112 [Cat.]
DISTRIBUTION: Brazil, Nicaragua (Metcalf Cat.)
- Stragania pruinosa* Beamer & Lawson
Stragania pruinosa Beamer & Lawson 1945a:58 [n.sp.]; Metcalf 1966c,6(15):112 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania puertoricensis* Caldwell
Stragania puertoricensis Caldwell 1952 [in Caldwell & Martorell 1952a:22] [n.sp.]; Metcalf 1966c,6(15):112 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)

- Stragania robusta* (Uhler)
Pachyopsis robustus Uhler 1877a:467 [n.sp.]; Metcalf 1966c,6(15):112 [Cat.]
DISTRIBUTION: United States, Canada, Cuba, Oceania: Hawaii Islands, Mexico (Metcalf Cat.)
- Stragania rubra* Beamer & Lawson
Stragania rubra Beamer & Lawson 1945a:56 [n.sp.]; Metcalf 1966c,6(15):114 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Stragania rufoscutellata* (Baker)
Macropsis rufoscutellata Baker 1900a:58 [n.sp.]; Metcalf 1966c,6(15):114 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
- Stragania stigmatica* (Matsumura)
Macropsis stigmatica Matsumura 1912b:298 [n.sp.]; Metcalf 1966c,6(15):115 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Stragania turgida* Beamer & Lawson
Stragania turgida Beamer & Lawson 1945a:66 [n.sp.]; Metcalf 1966c,6(15):115 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Streptanus aemulans* (Kirschbaum)
Jassus (Athysanus) aemulans Kirschbaum 1868b: 107 [n.sp.]; Metcalf 1967a, 6(10a): 273 [Cat.]
Jassus (Athysanus) minkii Kirschbaum 1868b: 108 [n.sp.]; Metcalf 1967a, 6(10a): 273 [Cat.]
Jassus (Athysanus) obtusus Kirschbaum 1868b: 108 [n.sp.]; Metcalf 1967a, 6(10a): 273 [Cat.]
Athysanus sahlbergi Reuter 1880a: 209,220 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 273 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Ireland, Scandinavia, Russia, United States, Canada (Metcalf Cat.)
- Streptanus confinis* (Reuter)
Athysanus confinis Reuter 1880a: 211 [n.sp.]; Metcalf 1967a, 6(10a): 280 [Cat.]
Euscelis deceptus Sanders & DeLong 1917a: 87 [n.sp.]; Metcalf 1967a, 6(10a): 280 [Cat.]
Euscelis wagneri Ossian Nilsson 1944a: 14 [n.sp.]; Metcalf 1967a, 6(10a): 281 [Cat.]
DISTRIBUTION: Scandinavia, Sweden, United States, Canada (Metcalf Cat.)
- Streptanus marginatus* (Kirschbaum)
Athysanus brevipennis Kirschbaum 1858a: 9 [n.sp.]; Metcalf 1967a, 6(10a): 282 [Cat.]
Athysanus marginatus Kirschbaum 1858a: 7 [n.sp.]; Metcalf 1967a, 6(10a): 282 [Cat.]
Jassus (Athysanus) similis Kirschbaum 1868b: 114 [n.sp.]; Metcalf 1967a, 6(10a): 282 [Cat.]
Jassus porrectus Thomson 1869a: 56 [n.sp.]; Metcalf 1967a, 6(10a): 282 [Cat.]
Athysanus depressus Scott 1875h: 95 [n.sp.]; Metcalf 1967a, 6(10a): 283 [Cat.]
Euscelis hyperboreus Van Duzee 1919a: 4F [n.sp.]; Metcalf 1967a, 6(10a): 286 [Cat.]
- DISTRIBUTION:** Widespread Europe, Great Britain, Scandinavia, Northern Africa, Russia, United States, Canada (Metcalf Cat.)
- Streptanus sordidus* (Zetterstedt)
Cicada sordida Zetterstedt 1828a: 531 [n.sp.,not nom.nov.]; Metcalf 1967a, 6(10a): 290 [Cat.]
Jassus (Athysanus) confusus Kirschbaum 1868b: 107 [n.sp.]; Metcalf 1967a, 6(10a): 292 [Cat.]
Jassus (Athysanus) dilutus Kirschbaum 1868b: 112 [n.sp.]; Metcalf 1967a, 6(10a): 292 [Cat.]
Athysanus fraterculus Reuter 1880a: 211 [n.sp.]; Metcalf 1967a, 6(10a): 293 [Cat.]
Athysanus relativus Gillette & Baker 1895a: 93 [n.sp.]; Metcalf 1967a, 6(10a): 294 [Cat.]
Athysanus lindbergi Baker 1925a: 160 [nom.nov. for *Athysanus fraterculus* Reuter 1880]; Metcalf 1967a, 6(10a): 297 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Northern Africa, Russia, United States, Canada, Japan (Metcalf Cat.)
- Streptanus sordidus munda* (Haupt)
Euscelis munda Haupt 1927a: 26 [n.subsp. of *sordidus*]; Metcalf 1967a, 6(10a): 302 [Cat.]
DISTRIBUTION: Northern Russia, Mediterranean region (Metcalf Cat.)
- Strictogonia projecta* Melichar
Strictogonia projecta Melichar 1926a:358 [n.sp.]; Metcalf 1965a,6(1):57 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Strictogonia unifasciata* (Fabricius)
Cicada unifasciata Fabricius 1803a:72 [n.sp.]; Metcalf 1965a,6(1):57 [Cat.]
DISTRIBUTION: Brazil, Guyana (Metcalf Cat.)
- Stroggylocephalus agrestis* (Fallén)
Cicada agrestis Fallén 1806a:23 [n.sp.]; Metcalf 1963c,6(8):40 [Cat.]
Tettigonia mixta Say 1825a:341 [n.sp.]; Metcalf 1963c,6(8):40 [Cat.]
Amblycephalus maculipes Curtis 1835a:pl.572 [n.sp.]; Metcalf 1963c,6(8):40 [Cat.]
DISTRIBUTION: Widespread North America, United Kingdom, Europe, Mediterranean, Asia, Scandinavia, Oriental Region (Metcalf Cat.)
- Stroggylocephalus agrestis irroratus* (Curtis)
Amblycephalus agrestis irroratus Curtis 1835a:pl.572 [n.sp.]; Metcalf 1963c,6(8):49 [Cat.]
DISTRIBUTION: England (Metcalf Cat.)
- Stroggylocephalus livens* (Zetterstedt)
Pholetaera livens Zetterstedt 1840a:288 [n.sp.]; Metcalf 1963c,6(8):50 [Cat.]
Pholetaera nigropunctata Zetterstedt 1840a:288 [n.sp.]; Metcalf 1963c,6(8):50 [Cat.]
Stronggylocephalus megerlei Scott 1874g:122 [n.sp.]; Metcalf 1963c,6(8):51 [Cat.]
DISTRIBUTION: Scandinavia, Europe, Western Mediterranean (Metcalf Cat.)

- Strongylomma caffra* Spinola
Strongylomma caffra Spinola 1850b: 136 [n.sp.];
 Metcalf 1966d, 6(16): 7 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Stymphalella minuta* Evans
Stymphalella minuta Evans 1954a: 126 [n.sp.];
 Metcalf 1967c, 6(10c): 2242 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Stymphalus calliger* Melichar
Stymphalus calliger Melichar 1904a: 37 [n.sp.];
 Metcalf 1967c, 6(10c): 2105 [Cat.]
DISTRIBUTION: Somalia (Metcalf Cat.)
- Stymphalus rubrolineatus* (Stål)
Platymetopius rubrolineatus Stål 1855a: 99 [n.sp.];
 Metcalf 1967c, 6(10c): 2105 [Cat.]
DISTRIBUTION: South Africa, Zaire, Tanzania
 (Metcalf Cat.)
- Sudra insularis* Schmidt
Sudra insularis Schmidt 1920l: 117 [n.sp.]; Metcalf
 1962a, 6(2): 8 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Sudra notanda* Distant
Sudra notanda Distant 1908g: 257 [n.sp.]; Metcalf
 1962a, 6(2): 8 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Sujitettix ferrugineus* Matsumura
Sujitettix ferrugineus Matsumura 1931b: 76 [n.sp.];
 Metcalf 1968a, 6(17): 268 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Sunda ribeiroi* Singh-Pruthi
Sunda ribeiroi Singh-Pruthi 1936a: 112 [n.sp.];
 Metcalf 1967c, 6(10c): 2352 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Sympypyga albicosta* Kusnezov
Sympypyga albicosta Kusnezov 1929c: 343 [n.sp.];
 Metcalf 1966a, 6(14): 166 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Sympypyga albiguttata* Kusnezov
Sympypyga albiguttata Kusnezov 1929c: 343 [n.sp.];
 Metcalf 1966a, 6(14): 167 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Sympypyga haupti* Kusnezov
Sympypyga haupti Kusnezov 1929c: 343 [n.sp.];
 Metcalf 1966a, 6(14): 167 [Cat.]
DISTRIBUTION: Russia (Metcalf Cat.)
- Sympypyga impressa* (Melichar)
Agallia impressa Melichar 1902c: 122 [n.sp.]; Metcalf
 1966a, 6(14): 167 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Sympypyga leopardina* Haupt
Sympypyga leopardina Haupt 1917d: 242 [n.sp.];
 Metcalf 1966a, 6(14): 167 [Cat.]
- DISTRIBUTION:** Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- DISTRIBUTION:** Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Sympypyga maculata* Singh-Prothi
Sympypyga maculatus Singh-Prothi 1930a: 17 [n.sp.];
 Metcalf 1966a, 6(14): 167 [Cat.]
DISTRIBUTION: India, Pakistan (Metcalf Cat.)
- Sympypyga melichari* Kusnezov
Sympypyga melichari Kusnezov 1929c: 345 [n.sp.];
 Metcalf 1966a, 6(14): 167 [Cat.]
DISTRIBUTION: Iran, Turkmenistan (Metcalf Cat.)
- Sympypyga melichari fuscopunctata* Kusnezov
Sympypyga melichari fuscopunctata Kusnezov
 1929c: 346 [n.subsp. of melichari]; Metcalf
 1966a, 6(14): 168 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Sympypyga melichari rufinervis* Kusnezov
Sympypyga melichari rufinervis Kusnezov
 1929c: 346 [n.subsp. of melichari]; Metcalf
 1966a, 6(14): 168 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Sympypyga obsoleta* Haupt
Sympypyga obsoleta Haupt 1917d: 241 [n.sp.];
 Metcalf 1966a, 6(14): 168 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Sympypyga obsoleta infuscata* Lindberg
Sympypyga obsoleta infuscata Lindberg 1925a: 108
 [n.subsp. of obsoleta]; Metcalf 1966a, 6(14): 168
 [Cat.]
DISTRIBUTION: Kazakhstan, Turkmenistan (Metcalf
 Cat.)
- Sympypyga prodigiosa* (Melichar)
Idiocerus prodigious Melichar 1902c: 121 [n.sp.];
 Metcalf 1966a, 6(14): 168 [Cat.]
DISTRIBUTION: Iran (Metcalf Cat.)
- Sympypyga repetekia* Kusnezov
Sympypyga repetekia Kusnezov 1929a: 311 [n.sp.];
 Metcalf 1966a, 6(14): 168 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Sympypyga tristis* Haupt
Sympypyga tristis Haupt 1917d: 242 [n.sp.]; Metcalf
 1966a, 6(14): 169 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Sympypyga turkestanica* Kusnezov
Sympypyga turkestanica Kusnezov 1929c: 344
 [n.sp.]; Metcalf 1966a, 6(14): 169 [Cat.]
DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan (Metcalf Cat.)
- Synogonia nasuta* (Fowler)

- Tettigonia nasuta* Fowler 1900d:291 [n.sp.]; Metcalf 1965a,6(1):410 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)
- Synophropsis lauri* (Horváth)
Thamnotettix lauri Horváth 1897b: 631 [n.sp.]; Metcalf 1967b, 6(10b): 1747 [Cat.]
Synophropsis wagneri Haupt 1926b: 309 [n.sp.]; Metcalf 1967b, 6(10b): 1747 [Cat.]
DISTRIBUTION: Italy, Greece, Croatia, Hungary, Croatia, Russia, Yugoslavia (Metcalf Cat.)
- Syringophora brevis* (Walker)
Rhaphirhinus [sic] *brevis* Walker 1851b:807 [n.sp.]; Metcalf 1965a,6(1):539 [Cat.]
DISTRIBUTION: Venezuela, Colombia, Brazil, China (Metcalf Cat.)
- Tacora dilecta* (Walker)
Tettigonia dilecta Walker 1851b:747 [n.sp.]; Metcalf 1965a,6(1):58 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Tacora resoluta* Melichar
Tacora resoluta Melichar 1926a:359 [n.sp.]; Metcalf 1965a,6(1):58 [Cat.]
DISTRIBUTION: Peru (Young 1977a)
- Tambila conspersa* Distant
Tambila conspersa Distant 1918b:24 [n.sp.]; Metcalf 1962b,6(3):210 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tambila fletcheri* Distant
Tambila fletcheri Distant 1918b:23 [n.sp.]; Metcalf 1962b,6(3):210 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tambila gravelyi* Distant
Tambila gravelyi Distant 1918b:23 [n.sp.]; Metcalf 1962b,6(3):210 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tambila greeni* Distant
Tambila greeni Distant 1908g:247 [n.sp.]; Metcalf 1962b,6(3):211 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tambila opulenta* Distant
Tambila opulenta Distant 1918b:23 [n.sp.]; Metcalf 1962b,6(3):211 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tapajosa fulvopunctata* (Signoret)
Tettigonia fulvopunctata Signoret 1854c:484 [n.sp.]; Metcalf 1965a,6(1):511 [Cat.]
DISTRIBUTION: Venezuela, Brazil (Young 1968a)
- Tapajosa fulvopunctata concolor* Melichar
Tapajosa fulvopunctata concolor Melichar 1924a:242 [n.subsp. of *fulvopunctata*]; Metcalf 1965a,6(1):512 [Cat.]
DISTRIBUTION: Brazil, Venezuela, Uruguay, Ecuador (Metcalf Cat.)
- Tapajosa obscurior* (Fowler)
Phera obscurior Fowler 1899a:224 [n.sp.]; Metcalf 1965a,6(1):512 [Cat.]
- DISTRIBUTION:** Guatemala, Colombia, Peru (Young 1968a)
Tapajosa rufipennis Melichar
Tapajosa rufipennis Melichar 1924a:243 [n.sp.]; Metcalf 1965a,6(1):512 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Tapajosa ulcerata* (Signoret)
Tettigonia ulcerata Signoret 1854d:722 [n.sp.]; Metcalf 1965a,6(1):512 [Cat.]
DISTRIBUTION: Brazil, Colombia, Bolivia (Young 1977a)
- Tartessella attenuata* Evans
Tartessella attenuata Evans 1936b:56 [n.sp.]; Metcalf 1964b,6(11):143 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessella campbelli* Evans
Tartessella campbelli Evans 1936b:57 [n.sp.]; Metcalf 1964b,6(11):143 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessella incompleta* Evans
Tartessella incompleta Evans 1936b:57 [n.sp.]; Metcalf 1964b,6(11):143 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessoidea griseus* Evans
Tartessoidea griseus Evans 1936b:56 [n.sp.]; Metcalf 1964b,6(11):142 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus antecedens* (Walker)
Bythoscopus antecedens Walker 1870b:316 [n.sp.]; Metcalf 1964b,6(11):127 [Cat.]
Bythoscopus bimarginatus Walker 1870b:318 [n.sp.]; Metcalf 1964b,6(11):127 [Cat.]
DISTRIBUTION: West Indonesia, East Indonesia, New Guinea (Metcalf Cat.)
- Tartessus badius* (Walker)
Bythoscopus badius Walker 1870b:321 [n.sp.]; Metcalf 1964b,6(11):127 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tartessus basivitta* (Walker)
Bythoscopus basivitta Walker 1870b:318 [n.sp.]; Metcalf 1964b,6(11):127 [Cat.]
Bythoscopus luteatus Walker 1870b:319 [n.sp.]; Metcalf 1964b,6(11):127 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Tartessus blundellensis* Evans
Tartessus blundellensis Evans 1936b:55 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus colligatus* (Walker)
Bythoscopus colligatus Walker 1870b:319 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tartessus concolor* (Walker)
Bythoscopus concolor Walker 1870b:317 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]

- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Tartessus coronatus* Distant
Tartessus coronatus Distant 1920f:468 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
- DISTRIBUTION:** Oceania: New Caledonia (Metcalf Cat.)
- Tartessus cupreipennis* (Walker)
Bythoscopus cupreipennis Walker 1870b:321 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
- Tartessus diaphanus* (Walker)
Bythoscopus diaphanus Walker 1870b:321 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
- Tartessus dimidiatus* (Walker)
Bythoscopus dimidiatus Walker 1870b:319 [n.sp.]; Metcalf 1964b,6(11):128 [Cat.]
- DISTRIBUTION:** Australia, New Guinea (Metcalf Cat.)
- Tartessus evansi* Metcalf
Tartessus obscurus Evans 1936b:54 [n.sp.]; Metcalf 1964b,6(11):129 [Cat.]
- Tartessus evansi Metcalf 1955a:266 [nom.nov. for Tartessus obscurus Evans 1936]; Metcalf 1964b,6(11):129 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tartessus ferrugineus* (Walker)
Bythoscopus ferrugineus Walker 1851b:865 [n.sp.]; Metcalf 1964b,6(11):129 [Cat.]
- Bythoscopus biarcuatus Walker 1857b:174 [n.sp.]; Metcalf 1964b,6(11):129 [Cat.]
- DISTRIBUTION:** East Indonesia, West Indonesia, Borneo, Philippines, Cambodia, Myanmar, Malaysia, Japan, Taiwan, China, Australia (Metcalf Cat.)
- Tartessus ferrugineus akonis* Matsumura
Tartessus ferrugineus akonis Matsumura 1912b:297 [n.subsp. of nigricosta]; Metcalf 1964b,6(11):131 [Cat.]
- DISTRIBUTION:** Taiwan, Japan, Korea, China (Metcalf Cat.)
- Tartessus ferrugineus nigricosta* Matsumura
Tartessus ferrugineus nigricosta Matsumura 1912b:296 [n.sp.]; Metcalf 1964b,6(11):131 [Cat.]
- DISTRIBUTION:** Japan, Taiwan (Metcalf Cat.)
- Tartessus fieberi* Stål
Tartessus fieberi Stål 1865b:156 [n.sp.]; Metcalf 1964b,6(11):132 [Cat.]
- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?), Philippines, West Indonesia (Metcalf Cat.)
- Tartessus flavibasis* (Walker)
Bythoscopus flavibasis Walker 1870b:320 [n.sp.]; Metcalf 1964b,6(11):132 [Cat.]
- DISTRIBUTION:** East Indonesia (Metcalf Cat.)
- Tartessus flavifrons* Schmidt
Tartessus flavifrons Schmidt 1920a:55 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Tartessus flavipes* Spångberg
Tartessus flavipes Spångberg 1878c:4 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tartessus flavus* Evans
Tartessus flavus Evans 1941f:156 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tartessus fulvescens* Jacobi
Tartessus fulvescens Jacobi 1941a:304 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- DISTRIBUTION:** West Indonesia (Metcalf Cat.)
- Tartessus fulvus* (Walker)
Bythoscopus fulvus Walker 1851b:866 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Bythoscopus latifrons Walker 1851b:869 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Bythoscopus transversus Walker 1851b:869 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Bythoscopus semicitrinus Walker 1858a:105 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Bythoscopus signifrons Walker 1858a:106 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Tartessus australicus Spångberg 1878c:3 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Tartessus subniger Signoret 1880c:350 [n.sp.]; Metcalf 1964b,6(11):133 [Cat.]
- Tartessus syrtidis Kirkaldy 1906c:341 [n.sp.]; Metcalf 1964b,6(11):134 [Cat.]
- DISTRIBUTION:** Tasmania, Australia (Metcalf Cat.)
- Tartessus fumus* Evans
Tartessus fumus Evans 1941f:155 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tartessus gokaensis* Shiraki
Tartessus gokaensis Shiraki 1913a:151 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
- DISTRIBUTION:** Taiwan, Japan (Metcalf Cat.)
- Tartessus guttatinervis* Jacobi
Tartessus guttatinervis Jacobi 1941a:304 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
- DISTRIBUTION:** East Indonesia, West Indonesia (Metcalf Cat.)
- Tartessus guttulatus* Spångberg
Tartessus guttulatus Spångberg 1878c:8 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
- DISTRIBUTION:** New Guinea (Metcalf Cat.)
- Tartessus iambe* Kirkaldy
Tartessus iambe Kirkaldy 1907d:46 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tartessus ianassa* Kirkaldy

- Tartessus ianassa Kirkaldy 1907d:47 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
 Tartessus iokaste Kirkaldy 1907d:48 [n.sp.]; Metcalf 1964b,6(11):135 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus ianeira Kirkaldy
 Tartessus ianeira Kirkaldy 1907d:48 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus idyia Kirkaldy
 Tartessus idyia Kirkaldy 1907d:44 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus io Kirkaldy
 Tartessus ianthe Kirkaldy 1907d:47 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 Tartessus io Kirkaldy 1907d:46 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus iphis Kirkaldy
 Tartessus iphis Kirkaldy 1907d:45 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus issa Kirkaldy
 Tartessus issa Kirkaldy 1907d:45 [n.sp.]; Metcalf 1964b,6(11):136 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus itonias Kirkaldy
 Tartessus itonias Kirkaldy 1907d:44 [n.sp.]; Metcalf 1964b,6(11):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus latus Evans
 Tartessus latus Evans 1941f:156 [n.sp.]; Metcalf 1964b,6(11):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus mackerrasi Evans
 Tartessus mackerrasi Evans 1936b:54 [n.sp.]; Metcalf 1964b,6(11):137 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus malayus (Stål)
 Bythoscopus ferrugineus malayus Stål 1859b:290 [n.sp.]; Metcalf 1964b,6(11):137 [Cat.]
 DISTRIBUTION: Japan, Malaysia, Philippines, China, Russia, Singapore (Metcalf Cat.)
- Tartessus mundarensis Evans
 Tartessus mundarensis Evans 1941f:155 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus nigrinervis Schmidt
 Tartessus nigrinervis Schmidt 1926a:255 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Tartessus obscurus Schmidt
 Tartessus obscurus Schmidt 1920a:54 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tartessus occidentalis Jacobi
 Tartessus occidentalis Jacobi 1909a:342 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus ochraceus Metcalf
 Tartessus ochraceus Metcalf 1946d:129 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: Oceania: Guam (Metcalf Cat.)
- Tartessus pallidus Evans
 Tartessus pallidus Evans 1936b:54 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus perobscurus Jacobi
 Tartessus perobscurus Jacobi 1941a:303 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus plebejus Spångberg
 Tartessus plebejus Spångberg 1878c:5 [n.sp.]; Metcalf 1964b,6(11):139 [Cat.]
 DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Tartessus polygrammus (Walker)
 Bythoscopus polygrammus Walker 1870b:317 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tartessus pulchellus Spångberg
 Tartessus pulchellus Spångberg 1878c:10 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus reuteri Signoret
 Tartessus reuteri Signoret 1880c:361 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: Oceania: New Caledonia (Metcalf Cat.)
- Tartessus rubrivenosus Evans
 Tartessus rubrivenosus Evans 1941f:156 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus rugosus Evans
 Tartessus rugosus Evans 1941f:156 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus sahlbergii Signoret
 Tartessus sahlbergii Signoret 1880c:351 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus sananas Distant
 Tartessus sananas Distant 1912h:603 [n.sp.]; Metcalf 1964b,6(11):140 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tartessus scabrifrons (Walker)
 Bythoscopus scabrifrons Walker 1870b:321 [n.sp.]; Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tartessus semivenosus (Walker)

- Bythoscopus semivenosus* Walker 1870b:322 [n.sp.];
 Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tartessus solomonensis* Distant
Tartessus solomonensis Distant 1911c:388 [n.sp.];
 Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: Oceania: Solomon Islands (Metcalf Cat.)
- Tartessus spinosus* Evans
Tartessus spinosus Evans 1936b:55 [n.sp.]; Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tartessus stalii* Signoret
Tartessus stalii Signoret 1880c:352 [n.sp.]; Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: Oceania: New Caledonia (Metcalf Cat.)
- Tartessus swazeyi* Metcalf
Tartessus swazeyi Metcalf 1946d:130 [n.sp.]; Metcalf 1964b,6(11):141 [Cat.]
 DISTRIBUTION: Oceania: Micronesia (Guam) (Metcalf Cat.)
- Tartessus trivialis* Spångberg
Tartessus trivialis Spångberg 1878c:5 [n.sp.]; Metcalf 1964b,6(11):142 [Cat.]
 DISTRIBUTION: East Indonesia: Mysol (Misool Island?), New Guinea (Metcalf Cat.)
- Tartessus uniformis* Spångberg
Tartessus uniformis Spångberg 1878c:6 [n.sp.]; Metcalf 1964b,6(11):142 [Cat.]
 DISTRIBUTION: East Indonesia: Mysol (Misool Island?) (Metcalf Cat.)
- Taslopa montana* Evans
Taslopa brachyptera Evans 1942a:30 [n.sp.]; Metcalf 1962d,6(5):78 [Cat.]
Taslopa montana Evans 1942a:29 [n.sp.]; Metcalf 1962d,6(5):78 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tasmanotettix maculatus* Evans
Tasmanotettix maculata Evans 1938b: 12 [n.sp.]; Metcalf 1967a, 6(10a): 102 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Taurotettix beckeri* (Fieber)
Thamnotettix beckeri Fieber 1885a: 94 [n.sp.]; Metcalf 1967b, 6(10b): 1739 [Cat.]
 DISTRIBUTION: Russia, Romania, Algeria (Metcalf Cat.)
- Teleogonia fusca* (Walker)
Tettigonia fusca Walker 1851b:741 [n.sp.]; Metcalf 1965a,6(1):540 [Cat.]
 DISTRIBUTION: French Guiana, Colombia, Paraguay (Young 1977a)
- Teleogonia jacobii* Melichar
Teleogonia jacobii Melichar 1925a:362 [n.sp.]; Metcalf 1965a,6(1):541 [Cat.]
 DISTRIBUTION: Colombia, Ecuador (Young 1977a)
- Teleogonia nigrifrons* Schmidt
Teleogonia nigrifrons Schmidt 1928c:66 [n.sp.]; Metcalf 1965a,6(1):541 [Cat.]
 DISTRIBUTION: Ecuador (Young 1977a)
- Teletusa castanea* Melichar
Teletusa castanea Melichar 1925a:348 [n.sp.]; Metcalf 1965a,6(1):524 [Cat.]
 DISTRIBUTION: Suriname (Metcalf Cat.)
- Teletusa castanoptera* Melichar
Teletusa castanoptera Melichar 1925a:348 [n.sp.]; Metcalf 1965a,6(1):524 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Teletusa excavata* (Peleter & Serville)
Proconia excavata Peleter & Serville 1825a:611 [n.sp.]; Metcalf 1965a,6(1):524 [Cat.]
Cicada fulvofasciata Gray 1832a:223 [n.sp.]; Metcalf 1965a,6(1):524 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Teletusa excavata atra* Melichar
Teletusa excavata atra Melichar 1925a:345 [n.subsp. of excavata]; Metcalf 1965a,6(1):525 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Teletusa excavata cinctipes* (Walker)
Ciccus cinctipes Walker 1851b:803 [n.sp.]; Metcalf 1965a,6(1):525 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Teletusa excavata intermedia* (Walker)
Ciccus intermedia Walker 1851b:803 [n.sp.]; Metcalf 1965a,6(1):526 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Teletusa excavata rufifacies* (Walker)
Ciccus rufifacies Walker 1851b:802 [n.sp.]; Metcalf 1965a,6(1):526 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Teletusa falleni* (Stål)
Tettigonia falleni Stål 1858f:249 [n.sp.]; Metcalf 1965a,6(1):526 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Teletusa longipennis* Melichar
Teletusa longipennis Melichar 1925a:347 [n.sp.]; Metcalf 1965a,6(1):527 [Cat.]
 DISTRIBUTION: Peru (Young 1968a)
- Teletusa neotropicalis* Distant
Teletusa neotropicalis Distant 1908b:79 [n.sp.]; Metcalf 1965a,6(1):527 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Teletusa ornata* (Blanchard)
Tettigonia ornata Blanchard 1840a:193 [n.sp.]; Metcalf 1965a,6(1):527 [Cat.]
Ciccus testaceus Walker 1851b:800 [n.sp.]; Metcalf 1965a,6(1):527 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Teletusa paraguayensis* Distant
Teletusa paraguayensis Distant 1908b:78 [n.sp.]; Metcalf 1965a,6(1):527 [Cat.]
 DISTRIBUTION: Paraguay (Metcalf Cat.)

- Teletusa peruviensis* Distant
Teletusa peruviensis Distant 1908b:79b:79 [n.sp.];
 Metcalf 1965a,6(1):527 [Cat.]
 DISTRIBUTION: Peru (Metcalf Cat.)
- Teletusa pervirgatus* (Amyot & Serville)
Cicus pervirgatus Amyot & Serville 1843a:573
 [n.sp.]; Metcalf 1965a,6(1):528 [Cat.]
- Tettigonia maculipes* Signoret 1855d:791 [n.sp.];
 Metcalf 1965a,6(1):528 [Cat.]
 DISTRIBUTION: Brazil (Young 1968a)
- Teletusa simulans* Schmidt
Teletusa simulans Schmidt 1928c:65 [n.sp.]; Metcalf
 1965a,6(1):528 [Cat.]
 DISTRIBUTION: Colombia (Young 1968a)
- Teletusa tenebricosa* Melichar
Teletusa tenebricosa Melichar 1925a:348 [n.sp.];
 Metcalf 1965a,6(1):528 [Cat.]
 DISTRIBUTION: Venezuela (Metcalf Cat.)
- Telusus blandus* (Gillette)
Deltoccephalus blandus Gillette 1898b: 26 [n.sp.];
 Metcalf 1967b, 6(10b): 1811 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Telusus vagus* (Beamer & Tuthill)
Latalus vagus Beamer & Tuthill 1934a: 7 [n.sp.];
 Metcalf 1967b, 6(10b): 1812 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Tengirhinus tengu* Ishihara
Tengirhinus tengu Ishihara 1953 [in Ishihara et al.
 1953a:117] [n.sp.]; Metcalf 1963a,6(6):52 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Tenuarus spinosus* (DeLong)
Hebenarus (*Tenarus*) *spinosus* DeLong 1944c: 52
 [n.sp.]; Metcalf 1967c, 6(10c): 2249 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tenucephalus marginellus* DeLong
Tenucephalus marginellus DeLong 1944i:236 [n.sp.];
 Metcalf 1963d,6(9):60 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tenuisanus costatus* DeLong
Tenuisanus costatus DeLong 1944j: 73 [n.sp.];
 Metcalf 1967b, 6(10b): 1747 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Terulia elegans* Spångberg
Terulia elegans Spångberg 1879a:22 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Colombia (Nielson 1979b)
- Terulia fasciaticollis* (Stål)
Coelidia fasciaticollis Stål 1864a:85 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Mexico (Nielson 1979b)
- Terulia ferruginea* Stål
Terulia ferruginea Stål 1862e:50 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1979b)
- Terulia magna* Baker 1898h:292 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Brazil, Guyana (Nielson 1979b)
- Terulia nigripes* Stål
Terulia nigripes Stål 1862e:50 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Brazil (Nielson 1979b)
- Terulia pulchella* Spångberg
Terulia pulchella Spångberg 1879a:23 [n.sp.]; Metcalf
 1964b,6(11):26 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Tetartostylus pellucidus* Wagner
Tetartostylus pellucidus Wagner 1951a: 12,16,21
 [implied n.sp.; figs.25-27]; Metcalf 1967b, 6(10b):
 1929 [Cat.]
 DISTRIBUTION: Italy, Hungary (Metcalf Cat.)
- Tetelloides rubigella* Evans
Tetelloides rubigella Evans 1955a:19 [n.sp.]; Metcalf
 1965a,6(1):104 [Cat.]
 DISTRIBUTION: Zaire (Metcalf Cat.)
- Tettigella affinis* (Distant)
Tettigoniella affinis Distant 1908g:206 [n.sp.];
 Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella albidicans* (Walker)
Tettigonia albidicans Walker 1858a:96 [n.sp.];
 Metcalf 1965a,6(1):131,246[error] [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella albidula* (Walker)
Tettigonia albidula Walker 1870b:305 [n.sp.]; Metcalf
 1965a,6(1):131 [Cat.]
 DISTRIBUTION: New Guinea (Metcalf Cat.)
- Tettigella alcmena* (Distant)
Tettigoniella alcmena Distant 1908g:219 [n.sp.];
 Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella amaena* (Perroud & Montrouzier)
Tettigonia amaena Perroud & Montrouzier 1864a:244
 [n.sp.]; Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: Malaysia: Borneo; Indonesia:
 Sumatra, Java (Young 1986a)
- Tettigella amalthea* (Distant)
Tettigoniella amalthea Distant 1908g:212 [n.sp.];
 Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tettigella ambigua* (Perroud & Montrouzier)
Tettigonia ambigua Perroud & Montrouzier 1864a:245
 [n.sp.]; Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: Malaysia: Banguey Is., Borneo;
 Indonesia: Sumatra (Young 1986a)
- Tettigella anomolua* (Kirkaldy)
Tettigonia anomolua Kirkaldy 1906c:322 [n.sp.];
 Metcalf 1965a,6(1):131 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella atramentaria* (Motschulsky)

- Tettigonia (as *Tettigdnia* [sic]) *atramentaria*
Motschulsky 1859a:503 [n.sp.]; *Metcalf*
1965a,6(1):132 [Cat.]
DISTRIBUTION: Russia, Japan (Metcalf Cat.)
- Tettigella *attenuata* (Walker)
Tettigonia attenuata *Walker* 1851b:766 [n.sp.];
Metcalf 1965a,6(1):132 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Tettigella *aurantiifasciata* (Jacobi)
Cicadella aurantiifasciata *Jacobi* 1944a:45 [n.sp.];
Metcalf 1965a,6(1):132 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella *bellona* (Distant)
Tettigoniella bellona *Distant* 1908g:212 [n.sp.];
Metcalf 1965a,6(1):132 [Cat.]
DISTRIBUTION: India, Myanmar (Metcalf Cat.)
- Tettigella *bipunctifrons* (Stål)
Tettigonia bipunctifrons *Stål* 1870c:733 [n.sp.];
Metcalf 1965a,6(1):132 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella *bistriata* (Melichar)
Tettigonia bistriata *Melichar* 1902c:130 [n.sp.];
Metcalf 1965a,6(1):133 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella *chinensis* Metcalf
Tettigonia trilineata *Melichar* 1902c:132 [n.sp.];
Metcalf 1965a,6(1):133 [Cat.]
Tettigella chinensis *Metcalf* 1955a:264 [nom.nov. for
Tettigonia trilineata *Melichar* 1902]; *Metcalf*
1965a,6(1):133 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella *chinensis insignata* (Haupt)
Tettigoniella insignata *Haupt* 1924a:306 [n.subsp. of
trilineata]; *Metcalf* 1965a,6(1):133 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella *cornelia* (Distant)
Tettigoniella cornelia *Distant* 1908g:209 [n.sp.];
Metcalf 1965a,6(1):133 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Tettigella *cuneata* (Perroud & Montrouzier)
Tettigonia cuneata *Perroud & Montrouzier* 1864a:245
[n.sp.]; *Metcalf* 1965a,6(1):133 [Cat.]
DISTRIBUTION: Oceania: New Caledonia (Metcalf
Cat.)
- Tettigella *cyclops* (Melichar)
Tettigoniella cyclops *Melichar* 1914b:127 [n.sp.];
Metcalf 1965a,6(1):133 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella *dunsirensis* (Distant)
Tettigoniella dunsirensis *Distant* 1908g:214 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *eburnea* (Walker)
Tettigonia eburnea *Walker* 1857b:168 [n.sp.]; *Metcalf*
1965a,6(1):134 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
- Tettigella *fuscivenis* (Bergroth)
Tettigonia fuscivenis *Bergroth* 1894a:161 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Tettigella *habilis* (Distant)
Tettigoniella habilis *Distant* 1908g:218 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *helena* (Distant)
Tettigoniella helena *Distant* 1908g:210 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tettigella *hopinensis* (Distant)
Tettigoniella hopinensis *Distant* 1918b:3 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
- Tettigella *hopponis* (Matsumura)
Tettigonia hopponis *Matsumura* 1912a:37 [n.sp.];
Metcalf 1965a,6(1):134 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Tettigella *horishana* (Matsumura)
Tettigonia horishana *Matsumura* 1912a:36 [n.sp.];
Metcalf 1965a,6(1):135 [Cat.]
DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Tettigella *indiga* (Distant)
Tettigoniella indiga *Distant* 1908g:217 [n.sp.]; *Metcalf*
1965a,6(1):135 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *infecta* (Distant)
Tettigoniella infecta *Distant* 1908g:210 [n.sp.];
Metcalf 1965a,6(1):135 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *iocasta* (Distant)
Tettigoniella iocasta *Distant* 1908g:213 [n.sp.];
Metcalf 1965a,6(1):135 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *kharavela* (Distant)
Tettigoniella kharavela *Distant* 1918b:4 [n.sp.];
Metcalf 1965a,6(1):135 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *koebelei* (Kirkaldy)
Tettigonia koebelei *Kirkaldy* 1906c:319 [n.sp.];
Metcalf 1965a,6(1):136 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella *koshunensis* (Matsumura)
Tettigonia koshunensis *Matsumura* 1912a:35 [n.sp.];
Metcalf 1965a,6(1):136 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Tettigella *kotagiriensis* (Distant)
Tettigoniella kotagiriensis *Distant* 1908g:205 [n.sp.];
Metcalf 1965a,6(1):136 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Tettigella *lactea* (Signoret)
Tettigonia lactea *Signoret* 1853c:663 [n.sp.]; *Metcalf*
1965a,6(1):136 [Cat.]

- DISTRIBUTION:** New Guinea, East Indonesia
(Metcalf Cat.)
- Tettigella lineola** (Walker)
Tettigonia lineola Walker 1858a:97 [n.sp.]; Metcalf 1965a,6(1):136,185[error] [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Tettigella longispina** (Perroud & Montrouzier)
Tettigonia longispina Perroud & Montrouzier 1864a:245 [n.sp.]; Metcalf 1965a,6(1):136 [Cat.]
- DISTRIBUTION:** Oceania: New Caledonia (Metcalf Cat.)
- Tettigella marpessa** (Distant)
Tettigoniella marpessa Distant 1908g:215 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- DISTRIBUTION:** Myanmar, West Indonesia (Metcalf Cat.)
- Tettigella melichari** (Distant)
Tettigonia rubromaculata Melichar 1903b:156 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- Tettigoniella melichari* Distant 1908b:156 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- DISTRIBUTION:** Sri Lanka, Myanmar (Metcalf Cat.)
- Tettigella montrouzieri** Metcalf
Tettigonia flavescens Montrouzier 1855a:113 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- Tettigella montrouzieri** Metcalf 1955a:264 [nom.nov. for *Tettigonia flavescens* Montrouzier 1855]; Metcalf 1965a,6(1):137 [Cat.]
- DISTRIBUTION:** Papua New Guinea: Woodlark Island (Metcalf Cat.)
- Tettigella mutata** (Melichar)
Tettigonia mutata Melichar 1903b:155 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- DISTRIBUTION:** Sri Lanka, West Indonesia (Metcalf Cat.)
- Tettigella parthaon** (Kirkaldy)
Tettigonia parthaon Kirkaldy 1906c:321 [n.sp.]; Metcalf 1965a,6(1):137 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tettigella pasiphae** (Kirkaldy)
Tettigonia pasiphae Kirkaldy 1906c:320 [n.sp.]; Metcalf 1965a,6(1):138 [Cat.]
- DISTRIBUTION:** East Indonesia: Mysol (Misool Island?), Australia, New Guinea (Metcalf Cat.)
- Tettigella pupula** (Kirby)
Tettigonia pupula Kirby 1891a:169 [n.sp.]; Metcalf 1965a,6(1):138 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Tettigella rinkihonis** (Matsumura)
Tettigonia rinkihonis Matsumura 1912a:36 [n.sp.]; Metcalf 1965a,6(1):138 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Tettigella rubromaculata** (Signoret)
Tettigonia rubromaculata Signoret 1853c:668 [n.sp.,not nom.nov.]; Metcalf 1965a,6(1):139 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Tettigella schoenlandi** [sic] (Distant)
Tettigoniella schoenlandi Distant 1910e:233 [n.sp.]; Metcalf 1965a,6(1):139 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Tettigella semicircularis** (Signoret)
Tettigonia semicircularis Signoret 1853b:348 [n.sp.]; Metcalf 1965a,6(1):139 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Tettigella semiglaucia** (Lethierry)
Tettigonia semiglaucia Lethierry 1875a:lxxxii [n.sp.]; Metcalf 1965a,6(1):139 [Cat.]
- DISTRIBUTION:** Russia, Japan, China, Australia, Taiwan, China: Hainan Island, Korea, India, Philippines, United States (?) (Metcalf Cat.)
- Tettigella sistens** (Walker)
Tettigonia sistens Walker 1858a:95 [n.sp.]; Metcalf 1965a,6(1):141,193 [Cat.]
- DISTRIBUTION:** Uruguay (Metcalf Cat.)
- Tettigella spectra** (Distant)
Tettigoniella spectra Distant 1908g:211 [n.sp.,not nom.nov.]; Metcalf 1965a,6(1):142 [Cat.]
- DISTRIBUTION:** South Africa, Madagascar, Mozambique, Congo, Tanzania, Ethiopia, Zaire, India, Australia, Philippines, China, Sri Lanka, Myanmar, West Indonesia, Japan, Oceania: Fiji Islands, Oceania: New Caledonia, Taiwan, East Indonesia, Borneo (Metcalf Cat.)
- Tettigella spectra nigrilinea** (Stål)
Tettigonia nigrilinea Stål 1870c:735 [n.sp.]; Metcalf 1965a,6(1):145 [Cat.]
- DISTRIBUTION:** Philippines, Taiwan, West Indonesia (Metcalf Cat.)
- Tettigella subsignata** (Walker)
Tettigonia subsignata Walker 1858a:96 [n.sp.]; Metcalf 1965a,6(1):145,193 [Cat.]
- DISTRIBUTION:** locality unknown (Metcalf Cat.)
- Tettigella subvirescens** (Stål)
Tettigonia subvirescens Stål 1870c:734 [n.sp.]; Metcalf 1965a,6(1):146 [Cat.]
- DISTRIBUTION:** Phillipine Islands, India, Myanmar, West Indonesia, Taiwan, Pakistan, Bangladesh (Metcalf Cat.)
- Tettigella suturella** (Stål)
Tettigonia suturella Stål 1855b:192 [n.sp.]; Metcalf 1965a,6(1):146 [Cat.]
- DISTRIBUTION:** Philippines, Malaysia (Metcalf Cat.)
- Tettigella sylvanella** (Distant)
Tettigoniella sylvanella Distant 1918b:3 [n.sp.]; Metcalf 1965a,6(1):146 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Tettigella thalia** (Distant)

- Tettigoniella thalia* Distant 1918b:2 [n.sp.]; Metcalf 1965a,6(1):146 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella tripartita* (Walker)
Tettigonia tripartita Walker 1858a:96 [n.sp.]; Metcalf 1965a,6(1):147,195 [Cat.]
 DISTRIBUTION: Dominican Republic (Metcalf Cat.)
- Tettigella truncatipennis* (Rambur)
Tettigonia truncatipennis Rambur 1840a:208 [n.sp.]; Metcalf 1965a,6(1):147 [Cat.]
 DISTRIBUTION: Spain (Metcalf Cat.)
- Tettigella truncatula* (Rambur)
Tettigonia truncatula Rambur 1840a:208 [n.sp.]; Metcalf 1965a,6(1):147 [Cat.]
 DISTRIBUTION: Spain (Metcalf Cat.)
- Tettigella viridis* (Linnaeus)
Cicada viridis Linnaeus 1758a:438 [n.sp.]; Metcalf 1965a,6(1):147,172 [Cat.]
Tettigonia melanchloa Walker 1851b:778 [n.sp. by bibliog. ref.]; Metcalf 1965a,6(1):150 [Cat.]
Tettigonia flavicatella Graaf 1854 [in Graaf & Snellen 1854a:183] [n.sp.]; Metcalf 1965a,6(1):169 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia, United Kingdom, Taiwan, Sri Lanka, Japan, Russia, China, E.Indonesia, Korea, Israel, Canada, United States (?) (Metcalf Cat.)
- Tettigella viridis arundinis* (Germar)
Tettigonia arundinis Germar 1821a:71 [n.sp.]; Metcalf 1965a,6(1):168 [Cat.]
 DISTRIBUTION: United Kingdom, Germany, France, Netherlands, Czech Republic, Georgia, Italy, Slovakia (Metcalf Cat.)
- Tettigella viridis concolor* (Haupt)
Tettigonia viridis concolor Haupt 1912a:184 [n.subsp. of *viridis*]; Metcalf 1965a,6(1):171 [Cat.]
 DISTRIBUTION: Germany, Denmark, Finland, Netherlands, Czech Republic, Sweden, Poland, Slovakia (Metcalf Cat.)
- Tettigella wallacei* (Distant)
Tettigoniella wallacei Distant 1908f:143 [n.sp.]; Metcalf 1965a,6(1):172 [Cat.]
 DISTRIBUTION: Malaysia, India (Metcalf Cat.)
- Tettigella whiteheadi* (Distant)
Tettigoniella whiteheadi Distant 1908f:142 [n.sp.]; Metcalf 1965a,6(1):172 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella* [incert.sed.] *addita* (Walker)
Tettigonia addita Walker 1851b:737 [n.sp.]; Metcalf 1965a,6(1):172 [Cat.]
 DISTRIBUTION: West Indonesia, Borneo (Metcalf Cat.)
- Tettigella* [incert.sed.] *adorabilis* (Blanchard)
Tettigonia adorabilis Blanchard 1840a:190 [n.sp.]; Metcalf 1965a,6(1):173 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *aequalis* (Signoret)
- Tettigonia aequalis* Signoret 1854a:20 [n.sp.]; Metcalf 1965a,6(1):173 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Tettigella* [incert.sed.] *alba* (Metcalf)
Tettigonia concinna Walker 1851b:755 [n.sp.]; Metcalf 1965a,6(1):173 [Cat.]
Tettigonia alba Metcalf 1955a:264 [nom.nov. for *Tettigonia concinna* Walker 1851]; Metcalf 1965a,6(1):173 [Cat.]
 DISTRIBUTION: Philippines (Young 1986a)
- Tettigella* [incert.sed.] *albicans* (Walker)
Tettigonia albicans Walker 1858b:214 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *albolineata* (Taschenberg)
Tettigonia albolineata Taschenberg 1884a:446 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Cuba, Isle of Pines, El Salvador, Panama, French Guiana, Venezuela, Brazil, Bolivia, Argentina (Young 1977a)
- Tettigella* [incert.sed.] *albonervosa* (Spinola)
Tetrigonia albonervosa Spinola 1852a:284 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Chile (Metcalf Cat.)
- Tettigella* [incert.sed.] *albopunctulata* (Taschenberg)
Tettigonia albopunctulata Taschenberg 1884a:440 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Venezuela (Metcalf Cat.)
- Tettigella* [incert.sed.] *alticola* (Merino)
Cicadella alticola Merino 1936a:337 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella* [incert.sed.] *angustata* (Evans)
Cicadella angustata Evans 1938b:3 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella* [incert.sed.] *apicula* (Osborn)
Cicadella apicula Osborn 1926b:186 [n.sp.]; Metcalf 1965a,6(1):174 [Cat.]
 DISTRIBUTION: Bolivia (Young 1977a)
- Tettigella* [incert.sed.] *appropinquans* (Fowler)
Tettigonia appropinquans Fowler 1899d:247 [n.sp.]; Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Mexico (Young 1977a)
- Tettigella* [incert.sed.] *argentigutta* (Walker)
Tettigonia argentigutta Walker 1858b:215 [n.sp.]; Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *argyrops* (Signoret)
Tettigonia argyrops Signoret 1853c:678 [n.sp.]; Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella* [incert.sed.] *auriplena* (Walker)
Tettigonia auriplena Walker 1858b:214 [n.sp.]; Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)

- Tettigella [incert.sed.] bataviae (Bierman)
Tettigonia bataviae Bierman 1910a:51 [n.sp.]; Metcalf
 1965a,6(1):175 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella [incert.sed.] bidens (Taschenberg)
Tettigonia bidens Taschenberg 1884a:454 [n.sp.];
 Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] bimaculata (Melichar)
Tettigoniella bimaculata Melichar 1908b:14 [n.sp.];
 Metcalf 1965a,6(1):175 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
- Tettigella [incert.sed.] borneonensis (Metcalf)
Tettigonia elongata Walker 1857b:167 [n.sp.]; Metcalf
 1965a,6(1):176 [Cat.]
Tettigonia borneonensis Metcalf 1955a:264 [nom.nov.
 for *Tettigonia elongata* Walker 1857]; Metcalf
 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Tettigella [incert.sed.] brasiliensis Metcalf
Tettigonia dubia Signoret 1853b:343 [n.sp.]; Metcalf
 1965a,6(1):176 [Cat.]
Tettigella brasiliensis Metcalf 1965a:176 [nom.nov.
 for *Tettigonia dubia* Signoret 1853]; Metcalf
 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] brunneatula (Osborn)
Cicadella brunneatula Osborn 1926b:185 [n.sp.];
 Metcalf 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Tettigella [incert.sed.] caicus (Walker)
Tettigonia caicus Walker 1862a:318 [n.sp.]; Metcalf
 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] callosa (Osborn)
Cicadella callosa Osborn 1926b:179 [n.sp.]; Metcalf
 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Bolivia (Young 1977a)
- Tettigella [incert.sed.] calva (Taschenberg)
Tettigonia calva Taschenberg 1884a:436 [n.sp.];
 Metcalf 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Venezuela, Brazil, Argentina
 (Young 1977a)
- Tettigella [incert.sed.] candida (Walker)
Tettigonia candida Walker 1858b:195 [n.sp.]; Metcalf
 1965a,6(1):176 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tettigella [incert.sed.] candidipes (Walker)
Tettigonia candidipes Walker 1858b:219 [n.sp.];
 Metcalf 1965a,6(1):177 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tettigella [incert.sed.] carthamosula (Jacobi)
Cicadella carthamosula Jacobi 1944a:43 [n.sp.];
 Metcalf 1965a,6(1):177 [Cat.]
 DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Tettigella [incert.sed.] cinctella (Taschenberg)
- Tettigonia cinctella Taschenberg 1884a:444 [n.sp.];
 Metcalf 1965a,6(1):177 [Cat.]
 DISTRIBUTION: North America (Metcalf Cat.)
- Tettigella [incert.sed.] cinctosula (Osborn)
Cicadella cinctosula Osborn 1926b:193 [n.sp.];
 Metcalf 1965a,6(1):177 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] circulifera (Taschenberg)
Tettigonia circulifera Taschenberg 1884a:453 [n.sp.];
 Metcalf 1965a,6(1):177 [Cat.]
 DISTRIBUTION: Trinidad, Venezuela (Young
 1977a)
- Tettigella [incert.sed.] clitellaria (Osborn)
Cicadella clitellaria Osborn 1926b:185 [n.sp.]; Metcalf
 1965a,6(1):177 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] coccinea (Fowler)
Tettigonia coccinea Fowler 1900a:263 [n.sp.]; Metcalf
 1965a,6(1):178 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tettigella [incert.sed.] coeruleopennis (Fabricius)
Cicada coeruleopennis Fabricius 1803a:73 [n.sp.];
 Metcalf 1965a,6(1):178 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella [incert.sed.] configurata (Walker)
Tettigonia configurata Walker 1858b:216 [n.sp.];
 Metcalf 1965a,6(1):178 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] conjunctula (Osborn)
Cicadella conjunctula Osborn 1926b:193 [n.sp.];
 Metcalf 1965a,6(1):178 [Cat.]
 DISTRIBUTION: Colombia, Bolivia, Brazil (Young
 1977a)
- Tettigella [incert.sed.] consularis (Berg)
Tettigonia consularis Berg 1879d:247 [n.sp.]; Metcalf
 1965a,6(1):178 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Tettigella [incert.sed.] contrariuscula (Jacobi)
Cicadella contrariuscula Jacobi 1944a:44 [n.sp.];
 Metcalf 1965a,6(1):178 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tettigella [incert.sed.] corallina (Osborn)
Cicadella corallina Osborn 1926b:206 [n.sp.]; Metcalf
 1965a,6(1):178 [Cat.]
 DISTRIBUTION: Bolivia, Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] corrugipennis (Osborn)
Cicadella corrugipennis Osborn 1926b:204 [n.sp.];
 Metcalf 1965a,6(1):179 [Cat.]
 DISTRIBUTION: Brazil, Ecuador, Peru, Bolivia
 (Young 1977a)
- Tettigella [incert.sed.] crassa (Walker)
Tettigonia crassa Walker 1851b:762 [n.sp.]; Metcalf
 1965a,6(1):179 [Cat.]
 DISTRIBUTION: Ecuador, Colombia (Young 1977a)
- Tettigella [incert.sed.] crocatula (Jacobi)

- Cicadella crocatula* Jacobi 1944a:43 [n.sp.]; Metcalf 1965a,6(1):179 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tettigella* [incert.sed.] *crucigera* (Taschenberg)
Tettigonia crucigera Taschenberg 1884a:437 [n.sp.]; Metcalf 1965a,6(1):179 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *cruenta* (Gmelin)
Cicada sanguinea Drury 1773a:73 [n.sp.]; Metcalf 1965a,6(1):179 [Cat.]
Cicada cruenta Gmelin 1789a:2109 [nom.nov. for *Cicada sanguinea* Drury 1773]; Metcalf 1965a,6(1):179 [Cat.]
- Tettigella druryi* Metcalf 1955a:264 [nom.nov. for *Cicada sanguinea* Drury 1773]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: Jamaica (Young 1977a)
- Tettigella* [incert.sed.] *cruentula* (Breddin)
Tettigonia cruentula Breddin 1901h:107 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: Ecuador (Metcalf Cat.)
- Tettigella* [incert.sed.] *cumatilis* (Distant)
Tettigoniella cumatilis Distant 1908f:138 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: Borneo, West Indonesia (Metcalf Cat.)
- Tettigella* [incert.sed.] *cuprea* (Melichar)
Tettigoniella cuprea Melichar 1914b:128 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella* [incert.sed.] *danais* (Fabricius)
Cicada danais Fabricius 1798a:520 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: locality unknown (Metcalf Cat.)
- Tettigella* [incert.sed.] *detrahrens* (Walker)
Tettigonia detrahrens Walker 1858b:196 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tettigella* [incert.sed.] *dianae* (Evans)
Cicadella dianae Evans 1938b:4 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella* [incert.sed.] *diaphana* (Taschenberg)
Tettigonia diaphana Taschenberg 1884a:449 [n.sp.]; Metcalf 1965a,6(1):180 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella* [incert.sed.] *differentialis* (Baker)
Tettigoniella differentialis Baker 1914a:420 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella* [incert.sed.] *dimidiata* (Signoret)
Tettigonia dimidiata Signoret 1853c:680 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: W.Indonesia (Metcalf Cat.)
- Tettigella* [incert.sed.] *discoidula* (Osborn)
Cicadella discoidula Osborn 1926b:178 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Brazil, Paraguay, Argentina (Young 1977a)
- Tettigella* [incert.sed.] *dorsifascia* (Osborn)
Cicadella dorsifascia Osborn 1926b:182 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella* [incert.sed.] *dubiosa* (Dozier)
Cicadella dubiosa Dozier 1931a:5 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Hispaniola (Young 1977a)
- Tettigella* [incert.sed.] *extricans* (Walker)
Tettigonia extricans Walker 1858b:215 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella* [incert.sed.] *fausta* (Walker)
Tettigonia fausta Walker 1858b:198 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Dominican Republic (Metcalf Cat.)
- Tettigella* [incert.sed.] *flavicauda* (Taschenberg)
Tettigonia flavicauda Taschenberg 1884a:445 [n.sp.]; Metcalf 1965a,6(1):181 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *flavofasciata* (Taschenberg)
Tettigonia flavofasciata Taschenberg 1884a:441 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella* [incert.sed.] *flavomarginata* (Melichar)
Athy sanus flavomarginatus Melichar 1902c:141 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tettigella* [incert.sed.] *formosana* (Matsumura)
Tettigonia formosana Matsumura 1912a:34 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Tettigella* [incert.sed.] *frenata* (Taschenberg)
Tettigonia frenata Taschenberg 1884a:448 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: Colombia, Venezuela (Young 1977a)
- Tettigella* [incert.sed.] *frontalis* (Donovan)
Cicada frontalis Donovan 1798a:2 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tettigella* [incert.sed.] *fulva* (Taschenberg)
Tettigonia fulva Taschenberg 1884a:442 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella* [incert.sed.] *fuscovenosa* (Melichar)
Tettigonia fuscovenosa Melichar 1903b:157 [n.sp.]; Metcalf 1965a,6(1):182 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tettigella* [incert.sed.] *gabonensis* Metcalf
Tettigonia nigrolineata Taschenberg 1884a:446 [n.sp.]; Metcalf 1965a,6(1):183 [Cat.]

- Tettigella gabonensis Metcalf 1955a:264 [nom.nov.]
 for *Tettigonia nigrolineata* Taschenberg 1884];
 Metcalf 1965a,6(1):183 [Cat.]
DISTRIBUTION: Gabon (Metcalf Cat.)
- Tettigella [incert.sed.] heroni (Evans)
Cicadella heroni Evans 1938b:3 [n.sp.]; Metcalf
 1965a,6(1):183 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] hoozanensis (Schumacher)
Tettigonia hoozanensis Schumacher 1915b:121
 [n.sp.]; Metcalf 1965a,6(1):183 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Tettigella [incert.sed.] hyalinatula (Osborn)
Cicadella hyalinatula Osborn 1926b:182 [n.sp.];
 Metcalf 1965a,6(1):183 [Cat.]
DISTRIBUTION: Panama, Colombia (Young 1977a)
- Tettigella [incert.sed.] hydra (Distant)
Tettigoniella hydra Distant 1908a:520 [n.sp.]; Metcalf
 1965a,6(1):183 [Cat.]
DISTRIBUTION: Brazil, Ecuador, Peru, Bolivia
 (Young 1977a)
- Tettigella [incert.sed.] icterica (Signoret)
Tettigonia icterica Signoret 1855d:781 [n.sp.]; Metcalf
 1965a,6(1):183 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] impressipennis (Stål)
Tettigonia impressipennis Stål 1870c:733 [n.sp.];
 Metcalf 1965a,6(1):184 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella [incert.sed.] indefinita (Walker)
Tettigonia indefinita Walker 1858b:223 [n.sp.];
 Metcalf 1965a,6(1):184 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella [incert.sed.] inscriptula (Osborn)
Cicadella inscriptula Osborn 1926b:213 [n.sp.];
 Metcalf 1965a,6(1):184 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Tettigella [incert.sed.] instrata (Fowler)
Tettigonia instrata Fowler 1899c:237 [n.sp.]; Metcalf
 1965a,6(1):184 [Cat.]
DISTRIBUTION: Guatemala, Panama (Young 1977a)
- Tettigella [incert.sed.] interruptula (Osborn)
Cicadella interruptula Osborn 1926b:181 [n.sp.];
 Metcalf 1965a,6(1):184 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] jocosa (Walker)
Tettigonia jocosa Walker 1857a:97 [n.sp.]; Metcalf
 1965a,6(1):184 [Cat.]
DISTRIBUTION: Malaysia, Borneo (Metcalf Cat.)
- Tettigella [incert.sed.] jordansi (Jacobi)
Cicadella jordansi Jacobi 1944a:43 [n.sp.]; Metcalf
 1965a,6(1):184 [Cat.]
DISTRIBUTION: Thailand (Metcalf Cat.)
- Tettigella [incert.sed.] lateritia (Taschenberg)
Tettigonia lateritia Taschenberg 1884a:443 [n.sp.];
 Metcalf 1965a,6(1):184 [Cat.]
- DISTRIBUTION:** South America (Metcalf Cat.)
- Tettigella [incert.sed.] latomarginata (Distant)
Tettigoniella latomarginata Distant 1917c:190 [n.sp.];
 Metcalf 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tettigella [incert.sed.] leucopa (Walker)
Tettigonia leucopa Walker 1858b:217 [n.sp.]; Metcalf
 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
- Tettigella [incert.sed.] leucopasa (Walker)
Tettigonia leucopasa Walker 1870b:304 [n.sp.];
 Metcalf 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** India, New Guinea (Metcalf Cat.)
- Tettigella [incert.sed.] libidinosa (Signoret)
Tettigonia libidinosa Signoret 1862d:587 [n.sp.];
 Metcalf 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Peru (Metcalf Cat.)
- Tettigella [incert.sed.] limbatula (Osborn)
Cicadella limbatula Osborn 1926b:211 [n.sp.]; Metcalf
 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Costa Rica, French Guiana,
 Ecuador, Brazil (Young 1977a)
- Tettigella [incert.sed.] limboclavula (Osborn)
Cicadella limboclavula Osborn 1926b:214 [n.sp.];
 Metcalf 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1977a)
- Tettigella [incert.sed.] linea (Taschenberg)
Tettigonia linea Taschenberg 1884a:451 [n.sp.];
 Metcalf 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Argentina (Young 1977a)
- Tettigella [incert.sed.] lituriceps (Osborn)
Cicadella lituriceps Osborn 1926b:180 [n.sp.]; Metcalf
 1965a,6(1):185 [Cat.]
- DISTRIBUTION:** Colombia, Venezuela (Young
 1977a)
- Tettigella [incert.sed.] longicornis (Osborn)
Cicadella longicornis Osborn 1926b:183 [n.sp.];
 Metcalf 1965a,6(1):186 [Cat.]
- DISTRIBUTION:** Peru, Brazil (Young 1977a)
- Tettigella [incert.sed.] longivittata (Costa)
Tettigonia longivittata Costa 1834b:90 [n.sp.]; Metcalf
 1965a,6(1):186 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Tettigella [incert.sed.] lunulata (Costa)
Tettigonia lunulata Costa 1834b:89 [n.sp.]; Metcalf
 1965a,6(1):186 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Tettigella [incert.sed.] luteolinea (Taschenberg)
Tettigonia luteolinea Taschenberg 1884a:437 [n.sp.];
 Metcalf 1965a,6(1):186 [Cat.]
- DISTRIBUTION:** Brazil (Young 1977a)
- Tettigella [incert.sed.] macrocephala (Van Duzee)
Tettigonia macrocephala Van Duzee 1907a:59 [n.sp.];
 Metcalf 1965a,6(1):186 [Cat.]
- DISTRIBUTION:** Jamaica (Young 1977a)
- Tettigella [incert.sed.] mactata (Walker)

- Tettigonia mactata Walker 1858b:216 [n.sp.]; Metcalf 1965a,6(1):186 [Cat.]
DISTRIBUTION: Venezuela (Metcalf Cat.)
- Tettigella [incert.sed.] markei (Evans)
Cicadella markei Evans 1938b:4 [n.sp.]; Metcalf 1965a,6(1):186 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] medusa (Distant)
Tettigonia medusa Distant 1891d:120 [n.sp.]; Metcalf 1965a,6(1):186 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Tettigella [incert.sed.] mellatula (Breddin)
Tettigonia mellatula Breddin 1901c:76 [n.sp.]; Metcalf 1965a,6(1):186 [Cat.]
DISTRIBUTION: Ecuador (Metcalf Cat.)
- Tettigella [incert.sed.] metallescens (Walker)
Tettigonia metallescens Walker 1858b:195 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Tettigella [incert.sed.] miniaticeps (Fowler)
Tettigonia miniaticeps Fowler 1900d:285 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Mexico, Guatemala, Nicaragua, Panama, Colombia, Costa Rica (Metcalf Cat.)
- Tettigella [incert.sed.] missionum (Berg)
Tettigonia missionum Berg 1879d:248 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Tettigella [incert.sed.] naomiae (Evans)
Cicadella naomiae Evans 1938b:3 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] nigricula (Osborn)
Cicadella nigricula Osborn 1926b:216 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Tettigella [incert.sed.] nigrifasciata (Merino)
Cicadella nigrifasciata Merino 1936a:338 [n.sp.]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella [incert.sed.] nigrofuscata Metcalf
Tettigonia flavofasciata Taschenberg 1884a:450 [n.sp.]; preoc. by *Tettigonia* flavofasciata Tasch. 1884a:441; Metcalf 1965a,6(1):187 [Cat.]
Tettigella nigrofuscata Metcalf 1965a:187 [nom.nov. for *Tettigonia* flavofasciata Taschenberg 1884a:450]; Metcalf 1965a,6(1):187 [Cat.]
DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] nigrominiatula (Jacobi)
Cicadella nigrominiatula Jacobi 1944a:44 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella [incert.sed.] notulatula (Osborn)
Cicadella notulatula Osborn 1926b:179 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Tettigella [incert.sed.] nubicula (Osborn)
Cicadella nubicula Osborn 1926b:184 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Ecuador, Peru (Young 1977a)
- Tettigella [incert.sed.] obtusior (Fowler)
Tettigonia obtusior Fowler 1900c:278 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Panama (Young 1977a)
- Tettigella [incert.sed.] occipitula (Osborn)
Cicadella occipitula Osborn 1926b:214 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Tettigella [incert.sed.] olivatula (Osborn)
Cicadella olivatula Osborn 1926b:209 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Ecuador, Peru (Young 1977a)
- Tettigella [incert.sed.] ornatula (Osborn)
Cicadella ornatula Osborn 1926b:216 [n.sp.]; Metcalf 1965a,6(1):188 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Tettigella [incert.sed.] pallidicornis Metcalf
Tettigonia festiva Melichar 1903b:159 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
Tettigella pallidicornis Metcalf 1955a:264 [nom.nov. for *Tettigonia* festiva Melichar 1903]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Tettigella [incert.sed.] pallidiola (Matsumura)
Tettigonia pallidiola Matsumura 1912a:35 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Tettigella [incert.sed.] pallidipes (Jacobi)
Cicadella pallidipes Jacobi 1944a:43 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Tettigella [incert.sed.] parabolica (Taschenberg)
Tettigonia parabolica Taschenberg 1884a:450 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: North America (Metcalf Cat.)
- Tettigella [incert.sed.] pendulosa (Osborn)
Cicadella pendulosa Osborn 1926b:206 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] perkinsi (Kirkaldy)
Tettigonia perkinsi Kirkaldy 1906c:319 [n.sp.]; Metcalf 1965a,6(1):189 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] prolixa (Lethierry)
Tettigonia prolixa Lethierry 1881b:18 [n.sp.]; Metcalf 1965a,6(1):190 [Cat.]
DISTRIBUTION: Guadeloupe, Honduras, Dominica (Metcalf Cat.)
- Tettigella [incert.sed.] punctum (Taschenberg)
Tettigonia punctum Taschenberg 1884a:445 [n.sp.]; Metcalf 1965a,6(1):190 [Cat.]
DISTRIBUTION: Gabon (Metcalf Cat.)

- Tettigella [incert.sed.] purpurascens (Fowler)
Tettigonia purpurascens Fowler 1900a:259 [n.sp.];
 Metcalf 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Mexico (Young 1977a)
- Tettigella [incert.sed.] quadrata (Walker)
Tettigonia quadrata Walker 1851b:781 [n.sp.]; Metcalf
 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] quatuordecimmaculata
 (Taschenberg)
Tettigonia quatuordecimmaculata Taschenberg
 1884a:447 [n.sp.]; Metcalf 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] quinquepunctata (Taschenberg)
Tettigonia quinquepunctata Taschenberg 1884a:453
 [n.sp.]; Metcalf 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Tettigella [incert.sed.] quinquevittata (Taschenberg)
Tettigonia quinquevittata Taschenberg 1884a:447
 [n.sp.]; Metcalf 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Colombia (Young 1977a)
- Tettigella [incert.sed.] ramana (Distant)
Tettigoniella ramana Distant 1908f:138 [n.sp.];
 Metcalf 1965a,6(1):190 [Cat.]
 DISTRIBUTION: Sumatra (Metcalf Cat.)
- Tettigella [incert.sed.] reversa (Walker)
Tettigonia reversa Walker 1858b:215 [n.sp.]; Metcalf
 1965a,6(1):191 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] richmondensis (Distant)
Tettigoniella richmondensis Distant 1917c:191 [n.sp.];
 Metcalf 1965a,6(1):191 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] rubropunctata (Kato)
Cicadella rubropunctata Kato 1933r:453 [n.sp.];
 Metcalf 1965a,6(1):191 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Tettigella [incert.sed.] rubrotaeniata (Stål)
Tettigonia rubrotaeniata Stål 1855b:192 [n.sp.];
 Metcalf 1965a,6(1):191 [Cat.]
 DISTRIBUTION: Honduras (Metcalf Cat.)
- Tettigella [incert.sed.] rufonigra (Taschenberg)
Tettigonia rufonigra Taschenberg 1884a:436 [n.sp.];
 Metcalf 1965a,6(1):191 [Cat.]
 DISTRIBUTION: Brazil (Young 1977a)
- Tettigella [incert.sed.] sandaracata (Distant)
Tettigoniella sandaracata Distant 1908g:217 [n.sp.];
 Metcalf 1965a,6(1):191 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella [incert.sed.] sanguinans (Walker)
Tettigonia sanguinans Walker 1858b:212 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] scutellatula (Osborn)
Cicadella scutellatula Osborn 1926b:215 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
- DISTRIBUTION: Bolivia (Young 1977a)
- Tettigella [incert.sed.] sedecimguttata (Taschenberg)
Tettigonia sedecimguttata Taschenberg 1884a:439
 [n.sp.]; Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] semicinctula (Osborn)
Cicadella semicinctula Osborn 1926b:215 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Brazil, Peru, Bolivia (Young
 1977a)
- Tettigella [incert.sed.] semifasciata (Taschenberg)
Tettigonia semifasciata Taschenberg 1884a:439
 [n.sp.]; Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] semivitrea (Walker)
Tettigonia semivitrea Walker 1858b:222 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tettigella [incert.sed.] separanda (Fowler)
Tettigonia separanda Fowler 1899e:249 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tettigella [incert.sed.] sidnica (Evans)
Cicadella sidnica Evans 1938b:4 [n.sp.]; Metcalf
 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Tettigella [incert.sed.] signatula (Osborn)
Cicadella signatula Osborn 1926b:200 [n.sp.]; Metcalf
 1965a,6(1):192 [Cat.]
 DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Tettigella [incert.sed.] sikhimensis (Distant)
Tettigoniella sikhimensis Distant 1908g:217 [n.sp.];
 Metcalf 1965a,6(1):192 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tettigella [incert.sed.] sinensis (Walker)
Tettigonia sinensis Walker 1851b:757 [n.sp.]; Metcalf
 1965a,6(1):193 [Cat.]
 DISTRIBUTION: Hong Kong, China (Metcalf Cat.)
- Tettigella [incert.sed.] subhyalina (Osborn)
Cicadella subhyalina Osborn 1926b:184 [n.sp.];
 Metcalf 1965a,6(1):193 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
- Tettigella [incert.sed.] suisharyoensis (Schumacher)
Tettigonia suisharyoensis Schumacher 1915b:120
 [n.sp.]; Metcalf 1965a,6(1):193 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Tettigella [incert.sed.] sulfureoguttata (Osborn)
Cicadella sulfureoguttata Osborn 1926b:197 [n.sp.];
 Metcalf 1965a,6(1):193 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Tettigella [incert.sed.] suturalis (Latreille)
Tettigonia suturalis Latreille 1804a:328 [n.sp.];
 Metcalf 1965a,6(1):193 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Tettigella [incert.sed.] tagalica (Stål)

- Tettigonia tagalica* Stål 1870c:734 [n.sp.]; Metcalf 1965a,6(1):193 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Tettigella* [incert.sed.] *taschenbergi* (Berg)
Tettigonia hieroglyphica Taschenberg 1884a:442 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
- Tettigonia taschenbergi* Berg 1884b:160 [nom.nov. for *Tettigonia hieroglyphica* Tasch. 1884]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Tettigella* [incert.sed.] *terminalis* (Osborn)
Cicadella terminalis Osborn 1926b:183 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Guyana (Metcalf Cat.)
- Tettigella* [incert.sed.] *thea* (Distant)
Tettigoniella thea Distant 1908a:520 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Peru (Metcalf Cat.)
- Tettigella* [incert.sed.] *tigrinula* (Osborn)
Cicadella tigrinula Osborn 1926b:217 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Bolivia (Young 1977a)
- Tettigella* [incert.sed.] *tinctorula* (Osborn)
Cicadella tinctorula Osborn 1926b:180 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Colombia, Argentina (Metcalf Cat.)
- Tettigella* [incert.sed.] *transversa* (Costa)
Tettigonia transversa Costa 1834b:89 [n.sp.]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Tettigella* [incert.sed.] *transversa obscurior* (Costa)
Tettigonia transversa obscurior Costa 1834b:90 [n.subsp. of *transversa*]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Tettigella* [incert.sed.] *transversa pallidior* (Costa)
Tettigonia transversa pallidior Costa 1834b:89 [n.subsp. of *transversa*]; Metcalf 1965a,6(1):194 [Cat.]
DISTRIBUTION: Italy (Metcalf Cat.)
- Tettigella* [incert.sed.] *transversula* (Osborn)
Cicadella transversula Osborn 1926b:218 [n.sp.]; Metcalf 1965a,6(1):195 [Cat.]
DISTRIBUTION: Taiwan (Young 1986a)
- Tettigella* [incert.sed.] *tribunicia* (Berg)
Tettigonia tribunicia Berg 1879d:246 [n.sp.]; Metcalf 1965a,6(1):195 [Cat.]
DISTRIBUTION: Brazil (Young 1977a)
- Tettigella* [incert.sed.] *tucumana* (Taschenberg)
Tettigonia tucumana Taschenberg 1884a:445 [n.sp.]; Metcalf 1965a,6(1):195 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Tettigella* [incert.sed.] *turneri* (Evans)
Cicadella turneri Evans 1942a:28 [n.sp.]; Metcalf 1965a,6(1):195 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Texananus barbus* DeLong
Texananus barbus DeLong 1944h: 229 [n.sp.]; Metcalf 1967a, 6(10a): 660 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus biacus* DeLong
Texananus biacus DeLong 1939c: 389 [n.sp.]; Metcalf 1967a, 6(10a): 660 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus bilicum* DeLong
Texananus bilicum DeLong 1944h: 232 [n.sp.]; Metcalf 1967a, 6(10a): 660 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus cuspidatus* DeLong
Texananus cuspidatus DeLong 1939c: 382 [n.sp.]; Metcalf 1967a, 6(10a): 661 [Cat.]
DISTRIBUTION: Mexico (incl Chiapas)
- Texananus horridus* DeLong
Texananus horridus DeLong 1944h: 234 [n.sp.]; Metcalf 1967a, 6(10a): 661 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus hosanus* (Ball)
Phlepsius (*Texananus*) *hosanus* Ball 1918b: 386 [n.sp.]; Metcalf 1967a, 6(10a): 661 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus parrai* (DeLong)
Phlepsius parrai DeLong 1939c: 382 [n.sp.]; Metcalf 1967a, 6(10a): 662 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus plummeri* DeLong
Texananus cassus DeLong 1939c: 385 [n.sp.]; Metcalf 1967a, 6(10a): 662 [Cat.]
Texananus plummeri DeLong 1939c: 385 [n.sp.]; Metcalf 1967a, 6(10a): 662 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus serrellus* DeLong
Texananus serrellus DeLong 1944h: 229 [n.sp.]; Metcalf 1967a, 6(10a): 663 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus uncinatus* DeLong
Texananus uncinatus DeLong 1944h: 232 [n.sp.]; Metcalf 1967a, 6(10a): 663 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus uncus* DeLong
Texananus uncus DeLong 1944h: 233 [n.sp.]; Metcalf 1967a, 6(10a): 663 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texananus (Aridanus) areolatus* (Baker)
Phlepsius areolatus Baker 1898f: 30 [n.sp.]; Metcalf 1967a, 6(10a): 705 [Cat.]
DISTRIBUTION: United States: Mississippi, Nebraska, Kansas, Texas (Metcalf Cat.)
- Texananus (Excultanus) argillaceus* (Van Duzee)
Phlepsius argillaceus Van Duzee 1923a: 185 [n.sp.]; Metcalf 1967a, 6(10a): 698 [Cat.]
DISTRIBUTION: Mexico; Baja Calif. (Metcalf Cat.)
- Texananus (Excultanus) conus* DeLong

- Texanarus conus* DeLong 1939c: 386 [n.sp.]; Metcalf 1967a, 6(10a): 698 [Cat.]
DISTRIBUTION: Mexico (Chiapas)
- Texanarus (Excultanus) dorothyae* DeLong
Texanarus dorothyi DeLong 1939c: 387 [n.sp.]; Metcalf 1967a, 6(10a): 699 [Cat.]
DISTRIBUTION: United States: Arizona, Texas, New Mex. Mexico (Metcalf Cat.)
- Texanarus (Excultanus) eugeneus* (Ball)
Phlepsius (*Texanarus*) *eugeneus* Ball 1918b: 384 [n.sp.]; Metcalf 1967a, 6(10a): 699 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Excultanus) excultus* (Uhler)
Jassus excultus Uhler 1877a: 467 [n.sp.]; Metcalf 1967a, 6(10a): 699 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Texanarus (Excultanus) incurvatus* (Osborn & Lathrop)
Phlepsius (*Iowanus*) *incurvatus* Osborn & Lathrop 1923a: 346 [n.sp.]; Metcalf 1967a, 6(10a): 703 [Cat.]
DISTRIBUTION: United States, Mexico (Metcalf Cat.)
- Texanarus (Excultanus) neomexicanus* (Baker)
Phlepsius *neomexicanus* Baker 1895b: 13 [n.sp.]; Metcalf 1967a, 6(10a): 704 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Texanarus (Excultanus) paralus* DeLong
Texanarus paralus DeLong 1939c: 385 [n.sp.]; Metcalf 1967a, 6(10a): 705 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Iowanus) apicalis* (DeLong & Hershberger)
Iowanus apicalis DeLong & Hershberger 1948d: 114 [n.sp.]; Metcalf 1967a, 6(10a): 692 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Iowanus) bullatus* DeLong
Texanarus bullatus DeLong 1939b: 237 [n.sp.]; Metcalf 1967a, 6(10a): 692 [Cat.]
DISTRIBUTION: United States: New Mex. (Metcalf Cat.)
- Texanarus (Iowanus) caducus* DeLong
Texanarus caducus DeLong 1939b: 238 [n.sp.]; Metcalf 1967a, 6(10a): 692 [Cat.]
DISTRIBUTION: United States: Oklahoma, Tennessee, Illinois (Metcalf Cat.)
- Texanarus (Iowanus) dicentrus* DeLong
Texanarus dicentrus DeLong 1939b: 236 [n.sp.]; Metcalf 1967a, 6(10a): 693 [Cat.]
DISTRIBUTION: United States: Illinois (Metcalf Cat.)
- Texanarus (Iowanus) elongatus* (Ball)
Phlepsius (*Iowanus*) *elongatus* Ball 1918b: 382 [n.sp.]; Metcalf 1967a, 6(10a): 693 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Iowanus) handlirschi* (Ball)
Phlepsius (*Iowanus*) *handlirschi* Ball 1918b: 383 [n.sp.]; Metcalf 1967a, 6(10a): 694 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Iowanus) longipennis* Crowder
Texanarus (Iowanus) longipennis Crowder 1952a: 369 [n.sp.]; Metcalf 1967a, 6(10a): 695 [Cat.]
DISTRIBUTION: United States: Georgia, Tennessee, Mississippi, Arkansas (Metcalf Cat.)
- Texanarus (Iowanus) lyratus* (DeLong & Hershberger)
Iowanus lyratus DeLong & Hershberger 1948d: 112 [n.sp.]; Metcalf 1967a, 6(10a): 695 [Cat.]
DISTRIBUTION: United States: Georgia (Metcalf Cat.)
- Texanarus (Iowanus) majestus* (Osborn & Ball)
Phlepsius *majestus* Osborn & Ball 1897a: 229 [n.sp.]; Metcalf 1967a, 6(10a): 695 [Cat.]
- Texanarus borrori* DeLong 1939b: 237 [n.sp.]; Metcalf 1967a, 6(10a): 696 [Cat.]
DISTRIBUTION: United States: Iowa, Michigan, Wisconsin, Maryland, Pennsylvania, other eastern states (Metcalf Cat.)
- Texanarus (Texanarus) angus* DeLong
Texanarus angus DeLong 1938a: 42 [n.sp.]; Metcalf 1967a, 6(10a): 664 [Cat.]
DISTRIBUTION: United States: Texas, Kansas, New Mex. (Metcalf Cat.)
- Texanarus (Texanarus) arctostaphylae* (Ball)
Phlepsius *arctostaphylae* Ball 1900b: 202 [n.subsp. of *cumulatus*]; Metcalf 1967a, 6(10a): 664 [Cat.]
DISTRIBUTION: United States: Wisconsin, North Dakota, Minnesota, Canada (Metcalf Cat.)
- Texanarus (Texanarus) bialtus* DeLong
Texanarus bialtus DeLong 1938e: 185 [n.sp.]; Metcalf 1967a, 6(10a): 665 [Cat.]
DISTRIBUTION: United States: Texas (Metcalf Cat.)
- Texanarus (Texanarus) constrictus* Crowder
Texanarus (Texanarus) constrictus Crowder 1952a: 350a: 350 [n.sp.]; Metcalf 1967a, 6(10a): 665 [Cat.]
DISTRIBUTION: United States: Arizona (Metcalf Cat.)
- Texanarus (Texanarus) cumulatus* (Ball)
Phlepsius *cumulatus* Ball 1900b: 202 [n.sp.]; Metcalf 1967a, 6(10a): 665 [Cat.]
- Phlepsius* (*Texanarus*) *notatipes* Osborn & Lathrop 1923a: 343 [n.sp.]; Metcalf 1967a, 6(10a): 665 [Cat.]
DISTRIBUTION: United States: Nebraska, Montana, Utah, Colorado (Metcalf Cat.)
- Texanarus (Texanarus) curtus* DeLong
Texanarus curtus DeLong 1939c: 384 [n.sp.]; Metcalf 1967a, 6(10a): 667 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Texanarus) decorus* (Osborn & Ball)
Phlepsius *decorus* Osborn & Ball 1897a: 230 [n.sp.]; Metcalf 1967a, 6(10a): 667 [Cat.]

- DISTRIBUTION:** United States: maine, massachusetts, connecticut, maryland, DC, Virginia, Florida, Missouri, Nebraska, kansas (Metcalf Cat.)
- Texanarus (Texanarus) delicatus** (Osborn & Lathrop)
Phlepsius (Iowanus) delicatus Osborn & Lathrop 1923a: 347 [n.sp.]; Metcalf 1967a, 6(10a): 669 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Texanarus (Texanarus) denticulus** (Osborn & Lathrop)
Phlepsius (Iowanus) denticulus Osborn & Lathrop 1923a: 345 [n.sp.]; Metcalf 1967a, 6(10a): 670 [Cat.]
DISTRIBUTION: United States: california (Metcalf Cat.)
- Texanarus (Texanarus) deversus** DeLong & Hershberger
Texanarus (Texanarus) deversus DeLong & Hershberger 1949a: 182 [n.sp.]; Metcalf 1967a, 6(10a): 671 [Cat.]
DISTRIBUTION: United States: Texas (Metcalf Cat.)
- Texanarus (Texanarus) distinctus** (Lathrop)
Phlepsius distinctus Lathrop 1917a: 129 [n.sp.]; Metcalf 1967a, 6(10a): 671 [Cat.]
DISTRIBUTION: United States: Georgia, Florida (Crowder 1952a)
- Texanarus (Texanarus) dolus** DeLong
Texanarus dolus DeLong 1938e: 186 [n.sp.]; Metcalf 1967a, 6(10a): 672 [Cat.]
DISTRIBUTION: United States: Utah, North Dakota, South Dakota, Wisconsin, Montana. Canada: Manitoba (Metcalf Cat.)
- Texanarus (Texanarus) extensus** Crowder
Texanarus (Texanarus) extensus Crowder 1952a: 333 [n.sp.]; Metcalf 1967a, 6(10a): 672 [Cat.]
DISTRIBUTION: United States: California (Metcalf Cat.)
- Texanarus (Texanarus) extremus** (Ball)
Phlepsius extremus Ball 1901a: 10 [n.sp.]; Metcalf 1967a, 6(10a): 672 [Cat.]
DISTRIBUTION: United States: Utah, Oregon, Arizona, California (Metcalf Cat.)
- Texanarus (Texanarus) fumosus** Crowder
Texanarus (Texanarus) fumosus Crowder 1952a: 338 [n.sp.]; Metcalf 1967a, 6(10a): 673 [Cat.]
DISTRIBUTION: United States: Kansas, Texas (Metcalf Cat.)
- Texanarus (Texanarus) gladius** DeLong
Texanarus gladius DeLong 1938a: 41 [n.sp.]; Metcalf 1967a, 6(10a): 673 [Cat.]
DISTRIBUTION: United States: Arizona, Texas (Metcalf Cat.)
- Texanarus (Texanarus) graphicus** (Ball)
Phlepsius graphicus Ball 1900b: 201 [n.sp.]; Metcalf 1967a, 6(10a): 674 [Cat.]
DISTRIBUTION: United States: Wyoming, Colorado, Kansas (Metcalf Cat.)
- Texanarus (Texanarus) hebraeus** (Ball)
- Phlepsius (Iowanus) hebraeus** Ball 1918b: 383 [n.sp.]; Metcalf 1967a, 6(10a): 674 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Texanarus (Texanarus) lathropi** (Baker)
Phlepsius (Texanarus) annulatus Osborn & Lathrop 1923a: 342 [n.sp.]; Metcalf 1967a, 6(10a): 675 [Cat.]
Phlepsius lathropi Baker 1925a: 159 [nom.nov. for *Phlepsius annulatus* Osborn & Lathrop 1923]; Metcalf 1967a, 6(10a): 675 [Cat.]
DISTRIBUTION: United States: California, Idaho (Metcalf Cat.)
- Texanarus (Texanarus) latipex** DeLong
Texanarus latipex DeLong 1943c: 124 [n.sp.]; Metcalf 1967a, 6(10a): 676 [Cat.]
DISTRIBUTION: United States: Montana, Wyoming, Colorado, New Mex., Idaho, Nevada, Utah, Arizona, Washington, Oregon, California (Metcalf Cat.)
- Texanarus (Texanarus) marmor** (Sanders & DeLong)
Phlepsius marmor Sanders & DeLong 1923a: 152 [n.sp.]; Metcalf 1967a, 6(10a): 677 [Cat.]
DISTRIBUTION: Canada (Metcalf Cat.)
- Texanarus (Texanarus) mexicanus** (Ball)
Phlepsius (Texanarus) mexicanus Ball 1918b: 385 [n.sp.]; Metcalf 1967a, 6(10a): 678 [Cat.]
DISTRIBUTION: United States: Arizona, Mexico (Metcalf Cat.)
- Texanarus (Texanarus) monticolus** DeLong
Texanarus monticolus DeLong 1943c: 125 [n.sp.]; Metcalf 1967a, 6(10a): 678 [Cat.]
DISTRIBUTION: United States: Utah, Arizona, other Rocky Mtn states (Metcalf Cat.)
- Texanarus (Texanarus) oregonus** (Ball)
Phlepsius (Texanarus) oregonus Ball 1931g: 85 [n.sp.]; Metcalf 1967a, 6(10a): 679 [Cat.]
Texanarus manus DeLong 1938a: 42 [n.sp.]; Metcalf 1967a, 6(10a): 679 [Cat.]
DISTRIBUTION: United States: Washington, Oregon, Arizona, California (Metcalf Cat.)
- Texanarus (Texanarus) ovatus** (Van Duzee)
Phlepsius ovatus Van Duzee 1892c: 79 [n.sp.]; Metcalf 1967a, 6(10a): 680 [Cat.]
DISTRIBUTION: United States: Kansas, Arkansas, Louisiana, Oklahoma, Texas (Metcalf Cat.)
- Texanarus (Texanarus) pergradus** DeLong
Texanarus pergradus DeLong 1938e: 185 [n.sp.]; Metcalf 1967a, 6(10a): 682 [Cat.]
DISTRIBUTION: United States: New Mex., Texas, Arizona, California, Utah (Metcalf Cat.)
- Texanarus (Texanarus) personatus** (Baker)
Phlepsius personatus Baker 1898f: 30 [n.sp.]; Metcalf 1967a, 6(10a): 682 [Cat.]
Phlepsius (Iowanus) cinerosus Osborn & Lathrop 1923a: 347 [n.sp.]; Metcalf 1967a, 6(10a): 683 [Cat.]

- DISTRIBUTION:** Arizona (Metcalf Cat.)
Texananus (Texananus) proximus Crowder
 Texananus (Texananus) proximus Crowder 1952a:
 355a: 355 [n.sp.]; Metcalf 1967a, 6(10a): 683
 [Cat.]
DISTRIBUTION: United States: Washington (Metcalf Cat.)
Texananus (Texananus) rufusculus (Osborn & Lathrop)
Phlepsioides (Texananus) rufusculus Osborn & Lathrop
 1923a: 340 [n.sp.]; Metcalf 1967a, 6(10a): 683
 [Cat.]
DISTRIBUTION: United States: Missouri, Arkansas, Louisiana (Metcalf Cat.)
Texananus (Texananus) sabinus (Sanders & DeLong)
Phlepsioides sabinus Sanders & DeLong 1920b: 15
 [n.sp.]; Metcalf 1967a, 6(10a): 684 [Cat.]
DISTRIBUTION: United States: Arizona, Texas (Metcalf Cat.)
Texananus (Texananus) sextus Crowder
 Texananus (Texananus) sextus Crowder 1952a: 346a:
 346 [n.sp.]; Metcalf 1967a, 6(10a): 685 [Cat.]
DISTRIBUTION: United States: Atascosa Mt. (?state?)
Texananus (Texananus) sonorus Ball
 Texanus [sic] sonorus Ball 1936b: 19 [n.sp.]; Metcalf
 1967a, 6(10a): 685 [Cat.]
DISTRIBUTION: United States: southern Arizona (Metcalf Cat.)
Texananus (Texananus) spatulatus (Van Duzee)
Phlepsioides spatulatus Van Duzee 1892a: 126 [n.sp.];
 Metcalf 1967a, 6(10a): 685 [Cat.]
DISTRIBUTION: United States: Montana, Utah, Nevada, Kansas, Oklahoma, Texas, Colorado, New Mex., Arizona, California, Mexico, Caribbean (Cuba)
Texananus (Texananus) superbus (Van Duzee)
Phlepsioides superbus Van Duzee 1892c: 81 [n.sp.];
 Metcalf 1967a, 6(10a): 688 [Cat.]
DISTRIBUTION: United States: Florida, Illinois, Tennessee, Alabama, Missouri, Arkansas, Louisiana, Oklahoma, Texas (Metcalf Cat.)
Texananus (Texananus) ultratus DeLong
 Texananus ultratus DeLong 1943c: 126 [n.sp.];
 Metcalf 1967a, 6(10a): 690 [Cat.]
DISTRIBUTION: United States: Arizona, Oklahoma (Metcalf Cat.)
Texananus (Texananus) validus Crowder
 Texananus (Texananus) validus Crowder 1952a: 357a:
 357 [n.sp.]; Metcalf 1967a, 6(10a): 690 [Cat.]
DISTRIBUTION: United States: Arizona (Metcalf Cat.)
Texananus (Texananus) vermiculatus DeLong
 Texananus vermiculatus DeLong 1938a: 42 [n.sp.];
 Metcalf 1967a, 6(10a): 690 [Cat.]
DISTRIBUTION: United States: southern Arizona. (Metcalf Cat.)
- Thagria capitata** Distant
 Thagria capitata Distant 1918b:44 [n.sp.]; Metcalf
 1964b,6(11):88 [Cat.]
DISTRIBUTION: India (Nielson 1977a)
Thagria difformis Distant
 Thagria difformis Distant 1918b:44 [n.sp.]; Metcalf
 1964b,6(11):88 [Cat.]
DISTRIBUTION: Sri Lanka (Nielson 1977a)
Thagria fasciata Melichar
 Thagria fasciata Melichar 1903b:176 [n.sp.]; Metcalf
 1964b,6(11):88 [Cat.]
DISTRIBUTION: Sri Lanka (Nielson 1977a)
Thagria pedestris Distant
 Thagria pedestris Distant 1908g:316 [n.sp.]; Metcalf
 1964b,6(11):88 [Cat.]
DISTRIBUTION: Sri Lanka (Nielson 1977a)
Thagria signata Distant
 Thagria signata Distant 1908g:315 [n.sp.]; Metcalf
 1964b,6(11):88 [Cat.]
DISTRIBUTION: Sri Lanka (Nielson 1977a)
Thalattoscopus dryas Kirkaldy
 Thalattoscopus dryas Kirkaldy 1905b:334 [n.sp.];
 Metcalf 1966c,6(15):20 [Cat.]
DISTRIBUTION: New Guinea (Metcalf Cat.)
Thamnophryne nysias Kirkaldy
 Thamnophryne nysias Kirkaldy 1907d: 61 [n.sp.];
 Metcalf 1967a, 6(10a): 793 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
Thamnotettix acuminatus (Uhler)
 Deltocephalus acuminatus Uhler 1895a: 80 [n.sp.];
 Metcalf 1967a, 6(10a): 731 [Cat.]
DISTRIBUTION: United States, Brazil, West Indies: St.Vincent Island (Metcalf Cat.)
Thamnotettix adspersula Lethierry
 Thamnotettix adspersula Lethierry 1885c: cv [n.sp.];
 Metcalf 1967a, 6(10a): 731 [Cat.]
DISTRIBUTION: Borneo (Metcalf Cat.)
Thamnotettix adustus Melichar
 Thamnotettix adustus Melichar 1899b: 185 [n.sp.];
 Metcalf 1967a, 6(10a): 731 [Cat.]
DISTRIBUTION: Tunisia, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
Thamnotettix aegyptiacus [sic] Matsumura
 Thamnotettix egyptiacus Matsumura 1908a: 16
 [n.sp.]; Metcalf 1967a, 6(10a): 732 [Cat.]
DISTRIBUTION: Egypt (Metcalf Cat.)
Thamnotettix affinis Fieber
 Thamnotettix affinis Fieber 1885a: 79 [n.sp.]; Metcalf
 1967a, 6(10a): 732 [Cat.]
DISTRIBUTION: Russia, Syria, France, Hungary, Germany, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan, Netherlands, Denmark, Turkey (Metcalf Cat.)
Thamnotettix albovarius Matsumura

- Thamnotettix albovaria* Matsumura 1908a: 26 [n.sp.];
 Metcalf 1967a, 6(10a): 732 [Cat.]
 DISTRIBUTION: Morocco (Metcalf Cat.)
- Thamnotettix algiricus* Lethierry
Thamnotettix algirica Lethierry 1885b: 103 [n.sp.];
 Metcalf 1967a, 6(10a): 733 [Cat.]
 DISTRIBUTION: Algeria (Metcalf Cat.)
- Thamnotettix allygidioides* Linnauvori
Thamnotettix allygidioides Linnauvori 1953b: 123
 [n.sp.]; Metcalf 1967a, 6(10a): 733 [Cat.]
 DISTRIBUTION: Israel (Metcalf Cat.)
- Thamnotettix alterninervis* Lethierry
Thamnotettix alterninervis Lethierry 1890a: 160
 [n.sp.]; Metcalf 1967a, 6(10a): 733 [Cat.]
 DISTRIBUTION: Venezuela (Metcalf Cat.)
- Thamnotettix altus* Osborn
Thamnotettix altus Osborn 1924c: 417 [n.sp.]; Metcalf
 1967a, 6(10a): 733 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Thamnotettix angulatus* Naude
Thamnotettix angulata Naudé 1926a: 74 [n.sp.];
 Metcalf 1967a, 6(10a): 733 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix apicatus* Lethierry
Thamnotettix apicata Lethierry 1878d: xxix [n.sp.];
 Metcalf 1967a, 6(10a): 734 [Cat.]
 DISTRIBUTION: Algeria, Tunisia, (Metcalf Cat.)
- Thamnotettix atrifrons* (Rey)
Athysanus atrifrons Rey 1891a: 248 [n.sp.]; Metcalf
 1967a, 6(10a): 734 [Cat.]
 DISTRIBUTION: Switzerland, Germany, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan
 (Metcalf Cat.)
- Thamnotettix bergrothi* Jensen-Haarup
Thamnotettix bergrothi Jensen-Haarup 1922a: 15
 [n.sp.]; Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: Argentina (Metcalf Cat.)
- Thamnotettix bicolor* Singh-Pruthi
Thamnotettix bicolor Singh-Pruthi 1930a: 65 [n.sp.];
 Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Thamnotettix bifasciatus* Osborn
Thamnotettix bifasciatus Osborn 1923c: 69 [n.sp.];
 Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Thamnotettix bipunctatus* Melichar
Thamnotettix bipunctatus Melichar 1911a: 106 [n.sp.];
 Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf
 Cat.)
- Thamnotettix botelensis* Matsumura
Thamnotettix botelensis Matsumura 1940d: 44 [n.sp.];
 Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Thamnotettix brevissimus* Lethierry
Thamnotettix brevissimus Lethierry 1892c: 209
 [n.sp.]; Metcalf 1967a, 6(10a): 736 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Thamnotettix brunnescens* Singh-Pruthi
Thamnotettix brunnescens Singh-Pruthi 1936a: 115
 [n.sp.]; Metcalf 1967a, 6(10a): 737 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Thamnotettix burjatus* Kusnezov
Thamnotettix burjata Kusnezov 1931b: 1 [n.sp.];
 Metcalf 1967a, 6(10a): 737 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Thamnotettix canberrensis* Evans
Thamnotettix canberrensis Evans 1938b: 15 [n.sp.];
 Metcalf 1967a, 6(10a): 737 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Thamnotettix cellulosus* Lindberg
Thamnotettix cellulosa Lindberg 1927c: 90 [n.sp.];
 Metcalf 1967a, 6(10a): 737 [Cat.]
 DISTRIBUTION: Russia, Sudan (Metcalf Cat.)
- Thamnotettix chapadensis* Baker
Thamnotettix chapadensis Baker 1923b: 532
 [nom.nov. for *Thamnotettix pulchellus* Osborn
 1923]; Metcalf 1967a, 6(10a): 738 [Cat.]
Thamnotettix pulchellus Osborn 1923c: 70 [n.sp.];
 Metcalf 1967a, 6(10a): 738 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Thamnotettix chhota* Singh-Pruthi
Thamnotettix chhota Singh-Pruthi 1930a: 64 [n.sp.];
 Metcalf 1967a, 6(10a): 738 [Cat.]
 DISTRIBUTION: India, Southern China (Metcalf
 Cat.)
- Thamnotettix chohakusanus* Matsumura
Thamnotettix chohakusanus Matsumura 1915a: 161
 [n.sp.]; Metcalf 1967a, 6(10a): 738 [Cat.]
 DISTRIBUTION: Korea (Metcalf Cat.)
- Thamnotettix cicur* Melichar
Thamnotettix cicur Melichar 1903b: 186 [n.sp.];
 Metcalf 1967a, 6(10a): 738 [Cat.]
 DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Thamnotettix clypeatus* Osborn
Thamnotettix clypeatus Osborn 1924c: 420 [n.sp.];
 Metcalf 1967a, 6(10a): 739 [Cat.]
 DISTRIBUTION: Bolivia (Metcalf Cat.)
- Thamnotettix combibus* Matsumura
Thamnotettix combibus Matsumura 1906a: 78 [n.sp.];
 Metcalf 1967a, 6(10a): 739 [Cat.]
 DISTRIBUTION: Germany, Poland, Denmark,
 Netherlands, Hungary (Metcalf Cat.)
- Thamnotettix compater* Stål
Thamnotettix compater Stål 1866a: 126 [n.sp.];
 Metcalf 1967a, 6(10a): 739 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix confinis* Zetterstedt
Thamnotettix confinis Zetterstedt 1828a: 527 [n.sp.];
 Metcalf 1967a, 6(10a): 739 [Cat.]

- Jassus simplex* Herrich-Schaeffer 1834c: 7 [n.sp.];
 Metcalf 1967a, 6(10a): 739 [Cat.]
- Athysanus prominulus* Reuter 1880a: 213 [n.sp.];
 Metcalf 1967a, 6(10a): 741 [Cat.]
- Deltocephalus chlamidatus* Provancher 1890b: 339
 [n.sp.]; Metcalf 1967a, 6(10a): 742 [Cat.]
- Thamnotettix infuscata* Gillette & Baker 1895a: 98
 [n.sp.]; Metcalf 1967a, 6(10a): 742 [Cat.]
- Thamnotettix punctiscuta* Gillette & Baker 1895a: 99
 [n.sp.]; Metcalf 1967a, 6(10a): 742 [Cat.]
- DISTRIBUTION: United States, Canada, widespread
 Europe, Scandinavia, western Mediterranean
 region, Northern Africa, Russia, Eastern Baltic
 States (Metcalf Cat.)
- Thamnotettix confinis rufescens* Strand
 Thamnotettix confinis rufescens Strand 1913a:
 273 [n.subsp. of *simplex*]; Metcalf 1967a, 6(10a):
 749 [Cat.]
- DISTRIBUTION: Norway (Metcalf Cat.)
- Thamnotettix confinis stupidulus* Zetterstedt
 Thamnotettix confinis stupidula Zetterstedt 1840a:
 294 [n.sp.]; Metcalf 1967a, 6(10a): 749 [Cat.]
- DISTRIBUTION: Scandanavia, France, China, Great
 Britain, Germany, Russia (Metcalf Cat.)
- Thamnotettix confinis tinctus* Zetterstedt
 Thamnotettix confinis tincta Zetterstedt 1840a: 293
 [n.sp.]; Metcalf 1967a, 6(10a): 751 [Cat.]
- Thamnotettix schlueteri* Haupt 1917d: 253 [n.sp.];
 Metcalf 1967a, 6(10a): 752 [Cat.]
- DISTRIBUTION: Scandinavia, Germany, Austria,
 Sweden, Netherlands, Turkmenistan (Metcalf Cat.)
- Thamnotettix cotula* Cogan
 Thamnotettix cotula Cogan 1916a: 193 [n.sp.];
 Metcalf 1967a, 6(10a): 754 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix decimnotatus* Naude
 Thamnotettix decemnotata Naudé 1926a: 76 [n.sp.];
 Metcalf 1967a, 6(10a): 754 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix desbrochersi* Lethierry
 Thamnotettix desbrochersi Lethierry 1889a: 318
 [n.sp.]; Metcalf 1967a, 6(10a): 754 [Cat.]
- DISTRIBUTION: Algeria (Metcalf Cat.)
- Thamnotettix dilectus* (Stål)
 Jassus dilectus Stål 1855a: 99 [n.sp.]; Metcalf 1967a,
 6(10a): 754 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix discoidalis* Lethierry
 Thamnotettix discoidalis Lethierry 1885c: cv [n.sp.];
 Metcalf 1967a, 6(10a): 755 [Cat.]
- DISTRIBUTION: Borneo (Metcalf Cat.)
- Thamnotettix elegans* Melichar
 Thamnotettix elegans Melichar 1900a: 36 [n.sp.];
 Metcalf 1967a, 6(10a): 755 [Cat.]
- DISTRIBUTION:** Turkey, Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan, China,
 Russia (Metcalf Cat.)
- Thamnotettix fasciaticollis* (Stål)
 Jassus fasciaticollis Stål 1864a: 86 [n.sp.]; Metcalf
 1967a, 6(10a): 756 [Cat.]
- DISTRIBUTION:** Mexico, United States, Costa Rica
 (Metcalf Cat.)
- Thamnotettix fessulus* Van Duzee
 Thamnotettix fessula Van Duzee 1907a: 70 [n.sp.];
 Metcalf 1967a, 6(10a): 757 [Cat.]
- DISTRIBUTION:** Jamaica (Metcalf Cat.)
- Thamnotettix flavovirescens* (Stål)
 Deltocephalus flavovirescens Stål 1855a: 99 [n.sp.];
 Metcalf 1967a, 6(10a): 757 [Cat.]
- DISTRIBUTION:** South Africa (Metcalf Cat.)
- Thamnotettix formosanus* Matsumura
 Thamnotettix formosanus Matsumura 1914a: 181
 [n.sp.]; Metcalf 1967a, 6(10a): 757 [Cat.]
- DISTRIBUTION:** Japan, Taiwan (Metcalf Cat.)
- Thamnotettix fuscipennis* Osborn
 Thamnotettix fuscipennis Osborn 1924c: 420 [n.sp.];
 Metcalf 1967a, 6(10a): 758 [Cat.]
- DISTRIBUTION:** Bolivia (Metcalf Cat.)
- Thamnotettix ghilianii* Ferrari
 Thamnotettix ghilianii Ferrari 1892a: 573 [n.sp.];
 Metcalf 1967a, 6(10a): 758 [Cat.]
- DISTRIBUTION:** Italy (Metcalf Cat.)
- Thamnotettix glaucovereins* (Stål)
 Bythoscopus glaucovereins Stål 1858b: 320 [n.sp.];
 Metcalf 1967a, 6(10a): 759 [Cat.]
- DISTRIBUTION:** South Africa, Somalia, Namibia
 (Metcalf Cat.)
- Thamnotettix greeni* Melichar
 Thamnotettix greeni Melichar 1903b: 185 [n.sp.];
 Metcalf 1967a, 6(10a): 759 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Thamnotettix hieroglyphicus* Kusnezov
 Thamnotettix hieroglyphicus Kusnezov 1931b: 1
 [n.sp.]; Metcalf 1967a, 6(10a): 760 [Cat.]
- DISTRIBUTION:** Russia (Metcalf Cat.)
- Thamnotettix hoashii* Matsumura
 Thamnotettix [sic] hoashii Matsumura 1915a: 161
 [n.sp.]; Metcalf 1967a, 6(10a): 760 [Cat.]
- DISTRIBUTION:** Korea, Russia (Metcalf Cat.)
- Thamnotettix hokutonis* Matsumura
 Thamnotettix hokutonis Matsumura 1914a: 181
 [n.sp.]; Metcalf 1967a, 6(10a): 760 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Thamnotettix homeyeri* (Kirschbaum)
 Jassus (*Thamnotettix*) *homeyeri* Kirschbaum 1868b:
 94 [n.sp.]; Metcalf 1967a, 6(10a): 760 [Cat.]
- DISTRIBUTION:** Spain, Portugal (Metcalf Cat.)
- Thamnotettix hopponis* Matsumura
 Thamnotettix hopponis Matsumura 1914a: 179 [n.sp.];
 Metcalf 1967a, 6(10a): 760 [Cat.]

- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Thamnotettix ikumae* Matsumura
Thamnotettix ikumae Matsumura 1911b: 28 [n.sp.];
 Metcalf 1967a, 6(10a): 761 [Cat.]
- DISTRIBUTION: Russia, Korea (Metcalf Cat.)
- Thamnotettix inconspicuus* Jensen-Haarup
Thamnotettix inconspicuus Jensen-Haarup 1922a: 16
 [n.sp.]; Metcalf 1967a, 6(10a): 761 [Cat.]
- DISTRIBUTION: Argentina (Metcalf Cat.)
- Thamnotettix infuscatus* Matsumura
Thamnotettix infuscatus Matsumura 1911b: 28 [n.sp.];
 Metcalf 1967a, 6(10a): 761 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Thamnotettix inscriptus* Haupt
Thamnotettix inscriptus Haupt 1927a: 33 [n.sp.];
 Metcalf 1967a, 6(10a): 761 [Cat.]
- DISTRIBUTION: Israel, Cyprus (Metcalf Cat.)
- Thamnotettix insularis* Matsumura
Thamnotettix insularis Matsumura 1914a: 180 [n.sp.];
 Metcalf 1967a, 6(10a): 762 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Thamnotettix inustus* Haupt
Thamnotettix inustus Haupt 1927a: 32 [n.sp.]; Metcalf
 1967a, 6(10a): 762 [Cat.]
- DISTRIBUTION: Israel (Metcalf Cat.)
- Thamnotettix karafutonis* Matsumura
Thamnotettix [sic] karafutonis Matsumura 1911b: 29
 [n.sp.]; Metcalf 1967a, 6(10a): 762 [Cat.]
- DISTRIBUTION: Russia, Korea (Metcalf Cat.)
- Thamnotettix karooensis* Cogan
Thamnotettix karooensis Cogan 1916a: 192 [n.sp.];
 Metcalf 1967a, 6(10a): 763 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix karooensis pallidus* (Cogan)
Thamanotettix pallidus Cogan 1916a: 192 [n.subsp. of
 karooensis]; Metcalf 1967a, 6(10a): 763 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix koshunensis* Matsumura
Thamnotettix koshunensis Matsumura 1914a: 178
 [n.sp.]; Metcalf 1967a, 6(10a): 763 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Thamnotettix kotoshonis* Matsumura
Thamnotettix kotoshonis Matsumura 1940d: 43
 [n.sp.]; Metcalf 1967a, 6(10a): 763 [Cat.]
- DISTRIBUTION: Taiwan (Metcalf Cat.)
- Thamnotettix lacteus* Melichar
Thamnotettix lactea Melichar 1902c: 138 [n.sp.];
 Metcalf 1967a, 6(10a): 763 [Cat.]
- DISTRIBUTION: Iran (Metcalf Cat.)
- Thamnotettix lapponicus* Haupt
Thamnotettix lapponicus Haupt 1917d: 252 [n.sp.];
 Metcalf 1967a, 6(10a): 764 [Cat.]
- DISTRIBUTION: Germany, Scandinavia, Slovakia,
 Turkmenistan (Metcalf Cat.)
- Thamnotettix latruncularius* (Motschulsky)
- Jassus latruncularius* Motschulsky 1859b: 111 [n.sp.];
 Metcalf 1967a, 6(10a): 764 [Cat.]
- DISTRIBUTION: Sri Lanka, West Indonesia (Metcalf
 Cat.)
- Thamnotettix liberatus* Matsumura
Thamnotettix liberatus Matsumura 1908a: 20 [n.sp.];
 Metcalf 1967a, 6(10a): 764 [Cat.]
- DISTRIBUTION: Hungary, Tunisia (Metcalf Cat.)
- Thamnotettix lineiceps* Osborn
Thamnotettix lineiceps Osborn 1923c: 70 [n.sp.];
 Metcalf 1967a, 6(10a): 765 [Cat.]
- DISTRIBUTION: Bolivia (Metcalf Cat.)
- Thamnotettix loratus* Horváth
Thamnotettix loratus Horváth 1911d: 595 [n.sp.];
 Metcalf 1967a, 6(10a): 765 [Cat.]
- DISTRIBUTION: Syria (Metcalf Cat.)
- Thamnotettix maculosus* Melichar
Thamnotettix maculosus Melichar 1902c: 139 [n.sp.];
 Metcalf 1967a, 6(10a): 765 [Cat.]
- DISTRIBUTION: China (Metcalf Cat.)
- Thamnotettix minutissimus* Matsumura
Thamnotettix minutissimus Matsumura 1908a: 19
 [n.sp.]; Metcalf 1967a, 6(10a): 766 [Cat.]
- DISTRIBUTION: Algeria (Metcalf Cat.)
- Thamnotettix minutus* Haupt
Thamnotettix minutus Haupt 1917d: 254 [n.sp.];
 Metcalf 1967a, 6(10a): 766 [Cat.]
- DISTRIBUTION: Turkmenistan, Uzbekistan (Metcalf
 Cat.)
- Thamnotettix misellus* Melichar
Thamnotettix miscellus Melichar 1902c: 140 [n.sp.];
 Metcalf 1967a, 6(10a): 766 [Cat.]
- DISTRIBUTION: Iran (Metcalf Cat.)
- Thamnotettix montivagus* Baker
Thamnotettix montanus Matsumura 1914a: 182
 [n.sp.]; Metcalf 1967a, 6(10a): 767 [Cat.]
- Thamnotettix montivagus* Baker 1924d: 367
 [nom.nov. for *Thamnotettix montanus* Matsumura
 1914]; Metcalf 1967a, 6(10a): 767 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Thamnotettix nigricans* Singh-Pruthi
Thamnotettix nigricans Singh-Pruthi 1936a: 116
 [n.sp.]; Metcalf 1967a, 6(10a): 767 [Cat.]
- DISTRIBUTION: India, Southern China (Metcalf
 Cat.)
- Thamnotettix nigrovittatus* Matsumura
Thamnotettix nigrovittatus Matsumura 1915a: 162
 [n.sp.]; Metcalf 1967a, 6(10a): 767 [Cat.]
- DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Thamnotettix okinawanus* Matsumura
Thamnotettix okinawanus Matsumura 1914a: 180
 [n.sp.]; Metcalf 1967a, 6(10a): 768 [Cat.]
- DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Thamnotettix oranensis* Matsumura
Thamnotettix oranensis Matsumura 1908a: 23 [n.sp.];
 Metcalf 1967a, 6(10a): 768 [Cat.]

- DISTRIBUTION: Algeria (Metcalf Cat.)
- Thamnotettix ornatus* Melichar
Thamnotettix ornatus Melichar 1900a: 36 [n.sp.];
Metcalf 1967a, 6(10a): 769 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Thamnotettix pallidipennis* Lindberg
Thamnotettix pallidipennis Lindberg 1929b: 9 [n.sp.];
Metcalf 1967a, 6(10a): 769 [Cat.]
- DISTRIBUTION: Russia (Metcalf Cat.)
- Thamnotettix paraveinatus* Singh-Pruthi
Thamnotettix paraveinatus Singh-Pruthi 1936a: 117
[n.sp.]; Metcalf 1967a, 6(10a): 769 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Thamnotettix patruelis* (Stål)
Jassus (Athysanus) patruelis Stål 1859b: 295 [n.sp.];
Metcalf 1967a, 6(10a): 769 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix pellucidus* Fieber
Thamnotettix pellucida Fieber 1885a: 94 [n.sp.];
Metcalf 1967a, 6(10a): 770 [Cat.]
- DISTRIBUTION: France (Metcalf Cat.)
- Thamnotettix pentzius* Cogan
Thamnotettix pentzia Cogan 1916a: 194 [n.sp.];
Metcalf 1967a, 6(10a): 770 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix prabha* Singh-Pruthi
Thamnotettix prabha Singh-Pruthi 1930a: 62 [n.sp.];
Metcalf 1967a, 6(10a): 771 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Thamnotettix puellus* Melichar
Thamnotettix puellus Melichar 1911a: 106 [n.sp.];
Metcalf 1967a, 6(10a): 771 [Cat.]
- DISTRIBUTION: Kenya, Uganda, Tanzania (Metcalf Cat.)
- Thamnotettix pulchellus* Melichar
Thamnotettix pulchellus Melichar 1907a: 1034 [n.sp.];
Metcalf 1967a, 6(10a): 771 [Cat.]
- DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Thamnotettix pulcher* Haupt
Thamnotettix pulcher Haupt 1927a: 31 [n.sp.]; Metcalf 1967a, 6(10a): 771 [Cat.]
- DISTRIBUTION: Israel, Russia (Metcalf Cat.)
- Thamnotettix reiteratus* Baker
Thamnotettix chapadensis Osborn 1924c: 423 [n.sp.];
Metcalf 1967a, 6(10a): 772 [Cat.]
- Thamnotettix reiteratus Baker 1926a: 347 [nom.nov.
for Thamnotettix chapadensis Osborn 1924];
Metcalf 1967a, 6(10a): 772 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Thamnotettix rorulentus* (Stål)
Jassus (Thamnotettix) rorulentus Stål 1855a: 99 [n.sp.]; Metcalf 1967a, 6(10a): 773 [Cat.]
- DISTRIBUTION: South Africa, Tanzania (Metcalf Cat.)
- Thamnotettix rostralis* Matsumura
- Thamnotettix rostralis Matsumura 1908a: 19 [n.sp.];
Metcalf 1967a, 6(10a): 773 [Cat.]
- DISTRIBUTION: Algeria (Metcalf Cat.)
- Thamnotettix rubropunctatus* Haupt
Thamnotettix rubropunctatus Haupt 1924d: 292
[n.sp.]; Metcalf 1967a, 6(10a): 773 [Cat.]
- DISTRIBUTION: Switzerland, Germany (Metcalf Cat.)
- Thamnotettix rugulans* Naudé
Thamnotettix rugulans Naudé 1926a: 75 [n.sp.];
Metcalf 1967a, 6(10a): 773 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix sanctaehelenae* White
Thamnotettix sanctaehelenae White 1878a: 476
[n.sp.]; Metcalf 1967a, 6(10a): 774 [Cat.]
- DISTRIBUTION: South Atlantic Ocean: St.Helena (Metcalf Cat.)
- Thamnotettix satsumensis* Matsumura
Thamnotettix satsumensis Matsumura 1914a: 179
[n.sp.]; Metcalf 1967a, 6(10a): 774 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Thamnotettix scalaris* Haupt
Thamnotettix scalaris Haupt 1924c: 232 [n.sp.];
Metcalf 1967a, 6(10a): 774 [Cat.]
- DISTRIBUTION: Italy (Metcalf Cat.)
- Thamnotettix severus* (Stål)
Athysanus severus Stål 1855a: 99 [n.sp.]; Metcalf 1967a, 6(10a): 775 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix sexguttatus* Rey
Thamnotettix sexguttatus Rey 1891a: 246 [n.sp.];
Metcalf 1967a, 6(10a): 775 [Cat.]
- DISTRIBUTION: Switzerland, France, Germany, Russia, Belgium (Metcalf Cat.)
- Thamnotettix sexquadratus* Bierman
Thamnotettix sexquadratus Bierman 1908a: 166
[n.sp.]; Metcalf 1967a, 6(10a): 775 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Thamnotettix siciliensis* Matsumura
Thamnotettix siciliensis Matsumura 1908a: 17 [n.sp.];
Metcalf 1967a, 6(10a): 775 [Cat.]
- DISTRIBUTION: Italy, Morocco (Metcalf Cat.)
- Thamnotettix sinae* (Stål)
Jassus (Thamnotettix) sinae Stål 1859b: 293 [n.sp.];
Metcalf 1967a, 6(10a): 776 [Cat.]
- DISTRIBUTION: China, Hong Kong (Metcalf Cat.)
- Thamnotettix sobrinus* (Stål)
Jassus (Deltoccephalus) sobrinus Stål 1859b: 294
[n.sp.]; Metcalf 1967a, 6(10a): 776 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix struthiola* Cogan
Thamnotettix struthiola Cogan 1916a: 194 [n.sp.];
Metcalf 1967a, 6(10a): 777 [Cat.]
- DISTRIBUTION: South Africa (Metcalf Cat.)
- Thamnotettix sulphureus* (Curtis)

- Aphrodes sulphurea* Curtis 1837b: pl.633 [n.sp.]; Metcalf 1967a, 6(10a): 777 [Cat.]
- DISTRIBUTION:** Widespread Europe, Scandinavia, Russia, Northern Africa (Metcalf Cat.)
- Thamnotettix suturalis* Melichar
Thamnotettix suturalis Melichar 1898a: 64 [n.sp.]; Metcalf 1967a, 6(10a): 788 [Cat.]
- DISTRIBUTION:** Turkestan, Uzbekistan, Turkey (Metcalf Cat.)
- Thamnotettix takasagonis* Matsumura
Thamnotettix takasagonis Matsumura 1914a: 174 [n.sp.]; Metcalf 1967a, 6(10a): 788 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Thamnotettix tangericus* Matsumura
Thamnotettix tangericus Matsumura 1908a: 25 [n.sp.]; Metcalf 1967a, 6(10a): 788 [Cat.]
- DISTRIBUTION:** Morocco (Metcalf Cat.)
- Thamnotettix tapinus* Fieber
Thamnotettix tapina Fieber 1885a: 92 [n.sp.]; Metcalf 1967a, 6(10a): 788 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Thamnotettix tobae* Matsumura
Thamnotettix tobae Matsumura 1902a: 369 [n.sp.]; Metcalf 1967a, 6(10a): 789 [Cat.]
- DISTRIBUTION:** Japan, Korea, Russia, China (Metcalf Cat.)
- Thamnotettix tobae* hyalinatus Matsumura
Thamnotettix tobae hyalinatus Matsumura 1914a: 175 [n.subsp. of *tobae*]; Metcalf 1967a, 6(10a): 790 [Cat.]
- DISTRIBUTION:** Japan, Korea, China (Metcalf Cat.)
- Thamnotettix veinatus* Singh-Pruthi
Thamnotettix veinatus Singh-Pruthi 1930a: 63 [n.sp.]; Metcalf 1967a, 6(10a): 791 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Thamnotettix wanrianus* Matsumura
Thamnotettix wanrianus Matsumura 1914a: 177 [n.sp.]; Metcalf 1967a, 6(10a): 792 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Thamnotettix warioni* Bellevoye
Thamnotettix warioni Bellevoye 1876a: 178 [n.sp.]; Metcalf 1967a, 6(10a): 792 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Thamnotettix zelleri* (Kirschbaum)
Jassus (*Thamnotettix*) *zelleri* Kirschbaum 1868b: 94 [n.sp.]; Metcalf 1967a, 6(10a): 792 [Cat.]
- DISTRIBUTION:** Italy, France, Austria, Israel, Northern Africa (Metcalf Cat.)
- Tharra carinata* Baker
Tharra carinata Baker 1915a:58 [n.sp.]; Metcalf 1964b,6(11):23 [Cat.]
- DISTRIBUTION:** Philippines (Nielson 1975a)
- Tharra flavomaculata* Metcalf
Tharra flavomaculata Metcalf 1950c:73 [n.sp.]; Metcalf 1964b,6(11):24 [Cat.]
- DISTRIBUTION:** Micronesia: Caroline Islands, Palau Islands, mariana islands, Guam (Nielson 1975a)
- DISTRIBUTION:** Fiji (Nielson 1975a)
- Tharra kalypto Kirkaldy*
Tharra kalypto Kirkaldy 1907d:76 [n.sp.]; Metcalf 1964b,6(11):24 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tharra labena Kirkaldy*
Tharra labena Kirkaldy 1906c:325 [n.sp.]; Metcalf 1964b,6(11):24 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tharra leai Evans*
Tharra leai Evans 1941e:41 [n.sp.]; Metcalf 1964b,6(11):24 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Tharra nausikaa Kirkaldy*
Tharra nausikaa Kirkaldy 1907d:77 [n.sp.]; Metcalf 1964b,6(11):24 [Cat.]
- DISTRIBUTION:** Fiji, New Hebrides (Metcalf Cat.)
- Tharra nausikaa pallidor Kirkaldy*
Tharra nausikaa pallidor Kirkaldy 1907d:78 [n.subsp. of *nausikaa*]; Metcalf 1964b,6(11):25 [Cat.]
- DISTRIBUTION:** Fiji (Nielson 1975a)
- Tharra ocellata* Metcalf
Tharra ocellata Metcalf 1946d:132 [n.sp.]; Metcalf 1964b,6(11):25 [Cat.]
- DISTRIBUTION:** Guam (Metcalf Cat.)
- Tharra oggyia Kirkaldy*
Tharra oggyia Kirkaldy 1907d:76 [n.sp.]; Metcalf 1964b,6(11):25 [Cat.]
- DISTRIBUTION:** Fiji (Nielson 1975a)
- Tharra rubrovittata* Metcalf
Tharra rubrovittata Metcalf 1950c:75 [n.sp.]; Metcalf 1964b,6(11):25 [Cat.]
- DISTRIBUTION:** Caroline Islands (Nielson 1975a)
- Thatuna gilletti* Oman
Thatuna gilletti Oman 1938c:177 [n.sp.]; Metcalf 1963c,6(8):32 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Thaumatopoides caffra* Evans
Thaumatopoides caffra Evans 1947a:255 [n.sp.]; Metcalf 1962b,6(3):212 [Cat.]
- DISTRIBUTION:** Namibia (Metcalf Cat.)
- Thaumatoscopus dunkensis* Evans
Thaumatoscopus dunkensis Evans 1937a:154 [n.sp.]; Metcalf 1962b,6(3):219 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Thaumatoscopus galeatus* Kirkaldy
Thaumatoscopus galeatus Kirkaldy 1906c:462 [n.sp.]; Metcalf 1962b,6(3):219 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Thaumatoscopus reflexus* (Stål)

- Penthimia reflexa* Stål 1870c:738 [n.sp.]; Metcalf 1962b,6(3):219 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Thaumatoscopus roxasi* Merino
Thaumatoscopus roxasi Merino 1936a:351 [n.sp.]; Metcalf 1962b,6(3):219 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Thlasia borealis* Jacobi
Tlasia [sic] *borealis* Jacobi 1943a:26 [n.sp.]; Metcalf 1962c,6(4):101 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Thlasia brunnipennis* Germar
Thlasia brunnipennis Germar 1836a:72 [n.sp.]; Metcalf 1962c,6(4):101 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Thlasia chilensis* Spinola
Thlasia chilensis Spinola 1852a:277 [n.sp.]; Metcalf 1962c,6(4):102 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Thlasia cingulata* Jacobi
Tlasia [sic] *cingulata* Jacobi 1944a:40 [n.sp.]; Metcalf 1962c,6(4):102 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Thlasia funebris* Jacobi
Tlasia [sic] *funebris* Jacobi 1944a:40 [n.sp.]; Metcalf 1962c,6(4):102 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Thlasia obtusa* (Walker)
Epiclines obtusa Walker 1851b:832 [n.sp.]; Metcalf 1962c,6(4):102 [Cat.]
DISTRIBUTION: Sierra Leone (Metcalf Cat.)
- Thlasia symmetrica* Jacobi
Tlasia [sic] *symmetrica* Jacobi 1944a:40 [n.sp.]; Metcalf 1962c,6(4):102 [Cat.]
DISTRIBUTION: China (Metcalf Cat.)
- Thomsoniella arcuata* (Motschulsky)
Platymetopius arcuatus Motschulsky 1859b: 115 [n.sp.]; Metcalf 1967b, 6(10b): 1720 [Cat.]
Tetigonia (Diedrocephala) *kalidasa* Kirkaldy 1900d: 294 [n.sp.]; Metcalf 1967b, 6(10b): 1720 [Cat.]
DISTRIBUTION: India, Sri Lanka, Australia, West Indonesia, East Indonesia, Indian Ocean: Maldives Islands (Metcalf Cat.)
- Thomsoniella concentralis* (Matsumura)
Parabolocratus concentralis Matsumura 1912b: 288 [n.sp.]; Metcalf 1967b, 6(10b): 1721 [Cat.]
DISTRIBUTION: Taiwan, China, Hong Kong (Metcalf Cat.)
- Thomsoniella lineolata* (Motschulsky)
Platymetopius lineolatus Motschulsky 1859b: 114 [n.sp.]; Metcalf 1967b, 6(10b): 1721 [Cat.]
DISTRIBUTION: Sri Lanka, Australia (Metcalf Cat.)
- Thomsoniella porrecta* (Walker)
Acocephalus porrectus Walker 1858b: 362 [n.sp.]; Metcalf 1967b, 6(10b): 1722 [Cat.]
- Hecalus kirschbaumi* Stål 1870c: 737 [n.sp.]; Metcalf 1967b, 6(10b): 1722 [Cat.]
Parabolocratus apicalis Matsumura 1912b: 287 [n.sp.]; Metcalf 1967b, 6(10b): 1723 [Cat.]
DISTRIBUTION: Sri Lanka, Philippines, India, Australia, Myanmar, West Indonesia, East Indonesia, Taiwan, Indian Ocean: Maldives Islands (Metcalf Cat.)
- Thomsoniella rubrolineata* (Motschulsky)
Deltocephalus rubrolineatus Motschulsky 1863a: 98 [n.sp.]; Metcalf 1967b, 6(10b): 1724 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Thymbris inachis* Kirkaldy
Thymbris inachis Kirkaldy 1907d:49 [n.sp.]; Metcalf 1962c,6(4):132 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Thymbris iphanassa* Kirkaldy
Thymbris iphanassa Kirkaldy 1907d:50 [n.sp.]; Metcalf 1962c,6(4):132 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Thymbris melvillensis* Evans
Thymbris melvillensis Evans 1936b:59 [n.sp.]; Metcalf 1962c,6(4):132 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Thymbris punctivena* (Walker)
Bythoscopus punctivena Walker 1858a:104 [n.sp.]; Metcalf 1962c,6(4):132 [Cat.]
DISTRIBUTION: Australia (Metcalf Cat.)
- Tiaja californica* (Ball)
Paropulopa californica Ball 1909b:184 [n.sp.]; Metcalf 1962d,6(5):35 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Tiaja friscana* (Ball)
Paropulopa friscana Ball 1909b:183 [n.sp.]; Metcalf 1962d,6(5):36 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Tiaja interrupta* (Ball)
Paropulopa interrupta Ball 1902a:21 [n.sp.]; Metcalf 1962d,6(5):36 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Tiaja mexicana* (Ball)
Paropulopa mexicana Ball 1902a:22 [n.sp.]; Metcalf 1962d,6(5):37 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
- Tiaja montara* Oman
Tiaja montara Oman 1941a:210 [n.sp.]; Metcalf 1962d,6(5):37 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Tiaja ventura* Oman
Tiaja ventura Oman 1941a:209 [n.sp.]; Metcalf 1962d,6(5):37 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Tinobregmus angustatus* DeLong
Tinobregmus angustatus DeLong 1945h:101 [n.sp.]; Metcalf 1964b,6(11):13 [Cat.]
DISTRIBUTION: Guatemala (Metcalf Cat.)

- Tinobregmus brevis* DeLong
Tinobregmus brevis DeLong 1945h:98 [n.sp.];
 Metcalf 1964b,6(11):14 [Cat.]
 DISTRIBUTION: Mexico (Nielson 1975a)
- Tinobregmus invenustus* Lawson
Tinobregmus invenustus Lawson 1932b:363 [n.sp.];
 Metcalf 1964b,6(11):14 [Cat.]
 DISTRIBUTION: United States (Nielson 1975a)
- Tinobregmus invicus* DeLong
Tinobregmus invicus DeLong 1945h:99 [n.sp.];
 Metcalf 1964b,6(11):14 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tinobregmus maculellus* DeLong
Tinobregmus maculellus DeLong 1945h:100 [n.sp.];
 Metcalf 1964b,6(11):14 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tinobregmus pallidus* Osborn
Tinobregmus pallidus Osborn 1911d:261 [n.sp.];
 Metcalf 1964b,6(11):14 [Cat.]
 DISTRIBUTION: United States (Nielson 1975a)
- Tinobregmus pallidus elegans* Lawson
Tinobregmus pallidus elegans Lawson 1932b:363
 [n.subsp. of *pallidus*]; Metcalf 1964b,6(11):15
 [Cat.]
 DISTRIBUTION: United States (Nielson 1975a)
- Tinobregmus piperatus* DeLong
Tinobregmus piperatus DeLong 1945h:100 [n.sp.];
 Metcalf 1964b,6(11):15 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
- Tinobregmus viridescens* [sic] DeLong
Tinobregmus viridescens DeLong 1916a:92 [n.sp.];
 Metcalf 1964b,6(11):15 [Cat.]
Tinobregmus moodii Gibson 1917a:183 [n.sp.];
 Metcalf 1964b,6(11):15 [Cat.]
 DISTRIBUTION: United States (Nielson 1975a)
- Tinobregmus vittatus* Van Duzee
Tinobregmus vittatus Van Duzee 1894f:214 [n.sp.];
 Metcalf 1964b,6(11):16 [Cat.]
 DISTRIBUTION: United States, Bermuda, Mexico
 (Metcalf Cat.)
- Tinobregmus vittatus clavatus* DeLong
Tinobregmus vittatus clavatus DeLong 1945h:98
 [n.subsp. of *vittatus*]; Metcalf 1964b,6(11):16
 [Cat.]
 DISTRIBUTION: Mexico (Nielson 1975a)
- Titiella punctigera* (Stål)
Acocephalus punctiger Stål 1855a:98 [n.sp.]; Metcalf
 1963c,6(8):220 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Tituria acutangulata* Distant
Tituria acutangulata Distant 1908g:161 [n.sp.];
 Metcalf 1962c,6(4):61 [Cat.]
 DISTRIBUTION: India, West Indonesia (Metcalf
 Cat.)
- Tituria angulata* (Matsumura)
- Petalocephala angulata* Matsumura 1912a:32 [n.sp.];
 Metcalf 1962c,6(4):61 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Tituria antica* (Walker)
Epiclines antica Walker 1858b:251 [n.sp.]; Metcalf
 1962c,6(4):61 [Cat.]
 DISTRIBUTION: South Africa (Metcalf Cat.)
- Tituria assamensis* Distant
Tituria assamensis Distant 1908g:161 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Tituria borneensis* Distant
Tituria borneensis Distant 1907g:186 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: Borneo (Metcalf Cat.)
- Tituria chersonesia* Distant
Tituria chersonesia Distant 1907g:186 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: Singapore (Metcalf Cat.)
- Tituria chinensis* Distant
Tituria chinensis Distant 1907g:187 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tituria colorata* Jacobi
Tituria colorata Jacobi 1944a:39 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tituria costalis* Jacobi
Tituria costalis Jacobi 1944a:39 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Tituria cuneata* Distant
Tituria cuneata Distant 1908g:162 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: Myanmar (Metcalf Cat.)
- Tituria fuscipennis* Kato
Tituria fuscipennis Kato 1929a:546 [n.sp.]; Metcalf
 1962c,6(4):62 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Tituria hebes* (Walker)
Epiclines hebes Walker 1858a:100 [n.sp.]; Metcalf
 1962c,6(4):63 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tituria javanensis* Distant
Tituria javanensis Distant 1907g:187 [n.sp.]; Metcalf
 1962c,6(4):63 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Tituria laboulbenii* (Signoret)
Epiclines laboulbenii Signoret 1858 [in Fairmaire &
 Signoret 1858a:341] [n.sp.]; Metcalf
 1962c,6(4):63 [Cat.]
 DISTRIBUTION: Nigeria, Cameroon, Uganda,
 Guinea, Togo (Metcalf Cat.)
- Tituria nigromarginata* (Stål)
Petaolocephala (*Tituria*) *nigromarginata* Stål
 1865b:158 [n.sp.]; Metcalf 1962c,6(4):63 [Cat.]

- DISTRIBUTION: Malaysia (Metcalf Cat.)
Tituria obliqua (Walker)
Epiclines obliqua Walker 1857b:171 [n.sp.]; Metcalf
 1962c,6(4):64 [Cat.]
 DISTRIBUTION: Borneo, Malaysia (Metcalf Cat.)
Tituria obtusa Kato
Tituria obtusa Kato 1931e:432 [n.sp.]; Metcalf
 1962c,6(4):64 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
Tituria timorensis Distant
Tituria timorensis Distant 1907g:187 [n.sp.]; Metcalf
 1962c,6(4):64 [Cat.]
 DISTRIBUTION: East Indonesia (Metcalf Cat.)
Toba fasciculata Schmidt
Toba fasciculata Schmidt 1911b:303 [n.sp.]; Metcalf
 1964b,6(11):22 [Cat.]
 DISTRIBUTION: West Indonesia (Metcalf Cat.)
Togacephalus botelensis Matsumura
Togacephalus botelensis Matsumura 1940d: 38 [n.sp.];
 Metcalf 1967b, 6(10b): 1485 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
Togacephalus distinctus (Motschulsky)
Deltoccephalus distinctus Motschulsky 1859b: 112
 [n.sp.]; Metcalf 1967b, 6(10b): 1485 [Cat.]
Deltoccephalus distinctus Motschulsky 1863a: 99
 [implicit emend. of *Deltoccephalus distinctus*
Motsch.]; Metcalf 1967b, 6(10b): 1485 [Cat.]
 DISTRIBUTION: Sri Lanka, Japan, Taiwan, Israel,
 Philippines, India, Korea (Metcalf Cat.)
Togacephalus formosielius Matsumura
Togacephalus formosielius Matsumura 1940d: 38
 [n.sp.]; Metcalf 1967b, 6(10b): 1486 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
Togacephalus jamiensis Matsumura
Togacephalus jamiensis Matsumura 1940d: 39 [n.sp.];
 Metcalf 1967b, 6(10b): 1486 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
Togaricrania rubrovitta Matsumura
Togaricrania rubrovitta Matsumura 1931b:72 [n.sp.];
 Metcalf 1968a,6(17):234 [Cat.]
 DISTRIBUTION: Japan, China, Hong Kong (Metcalf
 Cat.)
Togaritettix serratus Matsumura
Dikraneura dorsalis Esaki 1931a:267 [n.sp.]; Metcalf
 1968a,6(17):98 [Cat.]
Togaritettix serratus Matsumura 1931b:71 [n.sp.];
 Metcalf 1968a,6(17):98 [Cat.]
Dikraneura fragi Esaki 1935a:24 [nom.nov. for
Dikraneura dorsalis Esaki 1931]; Metcalf
 1968a,6(17):98 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Toldoanus marginellus (Osborn)
Deltoccephalus marginellus Osborn 1923c: 41 [n.sp.];
 Metcalf 1967b, 6(10b): 1891 [Cat.]
 DISTRIBUTION: Bolivia, Paraguay (Metcalf Cat.)
Tolua multiguttata (Stål)
Aulacizes multiguttata Stål 1864a:80 [n.sp.]; Metcalf
 1965a,6(1):619 [Cat.]
 DISTRIBUTION: Mexico (Metcalf Cat.)
Tortor daulias Kirkaldy
Tortor daulias Kirkaldy 1907d:42 [n.sp.]; Metcalf
 1963b,6(7):14 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
Traiguma nasuta Distant
Traiguma nasuta Distant 1908g:261 [n.sp.]; Metcalf
 1962a,6(2):11 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Traiguma verticalis Distant
Traiguma verticalis Distant 1918b:27 [n.sp.]; Metcalf
 1962a,6(2):11 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Trebellius albifrons Distant
Trebellius albifrons Distant 1918b: 53 [n.sp.]; Metcalf
 1967a, 6(10a): 115 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
Tretogonia callifera Melichar
Tretogonia callifera Melichar 1926a:275 [n.sp.];
 Metcalf 1965a,6(1):598 [Cat.]
 DISTRIBUTION: Suriname, French Guiana, Brazil,
 Peru, Bolivia (Young 1968a)
Tretogonia conspersa Schmidt
Tretogonia conspersa Schmidt 1928a:43 [n.sp.];
 Metcalf 1965a,6(1):598 [Cat.]
 DISTRIBUTION: Panama, Colombia, Venezuela,
 Guyana (Young 1968a)
Tretogonia conspicua Melichar
Tretogonia conspicua Melichar 1926a:275 [n.sp.];
 Metcalf 1965a,6(1):599 [Cat.]
 DISTRIBUTION: Ecuador (Young 1968a)
Tretogonia cibrata Melichar
Tretogonia cibrata Melichar 1926a:275 [n.sp.];
 Metcalf 1965a,6(1):599 [Cat.]
 DISTRIBUTION: Brazil (Mejdalani & Emmrich
 1998a)
Tretogonia notatifrons Melichar
Tretogonia notatifrons Melichar 1926a:274 [n.sp.];
 Metcalf 1965a,6(1):599 [Cat.]
 DISTRIBUTION: Suriname, French Guiana, Brazil,
 Ecuador, Bolivia, Paraguay, Argentina (Young
 1968a)
Tretogonia producta (Schmidt)
Tetragonia [sic] *producta* Schmidt 1928a:43 [n.sp.];
 Metcalf 1965a,6(1):599 [Cat.]
 DISTRIBUTION: Colombia (Metcalf Cat.)
Tretogonia punctatissima Melichar
Tretogonia punctatissima Melichar 1926a:275 [n.sp.];
 Metcalf 1965a,6(1):599 [Cat.]
 DISTRIBUTION: Colombia, Venezuela, Ecuador,
 Peru (Young 1968a)
Tretogonia walkeri Metcalf
Tettigonia pruinosa Walker 1851b:755 [n.sp.]; Metcalf
 1965a,6(1):599 [Cat.]

- Tretogonia walkeri* Metcalf 1965a:599 [nom.nov. for
Tettigonia pruinosa Walker 1851b:755]; Metcalf
 1965a,6(1):599 [Cat.]
- DISTRIBUTION: Brazil, Colombia, Argentina,
 Suriname, French Guiana, Peru (Metcalf Cat.)
- Trichogonia ardentina* Breddin
Trichogonia ardentina Breddin 1901c:75 [n.sp.];
 Metcalf 1965a,6(1):647 [Cat.]
- DISTRIBUTION: Ecuador (Young 1977a)
- Trichogonia areata* Melichar
Trichogonia areata Melichar 1926a:329 [n.sp.];
 Metcalf 1965a,6(1):647 [Cat.]
- DISTRIBUTION: Peru (Young 1977a)
- Trichogonia costata* (Signoret)
Tettigonia costata Signoret 1853b:372 [n.sp.]; Metcalf
 1965a,6(1):647 [Cat.]
- Trichogonia boliviensis* Distant 1908a:515 [n.sp.];
 Metcalf 1965a,6(1):647 [Cat.]
- DISTRIBUTION: Peru, Bolivia (Young 1977a)
- Trichogonia intermedia* Schmidt
Trichogonia intermedia Schmidt 1928a:52 [n.sp.];
 Metcalf 1965a,6(1):648 [Cat.]
- DISTRIBUTION: Ecuador (Young 1977a)
- Trichogonia isabellula* Breddin
Trichogonia isabellula Breddin 1901c:75 [n.sp.];
 Metcalf 1965a,6(1):648 [Cat.]
- DISTRIBUTION: Ecuador (Young 1977a)
- Trocnada alpina* Evans
Trocnada alpina Evans 1939a:47 [n.sp.]; Metcalf
 1966c,6(15):134 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Trocnada dorsigera* Walker
Trocnada dorsigera Walker 1858a:104 [n.sp.]; Metcalf
 1966c,6(15):134 [Cat.]
- Abelterus incarnatus* Stål 1865b:158 [n.sp.]; Metcalf
 1966c,6(15):134 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Trocnada gigantea* Evans
Trocnada gigantea Evans 1935c:78 [n.sp.]; Metcalf
 1966c,6(15):134 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Trocnada minuta* Evans
Trocnada minuta Evans 1935c:78 [n.sp.]; Metcalf
 1966c,6(15):134 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Trocnadella punctata* Singh-Pruthi
Trocnadella punctata Singh-Pruthi 1930a:10 [n.sp.];
 Metcalf 1966c,6(15):117 [Cat.]
- DISTRIBUTION: India, China (Metcalf Cat.)
- Trocnadella shillongensis* Singh-Pruthi
Trocnadella shillongensis Singh-Pruthi 1930a:9
 [n.sp.]; Metcalf 1966c,6(15):117 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Tropicanus caldwelli* (DeLong)
Phlepsius caldwelli DeLong 1944d: 92 [n.sp.]; Metcalf
 1967a, 6(10a): 569 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Tropicanus calidus* (DeLong)
Phlepsius calidus DeLong 1944d: 90 [n.sp.]; Metcalf
 1967a, 6(10a): 569 [Cat.]
- DISTRIBUTION: Mexico, Guatemala (Metcalf Cat.)
- Tropicanus costomaculatus* (Van Duzee)
Allygus costomaculatus Van Duzee 1894f: 207 [n.sp.];
 Metcalf 1967a, 6(10a): 569 [Cat.]
- DISTRIBUTION: United States, Guatemala, Mexico,
 Brazil, Belize (Metcalf Cat.)
- Tropicanus digitus* (DeLong)
Phlepsius digitus DeLong 1944d: 89 [n.sp.]; Metcalf
 1967a, 6(10a): 571 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Tropicanus flectus* (DeLong)
Phlepsius flectus DeLong 1944d: 88 [n.sp.]; Metcalf
 1967a, 6(10a): 571 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Tropicanus pulchripennis* (Baker)
Phlepsius pulchripennis Baker 1898e: 65 [n.sp.];
 Metcalf 1967a, 6(10a): 571 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Tropicanus singularis* (DeLong)
Phlepsius singularis DeLong 1944d: 92 [n.sp.];
 Metcalf 1967a, 6(10a): 572 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Trypanalebra maculata* (Baker)
Protalebra maculata Baker 1903d:6 [n.sp.]; Metcalf
 1968a,6(17):22 [Cat.]
- Protalebra (Paralebra) pardalis* McAtee 1926b:151
 [n.sp.]; Metcalf 1968a,6(17):22 [Cat.]
- DISTRIBUTION: Nicaragua, Honduras, Colombia,
 Mexico, Cuba, United States (Metcalf Cat.)
- Tubulanus nitidus* Linnauvori
Tubulanus nitidus Linnauvori 1955a: 101 [n.sp.];
 Metcalf 1967b, 6(10b): 1241 [Cat.]
- DISTRIBUTION: Brazil (Metcalf Cat.)
- Tumocerus glaucus* Evans
Tumocerus glaucus Evans 1941f: 149 [n.sp.]; Metcalf
 1966d, 6(16): 7 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Tumocerus grandis* Evans
Tumocerus grandis Evans 1941f: 149 [n.sp.]; Metcalf
 1966d, 6(16): 7 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Tumocerus merredinensis* Evans
Tumocerus merredinensis Evans 1941f: 149 [n.sp.];
 Metcalf 1966d, 6(16): 7 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Tumocerus varius* Evans
Tumocerus varius Evans 1941f: 149 [n.sp.]; Metcalf
 1966d, 6(16): 7 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Turitia uniformis* Schumacher
Turitia uniformis Schumacher 1912b:248 [n.sp.];
 Metcalf 1962c,6(4):58 [Cat.]

- DISTRIBUTION:** Cameroon, Nigeria (Metcalf Cat.)
Turrutus fugax (Horváth)
 Deltoccephalus fugax Horváth 1897b: 633 [n.sp.];
 Metcalf 1967b, 6(10b): 1416 [Cat.]
- DISTRIBUTION:** Hungary (Metcalf Cat.)
Turrutus socialis (Flor)
 Jassus (Deltoccephalus) socialis Flor 1861a: 242
 [n.sp.]; Metcalf 1967b, 6(10b): 1416 [Cat.]
- Iassus (Deltoccephalus) quadrivittatus Marshall 1866c:
 222 [n.sp.]; Metcalf 1967b, 6(10b): 1416 [Cat.]
- Jassus (Deltoccephalus) inclusivalvis Kirschbaum
 1868b: 143 [n.sp.]; Metcalf 1967b, 6(10b): 1417
 [Cat.]
- Jassus (Deltoccephalus) quinquevittatus Kirschbaum
 1868b: 144 [n.sp.]; Metcalf 1967b, 6(10b): 1417
 [Cat.]
- Deltoccephalus sinuatus Matsumura 1908a: 36 [n.sp.];
 Metcalf 1967b, 6(10b): 1423 [Cat.]
- DISTRIBUTION:** Widespread Europe, United
 Kingdom, Scandinavia, Russia, western
 Mediterranean, Northern Africa (Metcalf Cat.)
- Turrutus socialis onustus* (Fieber)
 Deltoccephalus socialis onustus Fieber 1869a: 205
 [n.subsp. of socialis]; Metcalf 1967b, 6(10b): 1423
 [Cat.]
- DISTRIBUTION:** Scotland, Germany, Hungary,
 Denmark, Netherlands (Metcalf Cat.)
- Twiningia acuta* Beamer
 Twiningia acuta Beamer 1942d: 176 [n.sp.]; Metcalf
 1967c, 6(10c): 2160 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia albacosta* Beamer
 Twiningia albacosta Beamer 1942d: 174 [n.sp.];
 Metcalf 1967c, 6(10c): 2160 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia areolata* Beamer
 Twiningia areolata Beamer 1942d: 177 [n.sp.];
 Metcalf 1967c, 6(10c): 2161 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia bicolor* (Ball)
 Scaphoideus bicolor Ball 1909c: 166 [n.sp.]; Metcalf
 1967c, 6(10c): 2161 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia blanda* (Ball)
 Scaphoideus blandus Ball 1901a: 7 [n.sp.]; Metcalf
 1967c, 6(10c): 2161 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia fasciata* Beamer
 Twiningia fasciata Beamer 1942d: 171 [n.sp.]; Metcalf
 1967c, 6(10c): 2162 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia fumida* (Ball)
 Scaphoideus fumidus Ball 1901a: 8 [n.sp.]; Metcalf
 1967c, 6(10c): 2162 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia grandis* Beamer
 Twiningia grandis Beamer 1942d: 175 [n.sp.]; Metcalf
 1967c, 6(10c): 2163 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia magnata* Ball
 Twiningia magnata Ball 1931c: 94 [n.sp.]; Metcalf
 1967c, 6(10c): 2163 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia malvastra* Ball
 Twiningia malvastra Ball 1931c: 94 [n.sp.]; Metcalf
 1967c, 6(10c): 2163 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia pellucida* (Ball)
 Scaphoideus pellucidus Ball 1909a: 83 [n.sp.]; Metcalf
 1967c, 6(10c): 2164 [Cat.]
- Scaphoideus irroratus Osborn 1911c: 257 [n.sp.];
 Metcalf 1967c, 6(10c): 2164 [Cat.]
- Platymetopius planus Van Duzee 1925b: 414 [n.sp.];
 Metcalf 1967c, 6(10c): 2164 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
- Twiningia permista* Beamer
 Twiningia permista Beamer 1942d: 172 [n.sp.];
 Metcalf 1967c, 6(10c): 2165 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia pulla* Beamer
 Twiningia pulla Beamer 1942d: 174 [n.sp.]; Metcalf
 1967c, 6(10c): 2165 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia reducta* (Ball)
 Scaphoideus reductus Ball 1909a: 84 [n.subsp. of
 scrupulosus]; Metcalf 1967c, 6(10c): 2165 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia reticulata* Beamer
 Twiningia reticulata Beamer 1942d: 178 [n.sp.];
 Metcalf 1967c, 6(10c): 2165 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia rubrafusca* Beamer
 Twiningia rubrafusca Beamer 1942d: 178 [n.sp.];
 Metcalf 1967c, 6(10c): 2166 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia scrupulosa* (Ball)
 Scaphoideus scrupulosus Ball 1902a: 14 [n.sp.];
 Metcalf 1967c, 6(10c): 2166 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf
 Cat.)
- Twiningia solitaria* Ball
 Twiningia solitaria Ball 1936b: 18 [n.sp.]; Metcalf
 1967c, 6(10c): 2166 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Twiningia tricolor* Beamer
 Twiningia tricolor Beamer 1939a: 27 [n.sp.]; Metcalf
 1967c, 6(10c): 2166 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Tylissus nitens* Stål
 Tylissus nitens Stål 1870c: 739 [n.sp.]; Metcalf
 1966c, 6(15): 193 [Cat.]

- DISTRIBUTION: Philippines (Metcalf Cat.)
Tylozygus atrovirens (Lethierry)
Tettigonia atrovirens Lethierry 1890a:157 [n.sp.];
 Metcalf 1965a,6(1):448 [Cat.]
- DISTRIBUTION: Venezuela (Metcalf Cat.)
Tylozygus bifidus (Say)
Tettigonia bifida Say 1830b:313 [n.sp.]; Metcalf
 1965a,6(1):448 [Cat.]
- Tettigonia nigrolineata* Herrich-Schaeffer 1838c:17
 [n.sp.]; Metcalf 1965a,6(1):448 [Cat.]
- Tettigonia tenella* Walker 1851b:770 [n.sp.]; Metcalf
 1965a,6(1):448 [Cat.]
- DISTRIBUTION: United States (Young 1977a)
Tylozygus fasciatus (Walker)
Tettigonia fasciata Walker 1851b:780 [n.sp.]; Metcalf
 1965a,6(1):453 [Cat.]
- Tettigonia fuscolineella* fraternae Fowler 1900d:290
 [n.subsp. of *fuscolineella*]; Metcalf 1965a,6(1):453
 [Cat.]
- Tettigonia fuscolineella* Fowler 1900d:290 [n.sp.];
 Metcalf 1965a,6(1):453 [Cat.]
- DISTRIBUTION: Mexico, Guatemala, Belize, El
 Salvador, Costa Rica, Panama, Haiti, Dominica,
 Grenada, Trinidad, Jamaica, Venezuela, Colombia,
 Ecuador, Peru, Brazil (Young 1977a)
- Tylozygus geometricus* (Signoret)
Tettigonia geometrica Signoret 1854a:12 [n.sp.];
 Metcalf 1965a,6(1):455 [Cat.]
- Tettigonia psittacella* Fowler 1900d:290 [n.sp.];
 Metcalf 1965a,6(1):455 [Cat.]
- DISTRIBUTION: United States, Mexico, Honduras,
 Guatemala, El Salvador, Costa Rica, Panama,
 Cuba, St. Lucia Is., Dominica, Trinidad,
 Venezuela, Colombia, Peru, Brazil (Young
 1977a)
- Tylozygus plutoniellus* (Ball)
Kolla plutoniella Ball 1936a:22 [n.subsp. of
geometrica]; Metcalf 1965a,6(1):457 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba aino* Matsumura
Typhlocyba aino Matsumura 1932a:95 [n.sp.]; Metcalf
 1968a,6(17):801 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba akashiensis* (Takahashi)
Zygima [sic] *akashiensis* Takahashi 1928a:442 [n.sp.];
 Metcalf 1968a,6(17):801 [Cat.]
- Typhlocyba nopporensis* Matsumura 1932a:100
 [n.sp.]; Metcalf 1968a,6(17):801 [Cat.]
- DISTRIBUTION: Russia, Japan (Metcalf Cat.)
- Typhlocyba alabamaensis* Christian
Typhlocyba alabamaensis Christian 1953a:1177
 [n.sp.]; Metcalf 1968a,6(17):802 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba alces* Ribaut
Typhlocyba alces Ribaut 1931b:281 [n.sp.]; Metcalf
 1968a,6(17):802 [Cat.]
- DISTRIBUTION: France, Switzerland, Germany,
 Netherlands, Czech Republic, Slovakia (Metcalf
 Cat.)
- Typhlocyba algerica* Matsumura
Typhlocyba algerica Matsumura 1908a:9 [n.sp.];
 Metcalf 1968a,6(17):803 [Cat.]
- DISTRIBUTION: Algeria, Morocco (Metcalf Cat.)
- Typhlocyba ampliata* Wagner
Typhlocyba ampliata Wagner 1947c:82 [n.sp.];
 Metcalf 1968a,6(17):803 [Cat.]
- DISTRIBUTION: Hungary (Metcalf Cat.)
- Typhlocyba andromache* McAtee
Typhlocyba andromache McAtee 1926a:10 [n.sp.];
 Metcalf 1968a,6(17):803 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba arsinoe* McAtee
Typhlocyba arsinoe McAtee 1926a:10 [n.sp.]; Metcalf
 1968a,6(17):804 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba athene* McAtee
Typhlocyba athene McAtee 1926a:10 [n.sp.]; Metcalf
 1968a,6(17):804 [Cat.]
- Typhlocyba atrifrons* Distant
Typhlocyba atrifrons Distant 1918b:102 [n.sp.];
 Metcalf 1968a,6(17):805 [Cat.]
- DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Typhlocyba atrosignata* Distant
Typhlocyba atrosignata Distant 1918b:100 [n.sp.];
 Metcalf 1968a,6(17):805 [Cat.]
- DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba attenuata* Christian
Typhlocyba attenuata Christian 1953a:1172 [n.sp.];
 Metcalf 1968a,6(17):805 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba aureolineata* Ruppel & DeLong
Typhlocyba aureolineata Ruppel & DeLong
 1953b:182 [n.sp.]; Metcalf 1968a,6(17):805 [Cat.]
- DISTRIBUTION: Mexico (Metcalf Cat.)
- Typhlocyba australensis* (Kirkaldy)
Empoa australensis Kirkaldy 1906c:363 [n.sp.];
 Metcalf 1968a,6(17):805 [Cat.]
- DISTRIBUTION: Australia (Metcalf Cat.)
- Typhlocyba bakeri* Crevecoeur
Typhlocyba bakeri Crevecoeur 1905a:236 [n.sp.];
 Metcalf 1968a,6(17):806 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba barbata* Ribaut
Typhlocyba barbata Ribaut 1931a:338 [n.sp.]; Metcalf
 1968a,6(17):806 [Cat.]
- DISTRIBUTION: France, Germany, England, Poland,
 Switzerland, Czech Republic, Netherlands,
 Finland, Italy, Sweden (Metcalf Cat.)
- Typhlocyba bellula* (Distant)
Camulus bellulus Distant 1918b:98 [n.sp.]; Metcalf
 1968a,6(17):807 [Cat.]

- DISTRIBUTION:** India (Metcalf Cat.)
Typhlocyba bifasciata Boheman
 Cicada nitidula Fabricius 1794a:46 [n.sp.]; Metcalf 1968a,6(17):807 [Cat.]
Typhlocyba bifasciata Boheman 1851a:212 [n.sp.]; Metcalf 1968a,6(17):808 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, United States (Metcalf Cat.)
Typhlocyba bifasciata fenestrata Melichar
Typhlocyba bifasciata fenestrata Melichar 1896a:345 [n.subsp. of nitidula]; Metcalf 1968a,6(17):814 [Cat.]
DISTRIBUTION: Hungary, Great Britain, Austria, Netherlands, Germany, France, Sweden, Poland (Metcalf Cat.)
Typhlocyba bifasciata norgueti (Lethierry)
 Anomia bifasciata norgueti Lethierry 1874a:277 [n.sp.]; Metcalf 1968a,6(17):815 [Cat.]
Typhlocyba nitidula atrata Melichar 1896a:345 [n.subsp. of nitidula]; Metcalf 1968a,6(17):816 [Cat.]
DISTRIBUTION: France, Great Britain, Belgium, Germany, Austria, Netherlands, Poland, Sweden, Slovakia, Czech Republic (Metcalf Cat.)
Typhlocyba bifasciata perrieri Ribaut
Typhlocyba bifasciata perrieri Ribaut 1936b:122 [n.subsp. of bifasciata]; Metcalf 1968a,6(17):817 [Cat.]
DISTRIBUTION: France, Poland, Netherlands, Sweden (Metcalf Cat.)
Typhlocyba calemia (Walker)
 Iassus calemia Walker 1851b:894 [n.sp.]; Metcalf 1968a,6(17):818 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Typhlocyba callosa Then
Typhlocyba (Anomia) callosa Then 1886a:56 [n.sp.]; Metcalf 1968a,6(17):819 [Cat.]
DISTRIBUTION: Austria, Germany, France, Czech Republic, Belgium, Hungary, Great Britain, Denmark, Netherlands, Sweden, Slovakia, Poland (Metcalf Cat.)
Typhlocyba callosa distincta Edwards
Typhlocyba callosa distincta Edwards 1914a:170 [n.sp.]; Metcalf 1968a,6(17):820 [Cat.]
DISTRIBUTION: Great Britain, Germany, Sweden, France, Netherlands, Czech Republic, Poland (Metcalf Cat.)
Typhlocyba cardinalis Distant
Typhlocyba cardinalis Distant 1918b:101 [n.sp.]; Metcalf 1968a,6(17):821 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Typhlocyba carri Edwards
Typhlocyba carri Edwards 1914a:170 [n.sp.]; Metcalf 1968a,6(17):821 [Cat.]
Typhlocyba cruenta bohemica Dlabola 1945a:37 [n.subsp. of cruenta]; Metcalf 1968a,6(17):822 [Cat.]
DISTRIBUTION: England, France, Germany, Netherlands, Czech Republic, Sweden, Poland, Norway, Finland (Metcalf Cat.)
Typhlocyba cassiopeia Knoll
Typhlocyba cassiopeia Knoll 1945a:269 [n.sp.]; Metcalf 1968a,6(17):822 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Typhlocyba centralis Berg
Typhlocyba centralis Berg 1884a:38 [n.sp.]; Metcalf 1968a,6(17):823 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
Typhlocyba centrorubida Matsumura
Typhlocyba centrorubida Matsumura 1932a:96 [n.sp.]; Metcalf 1968a,6(17):823 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Typhlocyba cestocephala [sic] Walker
Typhlocyba cistocephala Walker 1851b:907 [n.sp.]; Metcalf 1968a,6(17):823 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Typhlocyba chobauti Ribaut
Typhlocyba chobauti Ribaut 1952a:453 [n.sp.]; Metcalf 1968a,6(17):823 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Typhlocyba coerulescens Distant
Typhlocyba coerulescens Distant 1918b:101 [n.sp.]; Metcalf 1968a,6(17):824 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Typhlocyba complicata (Edwards)
 Anomia complicata Edwards 1928a:80 [n.sp.]; Metcalf 1968a,6(17):825 [Cat.]
DISTRIBUTION: Great Britain, Netherlands (Metcalf Cat.)
Typhlocyba condensata Jacobi
Typhlocyba condensata Jacobi 1941a:312 [n.sp.]; Metcalf 1968a,6(17):825 [Cat.]
DISTRIBUTION: Flores (?) (East Indonesia?) (Metcalf Cat.)
Typhlocyba crassa DeLong & Johnson
Typhlocyba crassa DeLong & Johnson 1936a:102 [n.sp.]; Metcalf 1968a,6(17):826 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf Cat.)
Typhlocyba cruenta Herrich-Schaeffer
Typhlocyba cruenta Herrich-Schaeffer 1838c:15 [n.sp.]; Metcalf 1968a,6(17):826 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain, Holarctic region (?) (Metcalf Cat.)
Typhlocyba cruenta inquinata Ribaut
Typhlocyba inquinata Ribaut 1936b:88 [n.sp.]; Metcalf 1968a,6(17):829 [Cat.]
DISTRIBUTION: Widespread Europe, Great Britain (Metcalf Cat.)

- Typhlocyba cruenta opaca* Edwards
Typhlocyba cruenta opaca Edwards 1888c:158 [n.sp.];
 Metcalf 1968a,6(17):830 [Cat.]
DISTRIBUTION: Great Britain, Netherlands (Metcalf Cat.)
- Typhlocyba currax* Melichar
Typhlocyba (Zygina) currax Melichar 1903b:220
 [n.sp.]; Metcalf 1968a,6(17):831 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
- Typhlocyba cyclopula* Jacobi
Typhlocyba cyclopula Jacobi 1941a:314 [n.sp.];
 Metcalf 1968a,6(17):831 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Typhlocyba decempunctata* (Fallén)
Cicada decempunctata Fallén 1806a:41 [n.sp.];
 Metcalf 1968a,6(17):832 [Cat.]
Typhlocyba betulincola Edwards 1925b:64 [n.sp.];
 Metcalf 1968a,6(17):835 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain (Metcalf Cat.)
- Typhlocyba decempunctata intercedens* Linnauvori
Typhlocyba decempunctata intercedens Linnauvori
 1949c:152 [n.subsp. of *decempunctata*]; Metcalf
 1968a,6(17):838 [Cat.]
DISTRIBUTION: Finland, Sweden (Metcalf Cat.)
- Typhlocyba decempunctata quadripunctata* Cerutti
Typhlocyba decempunctata quadripunctata Cerutti
 1939a:88 [n.subsp. of *decempunctata*]; Metcalf
 1968a,6(17):839 [Cat.]
DISTRIBUTION: Switzerland (Metcalf Cat.)
- Typhlocyba delicatula* Distant
Typhlocyba delicatula Distant 1918b:104 [n.sp.];
 Metcalf 1968a,6(17):839 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba diana* Distant
Typhlocyba diana Distant 1918b:100 [n.sp.]; Metcalf
 1968a,6(17):839 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba diaphana* (Gmelin)
Cicada hyalina Müller 1776a:103 [n.sp.]; Metcalf
 1968a,6(17):839 [Cat.]
Cicada diaphana Gmelin 1789a:2117 [nom.nov. for
Cicada hyalina Müller 1776]; Metcalf
 1968a,6(17):839 [Cat.]
DISTRIBUTION: Denmark, Norway, Germany (Metcalf Cat.)
- Typhlocyba douglasi* Edwards
Typhlocyba douglasi Edwards 1878a:248 [n.sp.];
 Metcalf 1968a,6(17):840 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia, Great Britain, Russia (Metcalf Cat.)
- Typhlocyba dubia* (Fieber)
Anomia dubia Fieber 1884b:130 [n.sp.]; Metcalf
 1968a,6(17):843 [Cat.]
DISTRIBUTION: Greece, France (Metcalf Cat.)
- Typhlocyba dubiosa* Baker
Typhlocyba dubia Distant 1918b:102 [n.sp.]; Metcalf
 1968a,6(17):843 [Cat.]
Typhlocyba dubiosa Baker 1918b:537 [nom.nov. for
Typhlocyba dubia Distant 1918]; Metcalf
 1968a,6(17):843 [Cat.]
DISTRIBUTION: India, West Indonesia (Metcalf Cat.)
- Typhlocyba epimiltia* Walker
Typhlocyba epimiltia Walker 1851b:907 [n.sp.];
 Metcalf 1968a,6(17):844 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Typhlocyba erythrinae* Koningsberger & Zimmerman
Typhlocyba erythrinae Koningsberger & Zimmerman
 1901a:45 [n.sp.]; Metcalf 1968a,6(17):844 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Typhlocyba exornata* Horváth
Typhlocyba exornata Horváth 1905b:275 [n.sp.];
 Metcalf 1968a,6(17):845 [Cat.]
Typhlocyba fiumensis Matsumura 1908a:6 [n.sp.];
 Metcalf 1968a,6(17):845 [Cat.]
DISTRIBUTION: Spain, Yugoslavia, Hungary, Italy, Portugal (Metcalf Cat.)
- Typhlocyba ficaria* Horváth
Typhlocyba ficaria Horváth 1897b:636 [n.sp.];
 Metcalf 1968a,6(17):845 [Cat.]
DISTRIBUTION: Italy, Hungary, Croatia, France, Spain, Morocco (Metcalf Cat.)
- Typhlocyba flexuosa* Ribaut
Typhlocyba flexuosa Ribaut 1931a:341 [n.sp.];
 Metcalf 1968a,6(17):846 [Cat.]
DISTRIBUTION: France, Netherlands, England (Metcalf Cat.)
- Typhlocyba fulgidula* Berg
Typhlocyba fulgidula Berg 1895a:205 [n.sp.]; Metcalf
 1968a,6(17):847 [Cat.]
DISTRIBUTION: Argentina (Metcalf Cat.)
- Typhlocyba furcifrons* Jacobi
Typhlocyba furcifrons Jacobi 1941a:316 [n.sp.];
 Metcalf 1968a,6(17):847 [Cat.]
DISTRIBUTION: Flores (?) (East Indonesia?) (Metcalf Cat.)
- Typhlocyba gemina* Jacobi
Typhlocyba gemina Jacobi 1941a:315 [n.sp.]; Metcalf
 1968a,6(17):848 [Cat.]
DISTRIBUTION: West Indonesia, East Indonesia (Metcalf Cat.)
- Typhlocyba gemmata* Distant
Typhlocyba gemmata Distant 1918b:99 [n.sp.];
 Metcalf 1968a,6(17):848 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba gillavryi* Melichar
Typhlocyba gillavryi Melichar 1914b:144 [n.sp.];
 Metcalf 1968a,6(17):848 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba giranna* Matsumura

- Typhlocyba giranna* Matsumura 1932a:96 [n.sp.];
 Metcalf 1968a,6(17):848 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba gratiosa* Boheman
Typhlocyba gratiosa Boheman 1852b:121 [n.sp.];
 Metcalf 1968a,6(17):849 [Cat.]
Typhlocyba suturalis Flor 1861c:634 [n.sp.]; Metcalf
 1968a,6(17):849 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Great Britain, Russia (Metcalf Cat.)
- Typhlocyba guttulata* Distant
Typhlocyba guttulata Distant 1918b:101 [n.sp.];
 Metcalf 1968a,6(17):852 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba hockingensis* Knoll
Typhlocyba hockingensis Knoll 1945a:270 [n.sp.];
 Metcalf 1968a,6(17):853 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
 Cat.)
- Typhlocyba horvathiana* Dlabola
Typhlocyba horvathiana Dlabola 1954d:151,155
 [n.sp.]; Metcalf 1968a,6(17):853 [Cat.]
DISTRIBUTION: Hungary, Romania (Metcalf Cat.)
- Typhlocyba hoso* Matsumura
Typhlocyba hoso Matsumura 1932a:97 [n.sp.];
 Metcalf 1968a,6(17):853 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba hyposticta* Walker
Typhlocyba hyposticta Walker 1851b:907 [n.sp.];
 Metcalf 1968a,6(17):853 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Typhlocyba iedidia* Walker
Typhlocyba iedidia Walker 1851b:906 [n.sp.]; Metcalf
 1968a,6(17):854 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Typhlocyba ilsa* Jacobi
Typhlocyba [sic] *ilsae* Jacobi 1941a:313 [n.sp.];
 Metcalf 1968a,6(17):854 [Cat.]
DISTRIBUTION: Flores (?) (East Indonesia?)
 (Metcalf Cat.)
- Typhlocyba incerta* Distant
Typhlocyba incerta Distant 1918b:104 [n.sp.]; Metcalf
 1968a,6(17):854 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba inflata* Christian
Typhlocyba inflata Christian 1953a:1186 [n.sp.];
 Metcalf 1968a,6(17):854 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba internalis* Matsumura
Typhlocyba internalis Matsumura 1932a:97 [n.sp.];
 Metcalf 1968a,6(17):854 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba ishidiae* Matsumura
Typhlocyba ishidiae Matsumura 1932a:98 [n.sp.];
 Metcalf 1968a,6(17):855 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba jacobii* Christian
Typhlocyba duplicata Jacobi 1941a:312 [n.sp.];
 Metcalf 1968a,6(17):855 [Cat.]
Typhlocyba jacobii Christian 1953a:1107 [nom.nov.
 for *Typhlocyba duplicata* Jacobi 1941]; Metcalf
 1968a,6(17):855 [Cat.]
DISTRIBUTION: Flores (?) (East Indonesia?)
 (Metcalf Cat.)
- Typhlocyba jaina* Distant
Typhlocyba jaina Distant 1908g:413 [n.sp.]; Metcalf
 1968a,6(17):855 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba jucunda* Herrich-Schaeffer
Typhlocyba jucunda Herrich-Schaeffer 1837a:16
 [n.sp.]; Metcalf 1968a,6(17):855 [Cat.]
Typhlocyba zetterstedtii Boheman 1845b:161 [n.sp.];
 Metcalf 1968a,6(17):856 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
 Great Britain (Metcalf Cat.)
- Typhlocyba kiiensis* Matsumura
Typhlocyba kiiensis Matsumura 1932a:98 [n.sp.];
 Metcalf 1968a,6(17):860 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba koreacola* Matsumura
Typhlocyba koreacola Matsumura 1932a:98 [n.sp.];
 Metcalf 1968a,6(17):860 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Typhlocyba lamellaris* Ribaut
Typhlocyba lamellaris Ribaut 1931a:336 [n.sp.];
 Metcalf 1968a,6(17):860 [Cat.]
DISTRIBUTION: France, Netherlands, England,
 Slovakia (Metcalf Cat.)
- Typhlocyba lautipennis* Stål
Typhlocyba lautipennis Stål 1859b:295 [n.sp.];
 Metcalf 1968a,6(17):860 [Cat.]
DISTRIBUTION: Hong Kong (Metcalf Cat.)
- Typhlocyba lepida* (Fieber)
Anomia lepida Fieber 1884b:129 [n.sp.]; Metcalf
 1968a,6(17):861 [Cat.]
DISTRIBUTION: Greece (Metcalf Cat.)
- Typhlocyba loewi* Lethierry
Typhlocyba loewi Lethierry 1884d:131 [n.sp.];
 Metcalf 1968a,6(17):861 [Cat.]
DISTRIBUTION: Austria, Germany, France (Metcalf
 Cat.)
- Typhlocyba lyraformis* Matsumura
Typhlocyba lyraformis Matsumura 1932a:99 [n.sp.];
 Metcalf 1968a,6(17):862 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba marginata* Walker
Typhlocyba marginata Walker 1851b:906 [n.sp.];
 Metcalf 1968a,6(17):862 [Cat.]
DISTRIBUTION: South Africa (Metcalf Cat.)
- Typhlocyba margineguttata* Lethierry

- Typhlocyba margineguttata* Lethierry 1884d:130
[n.sp.,not nom.nov]; Metcalf 1968a,6(17):862
[Cat.]
DISTRIBUTION: Italy, Ukraine (Metcalf Cat.)
- Typhlocyba medleri* Christian
Typhlocyba medleri Christian 1953a:1169 [n.sp.];
Metcalf 1968a,6(17):863 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba melite* McAtee
Typhlocyba melite McAtee 1926a:10 [n.sp.]; Metcalf
1968a,6(17):863 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Typhlocyba modesta* Gibson
Typhlocyba modesta Gibson 1917a:184 [n.sp.];
Metcalf 1968a,6(17):864 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Typhlocyba nakanensis* Matsumura
Typhlocyba nakanensis Matsumura 1932a:99 [n.sp.];
Metcalf 1968a,6(17):865 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba nigridorsalis* Matsumura
Typhlocyba nigridorsalis Matsumura 1908a:7 [n.sp.];
Metcalf 1968a,6(17):865 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Typhlocyba nigrobilineata* Melichar
Typhlocyba nigrobilineata Melichar 1923b:100
[n.sp.]; Metcalf 1968a,6(17):865 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Typhlocyba niobe* McAtee
Typhlocyba niobe McAtee 1926a:9,10 [n.sp.]; Metcalf
1968a,6(17):866 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba nitobella* Matsumura
Typhlocyba nitobella Matsumura 1932a:99 [n.sp.];
Metcalf 1968a,6(17):866 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba oneka* Knoll
Typhlocyba oneka Knoll 1945a:270 [n.sp.]; Metcalf
1968a,6(17):867 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba opulenta* Distant
Typhlocyba opulenta Distant 1918b:103 [n.sp.];
Metcalf 1968a,6(17):868 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba ornatula* Distant
Typhlocyba ornatula Distant 1918b:100 [n.sp.];
Metcalf 1968a,6(17):868 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba pandellei* Lethierry
Typhlocyba pandellei Lethierry 1878d:xxx [n.sp.];
Metcalf 1968a,6(17):868 [Cat.]
DISTRIBUTION: France, Spain, Italy, Hungary,
Great Britain (Metcalf Cat.)
- Typhlocyba pandellei* spoliata Horváth
Typhlocyba pandellei spoliata Horváth 1907a:316
[n.subsp. of pandellei]; Metcalf 1968a,6(17):869
[Cat.]
DISTRIBUTION: France, Great Britain (Metcalf Cat.)
- Typhlocyba peltospila* Walker
Typhlocyba peltospila Walker 1851b:907 [n.sp.];
Metcalf 1968a,6(17):869 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Typhlocyba persephone* McAtee
Typhlocyba lancifer McAtee 1926a:10 [n.sp.]; Metcalf
1968a,6(17):870 [Cat.]
Typhlocyba persephone McAtee 1926a:10 [n.sp.];
Metcalf 1968a,6(17):870 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Typhlocyba perstrigata* Jacobi
Typhlocyba perstrigata Jacobi 1941a:315 [n.sp.];
Metcalf 1968a,6(17):870 [Cat.]
DISTRIBUTION: West Indonesia, East Indonesia
(Metcalf Cat.)
- Typhlocyba plagialis* Jacobi
Typhlocyba plagialis Jacobi 1941a:314 [n.sp.];
Metcalf 1968a,6(17):871 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Typhlocyba pomaria* McAtee
Typhlocyba pomaria McAtee 1926a:10 [n.sp.];
Metcalf 1968a,6(17):871 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Typhlocyba prasina* Blanchard
Typhlocyba prasina Blanchard 1852 [in Spinola
1852a:305] [n.sp.]; Metcalf 1968a,6(17):875 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
- Typhlocyba punicea* Matsumura
Typhlocyba punicea Matsumura 1932a:100 [n.sp.];
Metcalf 1968a,6(17):876 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba putnami* Knoll
Typhlocyba putnami Knoll 1945a:269 [n.sp.]; Metcalf
1968a,6(17):877 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Typhlocyba quercus* (Fabricius)
Cicada quercus Fabricius 1777a:298 [n.sp.]; Metcalf
1968a,6(17):878 [Cat.]
Cicada flavescens Goeze 1778a:159 [n.sp.]; Metcalf
1968a,6(17):878 [Cat.]
Typhlocyba fasciata Tollin 1851a:73 [n.sp.]; Metcalf
1968a,6(17):879 [Cat.]
DISTRIBUTION: Widespread Europe, Scandinavia,
United Kingdom, Russia, Japan, United States,
Canada, Atlantic Ocean: Azores (Metcalf Cat.)
- Typhlocyba quinquemaculata* (Distant)
Chikkaballapura quinquemaculata Distant 1918b:108
[n.sp.]; Metcalf 1968a,6(17):886 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)

- Typhlocyba rhodophila* Cerutti
Typhlocyba rhodophila Cerutti 1937a:171 [n.sp.];
 Metcalf 1968a,6(17):886 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
- Typhlocyba rosaesugans* Cerutti
Typhlocyba rosaesugans Cerutti 1939a:88 [n.sp.];
 Metcalf 1968a,6(17):887 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
- Typhlocyba roseipennis* (Oshanin)
Anomia roseipennis Oshanin 1871a:212 [n.sp.];
 Metcalf 1968a,6(17):887 [Cat.]
 DISTRIBUTION: Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan, Russia
 (Metcalf Cat.)
- Typhlocyba rubriocellata* Malloch
Typhlocyba rubriocellata Malloch 1920b:48 [n.sp.];
 Metcalf 1968a,6(17):888 [Cat.]
Typhlocyba escana Ross & DeLong 1949a:118 [n.sp.];
 Metcalf 1968a,6(17):888 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba rubriocellata clara* McAtee
Typhlocyba rubriocellata clara McAtee 1926a:21
 [n.subsp. of *rubriocellata*]; Metcalf
 1968a,6(17):889 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba rubrostriata* Distant
Typhlocyba rubrostriata Distant 1918b:102 [n.sp.];
 Metcalf 1968a,6(17):889 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba rufuscula* Distant
Typhlocyba rufuscula Distant 1918b:103 [n.sp.];
 Metcalf 1968a,6(17):889 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba sagittata* Jacobi
Typhlocyba sagittata Jacobi 1941a:314 [n.sp.];
 Metcalf 1968a,6(17):889 [Cat.]
 DISTRIBUTION: East Indonesia (Metcalf Cat.)
- Typhlocyba sanguinalis* Distant
Typhlocyba sanguinalis Distant 1918b:101 [n.sp.];
 Metcalf 1968a,6(17):889 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba sexnotata* (Curtis)
Cicada sexpunctata Fallén 1826a:51 [n.sp.]; Metcalf
 1968a,6(17):890 [Cat.]
Eupteryx sexnotata Curtis 1837d:pl.640 [n.sp.];
 Metcalf 1968a,6(17):890 [Cat.]
- Typhlocyba sexmaculata* Hardy 1850a:421 [n.sp.];
 Metcalf 1968a,6(17):890 [Cat.]
 DISTRIBUTION: Widespread Europe, Scandinavia,
 United Kingdom, Russia, Japan (Metcalf Cat.)
- Typhlocyba sexnotata agathina* Snellen
Typhlocyba sexnotata agathina Snellen 1862 [in
 Graaf,Six & Snellen 1862a:87] [n.sp.]; Metcalf
 1968a,6(17):899 [Cat.]
 DISTRIBUTION: Netherlands (Metcalf Cat.)
- Typhlocyba sexnotata bipunctata* Cerutti
Typhlocyba sexnotata bipunctata Cerutti 1939a:88
 [n.subsp. of *sexpunctata*]; Metcalf
 1968a,6(17):900 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
- Typhlocyba shawneeana* Knoll
Typhlocyba shawneeana Knoll 1945a:270 [n.sp.];
 Metcalf 1968a,6(17):900 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba sociabilis* Ossiannilsson
Typhlocyba sociabilis Ossiannilsson 1936b:257
 [n.sp.]; Metcalf 1968a,6(17):900 [Cat.]
 DISTRIBUTION: Sweden, Germany, Poland,
 Netherlands, Finland (Metcalf Cat.)
- Typhlocyba sollisa* Ross & DeLong
Typhlocyba sollisa Ross & DeLong 1949a:116 [n.sp.];
 Metcalf 1968a,6(17):901 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba soror* Linnauvoori
Typhlocyba soror Linnauvoori 1950b:185 [n.sp.];
 Metcalf 1968a,6(17):901 [Cat.]
 DISTRIBUTION: Finland (Metcalf Cat.)
- Typhlocyba spectra* Distant
Typhlocyba spectra Distant 1918b:103 [n.sp.]; Metcalf
 1968a,6(17):901 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba stactopelta* Walker
Typhlocyba stactopelta Walker 1851b:906 [n.sp.];
 Metcalf 1968a,6(17):902 [Cat.]
 DISTRIBUTION: France (Metcalf Cat.)
- Typhlocyba straminea* Distant
Typhlocyba straminea Distant 1918b:104 [n.sp.];
 Metcalf 1968a,6(17):902 [Cat.]
 DISTRIBUTION: Latvia (Metcalf Cat.)
- Typhlocyba subtilis* Matsumura
Typhlocyba subtilis Matsumura 1932a:97 [n.sp.];
 Metcalf 1968a,6(17):902 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba sudra* Distant
Typhlocyba sudra Distant 1908g:412 [n.sp.]; Metcalf
 1968a,6(17):903 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Typhlocyba surcula* DeLong & Johnson
Typhlocyba surcula DeLong & Johnson 1936a:103
 [n.sp.]; Metcalf 1968a,6(17):903 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Typhlocyba takizawai* Matsumura
Typhlocyba takizawai Matsumura 1932a:101 [n.sp.];
 Metcalf 1968a,6(17):903 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Typhlocyba tangerica* Matsumura
Typhlocyba tangerica Matsumura 1908a:8 [n.sp.];
 Metcalf 1968a,6(17):904 [Cat.]
 DISTRIBUTION: Morocco (Metcalf Cat.)
- Typhlocyba tortosa* Ross & DeLong
Typhlocyba tortosa Ross & DeLong 1949a:115
 [n.sp.]; Metcalf 1968a,6(17):904 [Cat.]

- DISTRIBUTION:** United States (Metcalf Cat.)
Typhlocyba transviridis Christian
 Typhlocyba transviridis Christian 1953a:1179 [n.sp.]; Metcalf 1968a,6(17):904 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Typhlocyba tripunctula Melichar
 Typhlocyba (Zygina) tripunctula Melichar 1903b:220 [n.sp.]; Metcalf 1968a,6(17):905 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Typhlocyba tristis Melichar
 Typhlocyba tristis Melichar 1914b:144 [n.sp.]; Metcalf 1968a,6(17):905 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
Typhlocyba uniguttata Jacobi
 Typhlocyba uniguttata Jacobi 1941a:311 [n.sp.]; Metcalf 1968a,6(17):905 [Cat.]
DISTRIBUTION: East Indonesia (Metcalf Cat.)
Typhlocyba unipuncta Matsumura
 Typhlocyba unipuncta Matsumura 1908a:8 [n.sp.]; Metcalf 1968a,6(17):905 [Cat.]
DISTRIBUTION: Morocco (Metcalf Cat.)
Typhlocyba virescens Blanchard
 Typhlocyba virescens Blanchard 1852 [in Spinola 1852a:305] [n.sp.]; Metcalf 1968a,6(17):906 [Cat.]
DISTRIBUTION: Chile (Metcalf Cat.)
Typhlocyba viticola Targioni-Tozzetti
 Typhlocyba viticola Targioni-Tozzetti 1888a:402 [n.sp.]; Metcalf 1968a,6(17):906 [Cat.]
DISTRIBUTION: Italy, France (Metcalf Cat.)
Typhlocybellaa maculata Caldwell
 Typhlocybellaa maculata Caldwell 1952 [in Caldwell & Martorell 1952a:112] [n.sp.]; Metcalf 1968a,6(17):192 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
Typhlocybellaa minima Baker
 Typhlocybellaa minima Baker 1903b:3 [n.sp.]; Metcalf 1968a,6(17):192 [Cat.]
DISTRIBUTION: Nicaragua, Puerto Rico, Panama, West Indies, Costa Rica, United States (Metcalf Cat.)
Typhlocybellaa minuta (DeLong)
 Empoa minutus DeLong 1924a:68 [n.sp.]; Metcalf 1968a,6(17):193 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Typhlocybellaa parva Ruppel & DeLong
 Typhlocybellaa parva Ruppel & DeLong 1953b:181 [n.sp.]; Metcalf 1968a,6(17):193 [Cat.]
DISTRIBUTION: Mexico (Metcalf Cat.)
Ujna consors Distant
 Ujna consors Distant 1908g:240 [n.sp.]; Metcalf 1965a,6(1):296 [Cat.]
DISTRIBUTION: Myanmar (Metcalf Cat.)
Ujna delicatula Distant
 Ujna delicatula Distant 1908g:239 [n.sp.]; Metcalf 1965a,6(1):296 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Ujna exigua (Melichar)
 Tettigonia exigua Melichar 1903b:158 [n.sp.]; Metcalf 1965a,6(1):297 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Ujna flavidipes Distant
 Ujna flavidipes Distant 1917a:313 [n.sp.]; Metcalf 1965a,6(1):297 [Cat.]
DISTRIBUTION: Seychelles Islands, Madagascar (Metcalf Cat.)
Ujna gagatina (Melichar)
 Tettigonia gagatina Melichar 1903b:159 [n.sp.]; Metcalf 1965a,6(1):297 [Cat.]
DISTRIBUTION: Sri Lanka (Metcalf Cat.)
Ujna philippinensis Baker
 Ujna philippinensis Baker 1914a:416 [n.sp.]; Metcalf 1965a,6(1):297 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
Ulopa aequatorialis Jacobi
 Ulopa aequatorialis Jacobi 1910b:123 [n.sp.]; Metcalf 1962d,6(5):58 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
Ulopa brunneus Singh-Pruthi
 Ulopa brunneus Singh-Pruthi 1930a:5 [n.sp.]; Metcalf 1962d,6(5):58 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
Ulopa carnea Wagner
 Ulopa carnea Wagner 1955a:170 [n.sp.]; Metcalf 1962d,6(5):58 [Cat.]
DISTRIBUTION: Austria (Metcalf Cat.)
Ulopa grisca Rey
 Ulopa grisca Rey 1894b:30 [n.sp.]; Metcalf 1962d,6(5):59 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Ulopa grisea Walker
 Ulopa grisea Walker 1851b:650 [n.sp.]; Metcalf 1962d,6(5):59 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
Ulopa guadarramensis Ferrari
 Ulopa guadarramensis Ferrari 1882a:102 [n.sp.]; Metcalf 1962d,6(5):59 [Cat.]
DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
Ulopa hovana Lallemand
 Ulopa hovana Lallemand 1950b:95 [n.sp.]; Metcalf 1962d,6(5):59 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
Ulopa reticulata (Fabricius)
 Cercopis reticulata Fabricius 1794a:57 [n.sp.]; Metcalf 1962d,6(5):60 [Cat.]
Cicada obtecta Fallén 1806b:114 [n.sp.]; Metcalf 1962d,6(5):60 [Cat.]
Cercopis ericae Germar 1817a:pl.24 [n.sp.]; Metcalf 1962d,6(5):60 [Cat.]
Ulopa ericetorum Peletier & Serville 1825b:765 [n.sp.]; Metcalf 1962d,6(5):60 [Cat.]
Ulopa intermedia Haupt 1924d:285 [n.sp.]; Metcalf 1962d,6(5):67 [Cat.]

- DISTRIBUTION:** Widespread United Kingdom, Europe, Western Mediterranean, Scandinavia (Metcalf Cat.)
- Ulopa reticulata macroptera* Kirschbaum
Ulopa reticulata macroptera Kirschbaum 1868b:69 [n.sp.]; Metcalf 1962d,6(5):71 [Cat.]
- DISTRIBUTION:** Germany, Russia, Austria, Poland, Netherlands (Metcalf Cat.)
- Ulopa sordida* Stål
Ulopa sordida Stål 1854b:249 [n.sp.]; Metcalf 1962d,6(5):72 [Cat.]
- DISTRIBUTION:** South Africa, Central America (?) (Metcalf Cat.)
- Ulopa trivia* Germar
Ulopa decussata Germar 1821a:55 [n.sp.]; Metcalf 1962d,6(5):72 [Cat.]
- Ulopa lugens* Germar 1821a:56 [n.sp.]; Metcalf 1962d,6(5):72 [Cat.]
- Ulopa trivia* Germar 1821b:pl.21 [n.sp.]; Metcalf 1962d,6(5):72 [Cat.]
- Ulopa germari* Fieber 1872a:7[nom.nov.for *Ulopa trivia* Germar1821 & *Ulopa decussata* Germar1821]; Metcalf 1962d,6(5):73 [Cat.]
- DISTRIBUTION:** Widespread Great Britain, Europe, Western Mediterranean (Metcalf Cat.)
- Ulopella termiticola* Poisson
Ulopella termiticola Poisson 1938a:13 [n.sp.]; Metcalf 1962d,6(5):80 [Cat.]
- DISTRIBUTION:** Western Africa (Metcalf Cat.)
- Uloprora risdonensis* Evans
Uloprora risdonensis Evans 1939a:44 [n.sp.]; Metcalf 1962d,6(5):77 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Ulozena lineatocollis* (Signoret)
Tettigonia lineatocollis Signoret 1854d:728 [n.sp.]; Metcalf 1965a,6(1):419 [Cat.]
- DISTRIBUTION:** Madagascar, Somalia (Metcalf Cat.)
- Unoka gillettei* Metcalf
Athysanus ornatus Gillette 1898b: 29 [n.sp.]; Metcalf 1967b, 6(10b): 1660 [Cat.]
- Unoka gillettei* Metcalf 1955a: 266 [nom.nov. for *Athysanus ornatus* Gillette 1898]; Metcalf 1967b, 6(10b): 1660 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Usanus stonei* DeLong
Usanus stonei DeLong 1947b: 110 [n.sp.]; Metcalf 1967a, 6(10a): 1025 [Cat.]
- DISTRIBUTION:** Mexico (Metcalf Cat.)
- Usuironus limbifera* (Matsumura)
Athysanus limbifer Matsumura 1902a: 373 [n.sp.]; Metcalf 1967a, 6(10a): 390 [Cat.]
- DISTRIBUTION:** Japan, Korea (Metcalf Cat.)
- Usuironus ogikubonis* (Matsumura)
Athysanus ogikubonis Matsumura 1914a: 188 [n.sp.]; Metcalf 1967a, 6(10a): 391 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Uzelina laticeps* Melichar
Uzelina laticeps Melichar 1903b:182 [n.sp.]; Metcalf 1962b,6(3):204 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Vangama steneosaura* Distant
Vangama steneosaura Distant 1908g:260 [n.sp.]; Metcalf 1963a,6(6):44 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Varta rubrofasciata* Distant
Varta rubrofasciata Distant 1908g: 321 [n.sp.]; Metcalf 1967c, 6(10c): 2352 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Verdanus abdominalis* (Fabricius)
Cicada bicolor Fabricius 1794a: 40 [n.sp.]; Metcalf 1967b, 6(10b): 1357 [Cat.]
- Cercopis abdominalis* Fabricius 1803a: 98 [nom.nov. for *Cicada bicolor* Fabricius 1794]; Metcalf 1967b, 6(10b): 1357 [Cat.]
- Cicada balteata* Zetterstedt 1840a: 290 [n.sp.]; Metcalf 1967b, 6(10b): 1358 [Cat.]
- Aphrodes juvenca* Hardy 1850a: 425 [n.sp.]; Metcalf 1967b, 6(10b): 1358 [Cat.]
- DISTRIBUTION:** United States, Canada, Northern Africa, Southern Africa, widespread Europe, Great Britain, Scandinavia, Mediterranean region, Russia, Korea, Turkey, Kazakhstan, Kirghizia, Tadzhikistan, Turkmenistan, Uzbekistan (Metcalf Cat.)
- Verdanus abdominalis rufus* (Sahlberg)
Deltocephalus abdominalis rufus Sahlberg 1871a: 329 [n.subsp. of *abdominalis*]; Metcalf 1967b, 6(10b): 1373 [Cat.]
- DISTRIBUTION:** Scandinavia, Russia (Metcalf Cat.)
- Verdanus abdominalis vernalis* (Hofmänner)
Deltocephalus abdominalis vernalis Hofmänner 1924a: 55 [n.subsp. of *abdominalis*]; Metcalf 1967b, 6(10b): 1373 [Cat.]
- DISTRIBUTION:** Switzerland (Metcalf Cat.)
- Verdanus convenarum* (Ribaut)
Deltocephalus montanus Ribaut 1936a: 259 [n.sp.]; Metcalf 1967b, 6(10b): 1373 [Cat.]
- Diplocolenus convenarum* Ribaut 1946b: 85 [nom.nov. for *Deltocephalus montanus* Ribaut 1936]; Metcalf 1967b, 6(10b): 1373 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Verdanus evansi* (Ashmead)
Deltocephalus evansi Ashmead 1904a: 132 [n.sp.]; Metcalf 1967b, 6(10b): 1374 [Cat.]
- DISTRIBUTION:** United States, Canada (Metcalf Cat.)
- Verdanus obenbergeri* (Dlabola)
Deltocephalus obenbergeri Dlabola 1945d: 174 [n.sp.]; Metcalf 1967b, 6(10b): 1374 [Cat.]
- Deltocephalus boemicus* Lang 1947b: 93 [n.sp.]; Metcalf 1967b, 6(10b): 1374 [Cat.]

- DISTRIBUTION:** Czech Republic, France (Metcalf Cat.)
- Verdanus orientalis* (Ribaut)
Deltocephalus orientalis Ribaut 1936a: 261 [n.sp.]; Metcalf 1967b, 6(10b): 1374 [Cat.]
- DISTRIBUTION:** France (Metcalf Cat.)
- Viridomarus capitatus* Distant
Viridomarus capitatus Distant 1918b: 70 [n.sp.]; Metcalf 1967c, 6(10c): 2349 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Volusenus lahorensis* Distant
Volusenus lahorensis Distant 1918b: 72 [n.sp.]; Metcalf 1967b, 6(10b): 1585 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Vulturnus hackeri* Evans
Vulturnus hackeri Evans 1937a:153 [n.sp.]; Metcalf 1962b,6(3):215 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Vulturnus montanus* Evans
Vulturnus montanus Evans 1937a:154 [n.sp.]; Metcalf 1962b,6(3):215 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Vulturnus ornatus* Distant
Vulturnus ornatus Distant 1912d:445 [n.sp.]; Metcalf 1962b,6(3):215 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Vulturnus punctulatus* Evans
Vulturnus punctulatus Evans 1937a:153 [n.sp.]; Metcalf 1962b,6(3):215 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Vulturnus reticulatus* (Stål)
Penthimia reticulata Stål 1870c:737 [n.sp.]; Metcalf 1962b,6(3):216 [Cat.]
- DISTRIBUTION:** Philippines (Metcalf Cat.)
- Vulturnus speciosus* Distant
Vulturnus speciosus Distant 1912d:445 [n.sp.]; Metcalf 1962b,6(3):216 [Cat.]
- DISTRIBUTION:** Sri Lanka (Metcalf Cat.)
- Vulturnus virgidemina* Kirkaldy
Vulturnus virgidemina Kirkaldy 1907d:83 [n.sp.]; Metcalf 1962b,6(3):216 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Vulturnus voltumna* Kirkaldy
Vulturnus voltumna Kirkaldy 1907d:83 [n.sp.]; Metcalf 1962b,6(3):216 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Vulturnus vulturnus* Kirkaldy
Vulturnus vulturnus Kirkaldy 1906c:463 [n.sp.]; Metcalf 1962b,6(3):216 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Wolfella caternaultii* Spinola
Wolfella caternaultii Spinola 1850b:122 [n.sp.]; Metcalf 1962a,6(2):16 [Cat.]
- DISTRIBUTION:** Guinea, Uganda (Metcalf Cat.)
- Wolfella ensifera* Schmidt
Wolfella ensifera Schmidt 1924a:98 [n.sp.]; Metcalf 1962a,6(2):16 [Cat.]
- DISTRIBUTION:** Bioko (Fernando Poo) (Metcalf Cat.)
- Wolfella ensiformis* Schmidt
Wolfella ensiformis Schmidt 1924a:97 [n.sp.]; Metcalf 1962a,6(2):16 [Cat.]
- DISTRIBUTION:** Principe Island (Metcalf Cat.)
- Wolfella rühli* [sic] Schmidt
Wolfella ruehli Schmidt 1924c:21 [n.sp.]; Metcalf 1962a,6(2):16 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Wolfella spinolae* Haglund
Wolffella [sic] *spinolae* Haglund 1899a:57 [n.sp.]; Metcalf 1962a,6(2):16 [Cat.]
- DISTRIBUTION:** Cameroon, Nigeria, Congo (Metcalf Cat.)
- Wutingia fusiformis* (Walker)
Tettigonia fusiformis Walker 1851b:752 [n.sp.]; Metcalf 1965a,6(1):42 [Cat.]
- DISTRIBUTION:** Locality unknown (Metcalf Cat.)
- Wutingia nigronervosa* Melichar
Wutingia nigronervosa Melichar 1926a:372 [n.sp.]; Metcalf 1965a,6(1):42 [Cat.]
- DISTRIBUTION:** China (Metcalf Cat.)
- Xerophloea brunnea* Lawson
Xerophloea brunnea Lawson 1931a:163 [n.sp.]; Metcalf 1962c,6(4):46 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea californica* Lawson
Xerophloea californica Lawson 1931a:163 [n.sp.]; Metcalf 1962c,6(4):46 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea carinata* Oman
Xerophloea carinata Oman 1936e:399 [n.sp.]; Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea gigas* Oman
Xerophloea gigas Oman 1936e:400 [n.subsp. of *carinata*]; Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea cephalica* Oman
Xerophloea cephalica Oman 1936e:396 [n.sp.]; Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea difformis* Oman
Xerophloea difformis Oman 1936e:400 [n.sp.]; Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea elegans* Oman
Xerophloea elegans Oman 1936e:401 [n.sp.]; Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea elongata* Oman
Xerophloea elongata Oman 1936e:398 [n.sp.]; Metcalf 1962c,6(4):47 [Cat.]

- DISTRIBUTION:** Argentina (Metcalf Cat.)
Xerophloea foveolata (Fieber)
Mesodicus foveolata Fieber 1866a:512 [n.sp.];
 Metcalf 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** Southern Europe, United States
 (Metcalf Cat.)
- Xerophloea inflata** Lawson
Xerophloea inflata Lawson 1931a:164 [n.sp.]; Metcalf
 1962c,6(4):47 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea magna** Oman
Xerophloea magna Oman 1936e:396 [n.sp.]; Metcalf
 1962c,6(4):48 [Cat.]
- DISTRIBUTION:** Argentina (Metcalf Cat.)
- Xerophloea majesta** Lawson
Xerophloea majesta Lawson 1931a:165 [n.sp.];
 Metcalf 1962c,6(4):48 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea major** Baker
Xerophloea major Baker 1898c:285 [n.sp.]; Metcalf
 1962c,6(4):48 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea minor** Lawson
Xerophloea minor Lawson 1931a:162 [n.sp.]; Metcalf
 1962c,6(4):49 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea obtusa** Lawson
Xerophloea obtusa Lawson 1931a:162 [n.sp.]; Metcalf
 1962c,6(4):50 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea oraclis** Lawson
Xerophloea oraclis Lawson 1931a:165 [n.sp.]; Metcalf
 1962c,6(4):50 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea robusta** Lawson
Xerophloea robusta Lawson 1931a:164 [n.sp.];
 Metcalf 1962c,6(4):50 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea tenuata** Lawson
Xerophloea tenuata Lawson 1931a:165 [n.sp.];
 Metcalf 1962c,6(4):50 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea tuberculata** Osborn
Xerophloea tuberculata Osborn 1938a:16 [n.sp.];
 Metcalf 1962c,6(4):51 [Cat.]
- DISTRIBUTION:** Guyana (Metcalf Cat.)
- Xerophloea vanduzeei** Lawson
Xerophloea vanduzeei Lawson 1931a:161 [n.sp.];
 Metcalf 1962c,6(4):51 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xerophloea viridis** (Fabricius)
Cercopis viridis Fabricius 1794a:50 [n.sp.]; Metcalf
 1962c,6(4):51 [Cat.]
- Cercopis vires* Turton 1802a:584 [n.sp.]; Metcalf
 1962c,6(4):51 [Cat.]
- Xerophloea grisea** Germar 1839a:190 [n.sp.]; Metcalf
 1962c,6(4):51 [Cat.]
- Xerophloea sordidula** Stål 1854b:253 [n.sp.]; Metcalf
 1962c,6(4):51 [Cat.]
- Xerophloea virescens** Stål 1854b:253 [n.sp.]; Metcalf
 1962c,6(4):51 [Cat.]
- Parapholis peltata** Uhler 1877a:461 [n.sp.]; Metcalf
 1962c,6(4):52 [Cat.]
- Xerophloea breviceps** Osborn 1935a:143 [n.sp.];
 Metcalf 1962c,6(4):55 [Cat.]
- DISTRIBUTION:** Widespread North, Central and
 South America, Mexico, West Indies, Atlantic
 Ocean: Falkland Islands (Metcalf Cat.)
- Xerophloea zionis** Lawson
Xerophloea zionis Lawson 1931a:161 [n.sp.]; Metcalf
 1962c,6(4):57 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xestocephalus aethiopicus** Melichar
Xestocephalus aethiopicus Melichar 1914b: 140
 [n.sp.]; Metcalf 1967c, 6(10c): 2358 [Cat.]
- DISTRIBUTION:** Tanzania (Metcalf Cat.)
- Xestocephalus agassizi** Van Duzee
Xestocephalus agassizi Van Duzee 1912a: 510 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Jamaica (Metcalf Cat.)
- Xestocephalus albidus** Evans
Xestocephalus albidus Evans 1954a: 127 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Xestocephalus apicalis** Melichar
Xestocephalus apicalis Melichar 1903b: 207 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Sri Lanka, Oceania: Samoa Islands
 (Metcalf Cat.)
- Xestocephalus australensis** Kirkaldy
Xestocephalus australensis Kirkaldy 1907d: 52 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Xestocephalus badius** Evans
Xestocephalus badius Evans 1954a: 128 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Madagascar (Metcalf Cat.)
- Xestocephalus balli** Van Duzee
Xestocephalus balli Van Duzee 1907a: 64 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Jamaica (Metcalf Cat.)
- Xestocephalus bicolor** Matsumura
Xestocephalus bicolor Matsumura 1914a: 201 [n.sp.];
 Metcalf 1967c, 6(10c): 2359 [Cat.]
- DISTRIBUTION:** Japan, Taiwan (Metcalf Cat.)
- Xestocephalus bipunctatus** Van Duzee
Xestocephalus bipunctatus Van Duzee 1907a: 63
 [n.sp.]; Metcalf 1967c, 6(10c): 2360 [Cat.]
- DISTRIBUTION:** Jamaica (Metcalf Cat.)
- Xestocephalus botelensis** Matsumura

- Xestocephalus botelensis* Matsumura 1940d: 41
[n.sp.]; Metcalf 1967c, 6(10c): 2360 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Xestocephalus brunneus* Van Duzee
Xestocephalus desertorum brunneus Van Duzee
1907a: 62 [n.sp.]; Metcalf 1967c, 6(10c): 2360
[Cat.]
DISTRIBUTION: United States, Canada, West Indies,
Brazil, Bolivia, Paraguay (Metcalf Cat.)
- Xestocephalus chibianus* Matsumura
Xestocephalus chibianus Matsumura 1940d: 41
[n.sp.]; Metcalf 1967c, 6(10c): 2361 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Xestocephalus cirrus* Evans
Xestocephalus cirrus Evans 1955a: 40 [n.sp.]; Metcalf
1967c, 6(10c): 2361 [Cat.]
DISTRIBUTION: Zaire (Metcalf Cat.)
- Xestocephalus coronatus* Osborn & Ball
Xestocephalus coronatus Osborn & Ball 1897a: 184
[n.sp.]; Metcalf 1967c, 6(10c): 2361 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus dissimilis* Distant
Xestocephalus dissimilis Distant 1918b: 55 [n.sp.];
Metcalf 1967c, 6(10c): 2362 [Cat.]
DISTRIBUTION: India (Metcalf Cat.)
- Xestocephalus fasciatus* Evans
Xestocephalus fasciatus Evans 1954a: 127 [n.sp.];
Metcalf 1967c, 6(10c): 2362 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Xestocephalus fucatus* Evans
Xestocephalus fucatus Evans 1954a: 128 [n.sp.];
Metcalf 1967c, 6(10c): 2362 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Xestocephalus fulvifrons* Peters
Xestocephalus fulvifrons Peters 1933a: 74 [n.sp.];
Metcalf 1967c, 6(10c): 2362 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus fuscus* Evans
Xestocephalus fuscus Evans 1954a: 128 [n.sp.];
Metcalf 1967c, 6(10c): 2363 [Cat.]
DISTRIBUTION: Madagascar (Metcalf Cat.)
- Xestocephalus guttulatus* (Motschulsky)
Deltoccephalus guttulatus Motschulsky 1859b: 113
[n.sp.]; Metcalf 1967c, 6(10c): 2363 [Cat.]
DISTRIBUTION: Russia, Sri Lanka, Taiwan, Korea,
Japan, Malaysia, Philippines, West Indonesia,
Ethiopia, Tanzania (Metcalf Cat.)
- Xestocephalus iguchii* Matsumura
Xestocephalus iguchii Matsumura 1914a: 202 [n.sp.];
Metcalf 1967c, 6(10c): 2364 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Xestocephalus irroratus* Osborn
Xestocephalus irroratus Osborn 1924c: 400 [n.sp.];
Metcalf 1967c, 6(10c): 2364 [Cat.]
DISTRIBUTION: Bolivia (Metcalf Cat.)
- Xestocephalus ishidae* Matsumura
Xestocephalus ishidae Matsumura 1914a: 204 [n.sp.];
Metcalf 1967c, 6(10c): 2364 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Xestocephalus izzardi* Metcalf
Xestocephalus minutus Izzard 1936a: 598 [n.sp.];
Metcalf 1967c, 6(10c): 2365 [Cat.]
Xestocephalus izzardi Metcalf 1955a: 266 [nom.nov.
for *Xestocephalus minutus* Izzard 1936]; Metcalf
1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: Indian Ocean: Christmas Island
(Metcalf Cat.)
- Xestocephalus javanus* Melichar
Xestocephalus javanus Melichar 1914b: 138 [n.sp.];
Metcalf 1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Xestocephalus jucundus* Linnauvoi
Xestocephalus jucundus Linnauvoi 1954e: 132
[n.sp.]; Metcalf 1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: Brazil, Paraguay (Metcalf Cat.)
- Xestocephalus koshunensis* Matsumura
Xestocephalus koshunensis Matsumura 1914a: 203
[n.sp.]; Metcalf 1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Xestocephalus kuyanianus* Matsumura
Xestocephalus kuyanianus Matsumura 1914a: 202
[n.sp.]; Metcalf 1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Xestocephalus lunatus* Peters
Xestocephalus lunatus Peters 1933a: 76 [n.sp.];
Metcalf 1967c, 6(10c): 2365 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus maculatus* Osborn
Xestocephalus maculatus Osborn 1929b: 94 [n.sp.];
Metcalf 1967c, 6(10c): 2366 [Cat.]
DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Xestocephalus maquilingensis* Merino
Xestocephalus maquilingensis Merino 1936a: 387
[n.sp.]; Metcalf 1967c, 6(10c): 2366 [Cat.]
DISTRIBUTION: Philippines (Metcalf Cat.)
- Xestocephalus minimus* China
Xestocephalus minimus China 1935b: 306 [n.sp.];
Metcalf 1967c, 6(10c): 2366 [Cat.]
DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Xestocephalus montanus* Matsumura
Xestocephalus montanus Matsumura 1914a: 199
[n.sp.]; Metcalf 1967c, 6(10c): 2366 [Cat.]
DISTRIBUTION: Taiwan (Metcalf Cat.)
- Xestocephalus nigrifrons* Osborn
Xestocephalus nigrifrons Osborn 1915a: 109 [n.sp.];
Metcalf 1967c, 6(10c): 2366 [Cat.]
DISTRIBUTION: United States, Canada (Metcalf
Cat.)
- Xestocephalus nikkoensis* Matsumura
Xestocephalus nikkoensis Matsumura 1914a: 200
[n.sp.]; Metcalf 1967c, 6(10c): 2367 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)

- Xestocephalus nilgiriensis* Distant
Xestocephalus nilgiriensis Distant 1918b: 55 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Xestocephalus ornatus* Van Duzee
Xestocephalus ornatus Van Duzee 1907a: 63 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
 DISTRIBUTION: Jamaica (Metcalf Cat.)
- Xestocephalus osborni* Merino
Xestocephalus osborni Merino 1936a: 386 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
 DISTRIBUTION: Philippines (Metcalf Cat.)
- Xestocephalus paganurus* Melichar
Xestocephalus paganurus Melichar 1903b: 207 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
Xestocephalus pardalinus Distant 1908g: 350 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
 DISTRIBUTION: Sri Lanka, Philippines, Oceania:
 Samoa Islands (Metcalf Cat.)
- Xestocephalus pallidiceps* Kirkaldy
Xestocephalus pallidiceps Kirkaldy 1907d: 51 [n.sp.];
 Metcalf 1967c, 6(10c): 2368 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Xestocephalus pallidiceps contortuplicatus* Kirkaldy
Xestocephalus contortuplicatus Kirkaldy 1907d: 52
 [n.subsp. of *pallidiceps*]; Metcalf 1967c, 6(10c):
 2368 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Xestocephalus pallidiceps decemnotatus* Kirkaldy
Xestocephalus decemnotatus Kirkaldy 1907d: 52
 [n.subsp. of *pallidiceps*]; Metcalf 1967c, 6(10c):
 2368 [Cat.]
 DISTRIBUTION: Oceania: Fiji (Metcalf Cat.)
- Xestocephalus piceatus* Osborn
Xestocephalus piceatus Osborn 1934a: 172 [n.sp.];
 Metcalf 1967c, 6(10c): 2369 [Cat.]
 DISTRIBUTION: Oceania: Fiji Islands (Metcalf Cat.)
- Xestocephalus piceus* Osborn
Xestocephalus piceus Osborn 1928b: 244 [n.sp.];
 Metcalf 1967c, 6(10c): 2369 [Cat.]
 DISTRIBUTION: Oceania: Samoa Islands (Metcalf Cat.)
- Xestocephalus provancheri* Knoll
Xestocephalus desertorum provancheri Knoll 1944c:
 239 [n.sp.]; Metcalf 1967c, 6(10c): 2369 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus pulicarius* Van Duzee
Xestocephalus pulicarius Van Duzee 1894f: 215
 [n.sp.]; Metcalf 1967c, 6(10c): 2369 [Cat.]
 DISTRIBUTION: United States, Canada, Brazil,
 Bolivia, Paraguay, West Indies (Metcalf Cat.)
- Xestocephalus pulicarius* pallidus Osborn
Xestocephalus desertorum pallidus Osborn 1935a: 146
 [n.sp.]; Metcalf 1967c, 6(10c): 2373 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Xestocephalus punctatus* Caldwell
Xestocephalus punctatus Caldwell 1952 [in Caldwell
 & Martorell 1952a: 40] [n.sp.]; Metcalf 1967c,
 6(10c): 2374 [Cat.]
 DISTRIBUTION: Puerto Rico (Metcalf Cat.)
- Xestocephalus purpurascens* Kirkaldy
Xestocephalus purpurascens Kirkaldy 1907d: 52
 [n.sp.]; Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Xestocephalus quadripunctatus* Linnauvori
Xestocephalus quadripunctatus Linnauvori 1955a: 102
 [n.sp.]; Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: Brazil (Metcalf Cat.)
- Xestocephalus reflexus* Osborn
Xestocephalus reflexus Osborn 1934a: 173 [n.sp.];
 Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: Oceania: Samoa Islands (Metcalf
 Cat.)
- Xestocephalus relatus* Distant
Xestocephalus relatus Distant 1918b: 54 [n.sp.];
 Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: India (Metcalf Cat.)
- Xestocephalus robustus* Peters
Xestocephalus robustus Peters 1933a: 74 [n.sp.];
 Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus sidnicus* Kirkaldy
Xestocephalus sidnicus Kirkaldy 1907d: 53 [n.sp.];
 Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Xestocephalus similis* Peters
Xestocephalus similis Peters 1933a: 77 [n.sp.];
 Metcalf 1967c, 6(10c): 2374 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Xestocephalus sjaolinius* Dlabola
Xestocephalus sjaolinius Dlabola 1955a: 128 [n.sp.];
 Metcalf 1967c, 6(10c): 2375 [Cat.]
 DISTRIBUTION: China (Metcalf Cat.)
- Xestocephalus subfuscus* Melichar
Xestocephalus subfuscus Melichar 1905a: 303
 [n.sp.]; Metcalf 1967c, 6(10c): 2375 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
- Xestocephalus superbus* (Provancher)
Deltoccephalus superbus Provancher 1890b: 339
 [n.sp.]; Metcalf 1967c, 6(10c): 2375 [Cat.]
- Xestocephalus fulvocapitatus* Van Duzee 1894f: 215
 [n.sp.]; Metcalf 1967c, 6(10c): 2375 [Cat.]
 DISTRIBUTION: United States, Canada, Bolivia,
 Paraguay, Colombia (Metcalf Cat.)
- Xestocephalus tasmaniensis* Evans
Xestocephalus tasmaniensis Evans 1938b: 12 [n.sp.];
 Metcalf 1967c, 6(10c): 2378 [Cat.]
 DISTRIBUTION: Australia (Metcalf Cat.)
- Xestocephalus tessellatus* Van Duzee
Xestocephalus tessellatus Van Duzee 1894f: 216
 [n.sp.]; Metcalf 1967c, 6(10c): 2378 [Cat.]

- DISTRIBUTION:** United States, Brazil, Bolivia, Colombia, Costa Rica, Cuba (Metcalf Cat.)
- Xestocephalus toroensis* Matsumura
Xestocephalus [sic] *toroensis* Matsumura 1914a: 199 [n.sp.]; Metcalf 1967c, 6(10c): 2379 [Cat.]
- DISTRIBUTION:** Taiwan (Metcalf Cat.)
- Xestocephalus transversus* Distant
Xestocephalus transversus Distant 1918b: 55 [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Xestocephalus triatus* Caldwell
Xestocephalus triatus Caldwell 1952 [in Caldwell & Martorell 1952a: 40] [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** Puerto Rico (Metcalf Cat.)
- Xestocephalus trimaculatus* Peters
Xestocephalus trimaculatus Peters 1933a: 75 [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xestocephalus tucsoni* Knoll
Xestocephalus tucsoni Knoll 1944c: 240 [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Xestocephalus tutuilanus* Osborn
Xestocephalus tutuilanus Osborn 1934a: 172 [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** Oceania: Samoa Islands (Metcalf Cat.)
- Xestocephalus vitiensis* Kirkaldy
Xestocephalus vitiensis Kirkaldy 1907d: 51 [n.sp.]; Metcalf 1967c, 6(10c): 2380 [Cat.]
- DISTRIBUTION:** Oceania: Fiji Islands (Metcalf Cat.)
- Yakunopona yakushimensis* Ishihara
Yakunopona yakushimensis Ishihara 1954f: 13 [n.sp.]; Metcalf 1966c, 6(15): 140 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Yamatotettix flavovittatus* Matsumura
Yamatotettix flavovittatus Matsumura 1914a: 183 [n.sp.]; Metcalf 1967a, 6(10a): 878 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Yamatotettix nigromaculatus* Ishihara
Yamatotettix nigromaculatus Ishihara 1954f: 2 [n.sp.]; Metcalf 1967a, 6(10a): 878 [Cat.]
- DISTRIBUTION:** Japan (Metcalf Cat.)
- Yanocephalus yanonis* (Matsumura)
Deltocephalus yanonis Matsumura 1902a: 400 [n.sp.]; Metcalf 1967b, 6(10b): 1598 [Cat.]
- DISTRIBUTION:** Japan, China, Korea (Metcalf Cat.)
- Yotala boliviiana* Melichar
Yotala boliviiana Melichar 1925a: 337 [n.sp.]; Metcalf 1965a, 6(1): 518 [Cat.]
- DISTRIBUTION:** Bolivia, Brazil (Young 1968a)
- Yunga callidula* (Jacobi)
Amblydisca callidula Jacobi 1905c: 165 [n.sp.]; Metcalf 1965a, 6(1): 469 [Cat.]
- DISTRIBUTION:** Peru, Bolivia (Young 1968a)
- Yunga coriacea* (Stål)
Aulacizes coriacea Stål 1864a: 80 [n.sp.]; Metcalf 1965a, 6(1): 469 [Cat.]
- DISTRIBUTION:** Mexico (Young 1968a)
- Yunga dubia* Schmidt
Yunga dubia Schmidt 1928c: 55 [n.sp.]; Metcalf 1965a, 6(1): 469 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1968a)
- Yunga fuistingi* Schmidt
Yunga fuistingi Schmidt 1928c: 53 [n.sp.]; Metcalf 1965a, 6(1): 469 [Cat.]
- DISTRIBUTION:** Colombia (Young 1968a)
- Yunga nodosula* Melichar
Yunga nodosula Melichar 1924a: 210 [n.sp.]; Metcalf 1965a, 6(1): 469 [Cat.]
- DISTRIBUTION:** Bolivia (Young 1968a)
- Zabrosa amazonensis* (Osborn)
Thamnotettix amazonensis Osborn 1923c: 65 [n.sp.]; Metcalf 1967b, 6(10b): 1330 [Cat.]
- DISTRIBUTION:** Brazil (Metcalf Cat.)
- Zabrosa sexpunctata* (Beamer)
Brazosa sexpunctata Beamer 1939a: 27 [n.sp.]; Metcalf 1967b, 6(10b): 1330 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Zaletta minuta* (Evans)
Macrocerus minutus Evans 1941e: 39 [n.sp.]; Metcalf 1966d, 6(16): 216 [Cat.]
- DISTRIBUTION:** Australia (Metcalf Cat.)
- Zaruma vexata* Melichar
Zaruma vexata Melichar 1926a: 348 [n.sp.]; Metcalf 1965a, 6(1): 28 [Cat.]
- DISTRIBUTION:** Ecuador (Young 1977a)
- Zepama chacoensis* (Linnauvori)
Metcalfiella chacoensis Linnauvori 1955b: 122 [n.sp.]; Metcalf 1967c, 6(10c): 2241 [Cat.]
- DISTRIBUTION:** Paraguay (Metcalf Cat.)
- Zinneca flavidorsum* Amyot & Serville
Zinneca flavidorsum Amyot & Serville 1843a: 579 [n.sp.]; Metcalf 1966d, 6(16): 211 [Cat.]
- DISTRIBUTION:** North America, South America (Metcalf Cat.)
- Zizyphoides fraterna* Distant
Zizyphoides fraterna Distant 1918b: 74 [n.sp.]; Metcalf 1967c, 6(10c): 2350 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Zizyphoides indica* Distant
Zizyphoides indicus Distant 1918b: 73 [n.sp.]; Metcalf 1967c, 6(10c): 2350 [Cat.]
- DISTRIBUTION:** India (Metcalf Cat.)
- Zygina abluta* (McAtee)
Erythroneura abluta McAtee 1924d: 132 [n.subsp. of bipunctata]; Metcalf 1968a, 6(17): 1336 [Cat.]
- DISTRIBUTION:** United States (Metcalf Cat.)
- Zygina agnata* (Knoll & Auten)
Erythroneura agnata Knoll & Auten 1938a: 537 [n.sp.]; Metcalf 1968a, 6(17): 1336 [Cat.]

- DISTRIBUTION: United States (Metcalf Cat.)
Zygina akazu Matsumura
Zygina akazu Matsumura 1932a:108 [n.sp.]; Metcalf 1968a,6(17):1336 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
Zygina albisoma Matsumura
Zygina albisoma Matsumura 1932a:108 [n.sp.]; Metcalf 1968a,6(17):1337 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Zygina ales (Beamer)
Erythroneura ales Beamer 1932i:124 [n.sp.]; Metcalf 1968a,6(17):1337 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina alneti (Dahlbom)
Cicadula alneti Dahlbom 1850a:181 [n.sp.]; Metcalf 1968a,6(17):1337 [Cat.]
DISTRIBUTION: Widespread Europe, United Kingdom, Scandinavia, Russia, Japan (Metcalf Cat.)
Zygina alneti coryli (Tollin)
Typhlocyba coryli Tollin 1851a:70 [n.sp.]; Metcalf 1968a,6(17):1343 [Cat.]
DISTRIBUTION: Germany, Sweden, Livonia, Great Britain, Italy, Netherlands, France, Czech Republic, Finland, Slovakia, Russia (Metcalf Cat.)
Zygina alneti mali Edwards
Zygina alneti mali Edwards 1915a:209 [n.sp.]; Metcalf 1968a,6(17):1346 [Cat.]
DISTRIBUTION: Great Britain, Germany, France, Netherlands (Metcalf Cat.)
Zygina angusta Lethierry
Zygina angusta Lethierry 1874a:280 [n.sp.]; Metcalf 1968a,6(17):1346 [Cat.]
Zygina neglecta Edwards 1914a:171 [n.sp.]; Metcalf 1968a,6(17):1347 [Cat.]
DISTRIBUTION: France, Italy, Germany, Austria, Netherlands, Belgium, Russia, Georgia, Azerbaijan, Great Britain, Switzerland, Poland (Metcalf Cat.)
Zygina angusta moesta Ferrari
Zygina angusta moesta Ferrari 1882a:158 [n.subsp. of *tiliae*]; Metcalf 1968a,6(17):1348 [Cat.]
Zygina umbrata Melichar 1896a:352 [n.sp.]; Metcalf 1968a,6(17):1348 [Cat.]
DISTRIBUTION: Italy, Austria, Croatia, Serbia, Germany, Bulgaria, Ukraine, Netherlands, France, Great Britain, Poland, Switzerland (Metcalf Cat.)
Zygina angusta rubrinervis Edwards
Zygina angusta rubrinervis Edwards 1914a:171 [n.subsp. of *neglecta*]; Metcalf 1968a,6(17):1350 [Cat.]
DISTRIBUTION: Great Britain, France, Switzerland, Poland (Metcalf Cat.)
Zygina apacha (Baker)
Typhlocyba bipunctata Gillette 1898a:751 [n.sp.]; Metcalf 1968a,6(17):1350 [Cat.]
- Erythroneura apacha* Baker 1925b:537 [nom.nov. for *Erythroneura bipunctata* Gillette 1898]; Metcalf 1968a,6(17):1350 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina apicalis Nawa
Zigina [sic] *apicalis* Nawa 1913a:480 [n.sp.]; Metcalf 1968a,6(17):1351 [Cat.]
DISTRIBUTION: Japan, Korea, China, Taiwan (Metcalf Cat.)
Zygina aprica (McAtee)
Erythroneura aprica McAtee 1924d:132 [n.sp.]; Metcalf 1968a,6(17):1352 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina arachisi Matsumura
Zygina arachisi Matsumura 1916b:397 [n.sp.]; Metcalf 1968a,6(17):1353 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Zygina arida (Beamer)
Erythroneura arida Beamer 1937b:31 [n.sp.]; Metcalf 1968a,6(17):1353 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina arizonica (Knoll & Auten)
Erythroneura arizonica Knoll & Auten 1938a:536 [n.sp.]; Metcalf 1968a,6(17):1353 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina aucta (McAtee)
Erythroneura aucta McAtee 1920a:279 [n.subsp. of *obliqua*]; Metcalf 1968a,6(17):1354 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina balli (Beamer)
Erythroneura balli Beamer 1932i:125 [n.sp.]; Metcalf 1968a,6(17):1354 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina basiflava Matsumura
Zygina basiflava Matsumura 1932a:109 [n.sp.]; Metcalf 1968a,6(17):1355 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Zygina bilocularis (Van Duzee)
Erythroneura bilocularis Van Duzee 1924a:233 [n.subsp. of *dentata*]; Metcalf 1968a,6(17):1355 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
Zygina bimaculata (Baker)
Typhlocyba bimaculata Baker 1903d:9 [n.sp.]; Metcalf 1968a,6(17):1355 [Cat.]
DISTRIBUTION: Guatemala, Mexico (Metcalf Cat.)
Zygina bipunctata Melichar
Zygina bipunctata Melichar 1896c:288 [n.sp.]; Metcalf 1968a,6(17):1355 [Cat.]
DISTRIBUTION: Greece, Hungary (Metcalf Cat.)
Zygina bipunctula (Melichar)
Typhlocyba (*Zygina*) *bipunctula* Melichar 1903b:220 [n.sp.]; Metcalf 1968a,6(17):1356 [Cat.]
DISTRIBUTION: Sri Lanka, Taiwan (Metcalf Cat.)
Zygina bisignatella Matsumura

- Zygina bisignatella* Matsumura 1932a:109 [n.sp.];
 Metcalf 1968a,6(17):1356 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina blanda* (Knoll & Auten)
 Erythroneura blanda Knull & Auten 1938a:538 [n.sp.];
 Metcalf 1968a,6(17):1356 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina bokotonis* Matsumura
 Zygina bokotonis Matsumura 1932a:110 [n.sp.];
 Metcalf 1968a,6(17):1357 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina botelensis* Matsumura
 Zygina botelensis Matsumura 1940d:44 [n.sp.];
 Metcalf 1968a,6(17):1357 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Zygina canyonensis* (Beamer)
 Erythroneura canyonensis Beamer 1929b:120 [n.sp.];
 Metcalf 1968a,6(17):1357 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina casta* (Beamer)
 Erythroneura casta Beamer 1929b:118 [n.sp.]; Metcalf
 1968a,6(17):1357 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina ceonothana* (Beamer)
 Erythroneura ceonothana Beamer 1934c:287 [n.sp.];
 Metcalf 1968a,6(17):1358 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina cerasi* Matsumura
 Zygina cerasi Matsumura 1932a:110 [n.sp.]; Metcalf
 1968a,6(17):1358 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina cimarroni* (Beamer)
 Erythroneura cimarroni Beamer 1929b:119 [n.sp.];
 Metcalf 1968a,6(17):1358 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina circumscripta* Matsumura
 Zygina (Typhlocyba) circumscripta Matsumura
 1910d:18 [n.sp.]; Metcalf 1968a,6(17):1359 [Cat.]
 DISTRIBUTION: Taiwan, Japan (Metcalf Cat.)
- Zygina clavalis* (Matsumura)
 Typhlocyba (Zygina) clavalis Matsumura 1908a:3
 [n.sp.]; Metcalf 1968a,6(17):1360 [Cat.]
 DISTRIBUTION: Germany, Denmark, Netherlands
 (Metcalf Cat.)
- Zygina cornigera* (Beamer)
 Erythroneura cornigera Beamer 1937b:31 [n.sp.];
 Metcalf 1968a,6(17):1360 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina cyclops* (Kusnezov)
 Erythroneura cyclops Kusnezov 1932a:155 [n.sp.];
 Metcalf 1968a,6(17):1360 [Cat.]
 DISTRIBUTION: Central Asia (?) (Metcalf Cat.)
- Zygina davisi* (Beamer)
 Erythroneura davisi Beamer 1934d:96 [n.sp.]; Metcalf
 1968a,6(17):1360 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina dentata* (Gillette)
 Typhlocyba dentata Gillette 1898a:765 [n.sp.];
 Metcalf 1968a,6(17):1361 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina discolor* Horváth
 Zygina discolor Horváth 1897b:638 [n.sp.]; Metcalf
 1968a,6(17):1361 [Cat.]
 DISTRIBUTION: Croatia, Hungary, France, Italy,
 Yugoslavia, Uzbekistan, Switzerland, Morocco,
 Slovakia (Metcalf Cat.)
- Zygina distinguenda* (Kirschbaum)
 Typhlocyba distinguenda Kirschbaum 1868b:183
 [n.sp.]; Metcalf 1968a,6(17):1362 [Cat.]
 Zygina fasciaticollis Rey 1891a:254 [n.sp.]; Metcalf
 1968a,6(17):1362 [Cat.]
 DISTRIBUTION: Germany, France, Spain, Portugal,
 Romania, Switzerland, Sweden, Hungary (Metcalf
 Cat.)
- Zygina dorsalis* Horváth
 Zygina dorsalis Horváth 1897b:638 [n.sp.]; Metcalf
 1968a,6(17):1363 [Cat.]
 DISTRIBUTION: Hungary, Croatia (Metcalf Cat.)
- Zygina erosa* (McAtee)
 Erythroneura erosa McAtee 1924c:36 [n.sp.]; Metcalf
 1968a,6(17):1364 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina flammigera* (Fourcroy)
 Cicada flammigera Fourcroy 1785a:190 [n.sp.];
 Metcalf 1968a,6(17):1364 [Cat.]
 Cicada blandula Rossi 1792a:217 [n.sp.]; Metcalf
 1968a,6(17):1364 [Cat.]
 Cicada gracilis Schellenberg 1802a:20 [n.sp.]; Metcalf
 1968a,6(17):1364 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, Japan (Metcalf Cat.)
- Zygina flammigera ruficosta* Fieber
 Zygina flammigera ruficosta Fieber 1884c:159
 [n.subsp. of *blandula*]; Metcalf 1968a,6(17):1376
 [Cat.]
 DISTRIBUTION: Germany, Denmark, Netherlands
 (Metcalf Cat.)
- Zygina formosana* Matsumura
 Zygina formosana Matsumura 1932a:110 [n.sp.];
 Metcalf 1968a,6(17):1376 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina frauenfeldi* Lethierry
 Zygina frauenfeldi Lethierry 1880 [in Reiber & Puton
 1880a:74] [n.sp.]; Metcalf 1968a,6(17):1377 [Cat.]
 DISTRIBUTION: Austria, Germany, France,
 Belgium, Hungary, Serbia (Metcalf Cat.)
- Zygina fumigata* (Melichar)
 Typhlocyba fumigata Melichar 1903b:217 [n.sp.];
 Metcalf 1968a,6(17):1377 [Cat.]
 DISTRIBUTION: Sri Lanka, Taiwan, India, Japan
 (Metcalf Cat.)
- Zygina fumigata sonani* Matsumura

- Zygina sonani* Matsumura 1931b:66 [n.subsp. of *fumigata*]; Metcalf 1968a,6(17):1378 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina fumosa* (Motschulsky)
Thamnotettix fumosa Motschulsky 1863a:101 [n.sp.];
 Metcalf 1968a,6(17):1378 [Cat.]
Thamnotettix nigrobiimaculata Motschulsky
 1863a:101 [n.sp.]; Metcalf 1968a,6(17):1378
 [Cat.]
 DISTRIBUTION: Sri Lanka, Taiwan, India, Japan,
 Philippines, West Indonesia (Metcalf Cat.)
- Zygina grandis* (Beamer)
Erythroneura grandis Beamer 1929b:127 [n.sp.];
 Metcalf 1968a,6(17):1379 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina heptapotamica* (Kusnezov)
Erythroneura heptapotamica Kusnezov 1928b:316
 [n.sp.]; Metcalf 1968a,6(17):1379 [Cat.]
 DISTRIBUTION: Russia (Metcalf Cat.)
- Zygina hirayamella* Matsumura
Zygina hirayamella Matsumura 1932a:111 [n.sp.];
 Metcalf 1968a,6(17):1380 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina huachucana* (Beamer)
Erythroneura huachucana Beamer 1934c:287 [n.sp.];
 Metcalf 1968a,6(17):1380 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina hyperici* (Herrick-Schaeffer)
Typhlocyba hyperici Herrick-Schaeffer 1836a:4
 [n.sp.]; Metcalf 1968a,6(17):1380 [Cat.]
Typhlocyba coronula Boheman 1845b:160 [n.sp.];
 Metcalf 1968a,6(17):1380 [Cat.]
Typhlocyba placidula Stål 1853a:176 [n.sp.]; Metcalf
 1968a,6(17):1380 [Cat.]
Dicranoneura pygmaea Douglas 1876a:203 [n.sp.];
 Metcalf 1968a,6(17):1381 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia, Australia (Metcalf Cat.)
- Zygina iguchi* (Iguchi)
Typhlocyba iguchi Iguchi 1908b:512 [n.sp.]; Metcalf
 1968a,6(17):1386 [Cat.]
Zygina iguchiella Matsumura 1932a:111 [n.sp.];
 Metcalf 1968a,6(17):1386 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina illinoiensis* (Gillette)
Typhlocyba illinoiensis Gillette 1898a:758 [n.sp.];
 Metcalf 1968a,6(17):1386,1388 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina illinoiensis regalis* (Beamer)
Erythroneura illinoiensis regalis Beamer 1929b:125
 [n.subsp. of *illinoiensis*]; Metcalf
 1968a,6(17):1389 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina illinoiensis spectra* (McAtee)
Erythroneura illinoiensis spectra McAtee 1920a:292
 [n.subsp. of *illinoiensis*]; Metcalf
 1968a,6(17):1389 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina inazuma* Kato
Zygina inazuma Kato 1933c:9 [n.sp.]; Metcalf
 1968a,6(17):1390 [Cat.]
 DISTRIBUTION: Japan, China (Metcalf Cat.)
- Zygina inclita* (Beamer)
Erythroneura inclita Beamer 1934a:44 [n.sp.]; Metcalf
 1968a,6(17):1390 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina inornata* (McAtee)
Erythroneura inornata McAtee 1924d:132 [n.sp.];
 Metcalf 1968a,6(17):1390 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina jonella* Matsumura
Zygina jonella Matsumura 1932a:112 [n.sp.]; Metcalf
 1968a,6(17):1391 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina kagina* Matsumura
Zygina kagina Matsumura 1932a:112 [n.sp.]; Metcalf
 1968a,6(17):1391 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina kakogawana* Matsumura
Zygina kakogawana Matsumura 1932a:113 [n.sp.];
 Metcalf 1968a,6(17):1391 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina kiperi* (Beamer)
Erythroneura kiperi Beamer 1929b:124 [n.sp.];
 Metcalf 1968a,6(17):1391 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina kotoshonis* Matsumura
Zygina kotoshonis Matsumura 1940d:45 [n.sp.];
 Metcalf 1968a,6(17):1392 [Cat.]
 DISTRIBUTION: Taiwan (Metcalf Cat.)
- Zygina krueperi* [sic] Fieber
Zygina kruperi Fieber 1884c:157 [n.sp.]; Metcalf
 1968a,6(17):1392 [Cat.]
Zygina krueperi Puton 1886b:89 [implicit emend.?
 of *Zygina kruperi* Fieber 1884]; Metcalf
 1968a,6(17):1392 [Cat.]
 DISTRIBUTION: Greece, Hungary, Croatia (Metcalf
 Cat.)
- Zygina limbata* (Matsumura)
Typhlocyba (*Zygina*) *limbata* Matsumura 1910e:120
 [n.sp.]; Metcalf 1968a,6(17):1392 [Cat.]
 DISTRIBUTION: Japan, Korea, China, Taiwan
 (Metcalf Cat.)
- Zygina lubiae* (China)
Erythroneura lubiae China 1931a:53 [n.sp.]; Metcalf
 1968a,6(17):1394 [Cat.]
 DISTRIBUTION: Sudan, Eritrea, Somalia, Ethiopia
 (Metcalf Cat.)
- Zygina luteipennis* Rey

- Zygina luteipennis Rey 1894c:46 [n.subsp. of *rubrovittata*]; Metcalf 1968a,6(17):1394 [Cat.]
DISTRIBUTION: France, Italy (Metcalf Cat.)
- Zygina maculifrons (Motschulsky)
Typhlocyba maculifrons Motschulsky 1863a:103
 [n.sp.]; Metcalf 1968a,6(17):1394 [Cat.]
DISTRIBUTION: Sri Lanka, Japan, India, Taiwan, China, Singapore Islands, W.Indonesia, E.Indonesia (Metcalf Cat.)
- Zygina maroccana Melichar
Zygina maroccana Melichar 1907a:1032 [n.sp.]; Metcalf 1968a,6(17):1396 [Cat.]
DISTRIBUTION: Spain, Morocco, Portugal, Mauritania (Metcalf Cat.)
- Zygina merita (Beamer)
Erythroneura merita Beamer 1932i:127 [n.sp.]; Metcalf 1968a,6(17):1396 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina milleri (Beamer)
Erythroneura milleri Beamer 1929b:125 [n.sp.]; Metcalf 1968a,6(17):1396 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina modula (Knoll & Auten)
Erythroneura modula Knoll & Auten 1938a:535
 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina moiwana Matsumura
Zygina moiwana Matsumura 1932a:113 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina mori (Matsumura)
Typhlocyba (*Zygina*) *mori* Matsumura 1910e:121
 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
- Zygina maculata Nawa 1914b:456-460 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
- Zigina [sic] onukii Matsumura 1916b:396 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
- Zygina harimensis Matsumura 1920a:292 [n.sp.]; Metcalf 1968a,6(17):1397 [Cat.]
DISTRIBUTION: Japan, China (Metcalf Cat.)
- Zygina munda (Knoll & Auten)
Erythroneura munda Knoll & Auten 1938a:534
 [n.sp.]; Metcalf 1968a,6(17):1359 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina nicholi (Beamer)
Erythroneura nicholi Beamer 1927a:30 [n.sp.]; Metcalf 1968a,6(17):1399 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina nigricans Matsumura
Zygina nigricans Matsumura 1932a:114 [n.sp.]; Metcalf 1968a,6(17):1400 [Cat.]
DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zygina nigricostalis (Matsumura)
Typhlocyba (*Zygina*) *nigricostalis* Matsumura 1908a:5
 [n.sp.]; Metcalf 1968a,6(17):1400 [Cat.]
DISTRIBUTION: Algeria (Metcalf Cat.)
- Zygina nivea (Mulsant & Rey)
Typhlocyba nivea Mulsant & Rey 1855a:246 [n.sp.]; Metcalf 1968a,6(17):1400,1402 [Cat.]
DISTRIBUTION: France, Spain, Germany, Portugal, Austria, Czech Republic, Belgium, Serbia, Italy, Greece, Morocco, Slovakia (Metcalf Cat.)
- Zygina nivea cruoris Rey
Zygina nivea cruoris Rey 1891a:255 [n.subsp. of *punctulum*]; Metcalf 1968a,6(17):1402 [Cat.]
DISTRIBUTION: France (Metcalf Cat.)
- Zygina nivea dorsaria (Ribaut)
Erythroneura nivea dorsaria Ribaut 1936b:61
 [n.subsp. of *nivea*]; Metcalf 1968a,6(17):1402 [Cat.]
DISTRIBUTION: Morocco (Metcalf Cat.)
- Zygina nivea nycthemera (Ribaut)
Erythroneura nivea nycthemera Ribaut 1936b:61
 [n.subsp. of *nivea*]; Metcalf 1968a,6(17):1403 [Cat.]
DISTRIBUTION: no data given in Metcalf Cat.
- Zygina nivea punctulum (Mulsant & Rey)
Typhlocyba nivea punctulum Mulsant & Rey 1855a:248 [n.sp.]; Metcalf 1968a,6(17):1403 [Cat.]
DISTRIBUTION: France, Italy, Hungary, Algeria, Greece, Morocco, Slovakia (Metcalf Cat.)
- Zygina novella (Knoll & Auten)
Erythroneura novella Knoll & Auten 1938a:536
 [n.sp.]; Metcalf 1968a,6(17):1404 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina nuchalis Jacobi
Zygina nuchalis Jacobi 1910b:133 [n.sp.]; Metcalf 1968a,6(17):1404 [Cat.]
DISTRIBUTION: Tanzania (Metcalf Cat.)
- Zygina nuda (Knoll & Auten)
Erythroneura nuda Knoll & Auten 1938a:538 [n.sp.]; Metcalf 1968a,6(17):1404 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina obscura (Beamer)
Erythroneura obscura Beamer 1929b:117 [n.sp.]; Metcalf 1968a,6(17):1404 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina ochroleuca Horváth
Zygina ochroleuca Horváth 1897b:637 [n.sp.]; Metcalf 1968a,6(17):1405 [Cat.]
DISTRIBUTION: Hungary (Metcalf Cat.)
- Zygina oculata (McAtee)
Erythroneura oculata McAtee 1924e:39 [n.sp.]; Metcalf 1968a,6(17):1405 [Cat.]
DISTRIBUTION: United States (Metcalf Cat.)
- Zygina okamotonis Matsumura
Zygina okamotonis Matsumura 1932a:115 [n.sp.]; Metcalf 1968a,6(17):1405 [Cat.]
DISTRIBUTION: Korea, Japan (Metcalf Cat.)
- Zygina pallenta (Beamer)

- Erythroneura pallenta Beamer 1929b:117 [n.sp.]; Metcalf 1968a,6(17):1406 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina pallidifrons Edwards
Zygina pallidifrons Edwards 1924a:57 [n.sp.]; Metcalf 1968a,6(17):1406 [Cat.]
- DISTRIBUTION: France, Great Britain, Spain, Finland, Sweden, Netherlands (Metcalf Cat.)
- Zygina penapacha (Beamer)
Erythroneura penapacha Beamer 1941a:18 [n.sp.]; Metcalf 1968a,6(17):1407 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina pinalensis (Beamer)
Erythroneura pinalensis Beamer 1929b:119 [n.sp.]; Metcalf 1968a,6(17):1408 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina praticola Melichar
Zygina praticola Melichar 1914b:146 [n.sp.]; Metcalf 1968a,6(17):1408 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Zygina pruni Edwards
Zygina pruni Edwards 1924a:56 [n.sp.]; Metcalf 1968a,6(17):1408 [Cat.]
- DISTRIBUTION: Great Britain, France, Switzerland, Germany, Netherlands, Czech Republic, Poland (Metcalf Cat.)
- Zygina pullula (Bohemian)
Typhlocyba pullula Boheman 1845b:160 [n.sp.]; Metcalf 1968a,6(17):1409 [Cat.]
- DISTRIBUTION: Estonia, Latvia, Germany, Scandinavia, France, Austria, Spain, Slovakia, Romania (Metcalf Cat.)
- Zygina punctata Melichar
Zygina biguttula punctata Melichar 1914b:146 [n.sp.]; Metcalf 1968a,6(17):1411 [Cat.]
- DISTRIBUTION: West Indonesia (Metcalf Cat.)
- Zygina punctigera Horváth
Zygina punctigera Horváth 1905b:276 [n.sp.]; Metcalf 1968a,6(17):1411 [Cat.]
- DISTRIBUTION: Spain, Portugal (Metcalf Cat.)
- Zygina quadricornis (Beamer)
Erythroneura quadricornis Beamer 1930b:431 [n.sp.]; Metcalf 1968a,6(17):1412 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina rhamni Ferrari
Zygina rhamni Ferrari 1882a:157 [n.sp.]; Metcalf 1968a,6(17):1412,1414 [Cat.]
- Zygina blandula simplex Ferrari 1882a:162 [n.subsp. of blandula]; Metcalf 1968a,6(17):1412 [Cat.]
- DISTRIBUTION: Italy, Germany, Austria, France, Czech Republic, Hungary, Great Britain, Switzerland, Cyprus, European Turkey (?) (Metcalf Cat.)
- Zygina rhamni detrita Rey
Zygina rhamni detrita Rey 1894c:46 [n.subsp. of blandula]; Metcalf 1968a,6(17):1413 [Cat.]
- DISTRIBUTION: France, Netherlands (Metcalf Cat.)
- Zygina rhamni difficilis (Ribaut)
Erythroneura rhamni difficilis Ribaut 1926b:57 [n.subsp. of simplex]; Metcalf 1968a,6(17):1414 [Cat.]
- DISTRIBUTION: no data given in Metcalf Cat.
- Zygina rhamni manca (Ribaut)
Erythroneura rhamni manca Ribaut 1936b:57 [n.subsp. of simplex]; Metcalf 1968a,6(17):1414 [Cat.]
- DISTRIBUTION: no data given in Metcalf Cat.
- Zygina rhamnicola Horváth
Zygina rhamnicola Horváth 1903d:556 [n.sp., not nom.nov.]; Metcalf 1968a,6(17):1414 [Cat.]
- Zygina concinna Edwards 1924a:56 [n.sp.]; Metcalf 1968a,6(17):1416 [Cat.]
- DISTRIBUTION: Czech Republic, Germany, Austria, France, Bulgaria, Denmark, Netherlands, Great Britain (Metcalf Cat.)
- Zygina rhamnicola suavis Rey
Zygina suavis Rey 1891a:225 [n.subsp. of blandula]; Metcalf 1968a,6(17):1415 [Cat.]
- Typhlocyba (Zygina) fulguralis Matsumura 1908a:3 [n.sp.]; Metcalf 1968a,6(17):1415 [Cat.]
- DISTRIBUTION: France, Hungary, Germany, Denmark, Netherlands, Great Britain, Switzerland (Metcalf Cat.)
- Zygina ritana (Beamer)
Erythroneura ritana Beamer 1934c:286 [n.sp.]; Metcalf 1968a,6(17):1416 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina roseipennis (Tollin)
Typhlocyba roseipennis Tollin 1851a:72 [n.sp.]; Metcalf 1968a,6(17):1417 [Cat.]
- Typhlocyba rosea Flor 1861a:403 [n.sp.]; Metcalf 1968a,6(17):1417 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
- Zygina rubricunda (Beamer)
Erythroneura rubricunda Beamer 1929b:126 [n.sp.]; Metcalf 1968a,6(17):1420 [Cat.]
- DISTRIBUTION: United States (Metcalf Cat.)
- Zygina rubriclavus Matsumura
Zygina rubriclavus Matsumura 1932a:115 [n.sp.]; Metcalf 1968a,6(17):1420 [Cat.]
- DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina rubrovittata (Lethierry)
Typhlocyba rubrovittata Lethierry 1869a:363 [n.sp.]; Metcalf 1968a,6(17):1420 [Cat.]
- Typhlocyba (Zygina) ericetorum Sahlberg 1872a:172 [n.sp.]; Metcalf 1968a,6(17):1422 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain, Scandinavia, Russia (Metcalf Cat.)
- Zygina rubrovittata conspersa Rey
Zygina rubrovittata conspersa Rey 1894c:46 [n.subsp. of rubrovittata]; Metcalf 1968a,6(17):1424 [Cat.]

- DISTRIBUTION: France (Metcalf Cat.)
Zygina sachalina Matsumura
Zygina sachalina Matsumura 1932a:116 [n.sp.];
 Metcalf 1968a,6(17):1424 [Cat.]
 DISTRIBUTION: Japan, Russia (Metcalf Cat.)
Zygina sapporensis Matsumura
Zygina sapporensis Matsumura 1932a:116 [n.sp.];
 Metcalf 1968a,6(17):1424 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina satsumana Matsumura
Zygina satsumana Matsumura 1932a:116 [n.sp.];
 Metcalf 1968a,6(17):1425 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina sawashibae Matsumura
Zygina sawashibae Matsumura 1932a:117 [n.sp.];
 Metcalf 1968a,6(17):1425 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina scutata Melichar
Zygina scutata Melichar 1905a:304 [n.sp.]; Metcalf
 1968a,6(17):1425 [Cat.]
 DISTRIBUTION: Tanzania (Metcalf Cat.)
Zygina serpentina (Matsumura)
Typhlocyba (*Zygina*) *serpentina* Matsumura 1908a:4
 [n.sp.]; Metcalf 1968a,6(17):1425 [Cat.]
 DISTRIBUTION: Italy, Algeria, Egypt, Morocco,
 Croatia (Metcalf Cat.)
Zygina shinshana Matsumura
Zygina shinshana Matsumura 1932a:117 [n.sp.];
 Metcalf 1968a,6(17):1426 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina shokensis Matsumura
Zygina shokensis Matsumura 1932a:117 [n.sp.];
 Metcalf 1968a,6(17):1426 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina sola (Knoll & Auten)
Erythroneura sola Knoll & Auten 1938a:534 [n.sp.];
 Metcalf 1968a,6(17):1426 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Zygina spectabilis (Knoll & Auten)
Erythroneura spectabilis Knoll & Auten 1938a:533
 [n.sp.]; Metcalf 1968a,6(17):1426 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Zygina suzukii Matsumura
Zygina suzukii Matsumura 1916b:396 [n.sp.]; Metcalf
 1968a,6(17):1427 [Cat.]
 DISTRIBUTION: Japan, Korea (Metcalf Cat.)
Zygina takaonella Matsumura
Zygina takaonella Matsumura 1932a:118 [n.sp.];
 Metcalf 1968a,6(17):1427 [Cat.]
 DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
Zygina takasagonis Matsumura
Zygina takasagonis Matsumura 1932a:118 [n.sp.];
 Metcalf 1968a,6(17):1428 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina teizonis Matsumura
Zygina teizonis Matsumura 1932a:119 [n.sp.]; Metcalf
 1968a,6(17):1428 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
Zygina tergeminia (Van Duzee)
Erythroneura tergeminia Van Duzee 1924a:235 [n.sp.];
 Metcalf 1968a,6(17):1428 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Zygina ternaria (Van Duzee)
Erythroneura ternaria Van Duzee 1924a:232 [n.sp.];
 Metcalf 1968a,6(17):1428 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Zygina tiliae (Fallén)
Cicada tiliae Fallén 1806a:42 [n.sp.]; Metcalf
 1968a,6(17):1429 [Cat.]
 DISTRIBUTION: Widespread Europe, Great Britain,
 Scandinavia, Russia (Metcalf Cat.)
Zygina tiliae peruncta (Ribaut)
Erythroneura tiliae peruncta Ribaut 1936b:47
 [n.subsp. of *tiliae*]; Metcalf 1968a,6(17):1433
 [Cat.]
 DISTRIBUTION: France, Switzerland, Germany,
 Sweden, Finland, Czech Republic, Poland
 (Metcalf Cat.)
Zygina tithide Ferrari
Zygina tithide Ferrari 1882a:159 [n.sp.]; Metcalf
 1968a,6(17):1434,1435 [Cat.]
 DISTRIBUTION: Italy, Hungary, Poland, Serbia,
 France, Switzerland (Metcalf Cat.)
Zygina tithide decolorata (Cerutti)
Erythroneura tithide decolorata Cerutti 1939a:85
 [n.subsp. of *tithide*]; Metcalf 1968a,6(17):1434
 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
Zygina tithide nudior (Cerutti)
Erythroneura tithide nudior Cerutti 1937a:171
 [n.subsp. of *tithide*]; Metcalf 1968a,6(17):1434
 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
Zygina tithide nudista (Knoll)
Erythroneura tithide nudata Ribaut 1936b:61 [n.subsp.
 of *tithide*]; Metcalf 1968a,6(17):1435 [Cat.]
Erythroneura [sic] *tithide* nudista Knoll 1944b:123
 [nom.nov. for *Erythroneura tithide* nudata Ribaut
 1936]; Metcalf 1968a,6(17):1435 [Cat.]
 DISTRIBUTION: Switzerland, France, Poland,
 Hungary, Italy (Metcalf Cat.)
Zygina tithide unipunctata (Cerutti)
Erythroneura tithide unipunctata Cerutti 1939a:85
 [n.subsp. of *tithide*]; Metcalf 1968a,6(17):1435
 [Cat.]
 DISTRIBUTION: Switzerland (Metcalf Cat.)
Zygina triceroprocta (Beamer)
Erythroneura triceroprocta Beamer 1929b:118 [n.sp.];
 Metcalf 1968a,6(17):1435 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
Zygina tricolor (Beamer)

- Erythroneura tricolor* Beamer 1929b:124 [n.sp.];
 Metcalf 1968a,6(17):1436 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina tripunctata* (Beamer)
 Erythroneura tripunctata Beamer 1929b:119 [n.sp.];
 Metcalf 1968a,6(17):1436 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina unicolor* (Beamer)
 Erythroneura unicolor Beamer 1929b:120 [n.sp.];
 Metcalf 1968a,6(17):1436 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina utahna* (Beamer)
 Erythroneura utahna Beamer 1937b:32 [n.sp.];
 Metcalf 1968a,6(17):1436 [Cat.]
 DISTRIBUTION: United States (Metcalf Cat.)
- Zygina versuta* Melichar
 Zygina versuta Melichar 1897a:71 [n.sp.]; Metcalf
 1968a,6(17):1437 [Cat.]
 DISTRIBUTION: Croatia, Hungary, Italy, Austria
 (Metcalf Cat.)
- Zygina yamashiroensis* Matsumura
 Zygina yamashiroensis Matsumura 1916b:396 [n.sp.];
 Metcalf 1968a,6(17):1437 [Cat.]
 DISTRIBUTION: Japan, Korea (Metcalf Cat.)
- Zygina yanonis* Matsumura
 Zygina yanonis Matsumura 1932a:120 [n.sp.]; Metcalf
 1968a,6(17):1438 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zygina zealandica* (Myers)
 Erythroneura zealandica Myers 1923a:424 [n.sp.];
 Metcalf 1968a,6(17):1438 [Cat.]
 DISTRIBUTION: New Zealand (Metcalf Cat.)
- Zyginella albifrons* Horváth
 Zyginella albifrons Horváth 1897b:637 [n.sp.];
 Metcalf 1968a,6(17):1477 [Cat.]
 DISTRIBUTION: Croatia, Hungary (Metcalf Cat.)
- Zyginella albifrons erubescens* Horváth
 Zyginella albifrons erubescens Horváth 1897b:637
 [n.subsp. of *albifrons*]; Metcalf 1968a,6(17):1477
 [Cat.]
 DISTRIBUTION: Croatia, Hungary (Metcalf Cat.)
- Zyginella graeffei* Melichar
 Zyginella graeffei Melichar 1901d:212 [n.sp.];
 Metcalf 1968a,6(17):1477 [Cat.]
 DISTRIBUTION: Serbia, Austria, Cyprus, France,
 Austria, Hungary, Italy, Slovenia (Metcalf Cat.)
- Zyginella multipunctata* (Matsumura)
 Zygina multipunctata Matsumura 1920a:293 [n.sp.];
 Metcalf 1968a,6(17):1478 [Cat.]
 DISTRIBUTION: Japan (Metcalf Cat.)
- Zyginella pulchra* Löw
 Zyginella pulchra Löw 1885a:346 [n.sp.]; Metcalf
 1968a,6(17):1479 [Cat.]
 DISTRIBUTION: Austria, Germany, Croatia,
 Hungary, Italy, Serbia, France, Netherlands,
 Cyprus, Greece, Slovakia (Metcalf Cat.)
- Zyginella quercus* Kusnezov
 Zygina quercus Kusnezov 1930f:197 [n.sp.];
 Metcalf 1968a,6(17):1480 [Cat.]
 DISTRIBUTION: Ukraine (Metcalf Cat.)
- Zyginidia mocsaryi* (Horváth)
 Erythroneura mocsaryi Horváth 1910b:176 [n.sp.];
 Metcalf 1968a,6(17):1442 [Cat.]
 DISTRIBUTION: Hungary, Slovakia, Romania
 (Metcalf Cat.)
- Zyginidia signoreti* (Lethierry)
 Zygina signoreti Lethierry 1878d:xxxii [n.sp.]; Metcalf
 1968a,6(17):1442 [Cat.]
 DISTRIBUTION: France, Hungary (Metcalf Cat.)
- Zyginidia* (*Anatolidia*) *brevis* (Ribaut)
 Erythroneura brevis Ribaut 1931c:407 [n.sp.]; Metcalf
 1968a,6(17):1461 [Cat.]
 DISTRIBUTION: France, Czech Republic (Metcalf
 Cat.)
- Zyginidia* (*Anatolidia*) *obesa* Zachvatkin
 Zyginidia (*Anatolidia*) *obesa* Zachvatkin
 1937a:317,319 [n.sp.]; Metcalf 1968a,6(17):1461
 [Cat.]
 DISTRIBUTION: Turkey (Metcalf Cat.)
- Zyginidia* (*Anatolidia*) *rostrata* Zachvatkin
 Zyginidia (*Anatolidia*) *rostrata* Zachvatkin
 1937a:318,321 [n.sp.]; Metcalf 1968a,6(17):1461
 [Cat.]
 DISTRIBUTION: Turkey (Metcalf Cat.)
- Zyginidia* (*Arboridia*) *erecta* (Ribaut)
 Erythroneura erecta Ribaut 1931c:402 [n.sp.]; Metcalf
 1968a,6(17):1452 [Cat.]
 DISTRIBUTION: France, Czech Republic, Austria,
 Slovakia, Poland (Metcalf Cat.)
- Zyginidia* (*Arboridia*) *expansa* Zachvatkin
 Zyginidia (*Arboridia*) *expansa* Zachvatkin 1946b:153
 [n.sp.]; Metcalf 1968a,6(17):1453 [Cat.]
 DISTRIBUTION: Turkey (Metcalf Cat.)
- Zyginidia* (*Arboridia*) *parvula* (Bohemian)
 Typhlocyba parvula Boheman 1845b:161 [n.sp.];
 Metcalf 1968a,6(17):1453 [Cat.]
- Erythroneura disjuncta* Ribaut 1931c:404 [n.sp.];
 Metcalf 1968a,6(17):1458 [Cat.]
 DISTRIBUTION: Widespread Europe, United
 Kingdom, Scandinavia, Russia, Kazakhstan,
 Kirghizia, Tadzhikistan, Turkmenistan,
 Uzbekistan, Turkey (Metcalf Cat.)
- Zyginidia* (*Arboridia*) *parvula algeriensis* (Bergevin)
 Erythroneura parvula algeriensis Bergevin 1919a:47
 [n.subsp. of *parvula*]; Metcalf 1968a,6(17):1460
 [Cat.]
 DISTRIBUTION: Tunisia, Kazakhstan, Kirghizia,
 Tadzhikistan, Turkmenistan, Uzbekistan, Russia,
 Georgia, Azerbaijan (Metcalf Cat.)
- Zyginidia* (*Asianidia*) *asiatica* (Kusnezov)
 Erythroneura asiatica Kusnezov 1932a:156 [n.sp.];
 Metcalf 1968a,6(17):1452 [Cat.]

- DISTRIBUTION: Kazakhstan, Kirghizia,
Tadzhikistan, Turkmenistan, Uzbekistan, Iran
(Metcalf Cat.)
- Zyginidia* (Fruticidia) *bisignata* (Mulsant & Rey)
Typhlocyba bisignata Mulsant & Rey 1855a:241
[n.sp.]; Metcalf 1968a,6(17):1449 [Cat.]
- DISTRIBUTION: Widespread Europe, Iran, Cyprus
(Metcalf Cat.)
- Zyginidia* (Fruticidia) *bisignata bactriana* Zachvatkin
Zyginidia (Fruticidia) *bisignata bactriana* Zachvatkin
1947b:81,83 [n.sp.]; Metcalf 1968a,6(17):1451
[Cat.]
- DISTRIBUTION: Iran (Metcalf Cat.)
- Zyginidia* (Fruticidia) *sanguinosa* (Rey)
Zygina sanguinosa Rey 1891a:255 [n.subsp. of
bisignata]; Metcalf 1968a,6(17):1451 [Cat.]
- Zygina picta* Melichar 1896a:352 [n.sp.]; Metcalf
1968a,6(17):1451 [Cat.]
- DISTRIBUTION: France, Croatia, Serbia, Germany,
Italy (Metcalf Cat.)
- Zyginidia* (*Zyginidia*) *scutellaris* (Herrick-Schaeffer)
Typhlocyba scutellaris Herrick-Schaeffer 1838c:13
[n.sp.]; Metcalf 1968a,6(17):1443 [Cat.]
- DISTRIBUTION: Widespread Europe, Great Britain,
Scandinavia, Northern Africa, Russia, Kazakhstan,
Kirghizia, Tadzhikistan, Turkmenistan,
Uzbekistan, Greece (Metcalf Cat.)
- Zyginidia* (*Zyginidia*) *sohrab* Zachvatkin
Zyginidia (*Zyginidia*) *sohrab* Zachvatkin 1947b:78,82
[n.sp.]; Metcalf 1968a,6(17):1448 [Cat.]
- DISTRIBUTION: Iran (Metcalf Cat.)
- Zyginoides* *taiwana* (Shiraki)
Eupteryx taiwanus Shiraki 1912a:95 [n.sp.]; Metcalf
1968a,6(17):231 [Cat.]
- DISTRIBUTION: Japan, Taiwan (Metcalf Cat.)
- Zyzzogeton* *ferruginosa* (Goding)
Williamsiana ferruginosa Goding 1926a:103 [n.sp.];
Metcalf 1965a,6(1):486 [Cat.]
- DISTRIBUTION: Ecuador (Metcalf Cat.)
- Zyzzogeton* *haenschi* Breddin
Zyzzogeton haenschi Breddin 1902a:178 [n.sp.];
Metcalf 1965a,6(1):486 [Cat.]
- DISTRIBUTION: Ecuador (Young 1968a)
- Zyzzogeton* *mazaria* Distant
Zyzzogeton mazaria Distant 1908b:84 [n.sp.]; Metcalf
1965a,6(1):487 [Cat.]
- DISTRIBUTION: Colombia, Ecuador, Peru (Metcalf
Cat.)

Index to Species and Subspecies

- aaliensis Strand, Idiocerus
 abalius Ferrari. See *Phycotettix paryphantus abalius*.
 abbreviata DeLong & Davidson. See *Nesosteles virescens*.
 abbreviata DeLong. See *Empoasca (Empoasca) filamenta*
 abbreviata.
 abbreviata Jacobi, Cunedda
 abbreviata Osborn & Ball, *Flexamia*
 abbreviata Osborn. See *Athysanella (Gladiionura) sinuata*.
 abbreviatus DeLong, *Scaphytopius (Cloanthanus)*
 abbreviatus Lethierry, *Allygus (Allygus)*
 abbreviatus Melichar, *Selenocephalus*
 abdominalis Ball & Beamer, *Athysanella (Brachydella)*
 abdominalis Fabricius, *Verdanus*
 abdominalis limbatellus Zetterstedt. See *Diplocolenus*
 limbatellus.
 abdominalis magna Baker, *Balclutha*
 abdominalis rufus Sahlberg, *Verdanus*
 abdominalis Schmidt. See *Oncometopia (Molomea)*
 dufourii abdominalis.
 abdominalis Spångberg, *Gypona*
 abdominalis Van Duzee, *Balclutha*
 abdominalis vernalis Hofmänner, *Verdanus*
 aberrans Distant, *Galerius*
 aberrans Osborn, *Chlorotettix*
 abietinus Fallen, *Pithyotettix*
 abietinus pinastri Fieber, *Pithyotettix*
 abietis Fitch. See *Oncopsis variabilis*.
 abietis Matsumura, *Empoasca*
 abiskoensis Lindberg, *Sorhoanus (Arctotettix)*
 abjecta Beamer, *Erythroneura (Eratoneura)*
 abjecta Fowler. See *Prairiana mystica*.
 abluta McAtee, *Zygina*
 abnormis Oman, *Agallia*
 abnormis rufula Gillette. See *Dikraneura (Dikraneura)*
 rufula.
 abnormis urbana Ball & DeLong. See *Dikraneura*
 (Dikraneura) urbana.
 abnormis Walsh, *Dikraneura (Dikraneura)*
 abolla accensa McAtee, *Erythroneura (Erythridula)*
 abolla divisa McAtee. See *Erythroneura (Erythridula)*
 divisa.
 abolla iconica McAtee. See *Erythroneura (Erythridula)*
 iconica.
 abolla lemniska McAtee, *Erythroneura (Erythridula)*
 abolla McAtee, *Erythroneura (Erythridula)*
 abolla varia McAtee. See *Erythroneura (Erythridula) varia*.
 abrotani Douglas. See *Cicadella[Duméril1806] artemisiae*.
 abrupta DeLong, *Empoasca (Empoasca)*
 abrupta Evans, *Afronirvana*
 abrupta McAtee, *Sirosoma*
 abrupta Oman, *Aceratagallia (Aceratagallia)*
 abruptus Ball. See *Scaphytopius (Convelinus) fuscifrons*.
 abruptus DeLong & Hershberger, *Exitianus*
 abruptus DeLong, *Paraphlepsius*
 abruptus DeLong, *Scaphytopius*
 abscondens Walker, *Macropsis*
 absenta DeLong & Caldwell, *Dikraneura (Dikraneura)*
 absenta DeLong, *Ballana*
 abstrusa Linnavuori, *Empoasca*
 aburensis Evans, *Auropenthimia*
 acaciae Ruppel & DeLong, *Kunzeana*
 acantha Davidson & DeLong, *Empoasca*
 acantha Ross & DeLong, *Erythroneura (Eratoneura)*
 acarifer Lethierry, *Sorhoanus (Sorhoanus)*
 accensa McAtee. See *Erythroneura (Erythridula) abolla*
 accensa.
 accepta McAtee. See *Erythroneura (Erythroneura) delicata*
 accepta.
 accita Knoll, *Erythroneura (Eratoneura)*
 acclina DeLong & Caldwell, *Forcipata*
 accolae McAtee, *Erythroneura (Eratoneura)*
 accolae Oman, *Aceratagallia (Aceratagallia)*
 accurata Beamer, *Erythroneura (Erythridula)*
 accurata DeLong, *Gyponana (Gyponana)*
 accuratus Beamer, *Cazenus*
 aceri Matsumura, *Japananus*
 acericola Christian, *Empoa*
 acericola Ross & DeLong, *Erythroneura (Eratoneura)*
 acia DeLong, *Gyponana (Gyponana)*
 acicularis Beamer, *Erythroneura (Erythridula)*
 acicularis Mulsant & Rey, *Proceps*
 aciculata Horváth. See *Anaceratagallia venosa aciculata*.
 aclys McAtee, *Erythroneura (Erythroneura)*
 acmaeops Jacobi, *Lasiocopus*
 acocephaloides Melichar, *Neodartus*
 acodens DeLong, *Empoasca (Kybos)*
 acrita DeLong, *Elymana*
 actuosa Stål. See *Mileewa signoreti actuosa*.
 aculeata Beamer, *Erythroneura (Eratoneura)*
 aculeata DeLong, *Gyponana (Gyponana)*
 aculeata Young, *Empoasca*
 acumina DeLong, *Elymana*
 acuminalis Turton. See *Evacanthus acuminatus*.
 acuminata DeLong & Ruppel, *Eupterella*
 acuminata Distant, *Ledropsis*
 acuminata Naudé, *Aconura*
 acuminata Oman, *Agalliopsis*
 acuminata Wheeler, *Empoasca (Empoasca)*
 acuminatus Baker, *Spathanus*
 acuminatus brunneus Ball. See *Acinopterus brunneus*.
 acuminatus DeLong, *Osbornellus*
 acuminatus DeLong, *Scaphytopius (Cloanthanus)*
 acuminatus Fabricius, *Evacanthus*
 acuminatus Matsumura. See *Phycotettix matsumuri*.
 acuminatus Olivier, *Raphirhinus*
 acuminatus Oman, *Egenus*
 acuminatus Osborn, *Idiocerus*
 acuminatus Uhler, *Thamnotettix*
 acuminatus Van Duzee, *Acinopterus*
 acuminatus viridis Ball. See *Acinopterus viridis*.

acuminifrons Jacobi, Hodoedocus
 acunai Metcalf & Bruner, Prairiana
 acus DeLong & Davidson. See Doleranus lucidus.
 acus DeLong, Dalbulus
 acus DeLong, Idiodonus
 acus Sanders & DeLong, Laevicephalus
 acuta Beamer, Memnonia
 acuta Beamer, Twiningia
 acuta Knull. See Stenocoelidia (Eurycoelidia) pallida
 acuta.
 acuta Löw, Henschia
 acuta Naudé, Gcaleka
 acuta Walker. See Draeculacephala producta.
 acutalis Ross & DeLong, Erythroneura
 acutalis Signoret, Splonia
 acutangulata Distant, Tituria
 acutata Hepner, Algia
 acuteangulata Zachvatkin. See Anaceratagallia laevis
 acuteangulata.
 acuticauda Baker, Athysanella (Amphyipyga)
 acuticauda Oman, Agallia
 acuticephala Beamer, Penehuleria
 acuticephala Robinson, Erythroneura (Erythroneura)
 acuticeps Ribaut. See Aconura pallifrons.
 acutistyla Dlabola, Erythroneura
 acutistylata Beamer & Lawson, Stragania
 acutistylata gibbosa Beamer & Lawson, Stragania
 acutus Beamer & Tuthill, Alapus
 acutus Beamer, Cosmotettix
 acutus Beamer, Rosenus
 acutus Crowder, Paraphlepsius
 acutus dubius Van Duzee. See Scaphytopius (Cloanthanus)
 dubius.
 acutus Evans. See Iassus evansi.
 acutus Hepner, Eutettix
 acutus Knoll, Spathanus
 acutus Lindberg. See Doraturopsis heros.
 acutus Say, Scaphytopius (Cloanthanus)
 acutus Thomas. See Stirellus dixianus acutus.
 adarroides Linnauvori. See Arocephalus (Omskius)
 sibiricus.
 addita Walker, Tettigella
 additus Rey. See Sagatus punctifrons additus.
 adelaidae Evans, Nirvana
 adelungi Melichar, Petalocephala
 adexa Davidson & DeLong, Empoasca
 admittens Walker. See Homalodisca triquetra.
 ador McAtee, Erythroneura (Erythridula)
 adorabilis Blanchard, Tettigella
 adscendens Fabricius. See Raphirhinus phosphoreus.
 adspersa Haupt, Heliona
 adspersa Herrich-Schaeffer, Cicadella [Duméril 1806]
 adspersa Naude, Euscelis
 adspersa Signoret, Eurymeloides
 adspersa Stål, Coelidia
 adspersa Stål, Gypona
 adspersipennis Stål, Proranus
 adspersula Lethierry, Thamnotettix
 adspersus Fábriccius, Ciccus

adspersus peruvianus Melichar, Ciccus
 adumbrata Sahlberg. See Rhopalopyx preyssleri.
 adunca Ball & Beamer, Athysanella (Gladionura)
 adunca Beamer, Erythroneura (Eratoneura)
 adunca DeLong, Empoasca (Kybos)
 adusta Fowler, Gypona
 adusta McAtee, Neojoruma
 adustus Herrich-Schaeffer. See Idiocerus stigmatalis.
 adustus Melichar, Thamnotettix
 adversa DeLong, Ballana
 adversus Beamer & Tuthill, Hebecephalus
 aedicatura Distant, Eleazara
 aegra Beamer, Dikrella (Dikrella)
 aegrota Kirkaldy. See Ipo pellucida.
 aegyptiaca Nast, Agallia
 aegyptiacus Oshanin. See Neolimus aegyptiacus [sic].
 aegyptiacus Signoret, Parabolocratus
 aegyptiacus [sic] Matsumura, Neolimus
 aegyptiacus [sic] Matsumura, Thamnotettix
 aemilia Distant, Aulacizes
 aemulans Kirschbaum, Streptanus
 aenea Beamer, Erythroneura (Erythridula)
 aenea DeLong, Ponana (Ponana)
 aenea Evans, Oncopsis
 aeneus Curtis. See Idiocerus populi.
 aqua Fowler, Ceratogoniella
 aquabilis Walker, Proconia
 aequalis Distant, Rhotidus
 aequalis eberneus Hepner, Eutettix
 aequalis Hepner, Eutettix
 aequalis Signoret, Tettigella
 aequalis Walker, Iassus
 aequatorialis Jacobi, Ulopa
 aequatorialis Paoli, Empoasca
 aequinoctialis Van Duzee, Scaphytopius (Cloanthanus)
 aequus DeLong, Scaphytopius (Cloanthanus)
 aesculella Ross & DeLong, Erythroneura
 aesculi Beamer, Erythroneura (Eratoneura)
 aestivalis Müller. See Euscelis incisa aestivalis.
 aestuans Walker. See Amblyscarta crocea.
 aestuarina Edwards. See Aphrodes bicincta aestuarina.
 aestuarium DeLong & Sleesman, Sanctanus
 aethiopica Cogan, Euscelis
 aethiopica Distant, Penthimia
 aethiopica Melichar, Macropsis
 aethiopicus Melichar, Xestocephalus
 aethyops Schrank. See Penthimia nigra haemorrhoa.
 affinis Distant, Leofa
 affinis Distant, Tettigella
 affinis dorsalis Schmidt, Conogonia
 affinis Fallén. See Aphrodes albifrons affinis.
 affinis Fieber, Thamnotettix
 affinis Fieber. See Idiocerus vittifrons.
 affinis Fitch, Erythroneura (Eratoneura)
 affinis Flor, Idiocerus
 affinis Gillette & Baker, Psammotettix
 affinis Lindberg, Canariotettix
 affinis Lindberg. See Erythroneura canariensis.
 affinis Nast, Empoasca

affinis Osborn, Arrugada
 affinis Osborn, Dikrella (Dikrella)
 affinis Osborn, Nesophrosyne (Nesophrosyne)
 affinis Osborn, Osbornellus
 affinis Osborn, Stirellus
 affinis Ossiannilsson. See Cicadella[Duméril 1806]
 cyclops.
 affinis Schmidt, Conogonia
 affinis Signoret. See Aulacizes maculata.
 affinis Spångberg, Gypona
 affinula Osborn, Graphocephala
 affinula Osborn, Ponana (Ponana)
 afflicta Beamer, Erythroneura (Erythridula)
 africana Melichar, Aletta
 africana Metcalf, Macropsis
 africana Spångberg, Coelidia
 africanus Naude, Chlorotettix
 africanus Naude, Deltocephalus
 africanus Stål, Selenocephalus
 africanus Walker, Exitianus
 afzelii foliaticeps Stål, Hecalus
 afzelii Stål, Hecalus
 agalliae Evans, Austroagalloides
 agassizi Van Duzee, Xestocephalus
 agathina Snellen. See Typhlocyba sexnotata agathina.
 agenor Kirkaldy. See Pedioscopus polydorus.
 agerata Melichar, Deltocephalus
 agnata Knoll & Auten, Zygina
 agnatus Lethierry. See Dikraneura (Dikraneura) variata.
 agraphopteron Bergevin, Platypyctus
 agresta McAtee. See Alebra (Alebra) albostriella agresta.
 agrestis Fallén, Stroggylocephalus
 agrestis irroratus Curtis, Stroggylocephalus
 agrestis Oman, Agalliopsis
 ahngeri Melichar, Bergevina
 aino Matsumura, Empoasca
 aino Matsumura, Typhlocyba
 ainoicus Matsumura, Limotettix
 akashiana Matsumura, Alebroides
 akashiella Matsumura, Erythroneura
 akashiensis Matsumura, Deltocephalus
 akashiensis Takahashi, Typhlocyba
 akazu Matsumura, Zygina
 akonis Matsumura, Akotettix
 akonis Matsumura, Balclutha
 akonis Matsumura. See Tartessus ferrugineus akonis.
 alabamaensis Christian, Typhlocyba
 alabamensis Baker, Stragania
 alabangensis Merino, Neoaliturus
 alacer Stål, Deltocephalus
 alalia Distant, Aulacizes
 alas DeLong, Scaphytopius (Cloanthanus)
 alas parvalas DeLong, Scaphytopius (Cloanthanus)
 alata Knoll, Erythroneura (Erythridula)
 alata Singh-Pruthi, Chiasmus
 alatus Beamer, Osbornellus
 alaudus DeLong, Osbornellus
 alba Metcalf, Tettigella
 alba Oman & Beamer, Cuerna

albacosta Beamer, Twiningia
 albae lanzkei Wagner, Macropsis
 albae Wagner, Macropsis
 albanicus Horvath, Athysanus
 albascutellus Caldwell, Scaphytopius
 albata McAtee. See Hymetta trifasciata albata.
 albatron Caldwell, Dikraneura
 albavulta DeLong & Ruppel, Alconeura
 albellus Baker, Balbillus
 albellus borneensis Baker, Balbillus
 albescens Beamer, Erythroneura (Erythridula)
 albescens Jacobi, Kolla
 albicans fuscoceruleus Edwards, Idiocerus
 albicans Kirschbaum, Idiocerus
 albicans Lethierry, Notus
 albicans Spångberg, Gypona
 albicans Walker, Tettigella
 albicans Walsh, Empoa
 albiceps Fowler, Poeciloscarta
 albicinctus Distant, Orosius
 albicollis Osborn, Idiocerus
 albicosta Kusnezov, Symphyypga
 albicosta Matsumura, Albicostella
 albicosta Naudé, Equeefa
 albicosta Osborn, Nesophrosyne (Nesophrosyne)
 albida Evans, Acostemana
 albida Osborn & Ball, Flexamia
 albida Walker, Kolla
 albida Walker. See Amblyscarta nigrifascia albidissima.
 albidicans Walker, Tettigella
 albidipennis Fowler, Aulacizes
 albidipennis Melichar. See Abana (Mesobana) subfasciata
 albidipennis.
 albidissima Metcalf. See Amblyscarta nigrifascia
 albidissima.
 albidonotata Fowler, Poeciloscarta
 albidosparsa Stål, Gypona
 albidula Ruppel & DeLong, Dikrella
 albidula Uhler, Agallia
 albidula Walker, Tettigella
 albus Ball, Aplanus
 albus DeLong & Hershberger, Alanus
 albus Evans, Xestocephalus
 albus Lawson. See Acinopterus productus.
 albus Walker, Iassus
 albifasciata Metcalf, Coelidia
 albifrons affinis Fallén, Aphrodes
 albifrons apicalis Signoret, Aphrodes
 albifrons arcuata Kirschbaum, Aphrodes
 albifrons argus Rey. See Aphrodes albifrons conspersa.
 albifrons bifasciata Melichar, Aphrodes
 albifrons var. blotei Metcalf, Aphrodes
 albifrons Cerutti. See Cicadella [Duméril 1806] calcarata
 albifrons.
 albifrons confusa Kirschbaum, Aphrodes
 albifrons conspersa Signoret, Aphrodes
 albifrons dimidiata Ribaut, Aphrodes
 albifrons dispar Blöte. See Aphrodes albifrons var. blotei.
 albifrons dispar Zetterstedt, Aphrodes

albifrons Distant, Trebellius
 albifrons erubescens Horváth, Zygarella
 albifrons fuliginosus Ferrari. See *Aphrodes albifrons*.
 albifrons germari Wagner, *Aphrodes*
 albifrons Hepner, *Scaphytopius (Convelinus)*
 albifrons Horváth, Zygarella
 albifrons irritans Wagner. See *Aphrodes albifrons arcuata*.
 albifrons Linnaeus, *Aphrodes*
 albifrons McAtee, Joruma (Joruma)
 albifrons subrustica Fallén, *Aphrodes*
 albigena Signoret. See *Poochara brevifrons*.
 albigera deleta Ribaut, *Aphrodes*
 albigera Germar, *Aphrodes*
 albigera kirschbaumi Edwards, *Aphrodes*
 albigera nudus Wagner, *Aphrodes*
 albigera salinus Wagner, *Aphrodes*
 albigutta Walker, *Amblyscarta*
 albiguttata Kusnezov, *Sympphyga*
 albiguttula Stål, *Penthimia*
 albimaculata Distant, *Moonia*
 albimaculata Osborn, *Prairiana*
 albimarginata Woodworth. See *Ponana (Ponana) pectoralis*.
 albinervosa Matsumura, *Paramesodes*
 albinervosa Signoret, *Hebefurcata*
 albingensis Wagner, *Cicadula*
 albingensis Wagner, *Euscelis*
 albibenne Fabricius, *Diestostemma*
 albibennis Haupt, *Exitianus*
 albipes Walker, *Coelidia*
 albipunctata Evans, *Euscelidella*
 albesigna Walker, *Coelidia*
 albisoma Matsumura, *Zygina*
 albivenosus Osborn, *Amplicephalus*
 albivitta Distant, *Moonia*
 albobifasciata Melichar, *Poeciloscarta*
 albocephalus DeLong, *Scaphytopius (Cloanthanus)*
 alcocinetus DeLong, *Idiodonus*
 alcocinetus DeLong, *Osbornellus*
 alcocinetus DeLong, *Scaphytopius (Cloanthanus)*
 albofasciata Jacobi, *Gurawa*
 albofasciata Walker. See *Amblyscarta elegantissima*.
 alboflavovittatus Lindberg, *Circulifer*
 albofrontalis Distant, *Nehela*
 alboguttata Kato, *Aphrodes*
 alboguttata Spångberg, *Ponana (Ponana)*
 alboguttatus Lethierry, *Circulifer*
 alboguttatus Matsumura, *Scaphoideus*
 alboguttulatus Melichar. See *Paralimnus lateralis*.
 albolimbatus Kirschbaum. See *Proceps acicularis*.
 albolea Ball, *Memnonia*
 albolea Gillette, *Empoasca (Kybos)*
 alboleata Taschenberg, *Tettigella*
 alboleus DeLong, *Osbornellus*
 albomaculata Distant, *Amblyscarta*
 albomaculata Distant, *Parabolocratus*
 albomaculatus Distant, *Paralimnus*
 albomarginata Signoret, *Ishidaella*
 albomarginatus DeLong, *Scaphytopius (Cloanthanus)*

albomarginatus Wagner, *Psammotettix*
 albonasa McAtee, *Dikrella (Dikrella)*
 albonervosa Spinola, *Tettigella*
 alboneura DeLong, *Polyamia*
 alboneura Gillette, *Empoasca (Hebata)*
 alboniger Lethierry, *Psammotettix*
 albonota DeLong, *Empoasca (Empoasca)*
 albonotata Melichar, *Poeciloscarta*
 albonotata Van Duzee, *Cantura*
 alboparallela Signoret, *Poeciloscarta*
 albopicta Forbes. See *Empoasca (Empoasca) fabae*.
 alboplagiata Melichar, *Poecilocarda*
 albopunctata Oman, *Euragallia*
 albopunctulata Taschenberg, *Tettigella*
 albororata Distant, *Coelidia*
 albororata Fowler, *Gypona*
 alboscripta Van Duzee, *Empoasca (Hebata)*
 alboscutellata Beamer & Lawson, *Stragania*
 albosignata Uhler, *Ponana (Ponana)*
 albosignatus Distant, *Platyretus*
 albostriata Signoret, *Apogonalia*
 albostriatus Strobl. See *Sotanus thenii albostriatus*.
 albostriella agresta McAtee, *Alebra (Alebra)*
 albostriella bicincta DeLong, *Alebra (Alebra)*
 albostriella binotata Walsh, *Alebra (Alebra)*
 albostriella costatella Matsumura, *Alebra (Alebra)*
 albostriella diluta Ribaut. See *Alebra (Alebra) albostriella*.
 albostriella discicollis Herrich-Schaeffer, *Alebra (Alebra)*
 albostriella dufouri Ribaut, *Alebra (Alebra)*
 albostriella Fallén, *Alebra (Alebra)*
 albostriella fulveola Herrich-Schaeffer, *Alebra (Alebra)*
 albostriella fumida Gillette, *Alebra (Alebra)*
 albostriella insignita McAtee, *Alebra (Alebra)*
 albostriella pallidula Walsh, *Alebra (Alebra)*
 albostriella rubrafrons DeLong, *Alebra (Alebra)*
 albostriella scopa McAtee, *Alebra (Alebra)*
 albostriella tincta McAtee, *Alebra (Alebra)*
 albostriella viridis Rey, *Alebra (Alebra)*
 albovarius Matsumura, *Thamnotettix*
 albovenosa Fieber, *Agallia*
 albovenosa Sanders & DeLong, *Graminella*
 albovittata Melichar, *Erythrogonia*
 albovittatus Matsumura, *Scaphoideus*
 albus Osborn, *Diedrocephala*
 albus Hepner. See *Eutettix querki albus*.
 albus Lindberg, *Eremitopius*
 alces Ribaut, *Typhlocyba*
 alcmena Distant, *Tettigella*
 alcorni Beamer, *Plesiommata*
 alcorni Christian, *Edwardsiana*
 aldabranus Distant, *Limentinus*
 aldabranus punctatus Lallemand, *Limentinus*
 alebroidea Osborn. See *Empoasca breviceps*.
 alendae Bergevin, *Platyproctus*
 ales Beamer, *Zygina*
 alfalfa Evans, *Astroasca (Astroasca)*
 algerica Matsumura, *Typhlocyba*
 algeriensis Bergevin. See *Zyginidia (Arboridia) parvula algeriensis*.

algidus DeLong & Davidson, Hebecephalus
 algiricus Bergevin, Goniagnathus
 algiricus Lethierry, Thamnotettix
 algosa DeLong & Davidson, Destria
 aliena Fieber, Agallia
 aliena Fieber. See Placotettix taeniatifrons var.
 meridionalis.
 alienus Dahlbom, Psammotettix
 alienus Melichar, Deltocephalus
 alienus Melichar, Hecalus
 alismatis Haupt. See Mocuellus (Erzaleus) metrius.
 allagopappi Lindberg, Erythroneura
 allecta McAtee. See Erythroneura (Eratoneura) ligata
 allecta.
 alliodorae Caldwell & Martorell, Protalebra
 allionii Turton, Batracomorphus
 allobrigitus kocourekii Dlabola, Jassargus (Sayetus)
 allobrographicus Ribaut, Jassargus (Sayetus)
 alluaudi Evans, Macropsis
 allygidoides Linnavuori, Thamnotettix
 almasyi Horváth, Idiocerus
 almus Van Duzee, Eulonus
 alneti coryli Tollin, Zygina
 alneti Dahlbom, Zygina
 alneti mali Edwards, Zygina
 alni Schrank. See Iassus schrankii.
 alnicola Edwards, Edwardsiana
 alnirubratus Bliven, Idiocerus
 almomogorda Ball. See Gyponana (Gyponana) delta
 alomogorda.
 alpha Fowler, Oncometopia (Oncometopia)
 alpicola Cerutti. See Erythroneura silvicola alpicola.
 alpina DeLong, Plummerella
 alpina Evans, Trocnada
 alpina Oman & Beamer, Cuerna
 alpina Prohaska. See Aphrodes bicincta alpina.
 alpina Wagner, Aphrodes
 alpina Wagner, Hardya (Hardya)
 alpinus Ball. See Macustus grisescens.
 alpinus Then, Jassargus (Arrailus)
 alpinus Zetterstedt, Macrosteles
 alsia Ball & Beamer, Athysanella (Gladiionura)
 alsia Ribaut, Euscelis
 alsiosa Ribaut, Empoasca
 alta Caldwell. See Agallia pulchra alta.
 alta DeLong & Hershberger, Mesamia
 alta Hepner. See Aligia chiricana alta.
 alta Oman & Beamer, Cuerna
 alta Osborn. See Athysanella (Amphygyga) attenuata.
 alternata Johnson. See Erythroneura (Erythridula) cauta.
 alternata Oman, Bergallia
 alternata Signoret, Proconia
 alternatus Fitch, Idiocerus
 alterninervis Lethierry, Thamnotettix
 althaearoseae Caldwell & Martorell, Dikraneura
 alticeps Mulsant & Rey, Stegelytra
 alticola bilobata Cerutti, Cicadella [Duméril 1806]
 alticola Horváth, Allygus
 alticola Lindberg, Erythroneura

alticola Merino, Tettigella
 alticola Namba, Nesophryne
 alticola Ribaut, Cicadella [Duméril 1806]
 alticola unita Cerutti, Cicadella [Duméril 1806]
 alticola White, Argaterma
 altus DeLong & Caldwell, Notus
 altus DeLong, Scaphytopius
 altus Osborn & Ball, Paraphlepsius
 altus Osborn, Thamnotettix
 amabilis Ball, Idiocerus
 amabilis McAtee, Erythroneura (Erythridula)
 amaena Perroud & Montrouzier, Tettigella
 amaeus Stål. See Platyreutes tricolor.
 amalda Distant, Apulia
 amalthea Distant, Tettigella
 amanda Ball, Eusama
 amanda McAtee, Erythroneura (Erythroneura)
 amandatus Bergroth, Alloproctus
 amara Davidson & DeLong, Empoasca (Empoasca)
 amara DeLong, Gyponana (Gyponana)
 amazonensis Osborn, Zabrosa
 ambigua Fieber. See Mocydiopsis attenuata ambigua.
 ambigua Perroud & Montrouzier, Tettigella
 ambiguosus Young & Frazier. See Circulifer tenellus
 ambiguosus.
 ambita Kirkaldy. See Ipo pellucida.
 amblacantha Oman & Wheeler, Empoasca (Hebata)
 amblardii scutellaris Schmidt, Oncometopia (Molomea)
 amblardii Signoret, Oncometopia (Molomea)
 amoibonensis Baker, Nirvanoides
 amentaria Distant, Busonia
 americana Fitch, Penthimia
 americana Van Duzee, Davisonia
 amicula Jacobi, Erythrogonia
 amida Distant, Amblydisca
 amitina Melichar, Aconura
 amoena Baker, Habralebra
 amoena Walker, Poeciloscarta
 amoenus depictus Ball. See Idiocerus amoenus [sic].
 amoenus Gillette & Baker. See Idiocerus amoenus [sic].
 amoenus Van Duzee, Lycoides
 amoenus [sic] Van Duzee, Idiocerus
 ampasa Ross & DeLong, Erythroneura
 ampla Beamer, Graminella
 ampla Knoll, Erythroneura (Erythridula)
 amplecta DeLong, Ballana
 ampliata Ball, Gyponana (Rugosana)
 ampliata Osborn, Coelidia
 ampliata Wagner, Typhlocyba
 amplicincta Walker, Pauroeuryymela
 amplinotus Hepner, Scaphytopius (Cloanthanus)
 amplus DeLong & Davidson, Psammotettix
 amplus DeLong & Mohr, Scaphoideus
 amulae Fowler, Oragua
 amuriensis Metcalf, Deltocephalus
 amyoti Vismara. See Psammotettix striatus.
 anachoreta Metcalf & Bruner, Arezzia
 anadamus DeLong, Scaphytopius (Cloanthanus)
 anademus DeLong, Idiodonus

analis castranus Ball, *Scaphytopius* (*Cloanthanus*)
 analis Van Duzee, *Scaphytopius* (*Cloanthanus*)
 anatolica Zachvatkin, Hardya (Hardya)
 ancantha DeLong & Caldwell, *Forcipata*
 anceps Fowler, Mareja
 anceps Fowler, *Oncometopia* (*Egidemia*)
 anceps Naudé, *Parabolitus*
 ancistra Davidson & DeLong, *Empoasca* (*Empoasca*)
 ancona Osborn, *Gypona*
 ancora Beamer, *Erythroneura* (*Erythroneura*)
 ancora Oman, *Agalliana*
 ancoralis Oman, *Agalliopsis*
 ancorifer Linnavuori, *Paramesus*
 andalusiaca Ferrari, *Cicadella* [Duméril 1806]
 anderi Ossiannilsson, *Sonronius*
 andersoni Beamer, *Erythroneura* (*Eratoneura*)
 andina Schmidt. See *Proconia tuberculicollis*.
 andromache McAtee, *Typhlocyba*
 andromus Ball, *Scaphytopius* (*Cloanthanus*)
 andropogonis Haupt. See *Rhopalopyx vitripennis*.
 aneala Kirkaldy, *Dikraneura*
 anemolua Kirkaldy, *Pettya*
 anemolua Kirkaldy, *Tettigella*
 anfracta Beamer, *Erythroneura* (*Erythroneura*)
 angelus Oman, *Giprus*
 angolensis Evans, *Paradorydium*
 angorensis Zachvatkin, *Stenometopiellus*
 angula DeLong, *Ballana*
 angula DeLong, *Gyponana* (*Gyponana*)
 angularis Beamer, *Erythroneura* (*Erythridula*)
 angularis Distant, *Ledropsis*
 angularis Walker, *Bothrogonia*
 angulata Matsumura, *Tituria*
 angulata Oman, *Cumora*
 angulata Spångberg, *Coelidia*
 angulata Spångberg, *Gyponana* (*Gyponana*)
 angulatus Beamer & Tuthill, *Alapus*
 angulatus DeLong & Hershberger, *Exitianus*
 angulatus Lawson, *Acinopterus*
 angulatus Naude, *Thamnotettix*
 angulatus Signoret, *Drabescus*
 angulatus Then, *Psammotettix*
 angulifera Osborn, *Nesophrosyne* (*Nesophrosyne*)
 angulifera Walker, *Balocha*
 angulifera Walker, *Draeculacephala*
 anguliferus Walker, *Iassus*
 angus DeLong, *Texananus* (*Texananus*)
 angusta Lethierry, *Zygina*
 angusta moesta Ferrari, *Zygina*
 angusta rubrinervis Edwards, *Zygina*
 angustata Ball & DeLong, *Dikraneura* (*Dikraneura*)
 angustata DeLong, *Omanana*
 angustata Evans, *Gnatia*
 angustata Evans, *Tettigella*
 angustata Melichar, *Homalodisca*
 angustata Osborn, *Ophiola*
 angustata Uhler, *Gypona*
 angustatus Baker, *Pedioscopus*
 angustatus DeLong & Beery, *Scaphoideus*

angustatus DeLong & Hershberger. See *Exitianus exitiosus*
 angustatus.
 angustatus DeLong, *Tinobregmus*
 angustatus Evans, *Cephalelus*
 angustatus Osborn, *Iassus*
 angustatus Osborn, *Scaphytopius* (*Cloanthanus*)
 angustatus Uhler. See *Tettigella semiglaucha*.
 angustella DeLong, *Empoasca*
 angustella Ruppel & DeLong, *Dikrella*
 angustens DeLong. See *Prairiana kansana angustens*.
 angustifasciata Melichar. See *Oncometopia* (*Molomea*)
 latifascia angustifasciata.
 angustiloris Reuter, *Idiocerus*
 angustior Jacobi, *Batracomorphus*
 angustula Fowler, *Amahuaka*
 angustula fowleri Metcalf, *Amahuaka*
 angustula immaculata Fowler. See *Amahuaka angustula*
 fowleri.
 angustus Brown. See *Chlorotettix borealis*.
 angustus Crowder, *Phlepsanus*
 angustus DeLong, *Excavanus*
 angustus Melichar, *Deltocephalus*
 angustus Then. See *Balclutha saltuella*.
 angustus Walker. See *Raphirhinus phosphoreus*.
 animana Ball, *Eusora*
 anisacanus Ball, *Scaphytopius* (*Convelinus*)
 anita Fowler, *Sibovia*
 annae Kirkaldy, *Scaphoideus* (*Scaphoidophyes*)
 annandalei Distant, *Bothrogonia*
 annella Hartzell. See *Empoasca* (*Kybos*) *clypeata annella*.
 annulatus Osborn & Lathrop. See *Texananus* (*Texananus*)
 Iathropi.
 annulatus Osborn, *Phlepsius*
 annulicornis Van Duzee, *Hamana*
 annuligera Walker. See *Aulacizes maculata annuligera*.
 annulipes Lucas. See *Goniagnathus brevis*.
 annulipes Spångberg, *Gypona*
 annulipes Spångberg, *Petalopoda*
 annulivena Walker. See *Gabrita eburata*.
 anomala Baker, *Agalliopsis*
 anomala Baker, *Kana*
 anomala DeLong, *Acocoelidia*
 anomala Knoll, *Erythroneura* (*Erythridula*)
 anomalus Kirschbaum. See *Laburus* (*Laburus*)
 impictifrons.
 ansonae Myers, *Erythroneura*
 antarcticus Spinola, *Iassus*
 antecedens Walker, *Tartessus*
 antennalis Haupt, *Deltocephalus*
 antennata Boheman. See *Cicadula frontalis*.
 anthisma McAtee, *Hymetta*
 anthracina Van Duzee, *Ophiola*
 antica Stål, *Gypona*
 antica Walker, *Draeculacephala*
 antica Walker, *Tituria*
 anticus Stål, *Scaphytopius*
 antigone McAtee, *Ossiannilssonola*
 antlera DeLong, *Ballana*
 antlera DeLong, *Neocoelidiana* (*Cocoelidia*)

- antoniae Melichar, Agallia
 anzana Ball & Beamer, Athysanella (Amphipyga)
 anzanus Beamer, Pasadenus
 apacha Baker, Zygina
 apachana Ball, Norvellina
 apache Ball & Parker, Idiocerus
 apache juniperus DeLong & Hershberger, Idiocerus
 apata DeLong & Davidson, Empoasca (Kybos)
 aperiens Walker. See Platynetus tricolor.
 aperta Beamer, Idona
 apertinus Osborn & Lathrop, Paraphlepsius
 apertus DeLong & Hershberger, Idiocerus
 apertus DeLong, Idiodonus
 apertus DeLong, Scaphytopius (Cloanthanus)
 apertus Van Duzee, Paraphlepsius
 aphrodooides Haupt. See Hardya (Hardya) melanopsis.
 aphrophoroides Fowler, Oragua
 aphrophoroides Spinola, Piezauchenia
 apicalis DeLong & Hershberger, Sanctanus (Sanctanus)
 apicalis DeLong & Hershberger, Texananus (Iowanus)
 apicalis DeLong. See Erythroneura (Eratoneura) bigemina.
 apicalis Flor, Empoasca (Chlorita)
 apicalis Graaf, Six & Snellen, Coelidia
 apicalis Hepner, Eutettix
 apicalis Matsumura, Idiocerus
 apicalis Matsumura. See Carchariacephalus warioni.
 apicalis Matsumura. See Macropsis kyushuensis.
 apicalis Matsumura. See Thomsoniella porrecta.
 apicalis Melichar, Xestocephalus
 apicalis Motschulsky, Nephrotettix
 apicalis Nawa, Zygina
 apicalis Osborn & Ball, Stragania
 apicalis Puton, Platymetopius
 apicalis Schmidt, Homalodisca
 apicalis Signoret. See Aphrodes albifrons apicalis.
 apicalis Singh-Pruthi, Bella
 apicalis Spinola, Iassus
 apicalis Van Duzee, Hecalus
 apicalis Van Duzee, Protalebra
 apicalis Walker. See Bothrogonia ferruginea apicalis.
 apicata Bierman, Penthimia
 apicata Caldwell, Joruma
 apicata McAtee, Empoa
 apicata Osborn, Polyamia
 apicatus DeLong, Osbornellus
 apicatus DeLong, Retusanus
 apicatus Lethierry, Thamnotettix
 apicula Osborn, Tettigella
 apiculata Horváth, Erythroneura
 aplopappi Oman, Ceratagallia
 apollonos Kirkaldy, Soracte
 appellans Baker, Goniagnathus
 appendiculata fasciifrons Linnauvori, Oncopsis
 appendiculata Malloch, Ossiannilssonola
 appendiculata Schmidt, Pseudometopia
 appendiculata Wagner, Oncopsis
 appendiculatus Linnauvori, Chacotettix
 appressa DeLong, Gyponana (Gyponana)
 appressus DeLong, Osbornellus
 appropinquans Fowler, Tettigella
 approximata Spångberg, Gypona
 approximata Stål, Amblyscarta
 aprica McAtee, Zygina
 aprica Melichar, Sibovia
 apricus Melichar, Eutettix
 apta Beamer, Erythroneura (Erythridula)
 apulia Distant, Mesogonia
 aputelius Fieber, Deltcephalus
 aquila Gibson, Ponana (Ponana)
 aquilonis Ossiannilsson. See Psammotettix frigidus.
 arabicus Zachvatkin. See Circulifer chinai arabicus.
 arachidis China, Cicadulina
 arachisi Matsumura, Zygina
 aracoma DeLong & Guevara, Empoasca
 arator Davidson & DeLong, Empoasca (Empoasca)
 araucanus Berg, Athysanus
 araxis Zachvatkin, Stenometopiellus
 arborea Ball, Brenda
 arcadiicola Kirkaldy. See Nesophrosyne (Nesophrosyne) myrsines.
 arcana Ball & Beamer, Athysanella (Gladionura)
 arcata DeLong, Omanana
 arcta DeLong & Caldwell, Dikraneura (Dikraneura)
 arcta DeLong, Gyponana (Gyponana)
 arctica Beirne, Balclutha
 arctostaphylae Ball, Texananus (Texananus)
 arctostaphyli Ball, Ophiola
 arctostaphyli Downes, Colladonus
 arcuata Gillette & Baker. See Sonronius binotatus.
 arcuata Kirschbaum. See Aphrodes albifrons arcuata.
 arcuata McAtee, Sirosoma
 arcuata Motschulsky, Thomsoniella
 arcuatifrons Walker, Ledra
 arcuatus DeLong, Scaphytopius
 arcuatus Ribaut, Psammotettix
 arculus Ball, Colladonus
 ardea Ruppel & DeLong, Dikraneura
 ardens insolita McAtee, Erythroneura (Eratoneura)
 ardens kansana Baker, Erythroneura (Eratoneura)
 ardens McAtee, Erythroneura (Eratoneura)
 ardentula Breddin, Trichogonia
 ardua Ball & Beamer, Athysanella (Amphipyga)
 areata Melichar, Trichogonia
 areata Spångberg, Coelidia
 areatus Osborn, Idiocerus
 areatus Stål, Pinumius
 arenarius Horváth, Parabolocratus
 arenicola Marshall. See Aphrodes histrionica.
 arenicola Sahlberg. See Psammotettix sabulicola.
 arenicola Zachvatkin, Empoasca (Eremochlorita)
 arenosa Ross & DeLong, Erythroneura (Eratoneura)
 areolata Ball, Flexamia
 areolata Beamer, Twinningia
 areolata Osborn. See Nesosteles incisus.
 areolata Signoret, Erythrogonia
 areolatus Baker, Texananus (Aridanus)
 arevaloi Merino, Cicadula
 argentarius Metcalf, Athysanus

argentata Evans, Chinaella
 argentata Fabricius. See *Athysanus argentarius*.
 argentatus Evans, Orosius
 argenteola Uhler, *Athysanella (Gladionura)*
 argentigutta Walker, *Tettigella*
 argentina Berg, *Helochara*
 argillaceus Van Duzee, *Texananus (Excultanus)*
 argostagum Walker, *Purpuranus*
 argus Marshall, *Sardius*
 argus Rey. See *Aphrodes albifrons conspersa*.
 argutus DeLong, *Scaphytopius (Cloanthanus)*
 argyrops Signoret, *Tettigella*
 ariadne McAtee. See *Edwardsiana bergmani ariadne*.
 arida Beamer, *Zygina*
 arida DeLong, *Empoasca (Empoasca)*
 arida Oman & Beamer, *Cuerna*
 arida Oman, *Aceratagallia (Aceratagallia)*
 aridella DeLong, *Neokolla*
 aridella Osborn, *Athysanella (Amphygyga)*
 aridella Sahlberg, *Dikraneura (Dikraneura)*
 aridellus Boheman. See *Mocuellus (Mocuellus) collinus*.
 aridellus Osborn. See *Acinopterus inornatus*.
 aridicola Osborn. See *Athysanella (Amphygyga) texana*.
 aridus Ball, *Carsonus*
 aridus furcatus Oman, *Carsonus*
 aridus incertus Oman, *Carsonus*
 aridus Oman, *Laevicephalus*
 aris DeLong, *Ballana*
 arisana Matsumura, *Agallia*
 arisana Matsumura, *Agrica*
 arisana Matsumura, *Alebra*
 arisana Matsumura, *Empoasca*
 arisana Matsumura, *Onukia*
 arisanellus Matsumura, *Hiratettix*
 arisanus Matsumura, *Iassus*
 aristarche Kirkaldy, *Driotura*
 ariste McAtee, *Edwardsiana*
 aristida Cogan, *Deltocephalus*
 arizona Davidson & DeLong, *Balclutha*
 arizona DeLong & Caldwell, *Dikraneura (Dikraneura)*
 arizonanus Lawson. See *Acinopterus inornatus*.
 arizoniana Fairbairn, *Hymetta*
 arizonica Knoll & Auten, *Zygina*
 arizonus Osborn & Lathrop. See *Dixianus utahnus*.
 arma DeLong, *Ballana*
 armata Buckton. See *Notus flavipennis*.
 armata Haupt. See *Notus flavipennis*.
 armata Melichar, *Jilijapa*
 armata Ribaut, *Erythroneura*
 armus Ball, *Ollarianus*
 aqua Davidson & DeLong, *Empoasca (Empoasca)*
 arroya Oman, *Ceratagallia*
 arsinoe McAtee, *Typhlocyba*
 arta Beamer, *Erythroneura (Eratoneura)*
 arta DeLong & Davidson, *Empoasca (Empoasca)*
 artemisia Oman, *Ceratagallia*
 artemisiae Becker, *Coelidia*
 artemisiae Gillette & Baker, *Deltocephalus*
 artemisiae Haupt. See *Empoasca (Chlorita) vittata*.

artemisiae Kirschbaum, *Cicadella [Duméril 1806]*
 artemisiae Matsumura, *Macrosteles*
 artemisiae Matsumura. See *Euscelis handlirschi*.
 artemisiae Matsumura. See *Mileewa margheritae*.
 arunda Jacobi, *Deltocephalus*
 arundinea Crumb, *Crumbana*
 arundineus DeLong, *Arundanus*
 arundinis Germar. See *Tettigella viridis arundinis*.
 aryana Distant, *Sabima*
 ascripta McAtee, *Joruma (Joruma)*
 asemus Fieber, *Deltocephalus*
 asiatica Kusnezov, *Zyginidia (Asianidia)*
 asiaticus Oshanin, *Evacanthus*
 asper Ribaut, *Psammotettix*
 aspera Ball & Beamer, *Athysanella (Athysanella)*
 aspera Beamer & Griffith, *Erythroneura (Erythridula)*
 aspera Ribaut. See *Anaceratagallia venosa*.
 asperatus Melichar, *Mesargus*
 aspersa Gillette & Baker, *Empoasca (Hebata)*
 asperula Melichar, *Oncometopia (Oncometopia)*
 aspra Davidson & DeLong, *Empoasca*
 assamensis Distant, *Bothrogonia*
 assamensis Distant, *Nacolus*
 assamensis Distant, *Scaphoideus*
 assamensis Distant, *Tituria*
 assimilis Fallen, *Sorhoanus (Sorhoanus)*
 assimilis Signoret, *Aphrodes*
 assimilis Signoret, *Exogonia*
 assimilis Spångberg, *Gypona*
 assimilis Stål, *Agallia*
 astutus Melichar, *Idiocerus*
 asymmetrica [sic] DeLong & Ruppel, *Alconeura*
 atascaderus Ball, *Parabolocratus*
 atascasa Ball, *Mexara*
 atascasus Ball, *Atanus*
 atava Schumacher. See *Sabimamorpha speciosissima*
 atava.
 ater Beamer, *Osbornellus*
 ater Walker. See *Drabescus remotus*.
 aterrima Distant, *Nehela*
 aterrima Fowler, *Phera*
 athene McAtee, *Typhlocyba*
 athertoni Evans, *Empoasca*
 atinca DeLong & Guevara, *Empoasca*
 atitlana Fowler. See *Prairiana mystica*.
 atkinsoni Distant, *Coelidia*
 atkinsoni Distant, *Exitianus*
 atkinsoni Lethierry, *Idiocerus*
 atlantica China, *Erythroneura*
 atlantica DeLong, *Flexamia*
 atlantis Ball, *Scaphoideus*
 atomaria Stål, *Gypona*
 atomaria Walker, *Penthimia*
 atomarius Fabricius, *Allygus (Allygus)*
 atomarius heydenii Kirschbaum, *Allygus (Allygus)*
 atomarius Walker, *Ciccus*
 atra Baker, *Stragania*
 atra Barber. See *Neokolla hieroglyphica atra*.
 atra Fabricius. See *Penthimia nigra*.

atra Gmelin. See *Gypona marginata*.
 atra Johnson. See *Erythroneura (Erasmoneura) nigerrima*.
 atra Melichar. See *Teletusa excavata atra*.
 atra Oman, *Agallia*
 atra Osborn, *Marquesitettix*
 atra Van Duzee. See *Neoslossonia putnami*.
 atra Walker, *Coelidia*
 atra Walker, *Platyeurymela*
 atra Walker, *Pseudophera*
 atrafrons DeLong, *Scaphytopius (Cloanthanus)*
 atramentaria Motschulsky, *Tettigella*
 atramentatula Breddin, *Mesogonia*
 atrata Distant, *Aconura*
 atrata Fabricius, *Coelidia*
 atrata Fowler, *Phera*
 atrata Johnson, *Erythroneura (Erasmoneura)*
 atrata Melichar. See *Typhlocyba bifasciata norgueti*.
 atratula McAtee, *Joruma (Joruma)*
 atratus DeLong. See *Scaphytopius (Cloanthanus)*
 magdalensis.
 atratus Kato, *Drabescus*
 atratus Knull, *Cochlorhinus*
 atratus Ribaut. See *Laburrus (Laburrus) quadratus atratus*.
 atricapillus Boheman, *Limotettix*
 atridorsum Van Duzee, *Ballana*
 atridorsum vesca Ball. See *Ballana vesca*.
 atridorsum vetula Ball. See *Ballana vetula*.
 atriflavus Downes, *Colladonus*
 atrifrons Distant, *Typhlocyba*
 atrifrons Metcalf, *Iassus*
 atrifrons Rey, *Thamnotettix*
 atrimucronata Beamer, *Erythroneura (Erythridula)*
 atriplicis Lindberg, *Erythroneura*
 atrivena Hepner, *Aligia*
 atrodentatus Naude, *Deltcephalus*
 atrolabes Gillette, *Empoasca (Kybos)*
 atramaculata Oman, *Agallia*
 atramaculatus Distant. See *Eurymeloides punctata*.
 atronotata Distant, *Kolla*
 atropunctata Gillette, *Gillettella*
 atropunctata Goeze, *Cicadella [Duméril 1806]*
 atropunctata impunctata Cerutti, *Cicadella [Duméril 1806]*
 atropunctata marginata Cerutti, *Cicadella [Duméril 1806]*
 atropunctata petasilidis Ferrari, *Cicadella [Duméril 1806]*
 atropunctata Signoret, *Graphocephala*
 atropunctatus DeLong. See *Fieberiella florii*.
 atropunctatus Van Duzee, *Conodonus*
 atropunctulata Melichar, *Leucopepla*
 atropurpurea Distant, *Empoasca*
 atrosignata Distant, *Typhlocyba*
 atrovenosa Melichar, *Nehela*
 atrovirens Lethierry, *Tylozygus*
 attenuata ambigua Fieber, *Mocydiopsis*
 attenuata Baker, *Athysanella (Amphygya)*
 attenuata Christian, *Typhlocyba*
 attenuata DeLong, *Ballana*
 attenuata Distant, *Penthimia*
 attenuata Evans, *Tartessella*
 attenuata Germar, *Mocydiopsis*

attenuata Johnson. See *Erythroneura (Erythroneura)*
 nudata.
 attenuata Oman, *Euragallia*
 attenuata Osborn, *Elabra*
 attenuata Osborn, *Graphocephala*
 attenuata Walker, *Tettigella*
 attenuatus Brown, *Chlorotettix*
 attenuatus Lawson, *Alapus*
 attenuatus Naude, *Deltcephalus*
 attenuatus purpureus Ball, *Parabolocratus*
 attenuatus Shaw, *Parabolocratus*
 attenuatus Walker. See *Acrobelus reflexus*.
 attenuens DeLong & Davidson, *Psammotettix*
 attractus Ball, *Paraphlepsius*
 aubei Signoret, *Coelidia*
 aubei Signoret, *Pseudoscarta*
 aucta McAtee, *Zygina*
 auctula Jacobi, *Pseudoscarta*
 auctus DeLong & Mohr, *Scaphoideus*
 auditura Walker, *Ledra*
 aulaeata Fowler, *Amblydisca*
 aulonias Kirkaldy, *Idiocerus*
 aurantiaca Lethierry. See *Empoasca (Empoasca)*
 flavescens.
 aurantiaca Signoret, *Aulacizes*
 aurantiaca Snellen. See *Eurhadina pulchella*.
 aurantiacus Fieber. See *Sorhoanus fieberi*.
 aurantiacus Forel, *Deltcephalus*
 aurantiacus Matsumura, *Evacanthus*
 aurantiacus Provancher, *Idiodonus*
 auranticula Naude, *Balclutha*
 aurantifasciata Jacobi, *Tettigella*
 aurantiigerus Kirkaldy, *Nesosteles*
 aurantipes Edwards. See *Cicadula quinquepunctata*.
 aurantium Naudé, *Paradydium*
 aurantius Metcalf. See *Epiacanthus guttiger aurantius*.
 aurarius Knull, *Orocastus*
 aurata Ball, *Danbara*
 aurata Fabricius, *Coelidia*
 aurata interrupta Cerutti, *Cicadella [Duméril 1806]*
 aurata Linnaeus, *Cicadella [Duméril 1806]*
 aurata McAtee, *Joruma (Joruma)*
 aurata nigerrima Cerutti, *Cicadella [Duméril 1806]*
 auratus Gillette & Baker, *Auridius*
 aurea Fabricius, *Dichrophleps*
 aurea Kirkaldy, *Macroceratogonia*
 aurea Ruppel & DeLong, *Joruma*
 aurea Walsh. See *Alebra (Alebra) albostriella fulveola*.
 aureatula Breddin, *Sphaeropogonia*
 aureocosta Ruppel & DeLong, *Dikrella*
 aureocosta Ruppel & DeLong, *Protalebra*
 aureola Boheman. See *Cicadella [Duméril 1806]*
 atropunctata.
 aureola Distant, *Signoretia*
 aureola Fallén, *Erythria*
 aureola luteipes Prohaska, *Erythria*
 aureolineata Ruppel & DeLong, *Typhlocyba*
 aureolus Van Duzee, *Conodonus*
 aureotecta Sanders & DeLong, *Empoa*

- aureoviridis hartzelli Baker, Empoasca (*Kybos*)
 aureoviridis Uhler, Empoasca (*Kybos*)
 aureovittata DeLong, Protalebra
 aureovittata Sanders & DeLong, Graminella
 aurescens Distant, Petalocephala
 aureus Knoll, Spathanus
 auricolor Baker. See *Sophonia malayana auricolor*.
 auriculata Distant, Kolla
 aurifascia Walker, Gypona
 aurifera Breakey, Macropsis
 aurifera Osborn, Gypona
 aurigena Walker. See *Homalodisca triquetra*.
 auriplena Walker, Tettigella
 aurita Linnaeus, Ledra
 aurivagula Jacobi, Erythrogonia
 auroalbus Walker, Paraphlepsius
 auroguttata Signoret, Paromenia
 aurolineata Fowler, Graphocephala
 auronitens Kirschbaum. See *Idiocerus vitreus*.
 auronitens Provancher, Osbornellus
 aurora Baker. See *Hordnia dohrnii*.
 aurora Melichar, Gununga
 aurorula Breddin, Poeciloscarta
 aurovittata Douglas. See *Alebra (Alebra) albostriella*.
 aurulenta Fabricius, Amblyscarta
 aurulenta Fabricius, Gypona
 aurulenta Lawson, Kunzeana
 aurulenta Walker, Coelidia
 aurulentus Kirschbaum. See *Idiocerus kirschbaumi*.
 aurum DeLong, Chlorotettix
 australensis Kirkaldy, Typhlocyba
 australensis Kirkaldy, Xestocephalus
 australica Kirkaldy, Dialecticopteryx
 australicus Spångberg. See *Tartessus fulvus*.
 australis cornuta Wagner, Edwardsiana
 australis DeLong, Haldorus
 australis Evans, Parabolocratus
 australis Froggatt, Edwardsiana
 australis Haupt. See *Grypotes staurus*.
 australis Spångberg, Gypona
 australis Walker, Coelidia
 australis Walker, Iassus
 australis Walker, Penthimia
 australis Walker. See *Stenocotis brevis*.
 australis Walsh, Ossiannilsonola
 austriaca Metcalf, Cicadella [Duméril 1806]
 austriaca Wagner, Anaceratagallia
 austriaca Wagner, Empoasca
 austrina Kirkaldy, Lonatura
 austrinus DeLong & Davidson, Laevicephalus
 autenae Johnson, Erythroneura (*Erythridula*)
 avallonia Melichar, Poeciloscarta
 avara DeLong, Gyponana (*Gyponana*)
 avella Distant, Onega
 avellanae Edwards, Edwardsiana
 avellanae Edwards, Oncopsis
 avennicus Ribaut, Jassargus (*Jassargus*)
 avicephalus Crowder, Paraphlepsius
 avicula Ribaut, Peragallia
 aviculifera Young, Empoasca
 awae Myers, Cicadula
 aza Robinson, Erythroneura (*Erythroneura*)
 azeka Distant, Microgoniella
 azerbeidzhanica Zachvatkin. See *Empoasca*
 (*Eremochlorita*) uvaroviana azerbeidzhanica.
 azorica Ribaut, Cicadella [Duméril 1806]
 backhausenii Berg, Deltacephalus
 bacteriophora Bergevin, Selenocephalus
 bactriana Zachvatkin. See *Zyginiida (Fruticidia) bisignata*
 bactriana.
 baculus DeLong & Mohr. See *Scaphoideus luteolus*.
 badia Distant, Penthimia
 badia Walker, Scaris
 badia Walker. See *Oncometopia (Oncometopia) nigricans*.
 badiellus Kirschbaum. See *Hardya (Hardya) tenuis*.
 badius Evans, Platyscopus
 badius Evans, Xestocephalus
 badius Walker, Tartessus
 baeri Kouchakewitch, Dorycephalus (*Dorycephalus*)
 baeticus Distant, Scaphoideus
 bahia Osborn, Gypona
 baicalica Kusnezov, Macropsis
 baileyi Singh-Pruthi, Parasitades
 bainbriggei Distant, Petalocephala
 bakeri Crevecoeur, Typhlocyba
 bakeri DeLong, Idiodonus
 bakeri Evans, Eurymela
 bakeri Lawson. See *Acinopterus inflatus*.
 bakeri McAtee, Sirosoma
 bakeri Melichar. See *Makilingia intermedia bakeri*.
 bakeri Merino, Idiocerinus
 bakeri Metcalf, Idiocerus
 bakeri Metcalf, Polisanella
 bakeri Ruppel & DeLong, Alconeura (*Hyloidea*)
 bakeri Sanders & DeLong, Chlorotettix
 balcanicus Horváth, Chunrocerus
 balli Baker, Agalliopsis
 balli Beamer, Alconeura (*Alconeura*)
 balli Beamer, Hecullus
 balli Beamer, Pazu
 balli Beamer, Sanctanus
 balli Beamer, Zygina
 balli DeLong, Lonatura
 balli DeLong, Stoneana
 balli Kirkaldy, Oncopsis
 balli Knoll, Carneocephala
 balli Knoll, Neocoelidia
 balli Lawson. See *Acinopterus inornatus*.
 balli Oman & Beamer, Cuerna
 balli Osborn, Athysanella (*Amphipyga*)
 balli Osborn, Chlorotettix
 balli Van Duzee, Deltacephalus
 balli Van Duzee, Draeculacephala
 balli Van Duzee, Ollarianus
 balli Van Duzee, Xestocephalus
 ballista Beamer, Erythroneura (*Eratoneura*)
 balloui Metcalf & Bruner, Hadria
 balteata McAtee, Hymetta

- balteata mediana Fairbairn, Hymetta
 balteata Zetterstedt. See Verdanus abdominalis.
 baluensis Distant, Bothrogonia
 bambiensis Evans, Aethiopulopa
 bambusae Matsumura, Elymana
 banahaoensis Baker, Makilingia
 banahaoensis montalbanensis Baker, Makilingia
 bancrofti Evans, Austroasca (Paolia)
 bangsoni Christian, Ossiannilssonola
 baracoa Metcalf & Bruner, Arezzia
 baraguensis Metcalf & Bruner. See Poeciloscarta histrio
 baraguensis.
 barbara Hartzell, Empoasca (Empoasca)
 barbata Ribaut, Typhlocyba
 barberi Merino, Omanella
 barberi Olsen. See Keonolla uhleri.
 barbistyla Paoli, Empoasca
 barbus DeLong, Texananus
 barda DeLong, Gyponana (Gyponana)
 barretti Baker, Stenocoelidia (Eurycoelidia)
 barretti Ball, Agallia
 barringtoniae Metcalf, Empoasca
 bartschi Van Duzee, Eutettix
 basalis Melichar. See Chunrocerus niveosparsus.
 basalis Oman, Agallia
 basalis Osborn, Prairiana
 basalis Rey. See Cicadella [Duméril 1806] urticae basalis.
 basalis Van Duzee, Macropsis
 basalis Walker, Aulacizes
 basalis Walker. See Eurymelops bicolor.
 basedowi Evans, Hecalus
 basiflava Matsumura, Zyginga
 basiflava Van Duzee. See Agallia albidula.
 basifusca Oman, Agallia
 basilana Merino, Macropsis
 basilanus Baker, Ophiuchus
 basilanus Merino, Eutettix
 basilaris Say, Erythroneura (Eratoneura)
 basilarius Ribaut. See Araldus propinquus.
 basimacula Walker, Apogonalia
 basivitta Walker, Tartessus
 batatae Poos. See Empoasca fabalis.
 bataviae Bierman, Tettigella
 batesi Distant, Oncometopia (Oncometopia)
 batilla McAtee, Sirosoma
 batillus Jacobi, Phereurhinus
 bavaricus Ribaut, Deltocephalus
 bdellostoma Berg, Platyhyonna
 beameri Ball, Colladonus
 beameri Ball, Stirellus
 beameri Borland, Dikraneura
 beameri Christian, Henribautia
 beameri Griffith. See Alconeura (Alconeura) santaritana.
 beameri Lawson, Alconeura (Hyloidea)
 beameri Oman, Stenocoelidia (Eurycoelidia)
 beameri Robinson, Erythroneura (Erythroneura)
 beameri Young, Idona
 beata McAtee, Parallaxis
 beckeri Fieber, Taurotettix
 beieri Linnauvori, Haldorus
 bella Bruner & Metcalf, Chinaia
 bella Jacobi, Coelidia
 bella McAtee, Erythroneura (Eratoneura)
 bella Walker, Soibanga
 bellevoyei Puton, Adarrus (Belaunus)
 belli brunneus Osborn, Colladonus
 belli gillettei [sic] Van Duzee, Colladonus
 belli Uhler, Colladonus
 bellicosa Distant. See Coloborrhis corticina.
 bellicosus Melichar, Ichthyobelus
 bellona Distant, Tettigella
 bellula Distant, Typhlocyba
 bellus Distant, Evacanthus
 bellus Stål, Neodartus
 benedettoi Paoli. See Empoasca (Chlorita) lybica.
 benedicti Beamer, Kunzeana
 bengalensis Distant, Eutettix
 benguetensis Baker, Signoretia
 benguetensis Baker. See Makilingia pallida benguetensis.
 benguetensis Merino, Macropsis
 bensoni China, Diplocolenus
 beppuanus Matsumura. See Naratettix zonatus beppuanus.
 berenice McAtee, Ossiannilssonola
 bergi Metcalf, Phlepsius
 bergmani ariadne McAtee, Edwardsiana
 bergmani Tullgren, Edwardsiana
 bergrothi Jensen-Haarup, Thamnotettix
 berryi DeLong, Chlorotettix
 betulincola Edwards. See Typhlocyba decempunctata.
 betulincola Wagner, Empoasca
 biacus DeLong, Texananus
 bialtus DeLong, Texananus (Texananus)
 biarca Davidson & DeLong, Empoasca (Empoasca)
 biarcuatus Walker. See Tartessus ferrugineus.
 bicalcea DeLong, Prescottia
 bicincta aestuarina Edwards, Aphrodes
 bicincta alpina Prohaska, Aphrodes
 bicincta brevior Melichar, Aphrodes
 bicincta DeLong. See Alebra (Alebra) albostriella bicincta.
 bicincta diminuta Ribaut, Aphrodes
 bicincta Erichson, Eurymeloides
 bicincta Germar, Amblyscarta
 bicincta obtusifrons Kirschbaum, Aphrodes
 bicincta Osborn. See Rabela tabebuiae.
 bicincta Schrank, Aphrodes
 bicincta signifrons Rey, Aphrodes
 bicinctellus Kirkaldy. See Eurymeloides bicincta.
 bicinctus DeLong, Idiodonus
 bicolor Ball, Twiningia
 bicolor Beamer, Deltanus
 bicolor Beamer, Pasadenus
 bicolor Burmeister, Eurymelops
 bicolor DeLong. See Scaphytopius (Cloanthanus) dorsalis.
 bicolor Distant, Goniagnathus
 bicolor Distant, Ossana
 bicolor Distant, Petalocephala
 bicolor Evans, Euacanthella
 bicolor Fabricius. See Astenogonia fabricii.

bicolor Fabricius. See *Verdanus abdominalis*.
 bicolor Matsumura, *Xestocephalus*
 bicolor Melichar. See *Idiocerus stali*.
 bicolor mellea DeLong, *Lonatura*
 bicolor Metcalf, *Clinonaria*
 bicolor Metcalf, *Erythrogonia*
 bicolor Oman, *Agallia*
 bicolor Osborn, *Macropsis*
 bicolor Osborn. See *Portanus boliviensis*.
 bicolor Singh-Pruthi, *Ophiola*
 bicolor Singh-Pruthi, *Thamnotettix*
 bicolor Spångberg, *Gypona*
 bicolor Stål, *Coelidia*
 bicolor Van Duzee, *Lonatura*
 bicolor Van Duzee, *Stirellus*
 bicolorata Ball, *Norvellina*
 bicolorata Beamer, *Erythroneura (Erasmoneura)*
 bicolorata DeLong & Ruppel, *Eupterella*
 bicolorata Evans, *Acostemma*
 bicolorata Evans, *Oncopsis*
 bicolorata inflata Lindsay, *Norvellina*
 bicolorata Melichar, *Proconia*
 bicolorata Metcalf & Bruner, *Prairiana*
 bicolorata Osborn, *Nesophrosyne (Nesoprosyne)*
 bicolorata Osborn, *Ponana*
 bicoloratus Baker. See *Pedioscopus coloratus bicoloratus*.
 bicoloratus DeLong, *Chlorotettix*
 bicoloratus Evans, *Cephalelus*
 bicordata Scopoli. See *Evacanthus interruptus*.
 bicorna DeLong & Caldwell, *Empoasca (Empoasca)*
 bicornella Ruppel & DeLong, *Alconeura*
 bicorniger Then, *Jassargus*
 bicornis Beamer, *Erythroneura (Erythridula)*
 bicornis DeLong, *Ballana*
 bicornis Linnavuori, *Sorhoanus*
 bicuspida Davidson & DeLong, *Empoasca (Empoasca)*
 bicuspidatus Sahlberg, *Deltoccephalus*
 bidactylata Oman, *Agallia*
 bidens DeLong, *Empoasca (Hebata)*
 bidens McAtee, *Erythroneura (Erythroneura)*
 bidens Taschenberg, *Tettigella*
 bidentata DeLong, *Coelidiana*
 bidentata DeLong, *Flexamia*
 bidentata Edwards. See *Edwardsiana avellanae*.
 bidentatus Beamer, *Cochlorhinus*
 bidentatus DeLong & Davidson, *Sorhoanus*
 bidentatus DeLong, *Ollarianus*
 bidentatus DeLong. See *Chlorotettix tethys*.
 bidigitata Oman, *Agallia*
 biermani Blöte, *Deltoccephalus*
 biermani Melichar, *Bothrogonia*
 bifacies Walker. See *Erythrogonia quinquemaculata*
 bifacies.
 bifasciata Boheman, *Typhlocyba*
 bifasciata DeLong & Ruppel. See *Eupterella gladia*
 bifasciata.
 bifasciata Fabricius. See *Amblyscarta bicincta*.
 bifasciata fenestrata Melichar, *Typhlocyba*
 bifasciata Gillette & Baker. See *Empoa gillettei*.

bifasciata Gillette, *Habralebra*
 bifasciata Hepner, *Aligia*
 bifasciata Linnaeus, *Aphrodes*
 bifasciata Matsumura. See *Macropsis matsumurana*.
 bifasciata Melichar. See *Aphrodes albifrons bifasciata*.
 bifasciata norgueti Lethierry, *Typhlocyba*
 bifasciata perrieri Ribaut, *Typhlocyba*
 bifasciata simulans Ribaut, *Aphrodes*
 bifasciata spuria Fallén. See *Aphrodes bifasciata*.
 bifasciata Van Duzee, *Macropsis*
 bifasciatus Beamer, *Osbornellus*
 bifasciatus Fieber. See *Chiasmus translucidus cinctus*.
 bifasciatus guttata Matsumura. See *Aphrodes guttata*.
 bifasciatus Merino, *Nesosteles*
 bifasciatus nigricans Matsumura. See *Aphrodes nigricans*.
 bifasciatus Osborn, *Thamnotettix*
 bifida Ball & Beamer, *Athy sanella (Athy sanella)*
 bifida Beamer, *Erythroneura (Eratoneura)*
 bifida DeLong, *Ballana*
 bifida DeLong, *Neocoelidia*
 bifidus Sanders & DeLong, *Paraphlepsius*
 bifidus Say, *Tylozygus*
 biforma Ruppel & DeLong, *Idona*
 bifurca Beamer. See *Erythroneura (Erythridula) bitincta*.
 bifurcata Cerutti. See *Empoasca (Chlorita) decipiens*
 bifurcata.
 bifurcata DeLong & Davidson. See *Nesosteles incisus*.
 bifurcata DeLong & Hershberger, *Mesamia*
 bifurcata DeLong, *Empoasca (Empoasca)*
 bifurcata DeLong, *Omanana*
 bifurcata DeLong, *Prairiana*
 bifurcata Evans, *Stenipo*
 bifurcata Hepner, *Aligia*
 bifurcata Oman, *Agallia*
 bifurcatus Beirne, *Macrosteles*
 bifurcatus DeLong & Mohr, *Scaphoideus*
 bigeloviae Baker, *Ceratagallia*
 bigemina McAtee, *Erythroneura (Eratoneura)*
 bigemmis Spångberg, *Gypona*
 bigibbosus Signoret, *Peltocheirus*
 biglumis Matsumura, *Aconura*
 bigutta Signoret, *Poeciloscarta*
 biguttata Fabricius. See *Idiocerus populi*.
 biguttata Fallen. See *Hesium falleni*.
 biguttata Gmelin. See *Penthimia nigra ruficollis*.
 biguttula Shiraki, *Empoasca*
 biimpressa Signoret, *Oncometopia (Lebora)*
 bilicum DeLong, *Texananus*
 bilimeki Fowler, *Graphocephala*
 bilimitata Signoret, *Poeciloscarta*
 bilineata Baker, *Signoretia*
 bilineata Fowler, *Poeciloscarta*
 bilineata Melichar, *Microgoniella*
 bilineata Melichar. See *Coelidia fusca bilineata*.
 bilineata Osborn, *Dikrellidia*
 bilineatus DeLong, *Baldulus*
 bilineatus Gillette & Baker, *Cosmotettix*
 bilineatus Lindberg. See *Deltoccephalus amuriensis*.
 billosa Signoret, *Gerostella*

- bilobata Cerutti. See *Cicadella* [Duméril 1806] *alticola*
bilobata.
- bilobata DeLong, *Stenocoelidia* (*Eurycoelidia*)
- bilobata Ribaut, *Euscelis*
- bilobata Schumacher, *Ledra*
- bilobatus Baker. See *Pythamus melichari bilobatus*.
- bilocularis Van Duzee, *Zygina*
- bilunaris Rey. See *Euscelis stictoptera*.
- bilunata Signoret, *Apogonalia*
- bimaculata Baker, *Coelidiana*
- bimaculata Baker, *Zygina*
- bimaculata Baker. See *Makilingia flavifrons*.
- bimaculata Gmelin. See *Diedrocephala variegata*.
- bimaculata Matsumura. See *Empoasca biguttula*.
- bimaculata Melichar, *Tettigella*
- bimaculata Osborn. See *Nesophyla flava bimaculata*.
- bimaculata Ruppel & DeLong, *Dikrella*
- bimaculata Signoret. See *Oncometopia* (*Lebora*)
biimpressa.
- bimaculata Spångberg, *Gypona*
- bimaculata Woodworth. See *Ponana* (*Ponana*) *pectoralis*.
- bimaculatus Evans, *Macrosteles*
- bimaculatus Gillette & Baker, *Lemellus*
- bimaculatus Melichar. See *Deltoccephalus ceylonensis*.
- bimaculatus Signoret, *Dilobopterus*
- bimaculatus Singh-Pruthi, *Idiocerus*
- bimaculicollis Stål, *Igerna*
- bimarginatus DeLong, *Osbornellus*
- bimarginatus montanus Caldwell, *Osbornellus*
- bimarginatus Walker. See *Tartessus antecedens*.
- binaria Ball. See *Menosoma cincta binaria*.
- binaria Signoret, *Poecilocarda*
- binotata Distant, *Empoascanara*
- binotata Fieber. See *Cicadella* [Duméril 1806] *austriaca*.
- binotata Singh-Pruthi, *Empoasca*
- binotata Walsh. See *Alebra* (*Alebra*) *albostriella binotata*.
- binotatus Vayssiere, *Molopopterus*
- binotatus Rey. See *Macrosteles sexnotatus binotatus*.
- binotatus Sahlberg, *Sonorinus*
- binotatus Signoret, *Pseudophlepsius*
- binotulata Berg, *Gypona*
- bioculata Melichar, *Apheliona*
- biolleyi Distant, *Diestostemma*
- bipars Walker, *Isaca*
- bipartitus DeLong, *Chlorotettix*
- bipartitus DeLong, *Paraphlepsius*
- bipentagona Beamer, *Erythroneura* (*Erasmoneura*)
- biplagiata Haupt, *Helionidia* (*Helionidia*)
- biplagiata Melichar, *Agallia*
- bipunctata abluta McAtee. See *Zygina abluta*.
- bipunctata Cerutti. See *Typhlocyba sexnotata bipunctata*.
- bipunctata Fabricius. See *Nephottix apicalis*.
- bipunctata Gillette. See *Zygina apacha*.
- bipunctata Lethierry. See *Macropsis megerlei bipunctata*.
- bipunctata Melichar, *Balclutha*
- bipunctata Melichar, *Petalocephalia*
- bipunctata Melichar, *Zygina*
- bipunctata Oshanin, *Empoasca* (*Kybos*)
- bipunctata Schmidt, *Proconia*
- bipunctata Schumacher. See *Empoasca schumacheri*.
- bipunctata Singh-Pruthi, *Cicadula*
- bipunctata Spinola, *Aglenita*
- bipunctata Walker, *Scaris*
- bipunctatus Curtis. See *Megophthalmus scanicus*.
- bipunctatus Lindberg, *Idiocerus*
- bipunctatus Matsumura, *Deltoccephalus*
- bipunctatus Melichar, *Divus*
- bipunctatus Melichar, *Thamnotettix*
- bipunctatus Van Duzee, *Xestocephalus*
- bipunctella Matsumura, *Aconura*
- bipunctella Matsumura, *Cicadulina*
- bipunctella zeae China, *Cicadulina*
- bipunctifrons Stål, *Tettigella*
- bipunctipennis Boheman. See *Cosmotettix* (*Airosus*)
costalis.
- bipunctula Melichar, *Krisna*
- bipunctula Melichar, *Zygina*
- bipunctulata Metcalf, *Empoasca*
- bipunctulata Woodworth. See *Gypona melanota*.
- bipunctus Ferrari. See *Anoplotettix fuscovenosus*
bipunctus.
- bipustulata Fabricius. See *Oncopsis flavicollis*.
- biramosa Beamer, *Erythroneura* (*Eratoneura*)
- birdii Goding. See *Empoasca* (*Empoasca*) *esuma*.
- biroi Melichar, *Erythrogonia*
- bisagittata Beamer, *Alconeura* (*Alconeura*)
- biscuta Signoret, *Amblyscarta*
- bisellata Signoret, *Poeciloscarta*
- bisignata bactriana Zachvatkin, *Zyginidia* (*Fruticidia*)
- bisignata Ball, *Stragania*
- bisignata Fowler, *Ponana*
- bisignata Mulsant & Rey, *Zyginidia* (*Fruticidia*)
- bisignata Sanders & DeLong, *Destria*
- bisignata sanguinosa Rey. See *Zyginidia* (*Fruticidia*)
sanguinosa.
- bisignatella Matsumura, *Zygina*
- bisinuata Osborn, *Coelidia*
- bisinuatus DeLong. See *Nesosteles incisus*.
- biskrensis Lethierry, *Helionidia* (*Tamaricella*)
- bisoni Knoll, *Limotettix*
- bispecularis Walker, *Amberbakia*
- bispinata Davidson & DeLong, *Empoasca*
- bispinatella Young, *Empoasca*
- bispinatus Then, *Jassargus*
- bispinosa Beamer, *Calanana*
- bispinosa Beamer, *Erythroneura* (*Eratoneura*)
- bistrata McAtee, *Erythroneura* (*Erythroneura*)
- bistrata stricta McAtee, *Erythroneura* (*Erythroneura*)
- bistriata Gmelin. See *Aphrodes serratulae*.
- bistriata Matsumura, *Platycyba*
- bistriata Melichar, *Tettigella*
- bistriga Walker, *Sarpestus*
- bisubulatus Then, *Jassargus*
- bitaeniatus Ribaut, *Anoplotettix*
- bitincta McAtee, *Erythroneura* (*Erythridula*)
- bitubera DeLong, *Empoasca* (*Hebata*)
- bituberculata Signoret, *Leucopepla*
- bituberculatus Distant, *Confucius*

biundulata Provancher. See *Plesiommata tripunctata*.
 bivittata Metcalf, *Gypona*
 bivittatus Naude, *Deltocephalus*
 bizonatus Matsumura. See *Naratettix zonatus* bizonatus.
 blanchardii Signoret, *Apogonalia*
 blanda Ball & Beamer, *Athysanella* (*Gladionura*)
 blanda Ball, *Twiningia*
 blanda Knull & Auten, *Zygina*
 blanda Knull. See *Stenocoelidia* (*Eurycoelidia*) pallida
 blanda.
 blanda Oman, *Agallia*
 blanda vana Ball & Beamer, *Athysanella* (*Gladionura*)
 blandula Rossi. See *Zygina flammigera*.
 blandula Signoret, *Poecilocarda*
 blandula simplex Ferrari. See *Zygina rhamni*.
 blandus Gillette, *Telusus*
 blandus Kusnezov. See *Deltocephalus kusnezovi*.
 blattea Bergroth, *Poecilocarda*
 blattina Jacobi, *Cyrtia*
 blattinula Jacobi, *Poecilocarda*
 blendens DeLong, *Empoasca*
 bleusei Puton, *Cephalelus*
 blotei Metcalf. See *Aphrodes albifrons* var. *blotei*.
 blundellensis Evans, *Tartessus*
 bobeae Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 bocanus Oman, *Laevicephalus*
 bodenheimeri Haupt, *Empoasca* (*Chlorita*)
 bogotana Spångberg, *Gypona*
 bohemani Kirschbaum. See *Idiocerus cognatus*.
 bohemani Metcalf, *Iassus*
 bohemani Stål, *Gypona*
 bohemani Stål, *Petalocephala*
 bohemani [sic] calceolatus Boheman, *Diplocolenus*
 (*Diplocolenus*)
 bohemani [sic] Zetterstedt, *Diplocolenus* (*Diplocolenus*)
 bohemica Dlabora. See *Typhlocyba carri*.
 bohemicus Lang. See *Verdanus obenbergeri*.
 boica Wagner, *Balclutha*
 bokotonis Matsumura, *Zygina*
 bolivari Melichar, *Aphrodes*
 bolivari Melichar, *Athysanus*
 bolivari Signoret, *Iberia*
 boliviana Distant. See *Trichogonia costata*.
 boliviana Melichar, *Yotala*
 boliviana Melichar. See *Proconia marmorata* boliviana.
 boliviana Osborn, *Bolarga*
 boliviana Osborn, *Gyponana*
 boliviana Schmidt, *Dichrophleps*
 boliviana Schmidt, *Homoscarta*
 boliviana Schmidt, *Sibovia*
 bolivianus Oman, *Scaphytopius*
 bolivianus Osborn, *Idiotettix*
 bolivianus pallida Osborn. See *Bolarga boliviana*.
 boliviensis Baker, *Portanus*
 boliviensis Metcalf, *Neobala*
 bombayensis Distant. See *Petalocephala uniformis*.
 boninensis Matsumura, *Alebroides*
 boninensis Matsumura, *Coelidia*
 boninensis Matsumura, *Empoasca* (*Chlorita*)

boninensis Matsumura, *Melichariella*
 borealis DeLong & Caldwell, *Idiocerus*
 borealis DeLong & Davidson, *Hebecephalus*
 borealis DeLong & Mohr, *Osbornellus*
 borealis Dorst, *Macrosteles*
 borealis Hepner, *Eutettix*
 borealis Jacobi, *Thlasia*
 borealis Sanders & DeLong, *Chlorotettix*
 borealis Spångberg, *Coelidia*
 borneensis Baker. See *Balbillus albellus* borneensis.
 borneensis Baker. See *Pythamus melichari* borneensis.
 borneensis Distant, *Haranga*
 borneensis Distant, *Tituria*
 borneensis Schmidt, *Hemisudra*
 borneensis Schmidt, *Pseudosudra*
 borneonensis Metcalf, *Tettigella*
 borrori DeLong. See *Texananus* (*Iowanus*) *majestus*.
 borussica Wagner. See *Macropsis infuscata*.
 botelensis Matsumura, *Balclutha*
 botelensis Matsumura, *Eutettix*
 botelensis Matsumura, *Pygotettix*
 botelensis Matsumura, *Thamnotettix*
 botelensis Matsumura, *Togacephalus*
 botelensis Matsumura, *Xestocephalus*
 botelensis Matsumura, *Zygina*
 bovina Caldwell, *Empoasca*
 bovinus Ball & Parker, *Idiocerus*
 braccatula Jacobi, *Mesogonia*
 brachycephala Distant. See *Petalocephala walkeri*.
 brachycephala Spångberg, *Gyponana*
 brachycephalus Distant, *Scaphoideus*
 brachyceps Matsumura, *Athysanus*
 brachynotus Fieber, *Deltocephalus*
 brachynotus Singh-Pruthi, *Baileyes*
 brachyptera Boheman, *Anaceratagallia*
 brachyptera China, *Aphrodes*
 brachyptera Evans. See *Taslopa montana*.
 brachyptera Oman, *Faltala*
 brachypterus Fieber, *Errhomenus*
 brachypterus helveticus Melichar, *Errhomenus*
 brachypterus Lindberg, *Canariotettix*
 brachypterus Sidorskii, *Deltocephalus*
 bracteatula Jacobi, *Pseudoscarta*
 bracteatus Ball, *Hecullus*
 bractigera Lower, *Austroasca* (*Austroasca*)
 bradleyi Van Duzee. See *Draeculacephala minor*.
 brani Kirkaldy, *Hybrasil*
 brasiliensis Baker, *Protalebrella*
 brasiliensis Distant, *Oncometopia* (*Lebora*)
 brasiliensis Metcalf, *Tettigella*
 braziliensis Metcalf, *Idiocerus*
 braziliensis Osborn, *Copididonus*
 breakeiana Knull, *Macropsis*
 breakeyi Johnson. See *Erythroneura* (*Erythroneura*)

 breakeyi Knull. See *Macropsis breakeiana*.
 breakeyi Merino, *Macropsis*
 breviata Oman. See *Euragallia major* breviata.
 breviata Osborn, *Nesophyla*

breviatus Cogan, Deltocephalus
 breviatus Osborn, Idiocerus
 brevicauda Oman, Agallia
 brevicauda Thomson. See *Oncopsis tristis*.
 breviceps Baker, Chlorotettix
 breviceps Baker, Iposcopus
 breviceps Jacobi, Nisitrania
 breviceps Kirschbaum, Psammotettix
 breviceps Kusnezov, Adelungia
 breviceps Lindberg, Batracomorphus
 breviceps Lindberg, Platymetopius
 breviceps Matsumura, Aconura
 breviceps Matsumura, Agallia
 breviceps Matsumura, Balclutha
 breviceps Matsumura, Evacanthus
 breviceps Melichar, Paradorydium
 breviceps Osborn, Empoasca
 breviceps Osborn. See *Xerophloea viridis*.
 breviceps Spångberg, Gypona
 breviceps Stål, Rhotidus
 brevidens DeLong & Mohr. See *Scaphoideus littoralis*.
 brevidens DeLong, Ballana
 brevidens DeLong, Joruma
 brevidus DeLong, Chlorotettix
 brevifrons Walker, Ledracephala
 brevifrons Walker, Poochara
 brevihamma DeLong, Gyponana (Gyponana)
 breviolus Matsumura, Drabescus
 brevior Melichar. See *Aphrodes bicincta* brevior.
 brevipennis DeLong & Davidson, Polyamia
 brevipennis Kirschbaum. See *Streptanus marginatus*.
 brevipennis Spångberg, Gypona
 brevipes Beamer, Erythroneura (Eratoneura)
 brevirostris De Geer. See *Homalodisca lucernaria*.
 brevis Beamer, Dorycephalus (Attenuipyga)
 brevis DeLong & Hershberger, Exitianus
 brevis DeLong, Tinobregmus
 brevis Herrich-Schaeffer, Goniagnathus
 brevis Kusnezov, Batracomorphus
 brevis Lindberg, Balclutha
 brevis Matsumura. See *Macrosteles halophilus*.
 brevis Ribaut, Zyginidia (Anatolidia)
 brevis torridus Ball. See *Scaphytopius (Convelinus)*
 torridus.
 brevis Van Duzee, Scaphytopius (Cloanthanus)
 brevis Walker, Coelidia
 brevis Walker, Stenocotis
 brevis Walker, Syringophora
 brevissimus Lethierry, Thamnotettix
 brevisula Osborn, Graphocephala
 brevita DeLong, Gyponana (Gyponana)
 brickellia Ball, Prescottia
 brighami Kirkaldy, Deltodorydium
 britteni Edwards. See *Cicadella*[Duméril 1806] cyclops.
 brittoni Osborn, Idiodonus
 brundusa Robinson, Erythroneura (Erythridula)
 brunensis Evans, Austrolopa
 bruneola Osborn, Ponana
 brunki Schmidt, Marquardtella

brunnea China. See *Macropsis chinai*.
 brunnea DeLong, Stenocoelidia (Eurycoelidia)
 brunnea Distant, Moonia
 brunnea Evans, Austroagalloides
 brunnea Evans, Ledrella
 brunnea Evans, Madagella
 brunnea Lawson, Xerophloea
 brunnea Matsumura, Stragania
 brunnea Oman, Agalliopsis
 brunnea Oman, Hegira
 brunnea Oman, Rhabdotalebra
 brunnea Osborn, Coelidia
 brunnea Osborn. See *Nonia gagatina* brunnea.
 brunnea Ribaut. See *Alebra (Alebra) albostriella*.
 brunneatula Osborn, Tettigella
 brunneipennis Matsumura. See *Idiocerus fasciatus*.
 brunneobifasciatus Signoret. See *Aphrodes serratulae*.
 brunneoflavus Evans, Selenocephalus
 brunnescens Distant, Deltocephalus
 brunnescens Distant, Kutara
 brunnescens Singh-Pruthi, Thamnotettix
 brunneum Melichar, Diestostemma
 brunneus Ball, Acinopterus
 brunneus Ball, Parabolocratus
 brunneus DeLong & Severin. See *Friscananus rupinatus*
 brunneus.
 brunneus DeLong, Acunasus
 brunneus DeLong, Chlorotettix
 brunneus DeLong, Paraphlepsius
 brunneus Evans, Anipo
 brunneus Evans, Jassulus
 brunneus Evans, Kyphocotis
 brunneus Evans, Neodartus
 brunneus Fabricius. See *Iassus lanio* brunneus.
 brunneus Hepner, Scaphytopius (Convelinus)
 brunneus Osborn & Ball, Idiocerus
 brunneus Osborn, Idiotettix
 brunneus Osborn. See *Colladonus belli* brunneus.
 brunneus Osborn. See *Eutettix marmoratus*.
 brunneus Singh-Pruthi, Baileyus
 brunneus Singh-Pruthi, Selenocephalus
 brunneus Singh-Pruthi, Ulopa
 brunneus Van Duzee, Xestocephalus
 brunneus Waterhouse, Notocephalius
 brunnipennis Germar, Thlasia
 brunnomaculata Evans, Ipoides
 brunnomaculatus Evans, Eurinoscopus
 brusinae Horváth, Idiocerus
 bugabensis Fowler, Amblydisca
 bulba Davidson & DeLong, Empoasca
 bulbosa Evans, Cephalelus
 bulgaricus Oshanin, Deltocephalus
 bullata Ball, Ophiola
 bullatus Ball, Ollarianus
 bullatus DeLong, Texananus (Iowanus)
 burjata Kusnezov, Deltocephalus
 burjatus Kusnezov, Thamnotettix
 burmanica Distant, Onukia
 burmeisteri Signoret, Dilobopterus

- buschi Schmidt, Ledra
 busoniooides Baker, Balocha
 butleri Distant, Deltocephalus
 butleri Distant, Mileewa
 butleri Edwards, Empoasca
 buxtoni Osborn, Iassus
 buzensis Matsumura, Empoasca
 buzensis Matsumura, Macrosteles
 bystropogonis Lindberg, Erythroneura
 byzantina Zachvatkin, Hardya (Eohardya)
 cachabensis Distant, Amblyscarta
 cachellus Ball, Colladonus
 cacheola Ball, Ophiola
 cacozelia Gibson, Ponana (Ponana)
 cacumina DeLong, Gyponana (Gyponana)
 caduca DeLong, Elymana
 caducus DeLong, Texananus (Iowanus)
 cadyi Deay. See Sorhoanus debilis.
 caecus Beamer, Hebecephalus
 caelicola Kirkaldy, Nesophrosyne (Nesophrosyne)
 caerula Beamer, Erythroneura (Erasmoneura)
 caetra McAtee, Erythroneura (Erythroneura)
 caffer Spinola, Camptelasmus
 caffra Evans, Thaumatopoides
 caffra Spinola, Strongylomma
 cahuilla Van Duzee, Psammotettix
 caicus Walker, Tettigella
 calamagrostidis Moravskaja, Psammotettix
 calamista DeLong, Gyponana (Gyponana)
 calamitosus Beamer, Erythroneura (Eratoneura)
 calcara DeLong & Davidson. See Nesosteles guajanae.
 calcara DeLong, Ballana
 calcara DeLong, Empoasca (Empoasca)
 calcarata albifrons Cerutti, Cicadella [Duméril 1806]
 calcarata frontalis Cerutti, Cicadella [Duméril 1806]
 calcarata Ossiannilsson, Cicadella [Duméril 1806]
 calcarata triguttata Cerutti, Cicadella [Duméril 1806]
 calcarata ypsilon Cerutti, Cicadella [Duméril 1806]
 calcaris Oman, Aceratagallia (Aceratagallia)
 calcea DeLong, Ballana
 calcea DeLong, Empoasca (Empoasca)
 caldwelli Davidson & DeLong, Empoasca
 caldwelli DeLong, Idiodonus
 caldwelli DeLong, Scaphytopius (Cloanthanu)
 caldwelli DeLong, Tropicarus
 caldwelli Johnson, Erythroneura (Erythridula)
 caldwelli Ruppel & DeLong, Kunzeana
 caldwelli Ruppel & DeLong, Protalebra
 calemia Walker, Typhlocyba
 calidus DeLong, Tropicarus
 califa Oman, Ceratagallia
 californica Baker, Aceratagallia (Aceratagallia)
 californica Baker, Koebelia
 californica Baker, Stragania
 californica Ball, Tiaja
 californica Beamer, Erythroneura (Eratoneura)
 californica Davidson & DeLong. See Balclutha punctata.
 californica Davidson & Frazier, Draeculacephala
 californica imbellis Lawson, Dikrella (Dikrella)
- californica Lawson, Dikrella (Dikrella)
 californica Lawson, Xerophloea
 californica Osborn. See Athysanella (Amphipyga) aridella.
 californica Van Duzee, Aligia
 californicus Van Duzee. See Oncopsis coloradensis.
 californiensis Hepner, Scaphytopius (Convelinus)
 caliginosa Walker, Penthimia
 caliginosus DeLong & Caldwell, Idiocerus
 calipera DeLong & Caldwell, Forcipata
 calipera DeLong, Ballana
 calliandrus Ball, Scaphytopius (Cloanthanu)
 callida Ball & Beamer, Athysanella (Gladionura)
 callida DeLong, Ballana
 callidula Jacobi, Yunga
 callidus Ball, Hebecephalus
 callifera Melichar, Tretogonia
 calliger Melichar, Stymphalus
 calligoni Oshanin, Adelungia
 callosa distincta Edwards, Typhlocyba
 callosa Osborn, Tettigella
 callosa Then, Typhlocyba
 calva Beamer, Erythroneura (Erasmoneura)
 calva Taschenberg, Tettigella
 calvatus Ball. See Ophiola glomerosa.
 calycula Cerutti, Empoasca
 calycula erasa McAtee, Erythroneura (Erythroneura)
 calycula McAtee, Erythroneura (Erythroneura)
 calyx Oman & Wheeler, Empoasca (Hebata)
 camara Davidson & DeLong, Empoasca
 cambouei Signoret, Coelidia
 cameroni Distant, Confucius
 campanus Naudé, Deltocephalus
 campbelli Distant, Agallia
 campbelli Distant, Deltocephalus
 campbelli Evans, Tartessella
 campester DeLong, Scaphytopius (Cloanthanu)
 campestris Naudé, Empoasca
 camphorae Matsumura, Parabolopona
 campora Robinson, Erythroneura (Eratoneura)
 camurus DeLong & Mohr, Scaphoideus
 camusi Merino, Roxasella
 cana Burmeister, Gyponana (Gyponana)
 canadensis DeLong. See Cazenus xanthoneurus.
 canadensis Van Duzee, Macropsis
 canadensis Van Duzee. See Agallia quadripunctata.
 canalicula McAtee, Sirosoma
 canaliculata Fabricius. See Ciccus viridivitta.
 canalis Osborn, Empoasca
 canariensis Lindberg, Chloropelix
 canariensis Lindberg, Macropsis
 canariensis Metcalf, Empoasca
 canariensis Metcalf, Erythroneura
 canavalia DeLong, Empoasca
 canberrensis Evans, Ipoella
 canberrensis Evans, Thamnotettix
 cancellata McAtee, Erythroneura (Erythroneura)
 cancroma White, Ledropsis
 candida Ball, Neocoelidia
 candida Ruppel & DeLong, Alconeura (Hyloidea)

- candida Van Duzee, Ponana (Ponana)
 candida Walker, Tettigella
 candidipes Walker, Tettigella
 candidula Kirschbaum, Edwardsiana
 candidula martigniaca Cerutti, Edwardsiana
 candidus Evans, Idiocerus
 candidus Matsumura, Futasujinus
 canescens Douglas & Scott. See Rhytidostylus proceps.
 canidia Distant, Kolla
 canifascia Walker, Coelidia
 canona Oman, Ceratagallia
 cantonis Oman, Nesaloha
 canus Hepner, Scaphytopius (Cloanthanus)
 canyonensis Beamer, Zygina
 canyonensis Knull, Laevicephalus
 capensis Cogan, Macropsis
 capensis Evans, Cephalelus
 capensis Metcalf, Cicadula
 capensis Sanders & DeLong, Chlorotettix
 capensis Walker, Iassus
 caperata Ball, Polyamia
 capicola Stål, Exitianus
 capitanea Berg. See Cuerna rubromarginata.
 capitata DeLong, Neocoelidiana
 capitata Distant, Moonia
 capitata Distant, Thagria
 capitata Kato, Alebroides
 capitata Kato, Midoria
 capitata Uhler. See Agallia fascigera.
 capitatus DeLong & Knull, Osbornellus
 capitatus DeLong, Acunasus
 capitatus Distant, Hecalus
 capitatus Distant, Malichus
 capitatus Distant, Viridomarus
 capitatus Distant. See Deltocephalus distanti.
 capitatus Kirkaldy, Limotettix
 capitatus Matsumura. See Psammotettix striatus capitatus.
 capito Distant, Oncometopia (Lebora)
 capreola Lindberg, Cicadella [Duméril 1806]
 capucina Zetterstedt. See Oncopsis flavidollis capucina.
 cara Walker, Gununga
 caraba Davidson & DeLong, Empoasca
 carabela Metcalf & Bruner, Kolla
 carbonaria Melichar, Homalodisca
 carbonata McAtee, Erythroneura (Erasmoneura)
 carbuncula Breddin, Microgoniella
 cardamomi Evans, Sabimoides
 cardinalis Distant, Typhlocyba
 cardinalis Fabricius, Poeciloscarta
 cardini Metcalf & Bruner, Poeciloscarta
 cardinula Osborn, Graphocephala
 cardui Curtis. See Aphrodes costata.
 cariboba Oman, Cariancha
 caricis Gillette & Baker, Sorhoanus
 carina DeLong, Neocoelidiana
 carinata Baker, Signoretia
 carinata Baker, Tharra
 carinata gigas Oman, Xerophloea
 carinata Oman, Xerophloea
- carinata Osborn, Coelidia
 carinata Stål, Aphrodes
 carinata Walker. See Ledra mutica.
 carinatum Signoret. See Caelidioides tristis.
 carinatus DeLong, Sandersellus
 carinatus Osborn, Scaphoideus
 carissima Fowler, Sibovia
 carmenae Ruppel & DeLong, Kunzeana
 carminata melanopyrrha Walker, Amblyscarta
 carminata Signoret, Amblyscarta
 carmini Beamer, Erythroneura (Eratoneura)
 carneae Wagner, Ulopa
 carneola Osborn, Erythroneura
 carneola shoshone DeLong & Caldwell, Dikraneura
 (Dikraneura)
 carneola sitkana Ball & DeLong, Dikraneura (Dikraneura)
 carneola Stål, Dikraneura (Dikraneura)
 carnosa Stål, Rubria
 carolinus DeLong, Arundanus
 carolinus Lathrop, Paraphlepsius
 carolinus Lathrop. See Scaphytopius (Cloanthanus)
 magdalensis.
 carpathica Melichar, Agallia
 carpini Fourcroy. See Cicadella[Duméril 1806]
 atropunctata.
 carpini Sahlberg, Oncopsis
 carpinicola Edwards. See Oncopsis carpini.
 carpulus Ball. See Phlepsanus denudatus carpulus.
 carri Edwards, Typhlocyba
 carribensis Evans, Cephalelus
 carrovora DeLong & Wolcott. See Agalliana sticticollis.
 carsona DeLong & Davidson, Empoasca (Kybos)
 carthamosula Jacobi, Tettigella
 cartwrighti Oman, Giprus
 caryata Christian, Empoa
 casa Ball & Beamer, Athysanella (Gladionura)
 caspius Zachvatkin. See Circulifer chinai caspius.
 cassavae China, Erythroneura
 cassinia Myers, Novothymbris
 cassiopeia Knull, Typhlocyba
 cassus DeLong. See Texananus plummeri.
 casta Beamer, Zygina
 casta McAtee, Empoa
 castanaica Jacobi, Penthimia
 castanea Gmelin. See Penthimia nigra castanea.
 castanea Kato, Petalocephala
 castanea Melichar, Teletusa
 castanea Metcalf, Gypona
 castanea Walker, Penthimia
 castaneus Kato, Goniagnathus
 castanoptera Melichar, Teletusa
 castelnau Distant, Equeefa
 castoreus Ball, Deltocephalus
 castranus Ball. See Scaphytopius (Cloanthanus) analis
 castranus.
 casuarinae Evans, Paradorydium
 casurinae Evans, Ipoides
 catalina Oman, Bergallia
 catalina Osborn & Ball, Lonatura

catalinanus Lawson. See *Acinopterus inornatus*.
 catalinus Ball & Parker, *Idiocerus*
 catalinus Ball, *Scaphytopius* (*Scaphytopius*)
 catalinus Beamer & Tuthill, *Penestirellus*
 catenata Rey. See *Cicadella* [Duméril 1806] *hortensis*
 catenata.
 caternaultii Spinola, *Wolfella*
 caucasica Kusnezov. See *Penthimia nigra caucasica*.
 caucasica Melichar, *Doratura*
 caucasicus Melichar, *Allygus*
 caucasicus Melichar. See *Paramesus obtusifrons*
 caucasicus.
 caudata Oman, *Agallia*
 caudata Osborn, *Euscelis*
 caudata Walker, *Oncometopia* (*Mucrometopia*)
 caudata Walker, *Stenocotis*
 caudatus Flor, *Cosmotettix* (*Cosmotettix*)
 cauta Beamer, *Erythroneura* (*Erythridula*)
 cauterus Ball & Parker, *Idiocerus*
 cavena Auten & Johnson, *Erythroneura* (*Erythridula*)
 caverna Davidson & DeLong, *Empoasca* (*Empoasca*)
 cavifrons Linnavuori, *Bahita*
 cavifrons Stål, *Amblyscarta*
 cayennensis Gmelin, *Parathona*
 cazicula Breddin, *Amblyscarta*
 cebennicus Ribaut, *Jassargus* (*Arrailus*)
 cecropiae Young, *Paulomanus*
 cedaranus Naudé, *Eurinoscopus*
 cedrelae Oman, *Dikrella* (*Readionia*)
 celata Fowler, *Polana*
 celebrata Johnson, *Erythroneura* (*Erythridula*)
 cellulosis Lindberg, *Thamnotettix*
 celtidis Ball, *Scaphytopius* (*Convelinus*)
 celtidis Osborn. See *Dikrella* (*Dikrella*) *maculata*.
 centralis Berg, *Typhlocyba*
 centrilineata Jacobi, *Mileewa*
 centrivittata Breddin, *Bhandara*
 centroafricana Jacobi, *Coelidia*
 centrolinea Melichar, *Cuerna*
 centrolineata Signoret, *Phera*
 centromaculata Melichar, *Empoasca*
 centrorubida Matsumura, *Typhlocyba*
 centrosemiae Oman, *Alconeura* (*Alconeura*)
 ceonothana Beamer, *Zygina*
 cephalus Naude, *Deltoccephalus*
 cephalica Oman, *Xerophloea*
 cephalicus Ball & Parker, *Idiocerus*
 cephalicus Distant, *Maximianus*
 cephalotes Distant, *Petalocephal*
 cephalotes helvolus Kirschbaum, *Psammotettix*
 cephalotes Herrich-Schaeffer, *Psammotettix*
 cephalotes Lethierry. See *Dikraneura* (*Dikraneura*)
 aridella.
 cephalotes Walker, *Iassus*
 cephalotes Walker. See *Dilobopterus demissus*.
 ceramensis Metcalf, *Conogonia*
 cerasi Matsumura, *Zygina*
 cerata Davidson & DeLong, *Empoasca*
 cerea borussica Wagner. See *Macropsis infuscata*.

cerea DeLong, *Empoasca* (*Empoasca*)
 cerea Germar, *Macropsis*
 cerea harrisoni Wagner, *Macropsis*
 cerea insolitus Wagner. See *Macropsis infuscata*.
 cerea kastneri Wagner. See *Macropsis infuscata*.
 ceresensis Naudé, *Aconura*
 cerinus Lindberg, *Psammotettix*
 certa Beamer, *Erythroneura* (*Eratoneura*)
 certus DeLong, *Paraphlepsius*
 cervicula Jacobi, *Amblyscarta*
 cervina Fowler, *Oragua*
 cervina Oman, *Agalliaopsis* (*Agallaria*)
 cestocephala [sic] Walker, *Typhlocyba*
 ceylonensis Baker, *Deltoccephalus*
 ceylonica Melichar, *Bhandara*
 chacoensis Linnavuori, *Zepama*
 chadana Ball & Reeves, *Gyponana* (*Rugosana*)
 chaloptera Burmeister, *Gypona*
 chalybaea Jacobi, *Nephoris*
 chapadensis Baker, *Thamnotettix*
 chapadensis Osborn. See *Thamnotettix reiteratus*.
 chatterjeei Singh-Pruthi, *Rhombopsana*
 chelata DeLong & Davidson, *Empoasca* (*Empoasca*)
 chelata DeLong, *Ballana*
 chelonia Evans, *Smicrocotis*
 chelus DeLong & Beery, *Scaphoideus*
 chenopodii Osborn, *Norvellina*
 cherokee Robinson. See *Erythroneura* (*Erythroneura*)
 compta.
 chersonesia Distant, *Balclutha*
 chersonesia Distant, *Tituria*
 chevrolati Signoret, *Apogonalia*
 chhotia Singh-Pruthi, *Thamnotettix*
 chibianus Matsumura, *Xestocephalus*
 chicanus Ball & Parker, *Idiocerus*
 chicanus Ball, *Pasadenus*
 chileana Oman, *Bergallia*
 chilensis Spångberg, *Gypona*
 chilensis Spinola, *Hemipeltis*
 chilensis Spinola, *Iassus*
 chilensis Spinola, *Thlasia*
 chinai arabicus Zachvatkin, *Circulifer*
 chinai caspius Zachvatkin, *Circulifer*
 chinai jenjouriste Zachvatkin, *Circulifer*
 chinai Metcalf, *Macropsis*
 chinai Zachvatkin, *Circulifer*
 chinensis Distant, *Tituria*
 chinensis insignata Haupt, *Tettigella*
 chinensis Metcalf, *Tettigella*
 chinensis Signoret, *Ectomops*
 chinonus Ball. See *Idiodonus heidemanni chinonus*.
 chintinomy DeLong, *Deltoccephalus*
 chiragrica Ball, *Ballana*
 chiricana alta Hepner, *Aligia*
 chiricana Ball, *Aligia*
 chiriquensis Fowler, *Gyponana*
 chiriquensis Fowler, *Pseudoscarta*
 chisosus DeLong & Caldwell, *Idiocerus*
 chivensis Kusnezov, *Idiocerus*

chlamidatus Provancher. See *Thamnotettix confinis*.
 chloe Kirkaldy, *Nesosteles*
 chlorellus Naude, *Deltoccephalus*
 chloridula Naude, *Euscelis*
 chlorippe Kirkaldy, *Euscelis*
 chloris Horváth, *Balclutha*
 chlorocephala Walker, *Petalocephala*
 chloroneura Naudé, *Empoasca*
 chlorophana Herrich-Schaeffer. See *Erythria aureola*.
 chlorophana Melichar. See *Iassus indicus*.
 chloroptera Melichar, *Balclutha*
 chloroticus Melichar, *Deltoccephalus*
 chloroticus Melichar, *Phlepsius*
 chloroticus Puton, *Platymetopius*
 chobauti Puton, *Cephalius*
 chobauti Ribaut, *Macrosteles*
 chobauti Ribaut, *Typhlocyba*
 chohakusanus Matsumura, *Deltoccephalus*
 chohakusanus Matsumura, *Thamnotettix*
 chortophilus Walker, *Iassus*
 chosenensis Matsumura, *Deltoccephalus*
 chosenensis Matsumura. See *Platymetopius undatus*
 chosenensis.
 chromata Davidson & DeLong, *Empoasca (Kybos)*
 chromata Rey. See *Edwardsiana lethierryi chromata*.
 chrysanthemi Lindberg, *Erythroneura*
 chrysotera Paoli, *Alebra (Afralebra)*
 chrysothamna DeLong & Davidson, *Ballana*
 chyzeri Horváth, *Mendrausus*
 cicadulosa Naudé, *Erythroneura*
 cicatrix DeLong & Sleesman. See *Cazenus xanthoneurus*.
 cicur Melichar, *Thamnotettix*
 ciliata Osborn, *Cicadula*
 cimarroni Beamer, *Zygina*
 cinchonae Evans, *Coloborrhis*
 cincta binaria Ball, *Menosoma*
 cincta Oman, *Agalliopsis (Agallaria)*
 cincta Osborn & Ball, *Menosoma*
 cincta Signoret, *Oncometopia (Oncometopia)*
 cinctella DeLong & Ruppel, *Alconeura*
 cinctella Melichar, *Microgoniella*
 cinctella Taschenberg, *Tettigella*
 cincticeps Uhler. See *Nephrotettix apicalis*.
 cinctifrons Provancher, *Macropsis*
 cinctipes Walker. See *Teletusa excavata* cinctipes.
 cinctosula Osborn, *Tettigella*
 cinctovittata Stål, *Poeciloscarta*
 cinctus DeLong & Caldwell, *Idiocerus*
 cinctus DeLong, *Scaphytopius (Cloanthanus)*
 cinctus Dlabola. See *Idiocerus vittifrons* cinctus.
 cinctus Matsumura. See *Japananus hyalinus*.
 cinctus Melichar. See *Platyretus tricolor*.
 cinctus Perris. See *Chiasmus translucidus* cinctus.
 cinerea Breakey, *Macropsis*
 cinerea kansana Ball. See *Prairiana kansana*.
 cinerea orizaba Ball & Reeves. See *Prairiana orizaba*.
 cinerea Osborn & Ball, *Aceratagallia (Aceratagallia)*
 cinerea Osborn, *Amblydisca*
 cinerea Osborn, *Nesophrosyne (Nesophrosyne)*

cinerea ponderosa Ball. See *Prairiana ponderosa*.
 cinerea spreta Fowler, *Prairiana*
 cinerea subta Ball. See *Prairiana subta*.
 cinerea Uhler, *Prairiana*
 cinereus Osborn & Ball, *Scaphytopius (Cloanthanus)*
 cinereus Van Duzee, *Paraphlepsius*
 cinerosus Osborn & Lathrop. See *Texananus (Texananus)*
 personatus.
 cinerosus Osborn, *Scaphoideus*
 cinerosus Van Duzee, *Giprus*
 cingalensis Distant, *Gunghuyana*
 cingalensis Distant, *Ledra*
 cingulata Jacobi, *Thlasia*
 cingulata McAtee, *Joruma (Joruma)*
 cingulata Osborn, *Scaphoidula*
 cingulata Stål, *Coelidia*
 cingulatus Ball. See *Idiocerus rufus* cingulatus.
 cingulifera Walker. See *Dichrophleps aurea*.
 cinnamomea Osborn, *Coelidia*
 cinnamoneus Osborn, *Scaphytopius (Cloanthanus)*
 circellata Baker, *Hordnia*
 circula DeLong & Ruppel, *Scinda*
 circularis Fabricius, *Erythrogonia*
 circulifera Taschenberg, *Tettigella*
 circumcincta Jacobi, *Coelidia*
 circumcincta Signoret, *Poeciloscarta*
 circumducta Signoret, *Amblyscarta*
 circumflexus Provancher. See *Aphrodes albifrons*.
 circumscripta Matsumura, *Zygina*
 cirrus DeLong, *Phlepsius*
 cirta Distant, *Amblydisca*
 cirrus Evans, *Xestocephalus*
 citrea Haupt, *Empoasca (Chlorita)*
 citri Matsumura, *Pyramidotettix*
 citrina Evans, *Chinaia*
 citrina Evans, *Macropsis*
 citrina Melichar, *Empoasca*
 citrina Spångberg, *Ponana (Ponana)*
 citrinella major Wagner, *Forcipata*
 citrinella Zetterstedt, *Forcipata*
 citrinellus Kirschbaum. See *Psammotettix cephalotes*.
 citrinifrons Gillette & Baker, *Colladonus*
 citrinus Evans, *Eurinoscopus*
 citrinus Evans, *Parabolocratus*
 citrinus Melichar, *Idiocerus*
 citronellus Provancher, *Colladonus*
 civilis Fowler, *Metascarta*
 clara Beamer, *Erythroneura (Eratoneura)*
 clara DeLong, *Stenocoelidia*
 clara McAtee. See *Typhlocyba rubriocellata* clara.
 clara Oman, *Agallia*
 clarior Walker. See *Oncometopia (Oncometopia) obtusa*.
 claripennis Naudé, *Erythroneura*
 clarivida Van Duzee, *Norvellina*
 clarki China, *Pogonoscopus*
 clarus Beamer, *Osbornellus*
 clathrata Ball, *Allygiella*
 clathrata McAtee. See *Parallaxis guzmani*.
 clathrata Signoret, *Oncometopia (Oncometopia)*

- clathratus Blanchard, Iassus
 clathrus DeLong, Idiodonus
 claudenda Walker, Smicrocotis
 claustrus DeLong, Idiodonus
 clavalis Matsumura, Zygina
 clavalis McAtee, Cicadella [Duméril 1806]
 clavalis Ribaut. See Penthimia nigra clavalis.
 clavata Ball & Beamer, Athysanella (Gladionura)
 clavata DeLong, Erythroneura (Erythridula)
 clavata McAtee, Sirosoma
 clavata Oman, Igerna
 clavata Ruppel & DeLong, Joruma
 clavatus DeLong & Davidson, Sonronius
 clavatus DeLong, Acunasus
 clavatus DeLong. See Tinobregmus vittatus clavatus.
 clavatus Singh-Pruthi, Magnentius
 clavigerana Ball. See Idona minuenda clavigerana.
 clavipes Beamer, Erythroneura (Eratoneura)
 clavopunctatus Evans, Idiocerus
 cleasa Distant, Aulacizes
 cleora Distant, Apulia
 cleora Distant, Diedrocephala
 clepsydra Fowler, Amblyscarta
 clitellaria Ball, Agalliopsis
 clitellaria Osborn, Protalebra
 clitellaria Osborn, Tettigella
 clitellarius marcidus Ball, Colladonus
 clitellarius Provancher. See Oncopsis variabilis.
 clitellarius Say, Colladonus
 clymene McAtee, Ossiamilssonola
 cypealis Lethierry, Idiocerus
 cypeata annella Hartzell, Empoasca (Kybos)
 cypeata Curtis. See Balclutha punctata.
 cypeata Gillette & Baker, Empoasca (Kybos)
 cypeata Melichar, Cicadula
 cypeata Osborn, Draeculacephala
 cypeata Signoret, Aulacizes
 cypeatus Osborn, Phlepsius
 cypeatus Osborn, Thamnotettix
 cypeocarinatus Melichar, Selenocephalus
 coacta Ribaut, Erythroneura
 coacta Schmidt, Oncometopia
 coagulata Say. See Homalodisca triquetra.
 coarctata DeLong, Ballana
 coarctata Beamer, Erythroneura (Erythridula)
 cocana Ball, Cantura
 coccinea Butler, Ledropsis
 coccinea confluenta Olsen. See Graphocephala coccinea.
 coccinea Fitch, Empoasca (Empoasca)
 coccinea Forster, Graphocephala
 coccinea Fowler, Tettigella
 coccinea McAtee, Joruma (Joruma)
 coccinea punctata Olsen. See Graphocephala coccinea.
 coccinea sambuci Olsen. See Graphocephala coccinea.
 cochlea DeLong & Ruppel, Scinda
 cochlear Jacobi, Clydacha
 cockerelli Ball, Idiodonus
 cockerelli Gillette, Dikrella (Dikrella)
 coconinus Ball & Parker, Idiocerus
- coctilis Fowler, Amblyscarta
 coeca Taschenberg. See Aulacizes conspersa coeca.
 coeruleopennis Fabricius, Tettigella
 coeruleovittata delineata Fowler, Metascarta
 coeruleovittata Signoret, Metascarta
 coeruleoscens Distant, Typhlocyba
 coeruleoscens Fabricius, Conogonia
 coffeecola Dozier, Sibovia
 coffeeaphila Dozier, Sibovia
 cogani incisus Naude, Deltocephalus
 cogani integer Naude, Deltocephalus
 cogani Naude, Deltocephalus
 cognata Schmidt, Sibovia
 cognata Spinola, Oncopsis
 cognatus Douglas & Scott. See Macustus grisescens.
 cognatus Fieber, Ebarrius
 cognatus Van Duzee. See Oncopsis sobria.
 cognita Caldwell, Graminella
 cognitus Caldwell, Chlorotettix
 colel Van Duzee, Aligia
 colimae Ruppel & DeLong, Alconeura
 collaris Ball, Colladonus
 collaris Distant, Mapochia
 collaris Sanders & DeLong. See Scaphytopius
 (Cloanthanus) fulvus.
 collaris Signoret, Poecilocarda
 collata Fowler, Erythrogonia
 colligata Cerutti. See Cicadella [Duméril 1806]
 immaculatifrons colligata.
 colligatus Walker, Tartessus
 collina Flor, Cicadella [Duméril 1806]
 collina florida Ribaut, Cicadella [Duméril 1806]
 collina Jacobi, Poecilocarda
 collinus Boheman, Mocuellus (Mocuellus)
 collinus Osborn & Lathrop. See Paraphlepsius pusillus.
 collinus Osborn, Iassus
 collitus Ball, Paraphlepsius
 columbensis Melichar, Aconura
 colon Osborn & Ball, Commellus
 colona Uhler, Graminella
 coloradensis Baker, Oncopsis
 coloradensis Gillette & Baker, Mesamia
 coloradensis [sic] Gillette, Erythroneura (Erythroneura)
 colorata Baker, Krisna
 colorata Baker, Makilingia
 colorata Germar, Erythrogonia
 colorata Jacobi, Tituria
 colorata Lindberg, Erythroneura
 colorata Linnavuori, Parallaxis
 colorata Osborn, Cicadula
 coloratus Baker, Pedioscopus
 coloratus bicoloratus Baker, Pedioscopus
 coloratus Distant, Deltocephalus
 coloratus Evans, Idiocerus
 coloratus Evans, Platyscopus
 coloratus mindanaensis Baker, Pedioscopus
 columbiana Ball, Norvellina
 columbianus Nast, Idiotettix

columbica Signoret, Aulacizes
 comata Ball, Graminella
 combibus Matsumura, Thamnotettix
 comes amanda McAtee. See *Erythroneura* (*Erythroneura*)
 amanda.
 comes apicalis DeLong. See *Erythroneura* (*Eratoneura*)
 bigemina.
 comes bidens McAtee. See *Erythroneura* (*Erythroneura*)
 bidens.
 comes cancellata McAtee. See *Erythroneura*
 (*Erythroneura*) cancellata.
 comes compta McAtee. See *Erythroneura* (*Erythroneura*)
 compta.
 comes delicata McAtee. See *Erythroneura* (*Erythroneura*)
 delicata.
 comes elegans McAtee. See *Erythroneura* (*Erythroneura*)
 elegans.
 comes infuscata Gillette. See *Erythroneura* (*Erythroneura*)
 infuscata.
 comes maculata Gillette. See *Erythroneura* (*Eratoneura*)
 maculata.
 comes nudata McAtee. See *Erythroneura* (*Erythroneura*)
 nudata.
 comes palimpsesta McAtee. See *Erythroneura*
 (*Erythroneura*) palimpsesta.
 comes pontifex McAtee. See *Erythroneura* (*Erythroneura*)
 pontifex.
 comes reflecta McAtee. See *Erythroneura* (*Erythroneura*)
 reflecta.
 comes rubra Gillette. See *Erythroneura* (*Erythroneura*)
 rubra.
 comes rubrella McAtee. See *Erythroneura* (*Erythroneura*)
 rubrella.
 comes Say, *Erythroneura* (*Erythroneura*)
 comes scutellifer Gillette. See *Erythroneura* (*Eratoneura*)
 ardens kansana.
 comes suffusa McAtee. See *Erythroneura* (*Erythroneura*)
 bidens.
 comes venusta McAtee. See *Erythroneura* (*Erythroneura*)
 vitis.
 comesus DeLong & Sleesman, *Deltoccephalus*
 comitatula Melichar, *Microgoniella*
 comitatula Melichar, *Poeciloscarta*
 comitatula Melichar, *Sphinctogonia*
 comma Haupt. See *Pseudophlepsius binotatus*.
 comma Osborn, *Nesoprosyne* (*Nesoreias*)
 comma Van Duzee, *Commellus*
 commersoni Jacobi, *Poecilocarda*
 commissuralis munda McAtee. See *Edwardsiana*
 commissuralis.
 commissuralis Stål, *Edwardsiana*
 commissus Van Duzee, *Conodonus*
 communis Edwards. See *Euscelis incisa communis*.
 communis Ferrari. See *Allygus mixtus communis*.
 communis Fitch, *Helochara*
 communis Gillette, *Dikraneura* (*Dikraneura*)
 commutatus Fieber, *Allygus* (*Allygus*)
 comoides Ross & DeLong, *Erythroneura*
 compacta Oman, *Aceratagallia* (*Aceratagallia*)

compacta Osborn & Ball, *Polyamia*
 compacta Walker, *Penthimia*
 compactus Ball. See *Scaphytopius* (*Convelinus*) *fuscifrons*
 compactus.
 compactus Evans, *Iassus*
 compactus Gerstaeker, *Selenocephalus*
 compater Stål, *Thamnotettix*
 comperta Melichar, *Microgoniella*
 complementa McAtee. See *Erythroneura* (*Erythroneura*)
 .
 completa Fowler, *Graphocephala*
 complicata Edwards, *Typhlocyba*
 complicata Johnson, *Erythroneura* (*Erythridula*)
 compora Robinson, *Erythroneura*
 composita Fowler, *Graphocephala*
 compressa DeLong, *Gyponana* (*Gyponana*)
 compressa Evans, *Ledraprorra*
 compressa Knoll & Auten, *Erythroneura* (*Eratoneura*)
 compressa Walker, *Propetes*
 compta Ball, *Stenocoelidia* (*Eurycoelidia*)
 compta Fowler, *Gypona*
 compta Fowler. See *Sibovia occatoria* *compta*.
 compta McAtee, *Erythroneura* (*Erythroneura*)
 compta Naudé, *Aconura*
 compta rufomaculata McAtee, *Erythroneura* (*Erythroneura*)
 comptana DeLong, *Stenocoelidia* (*Eurycoelidia*)
 comptoniana Ball, *Ophiola*
 cona Shaw, *Dicyphonia*
 concanus Oman, *Fridonus*
 concava Ball & Beamer, *Athysanella* (*Gladionura*)
 concaviceps Lindberg. See *Cosmotettix* (*Cosmotettix*)
 panzeri.
 concedula Melichar. See *Cyclogonia rudicula* *concedula*.
 concentralis Matsumura, *Thomsoniella*
 concentricus DeLong, *Osbornellus*
 concentricus Matsumura, *Parabolocratus*
 concentricus Van Duzee, *Pasaremus*
 conciliata Metcalf & Bruner, *Hortlesia*
 concinna Curtis. See *Aphrodes albifrons* *dispar*.
 concinna Edwards. See *Zygina rhamnicola*.
 concinna Germar, *Eurhadina*
 concinna Perty, *Poeciloscarta*
 concinna Stål, *Gypona*
 concinna Walker. See *Tettigella* [*incert.sed.*] *alba*.
 concinnula Fowler, *Allogonia*
 concinnus Ball, *Idiocerus*
 concinnus incisurus DeLong. See *Laevicephalus incisurus*.
 concinnus Sanders & DeLong, *Laevicephalus*
 concisa Beamer, *Erythroneura* (*Eratoneura*)
 concolor Haupt. See *Tettigella viridis* *concolor*.
 concolor Melichar. See *Tapajosa fulvopunctata* *concolor*.
 concolor Spångberg, *Gypona*
 concolor Walker, *Ledra*
 concolor Walker, *Tartessus*
 concors Horváth, *Doratura*
 condalianus Ball, *Lycioides*
 condalianus ursinus Ball. See *Lycioides ursinus*.
 condensa DeLong, *Acusana*
 condensata Jacobi, *Typhlocyba*

conferta DeLong, Gyponana (Gyponana)
 conferta Kirkaldy, Ipo
 conferta Melichar, Sibovia
 conferta Walker, Stenocotis
 configurata Oman, Agallia
 configurata Walker, Tettigella
 configuratus Uhler, Diplocolenus
 confinis Dahlbom, Psammotettix
 confinis Reuter, Streptanus
 confinis Rey. See Jassargus (Jassargus) distinguendus reyi.
 confinis rufescenciceps Strand, Thamnotettix
 confinis stupidulus Zetterstedt, Thamnotettix
 confinis tinctus Zetterstedt, Thamnotettix
 confinis Walker. See Bothrogonia ferruginea.
 confinis Walker. See Bothrogonia indistincta.
 confinis Zetterstedt, Thamnotettix
 confirmata McAtee, Erythroneura (Eratoneura)
 confluens China. See Pogonoscopus myrmex confluens.
 confluens Lindberg. See Metalimnus formosus confluens.
 confluens Melichar, Oncometopia (Lebora)
 confluens pacifica DeLong & Severin, Keonolla
 confluens Rey. See Balclutha punctata confluens.
 confluens Rey. See Cicadella [Duméril 1806] hortensis
 confluens.
 confluens Uhler, Keonolla
 confluenta Olsen. See Graphocephala coccinea.
 conformis Oman, Agalliopsis
 confusa Breakey, Macropsis
 confusa DeLong & Davidson, Empoasca (Kybos)
 confusa Distant, Petalocephala
 confusa Kirschbaum. See Aphrodes albifrons confusa.
 confusa Linnavuori, Bahita
 confusa Oman, Bergallia
 confusa Oman, Pagaronia
 confusa Signoret, Aulacizes
 confuscous Singh-Pruthi, Idiocerus
 confuscus Singh-Pruthi, Paralimnus
 confusus Flor, Idiocerus
 confusus Gillette & Baker. See Balclutha punctata.
 confusus Kirschbaum. See Streptanus sordidus.
 confusus nigricans Ossiannilsson, Idiocerus
 congoensis Evans, Magnentius
 congregata Signoret, Oncometopia (Oncometopia)
 congruens Fowler, Poeciloscarta
 conica Naude, Euscelis
 conica Ruppel & DeLong, Protalebra
 conica Walker, Petalocephala
 coniceps Osborn, Paracicadula
 conicifrons Walker, Ledra
 conifera Walker, Ledra
 conjuncta Melichar, Aletta
 conjuncta Melichar, Sibovia
 conjuncta Rey. See Cicadella [Duméril 1806] urticae
 conjuncta.
 conjunctula Osborn, Tettigella
 connexus Distant, Platyceretus
 consanguineus Distant, Scaphoideus
 consistens Walker. See Aulacizes mutans consistens.
 consobrina Ball, Memnonia

consobrina Curtis, Agallia
 consobrina Fowler, Poeciloscarta
 consobrina Walsh. See Empoasca (Empoasca) fabae.
 consors Distant, Ujna
 consors Uhler, Osbornellus
 consors unicolor Osborn. See Osbornellus unicolor.
 consors White, Stonasla
 consorta Melichar, Oncometopia (Lebora)
 conspersa Baker. See Lystridea uhleri.
 conspersa coeca Taschenberg, Aulacizes
 conspersa Distant, Tambila
 conspersa Melichar, Empoasca (Chlorita)
 conspersa persistans Walker, Aulacizes
 conspersa Rey. See Zygina rubrovittata conspersa.
 conspersa Schmidt, Tretogonia
 conspersa Signoret. See Aphrodes albifrons conspersa.
 conspersa Spångberg, Gypona
 conspersa Walker, Aulacizes
 conspersifrons Stål, Aletta
 conspersinervis Stål, Coelidia
 conspersus Herrich-Schaeffer, Selenocephalus
 conspersus Stål. See Coelidia sparsa.
 conspicillaris Schrank. See Allygus (Allygus) atomarius.
 conspicua Distant, Nehela
 conspicua Distant, Petalocephala
 conspicua Melichar, Tretogonia
 conspicuus Distant, Drabescus
 conspira DeLong, Gyponana (Gyponana)
 conspissata Fowler, Apogonalia
 conspurcata Melichar, Aulacizes
 conspurcatus Perris, Chiasmus
 constans Walker, Sibovia
 constricta cubana Oman, Agallia
 constricta Davidson & DeLong, Draeculacephala
 constricta DeLong & Davidson. See Empoasca
 (Empoasca) pallida.
 constricta Jacobi, Aletta
 constricta Melichar, Heliona
 constricta Osborn, Luheria
 constricta Van Duzee, Agallia
 constrictus Crowder, Texananus (Texananus)
 constrictus DeLong, Parabolocratus
 consueta Beamer, Erythroneura (Eratoneura)
 consularis Berg, Tettigella
 contaminata Fabricius, Amblyscarta
 contaminata Melichar, Cicadella [Duméril 1806]
 contanta DeLong, Gypona
 contemptus Kirkaldy, Nephotettix
 contestus Valdes Ragues. See Deltocephalus flavicosta.
 continentalis Evans, Pauripo
 continua Cerutti. See Cicadella [Duméril 1806] hortensis
 continua.
 continua Knoll & Auten, Erythroneura (Eratoneura)
 continuus Ball. See Idiocerus suturalis continuus.
 continuus DeLong, Parabolocratus
 continuus DeLong, Paraphlepsius
 contortuplicatus Kirkaldy. See Xestocephalus pallidiceps
 contortuplicatus.
 contracta Ball & Beamer, Athysanella (Gladionura)

- contracta Beamer, *Erythroneura* (*Eratoneura*)
 contractula Osborn, *Graphocephala*
 contractura DeLong, *Gyponana* (*Gyponana*)
 contractus Hepner, *Scaphytopius* (*Convelinus*)
 contraria Ribaut, *Dikranearia*
 contraria Walker, *Pseudophera*
 contrariuscula Jacobi, *Tettigella*
 contrasta Auten & Johnson, *Erythroneura* (*Erythridula*)
 contrerasi Van Duzee, *Deltoccephalus*
 conus DeLong, *Texananus* (*Excultanus*)
 convenarum Ribaut, *Verdanus*
 convergens DeLong & Davidson, *Empoasca* (*Empoasca*)
 convergens DeLong, *Laevicephalus*
 convergens Melichar, *Sibovia*
 convertibilis Metcalf & Bruner, *Hadria*
 convertibilis roigi Metcalf & Bruner, *Hadria*
 convexa Kirschbaum. See *Euscelis obsoleta* convexa.
 convexa Lawson. See *Spangbergiella vulnerata* convexa.
 convexifrons Schumacher, *Petalocephala*
 convexus Brown, *Chlorotettix*
 convexus Rey. See *Deltoccephalus pulicaris* convexus.
 convexus Thomas, *Stirellus*
 convivus Stål, *Rhotidus*
 cookei Gillette, *Stenometopiellus*
 cooki Evans, *Deltodorydium*
 coonoorensis Distant, *Coelidia*
 copula DeLong, *Empoasca* (*Kybos*)
 copulus DeLong, *Idiodonus*
 coquerelii Signoret, *Poecilocarda*
 coquilletti Van Duzee, *Caladonus*
 coquilletti Van Duzee. See *Cochlorhinus unispinosus*.
 corallina Osborn, *Tettigella*
 cordata Melichar, *Oncometopia* (*Oncometopia*)
 cordiae Osborn, *Protalebra*
 cordiger Ribaut, *Jassargus* (*Sayetus*)
 cordoba DeLong & Ruppel, *Scinda*
 corella DeLong & Guevara, *Empoasca*
 coriacea Stål, *Yunga*
 coriaceus Signoret, *Ectypus*
 coriaceus Walker, *Iassus*
 coriaria Stål, *Sichaea*
 corisipennis Ferrari. See *Allygus mixtus* corisipennis.
 corixoides Fowler, *Pseudoscarta*
 corixoides Rambur, *Coelidia*
 cornelia Distant, *Tettigella*
 cornelia Distant. See *Microgoniella distanti*.
 corni Robinson, *Erythroneura* (*Erythroneura*)
 cornicula Marshall, *Ophiola*
 corniger Beamer & Lawson, *Acinopterus*
 corniger Beamer, *Osbornellus*
 cornigera Beamer, *Zygina*
 cornigera Griffith, *Alconeura* (*Alconeura*)
 cornipes Beamer, *Erythroneura* (*Erythridula*)
 cornuta Wagner. See *Edwardsiana australis* cornuta.
 cornutus Crowder, *Paraphlepsius*
 cornutus DeLong, *Scaphytopius*
 cornutus Herrich-Schaeffer, *Enantiocephalus*
 cornutus Matsumura, *Deltoccephalus*
 cornutus Ribaut, *Docotettix*
 corona McAtee. See *Erythroneura* (*Erythroneura*) *vitis*
 corona.
 coronata Ball, *Koebelia*
 coronata Ball, *Stenocephala*
 coronata Signoret, *Amblyscarta*
 coronatus Ball. See *Ollarianus insanus* coronatus.
 coronatus Berg, *Athyusanus*
 coronatus Distant, *Tartessus*
 coronatus Distant. See *Exitianus kumaonis*.
 coronatus Melichar, *Deltoccephalus*
 coronatus Osborn & Ball, *Xestocephalus*
 coroniceps Kirschbaum. See *Recilia coronifera*.
 coronifera Marshall, *Recilia*
 coronopunctata Evans, *Malasiella*
 coronula Boheman. See *Zygina hyperici*.
 coronula Jacobi, *Catagonalia*
 coronulifera Stål, *Amblyscarta*
 corporaali Baker, *Onukia*
 corrugipennis Osborn, *Tettigella*
 corsica Lethierry, *Cicadella* [Duméril 1806]
 corsicus Lethierry. See *Selenocephalus conspersus*.
 corticalis Walker, *Stenocotis*
 corticata Signoret, *Amblydisca*
 corticina Germar, *Coloborrhis*
 corumba Oman, *Agallia*
 corvina Horváth, *Bobacella*
 coryli Linnaeus. See *Idiocerus populi*.
 coryli Tollin. See *Zygina alneti* coryli.
 coryli Van Duzee. See *Erythroneura* (*Eratoneura*)
 californica.
 corylorubra Knoll, *Erythroneura* (*Eratoneura*)
 cosmopolita sarniensis Melichar, *Poecilocarda*
 cosmopolita Signoret, *Poecilocarda*
 costalis Baker, *Makilingia*
 costalis Distant, *Drabescus*
 costalis Fabricius, *Cuerna*
 costalis Fallen, *Cosmotettix* (*Airosus*)
 costalis Ferrari. See *Erythroneura rorida* costalis.
 costalis Jacobi, *Tituria*
 costalis Matsumura. See *Macropsis virescens* costalis.
 costalis Osborn, *Idiocerus*
 costalis Stål. See *Krisna strigicollis*.
 costalis Walker, *Coelidia*
 costalis Walker, *Iassus*
 costalis Walker, *Stenocotis*
 costaricensis Distant, *Graphocephala*
 costata Panzer, *Aphrodes*
 costata Signoret, *Trichogonia*
 costatella Matsumura. See *Alebra* (*Alebra*) *albostriella*
 costatella.
 costatus DeLong, *Tenuisanus*
 costistriatus Matsumura, *Deltoccephalus*
 costomaculatus Van Duzee, *Tropicanus*
 cothurna Davidson & DeLong, *Empoasca*
 cothurnula Young, *Empoasca*
 cotidiana Beamer, *Erythroneura* (*Erythridula*)
 cottoni Sanders & DeLong. See *Paraphlepsius mimus*.
 cotula Cogan, *Thamnotettix*
 couleanus Ball & Parker, *Idiocerus*

coxi Ross & DeLong, *Erythroneura* (*Eratoneura*)
 crassa DeLong & Johnson, *Typhlocyba*
 crassa Spångberg, *Gypona*
 crassa Walker, Tettigella
 crassicornis Van Duzee, *Draeculacephala*
 crassipes Sahlberg, *Idiocerus*
 crassus DeLong & Mohr, *Scaphoideus*
 crassus DeLong, *Hebecephalus*
 crassus Distant, *Radhades*
 crataegi Douglas, *Edwardsiana*
 crataegi Johnson, *Erythroneura* (*Erythridula*)
 crataegi Van Duzee, *Idiocerus*
 craterigena Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 craticula Curtis. See *Speudotettix subfuscus*.
 creinus Beirne, *Hebecephalus*
 crenatus Herrich-Schaeffer. See *Idiocerus decimaquartus*.
 crenulata Osborn, *Stenocoelidia*
 crepidula Wheeler, *Empoasca* (*Empoasca*)
 cretaceus Fieber. See *Hephathus nanus* *cretaceus*.
 cretata Distant, *Coelidia*
 crevecoeuri Gillette, *Erythroneura* (*Erythridula*)
 cibrata Melichar, *Tretogonia*
 crinita Beamer, *Erythroneura* (*Eratoneura*)
 cristata Fabricius. See *Proconia marmorata* *fabricii*.
 cristata Knull, *Erythroneura* (*Eratoneura*)
 cristata Schreber. See *Ledra aurita*.
 cristata Torres, *Empoasca*
 cristatus Ribaut, *Macrosteles*
 crocatula Jacobi, Tettigella
 crocea Herrich-Schaeffer, *Mocydia*
 crocea Metcalf, *Amblyscarta*
 crocea Osborn & Ball. See *Macropsis fumipennis*.
 crocea Ruppel & DeLong, *Dikrella*
 crocea Walker, *Biza*
 croceata Osborn, *Coelidiana*
 crocina Distant, *Ledropsis*
 crocipennis Signoret, *Amblyscarta*
 crocostigmata Davidson & DeLong, *Empoasca* (*Empoasca*)
 crocovittata Davidson & DeLong, *Empoasca*
 cruciata DeLong, *Empoasca*
 cruciata Ribaut, *Ribautiana*
 cruciata Signoret. See *Poeciloscarta pulchella*.
 cruciatula Breddin, *Catagonalia*
 cruciatus DeLong, *Acunasus*
 cruciatus Osborn & Ball, *Rosenus*
 cruciatus Osborn, *Sanctanus* (*Cruciatanus*)
 cruciformis Beamer, *Erythroneura* (*Erythridula*)
 crucigera Taschenberg, Tettigella
 cruenta bohemica Dlabola. See *Typhlocyba carri*.
 cruenta Fabricius. See *Poeciloscarta fabricii*.
 cruenta Gmelin, Tettigella
 cruenta Herrich-Schaeffer, *Typhlocyba*
 cruenta inquinata Ribaut, *Typhlocyba*
 cruenta opaca Edwards, *Typhlocyba*
 cruenta Ribaut. See *Erythroneura eburnea* *cruenta*.
 cruentata Gillette, *Dikrella* (*Dikrella*)
 cruentata kansiensis Lawson, *Dikrella* (*Dikrella*)
 cruentata lavata McAtee, *Dikrella* (*Dikrella*)
 cruentata rubricata McAtee, *Dikrella* (*Dikrella*)

cruentatus Haupt, *Platymetopius*
 cruentatus Panzer, *Idiodonus*
 cruentatus simulans Ribaut, *Idiodonus*
 cruentula Breddin, Tettigella
 crumbi DeLong, *Arundanus*
 cruoris Rey. See *Zygina nivea* *cruoris*.
 cruzana Osborn, *Gypona*
 cruzianus Metcalf, *Scaphytopius* (*Cloanthanus*)
 cubana Metcalf & Bruner, *Draeculacephala*
 cubana Metcalf & Bruner, *Hadria*
 cubana Oman. See *Agallia constricta* *cubana*.
 cubana Osborn, *Diceratalebra*
 cubana Osborn, *Prairiana*
 cubanus Osborn. See *Graminella colona*.
 cubita DeLong, *Gyponana* (*Gyponana*)
 cucullata Laporte. See *Proconia marmorata*.
 cucurbita Ball, Decua
 cudmorei Evans, *Chinaella*
 cuernavacae Fowler. See *Stenocoelidia* (*Eurycoelidia*)
 verecunda cuernavacae.
 culobata Walker. See *Ledrotypa cultrata*.
 cultellifera Walker, *Petalocephala*
 cultrata Walker, *Ledrotypa*
 cumatilis Distant, Tettigella
 cumingi Schmidt, *Amblydisca*
 cumulata Melichar, *Oncometopia* (*Lebora*)
 cumulatus arctostaphylae Ball. See *Texananus*
 (*Texananus*) *arctostaphylae*.
 cumulatus Ball, *Texananus* (*Texananus*)
 cumulosus Kirkaldy. See *Eurymeloides punctata*.
 cuna DeLong, *Ballana*
 cunea DeLong, *Gyponana* (*Gyponana*)
 cuneata Beamer, *Erythroneura* (*Erythridula*)
 cuneata Cogan, *Agallia*
 cuneata Distant, *Tituria*
 cuneata Perroud & Montrouzier, Tettigella
 cuneata Uhler, *Euscelis*
 cuneatula Osborn, *Hortensia*
 cuneatus Sanders & DeLong, *Limotettix*
 cuneatus Walker, *Rhotidus*
 cuneiformis Naudé, *Idiocerus*
 cupido Kirkaldy, *Idiocerus*
 cuparia Walker. See *Coelidia inclinans*.
 cuprea Melichar, Tettigella
 cuprepennis Walker, *Tartessus*
 cuprescens Naude, *Scaphoideus*
 cuprescens Osborn, *Jassoidula*
 cuprescens Osborn, *Nesophrosyne* (*Nesophrosyne*)
 cuprescens Osborn. See *Scaphytopius* (*Cloanthanus*) *latus*.
 cupreus Kirschbaum. See *Idiocerus kirschbaumi*.
 cupreus lineolatus Ribaut, *Idiocerus*
 cupreus Walker, *Idiocerus*
 cupriventris Laporte. See *Raphirhinus phosphoreus*.
 curiata Gibson, *Ponana* (*Ponana*)
 curiosa Beamer, *Kunzeana*
 currax Melichar, *Typhlocyba*
 curta Beamer, Decua
 curta Beamer, *Erythroneura* (*Eratoneura*)
 curta Oman, *Aceratagallia* (*Aceratagallia*)

- curticeps Lindberg, Euscelis
 curtipennis Gillette & Baker, Athysanella (Gladiionura)
 curtipennis Hepner, Aligia
 curtipennis Oshanin, Chiasmus
 curtisii Fitch, Amblysellus
 curtisii Flor. See Cicadella[Duméril 1806] hortensis.
 curtula Motschulsky, Coelidia
 curtus Beamer & Tuthill, Latalus
 curtus DeLong, Scaphytopius
 curtus DeLong, Texananus (Texananus)
 curtus Linnnavuori, Circulifer
 curtus Shaw, Parabolocratus
 curvata Ball & Beamer, Athysanella (Gladiionura)
 curvata Beamer, Erythroneura (Eratoneura)
 curvata Caldwell, Balclutha
 curvata DeLong, Flexamia
 curvata Knull, Bandara
 curvata Lindsay, Norvellina
 curvata Oman & Beamer, Cuerna
 curvata Oman, Aceratagallia (Aceratagallia)
 curvata Osborn, Joruma (Jorumidia)
 curvata Poos, Empoasca (Empoasca)
 curvatula Osborn, Graphocephala
 curvatura Davidson & DeLong, Empoasca (Empoasca)
 curvatus Beamer, Osbornellus
 curvatus Beirne, Macrosteles
 curvatus DeLong & Mohr, Scaphoideus
 curvatus Linnnavuori, Haldorus
 curvatus Ribaut, Jassargus (Jassargus)
 curveola Oman, Empoasca
 curvexa Davidson & DeLong, Empoasca (Empoasca)
 curvidens DeLong, Ballana
 curvidens Osborn, Chlorotettix
 curvilinea Gillette, Protalebra
 curvilinea Linnnavuori, Fulvanus
 curvovittata Stål, Microgoniella
 curvus Knull, Laevicephalus
 cuspidata depressa Fabricius, Eupelix
 cuspidata Fabricius, Eupelix
 cuspidata marginata Signoret, Eupelix
 cuspidata producta Germar, Eupelix
 cuspidata sinuata Lindberg, Eupelix
 cuspidata zelleri Kirschbaum, Eupelix
 cuspidatum Signoret, Heterostemma
 cuspidatus DeLong, Texananus
 cuspidatus Walker, Rhotidus
 cyane Boheman, Erotettix
 cyanescens Walker. See Parathona cayennensis.
 cyathea Myers, Erythroneura
 cyclopia Cogan, Euscelis
 cyclops Kusnezov, Zygina
 cyclops Matsumura, Cicadella [Duméril 1806]
 cyclops Melichar, Tettigella
 cyclops mendax Ribaut, Cicadella [Duméril 1806]
 cyclops Mulsant & Rey, Phlogotettix
 cyclops nigrifrons Haupt, Cicadella [Duméril 1806]
 cyclops trilobata Ribaut, Cicadella [Duméril 1806]
 cyclopula Jacobi, Cyclogonia
 cyclopula Jacobi, Typhlocyba
- cylindratus DeLong & Beery, Scaphoideus
 cylindrica Naudé, Empoasca
 cymba McAtee. See Empoa albicans.
 cymba pallens McAtee. See Empoa albicans.
 cymba unipuncta McAtee. See Empoa albicans.
 cymbium disjuncta McAtee, Erythroneura (Erythroneura)
 cymbium McAtee, Erythroneura (Erythroneura)
 cynthia Fowler, Pseudoscarta
 cyperacea Osborn, Cicadula
 cypha Caldwell, Empoasca
 cypraea Naude, Euscelis
 cypria Ribaut, Cicadella [Duméril 1806]
 cypria Ribaut. See Helionidia (Tamaricella) fasciolata.
 cypris Ball, Scaphoideus
 cythura Baker, Graphocephala
 dactyla Naudé, Erythroneura
 dactylata Davidson & DeLong, Empoasca (Hebata)
 dactylatula Young, Empoasca
 daeta Distant, Poeciloscarta
 dahlbomi Zetterstedt. See Sonronius maculipes.
 dallasi Signoret, Apogonalia
 dampfi Davidson & DeLong, Empoasca
 dampfi DeLong & Hershberger, Sanctanus (Cruciatus)
 dampfi DeLong, Idiodonus
 dampfi DeLong, Omanana
 dampfi DeLong, Phlepsius
 danae McAtee, Ossiannilssonola
 danae Fabricius, Tettigella
 dapitana Merino, Macropsis
 darjilingensis Distant, Deltocephalus
 darwini Evans, Anipo
 dasida Medler, Ophiola
 daulias Kirkaldy, Tortor
 davaoensis Baker, Sophonia
 davaoensis luzonensis Baker, Sophonia
 davaoensis Merino, Macropsis
 davidsoni DeLong, Empoasca (Empoasca)
 davisi Beamer, Zygina
 davisi Evans, Ipocella
 davisi Knull, Macropsis
 dealbata Cerutti, Empoasca
 dealbatus Melichar, Pythamus
 debilis Douglas, Ribautiana
 debilis McAtee, Dikrella (Dikrella)
 debilis Melichar, Athysanus
 debilis Uhler, Sorhoanus
 decedens Paoli, Empoasca
 decemnotata litterata Ribaut, Cicadella [Duméril 1806]
 decemnotata lombardi Melichar, Cicadella [Duméril 1806]
 decemnotata Rey, Cicadella [Duméril 1806]
 decemnotata trochlearis Ribaut, Cicadella [Duméril 1806]
 decemnotata turbatrix Ribaut, Cicadella [Duméril 1806]
 decemnotatus Kirkaldy. See Xestocephalus pallidiceps
 decemnotatus.
 decempunctata Fallén, Typhlocyba
 decempunctata intercedens Linnnavuori, Typhlocyba
 decempunctata quadripunctata Cerutti, Typhlocyba
 decempunctatus Linnnavuori, Mesadorus
 deceptus Sanders & DeLong. See Streptanus confinis.

decimaquartus fulvus Rey, *Idiocerus*
 decimaquartus Schrank, *Idiocerus*
 decimaquartus Schrank, *Megophthalmus*
 decimnotatus Naude, *Thamnotettix*
 decipiens bifurcata Cerutti, *Empoasca (Chlorita)*
 decipiens Horváth. See *Platymetopius rostratus* decipiens.
 decipiens Kirschbaum. See *Idiocerus kirschbaumi*.
 decipiens meridiana Zachvatkin, *Empoasca (Chlorita)*
 decipiens minor Zachvatkin. See *Empoasca (Chlorita)*
 minor.
 decipiens Paoli, *Empoasca (Chlorita)*
 decipiens Provancher. See *Cicadula quinquepotata*.
 decis DeLong, *Deltella*
 decis Distant, *Atkinsoniella*
 decis Walker. See *Eurymeloides lineata*.
 decliva Evans, *Macropsis*
 declivata Osborn, *Clinonana*
 declivata Osborn, *Euragallia*
 declivis Walker, *Petalcephala*
 decolor Lindberg, *Erythroneura*
 decolorata Baker. See *Mileewa luzonica* decolorata.
 decolorata Cerutti. See *Zygina tithide* decolorata.
 decoloratus Evans, *Deltcephalus*
 decora Beamer & Tuthill, *Flexamia*
 decora DeLong & Davidson, *Empoasca (Hebata)*
 decora Fabricius, *Calliscarta*
 decora Lindberg, *Melicharella*
 decora McAtee. See *Erythroneura (Erasmoneura) nigra*
 decora.
 decora Melichar, *Kana*
 decora Walker. See *Amblyscarta rufipes*.
 decorata Auten & Johnson, *Erythroneura (Erythridula)*
 decorata Edwards, *Macropsis*
 decorata Fowler, *Gypona*
 decorata Haupt, *Euscelis*
 decorata Osborn, *Empoasca*
 decorata Osborn, *Protalebra*
 decorata Walker, *Amblyscarta*
 decoratus Baker, *Pythamus*
 decoratus Signoret. See *Dilobopterus dispar*.
 decoratus [sic] Matsumura, *Pachymetopius*
 decorsei Evans, *Stenoledra*
 decorus Beamer, *Osbornellus*
 decorus Osborn & Ball, *Texananus (Texananus)*
 decrepita McAtee. See *Parallaxis respersa* decrepita.
 decumana Kontkanen, *Ophiola*
 decurtata Distant, *Haranga*
 decurtatus Stål, *Citorus*
 decurvata Davidson & DeLong, *Empoasca (Empoasca)*
 decussata Germar. See *Ulopa trivia*.
 decussata Ribaut. See *Cicadella [Duméril 1806] zelleri*
 decussata.
 dedarensis Evans, *Deltcephalus*
 deficiens Fowler. See *Amblyscarta ruficeps* deficiens.
 deficiens Ribaut. See *Cicadella [Duméril 1806] urticae*
 deficiens.
 defila DeLong, *Coelidiana (Nelidina)*
 degenerata Melichar. See *Coloborrhis perspicillaris*.
 dejecta Christian, *Edwardsiana*

delagorguei Spinola, *Protonesis*
 delea DeLong, *Ballana*
 delecta Distant, *Chudania*
 delector Sanders & DeLong, *Cosmotettix (Cosmotettix)*
 deleta Ribaut. See *Aphrodes albigerus* deleta.
 deleta Ribaut. See *Erythroneura rorida* deleta.
 deleta Van Duzee, *Agallia*
 deletus Baker, *Deltcephalus*
 deletus Ribaut. See *Laburrus (Laburrus) quadratus* deletus.
 delicata accepta McAtee, *Erythroneura (Erythroneura)*
 delicata Baker, *Balclutha*
 delicata Beamer, *Lonatura*
 delicata Fowler, *Gyponana*
 delicata Fowler. See *Hordnia dohrnii*.
 delicata McAtee, *Erythroneura (Erythroneura)*
 delicata Osborn, *Aulacizes*
 delicata Osborn, *Dikraneura*
 delicata Osborn. See *Alconeura (Hyoidea) portoricensis*.
 delicatula Distant, *Typhlocyba*
 delicatula Distant, *Ujna*
 delicatula Melichar, *Microgoniella*
 delicatus Osborn & Lathrop, *Texananus (Texananus)*
 delicatus Osborn, *Chlorotettix*
 delineata Fowler. See *Metascarta coeruleovittata* delineata.
 delineata Walker. See *Stenocotis depressa*.
 dellana Ball, *Aligia*
 dellana suffusa Hepner, *Aligia*
 delongi Ball, *Idiodonus*
 delongi Breakey, *Macropsis*
 delongi Christian, *Edwardsiana*
 delongi Dorst. See *Davisonia americana*.
 delongi Knoll & Auten, *Erythroneura (Eratoneura)*
 delongi Knoll, *Dorycephalus (Attenuipyga)*
 delongi Poos, *Empoasca (Empoasca)*
 delongi Young, *Scaphytopius (Cloanthanus)*
 delphinus Noualhier, *Acrobelus*
 delta alomogorda Ball, *Gyponana (Gyponana)*
 delta Ball, *Gyponana (Gyponana)*
 delta Ball. See *Doleranus lucidus*.
 delta Oman, *Ceratagallia*
 delta Oman, *Helochara*
 delta Wheeler, *Empoasca (Empoasca)*
 deltensis Hepner, *Scaphytopius (Cloanthanus)*
 deltus Ball, *Limbanus*
 deluda DeLong, *Empoasca (Empoasca)*
 demissus Fabricius, *Dilobopterus*
 demittendus Kirkaldy, *Macrosteles*
 dena DeLong, *Ballana*
 denaria Van Duzee, *Empoasca (Empoasca)*
 densus DeLong & Beery, *Scaphoideus*
 dentata Ball & Beamer, *Athy sanella (Gladiionura)*
 dentata Bierman, *Bothrogonia*
 dentata bilocularis Van Duzee. See *Zygina bilocularis*.
 dentata DeLong & Davidson, *Empoasca (Empoasca)*
 dentata Gillette, *Zygina*
 dentata Oman, *Igerna*
 dentata Osborn & Ball, *Hardya*
 dentata Osborn, *Scaphoidula*
 dentata Ruppel & DeLong, *Dikrella*

dentatula Metcalf, Coelidia
 dentatus Baker, Paraphlepsius
 dentatus Knull, Psammotettix
 dentatus Matsumura. See Matsumurella kogotensis.
 dentatus Osborn, Atanus
 dentatus Osborn. See Coelidia dentatula.
 dentatus Sanders & DeLong, Chlorotettix
 denticula Gillette, Empoasca (*Kybos*)
 denticulus Osborn & Lathrop, Texanarus (*Texanarus*)
 denudatus Ball, Phlepsanus
 denudatus carpolus Ball, Phlepsanus
 depictus Ball. See Idiocerus amoenus [sic].
 deplanatus Spångberg. See Coelidia indica.
 depleta Oman, Agallia
 depravata Jacobi, Ledra
 depressa Fabricius. See Eupelix cuspidata depressa.
 depressa McAtee, Alconeura (*Hyloidea*)
 depressa Walker, Stenocotis
 depressus Scott. See Streptanus marginatus.
 derecta Griffith, Alconeura (*Alconeura*)
 desa DeLong, Gyponana (*Gyponana*)
 desbrochersi Lethierry, Thamnotettix
 deschoni Baker, Kunzeana
 descripta Ball, Aligia
 deserta DeLong & Hershberger, Dampfiana
 deserta Ruppel & DeLong, Kunzeana
 desertanus Ball, Scaphytopius (*Convelinus*)
 desertorum Berg, Athysanus
 desertorum Kusnezov, Batracomorphus
 desertorum Kusnezov, Doraturopsis
 deskina DeLong & Guevara, Empoasca
 despектa Melichar, Dichrophleps
 despектa Walker, Oncopsis
 detectus Bergevin, Goniagnathus
 detectus Ribaut, Allygus (*Allygus*)
 determinata Distant, Coelidia
 detersus Melichar, Athysanus
 detracta Fowler, Poeciloscarta
 detracta Walker, Coelidia
 detrahens Walker, Tettigella
 detrita Rey. See Zygina rhamni detrita.
 devastans Distant, Empoasca
 devastans Guérin-Méneville. See Macrosteles sexnotatus
 devastans.
 deversus DeLong & Hershberger, Texanarus (*Texanarus*)
 diabola Knull, Neocoelidia
 diabolus Van Duzee, Scaphytopius (*Cloanthanus*)
 diacumanis Davidson & DeLong, Empoasca
 diadema Burmeister, Ochrostacta
 diadema Fabricius. See Oncopsis flavicollis.
 diana Distant, Typhlocyba
 diana Van Duzee, Mesamia
 dianae Evans, Tettigella
 diaphana Distant, Kolla
 diaphana Gmelin, Typhlocyba
 diaphana Taschenberg, Tettigella
 diaphanus Walker, Tartessus
 dicentrus DeLong, Texanarus (*Iowanus*)
 dictitoria Gibson, Hamana

dictitoria virescens DeLong, Hamana
 dicyrta Caldwell, Empoasca
 diducta Fowler. See Carneocephala sagittifera.
 didymus Mulsant & Rey. See Macrosteles sexnotatus
 didymus.
 differentialis Baker, Tettigella
 difficilis Ribaut. See Zygina rhamni difficilis.
 difficilis Walker, Bothrogonia
 diffusa Beamer, Erythroneura (*Erythridula*)
 difformis Distant, Thagria
 difformis Oman, Xerophloea
 diffusa Ruppel & DeLong. See Parallaxis donaldsoni.
 digita DeLong, Empoasca (*Kybos*)
 digitata Ribaut, Empoasca
 digitata Ribaut, Erythroneura
 digitus DeLong, Tropicanus
 dignissima Kirkaldy, Putonissa
 digressus Van Duzee, Exitianus
 dilata DeLong, Polyamia
 dilatata Melichar. See Ledra cingalensis.
 dilatata Walker, Ledra
 dilatatus Bierman, Hecalus
 dilatatus Fieber. See Dikraneura (*Dikraneura*)
 manderstjernii.
 dilatifrons Walker, Ledra
 dilatus DeLong & Mohr, Scaphoideus
 dilatus DeLong, Scaphytopius
 dilatus DeLong. See Scaphytopius (*Cloanthanus*)
 cruzianus.
 dilecta Walker, Tacora
 dialectula Jacobi, Poeciloscarta
 dialectus Stål, Thamnotettix
 dilitara DeLong & Davidson, Empoasca (*Empoasca*)
 diluta Ribaut. See Alebra (*Alebra*) albostriella.
 diluta Stål, Gypona
 dilutior erythrostictus Lethierry, Loepotettix
 dilutior Kirschbaum, Loepotettix
 dilutipes Stål. See Microgoniella (*Microgoniella*) pudica.
 dilutula Melichar, Microgoniella
 dilutus Ferrari. See Circulifer opacus dilutus.
 dilutus Kirschbaum. See Streptanus sordidus.
 dilutus Osborn. See Chlorotettix tethys.
 dilutus Ribaut. See Psammotettix notatus dilutus.
 dimidiata Knull, Erythroneura (*Eratoneura*)
 dimidiata Ribaut. See Aphrodes albifrons dimidiata.
 dimidiata Signoret, Tettigella
 dimidiata Stål. See Petalocephala nigrilinea.
 dimidiatus Ribaut, Idiocerus
 dimidiatus Walker, Tartessus
 diminuta Kirschbaum. See Cicadella[Duméril 1806] notata.
 diminuta Matsumura, Aconura
 diminuta Matsumura, Stragania
 diminuta Ribaut. See Aphrodes bicincta diminuta.
 diminutus Kirschbaum. See Artianus interstitialis.
 diminutus Lethierry. See Macrosteles sexnotatus
 diminutus.
 diminutus Matsumura, Scaphoideus
 diminutus Walker. See Acrocampsia pallipes.
 dimorpha DeLong & Ruppel, Alconeura

- dimorpha Kirkaldy. See *Stenocotis costalis*.
 dimorpha Löw. See *Agallia limbata*.
 dimorphus Berg, *Athy sanus*
dindorensis Singh-Pruthi, *Aconura*
diomonotum Schmidt, *Diestostemma*
dira Beamer, *Erythroneura* (*Eratoneura*)
dira DeLong, *Ballana*
directa Ball & Beamer, *Athysanella* (*Gladionura*)
direpta Knull, *Erythroneura* (*Eratoneura*)
dirigens Walker, *Coelidia*
discalis Van Duzee, *Sanctanus*
discessus Horvath, *Opsioides*
discessus Van Duzee, *Hebecephalus*
discicollis Herrich-Schaeffer. See *Alebra* (*Alebra*)
 α lbostriella *discicollis*.
discicollis Stål, *Gypona*
discifera Walker. See *Eury melo ides pulchra*.
disciguttus Matsumura. See *Naratettix zonatus* *disciguttus*.
disciguttus Walker, *Hishimonus*
discoidalis Lethierry, *Thamnotettix*
discoidalis Signoret. See *Eury melo fenestrata*.
discoideus Fabricius, *Dilobopterus*
discoidula Osborn, *Tettigella*
discolor Flor. See *Idiocerus poecilus*.
discolor Hepner, *Eutettix*
discolor Horváth, *Zygina*
discolor Sahlberg, *Ederranus*
discolor Stål, *Coelidia*
discolor Uhler, *Ledropsis*
disconotata Osborn, *Neodikrella*
discrepans Walker. See *Apogonalia spinolae*.
discreta Melichar, *Amblydisca*
diserus DeLong, *Idiodonus*
disintegrans Walker, *Coelidia*
disjuncta McAtee. See *Erythroneura* (*Erythroneura*)
 α cymbium *disjuncta*.
disjuncta Ribaut. See *Zyginidia* (*Arboridia*) *parvula*.
disjuncta Zachvatkin. See *Ribautiana tenerima* *disjuncta*.
disjunctus Baker, *Pedioscopus*
dispar Blöte. See *Aphrodes albifrons* var. *blotei*.
dispar Fieber, *Macropsidius*
dispar Fowler, *Oncometopia* (*Oncometopia*)
dispar Germar, *Dilobopterus*
dispar Horvath. See *Epiacanthus guttiger aurantius*.
dispar Nast, *Confucius*
dispar Zetterstedt. See *Aphrodes albifrons* *dispar*.
disparatus Melichar, *Selenocephalus*
disparilis Oman, *Agalliopsis*
dissimilata Ball, *Ballana*
dissimilis Distant, *Xestocephalus*
dissimilis Schmidt, *Stictoscarta*
dissoluta Jacobi, *Coelidia*
distantella Matsumura. See *Empoanara maculosa*.
distanti Baker, *Deltcephalus*
distanti Baker, *Iposcopus*
distanti Baker, *Penthimia*
distanti Metcalf, *Microgoniella*
distanti Metcalf, *Poeciloscarta*
distanti Schmidt, *Eleazara*
distincta Edwards. See *Typhlocyba callosa* *distincta*.
distincta Fairbairn. See *Hymetta balteata*.
distincta Knull & Auten, *Erythroneura* (*Eratoneura*)
distincta McAtee. See *Ossiannilssonola antigone*.
distincta Oman, *Agalliopsis*
distincta Oman, *Neocoelidiana* (*Coelella*)
distincta Signoret, *Balacha*
distincta Signoret. See *Eury melo fenestrata*.
distinctus DeLong, *Chlorotettix*
distinctus Gillette & Baker, *Idiocerus*
distinctus Lathrop, *Texananus* (*Texananus*)
distinctus Melichar. See *Platymetopius undatus* *distinctus*.
distinctus Motschulsky, *Togacephalus*
distinctus Scott. See *Macropsis infuscata*.
distinctus Van Duzee. See *Oncopsis verticis*.
distinguenda Fowler, *Poeciloscarta*
distinguenda Kirschbaum, *Euscelis*
distinguenda Kirschbaum, *Zygina*
distinguenda Paoli, *Empoasca*
distinguendus confinis Rey. See *Jassargus* (*Jassargus*)
 α distinguendus reyi.
distinguendus Flor, *Jassargus* (*Jassargus*)
distinguendus gallicus Metcalf, *Jassargus* (*Jassargus*)
distinguendus Kirschbaum. See *Idiocerus cognatus*.
distinguendus longiceps Rey. See *Jassargus* (*Jassargus*)
 α distinguendus gallicus.
distinguendus reyi Metcalf, *Jassargus* (*Jassargus*)
distinstus Motschulsky. See *Togacephalus distinctus*.
distracta DeLong & Caldwell, *Empoasca* (*Empoasca*)
ditata DeLong & Caldwell, *Empoasca* (*Empoasca*)
dithyridis Beirne, *Oncopsis*
diutia DeLong, *Ballana*
diutius DeLong & Mohr, *Scaphoideus*
diva complementa McAtee, *Erythroneura* (*Erythroneura*)
diva McAtee, *Erythroneura* (*Erythroneura*)
divaricata pallidfrons [sic] Ribaut, *Cicadula*
divaricata Ribaut, *Cicadula*
divaricatus Melichar, *Parallygus*
divaricatus Sanders & DeLong, *Limotettix*
divergens DeLong, *Omanana*
divergens Oman, *Paraphlepsius*
divergens Rey. See *Psammotettix striatus* *divergens*.
divergens Ribaut. See *Edwardsiana plebeja*.
divergens Sanders & DeLong, *Chlorotettix*
divergens Schmidt, *Aulacizes*
divergens Schmidt, *Pseudophera*
diversa Ball & Beamer, *Athysanella* (*Gladionura*)
diversa Distant. See *Moonia brunnea*.
diversa Edwards, *Edwardsiana*
diversa Knull, *Ballana*
diversa Schmidt, *Erythrogonia*
diversa Signoret, *Eugonalia*
diversa Walker, *Coelidia*
diverta DeLong & Davidson, *Empoasca* (*Empoasca*)
dives Walker, *Abana* (*Abana*)
divisa DeLong & Hershberger, *Mesamia*
divisa McAtee, *Erythroneura* (*Erythridula*)
divisa Signoret, *Amblyscarta*
divisa Stål, *Stragania*

- divisifrons Naude, Cicadula
 divisus DeLong, Scaphytopius
 divisus Evans, Idiocerus
 divisus Uhler, Macrosteles
 dixiana Oman & Beamer, Cuerna
 dixianus acutus Thomas, Stirellus
 dixianus Ball. See Scaphytopius (*Cloanthanus*) nigriviridis.
 dixianus robustus Thomas, Stirellus
 dixianus Thomas, Stirellus
 docilis Van Duzee, Paraphlepsius
 doderi Ferrari. See Euscelidius variegatus doderi.
 dodonana Beamer, Alconeura (*Alconeura*)
 dodonanus Ball, Scaphytopius (*Convelinus*)
 doeringae Beamer & Tuthill, Flexamia
 doeringi Lawson. See Acinopterus productus.
 doeringii Berg, Cuerna
 dohertyi Distant, Dusuna
 dohertyi Distant, Myittana
 dohrni Stål, Ponana (*Ponana*)
 dohrnii Signoret, Hordnia
 dolens Melichar, Selenocephalus
 dolichi Paoli, Empoasca
 dolichocephala Kirkaldy, Giffardia
 dolobrata Ball, Keonolla
 dolonis Oman, Empoasca
 dolosa Ball. See Mesamia straminea dolosa.
 dolosa Beamer & Griffith, Erythroneura (*Erythridula*)
 dolosa interjecta Beamer & Griffith, Erythroneura
 (*Erythridula*)
 dolosa occidua Beamer & Griffith, Erythroneura
 (*Erythridula*)
 dolosum Melichar, Heterostemma
 dolosus Ball, Idiocerus
 dolus DeLong, Texananus (*Texananus*)
 dominicana Dozier, Graphocephala
 donaldsoni Baker, Parallaxis
 dondia Oman, Ceratagallia
 dongarrensis Evans, Rhotoides
 doris Kirkaldy, Erythroneura
 dorothyae Davidson & DeLong, Empoasca (*Empoasca*)
 dorothyae DeLong, Texananus (*Excultanus*)
 dorrigensis Evans, Kana
 dorsalis Ball, Scaphytopius (*Cloanthanus*)
 dorsalis Blanchard, Oncopsis
 dorsalis DeLong, Alconeura (*Alconeura*)
 dorsalis Esaki. See Togaritettix serratus.
 dorsalis Gillette, Atanus
 dorsalis Gillette. See Erythroneura (*Erythridula*)
 lawsoniana.
 dorsalis Horváth, Zygina
 dorsalis Lethierry, Agallia
 dorsalis Matsumura. See Stragania matsumurai [sic].
 dorsalis Motschulsky, Inazuma
 dorsalis Osborn, Cicadula
 dorsalis Schmidt. See Conogonia affinis dorsalis.
 dorsalis Signoret, Gyponana
 dorsalis Spångberg. See Gypona melanota.
 dorsalis Walker, Ledra
 dorsalis Walker. See Putoniessa rivularis.
 dorsata Oman, Agallia
 dorsicrista Walker. See Proconia marmorata.
 dorsifascia Osborn, Tettigella
 dorsiger Peletier & Serville. See Idiocerus lituratus.
 dorsigera Walker, Trocnada
 dorsigutta Melichar, Microgoniella
 dorsimacula Walker, Coelidia
 dorsimaculata Melichar, Mileewa
 dorsignata Fowler, Salvina
 dorsignata Melichar, Microgoniella (*Microscita*)
 dorsivitta Melichar. See Mukaria maculata.
 dorsivitta Walker, Acrocampsia
 dorsovittata DeLong, Empoasca
 dorsovittatus Kato, Platymetopius
 dorsti Oman, Deltacephalus
 dorsti Ossiannilsson, Edwardsiana
 dorsuaria Ribaut. See Zygina nivea dorsuaria.
 dorycnii inops Ribaut, Erythroneura
 dorycnii Ribaut, Erythroneura
 dorycnii spoliata Ribaut, Erythroneura
 douglasi Edwards, Typhlocyba
 dowelli Beamer, Erythroneura (*Erythridula*)
 downesi Ball & Parker, Idiocerus
 dozieri Sanders & DeLong, Chlorotettix
 draba Evans, Polana
 dracontea Gibson, Dragonana
 dracula Evans, Paulianiana
 drakei Osborn. See Remadosus fumidus.
 drakensteini Naudé, Eurinoscopus
 drewseni Stål, Apogonalia
 drummondi Evans, Stenoscopus
 druryi Metcalf. See Tettigella[incert.sed.] cruenta.
 drusilla Distant, Abana (*Abana*)
 dryas Kirkaldy, Eurinoscopus
 dryas Kirkaldy, Nesosteles
 dryas Kirkaldy, Thalattoscopus
 dualis DeLong, Negosiana
 dubia Ball & Beamer, Athysanella (*Gladionura*)
 dubia Distant. See Typhlocyba dubiosa.
 dubia Fieber, Typhlocyba
 dubia Fieber. See Oncopsis flavidollis dubia.
 dubia Fowler, Gypona
 dubia Schmidt, Yunga
 dubia Signoret. See Tettigella[incert.sed.] brasiliensis.
 dubia Walker, Coelidia
 dubiatus Bierman, Parabolocratus
 dubiatus Caldwell. See Nesosteles sandersi dubiatus.
 dubiosa Baker, Coelidia
 dubiosa Baker, Typhlocyba
 dubiosa Dozier, Tettigella
 dubiosa Oman, Agalliopsis (*Agallaria*)
 dubiosus infirmus Young & Frazier, Circulifer
 dubiosus Matsumura, Circulifer
 dubitans Melichar, Athysanus
 dubitus DeLong & Caldwell, Notus
 dubius Berg. See Metascarta platensis.
 dubius Ferrari, Athysanus
 dubius Jacobi, Phlepsius
 dubius Linnauvori, Spathifer

- dubius Melichar, *Parabolocratus*
dubius Osborn. See *Coelidia dubiosa*.
dubius Van Duzee, *Scaphytopius* (*Cloanthanus*)
dufouri Ribaut. See *Alebra* (*Alebra*) *albostriella dufouri*.
dufourii abdominalis Schmidt, *Oncometopia* (*Molomea*)
dufourii Signoret, *Oncometopia* (*Molomea*)
dulcis McAtee. See *Erythroneura* (*Eratoneura*) *osborni dulcis*.
dumosa Beamer, *Erythroneura* (*Eratoneura*)
dumosa Ribaut, *Empoasca*
dunensis Myers, *Novothymbris*
dunkensis Evans, *Thaumatoscopus*
dunsirensis Distant, *Tettigella*
ducolorus DeLong, *Scaphytopius* (*Cloanthanus*)
duodecimguttatus Cerutti, *Adarrus* (*Belaunus*)
duodecimpunctata Germar, *Amblyscarta*
duodens Davidson & DeLong, *Empoasca*
duodens DeLong, *Omanana*
duplex Walker. See *Bothrogonia ferruginea*.
duplica Ruppel & DeLong, *Dikrella*
duplicaria Distant, *Poeciloscarta*
duplicata Caldwell, *Joruma*
duplicata Jacobi. See *Typhlocyba jacobii*.
duplicata McAtee, *Ossiannilssonola*
duplicata Melichar, *Erythrogonia*
duplus DeLong, *Arundanus*
dura Knull, *Erythroneura* (*Eratoneura*)
durbanensis Distant, *Hecalus*
durga Distant, *Paivanana*
durus Beamer & Tuthill, *Deltocephalus*
durus Brown, *Chlorotettix*
duzeei Provancher, *Idiocerus*
dyer Gibson, *Carneocephala*
ebena Ruppel & DeLong, *Kunzeana*
eberneus Hepner. See *Eutettix aequalis eberneus*.
eborea Evans, *Occinirvana*
eborea Ruppel & DeLong, *Alconeura*
eborolora Ruppel & DeLong, *Idona*
ebria McAtee, *Joruma* (*Joruma*)
eburata Melichar, *Erythrogonia*
eburata Ruppel & DeLong, *Kunzeana*
eburata Walker, *Gabrita*
eburatus Van Duzee, *Colladonus*
eburnea cruenta Ribaut, *Erythroneura*
eburnea DeLong. See *Alebra* (*Alebra*) *albostriella*.
eburnea Evans, *Macropsis*
eburnea Fieber, *Erythroneura*
eburnea Ruppel & DeLong, *Dikrella*
eburnea virgata Ribaut, *Erythroneura*
eburnea Walker, *Tettigella*
eburneola Oman, *Onura*
eburneola Osborn, *Elabra*
eburneola Osborn, *Nesophrosyne* (*Nesoreias*)
eburneolus Osborn & Lathrop, *Paraphlepsius*
eburneomaculatus Osborn, *Idiocerus*
eburneus DeLong, *Sanctanus*
ecchelii Ferrari, *Deltocephalus*
eclesia Melichar, *Erythrogonia*
ecuadora Osborn, *Gypona*
ecuadoriana Schmidt, *Homoscarta*
edentula Young, *Empoasca*
edentulus DeLong, *Idiodonus*
edithae White, *Empoasca* (*Chlorita*)
eductus Naude, *Deltocephalus*
edwardsi Lindberg, *Cosmotettix*
edwardsii Signoret, *Apogonalia*
effulgens Curtis. See *Idiocerus populi*.
egenus Ball, *Colladonus*
egregia Schumacher, *Coelidia*
egregius Stål, *Selenocephalus*
ehu Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
electa McAtee, *Erythroneura* (*Erythridula*)
electa Melichar, *Poeciloscarta*
electus DeLong, *Paraphlepsius*
elegans Blanchard, *Iassus*
elegans DeLong & Hershberger, *Sanctanus* (*Sanctanus*)
elegans Distant. See *Coelidia rama*.
elegans Evans, *Eurinoscopus*
elegans Flor, *Idiocerus*
elegans glennanus Ball. See *Scaphytopius* (*Scaphytopius elegans*).
elegans Lawson. See *Tinobregmus pallidus elegans*.
elegans McAtee, *Erythroneura* (*Erythroneura*)
elegans Melichar, *Adelungia*
elegans Melichar, *Microgoniella*
elegans Melichar, *Thamnotettix*
elegans Oman, *Agalliopsis*
elegans Oman, *Xerophloea*
elegans Osborn, *Menosoma*
elegans Spångberg, *Coelidia*
elegans Spångberg, *Terulia*
elegans Van Duzee, *Neopsis*
elegans Van Duzee, *Scaphytopius* (*Scaphytopius elegantalus*)
elegans Melichar, *Scaphoideus*
elegantissima Blanchard, *Amblyscarta*
elegantula Distant, *Nehela*
elegantula Germar, *Erythrogonia*
elegantula Osborn, *Erythroneura* (*Erythroneura elegantula*)
elegantula Zetterstedt. See *Alebra* (*Alebra*) *albostriella*.
elegantulus Distant. See *Scaphoideus elegantulus*.
elegantulus Kirschbaum. See *Sardius argus*.
elegantulus Linnavuori, *Stirellus*
elegia Cogan, *Erythroneura*
elexa DeLong, *Ballana*
elimatus Ball, *Dalbulus*
eliyana Distant, *Kolla*
ellipticus Jacobi, *Hecalus*
ellisae Wheeler, *Empoasca* (*Empoasca elegans*)
elmata Christian, *Empoa*
elegantula Vismara. See *Anaceratagallia venosa elegantula*.
elongata Ball, *Gyponana* (*Gyponana elongata*)
elongata Ball, *Homalodisca*
elongata Ball, *Kinonia*
elongata DeLong. See *Empoasca* (*Empoasca elongella*)
elongata Distant, *Bumizana*
elongata Kato, *Empoasca* (*Homa*)
elongata Lethierry, *Aphrodes*
elongata Lindberg, *Agallia*

elongata Melichar, *Dichrophleps*
 elongata Oman, *Xerophloea*
 elongata Osborn, *Ophiola*
 elongata Signoret, *Apulia*
 elongata Wagner, *Rhopalopyx*
 elongata Walker. See *Tettigella*[incert.sed.] *borneonensis*.
 elongatoocellata *jenjouristi* *Zachvatkin*, *Recilia*
 elongatoocellata *Motschulsky*, *Recilia*
 elongatula Melichar, *Poecilocarda*
 elongatum Naudé, *Paradorydium*
 elongatus Ball & DeLong, *Notus*
 elongatus Ball, *Texananus* (*Iowanus*)
 elongatus Beamer & Tuthill, *Alapus*
 elongatus Beirne, *Macrosteles*
 elongatus DeLong & Beery, *Scaphoideus*
 elongatus DeLong & Hershberger, *Sanctanus* (*Sanctanus*)
 elongatus DeLong, *Parabolocratus*
 elongatus DeLong, *Scaphytopius*
 elongatus Evans, *Hecalus*
 elongatus Evans, *Parabolocratalis*
 elongatus Lawson. See *Acinopterus viridis variegatus*.
 elongatus Lethierry. See *Goniagnathus punctifer*.
 elongatus Matsumura, *Drabescus*
 elongatus Melichar, *Eutettix*
 elongella Metcalf, *Empoasca* (*Empoasca*)
 eluta McAtee, *Erythroneura* (*Erythridula*)
 elvina Butler, *Diedrocephala*
 emarginata Gillette & Baker, *Elymana*
 emarginata McAtee, *Sirosoma*
 emarginata Osborn, *Athy sanella* (*Gladionura*)
 emarginata Osborn, *Empoasca*
 emarginatus Baker, *Chlorotettix*
 emarginatus Crowder, *Paraphlepsius*
 emarginatus Evans, *Astrocerus*
 emilus Bliven, *Eurevacanthus*
 empetri Ossiannilsson, *Macrosteles*
 emqua Ross & DeLong, *Erythroneura*
 emulata Oman. See *Agalliopsis* (*Agalliopsis*) *novella*
 emulata.
 enascora DeLong & Johnson. See *Edwardsiana dorsti*.
 enata Knull, *Erythroneura* (*Erythridula*)
 engelhardtii Kusnezov, *Goniagnathus*
 engelhardtii Kusnezov, *Petalocephala*
 enigma Jacobi, *Coloborrhis*
 ensatus Then. See *Diplocolenus nigrifrons*.
 ensifera Schmidt, *Wolfella*
 ensiformis Oman & Wheeler, *Empoasca* (*Hebata*)
 ensiformis Schmidt, *Wolfella*
 ensiger Ball, *Idiocerus*
 ensigera Oman, *Agalliana*
 ensigera Osborn, *Coelidia*
 eos Haupt, *Balclutha*
 epimiltia Walker, *Typhlocyba*
 epipyropis Kirkaldy, *Epipsychidion*
 epirrhoena Walker, *Iassus*
 episcopalis Walker, *Ledra*
 episcopalis [sic] Signoret, *Amblyscarta*
 eques Jacobi, *Deltoccephalus*
 equestris Fabricius, *Gypona*

era McAtee, *Erythroneura* (*Eratoneura*)
 erasa McAtee. See *Erythroneura* (*Erythroneura*) *calycula*
 erasa.
 eribus Distant, *Deltoccephalus*
 eribus Distant, *Guliga*
 eribus Distant, *Penthimia*
 erecta DeLong, *Stenocoelidia* (*Eurycoelidia*)
 erecta Ribaut, *Zyginiida* (*Arboridiida*)
 eresia Distant, *Mareba*
 ericae Germar. See *Ulopa reticulata*.
 ericetorum Peletier & Serville. See *Ulopa reticulata*.
 ericetorum Sahlberg. See *Zygina rubrovittata*.
 erichsoni Distant, *Alahana*
 erigeron DeLong, *Empoasca* (*Empoasca*)
 eriocephala Cogan, *Euscelis*
 erosa McAtee, *Zygina*
 erota Distant, *Aidola*
 erubescens Horváth. See *Zygina albifrons erubescens*.
 eruca DeLong. See *Cicadula intermedia*.
 erumpens Fowler, *Paromenia*
 erupta Melichar, *Poeciloscarta*
 erythrinae Koningsberger & Zimmerman, *Typhlocyba*
 erythrocephala Ferrari, *Irinula*
 erythrocephala Germar, *Aulacizes*
 erythrocephala Gillette & Baker, *Macropsis*
 erythrocephala Wheeler, *Empoasca* (*Empoasca*)
 erythrocnemis Burmeister, *Eurymela*
 erythroneura [sic] Haupt, *Stegelytra*
 erythropthalmus Schrank, *Idiocerus*
 erythropygus Kusnezov, *Parabolocratus*
 erythrostictus Lethierry. See *Loepotettix dilutior*
 erythrostictus.
 escalantus Ball. See *Pasaremus concentricus*.
 escalerae Distant, *Penthimia*
 escana Ross & DeLong. See *Typhlocyba rubriocellata*.
 esmeraldae Melichar, *Proconia*
 espiella Distant. See *Microgoniella lepida*.
 estacada Ball, *Daltonia*
 estella Distant, *Diedrocephala*
 esuma Goding, *Empoasca* (*Empoasca*)
 eugeneus Ball, *Texananus* (*Excultanus*)
 eupelicoides Spinola, *Adiaerotoma*
 euphorbiae Osborn, *Kirkaldiella*
 euphrante McAtee, *Edwardsiana*
 eurekae Bliven, *Sequoiatettix*
 eurydice distincta McAtee. See *Ossiannilssonola antigone*.
 eurydice McAtee. See *Ossiannilssonola danae*.
 eurylobus Kirschbaum, *Deltoccephalus*
 euryphaessa Kirkaldy, *Cicadula*
 eurypterus Melichar, *Deltoccephalus*
 eurytus Kirkaldy, *Nephrotettix*
 evansi Ashmead, *Verdanus*
 evansi Metcalf, *Iassus*
 evansi Metcalf, *Macropsis*
 evansi Metcalf, *Tartessus*
 eversi Ross & DeLong, *Erythroneura* (*Eratoneura*)
 ewana Osborn, *Kirkaldiella*
 eweraformis Caldwell, *Empoasca*
 exaltata Fabricius. See *Idiocerus larvatus*.

- exaltata Melichar, Oncometopia (Lebora)
 exaltatus Fabricius, Dilobopterus
 excava Davidson & DeLong, Empoasca (Kybos)
 excavata atra Melichar, Teletusa
 excavata cinctipes Walker, Teletusa
 excavata intermedia Walker, Teletusa
 excavata Lindsay, Norvellina
 excavata Oman, Agallia
 excavata Osborn, Athysanella (Gladiionura)
 excavata Peletier & Serville, Teletusa
 excavata rufifacies Walker, Teletusa
 excavatus Beamer & Lawson, Acinopterus
 excavatus Crowder, Paraphlepsius
 excavatus DeLong & Hershberger, Exitianus
 excavatus DeLong, Idiodonus
 excavatus DeLong. See Arundanus rubralineus excavatus.
 excavatus Knull, Spathanus
 excavatus Oman, Psammotettix
 excelsa Distant, Apulia
 excelsa Distant, Coelidia
 excelsa Fowler, Gypona
 excelsa Melichar, Oniella
 excisa Melichar, Erythrogonia
 excisum Schmidt, Diestostemma
 excisus Haupt. See Solenopyx sulphurella.
 excisus Matsumura. See Psammotettix lividellus.
 excludens Walker. See Homalodisca triquetra.
 excultus Sanders & DeLong, Chlorotettix
 excultus Uhler, Texananus (Excultanus)
 executus DeLong. See Auridius auratus.
 exemplificatus Distant, Daimachus
 exemptus Melichar, Loepotettix
 exhibita Distant, Assiringia
 exigua Melichar, Ujna
 exiguis Knull, Laevicephalus
 exiguis Melichar, Paralimnus
 exila Ruppel & DeLong, Dikrella
 exilis Horváth, Doratura
 exilis Naudé, Empoasca
 exilis Oman, Agalliopsis (Agallaria)
 exilis Wagner, Psammotettix
 eximia Haglund, Penthimidia
 eximia Hardy. See Alebra (Alebra) albostriella discicollis.
 eximus Kirschbaum, Parabolocratus
 exitiosus angustatus DeLong & Hershberger, Exitianus
 exitiosus Beamer, Atanus
 exitiosus pallidens DeLong & Hershberger, Exitianus
 exitiosus Uhler, Exitianus
 exoleta Melichar, Stictoscarta
 exoptata Walker, Coelidia
 exornata Polana
 exornata Horváth, Typhlocyba
 exornatus Ribaut, Adarrus (Adarrus)
 expanda DeLong & Johnson, Edwardsiana
 expanda DeLong, Gyponana (Gyponana)
 expansa Melichar, Oncometopia (Oncometopia)
 expansa Stål. See Epiclinata planata.
 expansa Zachvatkin, Zyginiida (Arboridiida)
 exposita Jacobi, Chudania
- exquadratus Naude, Deltocephalus
 exquisitos Osborn. See Colladonus collaris.
 exquisitus Osborn, Idiocerus
 exsultans McAtee, Empoasca (Acia)
 extenda DeLong, Gyponana (Gyponana)
 extensa DeLong, Ponana (Bulbana)
 extensa Oman, Agallia
 extensa Osborn. See Athysanella (Gladiionura) curtipennis.
 extensus Crowder, Texananus (Texananus)
 externa Beamer, Erythroneura (Eratoneura)
 extima Beamer, Erythroneura (Erythridula)
 extranea Fowler, Gypona
 extrema Auten & Johnson. See Erythroneura (Erythridula)
 perita.
 extrema DeLong, Gypona
 extremus Ball, Texananus (Texananus)
 extremus Walker, Evacanthus
 extremus Walker, Iassus
 extricans Walker, Tettigella
 extrusa Osborn. See Athysanella (Amphipyga) attenuata.
 extrusus Van Duzee, Extrasanus
 ezba Distant, Amblydisca
 fabae Harris, Empoasca (Empoasca)
 fabalis DeLong, Empoasca
 fabricii Metcalf, Acrogonia
 fabricii Metcalf, Astenogonia
 fabricii Metcalf, Homalodisca
 fabricii Metcalf, Poeciloscarta
 fabricii Metcalf. See Athysanus smidtii.
 fabricii Metcalf. See Batracomorphus allionii.
 fabricii Metcalf. See Proconia marmorata fabricii.
 fabricii Signoret. See Raphirhinus fasciatus.
 facetula Jacobi, Cyclogonia
 facialis Distant, Dio
 facialis Distant, Hecalus
 facialis Distant, Matsumurana
 facialis Distant, Paralimnus
 facialis Distant, Postumus
 facialis Flor. See Notus molliculus.
 facialis Jacobi, Empoasca
 facialis Naudé. See Empoasca naudei.
 facialis Signoret, Oncometopia (Oncometopia)
 facota Beamer, Erythroneura (Eratoneura)
 facula Breddin, Sphaeropogonia
 fagi DeLong, Gyponana (Gyponana)
 fagi Fitch, Oncopsis
 fahringeri Melichar, Cicadella [Duméril 1806]
 fairmairei Dohrn. See Poeciloscarta fairmairei [sic].
 fairmairei [sic] Signoret, Poeciloscarta
 falca DeLong & Davidson, Empoasca (Empoasca)
 falcata Beamer, Erythroneura (Erythridula)
 falcata Hepner, Aligia
 falcatus DeLong, Scaphytopius (Cloanthanus)
 falcatus Linnavuori, Adarrus
 falcifer Boheman. See Idiocerus poecilus.
 falculata Ribaut, Cicadella [Duméril 1806]
 falklandica Enderlein, Aphrodes
 fallaciosa Linnavuori, Bahita
 fallacious Matsumura, Paralimnus

- fallax Kirschbaum. See *Grypotes puncticollis*.
 fallax Matsumura. See *Naratettix zonatus fallax*.
 fallax Sanders & DeLong, *Chlorotettix*
 fallax Spångberg, *Gypona*
 falleni Metcalf, *Hesium*
 falleni Stål, *Teletusa*
 falléni [sic] Fieber, *Jassargus*
 fallenii Kirschbaum. See *Idiocerus tremulae*.
 famelicum Melichar, *Mesodorydium*
 faminei Stål, *Amplicecephalus*
 faminoides Linnavuori, *Amplicecephalus*
 farcta Glover. See *Penthimia americana*.
 farinaria Amyot & Serville. See *Paragonalia sanguinicollis*.
 farinosa Fabricius. See *Poochara brevifrons*.
 fasciata Ball & Beamer, *Gillettella*
 fasciata Beamer, *Twiningia*
 fasciata Curtis. See *Alebra (Alebra) albostriella*.
 fasciata Distant, *Kyphocotis*
 fasciata Evans, *Ipoedes*
 fasciata Kato, *Athysanopsis*
 fasciata Melichar, *Thagria*
 fasciata Osborn, *Agalliopsis*
 fasciata Osborn, *Conala*
 fasciata Osborn, *Empoasca*
 fasciata Osborn, *Menosoma*
 fasciata Singh-Pruthi, *Kana*
 fasciata Tollin. See *Typhlocyba quercus*.
 fasciaticollis Rey. See *Zygina distinguenda*.
 fasciaticollis Stål, *Terulia*
 fasciaticollis Stål, *Thamnotettix*
 fasciatipennis Spångberg, *Coelidia*
 fasciatus Beamer, *Cosmotettix*
 fasciatus Curtis. See *Aphrodes bicincta*.
 fasciatus DeLong, *Artucephalus*
 fasciatus DeLong, *Scaphytopius (Cloanthanus)*
 fasciatus Distant, *Sitades*
 fasciatus Evans, *Xestocephalus*
 fasciatus Fabricius, *Raphirhinus*
 fasciatus Ferrari. See *Circulifer fenestratus fasciatus*.
 fasciatus Fieber, *Idiocerus*
 fasciatus Fieber. See *Psammotettix pictipennis*.
 fasciatus Metcalf, *Osbornellus*
 fasciatus Osborn, *Idiotettix*
 fasciatus Osborn, *Sanctanus (Cruciatus)*
 fasciatus Osborn. See *Idiocerus smithii*.
 fasciatus Signoret, *Macroceps*
 fasciatus variabilis Osborn, *Sanctanus (Cruciatus)*
 fasciatus Walker, *Tylozygus*
 fasciculata Schmidt, *Toba*
 fascifrons Osborn, *Coelidia*
 fascifrons Stål, *Macrosteles*
 fascigera Uhler, *Agallia*
 fasciifrons Linnavuori. See *Oncopsis appendiculata fasciifrons*.
 fasciifrons Melichar, *Petalocephala*
 fasciolata Bodenheimer, *Heliona*
 fasciolata Lethierry, *Helionidia (Tamaricella)*
 fasciolatus Distant, *Idiocerus*
 fasciolatus Melichar, *Athysanus*
 fasciolatus Melichar, *Phlepsius*
 fastiga DeLong, *Gyponana (Gyponana)*
 fastigatus DeLong, *Arundanus*
 fastigiata Uhler, *Proconia*
 fastigor DeLong. See *Acusana insignita fastigor*.
 fastosa Metcalf & Bruner, *Ponana*
 fastuosa Fabricius, *Pseudoscarta*
 fastuosa Graaf, Six & Snellen. See *Alebra (Alebra) albostriella*.
 fastuosa Spångberg, *Gypona*
 fastuosus Ball, *Paraphlepsius*
 fatena DeLong. See *Gyponana (Gyponana) serrata fatena*.
 fatidica Melichar, *Poeciloscarta*
 fatiganda Kirkaldy, *Phrynophyes*
 faurea Naudé, *Empoasca*
 fausta Knull, *Erythroneura (Eratoneura)*
 fausta Walker, *Tettigella*
 federalis Evans, *Macropsis*
 feirde Beirne, *Dikraneura*
 felix Berg, *Spangbergiella*
 feminea McAtee, *Joruma (Joruma)*
 femorata Osborn, *Bahita*
 femoratus Ball, *Idiocerus*
 fenestrata Ball, *Eusora*
 fenestrata Melichar. See *Typhlocyba bifasciata fenestrata*.
 fenestrata Peletier & Serville, *Eurytela*
 fenestrata Schrank. See *Iassus schrankii*.
 fenestrata Signoret. See *Microgoniella flavomaculata*.
 fenestratus Curtis. See *Oncopsis flavidollis*.
 fenestratus fasciatus Ferrari, *Circulifer*
 fenestratus Fitch. See *Oncopsis fitchi*.
 fenestratus Herrich-Schaeffer, *Circulifer*
 fenestratus transversalis Puton, *Circulifer*
 fenestratus Uhler. See *Hecalus lineatus*.
 fenestratus venosa Fieber. See *Circulifer guttulatus*.
 fenestrellus Ball, *Parabolocratus*
 feralis Fowler, *Pamplona*
 fergana Kusnezov, *Doratuopsis*
 ferganae Kusnezov, *Semenovium*
 ferganensis Kusnezov, *Goniagnathus*
 fergusoni Evans, *Macropsis*
 ferrarii Haupt, *Platymetopius*
 ferrarii Puton, *Erythridea*
 ferratus DeLong & Davidson, *Psammotettix*
 ferriplena Walker, *Coelidia*
 ferrugatula Breddin, *Mesogonia*
 ferrugina Ruppel & DeLong, *Idona*
 ferruginea apicalis Walker, *Bothrogonia*
 ferruginea Fabricius, *Scaris*
 ferruginea Stål, *Terulia*
 ferruginea Walker, *Stenocotis*
 ferrugineoides Van Duzee, *Macropsis*
 ferrugineus akonis Matsumura, *Tartessus*
 ferrugineus Curtis. See *Oncopsis flavidollis*.
 ferrugineus Matsumura, *Sujitettix*
 ferrugineus Melichar, *Parabolocratus*
 ferrugineus nigricosta Matsumura, *Tartessus*

- ferrugineus Walker, *Tartessus*
 ferruginosa Goding, *Zyzzogeton*
 ferruginosa Osborn, *Coelidia*
 fervens Walker, *Gypona*
 fervens Walker. See *Dilobopterus laetus*.
 fervida Walker, *Scaris*
 fessulus Van Duzee, *Thamnotettix*
 festiva Beamer, *Erythroneura (Erythroneura)*
 festiva Fabricius. See *Cicadella [Duméril 1806]* aurata.
 festiva Fabricius. See *Diedrocephala splendida*.
 festiva Melichar, *Poeciloscarta*
 festiva Melichar. See *Tettigella [incert.sed.] pallidicornis*.
 festiva Rey, *Dikraneura*
 festivus Maldonado Capriles, *Idiotettix*
 festivus Matsumura, *Scaphoideus*
 festivus Melichar, *Deltoccephalus*
 fibrata DeLong, *Gyponana (Rugosana)*
 ficaria Horváth, *Typhlocyba*
 fidelis Distant, *Mahalana*
 fidelis Evans, *Ipoella*
 fiduciaria Knoll, *Erythroneura (Erasmoneura)*
 fidus Knoll, *Sorhoanus*
 fieberi Edwards, *Macrosteles*
 fieberi Ferrari. See *Placotettix taeniatifrons*.
 fieberi Löw. See *Forcipata citrinella*.
 fieberi Metcalf, *Cicadella [Duméril 1806]*
 fieberi Metcalf, *Sorhoanus*
 fieberi Ossiannilsson, *Macropsis*
 fieberi Stål, *Tartessus*
 fieberi Vismara. See *Peragallia sinuata*.
 figurata Fowler, *Aulacizes*
 figuratus Osborn, *Idiocerus*
 fijiiana Osborn, *Coelidia*
 filamenta abbreviata DeLong, *Empoasca (Empoasca)*
 filamenta DeLong, *Ballana*
 filamenta DeLong, *Empoasca (Empoasca)*
 filamenta DeLong, *Neocoelidiana*
 filamentus DeLong & Beery, *Osbornellus*
 filamentus DeLong, *Chlorotettix*
 filamentus DeLong. See *Scaphytopius (Cloanthanu)*
 acutus.
 filamentus Oman, *Errhomus*
 filaretanus Berg, *Athyranus*
 filicicola Kirkaldy, *Limotettix*
 filicicola Kirkaldy. See *Nesophryne kaiamamao*.
 filicis Evans, *Macropsis*
 filicis Metcalf & Bruner, *Hortlesia*
 filicum Newman, *Cicadella [Duméril 1806]*
 filigranus Haupt, *Orosius*
 filigranus Scott, *Platymetopius*
 filirostris De Geer. See *Raphirhinus phosphoreus*.
 fimbriata DeLong, *Gyponana (Gyponana)*
 finitima Van Duzee, *Ophiola*
 firma Beamer, *Erythroneura (Eratoneura)*
 firma DeLong, *Ballana*
 firmus Beamer, *Hebecephalus*
 fissostula Jacobi, *Erythrogonia*
 fitchi Van Duzee, *Idiocerus*
 fitchi Van Duzee, *Oncopsis*
 fitchii Osborn. See *Empoa querci*.
 fitchii Signoret, *Omagua*
 fitchii Van Duzee, *Graminella*
 fumensis Matsumura. See *Typhlocyba exornata*.
 flabellula Jacobi, *Cephalogonalia*
 flabellum DeLong. See *Sorhoanus helvinus*.
 flaccida Fowler, *Graphocephala*
 flammea Olivier. See *Raphirhinus fasciatus*.
 flammea Signoret, *Cicciana*
 flammeicolor Fowler, *Pherodes*
 flammeus Osborn, *Idiocerus*
 flammidula Jacobi, *Poeciloscarta*
 flammigera Fourcroy, *Zygina*
 flammigera ruficosta Fieber, *Zygina*
 flammigera Villers. See *Platymetopius undatus*.
 flandersi Evans, *Citriopis*
 flava Evans, *Astroagaloides*
 flava Evans, *Austronirvana*
 flava Evans, *Megalopenthimia*
 flava Haupt. See *Balclutha haupti*.
 flava Osborn & Ball. See *Driotura gammaroides flava*.
 flava Prohaska. See *Macropsis virescens flava*.
 flava Robinson. See *Erythroneura (Erythroneura) vitis*.
 flava Signoret, *Aulacizes*
 flavela Ruppel & DeLong, *Kunzeana*
 flavens DeLong, *Scaphytopius (Cloanthanu)*
 flavens Evans, *Anipo*
 flaveola Boheman, *Rhopalopyx*
 flaveola Fabricius, *Acrogonia*
 flaveola Matsumura, *Ishidaella*
 flaveolus Lindberg, *Platyproctus*
 flaveolus Matsumura, *Macrosteles*
 flaveolus Osborn, *Deltoccephalus*
 flavescentis Baker, *Nesosteles*
 flavescentis Fabricius, *Empoasca (Empoasca)*
 flavescentis Goeze. See *Typhlocyba querqus*.
 flavescentis Guérin-Méneville, *Eupelix*
 flavescentis Metcalf, *Dasmeusa*
 flavescentis Montrouzier. See *Tettigella montrouzieri*.
 flavescentis petiolata Cerutti, *Empoasca (Empoasca)*
 flavescentis Provancher. See *Oncopsis variabilis*.
 flavescentis punctata Kato, *Empoasca (Empoasca)*
 flavescentis Signoret, *Reuteriella*
 flavescentis subvaria Rey, *Empoasca (Empoasca)*
 flavibasis Walker, *Tartessus*
 flavicans Ivanoff, *Athyranus*
 flavicatella Graaf. See *Tettigella viridis*.
 flavicauda Taschenberg, *Tettigella*
 flaviceps Riley, *Carneocephala*
 flaviceps Stål, *Coelidia*
 flavicollis capucina Zetterstedt, *Oncopsis*
 flavicollis dubia Fieber, *Oncopsis*
 flavicollis hyalina Wagner, *Oncopsis*
 flavicollis Linnaeus, *Oncopsis*
 flavicollis luteomaculata Wagner, *Oncopsis*
 flavicollis nigritula Zetterstedt, *Oncopsis*
 flavicollis obscura Zetterstedt, *Oncopsis*
 flavicollis ochracea Rey, *Oncopsis*
 flavicollis pallens Zetterstedt, *Oncopsis*

- flavicollis Signoret, Poeciloscarta
 flavicollis transita Rey, Oncopsis
 flavicollis triangularis Fabricius, Oncopsis
 flavicosta Spångberg. See Coelidia spangbergi.
 flavicosta Stål, Deltcephalus
 flavicosta Stål, Gypona
 flavida bimaculata Osborn, Nesophyla
 flavida Lindsay, Norvellina
 flavida Naude, Balclutha
 flavida Osborn, Alconeura (Alconeura)
 flavida Osborn, Nesophyla
 flavida Osborn, Scaroidana
 flavidipes Distant, Ujna
 flavidiventris Stål, Aconuromimus
 flavidorsum Amyot & Serville, Zinneca
 flavidorsum Walker, Mysolis
 flavidus Beirne, Auridius
 flavidus Evans, Camptelasmus
 flavidus Fieber. See Psammotettix breviceps.
 flavidus Osborn, Idiocerus
 flavidus Osborn. See Nesosteles lineatus.
 flavidus Signoret, Parabolocratus
 flavifrons Hepner, Scaphytopius (Convelinus)
 flavifrons Matsumura, Alebroides
 flavifrons Matsumura, Onukia
 flavifrons Melichar, Makilingia
 flavifrons Osborn, Coelidia
 flavifrons Schmidt, Tartessus
 flavifrons Signoret, Poeciloscarta
 flavifrons transversa Melichar, Poeciloscarta
 flavigera Evans, Aphrodes
 flavilineata Fitch, Gyponana (Gyponana)
 flavimacula Kato, Onukia
 flavinervis Kirschbaum, Deltcephalus
 flavinotum Matsumura, Penthimia
 flavipecten Scott. See Psammotettix striatus flavipecten.
 flavipecten Zetterstedt, Notus
 flavipes Motschulsky, Iassus
 flavipes Signoret, Metascarta
 flavipes Spångberg, Tartessus
 flavitarsis Melichar, Penthimia
 flavivitta Berg, Deltcephalus
 flavivitta Fowler, Poeciloscarta
 flavoalbida Naude, Cicadula
 flavoapicata Melichar, Microgoniella
 flavoapicata Distant, Penthimia
 flavocapitata Kato, Balocha
 flavocapitata Kato, Bundera
 flavocapitatus Van Duzee, Conodonus
 flavocephala Kupka. See Alebra (Alebra) albostriella.
 flavocostatus Van Duzee. See Deltcephalus flavicosta.
 flavofasciata Stål, Chromagallia
 flavofasciata Taschenberg, Tettigella
 flavofasciata Taschenberg. See Tettigella[incert.sed.] nigrofuscata.
 flavoguttata Latreille, Baleja
 flavolimbata Metcalf, Gypona
 flavolimbata Signoret, Oncometopia (Lebora)
 flavolineata Distant, Nehela
- flavolineata Signoret, Microgoniella
 flavomaculata Blanchard, Microgoniella
 flavomaculata Evans, Macropsis
 flavomaculata Metcalf, Tharra
 flavomaculatus Kirkaldy, Rhotidus
 flavomarginata Gillette & Baker, Ossiannilssonola
 flavomarginata Gillette & Baker. See Pasaremus concentricus.
 flavomarginata media McAtee. See Ossiannilssonola
 flavomarginata.
 flavomarginata Melichar, Tettigella
 flavomarginata scorta McAtee. See Ossiannilssonola
 flavomarginata.
 flavomarginata vesta McAtee. See Ossiannilssonola
 flavomarginata.
 flavonervosus Melichar, Evacanthus
 flavonigra Stål, Brunerella
 flavoornata Stål, Poeciloscarta
 flavopicta Ishihara, Ophiola
 flavopunctata Blanchard, Amblyscarta
 flavopunctatus Melichar, Errhomenus
 flavoscuta clavalis McAtee. See Cicadella [Duméril 1806]
 clavalis.
 flavoscuta Gillette, Cicadella [Duméril 1806]
 flavoscuta juvenis McAtee. See Cicadella [Duméril 1806]
 juvenis.
 flavoscuta Naudé, Erythroneura
 flavoscutatus Blanchard, Iassus
 flavoscutellata Signoret, Orectogonia
 flavosparsa Signoret, Poecilocarda
 flavostriata Donovan, Aphrodes
 flavostriata Melichar, Coelidia
 flavostriata Melichar, Mohunia
 flavotaeniata Stål, Coelidia
 flavotinctus DeLong, Arundanus
 flavotinctus Osborn, Idiocerus
 flavovarius Herrich-Schaeffer, Handianus
 flavovarius palecens Ivanov, Handianus
 flavovenosa Evans, Igerna
 flavovirens Gillette & Baker, Sorhoanus
 flavovirens Lindberg, Achrus
 flavovirens Lindberg, Batracomorphus
 flavovirescens Stål, Thamnotettix
 flavovittata Metcalf, Graphocephala
 flavovittata Stål, Sibovia
 flavovittatus Matsumura, Yamatotettix
 flavovittella Matsumura, Empoasca (Chlorita)
 flavus Baker. See Balclutha impicta.
 flavus Evans, Eryapus
 flavus Evans, Narecho
 flavus Evans, Tartessus
 flavus Fieber, Deltcephalus
 flavus Hepner, Eutettix
 flavus Sahlberg. See Macropsis prasina.
 flavus Walker. See Oncopsis variabilis.
 flebilis Fieber, Deltcephalus
 flectus DeLong, Tropicanus
 fletcheri Distant, Scaphoideus
 fletcheri Distant, Tambila

fletcheri Singh-Pruthi, Cicadula
 flexa Evans, Macropsis
 flexibilis Knull, Erythroneura (Eratoneura)
 flexulosa Ball, Flexamia
 flexuosa Ribaut, Typhlocyba
 flexus DeLong & Mohr. See Scaphoideus incisus.
 flindersi Evans, Idiocerus
 flindersi Evans, Macropsis
 flora Distant, Apulia
 flori Fieber, Jassargus (Arrailus)
 flori Sahlberg, Cicadula
 florida Oman, Agalliopsis (Agallaria)
 florida Ribaut. See Cicadella [Duméril 1806] collina
 florida.
 florida Ross & DeLong, Erythroneura
 floridana Baker, Dorydiella
 floridana Ball, Carneocephala
 floridana DeLong & Mohr, Graminella
 floridana DeLong, Ponana (Ponana)
 floridana Lawson, Coelidia
 floridana Lawson, Penthimia
 floridanus Ball, Paraphlepsius
 floridanus Ball. See Scaphytopius (Scaphytopius) elegans.
 floridanus DeLong & Davidson, Nesosteles
 floridanus DeLong, Chlorotettix
 floridanus roseus Ball. See Scaphytopius (Scaphytopius)
 elegans.
 florii Kirschbaum. See Notus molliculus.
 florii Stål, Fieberiella
 florii Stål, Parabolocratus
 fluctuosa Fowler, Amblydisca
 fluxus DeLong, Scaphytopius (Cloanthanus)
 foeda Ball & Beamer, Athysanella (Athysanella)
 foliaticeps Stål. See Hecalus afzelii foliaticeps.
 foliosa Knoll, Ribautiana
 forcipata Flor, Forcipata
 forestieri Montrouzier, Carchariacephalus
 forfex Beamer, Erythroneura (Eratoneura)
 forficulus Ribaut, Macrosteles
 formiceticola Kirkaldy, Myrmecophryne
 formosa Spångberg, Coelidia
 formosana Kato, Balala
 formosana Matsumura, Agallia
 formosana Matsumura, Coelidia
 formosana Matsumura, Macropsis
 formosana Matsumura, Melichariella
 formosana Matsumura, Penthimia
 formosana Matsumura, Petalocephala
 formosana Matsumura, Tettigella
 formosana Matsumura, Zygina
 formosana Paoli, Empoasca
 formosana Schumacher, Sacapome
 formosanus Matsumura, Deltocephalus
 formosanus Matsumura, Drabescus
 formosanus Matsumura, Evacanthus
 formosanus Matsumura, Goniagnathus
 formosanus Matsumura, Hecalus
 formosanus Matsumura, Iassus
 formosanus Matsumura, Idiocerus

formosanus Matsumura, Pygotettix
 formosanus Matsumura, Stenometopius
 formosanus Matsumura, Thamnotettix
 formosicola Matsumura, Empoasca (Chlorita)
 formosiellus Matsumura, Togacephalus
 formosus Ball, Idiocerus
 formosus Boheman, Metalimus
 formosus confluens Lindberg, Metalimus
 formosus gutticollis Horváth, Metalimus
 formosus ishidae Matsumura, Metalimus
 formosus marmoratus Flor. See Metalimus marmoratus.
 formosus steini Fieber, Metalimus
 fornicate Walker. See Ledra mutica.
 fortior Wagner. See Oncopsis subangulata.
 fossitia Ball, Memnonia
 fossulata Signoret, Aulacizes
 fouquei Bergevin, Paramacroceps
 foveata Osborn, Coelidia
 foveolata Fieber, Xerophloea
 foveolata Signoret, Bothrogonia
 foveolatum Signoret, Paradorydium
 foveolatus Fieber, Hecalus
 fowler Metcalf, Prairiana
 fowleri Distant, Oncometopia (Egidemia)
 fowleri Melichar, Capinota
 fowleri Metcalf. See Amahuaka angustula fowleri.
 fractilinea Fowler, Baleja
 fractinota Fowler. See Apogonalia stalii fractinota.
 fragi Esaki. See Togaritettix serratus.
 fragilis Johnson, Erythroneura (Erythridula)
 franciscana Baker, Stragania
 franckeniae Lindberg, Erythroneura
 franconiana Ball. See Paraphlepsius strobi.
 franzi Wagner, Dikraneura
 franzi Wagner, Erythroneura
 fratercula Edwards, Edwardsiana
 fraterculus Berg, Athysanus
 fraterculus Reuter. See Streptanus sordidus.
 fraterna Ball, Memnonia
 fraterna Distant, Penthimia
 fraterna Distant, Zizyphoides
 fraterna Spångberg, Negosiana
 fraternellus Baker, Deltocephalus
 fraternus Ball, Alapus
 fraternus Matsumura. See Deltocephalus fraternellus.
 fraternus mendosus Ball. See Alapus mendosus.
 fraudulenta Horvath, Hardyopsis
 fraudulenta Spångberg, Prairiana
 frauendorfii Fieber, Diplocolenus (Diplocolenus)
 frauendorfii Lethierry, Zygina
 fraxa Robinson, Erythroneura (Erythroneura)
 fraxinella Matsumura, Empoasca (Chlorita)
 fredonia Ball & Beamer, Athysanella (Athysanella)
 frenata Melichar, Amblydisca
 frenata Taschenberg, Tettigella
 frenatus Germar. See Limotettix striolus.
 freyi Fieber, Hephaistus
 freyi Lindberg, Lindbergana

frigida DeLong & Hershberger, Mesamia
 frigida DeLong & Ruppel, Eupterella
 frigida Osborn. See Athysanella (Athysanella) gardenia.
 frigidus Ball, Frigartus
 frigidus Boheman, Psammotettix
 friscana Ball, Tiaja
 friscanus Ball & Parker, Idiocerus
 friscanus Ball, Friscanus
 frisia Wagner, Agallia
 frisoni DeLong & Mohr, Scaphoideus
 frisoni Ross & DeLong, Erythroneura
 froggatti Baker. See Edwardsiana australis.
 froggatti Evans, Eurymelessa
 froggatti [sic] Distant, Ledropsis
 frondosa DeLong, Acusana
 frontaliana Metcalf, Amblyscarta
 frontalis Baker, Makilingia
 frontalis Blanchard, Iassus
 frontalis Cerutti. See Cicadella [Duméril 1806] calcarata
 frontalis.
 frontalis Distant, Athysanus
 frontalis Donovan, Tettigella
 frontalis dorsalis Ball. See Scaphytopius (Cloanthanus)
 dorsalis.
 frontalis Ferrari. See Balclutha rosea.
 frontalis Fieber, Cicadella [Duméril 1806]
 frontalis Fieber. See Macrosteles fieberi.
 frontalis Flor. See Oncopsis tristis.
 frontalis Germar. See Amblyscarta frontaliana.
 frontalis Herrich-Schaeffer, Cicadula
 frontalis Kirby. See Coelidia fusca.
 frontalis Lethierry. See Empoasca (Kybos) bipunctata.
 frontalis McAtee, Sirosoma
 frontalis Melichar. See Idiocerus elegans.
 frontalis nigritrons DeLong. See Scaphytopius
 (Cloanthanus) nigritrons.
 frontalis Scott, Macrosteles
 frontalis Signoret, Cephalius
 frontalis Signoret, Distantia
 frontalis Van Duzee, Scaphytopius (Cloanthanus)
 fronterae Fowler. See Tylozygus fasciatus.
 fruhstorferi Matsumura, Mesoparopia
 frustrator Edwards, Edwardsiana
 fruticola Fallén. See Oncopsis flavicollis.
 fruticola frontalis Flor. See Oncopsis tristis.
 fruticola fuscula Zetterstedt. See Macropsis fuscula.
 fruticola tristis Zetterstedt. See Oncopsis tristis.
 fryeri Distant, Coelidia
 fucatus Evans, Idiocerus
 fucatus Evans, Xestocephalus
 fuchsii Kirschbaum, Idiocerus
 fuerteventurae Lindberg, Erythroneura
 fugax Horváth, Turrutus
 fuistingi Schmidt, Yunga
 fukuroki Matsumura, Hecalus
 fulgida DeLong, Neocoelidiana
 fulgida Melichar, Poeciloscarta
 fulgida Nottingham, Carneocephala
 fulgidula Berg, Typhlocyba

fulgidus Fabricius, Idiocerus
 fulguralis Matsumura. See Inazuma dorsalis.
 fulguralis Matsumura. See Zygina rhamnicola suavis.
 fuliginosa Peletier & Serville. See Eupelix cuspidata.
 fuliginosus Ferrari. See Aphrodes albifrons.
 fuliginosus Osborn, Scaphytopius
 fulmina McAtee, Erythroneura (Erasmoneura)
 fulminans Melichar, Eutettix
 fulminea Lawson, Alconeura (Alconeura)
 fulva Ball. See Dirotura gammaroides fulva.
 fulva Evans, Alocoelidia
 fulva Evans, Ipoella
 fulva Herrich-Schaeffer. See Cicadella [Duméril 1806]
 aurata.
 fulva Metcalf, Ponana
 fulva Osborn, Sarascarta
 fulva Ribaut. See Penthimia nigra fulva.
 fulva Taschenberg, Tettigella
 fulveola Herrich-Schaeffer. See Alebra (Alebra)
 albostriella fulveola.
 fulveola Osborn, Protalebra
 fulvescens Jacobi, Tartessus
 fulvescens Walker, Mysolis
 fulviceps Osborn & Lathrop. See Paraphlepsius lippulus.
 fulvidorsum Fitch, Paraphlepsius
 fulvidorsum Naudé, Erythroneura
 fulvifrons Peters, Xestocephalus
 fulviventris Walker, Balala
 fulvocapitatus Van Duzee. See Xestocephalus superbus.
 fulvocephala Robinson. See Erythroneura (Erythridula)
 xanthocephala.
 fulvofasciata Gray. See Teletusa excavata.
 fulvomaculata Osborn, Empoasca
 fulvomaculatus Osborn, Osbornellus
 fulvopicta Sahlberg. See Hardya (Hardya) tenuis.
 fulvopunctata concolor Melichar, Tapajosa
 fulvopunctata Signoret, Tapajosa
 fulvotincta Osborn, Gypona
 fulvotinctus Osborn, Idiocerus
 fulvous Hepner, Eutettix
 fulvula Osborn, Bahita
 fulvula Osborn, Scaroidana
 fulvus DeLong & Hershberger, Penestirellus
 fulvus Lawson. See Acinopterus productus.
 fulvus Osborn, Idiocerus
 fulvus Osborn, Scaphytopius (Cloanthanus)
 fulvus Rey. See Idiocerus decimaquartus fulvus.
 fulvus Walker, Tartessus
 fumatus Herrich-Schaeffer. See Macrosteles variatus.
 fumida Ball, Twineria
 fumida Gillette, Erythroneura (Erythridula)
 fumida Gillette. See Alebra (Alebra) albostriella fumida.
 fumida Oman, Agallia
 fumida Osborn, Dikrella (Dikrella)
 fumida Sanders & DeLong, Destria
 fumidus Beamer, Osbornellus
 fumidus DeLong & Hershberger, Penestirellus
 fumidus Osborn, Remadosus
 fumidus Sanders & DeLong, Chlorotettix

- fumigata Melichar, Zygina
 fumigata Naude, Balclutha
 fumigata sonani Matsumura, Zygina
 fumigatus Rey. See Deltoccephalus pulicaris fumigatus.
 fumipennis Gillette & Baker, Macropsis
 fumistriga Melichar, Aidola
 fumosa Motschulsky, Zygina
 fumosa Osborn, Joruma (Joruma)
 fumosus Crowder, Texananus (Texananus)
 fumosus Distant, Goniagnathus
 fumus Evans, Tartessus
 funabula Crumb, Flexamia
 funebris Distant, Penthimia
 funebris Jacobi, Thlasia
 funebris Signoret. See Oncometopia (Oncometopia) obtusa
 funebris.
 funebris Spångberg, Gypona
 funeralis Distant, Kolla
 funereus Melichar, Idiocerus
 funesta Beamer, Erythroneura (Erythridula)
 funestus Beamer, Cazenus
 funeta Melichar, Erythroneura
 furcata Beamer, Cicadella [Duméril 1806]
 furcata Beamer, Kunzeana
 furcata Oman, Pagaronia
 furcata Osborn, Fitchana
 furcatus Caldwell, Haldorus
 furcatus Ferrari, Allygus (Dicrallygus)
 furcatus Oman. See Carsonus aridus furcatus.
 furciferus Jacobi, Deltoccephalus
 furcifrons Jacobi, Typhlocyba
 furcillata Beamer, Erythroneura (Erythridula)
 furcillatus DeLong, Osbornellus
 furcilliatus Beamer & Tuthill, Cazenus
 furculata Ball & Beamer, Athysanella (Gladionura)
 furculata Osborn, Euragallia
 furculata Osborn, Nesophrosyne (Nesophrosyne)
 furculatus Osborn, Colladonus
 fusca bilineata Melichar, Coelidia
 fusca Evans, Anipo
 fusca Evans, Malissiana
 fusca Ivanoff. See Anoterostemma ivanhoffi.
 fusca Lallemand, Macropsis
 fusca Matsumura. See Kurotuyanus sachalinensis.
 fusca Melichar, Coelidia
 fusca Melichar, Oncometopia (Oncometopia)
 fusca Melichar, Oncopsis
 fusca Melichar, Proconia
 fusca Oman, Agalliana
 fusca Walker, Teleogonia
 fuscata Gmelin, Coelidia
 fuscatus Linnauori, Spathifer
 fuscicephalus Nepner, Scaphytopius (Cloanthanus)
 fuscifrons compactus Ball, Scaphytopius (Convelinus)
 fuscifrons Lawson, Acinopterus
 fuscifrons minutus Hepner, Scaphytopius (Convelinus)
 fuscifrons Van Duzee, Scaphytopius (Convelinus)
 fuscinervis Boheman, Macropsis
 fuscinervis Matsumura, Macrosteles
 fuscinervis Stål, Gypona
 fuscinervis thoracica Ribaut, Macropsis
 fuscinervosus Van Duzee, Deltoccephalus
 fuscipennis Fowler, Oncometopia (Oncometopia)
 fuscipennis Kato, Tituria
 fuscipennis Linnauori, Balclutha
 fuscipennis Melichar. See Petalocephala chlorocephala.
 fuscipennis Osborn, Thamnotettix
 fuscipennis seminolus DeLong, Paraphlepsius
 fuscipennis Spångberg. See Coelidia olitoria.
 fuscipennis Spångberg. See Gypona limbata fuscipennis.
 fuscipennis Van Duzee, Paraphlepsius
 fuscivenis Bergroth, Tettigella
 fusciventris Rey. See Euscelis incisa fusciventris.
 fuscoclava Beamer. See Erythroneura (Erythroneura)
 pistrata.
 fuscoclavata Osborn, Joruma (Joruma)
 fuscocoeruleus Edwards. See Idiocerus albicans
 fuscocoeruleus.
 fuscocostatula Jacobi, Poecilocarda
 fuscodorsata Fowler, Stenocoelidia (Eurycoelidia)
 fuscofasciata Distant, Empoasca
 fuscofasciata Goeze. See Aphrodes serratulae.
 fuscolineella Fowler. See Tylozygus fasciatus.
 fuscolineella fronterae Fowler. See Tylozygus fasciatus.
 fuscomaculata Stål, Coelidia
 fusconervis Kato. See Exitianus capicola.
 fusconervosus Motschulsky, Exitianus
 fusconeura Oman, Paracoelidea
 fusconotata Osborn, Ponana
 fusconotatus Osborn, Sanctanus
 fuscopunctata Evans, Oncopsis
 fuscopunctata Kusnezov. See Symphytyga melichari
 fuscopunctata.
 fuscopunctata Merino, Macropsis
 fuscoscripta Oman, Aceratagallia (Aceratagallia)
 fuscognignata minor Oman. See Agalliopsis (Agallaria)
 minor.
 fuscognignata Oman, Agalliopsis (Agallaria)
 fuscognignatus Dahlbom. See Arthaldeus pascuellus.
 fuscovaria Stål, Aletta
 fuscovarius Distant, Deltoccephalus
 fuscovenosa Matsumura, Coelidia
 fuscovenosa Melichar, Tettigella
 fuscovenosa Merino, Macropsis
 fuscovenosus bipunctus Ferrari, Anoplotettix
 fuscovenosus Ferrari, Anoplotettix
 fuscovenosus horváthi [sic] Metcalf, Anoplotettix
 fuscovenosus inornatus Horváth. See Anoplotettix
 fuscovenosus horváthi [sic].
 fuscoviridis Oman & Wheeler, Empoasca (Hebata)
 fuscovitta Metcalf, Empoasca
 fuscovittata Oman, Stenocoelidia (Eurycoelidia)
 fuscula Fieber. See Macropsis fieberi.
 fuscula Gravenhorst. See Oncopsis flavidollis.
 fuscula tibialis Scott, Macropsis
 fuscula Zetterstedt, Macropsis
 fuscus Brown. See Chlorotettix fumidus.
 fuscus China, Pogonoscopus

- fuscus Evans, Xestocephalus
 fuscus Melichar, Paralimnus
 fusiformis Matsumura, Deltoccephalus
 fusiformis Spångberg. See Gypona thoracica.
 fusiformis Walker, Gypona
 fusiformis Walker, Petalocephala
 fusiformis Walker, Wutingia
 futilis Horváth, Circulifer
 gabonensis Metcalf, Tettigella
 gagatina brunnea Osborn, Nionia
 gagatina Melichar, Ujna
 gagatina Osborn, Nionia
 galapagoensis Osborn, Coelidia
 galbana Ruppel & DeLong, Kunzeana
 galbanatus Van Duzee, Chlorotettix
 galeata Bergevin, Peyerimhoffiola
 galeatus Kirkaldy, Thaumatoscopus
 galiberti Ribaut, Euscelis
 gallica Wagner, Cicadella [Duméril 1806]
 gallicus Metcalf. See Jassargus (Jassargus) distinguendus
 gallicus.
 galliensis Evans, Putoniessa
 galloisi Matsumura, Nikkotettix
 galluxa Davidson & DeLong, Empoasca (Empoasca)
 gammaroides flava Osborn & Ball, Driotura
 gammaroides fulva Ball, Driotura
 gammaroides Van Duzee, Driotura
 gampa Davidsson & DeLong, Empoasca (Empoasca)
 ganesa Distant, Kolla
 garbosa Oman, Garapita
 gardenia Osborn, Athysanella (Athysanella)
 gardineri Distant, Acostemma
 gardineri Distant, Neoaliturus
 gargantua Johnson. See Erythroneura (Erythridula) idonea.
 garialis Distant, Namsangia
 garryae Cockerell. See Oncometopia (Oncometopia) alpha.
 garuda Distant, Macropsis
 gaudens Walker, Pseudoscarta
 gautschii Then. See Chiasmus conspurcatus.
 gavialis Jacobi, Nacolus
 gavoyi Ribaut, Stegelytra
 gayi Spinola, Helocharina
 gazana Distant, Gunghuyana
 gelbata DeLong & Davidson, Empoasca (Kybos)
 gelbata DeLong, Hamana
 gelbus DeLong & Hershberger, Sanctanus (Sanctanus)
 gelbus DeLong, Dalbulus
 gelida Walker, Bothrogonia
 gemellus Ball, Gloridonus
 gemina Distant, Bothrogonia
 gemina Jacobi, Typhlocyba
 gemina McAtee, Erythroneura (Eratoneura)
 gemina Walker. See Bothrogonia ferruginea.
 geminata Osborn. See Gyponana (Gyponana) octolineata.
 geminatula Jacobi, Aspilodora
 geminatus Van Duzee, Colladonus
 gemma Kirkaldy, Kahavalu
 gemmata Distant, Typhlocyba
- gemmisimulans Leonard & Crosby. See Idiocerus
 decimaquartus.
 genalis Fieber, Notus
 generosa DeLong, Acusana
 generosa Stål, Eurymelops
 generosus Ball, Gloridonus
 geniculata Signoret, Amblyscarta
 geniculatus Ribaut, Adarrus (Belaunus)
 gentilis Berg, Deltoccephalus
 gentilis Van Duzee, Ophiola
 geoffroyi Distant, Idiocerus
 geographica Signoret, Apogonalia
 geometrica plutoilius Ball. See Tylozygus plutoniellus.
 geometrica Schrank, Edwardsiana
 geometricus Signoret, Tylozygus
 georgii Zachvatkin, Mesagallia
 gerhardi Breakey, Macropsis
 germana Fowler, Colimona
 germari Curtis. See Evanthus acuminatus.
 germari Fieber. See Idiocerus decimaquartus.
 germari Fieber. See Ulopa trivia.
 germari Signoret, Exogonia
 germari Stål, Gyponana (Gyponana)
 germari Wagner. See Aphrodes albifrons germari.
 germari Zetterstedt, Cicadella [Duméril 1806]
 geronomoi Knoll, Erythroneura (Eratoneura)
 gerula Ball, Ballana
 gesa DeLong. See Cicadula straminea.
 gestroi Lethierry, Athysanus
 ghiliani Ferrari, Thamnotettix
 ghiliani Spinola, Proranus
 gibba Evans, Oncopsis
 gibba Walker, Ledra
 gibber Naudé, Camptelasmus
 gibbera DeLong, Gyponana (Gyponana)
 gibbiceps Spångberg, Gypona
 gibbosa Beamer & Lawson. See Stragania acutistylata
 gibbosa.
 gibbus Evans, Eryapus
 giffardi interrupta Osborn, Nesophrosyne (Nesophrosyne)
 giffardi Kirkaldy, Nesophrosyne (Nesophrosyne)
 giffardi Van Duzee. See Deltoccephalus castoreus.
 gigantea Distant, Chunra
 gigantea Distant, Ledra
 gigantea Evans, Trocnada
 gigantica Davidson & DeLong, Empoasca
 gigantica Ruppel & DeLong, Idona
 gigas Fowler, Abana (Abana)
 gigas Oman. See Xerophloea carinata gigas.
 gilensis Beamer, Erythroneura (Erythroneura)
 gillavyi Melichar, Typhlocyba
 gillavyri Melichar, Mileewa
 gillettei apicata McAtee. See Empoa apicata.
 gillettei Ball, Carnecephala
 gillettei Beamer, Erythroneura (Eratoneura)
 gillettei casta McAtee. See Empoa casta.
 gillettei fitchii Osborn. See Empoa querki.
 gillettei Metcalf, Unoka
 gillettei Metcalf. See Gillettiella labiata gillettei.

gillettei oregonensis Beamer. See *Empoa scripta*.
 gillettei Osborn & Ball, *Aceratagallia* (*Aceratagallia*)
 gillettei russeola McAtee. See *Empoa aureotecta*.
 gillettei saffrana McAtee. See *Empoa aureotecta*.
 gillettei sellata McAtee. See *Ossiannilssonola appendiculata*.
 gillettei Van Duzee, *Empoa*
 gillettei venusta McAtee. See *Empoa venusta*.
 gillettei vestita McAtee. See *Empoa vestita*.
 gilletti Oman, Thatuna
 gilletti Van Duzee. See *Colladonus belli gillettei* [sic].
 gilva Ruppel & DeLong, *Dikrella*
 gilvipes Stål, *Brasopsis*
 giranna Matsumura, *Typhlocyba*
 glaber Haupt, *Batracomorphus*
 glabra Walker, *Coelidia*
 gladia bifasciata DeLong & Ruppel, *Eupterella*
 gladia DeLong & Ruppel, *Eupterella*
 gladia DeLong, *Gyponana* (*Gyponana*)
 gladia limba DeLong & Ruppel, *Eupterella*
 gladiata Blanchard. See *Ledromorpha planirostris*.
 gladiola Ball, *Paluda*
 gladiola Oman & Beamer, *Cuerna*
 gladius DeLong, *Texananus* (*Texananus*)
 glandacea Fieber, *Macropsis*
 glandacea viridiceps Wagner, *Macropsis*
 glanvillei Dale, *Cicadula*
 glauca Evans, *Hackeriana*
 glauca Fabricius, *Gypona*
 glauca Lindsay, *Norvellina*
 glauca Melichar, *Petalocephala*
 glauca Ruppel & DeLong, *Alconeura*
 glaucescens Fieber, *Parabolocratus*
 glaucina Spångberg, *Gypona*
 glaucomaculata Germar, *Amblyscarta*
 glaukovirens Stål, *Thamnotettix*
 glaucus Blanchard, *Deltoccephalus*
 glaucus Evans, *Tumocerus*
 glaucus Kirkaldy, *Nesosteles*
 gleditschiae Osborn & Ball, *Macropsis*
 gleditsia Beamer, *Erythroneura* (*Erythridula*)
 gleditsia DeLong & Davidson, *Empoasca* (*Kybos*)
 glennanus Ball, *Eutettix*
 glennanus Ball. See *Scaphytopius* (*Scaphytopius*) *elegans*.
 globosa Ball & Beamer, *Athysanella* (*Athysanella*)
 globosa DeLong, *Negosiana*
 glomerata Ribaut. See *Cicadella* [Duméril 1806] *urticæ*
 glomerata.
 glomerosa Ball, *Ophiola*
 gloriosus Ball, *Gloridonus*
 gnarus Ball, *Deltoccephalus*
 godavariensis Distant, *Hecalus*
 godmani Fowler. See *Proranus adspersipennis*.
 gokaensis Shiraki, *Tartessus*
 gongyla Caldwell, *Empoasca*
 goniana Ball, *Crassana* (*Crassana*)
 gonzalezi Lindberg, *Petalocephala*
 goodi Davidson & DeLong, *Empoasca*
 goodi DeLong, *Idiodonus*

goodi DeLong, *Scaphytopius* (*Cloanthanus*)
 goodi DeLong, *Stenocoelidia* (*Eurycoelidia*)
 gopii Singh-Pruthi, *Deltoccephalus*
 gossypii DeLong, *Empoasca*
 gothica Signoret. See *Neokolla hieroglyphica*.
 gouldiae Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 gracilis Jacobi, *Cunedda*
 gracilis Kato, *Kikuchiella*
 gracilis Linnavuori, *Bahita*
 gracilis Matsumura, *Epicephalius*
 gracilis Melichar, *Erythrogonia*
 gracilis Oman, *Agalliopsis*
 gracilis Osborn, *Aulacizes*
 gracilis Osborn, *Neophlepsius*
 gracilis Rey. See *Allygus mixtus* *gracilis*.
 gracilis Schellenberg. See *Zygina flammigera*.
 gracilis Schumacher, *Mapochia*
 gracilis Spångberg, *Gypona*
 gracilis Zetterstedt. See *Forcipata citrinella*.
 gradata Robinson. See *Erythroneura* (*Erasmoneura*)
 vulnerata *gradata*.
 graeca Lindberg, *Cicadella* [Duméril 1806]
 graecula Ball, *Cetexa*
 graeffei Melichar, *Zygina*
 grama DeLong, *Polyamia*
 graminea DeLong, *Flexamia*
 graminea Fabricius, *Macropsis*
 graminea Merino, *Balclutha*
 graminea populi Edwards, *Macropsis*
 gramineus Merino, *Hecalus*
 graminis Haupt. See *Rhopalopyx vitripennis*.
 grammica Ball, *Flexamia*
 granarius Naude, *Deltoccephalus*
 grandinula Jacobi, *Mesogonia*
 grandiosa Knoll, *Stenocoelidia* (*Eurycoelidia*)
 grandis Ball, *Stragania*
 grandis Beamer, *Twinningia*
 grandis Beamer, *Zygina*
 grandis DeLong, *Osbornellus*
 grandis Distant, *Hecalus*
 grandis Evans, *Tumocerus*
 grandis Hepner, *Eutettix*
 grandis Matsumura, *Aconura*
 grandis Shaw, *Parabolocratus*
 grandis Singh-Pruthi, *Monobazus*
 grandis Walker, *Apogonalia*
 graneticus Ball, *Scaphytopius* (*Cloanthanus*)
 graniticus Osborn & Lathrop. See *Paraphlepsius attractus*.
 granulata Schmidt, *Melliola*
 granulata Walker, *Apogonalia*
 granulatus Distant, *Confucius*
 granulosa Distant, *Petalocephala*
 granulosa Stål, *Dardania*
 granulosus Distant, *Balbillus*
 graphicus Ball, *Texananus* (*Texananus*)
 grata McAtee. See *Empoa albicans*.
 gratiosa Blanchard, *Apogonalia*
 gratiosa Boheman, *Typhlocyba*
 gratiosa Melichar, *Preta*

- gratiosus Spångberg, Neocoelidia
 gravelyi Distant, Tambila
 gravesteini nigropicta Wagner, Macropsis
 gravesteini Wagner, Macropsis
 gravis Stål, Krisna
 greeni Distant, Ledrotypa
 greeni Distant, Signoretia
 greeni Distant, Sophonia
 greeni Distant, Tambila
 greeni Melichar, Thamnotettix
 gregalis Distant, Kolla
 grex Oman, Deltocephalus
 griffithi Ruppel & DeLong, Alconeura
 grisca Rey, Ulopa
 grisea Evans, Austroagalloides
 grisea Evans, Poecilocarda
 grisea Evans, Stenipo
 grisea Fabricius. See Selenocephalus planus.
 grisea Germar. See Xerophloea viridis.
 grisea Lindberg, Brachyptera
 grisea Oman, Ceratagallia
 grisea Spångberg. See Ponana (Ponana) puncticollis.
 grisea Walker, Ulopa
 griseola Osborn, Prairiana
 griseostriatus Linnavuori, Fusanus
 grisescens Evans, Kutara
 grisescens Zetterstedt, Macustus
 griseus Evans, Tartessoides
 griseus Linnavuori, Agodus
 grosata DeLong & Davidson, Empoasca (Kybos)
 grossa Ball, Koebelia
 grossa Oman, Agalliana
 grossa Osborn, Ponana
 grossa Signoret, Apogonalia
 gruis DeLong. See Ballana vesca.
 gryllula Breddin, Amblyscarta
 guadarramensis Ferrari, Ulopa
 guadulensis Lethierry, Poeciloscarta
 guajanae DeLong, Nesosteles
 guamensis Metcalf, Jamitettix
 guaporensis Oman, Neobala
 guaranitica Berg, Metascarta
 guatemalana Osborn, Empoasca
 guerinii Signoret, Caripuna
 guerrera DeLong, Frequenamia
 guerreroensis Fowler, Oragua
 guevarai DeLong, Dalbulus
 guianae Metcalf, Gypona
 gundlachiana Metcalf & Bruner, Hortensia
 gunnensis Evans, Ledracotis
 gussakovskii Kusnezov, Allygus
 gutierrezi Ball, Scaphytopius (Cloanthanus)
 guttata Matsumura, Aphrodes
 guttata Signoret, Poeciloscarta
 guttata Uhler, Parabolopona
 guttata Walker, Coelidia
 guttata Walker. See Coelidia sexguttata.
 guttatinervis Jacobi, Tartessus
 guttatinervis Stål, Coelidia
 guttatus Fieber. See Purpuranus argostagum Walker.
 guttatus Matsumura, Macrosteles
 guttatus Matsumura, Phlepsius
 guttatus Walker, Selenocephalus
 gutticollis Horváth. See Metalimnus formosus gutticollis.
 guttifera Walker, Rotifunkia
 guttiger aurantius Metcalf, Epiacanthus
 guttiger Kusnezov, Deltocephalus
 guttiger Uhler, Epiacanthus
 guttigera dispar Horvath. See Epiacanthus guttiger
 aurantius.
 guttivena Walker, Coelidia
 guttivitta Walker, Sphinctogonia
 guttula Matsumura, Penthimia
 guttulata Distant, Typhlocyba
 guttulata Melichar, Oncometopia (Lebora)
 guttulata Stål, Coelidia
 guttulatus Kirschbaum, Circulifer
 guttulatus laetus Ribaut, Circulifer
 guttulatus Motschulsky, Xestocephalus
 guttulus Spångberg, Tartessus
 guttulinervis Kato, Moonia
 guttulinervis Kirschbaum, Goniagnathus
 gutturosus Ball, Allygianus
 guzmani Baker, Parallaxis
 gyllenhali Fallén, Coryphaeus
 gyponinoides Distant, Bularia
 h-album Fieber. See Idiocerus vitreus.
 haagi Kirschbaum. See Circulifer haematoceps.
 habenula Jacobi, Pachitea
 habilis Distant, Tettigella
 hachijonis Matsumura, Alebroides
 hackeri Evans, Anacotis
 hackeri Evans, Ipoides
 hackeri Evans, Vulturnus
 haematoceps futilis Horváth. See Circulifer futilis.
 haematoceps Mulsant & Rey, Circulifer
 haematoptila Kirkaldy, Cicadella [Duméril 1806]
 haemorrhao Schrank. See Penthimia nigra haemorrhao.
 haenschi Breddin, Zyzzogeton
 haenschi Melichar, Aulacizes
 haenschi Schmidt, Papallacta
 haughtiana Baker, Makilingia
 haitiensis Dozier, Graphocephala
 hakonella Matsumura, Empoasca (Chlorita)
 halberda Ruppel & DeLong, Dikranura
 haleakala Kirkaldy, Nesophrosyne (Nesophrosyne)
 halemanu Kirkaldy, Nesophrosyne (Nesophrosyne)
 halophila Lindberg, Agallia
 halophilus Edwards, Psammotettix
 halophilus Horváth, Macrosteles
 haultica Jacobi, Amblyscarta
 hama DeLong & Caldwell, Empoasca (Empoasca)
 hama DeLong, Ballana
 hamadryas Kirkaldy, Eurinoscopus
 hamar DeLong & Ross, Dikrella (Dikrella)
 hamata albonota DeLong. See Empoasca (Empoasca)
 albonota.
 hamata Ball & Beamer, Athysanella (Amphipyga)

hamata Beamer, Erythroneura (Erythridula)
 hamata DeLong, Empoasca (Empoasca)
 hamata Melichar, Oncometopia (Oncometopia)
 hamata Ossiannilsson. See Macrosteles frontalis.
 hamatus Beamer, Laevicephalus
 hamatus Then, Deltocephalus
 hambletoni DeLong, Scaphytopius (Cloanthanus)
 hamleti Distant, Oncometopia (Oncometopia)
 handlirschi Ball, Texananus (Iowanus)
 handlirschi Matsumura, Euscelis
 hannoveranus Wagner. See Psammotettix pallidinervis.
 hanuala Kirkaldy, Anemolua
 hanuala Kirkaldy, Kahaono
 harimensis Matsumura, Idiocerus
 harimensis Matsumura. See Zygina mori.
 harmsi Izzard, Erythroneura
 harpago Ribaut, Goldeus
 harpax Beamer, Erythroneura (Erythridula)
 harrarensis Baker, Athysanus
 harrarensis Melichar, Agallia
 harrimani Ashmead, Psammotettix
 harrisoni Wagner. See Macropsis cerea harrisoni.
 harterti Bergevin, Selenocephalus
 hartigi Wagner, Deltocephalus
 hartii Ball, Ciminius
 hartii Gillette, Erythroneura (Eratoneura)
 hartmeyeri Jacobi, Notocephalus
 hartzelli Baker. See Empoasca (Kybos) aureoviridis
 hartzelli.
 hasemani Baker, Portanus
 hasemani Osborn, Phlepsius
 haspata Ross & DeLong, Erythroneura
 hasta DeLong, Gyponana (Gyponana)
 hastatus Walker, Ciccus
 hastus DeLong. See Scaphytopius (Cloanthanus) argutus.
 hauchuca DeLong, Knnullana
 haupti Kusnezov, Symphyypga
 haupti Lindberg. See Arocephalus (Arocephalus)
 langidus.
 haupti Melichar, Abana (Mesobana)
 haupti Melichar, Idiocerus
 haupti Metcalf, Balclutha
 haupti Oshanin. See Notus flavipennis.
 haupti Ribaut. See Empoasca (Kybos) bipunctata.
 haupti Wagner, Macropsis
 haupti Wagner. See Cicadella [Duméril 1806] urticae
 haupti.
 haupti Zachvatkin. See Circulifer opacipennis.
 havana Ross & DeLong, Erythroneura
 hawaiensis Osborn. See Macropsis occidentalis.
 hearsayi Distant, Petalocephala
 hebatis DeLong, Premanus
 hebatis DeLong, Scaphytopius (Cloanthanus)
 hebe Kirkaldy, Nesosteles
 hebea DeLong, Ballana
 hebea Ruppel & DeLong, Kunzeana
 hebes Fowler, Gypona
 hebes Walker, Tituria
 hebetula Breddin, Euryogonia

hebetus DeLong & Hershberger, Idiocerus
 hebraeus Ball, Texanarus (Texanarus)
 hecta Davidson & DeLong, Empoasca (Empoasca)
 hectica Signoret, Metascarta
 heidemanni Ball, Idiodonus
 heidemanni chinonus Ball, Idiodonus
 heiroglyphica barberi Olsen. See Keonolla uhleri.
 heiroglyphica dolobrata Ball. See Keonolla dolobrata.
 heiroglyphica inscripta Olsen. See Neokolla inscripta.
 hieroglyphica uhleri Ball. See Keonolla uhleri.
 heldoranus Ball, Scaphytopius (Cloanthanus)
 helena Distant, Tettigella
 helena Ball, Norvellina
 heliophila Cogan, Empoasca
 helveola Oman, Aceratagallia (Aceratagallia)
 helveticus Melichar. See Erromenus brachypterus
 helveticus.
 helvinus Van Duzee, Sorhoanus
 helvola Melichar, Poeciloscarta
 helvolus Kirschbaum. See Psammotettix cephalotes
 helvolus.
 helvus DeLong, Auridius
 helvus Schmidt, Gessius
 hemicolor Sanders & DeLong, Paraphlepsius
 hemifuscata Merino, Penthimia
 hemiptera Piller & Mitterpacher. See Evanthus
 interruptus.
 henschii Löw. See Anoterostemma ivanhofi.
 hepneri Beamer, Parabolocrotus
 heptapotamica Kusnezov, Zygina
 heptneri Zachvatkin, Hardya (Mimohardya)
 herbida DeLong, Hamana
 herbida DeLong, Polyamia
 herbida Walker. See Helochara communis.
 hermione McAtee, Ossiannilsonola
 heroni Evans, Tettigella
 heros Distant, Bolanusoides
 heros Melichar, Doratuopsis
 herpes Signoret, Oncometopia (Oncometopia)
 herrichii Kirschbaum, Idiocerus
 hesperia Breakey, Macropsis
 heterogena Schmidt, Pseudophera
 heterophyla Horváth, Doratura
 hewitti Cogan, Idiocerus
 hexapterus Burmeister, Dilobopterus
 heydei Baker. See Agallia producta.
 heydeni Fieber. See Psammotettix confinis.
 heydeni Lethierry, Opsiush
 heydenii Kirschbaum, Idiocerus
 heydenii Kirschbaum. See Allygus (Allygus) atomarius
 heydenii.
 heydenii Kirschbaum. See Chiasmus translucidus heydenii.
 heydenii Kirschbaum. See Cicadella[Duméril1806] ornata.
 heydenii Kirschbaum. See Iassus schrankii.
 hiaticula McAtee, Sirosoma
 hibernus Hepner, Eutettix
 hieroglyphica atra Barber, Neokolla
 hieroglyphica Fowler, Ponana
 hieroglyphica Naude, Euscelis

hieroglyphica Say, Neokolla
 hieroglyphica Taschenberg. See *Tettigella*[incert.sed.]
 taschenbergi.
 hieroglyphicus Bergevin, *Platyproctus*
 hieroglyphicus Distant, *Aeternus*
 hieroglyphicus Distant, *Scaphoideus*
 hieroglyphicus Kusnezov, *Thamnotettix*
 hierroensis Lindberg, *Macropsis*
 hilaris Beamer, *Hebecephalus*
 hilaris Horváth, *Peragallia*
 hilaris Melichar, *Deltoccephalus*
 hilaris Stål, *Poeciloscarta*
 hildebrandti Jacobi, *Poecilocarda*
 hilli Evans, Ipo
 himalayanus Distant, *Platyretus*
 himalayensis Distant, *Monobazus*
 himyarita Zachvatkin, *Helionidia* (*Helionidia*)
 hinei Knoll, *Ossiannilssonola*
 hinemoa Myers, *Novothymbris*
 hippocastani Edwards, *Edwardsiana*
 hippophaes Kirschbaum. See *Macropsis mulsanti*.
 hipposideros Horváth. See *Cicadella* [Duméril 1806]
 zelleri hipposideros.
 hirayamella Matsumura, *Zygina*
 hiroglyphicus Matsumura, *Matsumuratettix*
 hiromichii Matsumura, *Empoasca* (*Chlorita*)
 hirsuta DeLong, *Prairiana*
 hirsuta Evans, *Platyledra*
 hirsuta Melichar, *Cyrtula*
 hispana Puton, *Aconura*
 hispaniae Young & Frazier, *Circulifer*
 hispanica Horváth, *Agallia*
 hispaniola Dozier, *Sibovia*
 histrio baraguensis Metcalf & Bruner, *Poeciloscarta*
 histrio Burmeister, *Prairiana*
 histrio Fabricius, *Poeciloscarta*
 histrio sanguinipes Van Duzee, *Poeciloscarta*
 histrionica Fabricius, *Aphrodes*
 histrionicula Kirkaldy, *Astroasca* (*Astroasca*)
 histrionicus Beirne, *Latalus*
 histrionicus Kirkaldy, *Deltoccephalus*
 hoashii Matsumura, *Deltoccephalus*
 hoashii Matsumura, *Thamnotettix*
 hobartensis Evans, *Macropsis*
 hobartensis Evans, *Reuterilla*
 hockingensis Knoll, *Typhlocyba*
 hofferi Dlabola, *Praganus*
 hokutonis Matsumura, *Thamnotettix*
 holmesi Bliven, *Coniferadonus*
 holzfussi Schmidt, *Myogonia*
 homalina Melichar, *Poeciloscarta*
 homeyeri Kirschbaum, *Thamnotettix*
 homeyeri Kirschbaum. See *Peragallia sinuata*.
 homophyla Flor, *Doratura*
 homophyla littoralis Kuntze. See *Doratura littoralis*.
 honesta Melichar, *Oniella*
 honiala Kirkaldy, *Dikraneura*
 honiala Kirkaldy, *Erythroneura*
 honiala Kirkaldy, Ipo

honiloa Kirkaldy, *Erythroneura*
 hoozanensis Schumacher, *Tettigella*
 hopinensis Distant, *Tettigella*
 hopponis Matsumura, *Platymetopius*
 hopponis Matsumura, *Tettigella*
 hopponis Matsumura, *Thamnotettix*
 horishana Matsumura, *Petalocephala*
 horishana Matsumura, *Tettigella*
 horishanus Matsumura, *Neurotettix*
 hornei Distant, *Petalocephala*
 hornei Distant, *Placidus*
 horrendus Kirkaldy, *Rhotidus*
 horridus DeLong, *Texananus*
 horsfieldi Distant, *Bhandara*
 hortensis catenata Rey, *Cicadella* [Duméril 1806]
 hortensis confluenta Rey, *Cicadella* [Duméril 1806]
 hortensis continua Ceruti, *Cicadella* [Duméril 1806]
 hortensis Curtis, *Cicadella* [Duméril 1806]
 hortensis Lindberg, *Balclutha*
 horvathi Distant, *Cenedaeus*
 horvathi Jacobi, *Abana* (*Mesobana*)
 horvathi Joakimov. See *Deltoccephalus bulgaricus*.
 horvathi Matsumura, *Scaphoideus*
 horvathi Metcalf. See *Anoplotettix fuscovenosus horvathi*
 [sic].
 horváthi [sic] mannerheimi Kontkanen, *Macrosteles*
 horváthi [sic] nubilus Ossiannilsson, *Macrosteles*
 horváthi [sic] Then, *Deltoccephalus*
 horváthi [sic] Wagner, *Doratura*
 horváthi [sic] Wagner, *Macrosteles*
 horvathiana Dlabola, *Typhlocyba*
 hosanus Ball, *Texananus*
 hoso Matsumura, *Typhlocyba*
 hospes Kirkaldy, *Balclutha*
 hospes Kirkaldy, *Stirellus*
 hospita Melichar, *Erythrogonia*
 hovana Lallemand, *Ulopa*
 huachuca DeLong & Knoll. See *Knnullana hauchuca*.
 huachucae Ball & Parker, *Idiocerus*
 huachucae Lawson, *Eupterella*
 huachucae Oman, *Agalliopsis* (*Agallaria*)
 huachucana Beamer, *Zygina*
 huachucanus Ball, *Manzatus*
 huachucus DeLong, *Scaphytopius* (*Scaphytopius*)
 hualpaiana Knoll, *Stragania*
 hubbardi McAtee, *Henribautia*
 hudsoni Myers, *Notocephalus*
 hudsonica Myers, *Novothymbris*
 hui Chang, *Neoaliturus*
 hulda Distant, *Amblyscarta*
 hullensis Provancher. See *Ponana* (*Ponana*) *pectoralis*.
 hultus Beirne, *Latalus*
 humeralis Osborn, *Graphocephala*
 humeralis Signoret, *Apogonalia*
 humerosa Naudé, *Petalocephala*
 humida Osborn, *Ophiola*
 humidus Lang. See *Diplocolenus* (*Erdianus*) *penthopittus*
 humidus.
 humidus Van Duzee, *Paraphlepsius*

- humilis Horváth, Idiocerus
 humilis Oman, Aceratagallia (Aceratagallia)
 humilis Stål, Stragania
 hummeli Zachvatkin, Sinalebra
 hungarica Ribaut, Empoasca
 hungerfordi Lawson, Dikraneura (Dikraneura)
 huonensis Evans, Hackeriana
 hyacinthinula Jacobi, Apulia
 hyacinthus Kirkaldy. See Eurymeloides pulchra.
 hyadas Kirkaldy, Cicadula
 hyala Distant, Apulia
 hyalina Beamer & Lawson, Stragania
 hyalina DeLong, Stenocoelidia
 hyalina Kato, Kolla
 hyalina Knoll & Auten, Erythroneura (Eratoneura)
 hyalina Müller. See Typhlocyba diaphana.
 hyalina Oman, Agallia
 hyalina Oman, Neonirvana
 hyalina Osborn, Bandara
 hyalina Osborn, Empoasca
 hyalina Osborn, Gypona
 hyalina Osborn, Idona
 hyalina Schmidt, Myogonia
 hyalina Wagner. See Oncopsis flavidollis hyalina.
 hyalinata Evans, Mileewa
 hyalinata Kato, Kunasia
 hyalinatula Osborn, Tettigella
 hyalinatus Matsumura. See Thamnotettix tobae hyalinatus.
 hyaline Beamer. See Idona beameri.
 hyalinipennis Stål, Copididonus
 hyalinosparsa Melichar, Poeciloscarta
 hyalinus Beamer, Cabrus
 hyalinus Bergevin, Goniagnathus
 hyalinus DeLong, Acunasus
 hyalinus Evans, Postumus
 hyalinus Evans. See Camptelasmus gibber.
 hyalinus Fieber, Deltocephalus
 hyalinus Haupt, Pteropyx
 hyalinus Osborn, Idiocerus
 hyalinus Osborn, Japananus
 hyalinus Osborn, Nesosteles
 hyalinus Osborn, Osbornellus
 hyalinus Osborn. See Iassus osborni.
 hyalinus Palisot de Beauvois, Iassus
 hybneri Gmelin, Stictocoris
 hydra Distant, Tettigella
 hyleorais Kirkaldy, Idiocerus
 hymac Robinson, Erythroneura (Eratoneura)
 hymenocleae Van Duzee, Scaphytopius (Cloanthanus)
 hymettana Knoll, Erythroneura (Eratoneura)
 hypaulacius Walker, Iassus
 hyperboreus Van Duzee. See Streptanus marginatus.
 hyperici Herrich-Schaeffer, Zygina
 hypochlorus Fieber, Sorhoanus (Rhoananus)
 hypomelas Kusnezov, Deltocephalus
 hyposticta Walker, Typhlocyba
 hystricula Oman, Agallia
 i-album Scott, Deltocephalus
 iambe Kirkaldy, Tartessus
 ianassa Kirkaldy, Tartessus
 ianeira Kirkaldy, Tartessus
 ianthe Kirkaldy, Cephalelus
 ianthe Kirkaldy. See Tartessus io.
 ibukisanus Matsumura. See Naratettix zonatus ibukisanus.
 ichthyocephala Signoret. See Homalodisca triquetra.
 iconica McAtee, Erythroneura (Erythridula)
 icterica Signoret, Tettigella
 idiocera Singh-Pruthi, Durgades
 idioceroides Baker. See Pachyopsis laeta.
 idioceroides Bergroth, Selenocephalus
 idonea Beamer, Erythroneura (Erythridula)
 idonea Fowler. See Graphocephala coccinea.
 idya Kirkaldy, Tartessus
 iedidia Walker, Typhlocyba
 igella Ross & DeLong, Erythroneura (Eratoneura)
 ignava Ball, Graphocephala
 ignavus Ball, Osbornellus
 ignavus Matsumura. See Circulifer tenellus.
 ignicans Walker, Iassus
 igniceps Walker. See Kolla paulula.
 ignicollis Lethierry, Dikraneura
 ignicolor Signoret, Poeciloscarta
 ignifera Walker, Oxygonalia
 ignigena Kirkaldy, Nesophrosyne (Nesophrosyne)
 ignita Fabricius, Gypona
 ignobilis Fowler, Oragua
 ignorata Melichar, Homalodisca
 ignoscus Fieber, Handianus (Dlabolia)
 ignota Melichar, Homalodisca
 ignota Walker, Aulacizes
 iguala Davidson & DeLong. See Empoasca (Empoasca) omani iguala.
 iguchiella Matsumura. See Zygina iguchii.
 iguchii Iguchi, Zygina
 iguchii Matsumura, Hecalus
 iguchii Matsumura, Xestocephalus
 ikumae Matsumura, Deltocephalus
 ikumae Matsumura, Idiocerus
 ikumae Matsumura, Parabolocratus
 ikumae Matsumura, Thamnotettix
 illaborata Distant, Kana
 illinoiensis Gillette, Zygina
 illinoiensis regalis Beamer, Zygina
 illinoiensis spectra McAtee, Zygina
 illota Horváth, Macropsis
 illuminata Distant, Kana
 illuminus Ball, Nigrinus
 illustrata Distant, Campbellinella
 illustris Distant, Bothrogonia
 illustris Distant, Maiestas
 illustris Signoret, Microgoniella
 illyricus Kirschbaum, Grypotes
 ilsae Jacobi, Typhlocyba
 imbellis Lawson. See Dikrella (Dikrella) californica
 imbellis.
 imbricariae Ross & DeLong, Erythroneura (Eratoneura)
 imbricata Signoret, Aguana
 imbricola Kirkaldy, Nesophrosyne (Nesophrosyne)

imitans Jacobi, Batracomorphus
 imitans Linnnavuori, Parallaxis
 imitata Haupt, Hardya (Eohardya)
 imitatrix Jacobi, Erythrogonia
 imitatrix [sic] Jacobi, Ledra
 immaculata Fowler. See Amahuaka angustula fowleri.
 immaculata Lathrop. See Agallia deleta.
 immaculata Walker, Kolla
 immaculatifrons colligata Cerutti, Cicadella [Duméril 1806]
 immaculatifrons Kirschbaum, Cicadella [Duméril 1806]
 immaculatus Ball. See Mesamia coloradensis.
 immaculatus Kirkaldy, Hecalus
 immaculatus Melichar. See Deltocephalus porticus
 immaculatus.
 immaculipennis Blanchard, Deltocephalus
 immemorans Walker, Iassus
 immistus incisus Osborn. See Scaphoideus incisus.
 immistus major Osborn. See Scaphoideus major.
 immistus minor Osborn. See Scaphoideus minor.
 immistus Say, Scaphoideus (Scaphoideus)
 immistus titanus Ball. See Scaphoideus titanus.
 immota Ball, Erythroneura (Eratoneura)
 immundus Matsumura. See Psammotettix striatus
 immundus.
 immunis Rey. See Allygus mixtus immunis.
 impar Beamer, Erythroneura (Eratoneura)
 impicta maculata Davidson & DeLong. See Balclutha
 impicta.
 impicta osborni Van Duzee, Balclutha
 impicta Van Duzee, Balclutha
 impictifrons Boheman, Laburus (Laburus)
 impictus flavus Baker. See Balclutha impicta.
 impleta Ribaut. See Erythroneura lunaris impleta.
 impressa Melichar, Symphyypga
 impressa Walker, Borduria
 impressifrons Kirschbaum, Idiocerus
 impressifrons Signoret, Metascarta
 impressipennis Stål, Tettigella
 improvisa Linnnavuori, Erythroneura
 impudica Horváth, Doratura
 impudica Signoret, Bothrogonia
 impunctata Cerutti. See Cicadella [Duméril 1806]
 atropunctata impunctata.
 impunctata Cerutti. See Dikraneura teucrii impunctata.
 impunctata Rey. See Balclutha punctata impunctata.
 impura Boheman, Macropsis
 imputans Osborn & Ball, Flexamia
 inachis Kirkaldy, Thymbris
 inazuma Kato, Zygina
 inca Distant, Amblyscarta
 incarnata Germar, Amblyscarta
 incarnatula Melichar, Amblydisca
 incarnatula Melichar, Poeciloscarta
 incarnatus Stål. See Trocnada dorsigera.
 incerta Ball & Beamer, Athysanella (Athysanella)
 incerta Beamer & Tuthill, Polyamia
 incerta Distant, Typhlocyba
 incerta Oman, Agallia

incertus Baker, Idiocerus
 incertus Gillette & Baker, Colladonus
 incertus Melichar, Deltocephalus
 incertus Oman. See Carsonus aridus incertus.
 incida DeLong, Empoasca (Kybos)
 incidus DeLong, Idiodonus
 incisa aestivalis Müller, Euscelis
 incisa Caldwell. See Empoasca martorelli.
 incisa communis Edwards, Euscelis
 incisa fusciventris Rey, Euscelis
 incisa Gillette. See Empoasca (Kybos) obtusa.
 incisa Kirschbaum, Euscelis
 incisa ochreata Haupt, Euscelis
 incisa Oman, Agallia
 incisa Oman, Scaphoidula
 incisa paradoxa Rey, Euscelis
 incisa subplebeja Müller, Euscelis
 incisa superplebeja Müller, Euscelis
 incisa tessellata Rey, Euscelis
 incisa Then, Dikraneura
 incisa vernalis Müller, Euscelis
 incisurus DeLong, Idiodonus (Angulanus)
 incisurus DeLong, Laevicephalus
 incisus Matsumura, Nesosteles
 incisus Naude. See Deltocephalus cogani incisus.
 incisus Osborn, Scaphoideus
 incisus Van Duzee, Paraphlepsius
 incita Van Duzee, Hamana
 inclinans Walker, Coelidia
 inclita Beamer, Zygina
 inclusivalvis Kirschbaum. See Turrutus socialis.
 incognita Oman, Hebexa
 incompleta Cerutti. See Dikraneura teucrii incompleta.
 incompleta Evans, Tartessella
 incomptus DeLong & Hershberger, Idiocerus
 incondita Beamer, Erythroneura (Eratoneura)
 inconditus Knoll, Laevicephalus
 incongrua Baker, Athysanella (Athysanella)
 incongrua Oman, Agallia
 incongruu Oman, Giprus
 inconsequens Evans, Idiocerus
 inconspicua Baker, Aceratagallia (Aceratagallia)
 inconspicua Johnson, Erythroneura (Erythridula)
 inconspicua Walker, Maguangia
 inconspicuus Jensen-Haarup, Thamnotettix
 inconstans Ribaut, Erythroneura
 incorrupta Melichar, Sphaeropogonia
 incula Breddin, Amblyscarta
 incurvatus Baker. See Gessius pallidus incurvatus.
 incurvatus Osborn & Lathrop, Texananus (Excultanus)
 indebita Melichar, Stictoscarta
 indefensa Melichar, Homalodisca
 indefinite Walker, Tettigella
 indens DeLong, Ballana
 indenta Oman & Wheeler, Empoasca (Hebata)
 indica Distant, Ziziphoides
 indica Singh-Pruthi, Balclutha
 indica Singh-Pruthi, Cicadula
 indica Walker, Coelidia

- indicata Walker, Krisna
 indicatrix Distant, Galerius
 indicus Distant, Exitianus
 indicus Distant, Scaphoideus
 indicus Lethierry, Iassus
 indicus Singh-Pruthi, Allophleps
 indiga Distant, Tettigella
 indigena Jacobi, Acostemma
 indignata Melichar, Microgoniella
 indistincta Walker, Bothrogonia
 indistincta Wheeler. See Empoasca (Empoasca) rubrarea
 indistincta.
 indivisus Haupt. See Circulifer tenellus.
 indosinica Jacobi, Bothrogonia
 indra Distant, Paivanana
 indrina Singh-Pruthi, Cicadula
 induta Fowler, Graphocephala
 ineffectus Baker, Scaphoideus
 ineffectus Walker, Idiocerus
 inepta Beamer, Erythroneura (Eratoneura)
 inexpectata Metcalf & Bruner, Sibovia
 infecta Distant, Tettigella
 infesta Van Duzee, Coelidia
 infinita Beamer, Erythroneura
 infirmus Melichar, Deltocephalus
 infirmus Young & Frazier. See Circulifer dubiosus
 infirmus.
 inflammata Distant, Bothrogonia
 inflata Christian, Typhlocyba
 inflata DeLong, Ponana (Bulbana)
 inflata Knoll, Bandara
 inflata Lawson, Xerophloea
 inflata Lindsay. See Norvellina bicolorata inflata.
 inflata Osborn & Ball, Flexamia
 inflata Osborn, Coelidiana
 inflatifrons Provancher, Macropsis
 inflatoseta Lethierry, Helochara
 inflatus DeLong. See Parabolocratus continuus.
 inflatus Lawson, Acinopterus
 informis Kirkaldy, Rhotidus
 infula Melichar, Ceratogoniella
 infulata Fowler, Sibovia
 infulata Lower, Austroasca (Austroasca)
 infulata luteiceps Melichar, Oncometopia (Lebora)
 infulata Melichar, Oncometopia (Lebora)
 infumatus Osborn, Deltocephalus
 infumatus Percheron, Cephalelus
 infusca DeLong. See Empoasca (Empoasca) esuma.
 infuscata Beamer, Mesamia
 infuscata Distant, Smicrocotis
 infuscata Gillette & Baker. See Thamnotettix confinis.
 infuscata Gillette, Erythroneura (Erythroneura)
 infuscata Lindberg. See Symphyypga obsoleta infuscata.
 infuscata Melichar, Oncometopia (Mucrometopia)
 infuscata Osborn, Bahita
 infuscata Osborn, Jassoidula
 infuscata prosata Johnson. See Erythroneura
 (Erythroneura) prosata.
 infuscata Sahlberg, Macropsis
 infuscatus Linnavuori, Osbornellus
 infuscatus Matsumura, Thamnotettix
 ingena Davidson & DeLong, Empoasca
 ingens Kirkaldy, Rhotidus
 ingens Oman, Agallia
 ingrata Beamer, Erythroneura (Eratoneura)
 ingrata Jacobi, Aconura
 inimica Say, Endria
 injucunda Wagner. See Macropsis marginata injucunda.
 inksana Knoll, Erythroneura (Eratoneura)
 innervis Fowler, Graphocephala
 innervis Fowler, Stragania
 innotata Rey. See Megophthalmus scanicus.
 innotata Walker. See Draeculacephala mollipes.
 inocarpia Baker, Stenotortor
 inops Ribaut. See Erythroneura dorycnii inops.
 inornata McAtee, Zygina
 inornata Oman, Agallia
 inornata Ribaut. See Cicadula placida inornata.
 inornata Stål, Gypona
 inornata Van Duzee, Elymana
 inornatus Baker, Acinopterus
 inornatus Horváth. See Anoplotettix fuscovenosus horváthi
 [sic].
 inornatus Matsumura. See Naratettix zonatus inornatus.
 inquieta Melichar, Aulacizes
 inquinata Ribaut. See Typhlocyba cruenta inquinata.
 insanus Ball, Ollarianus
 insanus coronatus Ball, Ollarianus
 inscripta Olsen, Neokolla
 inscripta Oman, Agalliopsis
 inscripta Sanders & DeLong. See Eupteroidea stellulata.
 inscripta Van Duzee, Aligia
 inscripta Van Duzee, Draeculacephala
 inscripta Walker, Coelidia
 inscriptula Osborn, Tettigella
 inscriptus DeLong, Chlorotettix
 inscriptus Haupt, Thamnotettix
 insculptus DeLong, Idiodonus
 insecata Melichar, Cicadella [Duméril 1806]
 insigna Beamer & Griffith, Erythroneura (Erythridula)
 insignata Haupt. See Tettigella chinensis insignata.
 insignior Distant, Bothrogonia
 insignior Fowler, Mareba
 insignis DeLong, Ollarianus
 insignis Distant, Bharata
 insignis Distant, Empoasca (Homa)
 insignis Distant, Hussa
 insignis Distant, Ipoella
 insignis Distant, Kolla
 insignis Distant, Nirvana
 insignis Distant, Oncometopia (Molomea)
 insignis Distant, Petalocephala
 insignis Spångberg, Gypona
 insignis Van Duzee, Macropsis
 insignita DeLong, Acusana
 insignita fastigata DeLong, Acusana
 insignita McAtee. See Alebra (Alebra) albostriella
 insignita.

insistans Walker. See *Aulacizes maculata*.
 insolita McAtee. See *Erythroneura (Eratoneura) ardens insolita*.
 insolita Walker, *Homalodisca*
 insolitus Hepner, *Scaphytopius (Cloanthanus)*
 insolitus Wagner. See *Macropsis infuscata*.
 inspergata Signoret, *Apogonalia*
 inspersa Bergroth, *Allophleps*
 inspirata Motschulsky, *Motschulskyia*
 instabilis Ribaut, *Aconura*
 instabilis Van Duzee, *Ophiola*
 instans Walker. See *Pseudoscarta fastuosa*.
 instrata Fowler, *Tettigella*
 insulae Griffith, *Alconeura (Alconeura)*
 insulana Evans, *Iturnoria*
 insulana Ribaut, *Cicadella [Duméril 1806]*
 insularis Berg, *Agallia*
 insularis Caldwell, *Ponana*
 insularis Caldwell, *Protalebra*
 insularis Curtis, *Aphrodes*
 insularis Distant, *Exitianus*
 insularis Evans, *Euacanthella*
 insularis Evans, *Idiocerus*
 insularis Evans, *Ledraprora*
 insularis Evans, *Pauripo*
 insularis Evans, *Rhotidus*
 insularis Kirkaldy, *Nesophrosyne (Nesoreias)*
 insularis Lindberg, *Amblytelinus*
 insularis Lindberg. See *Agallia lindbergi*.
 insularis Lindberg. See *Hardyopsis fraudulenta*.
 insularis lineatofrons Matsumura, *Coelidia*
 insularis Matsumura, *Coelidia*
 insularis Matsumura, *Thamnotettix*
 insularis Oman, *Empoasca*
 insularis Oman, *Krisna*
 insularis Osborn. See *Coelidia osborni*.
 insularis Schmidt, *Busonia*
 insularis Schmidt, *Sudra*
 insularis Van Duzee, *Hebecephalus*
 insularis White, *Grypotes*
 insurgens Melichar, *Ceratogoniella*
 intacta Walker. See *Paromenia rufa*.
 integer Naude. See *Deltoccephalus cogani integer*.
 integra DeLong, *Ponana (Bulbana)*
 integra McAtee, *Erythroneura (Erythroneura)*
 integra Melichar, *Acrocampa*
 integra Melichar, *Aulacizes*
 integra Melichar, *Erythrogonia*
 integra Wagner. See *Aphrodes tricincta integra*.
 intensa Van Duzee, *Cicadula*
 intensa Walker, *Sibovia*
 intercedens Linnavuori. See *Typhlocyba decempunctata intercedens*.
 interibilis Lindberg. See *Circulifer haematoceps*.
 interjecta Beamer & Griffith. See *Erythroneura (Erythroneura) dolosa interjecta*.
 interjecta Fowler, *Homalodisca*
 intermedia bakeri Melichar, *Makilingia*
 intermedia Boheman, *Cicadula*

intermedia Distant, *Ledra*
 intermedia Haupt. See *Ulopa reticulata*.
 intermedia Lethierry, *Agallia*
 intermedia Melichar, *Makilingia*
 intermedia Schmidt, *Trichogonia*
 intermedia simillima Baker, *Makilingia*
 intermedia suturalis Melichar, *Makilingia*
 intermedia Walker. See *Teletusa excavata intermedia*.
 intermediatus Singh-Pruthi, *Gurawa*
 intermedius Kusnezov. See *Laburrus (Esolanus) pellax*.
 intermedius Matsumura, *Scaphoideus*
 intermedius Melichar, *Deltoccephalus*
 interna Beamer, *Erythroneura (Eratoneura)*
 internalis Matsumura, *Typhlocyba*
 interrogata Knoll, *Diceratalebra*
 interrogationis Osborn, *Agallia*
 interrupta Ball, *Tiaja*
 interrupta Cerutti. See *Cicadella [Duméril 1806] aurata interrupta*.
 interrupta DeLong & Hershberger, *Mesamia*
 interrupta DeLong, *Polyamia*
 interrupta Osborn, *Coelidia*
 interrupta Osborn. See *Nesophrosyne (Nesophrosyne) giffardi interrupta*.
 interrupta Signoret. See *Poeciloscarta histrio*.
 interruptula Osborn, *Tettigella*
 interruptus Gillette & Baker. See *Idiocerus alternatus*.
 interruptus Linnaeus, *Evacanthus*
 interruptus moestus Zetterstedt, *Evacanthus*
 interruptus rubescens Haupt, *Evacanthus*
 interruptus Scott. See *Aphrodes albifrons dispar*.
 interruptus xanthus Melichar, *Evacanthus*
 intersectus Germar, *Ciccus*
 interspersa Stål, *Prairiana*
 interstincta Fallén. See *Evacanthus acuminatus*.
 interstinctus Fieber, *Ebarrius*
 interstitialis Germar, *Artianus*
 interstitialis Signoret, *Derogonia*
 intractabilis Kontkanen. See *Limotettix orichalceus*.
 intricata Johnson, *Erythroneura (Erythroneura)*
 intricatus Ball, *Friscanarus*
 intricatus Herrich-Schaeffer, *Phlepsius*
 intricatus Osborn, *Idiocerus*
 intricatus Uhler, *Scaphoideus*
 introducens Walker, *Coelidia*
 introducta Distant, *Mukwana*
 intrusa Melichar, *Balclutha*
 inundatus Ball, *Scaphoideus*
 inustus Haupt, *Thamnotettix*
 invadens Walker, *Gununga*
 invarius Walker, *Selenocephalus*
 invenustus Lawson, *Tinobregmus*
 inverta Melichar, *Sibovia*
 invicus DeLong, *Tinobregmus*
 invidenda Fowler, *Aulacizes*
 invitulus Nast, *Idiotettix*
 involuta Osborn, *Graphocephala*
 io Kirkaldy, *Tartessus*
 iocasta Distant, *Tettigella*

- iokaste Kirkaldy. See *Tartessus ianassa*.
 iphanassa Kirkaldy, *Thymbris*
 iphis Kirkaldy, *Tartessus*
 ipo Kirkaldy, *Idiocerus*
 ipoloa Kirkaldy, *Erythroneura*
iranica Linnavuori, *Cicadella* [Duméril 1806]
iranicola Zachvatkin, *Edwardsiana*
iranicola Zachvatkin, *Hardya* (*Hardya*)
iranicus Zachvatkin, *Stenometopillus*
iridescens DeLong, *Chlorotettix*
iris Bierman, *Penthimia*
irregularis Signoret, *Homoscarta*
irrita Davidson & DeLong, *Empoasca*
irritans Wagner. See *Aphrodes albifrons arcuata*.
irritus Beamer, *Hebecephalus*
irrorata Ball, *Koebelia*
irrorata Fabricius. See *Aulacizes nigripennis*.
irrorata Horvath, *Penthimia*
irrorata Matsumura, *Macropsis*
irrorata Osborn, *Bahita*
irrorata Robinson. See *Erythroneura* (*Erythroneura*) *rubra*.
irrorata Stål, *Gypona*
irroratus Ball, *Carsonus*
irroratus Curtis. See *Stroggylocephalus agrestis* *irroratus*.
irroratus DeLong, *Retusanus*
irroratus Lewis, *Batracomorphus*
irroratus Melichar, *Selenocephalus*
irroratus nogalinus Ball, *Scaphytopius* (*Convelinus*)
irroratus Osborn, *Xestocephalus*
irroratus Osborn. See *Twiningia pellucida*.
irroratus Say, *Paraphlepsius*
irroratus Scott. See *Euscelidius variegatus*.
irroratus spicatus Oman, *Carsonus*
irroratus Van Duzee, *Scaphytopius* (*Convelinus*)
irroratus xanthanus Ball, *Scaphytopius* (*Convelinus*)
irrorella Spångberg. See *Ponana* (*Ponana*) *scarlatina*.
irrorella Stål, *Mesamia*
irrorellus DeLong, *Scaphytopius*
isabellina Fowler, *Aulacizes*
isabellula Breddin, *Trichogonia*
ishidae Matsumura, *Orientus*
ishidae Matsumura, *Typhlocyba*
ishidae Matsumura, *Xestocephalus*
ishidae Matsumura. See *Macrosteles quadrimaculatus* [sic].
ishidae Matsumura. See *Metalimus formosus* *ishidae*.
ishiyamae Matsumura, *Idiocerus*
issa Kirkaldy, *Tartessus*
issikii Matsumura. See *Naratettix zonatus* *issikii*.
italica Ribaut, *Erythroneura*
italicus Wagner, *Notus*
ithra Distant, *Kolla*
itonias Kirkaldy, *Tartessus*
ivanhofi Lethierry, *Anoterostemma*
ivanovi Kusnezov, *Doratura*
iwatensis Matsumura, *Alebroides*
ix Myers, *Erythroneura*
izzardi Metcalf, *Xestocephalus*
jacinta DeLong & Davidson, *Empoasca* (*Kybos*)
jacinta DeLong. See *Empoasca atinca*.
jacintae Ruppel & DeLong. See *Kunzeana popae jacintae*.
jacobii Christian, *Typhlocyba*
jacobii Evans, *Odomas*
jacobii Melichar, *Teleogonia*
jacobii Metcalf, *Empoasca*
jacobsoni Melichar, *Gununga*
jactans Walker. See *Coelidia indica*.
jagdishi Singh-Pruthi, *Chiasmus*
jaina Distant, *Typhlocyba*
jakowleffi Lethierry, *Athyisanus*
jakowlesi Lethierry, *Aconura*
jalapa DeLong, *Empoasca*
jalapai DeLong & Ruppel, *Parallaxis*
jamianus Matsumura, *Athyisanus*
jamiensis Matsumura, *Togacephalus*
janaka Distant, *Agallia*
jandacephalus Caldwell, *Scaphytopius*
jansoni Fowler, *Prairiana*
januatus Ball, *Conodonus*
japonica Matsumura, *Doratulina*
japonicus Matsumura, *Paramesus*
jassargiforma Dlabora, *Philaia*
javana Melichar, *Kolla*
javana Melichar, *Kutara*
javanensis Distant, *Tituria*
javanus Melichar, *Xestocephalus*
javeti Signoret, *Jafar*
jaxartensis Oshanin, *Helionidia* (*Tamaricella*)
jemima Distant, *Pseudoscarta*
jenjouriste Zachvatkin. See *Circulifer chinai* *jenjouriste*.
jenjouristi Zachvatkin, *Deltcephalus*
jenjouristi Zachvatkin. See *Recilia elongatoocellata*
jenjouristi.
joannaevans Evans, *Aletta*
joquinus Oman, *Giprus*
jocosa Beamer, *Erythroneura* (*Erythridula*)
jocosa Melichar, *Doratulina*
jocosa Provancher. See *Balclutha punctata*.
jocosa Walker, *Tettigella*
jocosus Van Duzee, *Scaphytopius* (*Cloanthanus*)
johnsoni Merino, *Omanella*
johnsoni Van Duzee, *Bandara*
jonella Matsumura, *Zygina*
jordansi Jacobi, *Tettigella*
josea Ball, *Idiodonus*
jozankeana Matsumura, *Macropsis*
jubata Goding. See *Proconia marmorata*.
jucunda Hardy. See *Cicadella* [Duméril 1806] *urticæ*.
jucunda Herrich-Schaeffer, *Typhlocyba*
jucunda Uhler, *Algia*
jucunda Uhler, *Cantura*
jucunda Walker, *Erythrogonia*
jucundus Lethierry, *Opsioides*
jucundus Linnavuori, *Xestocephalus*
juglandacea Ross & DeLong, *Erythroneura*
juglandis Knoll & Auten, *Erythroneura* (*Erythridula*)
juglans Matsumura, *Oncopsis*
juncea Beamer, *Erythroneura* (*Erythridula*)

junipera DeLong, Empoasca (Empoasca)
 juniperi Lethierry, Ligurogia
 juniperus DeLong & Hershberger. See Idiocerus apache
 juniperus.
 juno Distant, Penthimia
 juvenca Hardy. See Verdanus abdominalis.
 juvenis Ferrari. See Allygus modestus.
 juvenis McAtee, Cicadella [Duméril 1806]
 juventa Van Duzee, Balclutha
 kadokana Knull, Athysanella
 kagina Matsumura, Zygina
 kagoshimensis Matsumura, Macropsis
 kaiamamao Kirkaldy, Nesophryne
 kaibaba Davidson & DeLong, Empoasca (Hebata)
 kakogawana Matsumura, Zygina
 kalalae Dlabola, Selenocephalus
 kalidasa Kirkaldy. See Thomsoniella arcuata.
 kalimensis Evans, Eurymeloides
 kalypso Kirkaldy, Tharra
 kamerunensis Schumacher, Pachyledra
 kanabana Ball & Beamer, Athysanella (Athysanella)
 kangrensis Kirkaldy, Gypona
 kankundensis Evans, Selenocephalus
 kanoi Matsumura, Athysanus
 kanongensis Evans, Macropsis
 kanoniellus Matsumura, Deltoccephalus
 kansana angustens DeLong, Prairiana
 kansana Baker. See Erythroneura (Eratoneura) ardens
 kansana.
 kansana Ball & Beamer, Athysanella (Amphipyga)
 kansana Ball, Prairiana
 kansana Beamer, Dorydiella
 kansasensis [sic] Fairbairn, Hymetta
 kansiensis Lawson. See Dikrella (Dikrella) cruentata
 kansiensis.
 kansiensis Shaw, Parabolocratus
 kansiensis Tuthill, Amplicephalus
 kanwakae Robinson, Erythroneura (Erythroneura)
 kanza Robinson, Erythroneura (Erythridula)
 karafutonis Matsumura, Deltoccephalus
 karafutonis Matsumura, Thamnotettix
 karaseki Melichar, Signoretia
 karenensis Distant, Coelidia
 kariana China, Oniroxis
 karoondae Evans, Austroagalloides
 karooensis Cogan, Thamnotettix
 karooensis pallidus Cogan, Thamnotettix
 kassiphone Kirkaldy, Tharra
 kastneri Wagner. See Macropsis infuscata.
 katoi Metcalf, Idiocerus
 katoi Metcalf, Parabolocratus
 katona Melichar, Duraturopsis
 kawamurae Matsumura, Mimotettix
 kelloggii Baker, Onukia
 kemneri Ossiannilsson, Edwardsiana
 kemneri Ossiannilsson. See Jassargus (Jassargus)
 distinguendus.
 kempis Singh-Pruthi, Drabescus
 kempis Singh-Pruthi, Petalocephala

kempis Singh-Pruthi, Platymetopius
 kennedyi Knull, Erythroneura (Erythroneura)
 kennicottii Uhler, Idiodonus (Idiodonus)
 kerri motti Singh-Pruthi, Empoasca
 kerri Singh-Pruthi, Empoasca
 kharavela Distant, Tettigella
 khewrensis Singh-Pruthi, Paternus
 kiatensis Evans, Rhotidus
 kiekie Myers, Erythroneura
 kienis Matsumura, Typhlocyba
 kilauae Kirkaldy, Balclutha
 kilimanus Jacobi, Deltoccephalus
 kilimanus Jacobi, Exitianus
 kinbergi Stål. See Kolla paulula.
 kingensis Evans, Austrolopa
 kinoanus Ball, Ollarianus
 kinonanus Ball, Doleranus
 kiperi Beamer, Zygina
 kirbyi Kirkaldy, Krisna
 kirbyi Melichar, Eogypona
 kiritshenkoi Bergevin, Paramacroceps
 kiritshenkoi Zachvatkin, Empoasca (Kybos)
 kirkaldyi Baker, Ipocerus
 kirkaldyi Ball, Colladonus
 kirkaldyi Evans, Idiocerus
 kirkaldyi Evans, Phrynophyes
 kirkaldyi Metcalf. See Rhotidus ståli [sic].
 kirschbaumi Baker, Idiocerus
 kirschbaumi Edwards. See Aphrodes albigerus kirschbaumi.
 kirschbaumi Wagner, Eurhadina
 kirschbaumii Stål. See Thomsoniella porrecta.
 kisseis Kirkaldy, Idiocerus
 kisiji Matsumura, Empoasca (Chlorita)
 klossi Distant, Bhooria
 klugi Signoret, Dilobopterus
 knighti Beamer, Erythroneura (Eratoneura)
 knoblockii Hummel, Coelidia
 knulli Christian, Ossiannilssonola
 knulli Davidson & DeLong, Empoasca (Empoasca)
 knulli Davidson & DeLong, Nesosteles
 knulli DeLong & Beery, Osbornellus
 knulli Sanders & DeLong, Dorycephalus (Attenuipyga)
 kocourekii Dlabola. See Jassargus (Sayetus) allobricus
 kocourekii.
 kodaiana Distant, Kolla
 koebeli Kirkaldy, Tettigella
 kogotensis Matsumura, Matsumurella
 kogotensis Matsumura, Oncopsis
 koleae Kirkaldy, Nesophrosyne (Nesoreias)
 kolennatii [sic] Fieber, Deltoccephalus
 kolosvarensis Matsumura. See Psammotettix striatus
 kolosvarensis.
 kongosana Matsumura, Neotituria
 kongosanus Matsumura, Deltoccephalus
 kontkanenii Ossiannilsson, Empoasca
 koreacola Matsumura, Typhlocyba
 koreana Matsumura, Doratulina
 koreana Matsumura, Empoasca (Chlorita)
 koreana Matsumura, Ledropsis

- koreana Matsumura, Nirvana
 koreanus Matsumura, Deltoccephalus
 koreanus Matsumura, Idiocerus
 koreanus Matsumura, Platymetopius
 koreanus Matsumura. See *Naratettix zonatus koreanus*.
 kosempoensis Schumacher, Ledra
 koshunensis Matsumura, Mesotettix
 koshunensis Matsumura, Tettigella
 koshunensis Matsumura, Thamnotettix
 koshunensis Matsumura, Xestocephalus
 koshunensis Schumacher, Empoasca
 koshunensis Schumacher, Petalocephala
 kotagiriensis Distant, Tettigella
 kotonis Matsumura, Jamitettix
 kotoshonis Matsumura, Scaphoideus
 kotoshonis Matsumura, Thamnotettix
 kozhevnikovi Zachvatkin, Elymana
 kratochvili Lang, Erythroneura
 krausi Ruppel & DeLong, Joruma
 krueperi Puton. See *Zygina krueperi* [sic].
 krueperi [sic] Fieber, Zygina
 krusei Schmidt, Marquardtella
 krypta Medler, Ophiola
 kuhlgatzi Matsumura. See *Doliotettix lunulatus*.
 kukanaroa Kirkaldy, Nesophryne
 kumamotonis Matsumura, Scaphoideus
 kumaonis Baker, Exitianus
 kunzei Gillette, Kunzeana
 kunzei lenta McAtee. See *Kunzeana lenta*.
 kuroiwae Matsumura, Balclutha
 kuscheli China, Evansiola
 kusnezovi Metcalf, Deltoccephalus
 kuthyi Tóth, Hecalus
 kuyanai Matsumura, Alebra
 kuyanianus Matsumura, Xestocephalus
 kyushuensis Metcalf, Macropsis
 l-nigrum Matsumura. See *Naratettix zonatus l-nigrum*.
 labeculus DeLong, Cabrulus
 labella Osborn, Ponana
 labena Kirkaldy, Tharra
 labiata Gillette, Gillettiella
 labiata gillettei Metcalf, Gillettiella
 labiatus rufus Gillette. See *Gillettiella labiata gillettei*.
 laboulbenii Perris. See *Chiasmus conspurcatus*.
 laboulbenii Signoret, Amblydisca
 laboulbenii Signoret, Tituria
 labyrinthica Metcalf & Bruner, Hadria
 lacerdae Signoret, Phlepsius
 lacerta Fowler, Phera
 lachrymalis Fitch, Idiocerus
 laciniatus Then, Deltoccephalus
 lacta Robinson. See *Erythroneura (Erythroneura) delicata*.
 lactea Lethierry. See *Edwardsiana candidula*.
 lactea Lindberg, Erythroneura
 lactea Signoret, Tettigella
 lacteineurus Kirschbaum, Mimallygus
 lacteipennis Fowler, Gypona
 lacteisparsus Jacobi, Selenocephalus
 lacteoguttatum Schmidt, Diestostemma
 lacteus Baker. See *Nesosteles incisus*.
 lacteus Melichar, Parabolocratus
 lacteus Melichar, Thamnotettix
 lactifera Rey. See *Edwardsiana rosae lactifera*.
 lactipennis Van Duzee, Neocoelidia
 lactus Lawson. See *Acinopterus inornatus*.
 lacustris Evans, Idiocerus
 laeta Ball & Beamer, Athysanella (*Athysanella*)
 laeta Fabricius, Erythrogonia
 laeta paeta Ball, Pachyopsis
 laeta Uhler, Pachyopsis
 laetisigna Walker, Drabescus
 laetus Melichar, Deltoccephalus
 laetus Ribaut. See *Circulifer guttulatus laetus*.
 laetus Uhler. See *Sonorinus maculipes*.
 laetus Walker, Dilobopterus
 laeva Rey. See *Aphrodes trifasciata laeva*.
 laevis acuteangulata Zachvatkin, Anaceratagallia
 laevis Bergevin. See *Peragallia sinuata laevis*.
 laevis Lethierry, Athysanus
 laevis Melichar, Balclutha
 laevis Ribaut, Anaceratagallia
 laevis Ribaut, Macrosteles
 laevis Walker, Ledra
 lagunensis Baker. See *Chunrocerus niveosparsus*
 lagunensis.
 lahorensis Distant, Volusenus
 lalage Kirkaldy, Erythroneura
 lambertiei Melichar, Idiocerus
 lamellaris Ribaut, Typhlocyba
 lamina DeLong, Gyponana (*Gyponana*)
 laminata Signoret, Oncometopia (Lebora)
 laminatus Flor, Idiocerus
 laminatus Ivanoff. See *Goniagnathus guttulinervis*.
 lamucata Ross & DeLong, Erythroneura
 lanceolatum Burmeister. See *Paradorydium paradoxum*.
 lanceus DeLong. See *Scaphytopius (Cloanthanus) argutus*.
 lancifer McAtee. See *Typhlocyba persephone*.
 languida Ball, Ballana
 languida DeLong & Ruppel. See *Alconeura glauca*.
 languida Griffith, Alconeura (*Alconeura*)
 languidus Flor, Arocephalus (*Arocephalus*)
 languidus ocellatus Cerutti, Arocephalus (*Arocephalus*)
 lanarius Jacobi, Batracomorphus
 lanio brunneus Fabricius, Iassus
 lanio Linnaeus, Iassus
 lanternae Wagner, Edwardsiana
 lanzarotensis Enderlein. See *Erythroneura perspicillata*.
 lanzkei Wagner. See *Macropsis albae lanzae*.
 lappa Griffith, Alconeura (*Alconeura*)
 lapponicus Haupt, Thamnotettix
 lapponicus Ossianilsson, Psammotettix
 lapsus Evans, Neodartus
 laredanus Oman, Deltoccephalus
 laribaeus Bliven, Idiocerus
 larrimeri DeLong, Mocuellus
 larvata Fowler, Pseudoscarta
 larvatula Breddin, Mesogonia

- larvatus Herrich-Schaeffer, Idiocerus
 lascivius Ball, Paraphlepsius
 lassa Ball, Endria
 lata Beamer, Erythroneura (Eratoneura)
 lata Curtis, Aphrodes
 lata DeLong & Caldwell, Empoasca (Empoasca)
 lata Kato, Moonia
 lata Melichar, Karasekia
 lata Oman, Euragallia
 latacephala Beamer, Dikraneura (Dikraneura)
 latapex Beamer, Erythroneura (Erythridula)
 latarca Davidson & DeLong, Empoasca (Empoasca)
 latens DeLong, Prairiana
 latens DeLong, Scaphytopius (Cloanthanus)
 latera DeLong, Ballana
 lateralis Fabricius. See Acrogonia fabricii.
 lateralis Fabricius. See Cuerna costalis.
 lateralis Matsumura, Iassus
 lateralis Oman, Bergallia
 lateralis Sahlberg. See Mocuellus (Mocuellus) collinus.
 lateralis Walker, Paralimnus
 latercula Breddin, Amblyscarta
 lateritia Taschenberg, Tettigella
 latestriata Strobl. See Macropsis marginata latestriata.
 lathropi Baker, Texananus (Texananus)
 laticapitata Kato, Petalocephaloidea
 laticepha Naudé, Gcaleka
 laticeps Melichar, Uzelina
 laticeps Metcalf & Bruner, Poeciloscarta
 laticeps Oman, Brincadorus
 laticeps Osborn, Bahita
 laticeps Osborn, Hadralebra
 laticeps Osborn, Iassus
 laticeps Spångberg, Gypona
 laticeps Walker, Idiocerus
 latidens DeLong, Arundanus
 latidens DeLong, Idiodonus
 latidens DeLong, Scaphytopius
 latidens Sanders & DeLong, Latalus
 latifascia angustifasciata Melichar, Oncometopia
 (Molomea)
 latifascia Walker, Eurymelops
 latifascia Walker, Oncometopia (Molomea)
 latifasciata Breakey. See Macropsis virescens latifasciata.
 latifasciata Christian, Empoa
 latifasciatus Kato, Athysanus
 latifrons Blanchard, Iassus
 latifrons Matsumura, Deltocephalus
 latifrons Matsumura, Idiocerus
 latifrons Sanders & DeLong. See Chlorotettix fallax.
 latifrons Van Duzee, Paraphlepsius
 latifrons Walker, Petalocephala
 latifrons Walker. See Chunra puncticosta.
 latifrons Walker. See Tartessus fulvus.
 latinus Wagner, Deltocephalus
 latipennis Melichar, Amblydisca
 latipennis Walker, Amalfia
 latipex DeLong & Caldwell. See Psammotettix alienus.
 latipex DeLong, Texananus (Texananus)
- lativentris Melichar, Doradana
 lativitta Walker, Gypona
 lativittata Fowler. See Sibovia obtecta.
 lativittata Lawson. See Spangbergiella vulnerata lativittata.
 latocinctus DeLong, Chlorotettix
 latomarginata Distant, Tettigella
 latreillei Distant, Ciccianna
 latruncularius Motschulsky, Thamnotettix
 latula DeLong, Ballana
 latus Baker, Scaphytopius (Cloanthanus)
 latus Brown, Chlorotettix
 latus DeLong, Ascus
 latus Evans, Cephalelus
 latus Evans, Tartessus
 latus Hepner, Eutettix
 latus Lawson. See Acinopterus viridis variegatus.
 latus Matsumura. See Naratettix zonatus latus.
 laudata Distant, Doda
 laudata Walker. See Erythrogonia quadriguttata.
 laurae Ferrari, Athysanus
 laureti Lindberg, Cicadella [Duméril 1806]
 lauri Horváth, Synophropsis
 lauta Davidson & DeLong, Empoasca (Empoasca)
 lauta Stål, Agallia
 lautipennis Stål, Typhlocyba
 lautus Nast, Idiotettix
 lavata McAtee. See Dikrella (Dikrella) cruentata lavata.
 lawsoni Baker. See Erythroneura (Erythridula) lawsoniana.
 lawsoni DeLong, Amplicephalus
 lawsoni Robinson, Erythroneura (Eratoneura)
 lawsoniana Baker, Erythroneura (Erythridula)
 leai Evans, Deltodorydium
 leai Evans, Ipoides
 leai Evans, Tharra
 ledrellus Evans, Hecalus
 ledropsiformis Kirkaldy, Rhotidus
 lefroyi Distant, Hecalus
 lefroyi Distant, Paralimnus
 lelievrei Lethierry, Cicadella [Duméril 1806]
 lemnisca McAtee. See Erythroneura (Erythridula) abolla
 lemnisca.
 lemiscata Fowler, Catagonalia
 lenea Distant, Pseudoscarta
 lenensis Linnavuori, Dikraneura
 lenis Jacobi, Pogonoscopus
 lenis Van Duzee, Sorhoanus
 lenta Beamer, Erythroneura (Eratoneura)
 lenta McAtee, Kunzeana
 lentana DeLong, Dikraneura
 lenticula Ball, Draeculacephala
 lenticula Osborn, Protalebra
 lentiginosus Kirkaldy, Eurinoscopus
 lentiginosus Kirkaldy. See Katipo rubivenosa.
 lentus DeLong. See Dikraneura lentana.
 leopardina Distant, Bothrogonia
 leopardina Haupt, Symphyypga
 lepida Fieber, Typhlocyba
 lepida McAtee, Buritia
 lepida Signoret, Microgoniella

lepidellus Stål, *Sanctanus*
 lepidipennis Walker, *Gununga*
 lepidus Van Duzee, *Macrosteles*
 leptocarpi Myers, *Notocephalus*
 lesmuriensis Evans, *Idiocerus*
lethierryi chromata Rey, *Edwardsiana*
lethierryi Edwards, *Edwardsiana*
lethierryi plurispinosa Wagner, *Edwardsiana*
lethierryi Signoret, *Psegmatus*
lethierryi Wagner. See *Opsiusheneydeni*.
leucampix Signoret, *Exogonia*
leucocephala Matsumura, *Oniella*
leucocnema Oshanin. See *Cicadella* [Duméril 1806]
 urticæ *leucocnema*.
leucomelana Walker, *Coelidia*
leucomelas Walker, *Amblyscarta*
leucomelas Walker, *Coelidia*
leucopa Walker, *Tettigella*
leucopasa Walker, *Tettigella*
leucophaeus Kirschbaum, *Deltococephalus*
leucospila Walker. See *Diedrocephala splendida*.
leucospilus Walker, *Iassus*
leucostictus Stål, *Rhotidus*
leucothoe Kirkaldy, *Erythroneura*
leurensis Evans, *Idiocerus*
leurensis Evans, *Rhotidus*
leveri Evans, *Erythroneura*
leveri Evans, *Iassus*
levis DeLong & Caldwell, *Idiocerus*
levis DeLong, *Mexicanus*
levis Ribaut. See *Cicadella* [Duméril 1806] *rostrata levis*.
liber Walker, *Iassus*
libera Ball & Beamer, *Athysanella* (*Gladionura*)
liberatus Matsumura, *Thamnotettix*
libidinosa Signoret, *Tettigella*
librata DeLong, *Gyponana* (*Gyponana*)
libratus DeLong, *Osbornellus*
ligata *allecta* McAtee, *Erythroneura* (*Eratoneura*)
ligata *caetra* McAtee. See *Erythroneura* (*Erythroneura*)
 caetra.
ligata McAtee, *Erythroneura* (*Eratoneura*)
ligata pupillata McAtee, *Erythroneura* (*Eratoneura*)
linea Fowler, *Pseudoscarta*
lignosa Walker, *Anacornutipo*
liliputanus Melichar, *Deltococephalus*
lima Jacobi, *Coelidia*
limatum Melichar, *Diestostemma*
limba DeLong & Ruppel. See *Eupterella gladia* *limba*.
limbata Fieber, *Cicadula*
limbata fuscipennis Spångberg, *Gypona*
limbata Kirschbaum, *Agallia*
limbata Matsumura, *Zygina*
limbata Osborn, *Jassoidula*
limbata Say. See *Cuerna septentrionalis*.
limbata Spångberg, *Gypona*
limbatellus Zetterstedt, *Diplocolenus*
limbaticeps Stål, *Drabescus*
limbaticollis Stål, *Mareja*
limbatipenne Schmidt, *Diestostemma*

limbatipennis Spångberg, *Ponana* (*Ponana*)
limbatula Melichar, *Cyclogonia*
limbatula Osborn, *Tettigella*
limbatus Ferrari. See *Laburrus* (*Laburrus*) *quadratus*.
limbatus Osborn, *Scaphytopius*
limbatus Van Duzee, *Limbanus*
limbicosta Jacobi, *Athysanus*
limbifera Matsumura, *Empoasca* (*Chlorita*)
limbifera Matsumura, *Usuronus*
limboclavula Osborn, *Tettigella*
limbopunctata Reuter. See *Macropsis megerlei*.
limbramentus DeLong, *Scaphytopius* (*Cloanthanus*)
limicola Edwards. See *Aphrodites albifrons* *arcuata*.
limicola maculata Edwards. See *Aphrodites albifrons*.
limicolus Osborn, *Sanctanus*
limitata Signoret, *Apogonalia*
limonea Ball & Reeves, *Ponana* (*Ponana*)
limosus DeLong & Cartwright, *Chlorotettix*
limosus DeLong, *Osbornellus*
limpida Signoret, *Myogonia*
limpida Wagner, *Empoasca*
limpidosparsa Stål, *Coelidia*
lincolnensis Evans, *Macropsis*
lindbergi Baker. See *Streptanus sordidus*.
lindbergi Linnavuori, *Empoasca*
lindbergi Metcalf, *Agallia*
lindbergi Metcalf, *Idiocerus*
lindneri Fahringer, *Deltococephalus*
linea Beamer, *Erythroneura* (*Eratoneura*)
linea Taschenberg, *Tettigella*
lineacephalus Caldwell, *Scaphytopius*
lineafrons DeLong, *Scaphytopius* (*Cloanthanus*)
linealis Distant, *Sophonia*
linearis Walker, *Stictoscarta*
lineata Baker, *Empoasca*
lineata Baker, *Jassonirvana*
lineata Baker, *Makilingia*
lineata Baker, *Stenocoelidia* (*Eurycoelidia*)
lineata Burmeister, *Gyponana*
lineata DeLong, *Plummerella*
lineata Distant, *Kolla*
lineata Fabricius. See *Stictocoris hybneri*.
lineata Fieber, *Paropulopa*
lineata Lindberg, *Erythroneura*
lineata Melichar, *Balclutha*
lineata Osborn, *Agallia*
lineata Osborn, *Alconeura* (*Hyloidea*)
lineata Osborn, *Nesolina*
lineata Osborn, *Nesophrosyne* (*Nesophrosyne*)
lineata Osborn, *Sibovia*
lineata penelineata Oman, *Stenocoelidia* (*Eurycoelidia*)
lineata Signoret, *Eurymeloides*
lineata Signoret. See *Metascarta coeruleovittata*.
lineata Walker, *Ledra*
lineatella Fallén. See *Edwardsiana geometrica*.
lineatella Osborn, *Protalebra*
lineaticollis Distant, *Paramesus*
lineatifrons Melichar, *Oncometopia* (*Oncometopia*)
lineatifrons Naudé, *Empoasca*

- lineatifrons Oman, *Deltoccephalus*
 lineatifrons Stål, *Macrosteles*
 lineatipennis Stål, *Metascarta*
 lineatocollis Signoret, *Ulozena*
 lineatofrons Matsumura. See *Coelidia insularis*
 lineatofrons.
 lineatopunctata Matsumura, *Cicadula*
 lineatus Baker, *Errhomus*
 lineatus Beamer, *Osbornellus*
 lineatus Horváth, *Parabolocratus*
 lineatus Kato. See *Parabolocratus katoi*.
 lineatus Oman, *Bonamus*
 lineatus Osborn, *Amplicecephalus*
 lineatus Osborn, *Nesosteles*
 lineatus Osborn. See *Chlorotettix minimus*.
 lineatus Uhler, *Hecalus*
 lineiceps Osborn, *Thamnotettix*
 lineiceps Spinola. See *Graphocephala versuta*.
 lineigera Zetterstedt. See *Ophiola transversa*.
 lineola Horváth. See *Macropsis virescens* *lineola*.
 lineola Osborn, *Graphocephala*
 lineola Osborn, *Protalebra*
 lineola Walker, *Iassus*
 lineola Walker, *Tettigella*
 lineolata Brullé, *Euscelis*
 lineolata Distant, *Empoanara*
 lineolata Horváth. See *Balclutha punctata* *lineolata*.
 lineolata Motschulsky, *Thomsoniella*
 lineolata Walker, *Sphinctogonia*
 lineolatus Osborn. See *Scaphytopius boliviensis*.
 lineolatus Peletier & Serville. See *Idiocerus litoratus*.
 lineolatus Ribaut. See *Idiocerus cupreus* *lineolatus*.
 lineolifera Walker, *Coelidia*
 lineoligera Distant, *Nehela*
 lineoligera Stål, *Aletta*
 lineosa Fowler, *Pseudoscarta*
 lineosa Osborn, *Gypona*
 lingula Van Duzee, *Agallia*
 lingulata Olsen, *Agallia*
 linnei Fieber. See *Arocephalus (Arocephalus) longiceps*.
 lippensi Evans, *Parabolocratus*
 lippulus Ball, *Paraphlepsius*
 listatus Costa, *Metapocirtus*
 literatus Distant, *Scaphoideus*
 litigiosa Ball, *Omanana*
 litoralis Matsumura, *Macrosteles*
 litterata Ribaut. See *Cicadella* [Duméril 1806] decemnotata
 litterata.
 litoralis Ball, *Amplicecephalus*
 litoralis Ball, *Scaphoideus*
 litoralis Kuntze, *Doratura*
 litoralis Matsumura. See *Deltoccephalus matsumurai* [sic].
 liturata Ball, *Homalodisca*
 liturata Stål, *Gypona*
 liturata Van Duzee, *Agallia*
 lituratus Fallen, *Idiocerus*
 lituratus rubrifrons Rey, *Idiocerus*
 lituriceps Osborn, *Tettigella*
 lituriceps Walker, *Iassus*
- livens Zetterstedt, *Stroggylocephalus*
 livida Walker. See *Eurymeloides lineata*.
 lividellus Zetterstedt, *Psammotettix*
 lividus Edwards, *Macrosteles*
 livingstonii Baker. See *Balclutha occidentalis*.
 livingstonii Gillette, *Empoasca (Kybos)*
 lobata Ball & Beamer. See *Athysanella (Gladionura)*
 sinuata lobata.
 lobata Beamer & Tuthill, *Polyamia*
 lobata Beamer, *Forcipata*
 lobata Oman, *Ceratagallia*
 lobata Spångberg, *Gypona*
 lobata Van Duzee, *Prescottia*
 lobatus DeLong, *Ollarianus*
 lobatus Osborn, *Atanus*
 lobatus Osborn, *Chlorotettix*
 lobatus Osborn, *Paraphlepsius*
 loca DeLong & Caldwell, *Forcipata*
 loca Oman, *Ceratagallia*
 loculatus Ball, *Lycioides*
 loewi Lethierry, *Typhlocyba*
 loewii Horvath. See *Anoplotettix fuscovenosus*.
 loewii Then, *Eurhadina*
 loma Oman, *Ceratagallia*
 lombardi Melichar. See *Cicadella* [Duméril 1806]
 decemnotata lombardi.
 longa Knoll, *Erythroneura (Eratoneura)*
 longa Walker. See *Bothrogonia ferruginea*.
 longeciliatus Graaf, Six & Snellen. See *Empoasca (Kybos)*
 smaragdula.
 longicaput Scott. See *Arthaldeus striifrons*.
 longicauda Oman, *Alaca*
 longiceps Berg, *Agudus*
 longiceps Kirschbaum, *Arocephalus (Arocephalus)*
 longiceps Rey. See *Jassargus (Jassargus) distinguendus*
 gallicus.
 longicornis Kirschbaum. See *Cicadula frontalis*.
 longicornis Osborn, *Portanus*
 longicornis Osborn, *Tettigella*
 longifalx Linnavuori, *Erythroneura*
 longiforma Cogan, *Cicadula*
 longifrons Walker, *Ledra*
 longina Jacobi, *Coelidia*
 longiora DeLong. See *Prairiana ponderosa* *longiora*.
 longipennis Crowder, *Texananus (Iowanus)*
 longipennis Lawson. See *Acinopterus rubrus*.
 longipennis Melichar, *Teletusa*
 longipennis Oman, *Agalliopsis*
 longipes Fabricius, *Coelidia*
 longipes Oman, *Ceratagallia*
 longipes Walker, *Paromenia*
 longiseta Melichar, *Muirella*
 longiseta Van Duzee, *Cicadula*
 longispina Linnavuori, *Chlorotettix*
 longispina Oman, *Empoasca*
 longispina Perroud & Montrouzier, *Tettigella*
 longistylata Beamer & Lawson, *Stragania*
 longitudinalina Ruppel & DeLong, *Alconeura (Hyloidea)*
 longitudinalis Distant, *Sophonia*

- longivalvis Kirschbaum. See *Arocephalus* (*Arocephalus*)
longiceps.
- longiventris Sahlberg. See *Cicadula quinquepotata*.
- longivittata Costa, Tettigella
- longiqua Kirkaldy, Euscelis
- longula Osborn, Graphocephala
- longula Van Duzee, Aceratagallia (*Aceratagallia*)
- longulus DeLong, Dalbulus
- longulus Distant, Nesosteles
- longulus Gillette & Baker, Doleranus
- longus Knoll, Laevicephalus
- lora DeLong, Gyponeana (*Rugosana*)
- loranthae Evans, Ipoidea
- loratus Horváth, Thamnotettix
- loricata Osborn, Coelidia
- loricatus Osborn, Phlepsius
- loricatus Van Duzee, Scaphytopius (*Convelinus*)
- losbanosa Merino, Roxasella
- lotis Kirkaldy, Deltocephalus
- lotophagorum Kirkaldy, Allygus
- lotophagorum Kirkaldy, Dryadomorpha
- lovedalensis Distant, Macropsis
- lubiae China, Zygina
- lubra Kirkaldy, Erythroneura
- lubra Kirkaldy. See *Eurytela fenestrata*.
- lucasi Signoret, Poeciloscarta
- lucernaria Linnaeus, Homalodisca
- luciana Osborn, Joruma
- lucida Butler, Balclutha
- lucida Schaum, Acostemma
- lucidicosta Walker, Iassus
- lucidus Baker, Doleranus
- lucidus Kirschbaum. See *Idiocerus cognatus*.
- lucifera Wagner. See *Macropsis marginata lucifera*.
- lucindae Kirkaldy, Deltocephalus
- luciola Signoret, Phera
- luctuosus Stål, Colladonus
- luculenta Fowler, Graphocephala
- luculenta Griffith, Alconeura (*Alconeura*)
- luculenta Knoll, Erythroneura (*Eratoneura*)
- luculla Medler, Ribautiana
- luda Davidson & DeLong, Empoasca (*Kybos*)
- ludicula Osborn, Graphocephala
- ludoria Oman, Ceratagallia
- ludovicia Ball, Mesamia
- lugens Germar. See *Ulopa trivia*.
- lugens Horváth. See *Paralimnus phragmitis lugens*.
- lugens Walker, Cuerna
- lugubrina Spångberg, Gypona
- lugubris Distant, Eutettix
- lugubris Distant, Mahalana
- lugubris Fowler, Amblydisca
- lugubris Melichar, Athysanus
- lugubris Signoret, Keonolla
- lugubris Spångberg, Coelidia
- lukjanovitshi Kusnezov, Doratura
- lukjanovitshi Kusnezov, Goniagnathus
- lukjanovitshi Kusnezov, Kolla
- lumenotus DeLong, Scaphytopius (*Cloanthanus*)
- luna DeLong & Caldwell, Dikraneura (*Delongia*)
- lunaris Ball. See *Idiocerus suturalis lunaris*.
- lunaris impleta Ribaut, Erythroneura
- lunaris Mulsant & Rey, Erythroneura
- lunata Ball & Beamer, Athysanella (*Gladionura*)
- lunata McAtee, Erythroneura (*Eratoneura*)
- lunata Signoret, Catagonalia
- lunatus Osborn, Deltocephalus
- lunatus Peters, Xestocephalus
- lunulata Costa, Tettigella
- lunulatus Zetterstedt, Doliotettix
- lunulifrons Sahlberg. See *Cicadula intermedia*.
- lupini Oman, Ceratagallia
- lurida Germar, Proconia
- lurida Melichar, Coelidia
- lurida Ruppel & DeLong, Dikrella
- lurida Signoret. See *Dasmusa flavescentia*.
- lurida Walker, Penthimia
- luridescens Walker, Amblydisca
- luridus Ferrari, Athysanus
- luridus Van Duzee, Eutettix
- luridus Walker. See *Anipo porriginosa*.
- lusingae Evans, Parabolocratalis
- lusitanicus Signoret. See *Selenocephalus planus*
- lusitanicus.
- lusoria Van Duzee, Erythroneura (*Erythridula*)
- lusorius Osborn & Ball, Chlorotettix
- lutea Evans, Macropsis
- lutea Evans, Oncopsis
- lutea Gillette & Baker. See *Sorhoanus caricis*.
- lutea Hardy. See *Eurhadina pulchella*.
- lutea Hepner, Algia
- lutea Montrouzier, Coelidia
- lutea Sahlberg. See *Ederranus subangulatus*.
- lutea Signoret, Poeciloscarta
- luteatus Walker. See *Tartessus basivitta*.
- luteiceps Melichar. See *Oncometopia (Lebora) infulata*
- luteiceps.
- luteifascia Walker, Coelidia
- luteipennis Rey, Zygina
- luteipes Prohaska. See *Erythria aureola luteipes*.
- luteoapicalis Beamer, Deltocephalus
- luteocephalus Sanders & DeLong, Cosmotettix
- luteola Sleesman, Ophiola
- luteolinea Taschenberg, Tettigella
- luteolus Kirschbaum. See *Arthaldeus minkii*.
- luteolus Van Duzee, Scaphoideus
- luteomaculata Signoret, Amblyscarta
- luteomaculata Wagner. See *Oncopsis flavidollis*
- luteomaculata.
- luteosus Baker, Chlorotettix
- lutescens Distant, Ledropsis
- lutescens Distant, Parabolocratatus
- luteus DeLong, Acunasus
- luteus DeLong, Retusanus
- luteus DeLong, Scaphytopius
- luteus Evans, Idiocerus
- luteus Mulsant & Rey, Deltocephalus
- luteus Osborn. See *Chlorotettix luteosus*.

- lutzi Olsen. See *Keonolla uhleri lutzi*.
 lutzi Schmidt, Proconia
luxorensis Linnavuori, *Pseudaconura*
luzonensis Baker, *Coelidia*
luzonensis Baker, *Preta*
luzonensis Baker. See *Sophonia davaoensis luzonensis*.
luzonensis Merino, *Macropsis*
luzonica Baker, *Mileewa*
luzonica decolorata Baker, *Mileewa*
lybica Bergevin & Zanon, *Empoasca (Chlorita)*
lycoides Ball, *Lycoides*
lyncea Fabricius. See *Parathona cayennensis*.
lynchi Distant, *Mileewa*
lynchii Berg, *Spangbergiella*
lyraformis Matsumura, *Typhlocyba*
lyrata Baker. See *Aceratagallia (Aceratagallia) longula*.
lyratae Ross & DeLong, *Erythroneura*
lyratus DeLong & Hershberger, *Texananus (Iowanus)*
mabae Osborn, *Nesophrosyne (Nesophrosyne)*
macarangae Metcalf, *Empoasca*
macchiai Lindberg, *Circulifer*
macchiai Lindberg, *Peragallia*
macilenta Horváth, *Diplocolenoidea*
macilentus Linnavuori, *Neophlepsius*
mackerrasi Evans, *Tartessus*
macra Beamer, *Erythroneura (Eratoneura)*
macra Griffith, *Alconeura (Alconeura)*
macrocephala Kusnezov, *Doratuopsis*
macrocephala Singh-Pruthi, *Doratulina*
macrocephala Van Duzee, *Tettigella*
macropensis Evans, *Idiocerus*
macroptera Kirschbaum. See *Ulopa reticulata macroptera*.
macroptera Kusnezov. See *Doratura stylata macroptera*.
macroptera Latreille, *Paromenia*
macropteroa Singh-Pruthi. See *Cicadula montana*
 macropteroa.
macropterus Haupt. See *Athysanus quadrum macropterus*.
mactata Walker, *Tettigella*
maculata accola McAtee. See *Erythroneura (Eratoneura) accola*.
maculata annuligera Walker, *Aulacizes*
maculata ardens McAtee. See *Erythroneura (Eratoneura) ardens*.
maculata Baker, *Kana*
maculata Baker, *Makilingia*
maculata Baker, *Signoretia*
maculata Baker, *Trypanalebra*
maculata bella McAtee. See *Erythroneura (Eratoneura) bella*.
maculata bigemina McAtee. See *Erythroneura (Eratoneura) bigemina*.
maculata Caldwell, *Typhlocyabella*
maculata confirmata McAtee. See *Erythroneura (Eratoneura) confirmata*.
maculata Davidson & DeLong. See *Balclutha impicta*.
maculata Distant, *Atkinsoniella*
maculata Distant, *Ledropsis*
maculata Distant. See *Ledropsis singalensis*.
maculata Edwards. See *Aphrodes albifrons*.
- maculata era* McAtee. See *Erythroneura (Eratoneura) era*.
maculata Evans, *Austroagalloides*
maculata Evans, *Gerostella*
maculata Evans, *Malicia*
maculata Evans, *Penthimia*
maculata Evans, *Putoniessa*
maculata Evans. See *Astroasca (Astroasca) terraereginae*.
maculata Fabricius. See *Coelidia fuscata*.
maculata gemina McAtee. See *Erythroneura (Eratoneura) gemina*.
maculata Gillette, *Dikrella (Dikrella)*
maculata Gillette, *Erythroneura (Eratoneura)*
maculata Matsumura, *Mukaria*
maculata McAtee, *Hybla*
maculata Melichar, *Acharista*
maculata Melichar, *Dichrophleps*
maculata Melichar. See *Penthimia nigra maculata*.
maculata Nawa. See *Zygina mori*.
maculata nigriceps Schmidt, *Aulacizes*
maculata Osborn, *Agalliopsis*
maculata Osborn, *Nesoriella*
maculata parallela McAtee. See *Erythroneura (Eratoneura) parallela*.
maculata Schmidt, *Amblydisca*
maculata Singh-Pruthi, *Sympphyga*
maculata Singh-Pruthi, *Cicadula*
maculata Walker, *Acrocampsia*
maculata Walker, *Aulacizes*
maculaticeps Reuter, *Handianus*
maculatus Distant. See *Idiocerus incertus*.
maculatus Evans, *Neodartellus*
maculatus Evans, *Tasmanotettix*
maculatus Fieber. See *Phlepsius intricatus*.
maculatus Gillette & Baker, *Carsonus*
maculatus Melichar. See *Idiocerus heydenii*.
maculatus Oman, *Caphodus*
maculatus Osborn, *Acurhinus*
maculatus Osborn, *Iassus*
maculatus Osborn, *Xestocephalus*
maculatus Osborn. See *Paraphlepsius maculosus*.
maculatus Ribaut, *Allygus*
maculatus Singh-Pruthi, *Chlorotettix*
maculatus Singh-Pruthi, *Orosius*
maculellus DeLong, *Tinobregmus*
maculellus Osborn, *Deltocephalus*
maculellus Osborn, *Paraphlepsius*
maculiceps Boheman, *Deltocephalus*
maculiceps Linnavuori, *Carinifer*
maculiceps Walker, *Coelidia*
maculicollis Curtis, *Idiocerus*
maculicollis Signoret, *Poeciloscarta*
maculicollis Walker. See *Conogonia sayeri*.
maculicosta Melichar, *Poeciloscarta*
maculicosta Naudé, *Erythroneura*
maculifrons Motschulsky, *Zygina*
maculifrons Osborn, *Idiocerus*
maculifrons Schmidt, *Kolla*
maculifrons Signoret, *Aulacizes*

- maculifrons similis Schmidt, Kolla
 maculinervis Stål, Coelidia
 maculipenis DeLong & Davidson. See Euscelidius schenckii.
 maculipennis Curtis, Aphrodes
 maculipennis Curtis, Cicadella [Duméril 1806]
 maculipennis Curtis. See Idiocerus lituratus.
 maculipennis Fitch. See Idiocerus fitchi.
 maculipennis Matsumura. See Cechenotettix nemourensis maculipennis.
 maculipennis Ribaut. See Penthimia nigra maculipennis.
 maculipennis Schmidt, Oncometopia (Molomea)
 maculipennis Schmidt, Sphaeropogonia
 maculipennis Spångberg, Coelidia
 maculipennis Spinola, Penthimia
 maculipennis Stål, Iassus
 maculipes Bergevin, Platyproctus
 maculipes Curtis, Aphrodes
 maculipes Curtis. See Stroggylocephalus agrestis.
 maculipes Linnavuori, Haldorus
 maculipes Signoret. See Teletusa pervaigatus.
 maculipes Zetterstedt, Sonronius
 maculithorax Jacobi, Distantia
 maculiventris Schmidt, Homalodisca
 maculosa Distant, Empoanara
 maculosa Distant, Korana
 maculosa Distant. See Penthimia scapularis.
 maculosa Evans, Ipoides
 maculosa Osborn, Empoasca
 maculosus Brown, Chlorotettix
 maculosus DeLong, Scaphytopius
 maculosus Distant, Banus
 maculosus Evans, Neodartus
 maculosus Melichar, Thamnotettix
 maculosus Osborn, Paraphlepsius
 maculosus Rey. See Euscelidius variegatus.
 maculosus Then, Macrosteles
 madagascariensis Evans, Idiocerus
 madagascariensis Signoret, Chelusa
 madagascariensis Signoret, Malissiana
 madeirensis China, Erythroneura
 madra Davidson & DeLong, Empoasca (Empoasca)
 maestralis Metcalf & Bruner, Arezzia
 maga Knoll, Erythroneura (Eratoneura)
 magdalena Baker, Athysanella (Athysanella)
 magdalensis cinnamoneus Osborn. See Scaphytopius (Cloanthanus) cinnamoneus.
 magdalensis Provancher, Scaphytopius (Cloanthanus)
 magica Stål, Apogonalia
 magna Baker, Krisna
 magna Baker, Stragania
 magna Baker, Terulia
 magna Baker. See Balclutha abdominalis magna.
 magna Caldwell, Ponana
 magna DeLong & Caldwell, Forcipata
 magna DeLong. See Empoasca (Kybos) patula magna.
 magna Evans, Myerslopia
 magna Hepner, Aligia
 magna Oman, Xerophloea
 magna Osborn, Clinonana
 magna Walker, Oncometopia (Lebora)
 magnacalx Beamer, Erythroneura (Erythridula)
 magnata Ball, Twineria
 magnicauda Oman, Euragallia
 magnifica Lindberg, Erythroneura
 magnifica Oman, Agalliopsis
 magnifica Young, Brunerella
 magnificus Osborn, Idiotettix
 magnifrons Walker. See Oncometopia (Molomea) personata.
 magnus Distant, Iassus
 magnus Osborn & Ball, Remadosus
 magnus Osborn, Idiotettix
 magnus Osborn. See Eutettix pictus.
 maidis DeLong, Dalbulus
 maikoensis Matsumura. See Penthimia nitida maikoensis.
 maintiranus Evans, Idiocerus
 maja Nast, Destinia
 majesta Lawson, Xerophloea
 majesta Oman, Agalliopsis
 majestus Ball, Scaphytopius (Scaphytopius)
 majestus Osborn & Ball, Texananus (Iowanus)
 major Baker, Xerophloea
 major Ball & Beamer. See Athysanella (Amphipyga) minor major.
 major Beamer & Lawson, Stragania
 major brevivata Oman, Euragallia
 major Dorst, Davisonia
 major Haupt, Paramesus
 major Kirschbaum, Platymetopius
 major Lethierry, Euragallia
 major Metcalf & Bruner, Prairiana
 major nigromarginata Melichar, Cyrtodisca
 major Osborn, Nonia
 major Osborn, Parabolocratus
 major Osborn, Scaphoideus
 major Osborn. See Euragallia major.
 major rufa Melichar, Cyrtodisca
 major Signoret, Cyrtodisca
 major Wagner. See Forcipata citrinella major.
 majuscula Distant, Penthimia
 majusculus Linnavuori, Psammotettix
 makarovi Moravskaja, Psammotettix
 makilingensis Baker, Cofana
 malaca Knoll, Erythroneura (Eratoneura)
 malagasiella Evans, Euscelidella
 malagasis Evans, Macropsis
 malaiasiae Jacobi, Deltcephalus
 malaya philippensis Baker, Signoretia
 malaya Stål, Signoretia
 malayana auricolor Baker, Sophonia
 malayana Baker, Sophonia
 malayana Paoli, Empoasca
 malayensis Baker, Gessius
 malayensis mindanaensis Baker, Gessius
 malayus Stål, Tartessus
 maldicensis Distant, Coelidia
 malefica Walsh. See Empoasca (Empoasca) fabae.

mali Baron. See *Empoasca (Empoasca) fabae*.
 mali DeLong, *Gyponana (Gyponana)*
 mali Edwards. See *Zygina alneti mali*.
 mali Matsumura, *Oncopsis*
 mali Provancher, *Dikraneura (Dikraneura)*
 maligna Walsh, *Empoasca (Kybos)*
 malini DeLong. See *Edwardsiana australis*.
 malleiformis Beamer, *Erythroneura (Erythridula)*
 mallochi McAtee. See *Erythroneura (Erythroneura) rosa*.
 mallyi Cogan, *Erythroneura*
 malvae Evans, *Astroasca (Astroasca)*
 malvastra Ball, *Twiningia*
 mana DeLong, *Ballana*
 manaosa Oman, *Agallia*
 manca Ribaut. See *Edwardsiana rosae manca*.
 manca Ribaut. See *Zygina rhamni manca*.
 manchurica Kato, *Petalocephala*
 manda Davidson & DeLong, *Empoasca (Empoasca)*
 manderstjernii Kirschbaum, *Artianus*
 manderstjernii Kirschbaum, *Dikraneura (Dikraneura)*
 mandlensis Singh-Pruthi, *Parabolocratus*
 mandschurica Jacobi, *Kolla*
 manifesta DeLong, *Hamana*
 manitobiana Ball. See *Draeculacephala angulifera*.
 manitou Ball, *Aligia*
 manitou dellana Ball. See *Aligia dellana*.
 manitou Gillette & Baker. See *Balclutha punctata manitou*.
 mannerheimi Kontkanen. See *Macrosteles horváthi [sic]*
 mannerheimi.
 mansueta Beamer, *Erythroneura (Erythridula)*
 manua DeLong, *Gyponana (Rugosana)*
 manubriata Young, *Empoasca*
 manus Beamer, *Erythroneura (Eratoneura)*
 manus DeLong. See *Texananus (Texananus) oregonus*.
 maorica Myers, *Dikraneura*
 maorica Myers, *Novothymbris*
 maquilinga McAtee, *Sirosoma*
 maquilingensis Baker, *Pedioscopus*
 maquilingensis Merino, *Xestocephalus*
 marathonensis Olsen, *Marathonia*
 marcia Distant, *Stictoscarta*
 marcidus Ball. See *Colladonus clitellarius marcidus*.
 marcidus Beamer & Tuthill, *Alapus*
 margarita Peletier & Serville. See *Idiocerus populi*.
 margaritacea Horváth. See *Aconura pallifrons*.
 margaritae Ball, *Pasadenus*
 margaritinus Ferrari. See *Allygus mixtus margaritinus*.
 margheritae Distant, *Mileewa*
 marginalis Osborn, *Graminella*
 marginalis Osborn, *Nesophrosyne (Nesoreias)*
 marginalis Signoret, *Acostemma*
 marginata Beamer & Lawson, *Stragania*
 marginata Cerutti. See *Cicadella [Duméril 1806]*
 atropunctata marginata.
 marginata Fabricius, *Gypona*
 marginata Herrich-Schaeffer, *Macropsis*
 marginata injucunda Wagner, *Macropsis*
 marginata latestriata Strobl, *Macropsis*
 marginata lucifera Wagner, *Macropsis*

marginata Matsumura, *Alebroides*
 marginata notatifrons Rey, *Macropsis*
 marginata ossianilssonii Wagner, *Macropsis*
 marginata Palisot, *Diedrocephala*
 marginata Scopoli. See *Edwardsiana geometrica*.
 marginata Signoret. See *Eupelix cuspidata marginata*.
 marginata Stål, *Coelidia*
 marginata Walker, *Typhlocyba*
 marginata Walker. See *Gypona bivittata*.
 marginata Walker. See *Oncometopia (Oncometopia)*
 nigricans.
 marginatus Baker, *Ophiuchus*
 marginatus DeLong, *Cosmotettix*
 marginatus DeLong. See *Kunzella marginella*.
 marginatus Kirschbaum, *Streptanus*
 marginatus Melichar, *Platyretus*
 marginatus Sahlberg. See *Notus flavipennis*.
 marginatus Waterhouse, *Notocephalus*
 margineguttata Lethierry, *Typhlocyba*
 marginelineatus Stål, *Scaphytopius (Convelinus)*
 marginella Baker, *Kunzella*
 marginella DeLong & Hershberger, *Crassana (Macrasana)*
 marginella DeLong, *Stenocoelidia (Eurycoelidia)*
 marginella Fabricius, *Catagonalia*
 marginella Fabricius. See *Cuerna costalis*.
 marginellanus Metcalf, *Deltcephalus*
 marginellus DeLong & Hershberger, *Sanctanus*
 (Crucianatus)
 marginellus DeLong, *Arundanus*
 marginellus DeLong, *Scaphytopius*
 marginellus DeLong, *Tenucephalus*
 marginellus Osborn, *Toldoanus*
 marginellus Osborn. See *Deltcephalus marginellanus*.
 marginifrons DeLong, *Scaphytopius (Cloanthanus)*
 marginifrons Fowler, *Hamana*
 marginifrons suilla Ball. See *Marganana suilla*.
 marginifrons Walker. See *Coelidia inclinans*.
 marginivalvis Lethierry, *Deltcephalus*
 marginula Osborn, *Aulacizes*
 marginula Osborn, *Oncometopia*
 margo Turton. See *Catagonalia marginella*.
 maricensis Caldwell, *Idiocerus*
 marilis Melichar, *Erythrogonia*
 marinus Metcalf & Osborn, *Deltcephalus*
 maritima Kirkaldy, *Nesophrosyne (Nesophrosyne)*
 maritima Ribaut, *Empoasca*
 maritimus Matsumura, *Deltcephalus*
 maritimus Perris, *Psammotettix*
 markei Evans, *Tettigella*
 marmor Sanders & DeLong, *Texananus (Texananus)*
 marmorata Blanchard, *Betsileonas*
 marmorata boliviiana Melichar, *Proconia*
 marmorata Burmeister, *Euryloides*
 marmorata fabricii Metcalf, *Proconia*
 marmorata Fabricius, *Proconia*
 marmorata Fowler. See *Prairiana fowler*.
 marmorata Hardy. See *Allygus mixtus*.
 marmorata Spångberg, *Ponana*

marmorata Zachvatkin. See *Eremophlepsius rohdendorfi marmorata*.
marmoratus Flor, *Metalimnus*
marmoratus Horváth, *Idiocerus*
marmoratus Van Duzee, *Eutettix*
marmoreus Walker, *Selenocephalus*
maroccana Melichar, *Zygina*
marpessa Distant, *Tettigella*
marquardti Jacobi, *Apulia*
marquesana Osborn, *Empoasca*
marquesana Osborn. See *Nesosteles floridanus*.
marquezi Merino, *Eutettix*
marra Beamer, *Erythroneura (Eratoneura)*
marsupifera Young, *Empoasca*
marthae DeLong, *Stoneana*
martigniaca Cerutti. See *Edwardsiana candidula*
martigniaca.
martini Lethierry. See *Cechenotettix quadrinotatus*.
martorelli Metcalf, *Empoasca*
masatonis Matsumura. See *Macrosteles quadrimaculatus*
[sic].
masonae Knull, *Erythroneura (Eratoneura)*
mastersi Goding, *Porcorhinus*
matsumurai Metcalf, *Iassus*
matsumurai [sic] Baker, *Deltoccephalus*
matsumurai [sic] Metcalf, *Stragania*
matsumurana China, *Macropsis*
matsumuri Metcalf, *Phycotettix*
mattiacei Kirschbaum. See *Jassargus (Jassargus) distinguendus*.
matutinula Breddin, *Gununga*
maximus Berg, *Chlorotettix*
mayri Fieber. See *Adarrus (Adarrus) multinotatus mayri*.
mayri Kirschbaum, *Allygus (Dicrallygus)*
mazaria Distant, *Zyzzogeton*
mbila Naude, *Cicadulina*
mcatee Christian, *Ossiannilssonola*
media McAtee. See *Ossiannilssonola flavomarginata*.
mediana DeLong, *Omanana*
mediana Fairbairn. See *Hymetta balteata mediana*.
mediana Oman, *Agalliana*
mediana Robinson. See *Erythroneura (Eratoneura) lawsoni*.
medianus Lawson, *Limotettix*
mediata Caldwell, *Gypona*
mediolineata Fowler, *Colimona*
meditabunda Spångberg, *Acusana*
meditabunda Spångberg, *Coelidia*
medius Baker. See *Balclutha impicta*.
medius Mulsant & Rey, *Sorhoanus (Sorhoanus)*
medleri Christian, *Typhlocyba*
medora DeLong, *Empoasca (Hebata)*
medusa Distant, *Tettigella*
megalopa Osborn & Ball, *Lonatura*
megalops Spångberg, *Gypona*
megalurus Puton, *Deltoccephalus*
megerlei bipunctata Lethierry, *Macropsis*
megerlei Fieber, *Macropsis*
megerlei ornata Lindberg, *Macropsis*

megerlei punica Linnavuori, *Macropsis megerlei* Scott. See *Stroggylocephalus livens*.
melaleucae Evans, *Ipoides melaleucae* Kirkaldy, *Eutettix*
melanchloa Walker. See *Tettigella viridis*.
melancholica Fowler, *Pseudoscarta*
melancholica Melichar, *Poecilocarda*
melanocephala Melichar, *Cicadella* [Duméril 1806]
melanocephala Motschulsky, *Penthimia*
melanocephala Signoret, *Balacha*
melanocephala Spångberg, *Gypona*
melanogaster Kirkaldy, *Erythroneura*
melanogaster Provancher, *Cicadula*
melanopsis Hardy, *Hardya* (Hardya)
melanopyrrha Walker. See *Amblyscarta carminata*
melanopyrrha.
melanosticta Gmelin. See *Cicadella* [Duméril 1806]
atropunctata.
melanostigma Kupka. See *Macropsis notata*.
melanota Osborn. See *Empoa gillettei*.
melanota Spångberg, *Coelidia*
melanota Spångberg, *Gypona*
melanotus DeLong, *Chlorotettix*
melanotus Osborn, *Scaphoideus*
melastigma Medller, *Ophiola*
melichari Baker, *Idiocerinus*
melichari Baker, *Phlepsius*
melichari Baker, *Pythamus*
melichari bilobatus Baker, *Pythamus*
melichari borneensis Baker, *Pythamus*
melichari China, *Kolla*
melichari Distant, *Deltoccephalus*
melichari Distant, *Empoasca*
melichari Distant, *Tettigella*
melichari Dlabora, *Diplocolenus*
melichari fuscopunctata Kusnezov, *Sympypyga*
melichari Kirkaldy, *Cicadella* [Duméril 1806]
melichari Kusnezov, *Sympypyga*
melichari mindanaensis Baker, *Pythamus*
melichari Oshanin, *Batracomorphus*
melichari rufinervis Kusnezov, *Sympypyga*
melichari Schmidt, *Erythrogonia*
melichari singaporesis Baker, *Pythamus*
melichari suturalis Melichar, *Batracomorphus*
melina DeLong, *Lonatura*
melissae Curtis, *Cicadella* [Duméril 1806]
melite McAtee, *Typhlocyba*
mella DeLong, *Neocoelidiana*
mella Ruppel & DeLong, *Dikrella*
mella Sanders & DeLong, *Paluda*
mellae Ferrari, *Deltoccephalus*
mellatula Breddin, *Tettigella*
mellea DeLong. See *Lonatura bicolor mellea*.
mellea Evans, *Oncopsis*
melliguttula Breddin, *Amblyscarta*
melsheimerii Fitch, *Laevicephalus*
melvillensis Evans, *Thymbris*
membracioidea Liu, *Balala*
menalus Kirkaldy, *Paradorydium*

mendax Fieber, *Macropsis*
 mendax Ribaut. See *Cicadella* [Duméril 1806] cyclops
 mendax.
 mendax Ribaut. See *Empoasca* (*Chlorita*) *prasina*.
 mendica McAtee. See *Parallaxis tessellata* *mendica*.
 mendica Melichar, *Poeciloscarta*
 mendicus Ball, *Colladonus*
 mendosus Ball, *Alapus*
 menozzii Haupt. See *Liguropia juniperi*.
 mensa Beamer, *Erythroneura* (*Eratoneura*)
 mera Beamer. See *Dikrella* (*Dikrella*) *aegra*.
 mera DeLong, *Ballana*
 mera McAtee, *Dikrella* (*Dikrella*)
 mera Van Duzee, *Agallia*
 mera Van Duzee, *Coelidia*
 meridiana Hepner, *Aligia*
 meridiana Zachvatkin. See *Empoasca* (*Chlorita*) *decipiens*
 meridiana.
 meridianus Hepner, *Scaphytopius* (*Cloanthanus*)
 meridionalis Metcalf. See *Placotettix taeniatifrons* var.
 meridionalis.
 meridionalis Schmidt, *Erythrogonia*
 merita Beamer, *Zygina*
 merredinensis Evans, *Tumocerus*
 merredinensis Lower, *Austroasca* (*Austroasca*)
 merus Beamer, *Allygianus*
 merus Beamer, *Cazenus*
 merus DeLong & Beery, *Scaphoideus*
 mesolinea Davidson & DeLong, *Empoasca* (*Kybos*)
 mesopyrrhus Kirschbaum, *Idiocerus*
 mesopyrrhus socialis Fieber, *Idiocerus*
 mesopyrrhus variegatus Ribaut, *Idiocerus*
 meta Ruppel & DeLong, *Kunzeana*
 metallescens Walker, *Tettigella*
 metallica Distant, *Cicadella* [Duméril 1806]
 metallica Osborn, *Jassoidula*
 metallicus Walker, *Drabescus*
 metana DeLong & Guevara, *Empoasca*
 metrius Flor, *Mocuellus* (*Erzaleus*)
 metrius modestus Lethierry, *Mocuellus* (*Erzaleus*)
 metrosideri Osborn, *Osbornitettix*
 metrosideri tincta Osborn, *Osbornitettix*
 mexicana Baker, *Spangbergiella*
 mexicana Baker. See *Agallia modesta*.
 mexicana Ball, *Tiaja*
 mexicana DeLong & Hershberger, *Flexamia*
 mexicana DeLong & Ruppel, *Epterella*
 mexicana DeLong, *Menosoma*
 mexicana DeLong, *Paracoelidea*
 mexicana Gillette, *Empoasca* (*Empoasca*)
 mexicana Oman & Beamer, *Cuerna*
 mexicana Signoret, *Apogonalia*
 mexicana Spångberg. See *Gypona verticalis*.
 mexicanus Ball, *Texananus* (*Texananus*)
 mexicanus DeLong, *Idiodonus*
 mexicanus Osborn & Ball, *Idiocerus*
 mexicanus Osborn & Ball, *Stirellus*
 mexicanus Osborn, *Osbornellus*
 micans Fabricius. See *Lissoscarta vespiformis* *micans*.

micans Stål, *Selenocephalus*
 micantula Zetterstedt, *Dikraneura*
 micantulus Kirschbaum. See *Adarrus* (*Adarrus*)
 multinotatus.
 micaria Ball, *Polyamia*
 michaelensi Jacobi, *Cephalelus*
 micheli Evans, *Chelusa*
 microcephala Kusnezov, *Doratuopsis*
 microcephalus Herrich-Schaeffer. See *Batracomorphus*
 irroratus.
 microcephalus Kusnezov, *Phlepsius*
 microlepias Kirkaldy. See *Nesophryne kaiamamao*.
 micronotata Osborn, *Saranella*
 micronotatus Osborn & Lathrop. See *Paraphlepsius*
 lascivius.
 micropterous Singh-Pruthi, *Balclutha*
 micropunctata DeLong & Ruppel, *Alconeura*
 mildredae Ball, *Norvellina*
 mildredae minuta Lindsay, *Norvellina*
 miliaris Stål, *Negosiana*
 militaris Distant, *Empoanara*
 militaris Distant, *Evacanthus*
 milleri Beamer, *Zygina*
 millsi Ross & DeLong, *Erythroneura* (*Eratoneura*)
 milu Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 mimica Distant, *Kolla*
 mimicus Gillette & Baker, *Idiocerus*
 mimicus Osborn, *Eutettix*
 minus Baker, *Paraphlepsius*
 mindanaensis Baker, *Busonia*
 mindanaensis Baker. See *Gessius malayensis*
 mindanaensis.
 mindanaensis Baker. See *Pedioscopus coloratus*
 mindanaensis.
 mindanaensis Baker. See *Pythamus melichari*
 mindanaensis.
 mindanaoensis Baker, *Stenometopius*
 mindanaoensis Merino, *Coelidia*
 minerva Ball, *Draeculacephala*
 miniata Germar. See *Poeciloscarta quadrifasciata*.
 miniata Melichar, *Empoasca*
 miniaticeps Fowler, *Tettigella*
 miniatiennis Fowler, *Oncometopia* (*Oncometopia*)
 miniatala Jacobi, *Sphaeropogonia*
 miniaturatus Gibson. See *Exitianus picatus*.
 minima Baker, *Krisna*
 minima Baker, *Typhlocybella*
 minima DeLong & Hershberger, *Flexamia*
 minima Evans, *Malagasiella*
 minima Johnson, *Erythroneura* (*Erythridula*)
 minima Naudé, *Empoasca*
 minimus Baker, *Chlorotettix*
 minimus China, *Xestocephalus*
 minimus Osborn & Ball, *Laevicephalus*
 minimus Sahlberg, *Notus*
 minki Fieber, *Arthaldeus*
 minkii Kirschbaum. See *Idiocerus fulgidus*.
 minkii Kirschbaum. See *Streptanus aemulans*.
 minor Ball & Beamer, *Athysanella* (*Amphipyga*)

- minor Beamer, Erythroneura (Eratoneura)
 minor Bergevin, Platyproctus
 minor Bierman, Busonia
 minor DeLong. See Ollarianus strictus.
 minor Ferrari. See Circulifer opacipennis.
 minor Fitch. See Oncopsis fitchi.
 minor Kusnezov, Goniagnathus
 minor Kusnezov, Paralimnus
 minor Lawson, Xerophloea
 minor major Ball & Beamer, Athysanella (Amphipyga)
 minor Oman, Agaliopsis (Agallaria)
 minor Osborn, Dorycephalus (Dorycephalus)
 minor Osborn, Nionia
 minor Osborn, Oncometopia
 minor Osborn, Scaphoideus
 minor Singh-Pruthi, Empoasca
 minor Walker, Draeculacephala
 minor Zachvatkin, Empoasca (Chlorita)
 minorcephala Singh-Pruthi, Gurawa
 minuenda clavigerana Ball, Idona
 minuenda DeLong, Stenocoelidia
 minuenda Mozzette, Idona
 minuenda mozzettei Ball, Idona
 minuenda Oman, Agallia
 minuscula Lindberg, Cicadella [Duméril 1806]
 minuta Baker. See Athysanella (Amphipyga) occidentalis.
 minuta Beamer, Dicyphonia
 minuta DeLong, Typhlocybella
 minuta Evans, Eurymeloides
 minuta Evans, Stymphalella
 minuta Evans, Trocnada
 minuta Evans, Zaletta
 minuta Johnson, Erythroneura (Erythridula)
 minuta Lawson, Joruma (Jorumidia)
 minuta Lindsay. See Norvellina mildredae minuta.
 minuta Melichar, Agallia
 minuta Oman, Cortona
 minuta Osborn, Cicadula
 minuta Schumacher, Petalocephala
 minuta Spångberg, Gypona
 minutepunctatus Lethierry, Athysanus
 minutissimus Matsumura, Thamnotettix
 minutus Bierman, Parabolocratus
 minutus Distant, Ootacamundus
 minutus Evans, Cephalelus
 minutus Haupt, Thamnotettix
 minutus Hepner, Eutettix
 minutus Hepner. See Scaphytopius (Convelinus) fuscifrons
 minutus.
 minutus Izzard. See Xestocephalus izzardi.
 minutus Kupka, Athysanus
 minutus Osborn, Idiocerus
 minutus Osborn, Nesosteles
 minutus Van Duzee, Deltocephalus
 mira Beamer, Erythroneura (Eratoneura)
 mira Knull, Empoasca
 mira Zachvatkin, Hardya (Eohardya)
 mirabilis Signoret, Amblyscarta
 mirabilis Singh-Pruthi, Durgades
 mirabilis Spångberg, Gypona
 miranda Knull, Flexamia
 mirifica Beamer, Erythroneura (Eratoneura)
 mirus Van Duzee, Spathanus
 misella Boheman. See Ribautiana tenerrima.
 misella Melichar, Aulacizes
 misella Stål, Stragania
 misellus Melichar, Thamnotettix
 misellus [sic] Ball, Latalus
 misera Beamer, Erythroneura (Eratoneura)
 misranus Distant, Ledrotypa
 missella Stål, Sichaea
 missiona Oman, Empoasca
 missionum Berg, Tettigella
 mitana DeLong, Gypona
 mitella McAtee. See Erythroneura (Eratoneura)
 confirmata.
 mitellata Naudé, Camptelasmus
 mitis Kirkaldy, Anemochrea
 mitra Distant, Diedrocephala
 mitrata Bergevin, Bordesia
 mitrata Distant, Euryogonia
 mitrata Gerstaecker. See Poecilocarda nigrinervis.
 mixta Beamer, Erythroneura (Erasmoneura)
 mixta Say. See Stroggylocephalus agrestis.
 mixtus communis Ferrari, Allygus
 mixtus corisipennis Ferrari, Allygus
 mixtus Fabricius, Allygus
 mixtus gracilis Rey, Allygus
 mixtus immunis Rey, Allygus
 mixtus juvenis Ferrari. See Allygus modestus.
 mixtus margaritinus Ferrari, Allygus
 miyakei Matsumura, Evanthus
 moaensis Evans, Mitelloides
 mocquerysii Melichar, Poecilocarda
 mocsaryi Horváth, Zyginidia
 modesta Baker, Coelidiana
 modesta Ball & Beamer, Athysanella (Amphipyga)
 modesta Distant, Carvaka
 modesta Distant, Kana
 modesta Distant, Mohunia
 modesta Fabricius, Amblyscarta
 modesta Gibson, Typhlocyba
 modesta Melichar, Euscelis
 modesta occidentalis Van Duzee. See Algia occidentalis.
 modesta Osborn & Ball, Agallia
 modesta Osborn & Ball, Algia
 modesta Spångberg, Ponana (Ponana)
 modestus Baker, Pedioscopus
 modestus Distant. See Bolanusoides heros.
 modestus Lethierry. See Mocuellus (Erzaleus) metrius
 modestus.
 modestus Linnavuori, Celsanus
 modestus Scott, Allygus
 modestus Stål. See Scaphytopius (Cloanthanus) acutus.
 modica Beamer & Tuthill, Flexamia
 modica Beamer, Erythroneura (Erythridula)
 modicus Hepner, Scaphytopius (Cloanthanus)
 modula Knull & Auten, Zygina

modulata Distant, Bhooria
 modulatus Melichar, Nephottetix
 moesta Fabricius, Amblyscarta
 moesta Ferrari. See Zygina angusta moesta.
 moesta Spångberg, Coelidia
 moesta Spångberg, Prairiana
 moestus Zetterstedt. See Evacanthus interruptus moestus.
 mohavensis Ball, Lycoides
 mohri DeLong, Graminella
 moiwana Matsumura, Zyngina
 mojiensis Matsumura, Amimenus
 mokanshanensis Ouchi, Neodartus
 molesta Ball & Beamer, Athysanella (Gladiionura)
 molestia Kirkaldy, Eurinoscopus
 molestus Beamer & Lawton, Acinopterus
 mollicella Fowler, Pagaronia
 mollicula Fowler, Plesiommatata
 molliculus Boheman, Notus
 mollipes Say, Draeculacephala
 molops Lethierry, Empoasca (Chlorita)
 monacha Melichar, Microgoniella
 moneta Van Duzee, Prairiana
 moniliferae Osborn & Ball, Idiocerus
 monostigma Melichar, Bothrogonia
 monstrosa Evans, Platyledra
 monstrum Kirkaldy, Rhotidus
 monstruosa Signoret, Amblyscarta
 montaguei Distant, Iassus
 montalbanensis Baker. See Makilingia banahaoensis
 montalbanensis.
 montana Baker. See Nirvana philippinensis montana.
 montana Caldwell, Empoasca
 montana Caldwell, Gypona
 montana Caldwell, Krisna
 montana Caldwell, Protalebra
 montana DeLong & Hershberger, Mesamia
 montana DeLong & Sleesman, Endria
 montana Distant, Cicadula
 montana Distant, Nehela
 montana Distant, Penthimia
 montana Evans, Rhotidoides
 montana Evans, Taslopa
 montana Jacobi, Coelidia
 montana Kato, Parapetaloccephala
 montana macropterao Singh-Pruthi, Cicadula
 montana Melichar, Balclutha
 montana Osborn. See Athysanella (Athysanella) robusta.
 montandoni Puton, Dikraneura (Dikraneura)
 montanus Baker, Errhomus
 montanus Baker, Ophiuchus
 montanus Ball, Parabolocratus
 montanus Caldwell, Chlorotettix
 montanus Caldwell. See Osbornellus bimarginatus
 montanus.
 montanus Evans, Eryapus
 montanus Evans, Notocephalus
 montanus Evans, Vulturnus
 montanus Evans. See Deltocephalus novellus.
 montanus Matsumura, Xestocephalus

montanus Matsumura. See Thamnotettix montivagus.
 montanus mulsus Ball, Colladonus
 montanus Oman, Baldulus
 montanus reductus Van Duzee, Colladonus
 montanus Ribaut. See Verdanus convenarum.
 montanus Van Duzee, Colladonus
 montara Oman, Tiaja
 montalegrei Baker, Alconeura (Hyloidea)
 monticola Fowler, Colimona
 monticola Gillette & Baker, Laevicephalus
 monticola Jacobi, Selenocephalus
 monticola Kirkaldy, Nesophrosyne (Nesophrosyne)
 monticola Osborn, Cicaduloida
 monticola Ribaut, Rhopalopyx
 monticolus DeLong, Scaphytopius
 monticolus DeLong, Texananus (Texananus)
 montium Kirkaldy, Nesophrosyne (Nesophrosyne)
 montivaga Kirkaldy, Nesophrosyne (Nesophrosyne)
 montivagus Baker, Thamnotettix
 montrouzieri Metcalf, Tettigella
 montula DeLong. See Cicadula intermedia.
 moodii Gibson. See Tinobregmus viridescens [sic].
 morbillosus Melichar, Colobotettix
 mordvilkoi Zachvatkin, Megipocerus
 morgani DeLong, Erythroneura (Eratoneura)
 mori Matsumura, Zyngina
 morindae Metcalf, Empoasca
 morio Melichar, Microgoniella (Microscita)
 morismus Merino, Eutettix
 mornus Beirne, Hebecephalus
 morongoensis Knoll, Acinopterus
 morosita DeLong, Gyponana (Gyponana)
 morosula Breddin, Bothrogonia
 morosum Melichar, Heterostemma
 morosus Ball, Idiocerus
 morosus Melichar, Scaphoideus
 morrisoni Hartzell, Empoasca (Empoasca)
 morsei Osborn, Idiodonus
 moruyana Distant, Eurymelessa
 mosaica Fowler, Pseudoscarta
 mosella DeLong & Guevara, Empoasca
 mota Singh-Pruthi, Deltocephalus
 motti Singh-Pruthi. See Empoasca kerri motti.
 motuana Evans, Eurymeloides
 motus DeLong. See Scaphoideus atlantus.
 mouhoti Distant, Bothrogonia
 mouhoti Distant, Dusuna
 moznettei Ball. See Idona minuenda moznettei.
 mucidula Jacobi, Amblyscarta
 mucronata Davidson & DeLong. See Empoasca
 (Empoasca) davidsoni.
 mucronata Ribaut, Empoasca
 muda Distant, Ledra
 mudonensis Distant, Penthimia
 muesebecki DeLong, Ollarianus
 muiri Baker, Pythonirvana
 muiri Baker, Krisna
 muiri Baker, Onukia
 mullensis Evans, Stenotartessus

mulsanti Fieber, Macropsis
 mulsanti Fieber. See Arthaldeus striifrons.
 mulsus Ball. See Colladonus montanus mulsus.
 multicella Beamer & Tuthill, Polyamia
 multicolor Distant, Nakula
 multicolor Signoret. See Graphocephala flavovittata.
 multicolor Walker. See Dilobopterus demissus.
 multifarius Berg, Phlepsius
 multifasciata Jacobi, Coelidia
 multiguttata Stål, Tolua
 multilinea Walker, Scaris
 multilineatus Fowler, Manzutus
 multilunatula Breddin, Amblyscarta
 multinotatus Boheman, Adarrus (Adarrus)
 multinotatus mayri Fieber, Adarrus (Adarrus)
 multipars Tettigonia. See Coelidia dirigens.
 multiplicator Melichar, Poeciloscarta
 multipunctata Matsumura, Zygina
 multipunctata Osborn, Alaca
 multipunctatum Melichar, Diestostemma
 multisignata White, Argaterma
 multisparsus Jacobi, Iassus
 multispinosa Christian, Ribautiana
 multistriga Walker, Opio
 multivirgata Stål. See Dilobopterus quinquesignatus.
 munda Ball, Aligia
 munda Beamer, Kunzeana
 munda Fowler. See Aulacizes confusa.
 munda Haupt. See Streptanus sordidus munda.
 munda Knull & Auten, Zygina
 munda McAtee. See Edwardsiana commissuralis.
 munda Oman, Agallia
 munda Stål, Coelidia
 munda Uhler, Stragania
 mundarensis Evans, Tartessus
 mundus Beamer & Tuthill. See Latalus misellus [sic].
 munghuensis Distant, Kolla
 muricata Caldwell, Empoasca
 musciformis De Geer. See Ribautiana ulmi.
 mustelinus Distant, Chiasmus
 musteus Ball, Idiocerus
 mutabilis Signoret. See Erythronia quinquemaculata
 mutabilis.
 mutans consistens Walker, Aulacizes
 mutans Signoret, Aulacizes
 mutata Melichar, Tettigella
 mutica Fabricius, Ledra
 mutilata Breddin, Agallia
 mutilla Ribaut, Cicadula
 myersi McAtee, Kunzeana
 myopa Fabricius. See Parathona cayennensis.
 myops Jacobi, Odomas
 myrciae Caldwell, Idiocerus
 myrmex China, Pogonoscopus
 myrmex confluens China, Pogonoscopus
 myrsines Kirkaldy, Nesophrosyne (Nesophrosyne)
 mysorensis Distant, Leofa
 mystica Spångberg, Coelidia
 mystica Spångberg, Prairiana

nacazarana Osborn, Athysanella (Gladionura)
 nacia Walker, Iassus
 nacreatus Baker, Idiocerus
 nacreosus Crumb, Arundanus
 naevia Jacobi, Moonia
 naevula Melichar, Microgoniella (Microscita)
 nagpurensis Distant, Empoasca
 nagpurensis Singh-Pruthi, Idiocerus
 nakaharae Matsumura, Deltocephalus
 nakaharae Matsumura, Nakaharanus
 nakanensis Matsumura, Drabescus
 nakanensis Matsumura, Typhlocyba
 nana Beamer & Tuthill, Polyamia
 nana Fowler, Ponana
 nana Kusnezov, Penthimia
 nana Oman, Aceratagallia (Aceratagallia)
 nana Van Duzee, Lonatura
 nanella Oman, Aceratagallia (Aceratagallia)
 manus cretaceus Fieber, Hephaethus
 manus Distant, Exitianus
 manus Herrich-Schaeffer, Hephaethus
 manus orientalis Linnavuori, Hephaethus
 manus Van Duzee, Scaphytopius (Cloanthanus)
 naomiae Evans, Tettigella
 napais Kirkaldy, Idiocerus
 naso Walker, Ledropsis
 nassatus Herrich-Schaeffer. See Macropsis fuscula.
 nasti Wagner, Diplocolenus
 nasuta Distant, Traiguma
 nasuta Fowler, Synogonia
 nasutum Schmidt, Diestostemma
 natalensis Distant, Drabescus
 natalia Naudé, Equeefa
 nativa Distant, Kalasha
 nativa Melichar, Amblydisca
 nativa Melichar, Erythronia
 naudei Metcalf, Empoasca
 nausharenensis Singh-Pruthi, Circulifer
 nauisika Kirkaldy, Tharra
 nauisika pallidor Kirkaldy, Tharra
 nauta Sahlberg. See Ederranus discolor.
 nava Beamer, Erythroneura (Erythridula)
 navicula Stål. See Rhotidus stål [sic].
 naviculus Walker, Rhotidus
 neascripta Oman, Joruma (Joruma)
 neaspersa Oman & Wheeler, Empoasca (Hebata)
 nebulosa Ball, Lonatura
 nebulosa Ribaut, Erythroneura
 nebulosa Signoret, Oragua
 nebulosa Stål, Gypona
 nebulosus Van Duzee. See Paraphlepsius solidaginis.
 necopinata Griffith, Alconeura (Alconeura)
 necopinus Van Duzee, Chlorotettix
 necyla Davidson & DeLong, Empoasca (Empoasca)
 negatus White, Athysanus
 neglecta Edwards. See Zygina angusta.
 neglecta pallida DeLong & Davidson. See Nesosteles
 neglectus.

- neglecta pallidens DeLong. See *Nesosteles neglectus*.
 neglecta Wagner, Alebra
 neglectus DeLong & Davidson, *Nesosteles*
 neglectus Osborn. See *Sanctanus (Cruciatanus) fasciatus*.
 neglectus Then, *Jassargus*
 negotiosa Gibson, *Negosiana*
 neloricatus Caldwell, *Scaphytopius*
 nema Davidson & DeLong, *Empoasca (Empoasca)*
 nemesia Cogan, *Euscelis*
 nemourensis maculipennis Matsumura, *Cechenotettix*
 nemourensis Matsumura, *Cechenotettix*
 nemourensis Matsumura, *Deltoccephalus*
 nemourensis Oshanin. See *Allygus nemurensis*.
 nemurensis Matsumura, *Allygus*
 neocalbidula Oman, *Agallia*
 neocincta Osborn, *Menosoma*
 neodona Oman, *Ceratagallia*
 neoguttata Distant, *Coelidia*
 neomexicanus Baker, *Texananus (Excultanus)*
 neomexicanus Tuthill, *Cazenus*
 neopepino Oman, *Agalliopsis*
 neosignata Oman, *Bergallia*
 neotropicalis Distant, *Teletusa*
 neotropicus Jensen-Haarup, *Chlorotettix*
 neovata Oman, *Ceratagallia*
 nereias Kirkaldy, *Idiocerus*
 nervata Oman, *Euragallia*
 nervatus Provancher. See *Amblysellus curtisi*.
 nervatus Van Duzee, *Idiocerus*
 nervosa Fallen. See *Paramesus obtusifrons*.
 nervosa Fieber, *Empoasca (Chlorita)*
 nervosa Germar, *Coelidia*
 nervosa Osborn, *Hecaloidia*
 nervosa Osborn, *Mesamia*
 nervosopunctatus Signoret, *Drabescus*
 nervosum Signoret, *Heterostemma*
 nervosus Curtis. See *Mocydia crocea*.
 nervosus Lindberg, *Selenocephalus*
 nervosus Melichar, *Goniagnathus*
 nervosus Melichar, *Hecalus*
 nesolina Osborn, *Empoasca*
 nevada Ball, *Norvellina*
 nevadensis Baker, *Nesosteles*
 nevadensis Beamer, *Erythroneura (Eratoneura)*
 nevadensis Metcalf, *Empoasca (Hebata)*
 nevadus Ball, *Lycioides*
 nexa McAtee, *Protalebra*
 nicaguensis Baker, *Habralebra*
 nicaguensis Baker, *Stragania*
 nicarete McAtee. See *Ossiannilssonola australis*.
 nicholi Beamer, *Zygina*
 nicolasi Lethierry, *Balclutha*
 nigella Distant, *Chatura*
 niger DeLong. See *Scaphytopius (Cloanthanus)*
 abbreviatus.
 niger Singh-Pruthi, *Chiasmus*
 nigerrima Cerutti. See *Cicadella [Duméril 1806] aurata*
 nigerrima.
 nigerrima Jacobi, *Penthimia*
 nigerrima McAtee, *Erythroneura (Erasmoneura)*
 nigerrima Oman, *Agallia*
 nigra Baker, *Makilingia*
 nigra Ball, *Drionia*
 nigra castanea Gmelin, *Penthimia*
 nigra caucasica Kusnezov, *Penthimia*
 nigra clavalis Ribaut, *Penthimia*
 nigra decora McAtee, *Erythroneura (Erasmoneura)*
 nigra Evans, *Eurymeloides*
 nigra Evans, *Mileewa*
 nigra Evans. See *Austroagalloides rosea*.
 nigra fulva Ribaut, *Penthimia*
 nigra Gillette & Baker, *Empoasca (Hebata)*
 nigra Gillette, *Erythroneura (Erasmoneura)*
 nigra Goeze, *Penthimia*
 nigra haemorrhoa Schrank, *Penthimia*
 nigra Kusnezov. See *Aphrodes trifasciata nigra*.
 nigra Lawson. See *Driotura vittata nigra*.
 nigra maculata Melichar, *Penthimia*
 nigra maculipennis Ribaut, *Penthimia*
 nigra Matsumura, *Agallia*
 nigra nigroscuta Gillette & Baker, *Empoasca (Hebata)*
 nigra Osborn, *Cicadella [Duméril 1806]*
 nigra pulchella Gillette & Baker, *Empoasca (Hebata)*
 nigra robusta Gillette, *Empoasca (Hebata)*
 nigra ruficollis Fabricius, *Penthimia*
 nigra Schmidt, *Ohausia*
 nigra Signoret, *Myogonia*
 nigra Spångberg, *Coelidia*
 nigra typhlocyboides Gillette & Baker, *Empoasca (Hebata)*
 nigra Walker, *Putoniessa*
 nigra Woodworth. See *Gypona melanota*.
 nigrafasciatus Beamer, *Parabolocratus*
 nigraflavida Evans, *Macropsis*
 nigrastrerna Cogan, *Agallia*
 nigrax Medler, *Limotettix*
 nigrellus DeLong & Mohr, *Scaphoideus*
 nigrens DeLong & Caldwell, *Idiocerus*
 nigrens DeLong & Hershberger, *Exitianus*
 nigrescens Distant, *Kyphocotis*
 nigrescens Jacobi, *Evacanthus*
 nigricans Kirschbaum, *Diplocolenus*
 nigricans Matsumura, *Aphrodes*
 nigricans Matsumura, *Chiasmus*
 nigricans Matsumura, *Zygina*
 nigricans Matsumura. See *Evacanthus interruptus*.
 nigricans Osborn, *Joruma (Joruma)*
 nigricans Osborn, *Scaphoideus*
 nigricans Ossiannilsson. See *Idiocerus confusus nigricans*.
 nigricans pallidus Matsumura. See *Evacanthus interruptus*.
 nigricans Singh-Pruthi, *Thamnotettix*
 nigricans Uhler, *Agallia*
 nigricans Van Duzee, *Macropsis*
 nigricans Walker, *Oncometopia (Oncometopia)*
 nigriceps Schmidt. See *Aulacizes maculata nigriceps*.
 nigriceps Signoret, *Phera*
 nigricollis Ball, *Scaphytopius (Convelinus)*
 nigricornis Sahlberg. See *Cicadula quinquepunctata*.

nigricosta Matsumura. See *Tartessus ferrugineus nigricosta*.
nigricostalis Matsumura, Zygina
nigricula Osborn, Tettigella
nigridens DeLong, Ballana
nigridens DeLong, Idiodonus
nigridores Matsumura, Typhlocyba
nigridores Ball, Mesamia
nigridores DeLong. See *Erythroneura (Erasmoneura nigra)*.
nigrifacialis Distant, Deltocephalus
nigrafacies Matsumura, Macrosteles
nigrafascia albidissima Metcalf, Amblyscarta
nigrafascia pallida Walker, Amblyscarta
nigrafascia Walker, Amblyscarta
nigrafasciata Merino, Tettigella
nigrafemoratus Matsumura, Drabescus
nigrafemoratus Matsumura, Paralaevicephalus
nigrifrons Baker, Krisna
nigrifrons Ball, Phlepsanus
nigrifrons DeLong, Omanana
nigrifrons DeLong, Scaphytopius (Cloanthanu)
nigrifrons Distant, Poecilocarda
nigrifrons Forbes, Graminella
nigrifrons Haupt. See *Cicadella [Duméril 1806] cyclops nigrifrons*.
nigrifrons Haupt. See *Limotettix atricapillus*.
nigrifrons Kirschbaum, Diplocolenus
nigrifrons Matsumura, Coelidia
nigrifrons Naude. See *Cicadula capensis*.
nigrifrons Osborn, Iassus
nigrifrons Osborn, Nesophyla
nigrifrons Osborn, Prairiana
nigrifrons Osborn, Xestocephalus
nigrifrons Schmidt, Teleogonia
nigrifrons Signoret, Bothrogonia
nigrifrontula Jacobi, Poecilocarda
nigrilinea Stål. See *Tettigella spectra nigrilinea*.
nigrilinea Walker, Drabescus
nigrilinea Walker, Petalocephala
nigriloba Edwards, Edwardsiana
nigrilux Walker. See *Phera centroleonata*.
nigrina Stål, Prairiana
nigrina Stål. See *Coelidia adspersa*.
nigrinasi Fitch, Oncopsis
nigrinervis Schmidt, Tartessus
nigrinervis Stål, Poecilocarda
nigrinota DeLong & Mohr, Graminella
nigrinota Ruppel & DeLong, Dikrella
nigrinotus Caldwell, Scaphytopius
nigripectus Matsumura, Idiocerus
nigripectus Merino, Stirellus
nigripennis Christian, Edwardsiana
nigripennis DeLong, Laevicephalus
nigripennis Fabricius, Aulacizes
nigripennis Metcalf, Poecilocarda
nigripes Fabricius, Coelidia
nigripes Signoret, Amblyscarta
nigripes Stål, Terulia

nigriplaga Jacobi, Molopopterus
nigristigma Distant, Crispina
nigrita Ball, Dicyphonia
nigrita Melichar, Oncopsis
nigritula Zetterstedt. See *Oncopsis flavigollis nigritula*.
nigritus Kirschbaum. See *Aphrodes tricincta*.
nigritus Matsumura, Epiacanthus
nigriventer Beamer, Erythroneura (Eratoneura)
nigriventer Sanders & DeLong, Deltocephalus
nigriventris Ball & Beamer, Athysanella (Gladionura)
nigriventris Signoret, Poeciloscarta
nigriviridis Ball, Scaphytopius (Cloanthanu)
nigriviridis DeLong, Acunasus
nigriviridis dixianus Ball. See *Scaphytopius (Cloanthanu) nigriviridis*.
nigroaeneus Walker. See *Eurymelooides marmorata*.
nigrobilineata Melichar, Typhlocyba
nigromaculata Motschulsky. See *Zygina fumosa*.
nigrobrunnea Evans, Eurymelooides
nigrocephala Beamer, Henribautia
nigrocincta Signoret, Erythrogonia
nigrocinctus DeLong, Osbornellus
nigroclypeatus Melichar. See *Idiocerus clypealis*.
nigrodorsalis Spångberg. See *Gyponana (Gyponana unicolor)*.
nigrofascia DeLong & Davidson, Athysanella (Amphipyga)
nigrofascialis Distant, Kutara
nigrofasciata Metcalf, Poeciloscarta
nigroflavus Stål, Evacanthus
nigrofusca Melichar, Igerna
nigrofuscata Metcalf, Tettigella
nigroguttata Signoret, Poeciloscarta
nigrolabes DeLong, Chlorotettix
nigrolineata Herrich-Schaeffer. See *Tylozygus bifidus*.
nigrolineata Kirkaldy. See *Nesophrosyne (Nesophrosyne ulula)*.
nigrolineata Taschenberg. See *Tettigella[incert.sed.] gabonensis*.
nigromaculata Naude, Balclutha
nigromaculatus DeLong, Chlorotettix
nigromaculatus Ishihara, Yamatottix
nigromaculatus Motschulsky. See *Nephrotettix apicalis*.
nigromarginata Melichar. See *Cyrtodisca major nigromarginata*.
nigromarginata Metcalf & Bruner, Acusana
nigromarginata Stål, Tituria
nigrominiatula Jacobi, Tettigella
nigronervosa Melichar, Wutingia
nigronervosa Stål, Gypona
nigronervosus Kato, Idiocerus
nigronervosus Lindberg, Achrus
nigropicea Motschulsky, Penthimia
nigropicta Distant, Durgades
nigropicta Stål. See *Nephrotettix apicalis*.
nigropicta Wagner. See *Macropsis gravesteini nigropicta*.
nigropunctata Merino, Empoasca
nigropunctata Schrank. See *Cicadella[Duméril 1806] atropunctata*.
nigropunctata Zetterstedt. See *Stroggylocephalus livens*.

nigropunctatum Signoret, Diestostemma
 nigroscuta Gillette & Baker. See Empoasca (Hebata) nigra
 nigroscuta.
 nigroscuta Johnson. See Erythroneura (Erythroneura)
 compta.
 nigroscuta Ruppel & DeLong, Alconeura
 nigroscutellata Distant, Empoasca
 nigrosignata Stål, Macropsis
 nigroterminata Stål, Gypona
 nigrovenella Evans, Stenomisella
 nigrovittata Spinola, Microgoniella
 nigrovittatus Matsumura, Thamnotettix
 nihila Caldwell, Empoasca
 niisimae Matsumura, Oniella
 niisimai Matsumura, Cicadella [Duméril 1806]
 nikkoensis Matsumura, Xestocephalus
 nilgiriensis Distant, Penthimia
 nilgiriensis Distant, Xestocephalus
 nimbeta Ball & Beamer, Athysanella (Amphipyga)
 nimbicola Kirkaldy, Nesophrosyne (Nesophrosyne)
 nimbigena Kirkaldy, Nesophrosyne (Nesophrosyne)
 nimbosus Ball, Parabolocratus
 nimbuliferus Berg, Athysanus
 nimia Knull, Erythroneura (Eratoneura)
 ninettiae Baker, Kallebra
 niobe McAtee, Typhlocyba
 nitens pellucidus Hepner, Eutettix
 nitens Stål, Selenocephalus
 nitens Stål, Tylissus
 nitens Van Duzee, Eutettix
 nitida Beamer, Erythroneura (Erythridula)
 nitida DeLong, Stenocoelidia (Eurycoelidia)
 nitida Distant. See Penthimia distanti.
 nitida Johnson & Auten. See Erythroneura (Erythridula)
 spearca.
 nitida Lethierry, Penthimia
 nitida maikoensis Matsumura, Penthimia
 nitida Osborn, Eusceloidia
 nitida Osborn, Hecaloidella
 nitida Signoret, Oncometopia (Mucrometopia)
 nitidipennis Stål, Amblydisca
 nitidissimus Herrich-Schaeffer. See Idiocerus fulgidus.
 nitidula atrata Melichar. See Typhlocyba bifasciata
 norgueti.
 nitidula Fabricius. See Typhlocyba bifasciata.
 nitidula Oman, Aceratagallia (Aceratagallia)
 nitidulus Fabricius, Lamprotettix
 nitidulus Walker, Idiocerus
 nitidus Curtis. See Euscelis lineolata.
 nitidus Linnavuori, Tubulanus
 nitidus Young & Frazier, Circulifer
 nitobei Matsumura, Aconura
 nitobei Matsumura, Agallia
 nitobei Matsumura, Drabescus
 nitobei Matsumura, Mesoparopria
 nitobei Matsumura, Oncopsis
 nitobei Matsumura, Parabolocratus
 nitobei Matsumura, Scaphoideus
 nitobella Matsumura, Typhlocyba

nitridus DeLong, Scaphytopius (Cloanthanus)
 niuensis Osborn, Jassoidula
 nivea cruoris Rey, Zygina
 nivea dorsuaria Ribaut, Zygina
 nivea Mulsant & Rey, Zygina
 nivea nycthemera Ribaut, Zygina
 nivea punctulum Mulsant & Rey, Zygina
 niveimarginatus Melichar, Platymetopius
 niveosparsus lagunensis Baker, Chunrocerus
 niveosparsus Lethierry, Chunrocerus
 niveosparsus palawanensis Baker, Chunrocerus
 niveosparsus philippinensis Baker, Chunrocerus
 niveum Melichar, Diestostemma
 nivosa Distant, Kunasia
 nixabunda Gibson. See Gypona bimaculata.
 nobilis Fieber, Idiocerus
 nobilis Glover. See Agalliopsis (Agalliopsis) novella.
 noctivaga Ball, Lonatura
 noctua Distant, Gunhilda
 noctua Distant, Penthimia
 nocturna Distant, Coelidia
 nodosula Melichar, Yunga
 nodosus Ribaut, Psammotettix
 noeva Gillette, Erythroneura (Erythridula)
 noeva parma McAtee, Erythroneura (Erythridula)
 noevoidea Ross & DeLong, Erythroneura
 nogalinus Ball & Parker, Idiocerus
 nogalinus Ball. See Scaphytopius (Convelinus) irroratus
 nogalinus.
 nominatus Sanders & DeLong. See Laevicephalus
 unicoloratus.
 noncincta Johnson, Erythroneura
 noncuspis Beamer, Erythroneura (Eratoneura)
 nondescripta Johnson, Erythroneura (Erythridula)
 nopporensis Matsumura, Empoasca (Chlorita)
 nopporensis Matsumura. See Typhlocyba akashiensis.
 norfolkensis Evans, Rhotidoides
 norgueti Lethierry. See Typhlocyba bifasciata norgueti.
 norma Signoret, Bothrogonia
 normani Scott, Psammotettix
 norrisi Evans, Exitianus
 norrisi Evans, Ipoella
 norrisi Evans, Oncopsis
 nota Evans, Putoniessa
 notanda Distant, Sudra
 notanda Fowler, Gypona
 notata Baker, Eualebra
 notata Curtis, Cicadella [Duméril 1806]
 notata Fabricius. See Idiocerus larvatus.
 notata Melichar, Empoasca
 notata Osborn, Lonatura
 notata Prohaska, Macropsis
 notaticeps Fowler, Poeciloscarta
 notaticeps Stål, Athysanus
 notatifrons Kirschbaum. See Errastenus ocellaris.
 notatifrons Melichar, Tretogonia
 notatifrons Rey. See Macropsis marginata notatifrons.

notatipes Osborn & Lathrop. See *Texananus* (*Texananus*)
 cumulatus.
 notatula Melichar, *Erythrogonia*
 notatula Osborn, *Nesophrosyne* (*Nesophrosyne*)
 notatula Osborn, *Ponana*
 notatus dilutus Ribaut, *Psammotettix*
 notatus Distant, *Alectus*
 notatus Distant, *Maximianus*
 notatus Distant, *Scaphoideus*
 notatus Fieber, *Platymetopius*
 notatus Melichar, *Psammotettix*
 notatus Osborn, *Cerrillus*
 notatus Schumacher, *Drabescus*
 notatus Singh-Pruthi. See *Deltoccephalus pruthii*.
 notula Fowler, *Ponana*
 notulatula Osborn, *Tettigella*
 notulus Walker, *Selenocephalus*
 noualhieri Melichar, *Bilusius*
 novata Distant, *Dagama*
 noveboracensis Fitch, *Draeculacephala*
 novella emulata Oman, *Agalliopsis* (*Agalliopsis*)
 novella Knull & Auten, *Zygina*
 novella Say, *Agalliopsis* (*Agalliopsis*)
 novella tropicalis Van Duzee, *Agalliopsis* (*Agalliopsis*)
 novella vicosa Oman, *Agalliopsis* (*Agalliopsis*)
 novellina Oman, *Agalliopsis* (*Agalliopsis*)
 novellus Metcalf, *Deltoccephalus*
 novemnotata Lethierry, *Amblyscarta*
 novica Medler, *Norvellina*
 nubicula Osborn, *Tettigella*
 nubigena Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 nubila Oman, *Ceratagallia*
 nubila Van Duzee, *Macropsis*
 nubilis Buckton. See *Idiocerus confusus*.
 nubilus Ossianilsson. See *Macrosteles horváthi* [sic]
 nubilus.
 nuchalis Jacobi, *Selenocephalus*
 nuchalis Jacobi, *Zygina*
 nuda Knull & Auten, *Zygina*
 nuda Nottingham, *Carneocephala*
 nuda Oman, *Lystridea*
 nudata Ball & DeLong, *Alconeura* (*Alconeura*)
 nudata McAtee, *Erythroneura* (*Erythroneura*)
 nudata Ribaut. See *Zygina tithide nudista*.
 nudatus Ball, *Chlorotettix*
 nudior Cerutti. See *Zygina tithide nudior*.
 nudista Knull. See *Zygina tithide nudista*.
 nudus Ball, *Paraphlepsius*
 nudus Wagner. See *Aphrodes albigerus* nudus.
 nuenue Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 nugax Van Duzee, *Friscananus*
 numerosa Lindsay, *Norvellina*
 nupera Van Duzee, *Gypona*
 nutans Distant, *Scaphoideus*
 nycthemera Ribaut. See *Zygina nivea nycthemera*.
 nymphaea Perris. See *Erotettix cyane*.
 nymphias Kirkaldy, *Idiocerus*
 nysias Kirkaldy, *Thamnophryne*
 oaxacae Fowler, *Oncometopia* (*Egidemia*)

obenbergeri Dlabola, *Verdanus*
 obesa Ball & Beamer, *Athysanella* (*Amphyipyga*)
 obesa Hepner, *Aligia*
 obesa Oman & Beamer, *Cuerna*
 obesa Oman, *Agallia*
 obesa Spångberg, *Gypona*
 obesa Zachvatkin, *Zyginidia* (*Anatolidia*)
 obesula Jacobi, *Amblyscarta*
 obesus Distant. See *Goniagnathus appellans*.
 obesus Jacobi, *Goniagnathus*
 obesus Knull, *Frigartus*
 obesus Knull, *Psammotettix*
 obesus Osborn & Ball, *Deltoccephalus*
 obispinus Ball & Parker, *Idiocerus*
 objecta Melichar, *Poecilocarda*
 oblatus Distant, *Banus*
 obligata Osborn, *Coelidia*
 obligens Walker, *Ledropsis*
 obliqua amabilis McAtee. See *Erythroneura* (*Erythridula*)
 amabilis.
 obliqua aucta McAtee. See *Zygina aucta*.
 obliqua bitincta McAtee. See *Erythroneura* (*Erythridula*)
 bitincta.
 obliqua Caldwell, *Empoasca*
 obliqua clavata DeLong. See *Erythroneura* (*Erythridula*)
 clavata.
 obliqua DeLong & Davidson, *Rosenus*
 obliqua dorsalis Gillette. See *Erythroneura* (*Erythridula*)
lawsoniana.
 obliqua electa McAtee. See *Erythroneura* (*Erythridula*)
electa.
 obliqua eluta McAtee. See *Erythroneura* (*Erythridula*)
eluta.
 obliqua fumida Gillette. See *Erythroneura* (*Erythridula*)
fumida.
 obliqua noeva Gillette. See *Erythroneura* (*Erythridula*)
noeva.
 obliqua Osborn, *Nesophrosyne* (*Nesophrosyne*)
 obliqua Osborn, *Scaphoidulina*
 obliqua Say, *Erythroneura* (*Erythridula*)
 obliqua stolata McAtee. See *Erythroneura* (*Erythridula*)
stolata.
 obliqua Walker, *Mesamia*
 obliqua Walker. See *Ortega truncatipennis*.
 obliqua Walker, *Tituria*
 obliqua Walker. See *Aulacizes mutans*.
 obliquata Osborn, *Alconeura* (*Alconeura*)
 obliquatula Jacobi, *Pseudoscarta*
 obliquatus Laporte. See *Raphirhinus fasciatus*.
 oblique [sic] pelta McAtee, *Erythroneura* (*Erythridula*)
 obliquus Evans, *Deltoccephalus*
 obliquus Germar. See *Aphrodes bifasciata*.
 obliquus Osborn, *Caphodus*
 obliquus Walker, *Cicciana*
 obliquus Walker, *Iassus*
 obliteratus Fieber, *Deltoccephalus*
 obrudens DeLong, *Empoasca* (*Kybos*)
 obscura Baker, *Neocoelidiana* (*Neocoelidiana*)
 obscura Beamer, *Zygina*

obscura Evans, Idiocerella
 obscura Evans, Nesoclutha
 obscura Kirkaldy, Smicrocotis
 obscura Oman, Aceratagallia (Aceratagallia)
 obscura Stål, Coelidia
 obscura Stål. See Erythrogonia quinquemaculata.
 obscura Walker. See Bothrogonia ferruginea.
 obscura Zetterstedt. See Oncopsis flavigollis obscura.
 obscurellus Kirschbaum. See Euscelis incisa.
 obscurellus maculosus Rey. See Euscelidius variegatus.
 obscurinervis Stål, Exitianus
 obscurior Costa. See Tettigella [incert.sed.] transversa
 obscurior.
 obscurior Fowler, Gypona
 obscurior Fowler, Tapajosa
 obscuripennis Blanchard, Agallia
 obscurus Curtis. See Aphrodes bicincta.
 obscurus DeLong, Chlorotettix
 obscurus Evans. See Tartessus evansi.
 obscurus Osborn. See Scaphytopius (Cloanthanus)
 magdalensis.
 obscurus Schmidt, Tartessus
 obsenus DeLong, Chlorotettix
 obsoleta convexa Kirschbaum, Euscelis
 obsoleta Fieber, Agallia
 obsoleta Haupt, Symphygyga
 obsoleta infuscata Lindberg, Symphygyga
 obsoleta Kirschbaum, Euscelis
 obsoleta Melichar, Aulacizes
 obsoleta picea Scott, Euscelis
 obsoleta Signoret, Amblyscarta
 obsoletus Dorst, Macrosteles
 obsoletus Germar. See Selenocephalus planus.
 obsoletus Signoret, Platymetopius
 obsoletus Walker. See Idiocerus pallidus.
 obstinata Melichar, Poeciloscarta
 obstinata Melichar, Microgoniella
 obstinatus Ball, Idiocerus
 obstipa Davidson & DeLong, Empoasca
 obtecta Fallén. See Ulopa reticulata.
 obtecta Osborn & Ball, Polyamia
 obtecta Signoret, Sibovia
 obtusa Beamer, Mesamia
 obtusa Fabricius, Oncometopia (Oncometopia)
 obtusa funebris Signoret, Oncometopia (Oncometopia)
 obtusa Hepner, Aligia
 obtusa Kato, Tituria
 obtusa Lawson, Xerophloea
 obtusa Oman & Beamer, Cuerna
 obtusa Spångberg, Ponana
 obtusa Walker, Thlasia
 obtusa Walker. See Aulacizes maculata.
 obtusa Walsh, Empoasca (Kybos)
 obtusata Melichar, Oncometopia (Egidemia)
 obtusiceps Berg, Paramesus
 obtusiceps Kirschbaum. See Psammotettix striatus
 obtusiceps.
 obtusifrons caucasicus Melichar, Paramesus
 obtusifrons Fowler, Oncometopia (Egidemia)

obtusifrons Kirschbaum. See Aphrodes bicincta
 obtusifrons.
 obtusifrons Stål, Paramesus
 obtusifrons Walker, Ledra
 obtusior Fowler, Tettigella
 obtusivalvis Kirschbaum, Jassargus (Jassargus)
 obtusus Kirschbaum. See Streptanus aemulans.
 obtusus Metcalf, Deltoccephalus
 obtusus Osborn, Scaphoideus
 obtusus Van Duzee. See Stirellus obtutus.
 obtutus Lawson, Acinopterus
 obtutus Van Duzee, Stirellus
 obvia Beamer, Erythroneura (Erythridula)
 obvius Knoll, Laevicephalus
 obvius Oman, Paraphlepsius
 ocala Davidson & DeLong, Empoasca (Empoasca)
 occatoria compta Fowler, Sibovia
 occatoria Say, Sibovia
 occidentale Lindberg, Paradorydium
 occidentalis Baker, Athysanella (Amphipyga)
 occidentalis Baker, Balclutha
 occidentalis Baker, Paraphlepsius
 occidentalis Beamer & Tuthill, Hebecephalus
 occidentalis DeLong & Davidson, Empoasca (Empoasca)
 occidentalis DeLong, Ballana
 occidentalis DeLong, Chlorotettix
 occidentalis DeLong. See Latalus misellus [sic].
 occidentalis Evans. See Macropsis evansi.
 occidentalis Jacobi, Tartessus
 occidental Oman & Beamer, Cuerna
 occidental Van Duzee, Aligia
 occidental Van Duzee, Macropsis
 occidua Beamer & Griffith. See Erythroneura (Erythridula)
 dolosa occidua.
 occipitalis Osborn, Idiocerus
 occipitula Osborn, Tettigella
 occlusa Gibson, Ponana (Ponana)
 occulta Melichar, Poeciloscarta
 oceanides Kirkaldy, Nesophrosyne (Nesoreias)
 ocellaris Baker, Sophonia
 ocellaris Fallen, Errastinus
 ocellaris Lethierry, Ophiola
 ocellata Curtis. See Ribautiana ulmi.
 ocellata Metcalf, Tharra
 ocellata Osborn, Oncometopia
 ocellata Scopoli. See Errastinus ocellaris.
 ocellata Signoret. See Eurymelooides punctata.
 ocellata Singh-Pruthi, Balclutha
 ocellaris sobrinus DeLong & Sleesman. See Errastinus
 sobrinus.
 ocellata Spångberg, Gypona
 ocellatus Cerutti. See Arocephalus (Arocephalus)
 languidus ocellatus.
 ocellatus Distant, Confucius
 ocellatus Jacobi, Goniagnathus
 ocellatus Osborn, Idiocerus
 ocellatus Provancher. See Oncopsis fitchi.
 ochracea Jacobi, Coelidia
 ochracea Melichar, Arya

ochracea Motschulsky, Cicadella [Duméril 1806]
 ochracea Osborn, Jassoidula
 ochracea Rey. See *Oncopsis flavicollis ochracea*.
 ochracea Rey. See *Placotettix taeniatifrons ochracea*.
 ochraceus Metcalf, Tartessus
 ochraceus Osborn, Scaphoideus
 ochraceus Walker. See *Aulacizes aurantiaca*.
 ochraea Naudé, Penthimia
 ochreata Haupt. See *Euscelis incisa ochreata*.
 ochripes Spångberg, Coelidia
 ochroleuca Horváth, Zygina
 ochroleucus Kirschbaum. See *Idiocerus fulgidus*.
 ochromelas Gmelin. See *Aphrodes bicincta*.
 ochrophara Distant, Carvaka
 ochrosomus Kirschbaum. See *Euscelis lineolata*.
 octofasciata Lindberg, Erythroneura
 octolineata Baker, Rhabdotalebra
 octolineata Say, Gyponana (Gyponana)
 octolineata serpenta DeLong, Gyponana (Gyponana)
 octolineata signata McAtee. See *Rhabdotalebra signata*.
 octomaculatus Matsumura, Deltocephalus
 octonotata Hardy. See *Cicadella* [Duméril 1806] urticae
 octonotata.
 octonotata Walsh, Erythroneura (Erythroneura)
 octopunctata China, Macropsis
 octopunctata Kirkaldy. See *Pagaronia tredecimpunctata*
 octopunctata.
 octopunctata Schrank. See *Lamprotettix nitidulus*.
 octopunctatus Burmeister. See *Phlepsius intricatus*.
 ocularis Mulsant & Rey, Idiocerus
 oculata Lindberg, Dikraneura
 oculata Lindberg, Henschia
 oculata McAtee, Zygina
 oculata Signoret, Apogonalia
 oculata Van Duzee, Agalliosis (Agallaria)
 oculatus Dlabola, Macrosteles
 oculatus Osborn & Ball. See *Laevicephalus unicoloratus*.
 oculatus Sahlberg. See *Jassargus (Arrailus) flori*.
 oculea Ball, Aligia
 oculea Osborn, Empoasca
 oeoe Kirkaldy, Macropsis
 ofella Distant, Amblydisca
 offula DeLong, Gyponana (Gyponana)
 ogasawarensis Matsumura, Athysanus
 ogasawarensis Matsumura, Balclutha
 ogasawarensis Matsumura, Coelidia
 ogasawarensis Matsumura, Stragania
 ogikubonis Matsumura, Usuironus
 ogloblini Kusnezov, Aconura
 ogumae Matsumura, Deltocephalus
 ogumae Matsumura, Drabescus
 ogumae Matsumura, Euscelis
 ogumae Matsumura, Evacanthus
 ogygia Kirkaldy, Tharra
 ohausi quadrilineata Ribaut, Euscelis
 ohausi Schmidt, Lojata
 ohausi Wagner, Euscelis
 ohioensis DeLong & Caldwell, Forcipata
 ohioensis Knoll, Erythroneura (Erythridula)

okamotonis Matsumura, Zygina
 okinawanus Matsumura, Thamnotettix
 okinawensis Matsumura, Parabolocratus
 okubella Matsumura, Empoasca
 okubonis Matsumura, Empoasca (Chlorita)
 olitoria Say, Coelidia
 olivacea Melichar, Balclutha
 olivacea Melichar, Bhatia
 olivacea Osborn, Aulacizes
 olivacea Spångberg, Gyponana (Gyponana)
 olivacea Stål, Acrocampa
 olivacea Walker, Aphrodes
 olivacescens Distant, Euscelis
 olivacescens Stål. See *Eurinoscopus subolivaceus*.
 olivascens Baker, Krisna
 olivascens singaporensis Baker, Krisna
 olivatula Osborn, Empoasca
 olivatula Osborn, Tettigella
 ollus Ball, Ollarianus
 omaja Metcalf & Bruner, Arezzia
 omanae [sic] Beamer, Dorycephalus (Dorycephalus)
 omani Ball, Limbanus
 omani Beamer, Erythroneura (Eratoneura)
 omani Beamer, Osbornellus
 omani Davidson & DeLong, Empoasca (Empoasca)
 omani DeLong, Gyponana (Gyponana)
 omani iguala Davidson & DeLong, Empoasca (Empoasca)
 omani Knull, Orocastus
 omani Medler, Ophiola
 omaska Robinson, Erythroneura (Erythroneura)
 omega Van Duzee, Protalebra
 omogonis Ishihara, Oncopsis
 oneanea Kirkaldy, Nesophrosyne (Nesophrosyne)
 oneka Knull, Typhlocyba
 onerata Melichar, Erythrogonia
 oneratus Melichar, Deltocephalus
 ontari Robinson, Erythroneura (Erythroneura)
 onukii Matsuda, Empoasca (Chlorita)
 onukii Matsumura, Limotettix
 onukii Matsumura, Onukia
 onukii Matsumura, Onukigallia
 onukii Matsumura. See *Zygina mori*.
 onustus Ferrari. See *Euscelis venosa*.
 onustus Fieber. See *Turrutus socialis* onustus.
 ooldeae Evans, Ipoides
 ootacamundus Distant, Exitianus
 opaca Edwards. See *Typhlocyba cruenta* opaca.
 opaca Metcalf, Gypona
 opacipennis Lethierry, Circulifer
 opacus dilutus Ferrari, Circulifer
 opacus Kirschbaum, Circulifer
 opacus minor Ferrari. See *Circulifer opacipennis*.
 opacus pictus Ferrari, Circulifer
 opala Ruppel & DeLong, Dikrella
 opalescens Kirkaldy, Nesophrosyne (Nesophrosyne)
 opalinula Jacobi, Kolla
 opalinus Osborn, Scaphoideus
 operculatus Ball, Paraphlepsius
 opertus Bliven, Cochlorhinus

opponens Walker, Kolla
 optabilis Melichar, Ceratogoniella
 optatus Crumb, Paraphlepsius
 opulenta Beamer, Erythroneura (Eratoneura)
 opulenta Distant, Coelidia
 opulenta Distant, Tambila
 opulenta Distant, Typhlocyba
 opulenta Walker, Amblyscarta
 oqua DeLong, Graminella
 oraclis Lawson, Xerophloea
 oraniensis [sic] Matsumura, Deltocephalus
 oranensis Matsumura, Thamnotettix
 orbata Fowler, Catagonalia
 orbata Melichar, Aidola
 orbiculatus Ball, Sanctanus
 orbiculus DeLong & Slesman. See Sorhoanus debilis.
 orbitalis Fitch. See Evacanthus acuminatus.
 orbona Fabricius, Oncometopia (Lebora)
 orbonatus Ball, Chlorotettix
 ordinaria Knoll & Auten. See Erythroneura (Eratoneura)
 perplexa.
 ordinaria pandellei Ribaut, Erythroneura
 ordinaria Ribaut, Erythroneura
 ordinaria variegata Ribaut, Erythroneura
 ordinata Distant, Kana
 ordinatus Ball, Auridius
 oreadis Kirkaldy, Nesophrosyne (Nesophrosyne)
 oregonia Ball. See Norvellina rubida.
 oregonensis Baker, Errhomus
 oregonensis Baker, Scaphytopius (Cloanthanus)
 oregonensis Beamer & Lawson, Stragania
 oregonensis Beamer. See Empoa scripta.
 oregonus Ball, Texananus (Texananus)
 oreias Kirkaldy, Idiocerus
 orichalcea Dahlbom. See Notus flavipennis.
 orichalceus Thomson, Limotettix
 orientala DeLong, Gyponana (Gyponana)
 orientalis DeLong & Davidson, Sorhoanus
 orientalis DeLong, Neocoelidia
 orientalis Distant, Macropsis
 orientalis Kusnezov, Batracomorphus
 orientalis Lindberg, Paramesus
 orientalis Linnavuori, Cicadella [Duméril 1806]
 orientalis Linnavuori. See Hephatus nanus orientalis.
 orientalis Matsumura, Balclutha
 orientalis Matsumura, Doratulina
 orientalis Matsumura, Eutettix
 orientalis Matsumura, Nirvana
 orientalis Ouchi, Ledra
 orientalis Ribaut, Verdanus
 orientalis rubrosuturalis Maki. See Nirvana orientalis.
 orientalis Schumacher, Placidus
 orientalis Walker, Haranga
 oriunda Melichar, Poeciloscarta
 orizaba Ball & Reeves, Prairiana
 orizaba Ball, Mesamia
 orizaba roventa DeLong, Prairiana
 orizabae Ruppel & DeLong, Joruma
 ornata Ball, Dicyphonia

ornata Blanchard, Teletusa
 ornata Distant, Nehela
 ornata Fieber, Cicadella [Duméril 1806]
 ornata Fowler. See Ponana vinula ornata.
 ornata Herrich-Schaeffer, Aglena
 ornata Lindberg. See Macropsis megerlei ornata.
 ornata Oman, Agalliopsis
 ornata Oman. See Empoasca ornatella.
 ornata ornatula Kirkaldy, Aglena
 ornata Osborn, Chinaia
 ornata Osborn, Empoasca
 ornata Osborn, Parallaxis
 ornata Osborn, Ponana
 ornata Osborn. See Erythroneura (Erythroneura) corni.
 ornatella Young, Empoasca
 ornatellus Osborn, Eutettix
 ornaticeps Horváth, Psammotettix
 ornaticollis Oman, Agalliopsis
 ornatipennis Curtis. See Eurhadina pulchella ornatipennis.
 ornatipennis Stål, Sanctanus
 ornatula Distant, Typhlocyba
 ornatula Kirkaldy. See Aglena ornata ornatula.
 ornatula Melichar, Microgoniella (Microscita)
 ornatula Osborn, Tettigella
 ornatula Stål, Stragania
 ornatulus Melichar, Deltocephalus
 ornatus Distant, Vulturnus
 ornatus Distant. See Bolanusoides heros.
 ornatus Gillette. See Unoka gillettei.
 ornatus Kirkaldy. See Eurymeloides punctata.
 ornatus Melichar, Scaphoideus
 ornatus Melichar, Thamnotettix
 ornatus Perris. See Phlepsius intricatus.
 ornatus Van Duzee, Xestocephalus
 orodemnius Kirkaldy, Idiocerus
 orovila Ball, Neocoelidia
 orphanda Caldwell, Alconeura (Hyloidea)
 ortha DeLong & Caldwell, Forcipata
 ortha DeLong, Ballana
 ortha DeLong, Gyponana (Gyponana)
 orthodens Davidson & DeLong, Empoasca (Empoasca)
 oryzae Matsumura, Inemadara
 osborni Ball, Bonneyana
 osborni Ball, Ophiola
 osborni Ball. See Opsiustactogalus.
 osborni Breakey, Macropsis
 osborni DeLong & Ruppel, Alconeura
 osborni DeLong, Erythroneura (Eratoneura)
 osborni Dorst, Macrosteles
 osborni dulcis McAtee, Erythroneura (Eratoneura)
 osborni Hartzell, Empoasca (Kybos)
 osborni Kirkaldy, Alseis
 osborni Knoll, Stirellus
 osborni Merino, Xestocephalus
 osborni Metcalf, Coelidia
 osborni Metcalf, Iassus
 osborni Metcalf, Idiocerus
 osborni Metcalf, Remadosus
 osborni Van Duzee, Amplicecephalus

osborni Van Duzee, *Scaphytopius* (*Cloanthanus*)
 osborni Van Duzee. See *Balclutha impicta* osborni.
 ossia Beirne, *Dikraneura*
 ossiannilssonii Kontkanen. See *Cicadula straminea*.
 ossiannilssonii Lindberg, *Macrosteles*
 ossiannilssonii Nuorteva, *Empoasca*
 ossiannilssonii Wagner. See *Macropsis marginata*
 ossiannilssonii.
 ostenta Distant, *Coelidia*
 ostrina Fowler, *Apulia*
 otanesi Merino, *Macropsis*
 otero Metcalf & Bruner, *Hadria*
 othello Distant, *Athysanus*
 ovata Oman, *Ceratagallia*
 ovatina Ball, *Elymana*
 ovatus Sanders & DeLong, *Extrusanus*
 ovatus Van Duzee, *Texananus* (*Texananus*)
 ovidii Kirkaldy, *Deltodorydium*
 oviedus Ball. See *Scaphytopius* (*Cloanthanus*) *cinereus*.
 oxalidis Fieber. See *Colladonus torneellus* *oxalidis*.
 oxyacanthae Ribaut. See *Edwardsiana australis*.
 oxyomma Kirkaldy, *Muirella*
 oxypterus Kirschbaum. See *Mocydia crocea*.
 ozarcensis Gibson. See *Daltonia estacada*.
 pacifica DeLong & Severin. See *Keonolla confluens*
 pacifica.
 pacifica Osborn, *Cicaduloida*
 pacifica Walker, *Signoretia*
 pacificus Ball & Parker, *Idiocerus*
 pacificus Oman, *Giprus*
 pacificus Osborn, *Stirellus*
 paeta Ball. See *Pachyopsis laeta* *paeta*.
 pagana Van Duzee, *Mesamia*
 paganula Jacobi, *Mesogonia*
 paganurus Melichar, *Xestocephalus*
 pagoda Ball, *Draeculacephala*
 pagosus Beamer, *Rosenus*
 paivana Distant, *Cicadella* [Duméril 1806]
 palawanensis Baker, *Idiocerus*
 palawanensis Baker. See *Chunrocerus niveosparsus*
 palawanensis.
 paleaceus Sahlberg, *Jassargus*
 palescens Ivanov. See *Handianus flavovarius* *palescens*.
 palimpsesta McAtee, *Erythroneura* (*Erythroneura*)
 pallasi Lethierry. See *Opsius tamaricis*.
 pallens Burmeister, *Gypona*
 pallens Lindberg. See *Selenocephalus planus* *pallens*.
 pallens McAtee. See *Empoa albicans*.
 pallens Zetterstedt. See *Doliotettix lunulatus*.
 pallens Zetterstedt. See *Oncopsis flavicollis* *pallens*.
 pallenta Beamer, *Zygina*
 pallescens Distant, *Pisachoides*
 pallescens Distant, *Smicrocotis*
 pallescens Evans, *Anipo*
 pallescens Ribaut. See *Alebra wahlbergi* *pallescens*.
 pallescens Stål, *Hecalus*
 pallescens Stål, *Stragania*
 palliatus Lethierry, *Goniagnathus*
 pallida acuta Knoll, *Stenocoelidia* (*Eurycoelidia*)

pallida Baker, *Makilingia*
 pallida Baker, *Stenocoelidia* (*Eurycoelidia*)
 pallida benguetensis Baker, *Makilingia*
 pallida blanda Knoll, *Stenocoelidia* (*Eurycoelidia*)
 pallida Breakey, *Macropsis*
 pallida DeLong & Davidson. See *Nesosteles neglectus*.
 pallida Evans, *Mileewa*
 pallida Evans, *Paramelia*
 pallida Gillette, *Empoasca* (*Empoasca*)
 pallida Haupt, *Cicadulella*
 pallida Hepner, *Aligia*
 pallida Kirkaldy, *Dryadomorpha*
 pallida Knull & Auten, *Erythroneura* (*Eratoneura*)
 pallida Kusnezov, *Doraturopsis*
 pallida Melichar, *Fieberiella*
 pallida Melichar, *Nirvana*
 pallida Oman, *Aceratagallia* (*Aceratagallia*)
 pallida Osborn, *Coelidia*
 pallida Osborn, *Jassoidula*
 pallida Osborn. See *Bolarga boliviiana*.
 pallida Osborn. See *Macrosteles fascifrons*.
 pallida Osborn. See *Protalebra aureovittata*.
 pallida Ruppel & DeLong, *Protalebra*
 pallida Walker. See *Aglena ornata* *ornatula*.
 pallida Walker. See *Amblyscarta nigrifascia* *pallida*.
 pallidens DeLong & Hershberger, *Sanctanus* (*Sanctanus*)
 pallidens DeLong & Hershberger. See *Exitianus exitiosus*
 pallidens.
 pallidens DeLong, *Omanana*
 pallidens DeLong. See *Nesosteles neglectus*.
 pallidicapitatus Hepner, *Scaphytopius* (*Cloanthanus*)
 pallidiceps contortuplicatus Kirkaldy, *Xestocephalus*
 pallidiceps decemnotatus Kirkaldy, *Xestocephalus*
 pallidiceps Kirkaldy, *Xestocephalus*
 pallidiceps Spångberg, *Coelidia*
 pallidicornis Metcalf, *Tettigella*
 pallidifrons Edwards, *Zygina*
 pallidifrons Ribaut. See *Cicadula divaricata* *pallidifrons*
 [sic].
 pallidinervis Dahlbom, *Psammotettix*
 pallidinota Hepner, *Aligia*
 pallidiola Matsumura, *Tettigella*
 pallidior Costa. See *Tettigella* [incert.sed.] *transversa*
 pallidior.
 pallidior Kirschbaum. See *Euscelis incisa*.
 pallidipennis Curtis, *Aphrodites*
 pallidipennis Hardy. See *Megophthalmus scanicus*.
 pallidipennis Lindberg, *Thamnotettix*
 pallidipes Jacobi, *Tettigella*
 pallidipes Stål, *Coelidia*
 pallidiscutus Hepner, *Scaphytopius* (*Cloanthanus*)
 palliditarsis Stål, *Bahita*
 pallidor Kirkaldy. See *Tharra nausikaa* *pallidor*.
 pallidovirens Fowler, *Gypona*
 pallidula DeLong, *Empoasca* (*Empoasca*)
 pallidula Jacobi, *Kolla*
 pallidula Matsumura, *Balclutha*
 pallidula Osborn, *Graminella*
 pallidula Walsh. See *Alebra* (*Alebra*) *albostriella* *pallidula*.

- pallidulus Matsumura. See *Macrosteles quadrimaculatus*
 pallidulus.
- pallidus Baker, Gessius
- pallidus Beamer, Osbornellus
- pallidus Brown. See *Chlorotettix scutellatus*.
- pallidus Cogan. See *Thamnotettix karroensis* pallidus.
- pallidus Curtis. See *Aphrodes bicincta*.
- pallidus DeLong, *Scaphytopius*
- pallidus elegans Lawson, *Tinobregmus*
- pallidus Evans, *Eurinoscopus*
- pallidus Evans, *Eusceloskopus*
- pallidus Evans, *Eutettix*
- pallidus Evans, *Neodartus*
- pallidus Evans, *Notocephalius*
- pallidus Evans, *Ophiuchus*
- pallidus Evans, *Tartessus*
- pallidus Fitch, *Idiocerus*
- pallidus Flor. See *Psammotettix striatus* pallidus.
- pallidus incurvatus Baker, Gessius
- pallidus Kirschbaum, *Selenocephalus*
- pallidus Lawson. See *Acinopterus viridis variegatus*.
- pallidus Matsumura, *Drabescus*
- pallidus Matsumura. See *Evacanthus interruptus*.
- pallidus Melichar. See *Phlepsius melichari*.
- pallidus Osborn, *Exitianus*
- pallidus Osborn, *Iassus*
- pallidus Osborn, *Tinobregmus*
- pallidus Osborn. See *Neobala boliviensis*.
- pallidus Osborn. See *Nesosteles incisus*.
- pallidus Osborn. See *Xestocephalus pulicarius* pallidus.
- pallidus sinuatus Baker, Gessius
- pallidus suffusus Baker, Gessius
- pallidus Van Duzee, *Paraphlepsius*
- pallifrons Distant, *Scaphoideus*
- pallifrons Horváth, *Aconura*
- palliolata Ball, *Sobara*
- pallioviridis Jacobi, *Narecho*
- pallipes Fabricius, *Acrocampa*
- pallipes Kirschbaum. See *Arocephalus (Arocephalus) languidus*.
- pallipes Walker. See *Graphocephala trivittata*.
- palma DeLong, *Gyponana (Gyponana)*
- palmeri Van Duzee, *Nonia*
- palolo Osborn, *Nesophrosyne (Nesophrosyne)*
- paludicola Kirkaldy, *Nesophrosyne (Nesophrosyne)*
- paludosa Ball & China, *Draeculacephala*
- paludosa Melichar, *Doratura*
- paludosus Ball, *Cosmotettix*
- paludosus Ball, *Scaphoideus*
- paludosus Boheman, *Ophiolix*
- paludosus Ribaut, *Paramesus*
- palustris Evans, *Euacanthella*
- palustris Kirkaldy, *Nesophrosyne (Nesophrosyne)*
- palustris Ribaut, *Dikranearia*
- palustris Sanders & DeLong, *Paraphlepsius*
- pamentosa Ball. See *Dicyphonia ornata*.
- panamana Osborn, *Dikranearia*
- panamensis Fowler, *Aulacizes*
- panayensis Baker, *Makilingia*
- panda DeLong, *Empoasca (Empoasca)*
- panda DeLong, *Gyponana (Gyponana)*
- pandellei Lethierry, *Typhlocyba*
- pandellei Ribaut. See *Erythroneura ordinaria pandellei*.
- pandellei spoliata Horváth, *Typhlocyba*
- pandus DeLong, *Osbornellus*
- pannosa Ball, *Norvellina*
- pantherinus Kusnezov, *Deltoccephalus*
- panzeri Flor, *Cosmotettix (Cosmotettix)*
- panzeri tibiellus Rey, *Cosmotettix (Cosmotettix)*
- paolii Ossiannilsson, *Empoasca*
- papayae Oman, *Empoasca*
- papuensis Distant, *Evacanthus*
- parabolatus Naude, *Chlorotettix*
- parabolica Taschenberg, *Tettigella*
- paradoxa Linnavuori. See *Ophiola transversa paradoxa*.
- paradoxa Melichar. See *Hodoeodus acuminifrons*.
- paradoxa Rey. See *Euscelis incisa paradoxa*.
- paradoxa Stål, *Hylica*
- paradoxum Burmeister. See *Cephalelus infumatus*.
- paradoxum Herrich-Schaeffer, *Paradorydium*
- paradoxus Melichar, *Peltocheirus*
- paraesculi Knoll, *Erythroneura (Eratoneura)*
- paraguayensis Distant, *Teletusa*
- paraguayensis Linnavuori, *Haldorus*
- parallela DeLong, *Ballana*
- parallela DeLong, *Gyponana (Gyponana)*
- parallela Knull, *Bandara*
- parallela McAtee, *Erythroneura (Eratoneura)*
- parallela Oman, *Igerna*
- parallela Osborn, *Elabra*
- parallela Ruppel & DeLong, *Idona*
- parallela Walker. See *Oncometopia (Oncometopia) obtusa*.
- parallelcornis Linnavuori, *Haldorus*
- parallelus Beamer, *Acinopterus*
- parallelus DeLong & Knoll, *Osbornellus*
- parallelus DeLong, *Scaphytopius (Cloanthanus)*
- parallelus Fieber, *Jassargus*
- parallelus Van Duzee, *Limotettix*
- paralus DeLong, *Texananus (Excultanus)*
- parana Osborn, *Elabra*
- paraobusta Singh-Pruthi, *Agallia*
- parapiscator Christian, *Ribautiana*
- parathea Singh-Pruthi, *Empoasca*
- paraveinatus Singh-Pruthi, *Thamnotettix*
- parca Ball & Beamer, *Athy sanella (Athy sanella)*
- parcanicus Dlaloba. See *Diplocolenus nigrifrons*.
- pardalina Fowler, *Pseudoscarta*
- pardalinus Distant. See *Xestocephalus paganurus*.
- pardalis McAtee. See *Trypanalebra maculata*.
- paridens DeLong, *Ballana*
- parma McAtee. See *Erythroneura (Erythridula) noeva*
 parma.
- parma Oman, *Igerna*
- parrai DeLong, *Texananus*
- parrai Ruppel & DeLong, *Kunzeana*
- parthaon Kirkaldy, *Tettigella*
- particolor Sanders & DeLong, *Paraphlepsius*

partita Melichar, Erythrogonia
 partitula Jacobi, Amblyscarta
 parva Beamer, Erythroneura (Eratoneura)
 parva Distant, Kyphocotis
 parva Evans, Coloborrhis
 parva Evans, Myerslozia
 parva Evans, Pauroeuryymela
 parva Ruppel & DeLong, Typhlocyberella
 parvalas DeLong. See Scaphytopius (Cloanthanus) alas
 parvalas.
 parvicauda Ribaut, Mocydiopsis
 parvipes Beamer, Erythroneura (Eratoneura)
 parvipicta Distant, Kolla
 parvipictus Distant, Hecalus
 parvispicata Beamer, Erythroneura (Erythridula)
 parvispina Wagner, Rhopalopyx
 parvula algeriensis Bergevin, Zygindia (Arboridia)
 parvula Boheman, Zygindia (Arboridia)
 parvula Buckton, Phrynomphyes
 parvulus DeLong, Arundanus
 parvulus Gillette, Laeviccephalus
 parvulus Lawson. See Acinopterus inornatus.
 parvulus Osborn, Idiocerus
 parvum Schmidt, Diestostemma
 parvus Hepner, Eutettix
 parvus Lathrop. See Scaphytopius (Cloanthanus) cinereus.
 parvus niger DeLong. See Scaphytopius (Cloanthanus)
 abbreviatus.
 parvus Walker, Hecalus
 parwala Singh-Pruthi, Leofa
 paryphantus abalius Ferrari, Phycotettix
 paryphantus Lethierry, Phycotettix
 pasadenus Ball, Cochlorhinus
 pasadenus Ball, Pasadenus
 pascoei Distant. See Erymelops latifascia.
 pascuellus Fallén, Arthaldeus
 pasiphae Kirkaldy, Tettigella
 passiflorae Evans. See Hishimonus disciguttus.
 patricia Jacobi, Coelidia
 patris Ross & DeLong, Erythroneura
 patruelis Spångberg, Coelidia
 patruelis Stål, Thamnotettix
 patruelis Stål. See Coloborrhis corticina.
 patula DeLong, Empoasca (Kybos)
 patula magna DeLong, Empoasca (Kybos)
 paucinervis Sahlberg. See Arocephalus (Ariellus)
 punctum.
 pauliana Evans, Agalliana
 paulula Walker, Kolla
 paulus Knull, Laeviccephalus
 pauperata Fabricius, Dasmeusa
 pauperata Spångberg, Ponana (Ponana)
 paupercula Spångberg, Gypona
 paupercula Spångberg. See Coelidia fusca.
 pauperculus Ball, Aplanus
 pauperculus Flor, Athysanus
 pauxilla Lindberg, Balclutha
 pauxillus Fieber, Deltocephalus
 pavesii Carlini, Dikraneura

pavlovskii Zachvatkin, Cicadella [Duméril 1806]
 pavo Signoret, Bothrogonia
 paykulli Stål, Hecalus
 pectinata DeLong, Empoasca (Kybos)
 pectinata Osborn & Ball, Flexamia
 pectita Distant, Coelidia
 pectoralis Fowler, Allogonia
 pectoralis Germar. See Speudotettix subfuscus.
 pectoralis Matsumura, Balclutha
 pectoralis Spångberg, Ponana (Ponana)
 pedecurtus Wittlake & Beamer, Hebecephalus
 pedemantia Walker, Iassus
 pedestris Distant, Leofa
 pedestris Distant, Thagria
 pedestris Jacobi, Ozias
 pediculus Hepner, Eutettix
 pedifera Young, Empoasca
 pedisequila Jacobi, Metascarta
 pelamys Kirkaldy. See Eurinoscopus dryas.
 pelas Signoret. See Aphrodes albifrons arcuata.
 pele Kirkaldy, Nesophrosyne (Nesophrosyne)
 peleae Osborn, Nesophrosyne (Nesophrosyne)
 pelecan Oman & Wheeler, Empoasca (Hebata)
 pelias Kirkaldy. See Eurinoscopus dryas.
 pellax Horvath, Laburus (Esolanus)
 pellucens Horváth, Balclutha
 pellucens Lindberg. See Macropsis unicolor pellucens.
 pellucida Ball, Twinningia
 pellucida Fabricius, Ipo
 pellucida Lethierry, Euscelis
 pellucida Osborn, Balera
 pellucida Signoret. See Paromenia longipes.
 pellucidus Fieber, Thamnotettix
 pellucidus Hepner. See Eutettix nitens pellucidus.
 pellucidus Melichar. See Rhytidostylus proceps.
 pellucidus Osborn, Deltocephalus
 pellucidus Osborn, Iassus
 pellucidus Wagner, Tetartostylus
 delta McAtee. See Erythroneura (Erythridula) oblique [sic]
 delta.
 peltastes Burmeister, Aphrodes
 peltastes Spinola, Diglenita
 peltata McAtee, Joruma (Joruma)
 peltata Uhler. See Xerophloea viridis.
 peltophlyctis Walker, Iassus
 peltospila Walker, Typhlocyba
 penangensis Baker, Krisna
 penangensis Baker, Sophonia
 penapacha Beamer, Zygina
 pendulosa Osborn, Tettigella
 peneconstricta Oman, Agallia
 penelineata Oman. See Stenocoelidia (Eurycoelidia)
 lineata penelineata.
 penelutea Beamer, Erythroneura (Erythridula)
 penenoeva Beamer, Erythroneura (Erythridula)
 peneoculata Oman, Agalliopsis (Agallaria)
 penerostrata Beamer, Erythroneura (Eratoneura)
 penesica Beamer, Erythroneura (Eratoneura)
 pennatus Beamer & Lawson, Acinopterus

pennatus Hepner, *Scaphytopius* (*Convelinus*)
 penobliqua Beamer, *Erythroneura* (*Erythridula*)
 pentagona Ball. See *Neocoelidiana* (*Neocoelidiana*)
 obscura.
 penthimioides Distant, Mukaria
 penthopittus humidus Lang, *Diplocolenus* (*Erdianus*)
 penthopittus typicus Lang, *Diplocolenus* (*Erdianus*)
 penthopittus unicolor Lang, *Diplocolenus* (*Erdianus*)
 penthopittus Walker, *Diplocolenus* (*Erdianus*)
 pentzius Cogan, *Thamnotettix*
 pepino DeLong & Wolcott, *Agalliopsis*
 pera Oman, *Ceratagallia*
 peragilis Melichar, *Poeciloscarta*
 perakensis Distant, *Bothrogonia*
 perakensis Distant, *Petalocephalia*
 perculta Distant, *Coelidia*
 perdignus Knull, *Mocuellus*
 perductalis Kirby, *Petalocephalia*
 peregrina Kirkaldy, *Balclutha*
 peregrina Oman, *Empoasca*
 peregrinans Stål, *Agallia*
 perelegans Oman, *Empoasca*
 perelegantis Ball, *Norvellina*
 pere exigua Ball, *Knallana*
 pere exigua Linnavuori, *Diplocolenoidea*
 perficitus Walker, *Ciccus*
 pergandei Gillette, *Empoasca* (*Kybosc*)
 pergrada Davidson & DeLong, *Empoasca* (*Empoasca*)
 pergradus DeLong, *Texananus* (*Texananus*)
 pergrata Melichar, *Poeciloscarta*
 perineti Evans, *Coelidia*
 perita Beamer, *Erythroneura* (*Erythridula*)
 perjucunda Melichar, *Erythrogonia*
 perkinsi Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 perkinsi Kirkaldy, *Tettigella*
 perlata Burmeister, *Coelidia*
 perlonga Davidson & DeLong, *Empoasca* (*Empoasca*)
 permista Beamer, *Twiningia*
 permunda Stål, *Parallaxis*
 perobscurus Jacobi, *Tartessus*
 perparvus Kirkaldy, *Deltoccephalus*
 perplexa Knull, *Erythroneura* (*Eratoneura*)
 perplexa Rey. See *Sonronius maculipes*.
 perplexa Ribaut, *Empoasca*
 perpunctata Van Duzee. See *Graminella nigrifrons*.
 perpusilla Walker, *Eurymeloides*
 perpusillus Ball & DeLong, *Orocastus*
 perrieri Ribaut. See *Typhlocyba bifasciata* perrieri.
 perrisi Signoret, *Apogonalia*
 persephone McAtee, *Typhlocyba*
 persimilis Edwards. See *Cicadula quinquepunctata*.
 persistans Walker. See *Aulacizes conspersa* persistans.
 personata Signoret, *Oncometopia* (*Molomea*)
 personatula Jacobi, *Mesogonia*
 personatus Baker, *Texananus* (*Texananus*)
 personatus Beirne, *Latalus*
 personatus Berg, *Athysanus*
 personatus Curtis. See *Oncopsis flavigollis*.
 perspicillaris Gerstaecker, *Coloborrhis*

perspicillata Horváth, *Erythroneura*
 perspicillata Osborn & Ball, *Atanus*
 perspicillatula Jacobi, *Metascarta*
 perspicillatus rubralineus DeLong, *Atanus*
 perspicua Melichar, *Poeciloscarta*
 perstrigata Jacobi, *Typhlocyba*
 perturbata Melichar, *Poeciloscarta*
 peruncta Ribaut. See *Zygina tiliae* peruncta.
 peruviana Oman, *Agalliopsis*
 peruviana Osborn, *Gypona*
 peruviana Signoret, *Poeciloscarta*
 peruvianus Melichar. See *Ciccus adspersus* peruvianus.
 peroviensis Distant, *Teletusa*
 peroviensis Distant. See *Oncometopia* (*Lebora*) magna.
 pervaigatus Amyot & Serville, *Teletusa*
 petasata Melichar, *Empoasca*
 petasilidis Ferrari. See *Cicadella* [Duméril 1806]
 atropunctata petasilidis.
 petiolata Cerutti. See *Empoasca* (*Empoasca*) *flavescens*
 petiolata.
 petrophilus Lindberg, *Aphrodites*
 petteyi Naude, *Euscelis*
 pettimolua Kirkaldy. See *Ishidaella albomarginata*.
 pexus Van Duzee. See *Scaphytopius* (*Cloanthus*)
 trilineatus.
 phaeops Distant, *Cunedda*
 phalaesia Distant, *Aulacizes*
 phalerata Stål, *Agallia*
 phaseola Oman, *Empoasca*
 phellos Ross & DeLong, *Erythroneura*
 philagroides Jacobi, *Orthojassus*
 philenor Kirkaldy, *Pedioscopus*
 philippina Merino, *Omanella*
 philippina Metcalf, *Luzoniana*
 philippina Stål, *Coelidia*
 philippina Stål, *Petalocephalia*
 philippina Walker, *Bothrogonia*
 philippinensis Baker, *Nirvana*
 philippinensis Baker, *Ujna*
 philippinensis Baker. See *Chunrocerus niveosparsus*
 philippinensis.
 philippinensis Baker. See *Signoretia malaya*
 philippinensis.
 philippinensis Merino, *Nesosteles*
 philippinensis montana Baker, *Nirvana*
 philpotti Myers, *Paradorydium*
 phoenicea Signoret, *Erythrogonia*
 phosphoreus Linnaeus, *Raphirhinus*
 photophila Berg, *Empoasca*
 phragmitis Boheman, *Paralimus*
 phragmitis lugens Horváth, *Paralimus*
 phryne Kirkaldy, *Nesosteles*
 phryne McAtee, *Ossiannilssonola*
 phrynophyes Kirkaldy, *Phrynophyes*
 phycitis Distant, *Eutettix*
 phyrne subpulchra McAtee. See *Ossiannilssonola phryne*.
 physocephala Signoret, *Andamarca*
 picatus Gibson, *Exitianus*
 picea Baker, *Kana*

- picea Osborn, Protalebra
 picea Scott. See Euscelis obsoleta picea.
 picea Walker, Coelidia
 picea Walker, Scaris
 piceata Osborn, Ponana (Ponana)
 piceatus Distant, Iassus
 piceatus Osborn, Xestocephalus
 piceola Melichar, Coelidia
 piceus Osborn, Xestocephalus
 piceus Osborn. See Remadosus osborni.
 picinus Berg, Athysanus
 picta Distant, Amblyscarta
 picta Fabricius. See Cicadella[Duménil 1806] atropunctata.
 picta Melichar. See Cicadella [Duménil 1806] melichari.
 picta Melichar. See Zyginidia (Fruticidia) sanguinosa.
 picta Montrouzier, Coelidia
 picta Osborn, Empoasca
 picta Osborn, Exolidia
 picta Osborn, Flexamia
 picta Osborn, Nesophyla
 picta Provancher. See Penthimia americana.
 picta Walker. See Graphocephala coccinea.
 pictifacies Jacobi, Euscelis
 pictifrons Osborn, Empoasca
 pictifrons Spångberg, Petalopoda
 pictilis Stål, Cicadella [Duménil 1806]
 pictipennis Kirschbaum, Psammotettix
 pictipes Horváth, Macropsis
 pictiventris Kusnezov, Aconura
 picturata Distant, Bhandara
 picturata Distant, Carvaka
 picturata Evans, Mileewa
 picturata Metcalf, Euscelis
 picturata Metcalf, Gypona
 picturata Osborn, Dicyphonia
 picturata Sahlberg. See Stictocoris hybneri.
 picturatus Fieber. See Jassargus (Jassargus) obtusivalvis.
 picturatus Haupt, Paralimnus
 picturatus Osborn. See Sanctanus (Sanctanus) sanctus.
 picturella Baker, Brazosa
 pictus Ferrari. See Circulifer opacus pictus.
 pictus Lethierry, Perotettix
 pictus Osborn. See Brazosa picturella.
 pictus Van Duzee, Eutettix
 pileata Fowler, Catagonalia
 pilipennis Signoret, Derogonia
 pilula Ball & Reeves. See Gypona verticalis.
 pinaleensis Beamer, Zygina
 pinastri Fieber. See Pithyotettix abietinus pinastri.
 pinella Davidson & DeLong, Empoasca (Empoasca)
 pinetellus Zetterstedt. See Grypotes puncticollis.
 pingua DeLong, Gyponana (Gyponana)
 pinguis Stål, Gypona
 pinus DeLong, Chlorotettix
 piperata Fowler, Aulacizes
 piperatus DeLong & Hershberger, Neodonous
 piperatus DeLong, Scaphytopius (Cloanthanus)
 piperatus DeLong, Tinobregmus
 pipturi Kirkaldy, Nesophrosyne (Nesophrosyne)
- pipturi Metcalf, Empoasca
 pirisuga Matsumura, Empoasca (Chlorita)
 pisca McAtee, Joruma (Joruma)
 piscator McAtee, Ribautiana
 pistola Caldwell, Alconeura (Hyloidea)
 pistor Schmidt, Diestostemma
 pitiensis Metcalf, Empoasca
 placatus Baker. See Paluda mella.
 placida Horváth, Cicadula
 placida inornata Ribaut, Cicadula
 placida Spångberg, Gypona
 placida Stål, Nirvana
 placidula Breddin, Conogonia
 placidula Stål. See Zygina hyperici.
 placidus Osborn. See Paluda mella.
 placidus Provancher. See Aphrodes flavostriata.
 plagialis Jacobi, Typhlocyba
 plagiata Hardy. See Edwardsiana geometrica.
 plagiata Walker. See Oncometopia (Oncometopia)
 nigricans.
 plagiella Melichar, Erythrogonia
 plagus Ball & DeLong, Cribrus
 plana Ball & Beamer, Athysanella (Athysanella)
 plana Beamer, Dicyphonia
 plana Butler, Agallia
 plana DeLong, Graminella
 plana Fabricius, Acrogonia
 plana Walker. See Gypona glauca.
 plana Walker. See Ledra dilatata.
 planata Ball & Beamer, Athysanella (Athysanella)
 planata Ball & DeLong, Alconeura (Alconeura)
 planata Fabricius, Epiclinata
 planescens Naudé, Selenocephalus
 planicollis Thomson. See Macropsis cerea.
 planifrons Melichar, Melicharella
 planifrons Walker, Ledra
 planirostris Donovan, Ledromorpha
 planiscuta Thomson, Oncopsis
 planiuscula Stål, Stenocotis
 planus Hepner, Eutettix
 planus lusitanicus Signoret, Selenocephalus
 planus pallens Lindberg, Selenocephalus
 planus Sanders & DeLong, Paraphlepsius
 planus Shaw, Parabolocratus
 planus Thomas, Commellus
 planus Turton, Selenocephalus
 planus Van Duzee. See Twiningia pellucida.
 platalea Noualhier, Hecalus
 plataleoides Jacobi, Bascarrhinus
 platalis Evans, Parabolocratalis
 platana Christian, Empoa
 platensis Berg, Metascarta
 platyops Jacobi, Petalocephala
 platypoides Fowler, Bascarrhinus
 platyrhynchus Osborn, Dorycephalus (Dorycephalus)
 playana Ball & Beamer, Athysanella (Amphipyga)
 playensis Oman, Deltacephalus
 plebeia DeLong & Davidson, Empoasca (Empoasca)
 plebeia Kirkaldy. See Eurymela fenestrata.

- plebeius Kirkaldy, Exitianus
 plebeja Edwards, Edwardsiana
 plebeja Fallen. See Euscelis incisa communis.
 plebeja Spångberg, Gypona
 plebeja Stål, Coelidia
 plebejula Osborn, Graphocephala
 plebejus Spångberg, Tartessus
 plena Beamer, Erythroneura (Erythridula)
 plena DeLong, Ballana
 plena Van Duzee, Bahita
 plenus Beamer & Lawson, Acinopterus
 pleura DeLong, Ballana
 plotina Distant, Agallia
 plumbea Walker, Serpa
 plumbeus Distant, Phlepsius
 plummeri DeLong, Gyponana (Rugosana)
 plummeri DeLong, Idiodonus
 plummeri DeLong, Knollana
 plummeri DeLong, Scaphytopius (Cloanthanus)
 plummeri DeLong, Stenocoelidia
 plummeri DeLong, Texananus
 plummeri Ruppel & DeLong, Protalebra
 plura Beamer, Dicyphonia
 plurispinosa Wagner. See Edwardsiana lethierryi
 plurispinosa.
 pluto Uhler, Cochlorhinus
 plutonia Uhler, Ophiola
 plutoniellus Ball, Tylozygus
 plutonis Kirkaldy, Balclutha
 pluvialis Kirkaldy, Nesophrosyne (Nesophrosyne)
 poecila Germar. See Coelidia nervosa.
 poecilus Flor, Psammotettix
 poecilus Herrich-Schaeffer, Idiocerus
 polemon Kirkaldy, Deltocephalus
 polica DeLong, Ballana
 polita Schmidt, Marizella
 polita Walker, Kolla
 politus Walker, Iassus
 pollicarius Ball. See Cicadula straminea.
 pollinosa Fowler, Aulacizes
 polyamia Caldwell, Maricaona
 polydoros Kirkaldy, Pedioscopus
 polygrammus Walker, Tartessus
 polymitus Distant, Scaphoideus
 polyphemus Matsumura, Empoasca
 polystolus Scott. See Aphrodes albifrons dispar.
 pomaria McAtee, Typhlocyba
 pompaies Kirkaldy. See Ipo conferta.
 pomposula Jacobi, Abana (Mesobana)
 ponapona Kirkaldy, Nesophrosyne (Nesophrosyne)
 ponderosa Auten & Johnson, Erythroneura (Erythridula)
 ponderosa Ball, Prairiana
 ponderosa DeLong & Davidson, Empoasca (Empoasca)
 ponderosa longiora DeLong, Prairiana
 ponderosus Ball, Colladonus
 pondoensis China, Macropsis
 pontifex McAtee, Erythroneura (Erythroneura)
 pontificia Bergroth, Poecilocarda
 popae jacintae Ruppel & DeLong, Kunzeana
 popae Ruppel & DeLong, Kunzeana
 populi Edwards, Empoasca (Kybos)
 populi Edwards. See Macropsis graminea populi.
 populi Linnaeus, Idiocerus
 porrecta Fourcroy. See Eupelix cuspidata.
 porrecta Walker, Thomsoniella
 porrectus Thomson. See Streptanus marginatus.
 porrigena Walker, Petalocephala
 porriginosa Signoret, Anipo
 portea Robinson. See Erythroneura (Erythroneura) reflecta.
 porticus immaculatus Melichar, Deltocephalus
 porticus Melichar, Deltocephalus
 portola Ball, Draeculacephala
 portoricensis Metcalf, Alconeura (Hyloidea)
 postfumata Fowler, Amblydisca
 postica Stål, Nonia
 postica Walker, Gypona
 potanini Melichar, Athysanus
 potanini Melichar, Petalocephala
 potorius Ball, Macrosteles
 poudris Oman, Aceratagallia (Aceratagallia)
 poudris Tuthill, Laevicephalus
 prabha Singh-Pruthi, Thamnotettix
 praecellens Stål, Gypona
 praecisa Knoll, Erythroneura (Erythridula)
 praeclara Ruppel & DeLong, Alconeura (Hyloidea)
 praeculta Distant, Mainda
 praeiens Distant, Hatigoria
 praelonga DeLong, Gyponana (Gyponana)
 praenubila Linnavuori, Parallaxis
 praestans Jacobi, Allygus
 praestantior Fowler, Platygonia
 praesul Horváth, Matsumurella
 praeterita Fowler, Apogonalia
 praeterita Fowler, Gypona
 praetexta Distant, Coelidia
 praetextatula Jacobi, Amblyscarta
 praeusta Stål, Ponana (Ponana)
 praevia Melichar, Sibovia
 prairiana DeLong, Flexamia
 prasina Blanchard, Typhlocyba
 prasina Boheman, Macropsis
 prasina Burmeister, Gypona
 prasina Fabricius. See Batracomorphus allionii.
 prasina Fieber, Empoasca (Chlorita)
 prasina Jacobi. See Empoasca jacobii.
 prasina Walker. See Acostemma walkeri.
 prasina Walker. See Draeculacephala noveboracensis.
 prasinus Kirschbaum. See Idiocerus ustulatus.
 prasinus Matsumura, Parabolocrotus
 praticola Melichar, Zygina
 prava DeLong, Ballana
 pravus DeLong, Idiodonus
 pravus DeLong, Laevicephalus
 prescotia Ball, Mesamia
 pressus DeLong & Hershberger, Penestirellus
 preyssleri Herrich-Schaeffer, Rhopalopyx
 prima Beamer, Erythroneura (Erythroneura)
 prima Distant, Empoascanara

prima Distant, Sabima
 primitiva Distant, Pisachoides
 primus Distant, Divitiacus
 princeps Distant, Baramapulana
 princeps Distant, Ophiuchus
 principensis Osborn, Idiocerus
 prinoides Hepner, Eutettix
 pristidens Kirkaldy, Scaphoideus
 procellaris Kirkaldy, Nesophrosyne (Nesophrosyne)
 proceps Kirschbaum, Rhytidostylus
 procera DeLong, Gyponana (Gyponana)
 procera Melichar, Pseudophera
 procerus Herrich-Schaeffer, Handianus
 procurrens Jacobi, Bakeriana
 prodigiosa Melichar, Ceratogoniella
 prodigiosa Melichar, Symplyphya
 producta Baker. See Agalliopsis brunnea.
 producta DeLong, Gyponana (Gyponana)
 producta Germar. See Eupelix cuspidata producta.
 producta Matsumura, Aconura
 producta Melichar, Ledropsis
 producta Nast, Destinia
 producta Osborn & Ball, Agallia
 producta Schmidt, Tretogonia
 producta Walker, Draeculacephala
 producta Walker, Flexamia
 productus albidus Lawson. See Acinopterus productus.
 productus Baker, Pythamus
 productus Evans, Drabescus
 productus fulvus Lawson. See Acinopterus productus.
 productus Gillette & Baker, Idiocerus
 productus Lawson, Acinopterus
 productus Osborn, Scaphoideus
 productus Sanders & DeLong. See Chlorotettix orbonatus.
 productus Thomson. See Arocephalus (Arocephalus)
 languidus.
 projecta Christian, Edwardsiana
 projecta Distant, Dharmma
 projecta Distant, Smicrocotis
 projecta Melichar, Caxia
 projecta Melichar, Strictogonia
 projectus Distant, Bituitus
 prolixa Fowler. See Hortlesia similis.
 prolixa Knull, Erythroneura (Eratoneura)
 prolixa Lethierry, Aconurella
 prolixa Lethierry, Tettigella
 prolixus Horváth, Idiocerus
 prominens Walker, Aphrodes
 prominulus Reuter. See Thamnotettix confinis.
 prona Davidson & DeLong, Empoasca
 pronotalis Distant, Kolla
 propinquus Fieber, Araldus
 propior Fowler, Ponana (Ponana)
 propior Fowler. See Graphocephala rufimargo propior.
 propria Beamer, Erythroneura (Eratoneura)
 proprius DeLong, Arundanus
 prosata Johnson, Erythroneura (Erythroneura)
 proscripta Fowler. See Ponana (Ponana) puncticollis.
 prostictops Walker, Iassus

prostrata DeLong, Acusana
 protea Cogan, Empoasca
 protenta DeLong, Gyponana (Gyponana)
 proterva Melichar, Erythrogonia
 proteus Herrich-Schaeffer. See Pithyotettix abietinus.
 protrudens Jacobi, Pseudobalbillus
 provancheri Knull, Xestocephalus
 provancheri Van Duzee, Idiocerus
 provincialis Ferrari, Allygus
 provincialis Ribaut, Erythroneura
 provincialis Ribaut, Psammotettix
 proxima McAtee, Joruma (Joruma)
 proxima Melichar, Oncometopia (Egidemia)
 proxima Signoret, Poeciloscarta
 proximus Crowder, Texananus (Texananus)
 pruinina Signoret, Stictoscarta
 pruinosa Baker, Makilingia
 pruinosa Beamer & Lawson, Stragania
 pruinosa Germar, Coelidia
 pruinosa Spångberg, Gyponana (Gyponana)
 pruinosa Walker. See Apulia quadrimacula.
 pruinosa Walker. See Tretogonia walkeri.
 pruinosis Lawson. See Acinopterus inornatus.
 pruni DeLong & Davidson. See Edwardsiana prunicola.
 pruni Edwards, Zygina
 pruni Edwards. See Cicadella[Duméril 1806] ornata.
 pruni Provancher. See Oncopsis fitchi.
 pruni Ribaut, Idiocerus
 prunicola Edwards, Edwardsiana
 pruniella DeLong. See Edwardsiana prunicola.
 pruriginosula Jacobi, Mesogonia
 pruthii Metcalf, Deltocephalus
 pseudocellaris Flor. See Jassargus (Jassargus)
 distinguendus.
 pseudocommissuralis Christian, Edwardsiana
 pseudolyricen Kirkaldy, Paradorydium
 pseudomaculata Baker, Alconeura (Alconeura)
 pseudomarginella Caldwell, Dikraneura
 pseudomattos Kirkaldy, Nirvana
 pseudoniger [sic] Evans, Selenocephalus
 pseudoobliqua Baker, Alconeura (Alconeura)
 pseudosetigera Caldwell, Empoasca
 pseudotsugae Bliven, Coniferadonus
 psittacella Fowler. See Tylozygus geometricus.
 pteridis Dahlbom. See Empoasca (Chlorita) solani.
 pteridis Matsumura, Japanagallia
 ptolyca Distant, Diestostemma
 pubescens Signoret, Homalogniella
 pubipennis Lethierry, Iassus
 pudica Fabricius, Microgoniella (Microgoniella)
 pudica Oman, Ceratagallia
 pudica Spångberg, Gypona
 puebla DeLong & Hershberger, Mesamia
 puella Curtis, Aphrodes
 puella Oman, Agalliana
 puella Schmidt, Abana
 puellus Melichar, Thamnotettix
 puerpera Costa, Coelidia
 puertoricensis Caldwell, Gypona

puertoricensis Caldwell, Ponana
 puertoricensis Caldwell, Stragania
 pugio Noualhier, Grammacephalus
 pugionata Melichar, Karasekia
 pulchella Baker, Norvellina
 pulchella Ball, Stenocoelidia (Eurycoelidia)
 pulchella Fallén, Eurhadina
 pulchella Gillette & Baker. See Empoasca (Hebata) nigra
 pulchella.
 pulchella Guérin-Méneville, Poeciloscarta
 pulchella Herrich-Schaeffer. See Cicadella[Duméril]1806]
 tenella.
 pulchella Kirby. See Coelidia sinhalana.
 pulchella Lindberg, Balclutha
 pulchella Oman, Agalliopsis
 pulchella ornatipennis Curtis, Eurhadina
 pulchella Osborn, Gypona
 pulchella Robinson. See Erythroneura (Erasmoneura)
 fulmina.
 pulchella Spångberg, Terulia
 pulchella thoracica Fieber, Eurhadina
 pulchellus Curtis. See Oncopsis flavicollis.
 pulchellus Distant, Prasutagus
 pulchellus Lawson, Acinopterus
 pulchellus Melichar, Thamnotettix
 pulchellus Osborn. See Thamnotettix chapadensis.
 pulchellus Rey, Paralimnus
 pulchellus Spångberg, Tartessus
 pulcher Haupt, Thamnotettix
 pulcher Melichar, Phlepsius
 pulcherrima Berg, Fieberiella
 pulcherrima Blanchard. See Diedrocephala variegata.
 pulcherrima Evans. See Austroasca (Austroasca)
 histrionica.
 pulcherrima Kirkaldy, Aneono
 pulcherrima Linnavuori, Erythroneura
 pulcherrimum Kirkaldy, Annidion
 pulcherrimus Horváth. See Dikraneura stigmatipennis.
 pulchra alta Caldwell, Agallia
 pulchra Beamer. See Erythroneura (Erythridula) accurata.
 pulchra DeLong & Wolcott, Agallia
 pulchra Evans, Aletta
 pulchra Löw, Zygina
 pulchra Matsumura, Platytticus
 pulchra Naudé, Erythroneura
 pulchra Schmidt, Backhoffella
 pulchra Signoret, Eurymeloides
 pulchra Spångberg, Gypona
 pulchra [sic] Fabricius, Amblyscarta
 pulchripennis Baker, Tropicanus
 pulicaris convexus Rey, Deltoccephalus
 pulicaris Fallen, Deltoccephalus
 pulicaris fumigatus Rey, Deltoccephalus
 pulicarius pallidus Osborn, Xestocephalus
 pulicarius Van Duzee, Xestocephalus
 pulla Beamer & Tuthill, Polyamia
 pulla Beamer, Twiningia
 pulla Evans, Oncopsis
 pullata Ball, Gyponana (Rugosana)

pullata Ball, Norvellina
 pullatus Evans, Deltoccephalus
 pullula Boheman, Zygina
 pullula Jacobi, Amblydisca
 pullus DeLong & Mohr, Scaphoideus
 pulvereus Distant, Iassus
 pulverosus Matsumura, Igutettix
 pulverus DeLong, Retusanus
 pulvisculus Distant, Deltoccephalus
 pumicata Fowler, Amblyscarta
 pumilicans Naude, Deltoccephalus
 punctata Blanchard, Scaris
 punctata Caldwell, Graminella
 punctata confluens Rey, Balclutha
 punctata Evans, Eutambourina
 punctata Fabricius, Balclutha
 punctata Fabricius. See Acrogonia plana.
 punctata impunctata Rey, Balclutha
 punctata Kato. See Empoasca (Empoasca) flavesrens
 punctata.
 punctata lineolata Horváth, Balclutha
 punctata manitou Gillette & Baker, Balclutha
 punctata Matsumura. See Iassus matsumurai.
 punctata Melichar, Zygina
 punctata Metcalf, Coelidia
 punctata Olsen. See Graphocephala coccinea.
 punctata Oman, Agelina
 punctata Oman, Igerna
 punctata Osborn, Chinaia
 punctata sagittaria Ribaut, Balclutha
 punctata Signoret, Eurymeloides
 punctata Singh-Pruthi, Trocnadella
 punctata Spångberg, Gypona
 punctata taunica Wagner, Balclutha
 punctata thalassica Sidorskii, Balclutha
 punctata Thunberg. See Balclutha punctata.
 punctata Walker, Ledra
 punctatella Osborn, Ponana (Ponana)
 punctaticollis Stål, Megagallia
 punctatissima Jacobi, Oncopsis
 punctatissima Melichar, Tretogonia
 punctatissima Signoret, Helochara
 punctatissima Stål, Petalocephala
 punctatissimus Melichar, Iassus
 punctatoguttata Berg, Spangbergiella
 punctatonervosus Stål. See Selenoccephalus planus.
 punctatus Caldwell, Xestocephalus
 punctatus DeLong, Retusanus
 punctatus Evans, Cephalelus
 punctatus Evans, Eurinoscopus
 punctatus Evans, Notocephalus
 punctatus Kirby, Iassus
 punctatus Lallemand. See Liminentinus aldabranus
 punctatus.
 punctatus Osborn & Ball, Deltoccephalus
 punctatus Osborn, Phlepsius
 puncticeps Germar. See Agallia consobrina.
 puncticeps Jacobi, Deltoccephalus
 puncticollis Herrich-Schaeffer, Grypotes

- puncticollis Spångberg, Ponana (Ponana)
 puncticosta Walker, Chunra
 punctifer Walker, Goniagnathus
 punctifera Walker. See Petalocephala cultellifera.
 punctifrons additus Rey, Sagatus
 punctifrons americana Van Duzee. See Davisonia
 americana.
 punctifrons Beamer, Lonatura
 punctifrons Fallen, Sagatus
 punctifrons Germar. See Graphocraerus ventralis.
 punctifrons repletus Fieber, Sagatus
 punctifrons Van Duzee, Macropsis
 punctigera Horváth, Zygina
 punctigera Stål, Gypona
 punctigera Stål, Titiella
 punctinervis Haupt, Euscelis
 punctipennis Schmidt, Amblydisca
 punctipennis Spinola, Gypona
 punctipennis Stål. See Ponana (Ponana) curiata.
 punctipes Zetterstedt. See Arthaldeus pascuellus.
 punctiscriptus Van Duzee, Paraphlepsius
 punctiscula Gillette & Baker. See Thamnotettix confinis.
 punctivena Walker, Coelidia
 punctivena Walker, Thymbris
 punctosus Walker, Cicus
 punctulata Melichar, Ledropsis
 punctulata Signoret, Colimona
 punctulatus Evans, Vulturinus
 punctulatus Forel. See Batracomorphus irroratus.
 punctulatus Melichar, Scaphoideus
 punctulatus Osborn. See Portanus hasemani.
 punctulifera Melichar, Amblydisca
 punctulum Mulsant & Rey. See Zygina nivea punctulum.
 punctum Flor, Arocephalus (Ariellus)
 punctum Haupt. See Empoasca (Kybos) bipunctata.
 punctum Lethierry, Empoasca (Chlorita)
 punctum Taschenberg, Tettigella
 punica Linnauvori. See Macropsis megerlei punica.
 punicea Matsumura, Typhlocyba
 puniceiventris Fowler, Gypona
 puniceus DeLong, Osbornellus
 punjabensis Singh-Pruthi, Empoasca
 pupillata McAtee. See Erythroneura (Eratoneura) ligata
 pupillata.
 pupula Kirby, Tettigella
 pupus Van Duzee, Laevicepsalus
 pura DeLong, Ponana (Bulbana)
 pura Knoll, Erythroneura (Erythridula)
 pura Stål, Empoasca (Chlorita)
 purpurascens Fowler, Tettigella
 purpurascens Kirkaldy, Xestocephalus
 purpurata Germar, Rhopalognatha
 purpuratus Horváth. See Iassus scutellaris purpuratus.
 purpureatincta Cogan, Erythroneura
 purpureus Ball. See Parabolocratus attenuatus purpureus.
 pusanus Distant, Paternus
 pusilla Lawson, Dikrella (Dikrella)
 pusilla Matsumura, Empoasca (Chlorita)
 pusilla Ribaut, Erythroneura
 pusilla Rossi. See Cicadula quadripunctata.
 pusillus Baker, Paraphlepsius
 pusillus Kirschbaum. See Arocephalus (Arocephalus)
 languidus.
 pustulata Fabricius. See Acrogonia plana.
 pustulata Spångberg, Coelidia
 putnami Knoll, Typhlocyba
 putnami Osborn, Neoslossonia
 putoni decemnotata Rey. See Cicadella [Duméril 1806]
 decemnotata.
 putoni Lethierry. See Aconura quadrum.
 putoni Lethierry. See Cicadella[Duméril 1806] zelleri.
 putoni Lethierry. See Goniagnathus guttulinervis.
 putoni Mulsant & Rey, Iberia
 putoni Ribaut, Anoplotettix
 putoni Then, Psammotettix
 pygmaea Distant, Ezraña
 pygmaea Douglas. See Zygina hyperici.
 pygmaeus Horváth, Adarrus
 pyra McAtee, Erythroneura (Eratoneura)
 pyramidata DeLong & Caldwell, Empoasca (Empoasca)
 pyramidatus DeLong & Caldwell, Idiocerus
 pyrops Crumb, Flexamia
 pyrrhoptera Stål, Amblyscarta
 pyrrhotelus Walker. See Cuerna costalis.
 pythonis Distant, Bothrogonia
 quadralaba DeLong, Ponana (Ponana)
 quadrangularis Osborn, Idiocerus
 quadrasignata Hardy. See Cicadella[Duméril 1806] vittata.
 quadrata Beamer, Erythroneura (Erythridula)
 quadrata DeLong & Johnson, Ossiannilssonola
 quadrata Oman, Agallia
 quadrata Walker, Tettigella
 quadratulus Osborn, Exitianus
 quadratus atratus Ribaut, Laburus (Laburus)
 quadratus deletus Ribaut, Laburus (Laburus)
 quadratus Forel, Laburus (Laburus)
 quadricarina Walker, Ledra
 quadricornis Beamer & Lawson, Acinopterus
 quadricornis Beamer, Zygina
 quadricornis Dlabola, Mocuellus
 quadricornis Lindberg, Macrosteles
 quadrifasciata Linnaeus, Poeciloscarta
 quadrifasciata Melichar. See Poeciloscarta nigrofasciata.
 quadrifasciata Osborn, Elabra
 quadrigatula Jacobi, Poecilocarda
 quadrigonum Naudé, Paradorydium
 quadrigula Jacobi, Microgoniella
 quadriguttata Fabricius, Erythrogonia
 quadriguttata Matsumura, Balclutha
 quadrilineata Ribaut. See Euscelis ohausi quadrilineata.
 quadrilineata Signoret, Gununga
 quadrilineatus Forbes. See Macrosteles fascifrons.
 quadrillum Rey, Athysanus
 quadrimacula Walker, Apulia
 quadrimacula Walker, Gypona
 quadrimaculata Breakey, Macropsis
 quadrimaculata Lawson, Alconeura (Alconeura)
 quadrimaculata Linnauvori, Bolarga

quadrimaculata Matsumura, Petalocephala
 quadrimaculata Naudé, Erythroneura
 quadrimaculata Osborn, Neobala
 quadrimaculatus pallidulus Matsumura, Macrosteles
 quadrinotata Distant, Penthimia
 quadrinotata Fabricius. See Cicadula quadripunctata.
 quadrinotata Fowler, Oncometopia (Oncometopia)
 quadrinotata Melichar. See Igerna bimaculicollis.
 quadrinotata Spångberg, Polana
 quadrinotatus Mulsant & Rey, Cechenotettix
 quadrinotus DeLong, Deltorhynchus
 quadriocellata Melichar, Igerna
 quadriplagiata Walker, Erythrogonia
 quadriplagiatus Jacobi, Deltocephalus
 quadripuncta DeLong & Hershberger. See Mesamia
 separata quadripuncta.
 quadripunctata Ball, Huleria
 quadripunctata Cerutti. See Typhlocyba decempunctata
 quadripunctata.
 quadripunctata Evans, Empoasca
 quadripunctata excavata Oman. See Agallia excavata.
 quadripunctata Fallen. See Sonronius maculipes.
 quadripunctata Germar, Aulacizes
 quadripunctata Kato, Athysanopsis
 quadripunctata Kirschbaum. See Dikraneura
 stigmatipennis.
 quadripunctata Lawson, Spangbergiella
 quadripunctata Provancher, Agallia
 quadripunctata Stål, Gypona
 quadripunctata Villers, Cicadula
 quadripunctatus Kato. See Idiocerus katoi.
 quadripunctatus Lindberg, Idiocerus
 quadripunctatus Linnavuori, Xestocephalus
 quadripunctatus Melichar, Eutettix
 quadripunctatus Melichar, Phlepsius
 quadripunctula Melichar, Igerna
 quadripunctulatus Kirschbaum, Macrosteles
 quadrifasciata Flor. See Peragallia sinuata.
 quadriverrucata Fabricius, Coelidia
 quadrivirgatus Horváth. See Diplocolenus (Erdianus)
 penthopitus.
 quadrivittata Gillette, Alconeura (Alconeura)
 quadrivittata Say. See Graphocephala coccinea.
 quadrivittatus Marshall. See Turrutus socialis.
 quadrum Boheman, Athysanus
 quadrum Herrich-Schaeffer, Aconura
 quadrum macropterus Haupt, Athysanus
 quaerenda Distant, Dussana
 quadrimaculatus [sic] Matsumura, Macrosteles
 quatuordecimmaculata Taschenberg, Tettigella
 quatuordecimpunctata Signoret, Poeciloscarta
 quebecensis Provancher, Gyponana (Gyponana)
 quercalbae Ross & DeLong, Erythroneura (Eratoneura)
 querki albus Hepner, Eutettix
 querki DeLong, Gyponana (Rugosana)
 querki Fitch, Empoa
 querki Gillette & Baker, Eutettix
 querki grata McAtee. See Empoa albicans.
 querki scripta McAtee. See Empoa scripta.

querki sexnotata Van Duzee. See Mcateeana sexnotata.
 querki sincera McAtee, Empoa
 querki volans McAtee. See Ossiannilssonola volans.
 quercus Fabricius, Typhlocyba
 quercus Kusnezov, Zygarella
 quercus Matsumura, Kashitettix
 quercus Matsumura, Macropsis
 quimbayensis Kuhlgatz & Melichar, Paromenia
 quincuncula Breddin. See Sphinctogonia guttivitta.
 quinquemaculata Baker. See Cicadella[Duméril1806]
 melissae.
 quinquemaculata bifacies Walker, Erythrogonia
 quinquemaculata Distant, Typhlocyba
 quinquemaculata Germar, Erythrogonia
 quinquemaculata mutabilis Signoret, Erythrogonia
 quinquemaculata Osborn, Euscelis
 quinquemaculata sexpustulata Stål, Erythrogonia
 quinquepunctata Boheman, Cicadula
 quinquepunctata Stål, Cofana
 quinquepunctatus DeLong, Scaphytopius (Cloanthanus)
 quinquepunctata Bierman, Ledropsis
 quinquepunctata Melichar, Dikraneura
 quinquepunctata Taschenberg, Tettigella
 quinquepunctatus Melichar. See Idiocerus atkinsoni.
 quinquesignatus Walker, Dilobopterus
 quinquevittata Taschenberg, Tettigella
 quinquevittatus Kirschbaum. See Turrutus socialis.
 quintapunctata Davidson & DeLong, Empoasca
 quira DeLong, Ballana
 radha Distant, Empoasca
 radiata Gillette, Empoasca (Empoasca)
 radiatus Hepner, Scaphytopius (Cloanthanus)
 radix DeLong & Mohr, Scaphoideus
 ragusai Haupt, Euscelis
 ragusai Melichar, Aconura
 rahmani Singh-Pruthi, Platymetopius
 raia Ruppel & DeLong, Kunzeana
 raja Distant, Kolla
 rama Kirkaldy, Coelidia
 ramana Distant, Tettigella
 ramentosus Uhler, Idiocerus
 ramificata Distant, Kana
 ramigera Zachvatkin. See Macrosteles quadripunctulatus.
 ramona Ball. See Neocoelidia lactipennis.
 ramosa Caldwell, Empoasca
 ramosa Kirkaldy, Gyponana (Rugosana)
 ramosa Linnavuori, Bahita
 ramosa Naude, Euscelis
 ramosus Baker, Paraphlepsius
 ramosus Melichar, Eutettix
 ramosus Ribaut, Macrosteles
 rangelianna Metcalf & Bruner, Arezzia
 rangifer Ross & DeLong, Erythroneura (Eratoneura)
 raniceps Jacobi, Petalocephala
 raniformis Walker, Penthimia
 ranifrons Walker, Ledra
 rarus DeLong, Osbornellus
 rata Ball & Beamer, Athysanella (Gladionura)
 ratio DeLong & Davidson, Empoasca (Empoasca)

ravus Evans, Occiplanocephalus
 rawasi Bierman, Penthimia
 readionis Lawson, Dikrella (Readionia)
 reclinata Distant, Ledra
 recta DeLong & Caldwell, Empoasca (Empoasca)
 recta Fowler, Ceratogoniella
 recurvata DeLong, Ballana
 recurvata DeLong, Empoasca (Empoasca)
 recurvata DeLong, Stenocoelidia (Eurycoelidia)
 recurvata Osborn, Athysanella (Pedumella)
 recurvatus DeLong, Chlorotettix
 redacta Fowler. See Graphocephala versuta.
 redimiculus DeLong, Chlorotettix
 reducta Ball, Twiningia
 reducta Walker. See Bothrogonia ferruginea.
 reductus Melichar, Deltocephalus
 reductus Van Duzee. See Colladonus montanus reductus.
 redundans Distant, Scaphoideus
 redundans Fowler, Poeciloscarta
 reflecta McAtee, Erythroneura (Erythroneura)
 reflexa DeLong, Empoasca (Empoasca)
 reflexa Oman, Kanorba
 reflexa Osborn & Ball, Flexamia
 reflexa Ruppel & DeLong, Idona
 reflexus Signoret, Acrobetus
 reflexus Osborn, Eutettix
 reflexus Osborn, Xestocephalus
 reflexus Stål, Thaumatoscopus
 regalis Beamer. See Zygina illinoiensis regalis.
 regia Melichar, Abana (Mesobana)
 reginula Breddin, Sphinctogonia
 reiberi Puton. See Sorhoanus (Sorhoanus) medius.
 reichii Signoret, Apogonalia
 reiteratus Baker, Thamnotettix
 relativus Gillette & Baker. See Streptanus sordidus.
 relatus Distant, Xestocephalus
 remota Melichar, Petalocephala
 remotus Walker, Drabescus
 renoanus Ball & Parker, Idiocerus
 repa DeLong, Ballana
 repanda Signoret, Aulacizes
 repetekia Kusnezov, Sympyypga
 repetita McAtee. See Erythroneura (Erythroneura) rosa
 repetita.
 repexus Distant, Evacanthus
 repleta Johnson, Erythroneura (Erythridula)
 repleta Van Duzee, Agallia
 repletus Fieber, Jassargus (Aurkius)
 repletus Fieber. See Sagatus punctifrons repletus.
 repletus Walker. See Putoniessa rivularis.
 repulsa Melichar, Bharata
 resecta Signoret, Amblyscarta
 reservanda Fowler, Ponana
 reservata Fowler, Poeciloscarta
 resima Fowler. See Polana celata.
 resimus Fowler, Catorthorhinus
 resistens Melichar, Oncometopia (Oncometopia)
 resolubilis Fowler. See Amblyscarta ruficeps resolubilis.
 resoluta Melichar, Tacora

resona DeLong & Guevara, Empoasca
 resonabilis Melichar, Poecilocarda
 respersa decrepita McAtee, Parallaxis
 respersa McAtee, Parallaxis
 respublicanus Berg, Athysanus
 restricta Beamer, Erythroneura (Eratoneura)
 restricta Melichar, Poecilocarda
 resupina Davidson & DeLong, Empoasca
 reticulata Herrich-Schaeffer, Agallia
 reticulata Ball, Neocoelidia
 reticulata Ball. See Agalliopsis balli.
 reticulata Beamer, Twiningia
 reticulata Bierman, Ledroides
 reticulata Distant. See Penthimia vanduzei.
 reticulata Fabricius, Ulopa
 reticulata Fabricius. See Athysanus smidtii.
 reticulata Gmelin. See Oncopsis flavicollis.
 reticulata Hepner, Aligia
 reticulata Kirkaldy, Stenocotis
 reticulata macroptera Kirschbaum, Ulopa
 reticulata Melichar, Krisna
 reticulata Melichar, Leucopela
 reticulata Melichar, Oncometopia (Hyogonia)
 reticulata Oman, Baroma
 reticulata Osborn, Athysanella (Amphygya)
 reticulata Osborn, Eualebra
 reticulata Signoret, Carneocephala
 reticulata Thunberg. See Allygus (Allygus) atomarius.
 reticulata Walker, Gypona
 reticulatus Beamer & Lawson, Acinopterus
 reticulatus Curtis. See Oncopsis flavicollis.
 reticulatus Horváth, Paramesus
 reticulatus Osborn, Eutettix
 reticulatus Signoret, Phlepsius
 reticulatus Stål, Vulturnus
 reticulosa Distant. See Penthimia vanduzei.
 retifera Berg, Gypona
 retifera Walker, Penthimia
 retinens Melichar, Mascarenottix
 retrorsus Uhler. See Deltocephalus flavicosta.
 retusa Beamer, Dikraneura (Dikraneura)
 retusa Beamer, Erythroneura (Eratoneura)
 retusa Beamer, Mesamia
 retusus Van Duzee, Scaphytopius (Cloanthanus)
 reuteri Sahlberg, Bathysmatophorus
 reuteri Signoret, Tartessus
 revae Knull, Psammotettix
 reversa Walker, Tettigella
 reversalis Osborn & Ball, Macropsis
 reversus DeLong, Osbornellus
 rewana Kirkaldy, Erythroneura
 reyi Metcalf. See Jassargus (Jassargus) distinguendus reyi.
 rhamni detrita Rey, Zygina
 rhamni difficilis Ribaut, Zygina
 rhamni Ferrari, Zygina
 rhamni manca Ribaut, Zygina
 rhamnicola Horváth, Zygina
 rhamnicola suavis Rey, Zygina
 rhenana Wagner, Balclutha

rhiennetta Signoret, Microgoniella
 rhodesiana Distant, Mileewa
 rhodophila Cerutti, Typhlocyba
 rhombifer Fieber. See *Deltocephalus eurylobus*.
 rhomboideus Melichar, Phlepsius
 ribauti Dlabola. See *Macrosteles maculosus*.
 ribauti Evans, Afrolimus
 ribauti Kontkanen, Cicadula
 ribauti Linnavuori, Hardya
 ribauti Ossiannilsson, Anaceratagallia
 ribauti Ossiannilsson, Erythroneura
 ribauti umbrata Ribaut, Eurhadina
 ribauti Wagner, Eurhadina
 ribauti Zachvatkin, Helionidia (Tamaricella)
 ribeiroi Singh-Pruthi, Sunda
 richmondensis Distant, Tettigella
 rieki Evans, Kosmopelex
 riguus Melichar, Athysanus
 rileyi Baker, Paraphlepsius
 rileyi Lawson, Acinopterus
 rinkihonis Matsumura, Iassus
 rinkihonis Matsumura, Tettigella
 riscoana Knoll, Aligia
 risdonensis Evans, Uloprora
 ritana Beamer & Tuthill, Polyamia
 ritana Beamer, Flexamia
 ritana Beamer, Zygina
 ritana DeLong. See *Elymana ovatina*.
 ritanus Ball, Osbornellus
 ritanus Ball, Scaphytopius (Scaphytopius)
 ritanus rubralineus DeLong, Scaphytopius (Scaphytopius)
 rivularis German. See *Aphrodes flavostriata*.
 rivularis Walker, Putoniessa
 rizali Merino, Macropsis
 robusta Baker, Athysanella (Athysanella)
 robusta Breakey, Macropsis
 robusta Gillette, Diceratalebra
 robusta Gillette. See *Empoasca (Hebata) nigra robusta*.
 robusta Knoll, Erythroneura (Eratoneura)
 robusta Lawson, Dikraneura (Dikraneura)
 robusta Lawson, Xerophloea
 robusta Linnavuori, Ophiola
 robusta Melichar, Penthimia
 robusta Oman, Aceratagallia (Aceratagallia)
 robusta Osborn & Ball, Driotura
 robusta Osborn, Prairiana
 robusta Singh-Pruthi, Agallia
 robusta Uhler, Stragania
 robusta vittata Ball. See *Driotura vittata*.
 robusta Walker. See *Poeciloscarta histrio*.
 robusta Young, Orsalebra
 robustula Fowler, Allogonia
 robustus Caldwell, Nesosteles
 robustus Jacobi, Selenocephalus
 robustus Lindberg, Achrus
 robustus Peters, Xestocephalus
 robustus Thomas. See *Stirellus dixianus robustus*.
 rodora Ball. See *Ponana (Ponana) scarlatina*.
 rogata Melichar, Poeciloscarta

rogenhoferi Spångberg, Gypona
 rohdendorfi marmorata Zachvatkin, Eremophlepsius
 rohdendorfi Zachvatkin, Eremophlepsius
 roigi Metcalf & Brunera:947. See *Hadria convertibilis*
 roigi.
 rolenta DeLong. See *Prairiana orizaba rolenta*.
 romantica Knoll, Neocoelidia
 rondulus Ball & Parker, Idiocerus
 rorata Distant, Coelidia
 rorida costalis Ferrari, Erythroneura
 rorida deleta Ribaut, Erythroneura
 rorida Mulsant & Rey, Erythroneura
 rorulentus Stål, Thamnotettix
 rosa repetita McAtee, Erythroneura (Erythroneura)
 rosa Robinson, Erythroneura (Erythroneura)
 rosacea Osborn, Prairiana
 rosaceus Osborn, Nesosteles
 rosae lactifera Rey, Edwardsiana
 rosae Linnaeus, Edwardsiana
 rosae manca Ribaut, Edwardsiana
 rosae subcarnea Rey, Edwardsiana
 rosaesugans Cerutti, Typhlocyba
 rosea Bierman, Krisna
 rosea Evans, Austroagalloides
 rosea Flor. See *Zygina roseipennis*.
 rosea Naude, Euscelis
 rosea Osborn, Kunzeana
 rosea Provancher. See *Balclutha punctata*.
 rosea Scott, Balclutha
 roseifascia Walker, Coelidia
 roseipennis Oshanin, Typhlocyba
 roseipennis Tollin, Zygina
 roseiventris Rey. See *Empoasca (Chlorita) solani*
 roseiventris.
 rosenbergi Distant, Amblyscarta
 roseus Ball. See *Scaphytopius (Scaphytopius) elegans*.
 rosincola Cerutti, Erythroneura
 rosipennis Osborn, Oncometopia
 rossi Christian, Ossiannilssonola
 rossi DeLong, Paraphlepsius
 rossi DeLong, Polyamia
 rossi Ruppel & DeLong, Alconeura
 rossicus tesquicola Zachvatkin, Selenocephalus
 rossicus Zachvatkin, Selenocephalus
 rostagnoi Picco, Evacanthus
 rostralis Matsumura, Thamnotettix
 rostrata Ball & Beamer, Athysanella (Athysanella)
 rostrata Beamer, Erythroneura (Eratoneura)
 rostrata Kato, Sabima
 rostrata levii Ribaut, Cicadella [Duméril 1806]
 rostrata Lindsay, Norvellina
 rostrata Ribaut, Cicadella [Duméril 1806]
 rostrata Signoret, Astenogonia
 rostrata Zachvatkin, Zyginiida (Anatolidia)
 rostratus Beamer & Lawson, Acinopterus
 rostratus Beamer & Tuthill, Hebecephalus
 rostratus decipiens Horváth, Platymetopius
 rostratus Herrich-Schaeffer, Platymetopius
 rota DeLong, Acusana

- rotunda Beamer, Endria
 rotunda Beamer, Erythroneura (Eratoneura)
 rotunda Hepner, Algia
 rotunda Singh-Pruthi, Arya
 rotundata Ball & DeLong, Alconeura (Alconeura)
 rotundata Evans, Hackeriana
 rotundens DeLong & Caldwell, Idiocerus
 rotundens DeLong & Davidson. See Laevicephalus acus.
 rotundiceps Lethierry, Paralimnus
 rotundifrons Kirschbaum, Idiocerus
 rotundifrons Osborn. See Idiocerus osborni.
 rotundus Beamer, Osbornellus
 rotundus Brown, Chlorotettix
 rotundus DeLong, Parabolocratus
 roxasi Merino, Thaumatoscopus
 rubella DeLong & Ruppel, Alconeura
 rubellula Breddin, Bothrogonia
 rubellus DeLong, Idiodonus
 rubellus DeLong, Osbornellus
 rubellus Sanders & DeLong, Scaphytopius (Cloanthanus)
 rubens Beamer, Erythroneura (Erythridula)
 rubens Beamer, Idona
 rubens Evans, Idiocerus
 rubens Melichar, Hecalus
 ruberosa Singh-Pruthi, Bumizana
 rubescens Fowler, Chinaia
 rubescens Fowler, Oncometopia (Oncometopia)
 rubescens Haupt. See Evacanthus interruptus rubescens.
 rubescens Nouahlier, Ectomops
 rubi Boheman. See Macropsis fuscula.
 rubi Hardy. See Ribautiana tenerima.
 rubianus Ball, Eutettix
 rubica DeLong & Caldwell, Dikraneura
 rubicunda Ball & Beamer, Athysanella (Amphyipyga)
 rubicunda Beamer, Zygina
 rubicunda Ishihara, Alebroides
 rubicundula Berg, Agallia
 rubicundula Van Duzee. See Circulifer tenellus.
 rubicundus Beamer & Lawson, Acinopterus
 rubida Ball, Norvellina
 rubida DeLong, Ponana (Ponana)
 rubida DeLong. See Empoasca (Empoasca) denaria.
 rubida Knoll, Erythroneura (Eratoneura)
 rubidus Brown. See Chlorotettix floridanus.
 rubigella Evans, Tetelloides
 rubiginosa Signoret, Oncometopia (Oncometopia)
 rubra Beamer & Lawson, Stragania
 rubra Evans, Acostemella
 rubra Evans, Bakeriana
 rubra Gillette, Erythroneura (Erythroneura)
 rubra Van Duzee, Eualebra
 rubrafacia DeLong, Empoasca (Kybos)
 rubrafrons DeLong. See Alebra (Alebra) albostriella
 rubrafrons.
 rubrafusca Beamer, Twiningia
 rubrala DeLong & Caldwell, Dikraneura
 rubralineata Beamer, Calanana
 rubralineata Ruppel & DeLong, Dikrella
 rubralineus DeLong, Arundanus
- rubralineus DeLong. See Atanus perspicillatus rubralineus.
 rubralineus DeLong. See Scaphytopius (Scaphytopius)
 ritanus rubralineus.
 rubralineus excavatus DeLong, Arundanus
 rubramaculata Caldwell, Alconeura
 rubranota DeLong & Ruppel, Alconeura
 rubranota Ruppel & DeLong, Dikrella
 rubranotata Beamer, Erythroneura (Eratoneura)
 rubranotum DeLong, Scaphoideus
 rubranotum Robinson. See Erythroneura (Erythroneura)
 bistrata.
 rubranotus DeLong, Scaphytopius
 rubranura DeLong, Aflexia
 rubrapuncta DeLong, Ponana (Ponana)
 rubrapuncta Ruppel & DeLong, Dikrella
 rubrarea indistincta Wheeler, Empoasca (Empoasca)
 rubrarea Wheeler, Empoasca (Empoasca)
 rubrata DeLong & Davidson, Empoasca (Kybos)
 rubrataeniensis Beamer, Erythroneura (Erythridula)
 rubravitta Robinson. See Erythroneura (Erythroneura)
 diva.
 rubraza Oman, Empoasca
 rubraza Robinson, Erythroneura (Eratoneura)
 rubrella McAtee, Erythroneura (Erythroneura)
 rubricata McAtee. See Dikrella (Dikrella) cruentata
 rubricata.
 rubricata Van Duzee, Erythroneura (Erasmoneura)
 rubricauda Signoret, Microgoniella
 rubriceps Matsumura, Empoasca
 rubriclavus Matsumura, Zygina
 rubricola Christian, Empoa
 rubricollis Fowler, Amblyscarta
 rubricosa Uhler, Proconia
 rubricula Jacobi, Empoasca
 rubrifrons Matsumura, Empoasca
 rubrifrons Rey. See Idiocerus lituratus rubrifrons.
 rubriguttata Walker, Diedercephala
 rubrinervis Edwards. See Zygina angusta rubrinervis.
 rubrinervis Matsumura, Balclutha
 rubriocellata clara McAtee, Typhlocyba
 rubriocellata Malloch, Typhlocyba
 rubripennis Signoret, Poeciloscarta
 rubrivenosa Kirkaldy, Katipo
 rubrivenosus Evans, Tartessus
 rubrivenosus Scott, Circulifer
 rubriventris Schmidt, Leucopela
 rubriventris Signoret, Amblydisca
 rubrodorsata Kato, Empoasca (Homa)
 rubrofasciata Distant, Varta
 rubrofasciata Matsumura, Aconura
 rubroflava Linnavuori, Cicadula
 rubrofrontalis Distant, Iassus
 rubroguttatus Matsumura, Scaphoideus
 rubrolimbata Kirkaldy, Eurymela
 rubrolimbata Signoret, Paracatua
 rubrolineata Baker, Coelidiana (Coelidiana)
 rubrolineata Distant, Arya
 rubrolineata Motschulsky, Thomsoniella
 rubrolineatus Stål, Stymphalus

- rubromaculata Laidlaw, *Ledropsis*
 rubromaculata Melichar. See *Tettigella melichari*.
 rubromaculata Osborn, *Empoasca*
 rubromaculata Schmidt, *Proconia*
 rubromaculata Signoret, *Tettigella*
 rubromarginata Kato, *Petalocephala*
 rubromarginata Signoret, *Cuerna*
 rubromarginata similis Melichar, *Cuerna*
 rubroniger Jacobi, *Evacanthus*
 rubronotata Distant, *Empoasca*
 rubropunctata Kato, *Tettigella*
 rubropunctata Lindberg, *Erythroneura*
 rubropunctatus Haupt, *Thamnotettix*
 rubroscuta Gillette, *Erythroneura (Erythridula)*
 rubrostigmatica Melichar, *Gununga*
 rubrostriata Distant, *Typhlocyba*
 rubrostriata Melichar, *Balclutha*
 rubrostriatus Horváth, *Purpuranus*
 rubrostriatus Löw. See *Phycotettix paryphantus*.
 rubrosuturalis Maki. See *Nirvana orientalis*.
 rubrotaeniata Stål, *Tettigella*
 rubrotincta Johnson, *Erythroneura (Erythridula)*
 rubrotincta Melichar, *Balclutha*
 rubrotinctus Kirschbaum, *Circulifer*
 rubrovittatus Matsumura. See *Naratettix zonatus*
 rubrovittatus [sic].
 rubrovitta Matsumura, *Togaricrania*
 rubrovittata Amyot & Serville, *Eurymelops*
 rubrovittata conspersa Rey, *Zygina*
 rubrovittata Lethierry, *Zygina*
 rubrovittata luteipennis Rey. See *Zygina luteipennis*.
 rubrovittata Matsumura, *Balclutha*
 rubrovittata Metcalf, *Tharra*
 rubrovittatus Matsumura. See *Purpuranus rubrostriatus*.
 rubrus Lawson, *Acinopterus*
 rudicula concedula Melichar, *Cyclogonia*
 rudicula Jacobi, *Cyclogonia*
 rudiculus Ball, *Ollarianus*
 rufa DeLong. See *Empoasca (Empoasca) erythrocephala*.
 rufa Melichar, *Acrocampa*
 rufa Melichar, *Empoasca*
 rufa Melichar. See *Cyrtodisca major rufa*.
 rufa Walker, *Paromenia*
 rufescens Blanchard, *Iassus*
 rufescens Melichar, *Empoasca (Kybos)*
 rufescens Osborn, *Idiodonus*
 rufescenciceps Strand. See *Thamnotettix confinis*
 rufescenciceps.
 ruficaput Walker. See *Catagonalia marginella*.
 ruficauda Spångberg, *Gypona*
 ruficauda Walker. See *Amblyscarta contaminata*.
 ruficeps deficiens Fowler, *Amblyscarta*
 ruficeps resolubilis Fowler, *Amblyscarta*
 ruficeps trilineata Fowler, *Amblyscarta*
 ruficeps Van Duzee, *Empoasca (Empoasca)*
 ruficeps Walker, *Amblyscarta*
 ruficollis Burmeister. See *Eurymela fenestrata*.
 ruficollis Fabricius. See *Penthimia nigra ruficollis*.
 ruficollis Schmidt, *Stictoscarta*
 ruficosta Fieber. See *Zygina flammigera ruficosta*.
 ruficosta Jacobi, *Coelidia*
 ruficosta Walker, *Euryogonia*
 rufifacies Walker. See *Teletusa excavata rufifacies*.
 rufifrons Walker, *Coelidia*
 rufimargo propior Fowler, *Graphocephala*
 rufimargo Walker, *Graphocephala*
 rufinervis Kusnezov. See *Sympypyga melichari*
 rufinervis.
 rufipennis Melichar, *Tapajosa*
 rufipennis Signoret, *Phera*
 rufipennis Walker, *Coelidia*
 rufipes Fabricius, *Amblyscarta*
 rufipes Melichar, *Neiva*
 rufitelum Walker, *Sophonia*
 rufivena Walker, *Coelidia*
 rufiventris Walker. See *Aulacizes nigripennis*.
 rufoapicata Fowler, *Catagonalia*
 rufofelineatus Melichar, *Deltocephalus*
 rufocephala Osborn, *Macropsis*
 rufocirculum Schmidt, *Diestostemma*
 rufofasciata Distant, *Poeciloscarta*
 rufofasciatus Merino, *Nesosteles*
 rufolineatus Melichar, *Deltocephalus*
 rufomaculata McAtee. See *Erythroneura (Erythroneura)*
 compta rufomaculata.
 rufonigra Taschenberg, *Tettigella*
 rufoornata Stål, *Eualebra*
 rufo punctatus Motschulsky, *Neodartus*
 ruforeticulatum Schmidt, *Diestostemma*
 rufoscutellata Baker, *Stragania*
 rufostigmosa Beamer, *Erythroneura (Erythridula)*
 rufostigmosa subnubila Beamer, *Erythroneura (Erythridula)*
 rufula Gillette, *Dikraneura (Dikraneura)*
 rufula Osborn, *Parallaxis*
 rufus cingulatus Ball, *Idiocerus*
 rufus Gillette & Baker, *Idiocerus*
 rufus Gillette. See *Gillettella labiata gillettei*.
 rufus Sahlberg. See *Verdanus abdominalis rufus*.
 rufuscula Distant, *Typhlocyba*
 rufusculus Fieber. See *Oncopsis tristis*.
 rufusculus Osborn & Lathrop, *Texananus (Texananus)*
 rugicollis Ball, *Chlorotettix*
 rugicollis Dozier, *Brasa*
 rugicollis Signoret, *Chiapasa*
 rugifrons Osborn, *Idiocerus*
 rugosa Distant, *Agallia*
 rugosa Evans, *Coloborrhis*
 rugosa Osborn, *Arrugada*
 rugosa Osborn, *Bythonia*
 rugosa Spångberg, *Gyponana (Rugosana)*
 rugosa Walker, *Ledra*
 rugosae Ross & DeLong, *Erythroneura*
 rugosus Curtis. See *Aphrodes bicincta*.
 rugosus Evans, *Tartessus*
 rugosus Hepner, *Eutettix*
 rugosus Signoret, *Raphirhinus*
 rugulans Naude, *Thamnotettix*
 rugulosa Osborn, *Rhagosana*

rugulosus Haupt, Goniagnathus
 rühl [sic] Schmidt, Wolfella
 rumexa Davidson & DeLong, Empoasca
 rupicapra Marshall. See Mocydiopsis attenuata.
 rupinatus Ball, Friscanarus
 rupinatus brunneus DeLong & Severin, Friscanarus
 rurrens DeLong, Osbornellus
 rusaevi Kusnezov, Doratura
 ruscinonensis Ribaut, Circulifer
 russea McAtee, Kunzella
 russeola Fallen, Ophiola
 russeola McAtee. See Empoa aureotecta.
 russeolus decumana Kontkanen. See Ophiola decumana.
 russus Distant, Scaphoideus
 rustica Fabricius. See Aphrodes bicincta.
 rusticus Distant, Parabolocratus
 rutata Distant, Coelidia
 ruthenica Zachvatkin, Edwardsiana
 utilans Fabricius. See Acrocampa pallipes.
 utilans Kirschbaum, Idiocerus
 utilans Walker. See Amblyscarta carminata.
 utilivitta DeLong & Ruppel, Alconeura
 rutshurensis Evans, Eurinoscopus
 saageri Wagner, Eurhadina
 saageri Wagner. See Empoasca (Kybos) virgator saageri.
 sabana Osborn, Protalebra
 sabina Beamer & Tuthill, Polyamia
 sabinus Sanders & DeLong, Texananus (Texananus)
 sabita Sinha & Beamer, Erythroneura
 sabulicola Curtis, Psammotettix
 sabulicola Lindberg, Agallia
 sacula McAtee, Sirosoma
 sachalina Matsumura, Zygina
 sachalinensis Matsumura, Athysanus
 sachalinensis Matsumura, Deltocephalus
 sachalinensis Matsumura, Dikraneura
 sachalinensis Oshanin, Kurotuyanus
 sachtlebeni Dlabola, Psammotettix
 sachtlebeni Jacobi, Bathysmatophorus
 saffrana McAtee. See Empoa aureotecta.
 sagata Signoret, Sibovia
 sagitta Davidson & DeLong, Empoasca (Empoasca)
 sagittaria Naudé, Acontra
 sagittaria Ribaut. See Balclutha punctata sagittaria.
 sagittarius Ribaut, Arocephalus (Ariellus)
 sagittarius Walker, Pherodes
 sagittata Ball & Beamer, Athysanella (Gladionura)
 sagittata Beamer, Erythroneura (Erythridula)
 sagittata Jacobi, Typhlocyba
 sagittatus Beamer & Tuthill, Hebecephalus
 sagittifera Uhler, Carneocephala
 sagula DeLong, Stenocoelidia
 sahlbergi Flor, Macropsis
 sahlbergi Reuter. See Streptanus aemulans.
 sahlbergii Signoret, Aphrodes
 sahlbergii Signoret, Tartessus
 sahlbergorum Lindberg, Megulopa
 saladurus Ball & DeLong, Deltocephalus
 salamandra Signoret, Amblyscarta

salarius Knoll, Laevicephalus
 salax Signoret, Astenogonia
 salebra Melichar, Poecilocarda
 salgiris Kusnezov, Idiocerus
 salicetorum Mulsant & Rey. See Idiocerus ustulatus
 salicetorum.
 salicicola Edwards, Edwardsiana
 salicicola Flor, Idiocerus
 salicis Beamer, Kunzeana
 salicis Matsumura, Athysanopsis
 salicis Wheeler, Empoasca (Kybos)
 salina Caldwell, Coelidia
 salina Horváth, Doratura
 salina Lindberg, Melicharella
 salinarum Berg, Empoasca
 salinus Reuter, Macrosteles
 salinus Wagner. See Aphrodes albigena salinus.
 salmoides Ross & DeLong, Erythroneura
 salsa Ball & Beamer, Athysanella (Athysanella)
 salsa DeLong, Gyponana (Gyponana)
 salsolae Puton, Macrosteles
 salsura Ball, Lonatura
 salsus DeLong, Osbornellus
 saltuella Kirschbaum, Balclutha
 saltus Naudé, Deltocephalus
 salus Matsumura, Circulifer
 saluta DeLong, Empoasca (Kybos)
 salutaris Fowler, Poeciloscarta
 salviae Lindberg, Erythroneura
 salvini Fowler, Dictyodisca
 sambuci Olsen. See Graphocephala coccinea.
 samoana Osborn, Erythroneura
 samoanus Osborn, Drabescus
 samoanus Osborn, Stirellus
 sananas Distant, Tartessus
 sancita Distant, Moonia
 sancta Beamer, Erythroneura (Eratoneura)
 sanctaehelena White, Thamnotettix
 sanctithomasi Caldwell, Gypona
 sanctus Say, Sanctanus (Sanctanus)
 sandakanensis Baker, Sophonia
 sandáracata Distant, Tettigella
 sandersi Ball & DeLong, Kunzeana
 sandersi Davidson & DeLong, Nesosteles
 sandersi dubius Caldwell, Nesosteles
 sandersi Osborn, Flexamia
 sanguiflu Walker. See Bhandara semiclara.
 sanguinalis Distant, Leofa
 sanguinalis Distant, Typhlocyba
 sanguinans Walker, Tettigella
 sanguinea Drury. See Tettigella[incert.sed.] cruenta.
 sanguinea Gillette & Baekr, Empoasca (Empoasca)
 sanguinea Osborn, Nesophrosyne (Nesoreias)
 sanguineoapicata Melichar, Erythrogonia
 sanguineolineata Baker, Sophonia
 sanguineosparsa Stål, Gypona
 sanguineovittata Signoret, Sibovia
 sanguinescens Kirkaldy, Nesosteles
 sanguinicollis Fabricius. See Penthimia nigra ruficollis.

sanguinicollis Latreille, Paragonalia
 sanguinipes Van Duzee. See Poeciloscarta histrio
 sanguinipes.
 sanguinisparsus Haupt, Goniagnathus
 sanguinolenta Coquebert. See Diedrocephala rubriguttata.
 sanguinolenta Distant, Cicadella [Duméril 1806]
 sanguinolenta inconspicua Baker. See Aceratagallia
 (Aceratagallia) inconspicua.
 sanguinolenta Provancher, Aceratagallia (Aceratagallia)
 sanguinolenta Spångberg. See Ponana (Ponana)
 puncticollis.
 sanguinolinea Baker, Diceratalebra
 sanguinosa Rey, Zygindia (Fruticidia)
 sanguinosa Stål, Rubria
 sanguinosa Walker, Scaris
 sanguisuga Lindberg. See Aconurella prolixa.
 sannio Bliven, Friscanarus
 santali Singh-Pruthi, Orosius
 santana Ball, Algia
 santana Beamer & Tuthill, Polyamia
 santana Beamer, Kidrella
 santaritana Young, Alconeura (Alconeura)
 santarosae Jensen-Haarup, Kolla
 santolinae Ribaut, Empoasca
 sapporensis Matsumura, Zygina
 sapporensis Matsumura. See Naratettix zonatus
 sapporensis.
 sapporonis Matsumura, Deltocephalus
 sara Baker. See Euragallia major.
 sarana Osborn, Elabra
 sarana Osborn, Ponana
 saranensis Osborn, Phlepsius
 sarawakensis Distant, Bhandara
 sardus Ribaut, Macrosteles
 sarissus Beirne, Scaphytopius (Cloanthanus)
 sarissus DeLong, Arundanus
 sarniensis Melichar. See Poecilocarda cosmopolita
 sarniensis.
 satelles Fowler, Erythrogonia
 sativae Evans, Erythroneura
 sativae Poos, Empoasca (Empoasca)
 satumae Matsumura, Satsumanus
 satumana Matsumura, Zygina
 satsumensis Matsumura, Coelidia
 satsumensis Matsumura, Macropsis
 satsumensis Matsumura, Melichariella
 satsumensis Matsumura, Thamnotettix
 satur Ball, Polyamia
 saturata Edwards, Cicadula
 saucia Ball, Norvellina
 saucia Stål, Chromagallia
 sauteri Jacobi, Hatigoria
 sawashibae Matsumura, Zygina
 saxosa Ball, Agalliopsis (Agalliopsis)
 saxosa DeLong, Polyamia
 sayeri Distant, Conogonia
 sayii Fitch, Latalus
 scabra Osborn & Ball, Norvellina
 scabrifrons Walker, Tartessus

scabripennis Edwards, Megophthalmus
 scalaris Haupt, Thamnotettix
 scalaris Ribaut, Ribautiana
 scalaris Van Duzee, Osbornellus
 scalpellum Evans, Cornutipo
 scanica innotata Rey. See Megophthalmus scanicus.
 scanicus Fallén, Megophthalmus
 scapula Jacobi, Microgoniella
 scapularis Distant, Penthimia
 scarlatina DeLong & Ruppel, Scinda
 scarlatina Fitch, Ponana (Ponana)
 scarlatina limonea Ball & Reeves. See Ponana (Ponana)
 limonea.
 scarlatina rodora Ball. See Ponana (Ponana) scarlatina.
 scarlatina Ruppel & DeLong, Dikrella
 scelestus DeLong & Mohr, Scaphoideus
 schachovskoyi Torres, Protalebrella
 schaumi Stål, Gypona
 schaumii Signoret, Amblyscarta
 schenckii Kirschbaum, Euscelidius
 schista Knull, Erythroneura (Eratoneura)
 schlüteri Haupt. See Thamnotettix confinis tinctus.
 schmidtgeni Wagner, Recilia
 schmidti Lethierry. See Forcipata forcipata.
 schmidtii Melichar, Diestostemma
 schmidtii Melichar, Propetes
 schmidtii Wagner, Sorhoanus (Sorhoanus)
 schönlandi [sic] Distant, Tettigella
 schrankii Haupt. See Cicadella [Duméril 1806] vittata.
 schrankii Gmelin, Iassus
 schubotzi Melichar, Athysanus
 schuleri Ribaut, Cicadella [Duméril 1806]
 schumacheri Metcalf, Empoasca
 schwarzi [sic] Ball, Bonneyana
 scimetara Ruppel & DeLong, Kunzeana
 scinda Ruppel & DeLong, Dikrella
 sciotoensis Knull, Ribautiana
 scissa Beamer, Erythroneura (Erythridula)
 scissa Walker. See Cyrtodisca major.
 scita Walker, Rhopalognonia
 scitipennis Walker, Gununga
 scitura Ball, Norvellina
 scoliatus Dlabola, Macrosteles
 scopa McAtee. See Alebra (Alebra) albostriella scopa.
 scopula Evans, Oncopsis
 scorta McAtee. See Ossiannilssonola flavomarginata.
 scorea Van Duzee, Agalliopsis
 scotti Distant, Idiocerus
 scotti Edwards, Macropsis
 scotti Fieber. See Hardya (Hardya) melanopsis.
 scripta McAtee, Empoa
 scripta Robinson. See Erythroneura (Erythroneura)
 delicata.
 scriptanus Oman, Peconus
 scriptifrons Sahlberg. See Cosmotettix (Cosmotettix)
 caudatus.
 scriptozona Van Duzee, Protalebra
 scriptus Ball, Scaphytopius (Cloanthanus)
 scriptus DeLong. See Macrosteles fascifrons.

- scriptus Distant, *Deltocephalus*
 scriptus meridianus Hepner. See *Scaphytopius*
 (*Cloanthanus*) meridianus.
 scrupulosa Ball, *Twiningia*
 scrupulosa Spångberg, *Coelidia*
 scrupulosa Spångberg, *Gyponana* (*Gyponana*)
 scrupulosus reducta Ball. See *Twiningia reducta*.
 scutellata Osborn, *Aulacizes*
 scurra Herrich-Schaeffer. See *Idiocerus decimaquartus*.
 scutaria Oman, *Igerna*
 scutata Germar. See *Megophthalmus scanicus*.
 scutata Melichar, *Zygina*
 scutellaris Baker, *Busonia*
 scutellaris Distant, *Haranga*
 scutellaris Fieber, *Iassus*
 scutellaris Herrich-Schaeffer, *Zyginidia* (*Zyginidia*)
 scutellaris Lethierry, *Opsius*
 scutellaris Melichar, *Oncometopia* (*Oncometopia*)
 scutellaris Melichar. See *Batracomorphus melichari*.
 scutellaris purpuratus Horváth, *Iassus*
 scutellaris Schmidt. See *Oncometopia* (*Molomea*)
 α *amblandii* scutellaris.
 scutellaris Walker, *Conogonia*
 scutellata Boheman, *Macropsis*
 scutellata Distant, *Nehela*
 scutellata Distant. See *Poeciloscarta distanti*.
 scutellata Fowler, *Gypona*
 scutellata Melichar, *Penthimia*
 scutellata Signoret. See *Poecilocarda nigripennis*.
 scutellata Vayssiére, *Cicadula*
 scutellata Walker. See *Ledra dilatata*.
 scutellata Walker. See *Oncometopia* (*Oncometopia*)
 nigricans.
 scutellatula Osborn, *Tettigella*
 scutellatus Distant, *Hecalus*
 scutellatus Distant, *Idiocerus*
 scutellatus Distant, *Neodartus*
 scutellatus Osborn, *Chlorotettix*
 scutellatus Osborn. See *Macropsis rufocephala*.
 scutellatus Van Duzee, *Scaphytopius* (*Cloanthanus*)
 scutelleris Gillette. See *Erythroneura* (*Eratoneura*) *ardens*
 kansana.
 scutuliferus Wagner, *Psammotettix*
 scytha Auten & Johnson, *Erythroneura* (*Erythridula*)
 seca DeLong, *Ballana*
 seckeri Evans, *Idiocerus*
 seclusa Horváth, *Dikraneura*
 secunda Schaeffer. See *Ledra aurita*.
 sedecimguttata Taschenberg, *Tettigella*
 sefrense Puton, *Paradorydium*
 segmentalis Signoret, *Pseudoscarta*
 segnita Melichar, *Poecilocarda*
 segregatus Naudé, *Eurinoscopus*
 seguyi Melichar, *Poeciloscarta*
 sejungendus Kirschbaum. See *Euscelis obsoleta*.
 selbyi Evans, *Eutettix*
 selecta Walker. See *Coelidia roseifascia*.
 selenocephalides Evans, *Eovulturnops*
 sellata Berg, *Gypona*
 sellata McAtee. See *Ossiannilssonola appendiculata*.
 sellatus Uhler, *Hishimonus*
 sellowii Berg. See *Oncometopia* (*Lebora*) *xanthocephala*.
 semanta Davidson & DeLong, *Empoasca*
 semenovi Kusnezov, *Doratura*
 semenula McAtee, *Joruma* (*Joruma*)
 semicinctula Osborn, *Tettigella*
 semicircularis Signoret, *Tettigella*
 semicitrinus Walker. See *Tartessus fulvus*.
 semiclarata Signoret, *Bhandara*
 semifascia tasmani Distant, *Platyeurymela*
 semifascia Walker, *Platyeurymela*
 semifasciata Taschenberg, *Tettigella*
 semifasciata Uhler. See *Coelidia olitoria*.
 semiflava Lethierry, *Coelidia*
 semiflava Melichar, *Poeciloscarta*
 semifuscus Motschulsky, *Deltocephalus*
 semiglaucha Lethierry, *Tettigella*
 semiguttata Signoret, *Apogonalia*
 semiluna Ruppel & DeLong, *Kunzeana*
 seminolus DeLong. See *Paraphlepsius fuscipennis*
 seminolus.
 seminuda Say, *Norvellina*
 semipellucida Jacobi, *Kolla*
 semipunctata Fieber, *Cicadella* [Duméril 1806]
 semipunctulata Melichar, *Poeciloscarta*
 semirasa Fowler, *Campecha*
 semivenosus Walker, *Tartessus*
 semivitrea Walker, *Tettigella*
 semivitta Walker, *Amblyscarta*
 senilis Van Duzee. See *Deltocephalus flavidostigma*.
 sensibilis Ball, *Scaphoideus*
 separanda Fowler, *Tettigella*
 separata Beamer, *Erythroneura* (*Eratoneura*)
 separata DeLong & Hershberger, *Mesamia*
 separata DeLong & Ruppel, *Alconeura*
 separata DeLong, *Stoneana*
 separata Melichar, *Erythrogonia*
 separata Melichar, *Homalodisca*
 separata Osborn, *Graphocephala*
 separata quadripuncta DeLong & Hershberger, *Mesamia*
 separata Signoret, *Oncometopia* (*Molomea*)
 separatus DeLong, *Osbornellus*
 septemfasciata Signoret, *Amblyscarta*
 septemguttata Walker, *Draeculacephala*
 septemnotatus Fallen, *Macrosteles*
 septentrionalis Walker, *Cuerna*
 septima Beamer, *Erythroneura* (*Eratoneura*)
 sera DeLong, *Ballana*
 serena Melichar, *Eurinoscopus*
 serena Melichar, *Poeciloscarta*
 serenula Breddin, *Amblyscarta*
 serius Stål, *Celsanus*
 sermuncula Melichar, *Poeciloscarta*
 serpenta DeLong. See *Gyponana* (*Gyponana*) *octolineata*
 serpenta.
 serpentina Matsumura, *Zygina*
 serpula Davidson & DeLong, *Empoasca*
 serrata Beamer & Tuthill, *Flexamia*

- serrata DeLong & Caldwell, Dikraneura (Dikraneura)
 serrata DeLong, Gyponana (Gyponana)
 serrata DeLong. See Chlorotettix curvidens.
 serrata fatena DeLong, Gyponana (Gyponana)
 serrata Metcalf, Prairiana
 serrator Young, Empoasca
 serratula Breddin, Diedrocephala
 serratulae Fabricius, Aphrodes
 serratulae vicaria Horváth, Aphrodes
 serratus DeLong, Scaphytopius (Cloanthanus)
 serratus Linnavuori, Haldorus
 serratus Matsumura, Togaritettix
 serratus Ribaut, Bilusius
 serratus Ribaut, Mendreus
 serrellus DeLong, Scaphytopius
 serrellus DeLong, Texananus
 serricaudus Kontkanen, Boreotettix
 serrula Davidson & DeLong, Empoasca
 serrula Ross & DeLong, Ossiannilssonola
 serrulata Fabricius, Ledra
 sertigerula Jacobi, Microgoniella
 servilis Melichar, Erythrogonia
 servillei Signoret, Amblyscarta
 servula Breddin, Sphinctogonia
 servula Melichar, Poeciloscarta
 setata DeLong & Davidson, Empoasca (Empoasca)
 seticauda Lethierry. See Henschia acuta.
 setifer Walker. See Aletta fuscovaria.
 setigera Oman, Empoasca
 setinervis Spångberg, Gypona
 sevanensis Zachvatkin, Hardya (Hardya)
 severini DeLong, Neokolla
 severini Knoll, Erythroneura (Eratoneura)
 severus Melichar, Deltoccephalus
 severus Stål, Thamnotettix
 sexguttata Fabricius. See Erythrogonia laeta.
 sexguttata terminalis Walker, Coelidia
 sexguttata Walker, Coelidia
 sexguttatus Rey, Thamnotettix
 sexlineata Signoret, Graphocephala
 sexmaculata DeLong, Idona
 sexmaculata Hardy. See Typhlocyba sexnotata.
 sexmaculatus Gillette & Baker. See Pinumius areatus.
 sexnotata agathina Snellen, Typhlocyba
 sexnotata bipunctata Cerutti, Typhlocyba
 sexnotata Curtis, Typhlocyba
 sexnotata salinus Reuter. See Macrosteles salinus.
 sexnotata Van Duzee, Mcateeana
 sexnotatus binotatus Rey, Macrosteles
 sexnotatus devastans Guérin-Méneville, Macrosteles
 sexnotatus didymus Mulsant & Rey, Macrosteles
 sexnotatus diminutus Lethierry, Macrosteles
 sexnotatus Fallen, Macrosteles
 sexnotatus Kusnezov, Phlepsius
 sexnotatus submaculatus Rey, Macrosteles
 sexpunctata Beamer, Zabrosa
 sexpunctata Costa, Coelidia
 sexpunctata Fallén. See Typhlocyba sexnotata.
 sexpunctata Malloch. See Erythroneura (Erasmoneura) tecta.
 sexpunctata Melichar, Macropsis
 sexpunctatus Berg, Deltoccephalus
 sexpunctatus Provancher. See Endria inimica.
 sexpunctatus Sahlberg. See Euscelis obsoleta convexa.
 sexpustulata obscura Stål. See Erythrogonia quinquemaculata.
 sexpustulata Stål. See Erythrogonia quinquemaculata
 sexpustulata.
 sexquadratus Bierman, Thamnotettix
 sextus Crowder, Texananus (Texananus)
 sexualis Distant. See Omaranus typicus.
 sexvittatus Van Duzee, Commellus
 seychellensis Distant, Chelusa
 seychellensis Distant, Kolla
 seychellensis Distant, Scaphoideus
 shabliovskii Kusnezov, Bathysmatophorus
 shasta Ball, Ophiola
 shawneeana Knoll, Typhlocyba
 shephardi Evans, Chinaella
 shermani Ball, Arundanus
 sherwilli Distant, Krisna
 shillongensis Singh-Pruthi, Trocnadella
 shingwauki Beamer & Tuthill, Cribrus
 shinshana Matsumura, Zygina
 shirakiella Matsumura, Empoasca
 shivelyanus Bliven, Idiocerus
 shokae Matsumura, Mesotettix
 shokana Matsumura, Alebroides
 shokella Matsumura, Empoasca (Chlorita)
 shokensis Matsumura, Zygina
 shoshone DeLong & Caldwell. See Dikraneura (Dikraneura) carneola shoshone.
 shoshone DeLong & Davidson, Psammotettix
 sibirica Kusnezov, Macropsis
 sibirica Lethierry, Aconura
 sibiricus Horváth, Arocephalus (Omskius)
 sibiricus Linnavuori, Falcitettix
 sibiricus Melichar, Evacanthus
 sibuyanensis Baker, Makilingia
 sicciolus Uhler. See Aceratagallia (Aceratagallia) sanguinolenta.
 siciliensis Matsumura, Thamnotettix
 siclus DeLong & Davidson, Laevicephalus
 siclus DeLong, Paraphlepsius
 sicula DeLong & Caldwell, Forcipata
 sidana Ball, Prairiana
 sidanus Ball, Ciminius
 sidnica Evans, Rhotidoides
 sidnica Evans, Tettigella
 sidnica Kirkaldy, Erythroneura
 sidnica Kirkaldy, Smicrocotis
 sidnica Stål, Rubria
 sidnicus Kirkaldy, Xestocephalus
 sierra Osborn, Gypona
 sigillaris Distant, Pugla
 sigillatus Haupt, Stenometopiellus
 sigmaforma Ruppel & DeLong, Alconeura

- signandus Distant, *Megabyzus*
 signata Ball, *Calonia*
 signata Distant, *Kana*
 signata Distant, *Petalocephala*
 signata Distant, *Thagria*
 signata Haupt. See *Empoasca (Chlorita) lybica*.
 signata McAtee, *Rhabdotalebra*
 signata Stål, *Bergallia*
 signatifrons crassus DeLong. See *Hebecephalus crassus*.
 signatifrons Van Duzee, *Hebecephalus*
 signatipennis Boheman, *Cicadella* [Duméril 1806]
 signatula Osborn, *Nesophrosyne* (*Nesophrosyne*)
 signatula Osborn, *Tettigella*
 signatus Fieber. See *Idiocerus impressifrons*.
 signatus Haupt, *Diplocolenus*
 signatus Lindberg, *Batracomorphus*
 signatus Osborn, *Phlepsius*
 signatus v-nigrum Lindberg, *Batracomorphus*
 signiceps Stål, *Amblyscarta*
 signifera Then, *Hardya*
 signifera Walker, *Conogonia*
 signifera Walker, *Gypona*
 signifrons Rey. See *Aphrodes bicincta* signifrons.
 signifrons Walker. See *Tartessus fulvus*.
 signoreti actuosa Stål, *Mileewa*
 signoreti Evans, *Katipo*
 signoreti Lethierry, *Zygindia*
 signoreti Melichar, *Oncometopia (Molomea)*
 signoreti Metcalf, *Platymetopius*
 signoreti pilula Ball & Reeves. See *Gypona verticalis*.
 signoreti Schmidt, *Erythrononia*
 signoreti Spångberg, *Coelidia*
 signoreti Stål, *Gyponana (Gyponana)*
 signoreti Stål, *Mileewa*
 sikhimensis Distant, *Tettigella*
 sikorae Jacobi, *Poecilocarda*
 silhouettensis Distant, *Paralimnus*
 silvestris Distant, *Coelidia*
 silvicola alpicola Cerutti, *Erythroneura*
 silvicola Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 silvicola Ossiannilsson, *Erythroneura*
 silvigena Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
 simavensis Zachvatkin. See *Selenocephalus stenopterus*
 simavensis.
 similalis Ross & DeLong, *Erythroneura*
 similaris DeLong & Davidson, *Polyamia*
 similaris DeLong, *Omanana*
 similaris DeLong & Hershberger, *Sanctanus* (*Sanctanus*)
 similata Signoret, *Aulacizes*
 similis Baker, *Pedioscopus*
 similis Baker, *Plagalebra*
 similis China, *Cicadulina*
 similis DeLong & Davidson. See *Empoasca (Hebata)*
 nevadensis.
 similis DeLong & Ruppel, *Alconeura*
 similis DeLong, *Chlorotettix*
 similis Edwards. See *Forcipata citrinella*.
 similis Gillette. See *Empoasca (Kybos) unica*.
 similis Kirschbaum, *Idiocerus*
 marginatus. See *Streptanus marginatus*.
 similis Lathrop. See *Paraphlepsioides tennesseus*.
 similis Melichar. See *Athysanus harraensis*.
 similis Melichar. See *Cuerna rubromarginata* similis.
 similis Oman, *Agalliopsis*
 similis Oman, *Errhomus*
 similis Osborn. See *Beamerana tropicalis*.
 similis Peters, *Xestocephalus*
 similis Schmidt, *Gessius*
 similis Schmidt, *Oncometopia (Egidemia)*
 similis Schmidt. See *Kolla maculifrons* similis.
 similis Wagner, *Psammotettix*
 similis Walker, *Hortlesia*
 similis Woodworth. See *Neokolla hieroglyphica*.
 simillima Baker, *Krisna*
 simillima Baker. See *Makilingia intermedia* simillima.
 simillima Osborn, *Graphocephala*
 simillima Wagner, *Erythroneura*
 simillimus Matsumura, *Exitianus*
 simplarius Osborn & Ball. See *Amplicecephalus simplex*.
 simplex Baker, *Pedioscopus*
 simplex DeLong & Davidson, *Empoasca (Kybos)*
 simplex Edwards, *Cicadella* [Duméril 1806]
 simplex Evans, *Cephalelus*
 simplex Ferrari. See *Zygina rhamni*.
 simplex Haupt. See *Deltacephalus obtusus*.
 simplex Herrich-Schaeffer. See *Thamnotettix confinis*.
 simplex Jacobi, *Macropsis*
 simplex Knoll & Auten. See *Erythroneura (Eratoneura)*
 perplexa.
 simplex Van Duzee, *Amplicecephalus*
 simplex Van Duzee. See *Friscanus friscanus*.
 simpliciusculus Linnauvori, *Amplicecephalus*
 simulans Ribaut. See *Aphrodes bifasciata* simulans.
 simulans Ribaut. See *Idiodonus cruentatus* simulans.
 simulans Schmidt, *Teletusa*
 simulans Stål, *Gypona*
 simulantula Jacobi, *Poecilocarda*
 simulata Distant, *Soortana*
 sinae Stål, *Thamnotettix*
 sincera Johnson, *Erythroneura (Erythridula)*
 sincera McAtee. See *Empoa querci* sincera.
 sinensis Jacobi, *Dussana*
 sinensis Ouchi, *Nacolus*
 sinensis Walker, *Iassus*
 sinensis Walker, *Tettigella*
 singalensis Distant, *Ledropsis*
 singaprensis Baker, *Sophonia*
 singaprensis Baker. See *Krisna olivascens* singaprensis.
 singaprensis Baker. See *Pythamus melichari*
 singaprensis.
 singeri Wagner, *Euscelis*
 singularis Baker, *Plagalebra*
 singularis Beamer & Tuthill, *Polyamia*
 singularis DeLong, *Tropicanus*
 singularis Matsumura, *Helionides*
 sinhalana Kirkaldy, *Coelidia*
 sinica Jacobi, *Agallia*
 sinua Johnson, *Erythroneura (Erythridula)*

- sinuata laevis Bergevin, Peragallia
 sinuata Lindberg. See Eupelix cuspidata sinuata.
 sinuata lobata Ball & Beamer, Athysanella (Gladionura)
 sinuata Mulsant & Rey, Peragallia
 sinuata Oman & Wheeler, Empoasca (Hebata)
 sinuata Osborn, Athysanella (Gladionura)
 sinuata Osborn, Nesophrosyne (Nesophrosyne)
 sinuata Then, Dikraneura
 sinuatus Baker. See Gessius pallidus sinuatus.
 sinuatus Beamer, Dorycephalus (Dorycephalus)
 sinuata Matsumura. See Turrutus socialis.
 sinuosus Brown, Chlorotettix
 siracusae Matsumura, Aphrodes
 sirena Stål. See Poeciloscarta histrio.
 siskiyou Oman, Giprus
 sistens Walker, Tettigella
 sitka DeLong & Caldwell, Notus
 sitkana Ball & DeLong. See Dikraneura (Dikraneura)
 carneola sitkana.
 sjölinus Dlabola, Xestocephalus
 sjöstedti [sic] Haglund, Petalocephala
 skalkahiensis Beirne, Macrosteles
 skullana Ball & Beamer, Athysanella (Amphipyga)
 sladeni Distant, Acostemma
 slossonae [sic] Ball, Paraphlepsius
 slossonae [sic] Van Duzee, Eutettix
 slossonae [sic] Ball, Secopennis
 slossonae [sic] Van Duzee, Macrosteles
 slossonae [sic] Van Duzee, Scaphytopius (Cloanthanus)
 slovacus Dlabola, Psammotettix
 smaragdinus Distant, Eutettix
 smaragdula Fallén, Empoasca (Kybos)
 smaragdula Matsumura, Balclutha
 smaragdula rufescens Melichar. See Empoasca (Kybos)
 rufescens.
 smaragdula Walker, Gypona
 smidti Metcalf, Poeciloscarta
 smidtii Turton, Athysanus
 smithi Dozier, Phlepsius
 smithi pollicarius Ball. See Cicadula straminea.
 smithi Van Duzee, Cicadula
 smithii Baker, Carchariacephalus
 smithii Baker, Chinaia
 smithii Baker, Eualebra
 smithii Baker, Iassus
 smithii Baker, Idiocerus
 smithtoniensis Evans, Diemoides
 snowi Ball, Norvellina
 snowi Ball, Nurenus
 snowi Dorst, Davisonia
 snowi Gillette & Baker, Idiocerus
 snowi Gillette, Empoasca (Empoasca)
 snowi Lawson, Coelidia
 soboles Kirkaldy, Eurinoscopus
 sobria Walker, Oncopsis
 sobrina Melichar, Arya
 sobrina Ruppel & DeLong, Protalebra
 sobrina Spångberg, Gypona
 sobrina Stål, Amblyscarta
 sobrina Stål. See Coloborrhis corticina.
 sobrinus DeLong & Sleesman, Errastunus
 sobrinus Stål, Thamnotettix
 socala Oman, Ceratagallia
 socia Knoll, Erythroneura (Eratoneura)
 sociabilis Ossiannilsson, Typhlocyba
 socialis Fieber. See Idiocerus mesopyrrhus socialis.
 socialis Flor, Turrutus
 socialis Melichar, Erythrogonia
 socialis onustus Fieber, Turrutus
 sociata Fowler, Microgoniella
 socorroana Knoll, Alconeura
 sogerensis Evans, Eurmeloïdes
 sohrab Zachvatkin, Zyginidia (Zyginidia)
 sola Knoll & Auten, Zygina
 solana DeLong, Empoasca (Empoasca)
 solani Curtis, Empoasca (Chlorita)
 solani roseiventris Rey, Empoasca (Chlorita)
 solanifolia Singh-Pruthi, Empoasca
 solanituberosi Kollar. See Empoasca (Chlorita) solani.
 solearis Ribaut. See Edwardsiana frustrator.
 solidia Knoll, Erythroneura (Eratoneura)
 solidia Melichar, Poeciloscarta
 solidaginis Walker, Paraphlepsius
 solidus Melichar, Selenocephalus
 solita Beamer, Erythroneura (Eratoneura)
 solita Melichar, Proconia
 solita Walker, Ledra
 solitaria Ball, Twineria
 solitaris Melichar, Aconura
 solitaris Signoret, Poeciloscarta
 sollisa Ross & DeLong, Typhlocyba
 solomonensis Distant, Tartessus
 solomoni Evans, Smicrocotis
 solus DeLong & Caldwell, Idiocerus
 soluta Gibson, Draeculacephala
 somalianus Lallemand, Allygus
 sonani Matsumura. See Zygina fumigata sonani.
 sondaica Jacobi, Kalasha
 sonora Ball, Deltoccephalus
 sonora Ball, Ponana (Ponana)
 sonora Melichar, Abana (Mesobana)
 sonora Melichar, Erythrogonia
 sonorana Wheeler, Empoasca
 sonorus Ball, Texananus (Texananus)
 sonorus DeLong & Hershberger, Sanctanus (Cruciatus)
 sontiates Kirkaldy, Eurinoscopus
 soosi Dlabola, Erythroneura
 sorbi Wagner, Alebra
 sordida Evans, Ipo
 sordida Oman, Aceratagallia (Aceratagallia)
 sordida Osborn, Nesophyla
 sordida Signoret, Alocha
 sordida Stål, Prairiana
 sordida Stål, Ulopa
 sordida Van Duzee, Macropsis
 sordidior Kirkaldy, Nesosteles
 sordidipennis Stål, Cicadula
 sordidula Ossiannilsson, Empoasca

- sordidula Spångberg, Coelidia
 sordidula Stål. See *Xerophloea viridis*.
 sordidus Baker, Iassus
 sordidus Brown, Chlorotettix
 sordidus Evans, Neodartus
 sordidus munda Haupt, Streptanus
 sordidus Osborn. See *Neobala guaporensis*.
 sordidus Zetterstedt, Streptanus
 soror Linnavuori, Typhlocyba
 sorora Melichar, Poecilocarda
 sororcula Ossiannilsson. See *Edwardsiana fratercula*.
 sororia Fowler, Graphocephala
 southwicki Van Duzee, Eutettix
 spadix Ball, Parabolocratus
 spadix DeLong, Scaphytopius (*Cloanthanus*)
 spadix DeLong. See *Ponana (Ponana) scarlatina*.
 spadix Naude, Chlorotettix
 spala Ross & DeLong, Erythroneura (*Eratoneura*)
 spangbergi Metcalf, Coelidia
 spangbergii Berg, Gypona
 sparsa DeLong, Ponana (*Ponana*)
 sparsa Fowler, Aulacizes
 sparsa Stål, Coelidia
 sparsus Curtis. See *Aphrodes bicincta*.
 sparsus Osborn, Phlepsius
 sparsus Walker. See *Gypona guianae*.
 sparsuta Signoret, Orectogonia
 sparta Melichar, Erythrogonia
 spartocytisi Lindberg, Erythroneura
 spathifer Ribaut. See *Psammotettix confinis*.
 spathulata Germar. See *Eupelix cuspidata*.
 spathulata Ribaut, Erythroneura
 spatiosus Lawson. See *Acinopterus angulatus*.
 spatulata Ball & Beamer, Athysanella (*Pedumella*)
 spatulata Beamer, Erythroneura (*Erythridula*)
 spatulata Distant, Ledrotypa
 spatulata Signoret, Oxycorpha
 spatulatum Naudé, Paradydium
 spatulatus Ball, Gloridonus
 spatulatus DeLong, Idiodonus
 spatulatus Osborn & Ball, Chlorotettix
 spatulatus Van Duzee, Texananus (*Texananus*)
 spearca Johnson & Auten, Erythroneura (*Erythridula*)
 speciosa Baker, Makilingia
 speciosa Evans, Ipo
 speciosa Young, Empoasca
 speciosissima atava Schumacher, Sabimamorpha
 speciosissima Schumacher, Sabimamorpha
 speciosus Distant, Nandidrug
 speciosus Distant, Vulturnus
 speciosus Schumacher, Scaphoideus
 speciosus Van Duzee, Scaphytopius (*Cloanthanus*)
 spectabilis Distant, Lampridius
 spectabilis Distant, Nehela
 spectabilis Distant, Pseudoscarta
 spectabilis Knull & Auten, Zygina
 spectabilis Melichar, Poeciloscarta
 spectanda Fowler, Catagonalia
 spectra Distant, Tettigella
 spectra Distant, Typhlocyba
 spectra McAtee. See *Zygina illinoiensis spectra*.
 spectra nigrilinea Stål, Tettigella
 spectralis Fowler, Paromenia
 specularia Walker, Amberbakia
 specularis Spångberg. See *Sarpestus bistriga*.
 speculata Ball. See *Ophiola uhleri speculata*.
 speculifera Walker, Proconia
 speculum Walker. See *Eurymera fenestrata*.
 spicatus Beamer, Osbornellus
 spicatus DeLong, Sorhoanus
 spicatus Hepner. See *Scaphytopius (Cloanthanus) trilineatus spicatus*.
 spicatus Oman. See *Carsonus irroratus spicatus*.
 spiculata Oman & Wheeler, Empoasca (*Hebata*)
 spilocephala Hardy. See *Cicadula quadripunctata*.
 spina DeLong, Coelidiana
 spinea Knoll, Erythroneura (*Eratoneura*)
 spinifera Beamer, Erythroneura (*Eratoneura*)
 spinifera Spångberg, Gypona
 spinigera Edwards, Edwardsiana
 spiniventris Linnavuori, Bahita
 spinolae Haglund, Wolfella
 spinolae Signoret, Apogonalia
 spinosa Beamer, Empoa
 spinosa DeLong, Ballana
 spinosa Osborn, Coelidia
 spinosa Osborn, Graphocephala
 spinosa Ruppel & DeLong, Kunzeana
 spinosa Crowder, Paraphlepsius
 spinosus DeLong, Chlorotettix
 spinosus DeLong, Deltorhynchus
 spinosus DeLong, Osbornellus
 spinosus DeLong, Tenuarus
 spinosus Evans, Tartessus
 spinosus Gibson, Deltocephalus
 spinosus Linnavuori, Paraganus
 spira DeLong & Caldwell, Empoasca (*Empoasca*)
 spissa DeLong, Gyponana (*Gyponana*)
 splendens Distant, Mohunia
 splendida Distant, Mukaria
 splendida Fabricius, Diedocephala
 splendida Gillette. See *Empoasca (Kybos) unica*.
 splendida Knoll, Alconeura
 splendida Turton. See *Lamprotettix nitidulus*.
 splendidula Fabricius. See *Lamprotettix nitidulus*.
 splendidula Osborn, Aulacizes
 splendidula Osborn, Endoxoneura
 splendidula Spångberg, Gypona
 spoliata Horváth. See *Typhlocyba pandellei spoliata*.
 spoliata Ribaut. See *Erythroneura dorycnii spoliata*.
 sponsa Melichar, Poeciloscarta
 spreta Fowler. See *Prairiana cinerea spreta*.
 spreta Zetterstedt. See *Balclutha punctata*.
 spurcatus Melichar. See *Goniagnathus punctifer*.
 spuria Fallén. See *Aphrodes bifasciata*.
 stachydearum Hardy. See *Cicadella*[Duméril 1806]
 hortensis.
 stactogalus Fieber, Opsius

- stactopelta Walker, *Typhlocyba*
 stali Fieber, *Idiocerus*
 stali Kirkaldy, *Rhotidus*
 stali Melichar. See *Petalocephala conica*.
 stali Sahlberg. See *Metalimnus marmoratus*.
 stalii fractinota Fowler, *Apogonalia*
 stalii Signoret, *Apogonalia*
 stalii Signoret, *Tartessus*
 stalii Spångberg, *Coelidia*
 stalii Spångberg, *Gypona*
 stalsisa Davidson & DeLong, *Empoasca*
 staminata Ribaut, *Edwardsiana*
 staminea Knull, *Erythroneura (Eratoneura)*
 statices Zachvatkin, *Helionidia (Helionidia)*
 staurus Ivanoff, *Grypotes*
 steeli Evans, *Daimachus*
 stehliki Dlabola, *Mocuellus*
 steinbachi Schmidt, *Diestostemma*
 steini Fieber. See *Metalimnus formosus steini*.
 stella Distant, *Onega*
 stellaris Ball, *Lycoides*
 stellaris DeLong & Caldwell, *Idiocerus*
 stellaris Walker. See *Amblydisca rubriventris*.
 stellata Ribaut, *Erythroneura*
 stellata Signoret, *Bharata*
 stellifera Distant, *Sabima*
 stelliger Berg, *Athysanus*
 stellulata Burmeister, *Eupteroidea*
 steneosaura Distant, *Vangama*
 stenopterus Signoret, *Selenocephalus*
 stenopterus simavensis Zachvatkin, *Selenocephalus*
 stenopterus tauricus Zachvatkin, *Selenocephalus*
 stenospatulatus Evans, *Hecalus*
 stephensonii Beamer, *Erythroneura (Eratoneura)*
 sternalis Distant, *Empoanara*
 sternalis Jacobi, *Ledra*
 stesilea Distant, *Diestostemma*
 sticticollis Stål, *Agalliana*
 stictinemis Kirschbaum. See *Arthaldeus pascuellus*.
 stictoptera Flor, *Euscelis*
 stigma DeLong, *Stenocoelidia*
 stigma Germar. See *Idiocerus populi*.
 stigma Rey, *Deltocephalus*
 stigmatica Matsumura, *Stragania*
 stigmatical Lewis, *Idiocerus*
 stigmaticus Distant, *Scaphoideus*
 stigmatipennis Matsumura. See *Macropsis virescens*
 stigmatipennis.
 stigmatipennis Mulsant & Rey, *Dikraneura*
 stigmatus Nast, *Idiotettix*
 stigmosus Motschulsky, *Deltocephalus*
 stigmosus Uhler, *Portanus*
 stillatula Breddin, *Mesogonia*
 stillifera Stål, *Amblyscarta*
 stipata Walker, *Amblyscarta*
 stipatus Walker, *Paraphlepsius*
 stolata McAtee, *Erythroneura (Erythridula)*
 stolatus Ball, *Chlorotettix*
 stolli Signoret, *Dilobopterus*
 stonei Ball, *Menosoma*
 stonei DeLong, *Scaphytopius (Cloanthus)*
 stonei DeLong, *Stenocoelidia (Eurycoelidia)*
 stonei DeLong, *Usanus*
 stonei Ruppel & DeLong, *Dikraneura*
 storai Lindberg. See *Parabolocratus glaucescens*.
 storeyi China, *Cicadulina*
 stoveri Ross & DeLong, *Erythroneura (Eratoneura)*
 straminea Distant, *Typhlocyba*
 straminea dolosa Ball, *Mesamia*
 straminea Osborn, *Jassoidula*
 straminea Osborn, *Mesamia*
 straminea Sanders & DeLong, *Cicadula*
 straminea Walker, *Krisna*
 stramineus Baker, *Iassus*
 stramineus Distant, *Drabescus*
 stramineus Motschulsky, *Epiacanthus*
 stramineus Walker, *Eutettix*
 strangula Davidson & DeLong, *Empoasca (Kybos)*
 striata Burmeister, *Gyponana (Gyponana)*
 striata DeLong, *Omanana*
 striata Fabricius. See *Aphrodes bicincta*.
 striata Kirby. See *Krisna kirbyi*.
 striata Linnaeus. See *Aphrodes bicincta*.
 striata Walker, *Cuerna*
 striatella Fabricius. See *Aphrodes bicincta*.
 striatella Melichar, *Microgoniella*
 striatula Fallen. See *Ophiola cornicula*.
 striatulella Edwards, *Ophiola*
 striatus capitatus Matsumura, *Psammotettix*
 striatus DeLong, *Chlorotettix*
 striatus divergens Rey, *Psammotettix*
 striatus flavipennis Scott, *Psammotettix*
 striatus immundus Matsumura, *Psammotettix*
 striatus kolosvarensis Matsumura, *Psammotettix*
 striatus Kusnezov, *Evacanthus*
 striatus Linnaeus, *Psammotettix*
 striatus obtusiceps Kirschbaum, *Psammotettix*
 striatus pallidus Flor, *Psammotettix*
 striatus varipennis Herrich-Schaeffer, *Psammotettix*
 stricta McAtee. See *Erythroneura (Erythroneura) bistrata*
 stricta.
 strictus Ball, *Ollarianus*
 strigata Turton. See *Aphrodes bicincta*.
 strigatus Germar. See *Psammotettix striatus*.
 strigicollis Spinola, *Krisna*
 strigilifera Ossiannilsson, *Empoasca*
 strigipes Zetterstedt. See *Cicadula quadripunctata*.
 strigulatus Melichar, *Scaphoideus*
 strigulatus Melichar, *Selenocephalus*
 striifrons Kirschbaum, *Arthaldeus*
 striolaris Butler, *Agallia*
 striolus Fallén, *Limotettix*
 striolus Fieber, *Idiocerus*
 strobi Fitch, *Paraphlepsius*
 strobli Wagner, *Empoasca*
 struthiola Cogan, *Thamnotettix*
 stulta Auten & Johnson, *Erythroneura (Erythridula)*
 stummeri Horváth, *Psammotettix*

- stupidulus Zetterstedt. See *Thamnotettix confinis*
 stupidulus.
 stupkaorum Knoll, *Erythroneura* (*Eratoneura*)
 stygicus Ball, *Cochlorhinus*
 stylata Ball, *Flexamia*
 stylata DeLong. See *Cicadula straminea*.
 stylata Johnson, *Erythroneura* (*Erythridula*)
 stylata macroptera Kusnezov, *Doratura*
 stylata Osborn, *Athysanella* (*Amphyiga*)
 stylata Signoret, *Oragua*
 stylata Wheeler, *Empoasca* (*Hebata*)
 stylatus Boheman, *Doratura*
 suavipennis Walker. See *Erythrogonia areolata*.
 suavis Rey. See *Zygina rhamnicola suavis*.
 suavissima Walker, *Gununga*
 subacta Walker, *Petalocephala*
 subaenea tristis Ball. See *Eutettix tristis*.
 subaeneus Van Duzee, *Eutettix*
 subangulata Sahlberg, *Oncopsis*
 subangulatus Metcalf, *Ederranus*
 subapicalis Walker, *Coelidia*
 subaptera Spinola, *Selenopsis*
 subaquila Distant, *Petalocephala*
 subaurata McAtee, *Joruma* (*Joruma*)
 subbifasciatus Say. See *Coelidia olitoria*.
 subcarnea Rey. See *Edwardsiana rosae subcarnea*.
 subcoeca Jacobi, *Acostemma*
 subcupraeus Provancher, *Idiodonus*
 subfasciata albipennis Melichar, *Abana* (*Mesobana*)
 subfasciata Melichar, *Abana* (*Mesobana*)
 subflava Walker, *Diedrocephala*
 subfuscata Evans, *Oncopsis*
 subfuscatus Fallen, *Speudotettix*
 subfusculus Melichar, *Xestocephalus*
 subfuscus DeLong, *Chlorotettix*
 subhyalina Osborn, *Tettigella*
 subitus Beamer, *Cazenus*
 sublactea Lindberg, *Erythroneura*
 sublactea Van Duzee, *Empoasca* (*Kybos*)
 sublata Distant, *Ledra*
 sublunata Osborn, *Protalebra*
 submaculatus Rey. See *Macrosteles sexnotatus*
 submaculatus.
 submarginalis Osborn, *Graphocephala*
 subniger DeLong, *Scaphytopius* (*Cloanthanus*)
 subniger Signoret. See *Tartessus fulvus*.
 subnigra Distant, *Penthimia*
 subnigricans Distant. See *Eurytela fenestrata*.
 subnitens Sanders & DeLong, *Idiocerus*
 subnotata Walker, *Coelidia*
 subnubila Beamer. See *Erythroneura* (*Erythridula*)
 rufostigmosa subnubila.
 subnubilus Knoll, *Stirellus*
 subolivacea Stål, *Metascarta*
 subolivaceus Stål, *Eurinoscopus*
 subopacus Motschulsky, *Idiocerus*
 subplebeja Müller. See *Euscelis incisa subplebeja*.
 subpulchra McAtee. See *Ossiannilssonola phryne*.
 subreticulatus Kirkaldy, *Cephalelus*
 subrotundata Ribeiro, *Bhooria*
 subrufa Motschulsky, *Empoasca*
 subrustica Fallén. See *Aphrodes albifrons subrustica*.
 subutilis DeLong & Sleesman. See *Auridius auratus*.
 subsidaria Melichar, *Aulacizes*
 subsignata Walker, *Tettigella*
 subspinosus Hepner, *Eutettix*
 substriatus Then. See *Psammotettix normani*.
 subta Ball, *Prairiana*
 subtacta Walker, *Prairiana*
 subtangens Walker, *Coelidia*
 subtilis Matsumura, *Typhlocyba*
 subulata Ribaut. See *Empoasca* (*Chlorita*) *viridula*.
 subulatus Melichar, *Raphirhinus*
 subvaria Rey. See *Empoasca* (*Empoasca*) *flavescens*
 subvaria.
 subvirescens Stål, *Tettigella*
 subviridis Metcalf, *Stirellus*
 subvittata Stål. See *Stenocotis depressa*.
 sudeticus Kolenati. See *Diplocolenus* (*Erdianus*)
 penthopittus.
 sudra Distant, *Typhlocyba*
 suffusa McAtee. See *Erythroneura* (*Erythroneura*) *bidens*.
 suffusa Osborn, *Dikranearia*
 suffusa Osborn. See *Sonronius binotatus*.
 suffusa Walker. See *Eurytela fenestrata*.
 suffusa Walker. See *Eurytela walkeri*.
 suffusca Hepner. See *Alitia dellana suffusca*.
 suffusus Baker. See *Gessius pallidus suffusus*.
 suilla Ball, *Manganana*
 suisharyoensis Schumacher, *Tettigella*
 sulcata Melichar, *Clavena*
 sulcata Signoret, *Amblydisca*
 sulcatus Fieber, *Hecalus*
 sulcicollis Germar, *Stictoscarta*
 sulcifrons Signoret, *Acostemma*
 sulfurea Osborn, *Ponana*
 sulfureoguttata Osborn, *Tettigella*
 sulphurata Distant, *Bothrogonia*
 sulphurea Distant, *Coelidia*
 sulphurea Schmidt, *Proconia*
 sulphurella Zetterstedt, *Solenopyx*
 sulphurellus Kirschbaum. See *Psammotettix cephalotes*.
 sulphureus Curtis, *Thamnotettix*
 sulphureus Curtis. See *Idiocerus populi*.
 sulphureus Kirschbaum. See *Laburus* (*Laburus*)
 impictifrons.
 sulphureus Osborn, *Scaphytopius*
 sumatrana Bierman, *Bothrogonia*
 sumatrana Schmidt, *Moonia*
 sumatrana Schmidt, *Parasudra*
 sumatrana Schmidt, *Signoretia*
 sumbawensis Jacobi, *Coelidia*
 sumptuosa Blanchard, *Poecilocarda*
 superba Melichar, *Empoasca*
 superba Melichar, *Orechona*
 superba Melichar, *Poecilocarda*
 superbus Provancher, *Xestocephalus*
 superbus Van Duzee, *Texananus* (*Texananus*)

superciliaris Jacobi, Homoscarta
 superflua Fowler, Oragua
 superplebeja Müller. See Euscelis incisa superplebeja.
 supina Ball & Beamer, Athysanella (Athysanella)
 supinus DeLong, Paraphlepsius
 surcula DeLong & Johnson, Typhlocyba
 surcula DeLong & Sleesman, Flexamia
 surda DeLong & Johnson. See Ribautiana unca.
 surigaensis Baker, Makilingia
 sursumflexus Then, Jassargus (Sayetus)
 suturalis continuus Ball, Idiocerus
 suturalis DeLong, Chlorotettix
 suturalis Fabricius, Oncometopia
 suturalis Fitch, Idiocerus
 suturalis Flor. See Typhlocyba gratiosa.
 suturalis Latreille, Tettigella
 suturalis Lindberg. See Idiocerus lindbergi.
 suturalis lunaris Ball, Idiocerus
 suturalis Matsumura, Ophiola
 suturalis Melichar, Microgoniella
 suturalis Melichar, Nirvana
 suturalis Melichar, Thamnotettix
 suturalis Melichar. See Batracomorphus melichari
 suturalis.
 suturalis Melichar. See Makilingia intermedia suturalis.
 suturalis Osborn & Ball, Macropsis
 suturalis vagus Ball, Idiocerus
 suturella Stål, Tettigella
 suzukii Matsumura, Zygina
 svaneticus Melichar, Evacanthus
 swani Evans, Idiocerus
 swani Evans, Stenipo
 swezeyi Metcalf, Tartessus
 sycophantus Linnavuori, Chlorotettix
 sylvanella Distant, Tettigella
 sylvestris Osborn & Ball, Laevicephalus
 symmetrica Jacobi, Thlasia
 symphoricarpae Ball, Ophiola
 syriacus Horváth, Hecalus
 syrphoidulus Jacobi, Dilobopterus
 syrtidis Kirkaldy. See Tartessus fulvus.
 tabaci Singh-Pruthi, Empoasca
 tabebuiae Dozier, Rabela
 tabulata Distant, Petalocephala
 tachyporias Kirkaldy, Limotettix
 tacita Beamer, Erythroneura (Erythroneura)
 taedia Kirkaldy, Euscelis
 taedius Kirkaldy, Nesosteles
 taeniata Fowler, Poeciloscarta
 taeniata Linnavuori, Menosoma
 taeniaticeps Kirschbaum, Exitianus
 taeniaticeps Linnavuori, Chlorotettix
 taeniatifrons Kirschbaum, Placotettix
 taeniatifrons var. meridionalis Metcalf, Placotettix
 taeniatifrons ochracea Rey, Placotettix
 taeniatifrons [sic] Schmidt. See Sibovia taenigtifrons.
 taeniatus Horváth, Paramesus
 taenigtifrons Schmidt, Sibovia
 taeniola Curtis, Aphrodes

taenionotus Jacobi, Parabolocratus
 taeniops Fieber. See Idiocerus oocularis.
 tagalica Baker, Signoretia
 tagalica Stål, Tettigella
 tagalicus Baker, Idiocerus
 tahitiensis Osborn, Coelidia
 tahotus Ball & Parker, Idiocerus
 tahotus Ball, Colladonus
 taihorensis Schumacher, Petalocephala
 taikosana Kato, Petalocephala
 taiwana Shiraki, Zyginaoides
 taiwanus Matsumura, Parabolocratus
 taiwanus Matsumura, Selenocephalus
 takaonella Matsumura, Zygina
 takasagona Kato, Ledropsis
 takasagonis Matsumura, Cicadella [Duméril 1806]
 takasagonis Matsumura, Thamnotettix
 takasagonis Matsumura, Zygina
 takizawai Matsumura, Typhlocyba
 tamagawanus Matsumura, Paralimnus
 tamarensis Evans, Macroceps
 tamaricis Becker, Opsius
 tamaricis cypria Ribaut. See Helionidia (Tamaricella)
 fasciolata.
 tamaricis Kirschbaum. See Opsius stactogalus.
 tamaricis Puton, Helionidia (Tamaricella)
 tamazella DeLong, Stenocoelidia
 tamazella Ruppel & DeLong, Kunzeana
 tamborensis Distant, Bothrogonia
 tambourinus Evans, Idiocerus
 tamiama Davidson & DeLong, Empoasca (Empoasca)
 tammina Ross & DeLong, Erythroneura
 tangerica Matsumura, Typhlocyba
 tangericus Matsumura, Thamnotettix
 tantalus Knull, Laevicephalus
 tantilla Beamer & Tuthill, Polyamia
 tantilla Beamer, Erythroneura (Eratoneura)
 tantula Knull, Erythroneura (Eratoneura)
 taosus Ball, Ciminius
 tapes Fowler, Amblydisca
 tapinus Fieber, Thamnotettix
 tappana Matsumura, Agallia
 tararua Myers, Novothymbris
 taraxa Caldwell, Empoasca
 tarbela Ball, Mesamia
 tarsalis Curtis. See Cicadella[Duméril1806] urticae.
 tarsalis Signoret, Amblyscarta
 tartarea Stål, Oncometopia (Mucrometopia)
 taschenbergi Berg, Tettigella
 tasmani Distant. See Platyeurymela semifascia tasmani.
 tasmaniensis Evans, Austrolopa
 tasmaniensis Evans, Bakeriana
 tasmaniensis Evans, Macropsis
 tasmaniensis Evans, Xestocephalus
 tauensis Osborn, Stirellus
 taunica Wagner, Empoasca
 taunica Wagner. See Balclutha punctata taunica.
 tauricus Zachvatkin. See Selenocephalus stenopterus
 tauricus.

- taurus Ribaut, Adarrus (Belaunus)
 taxodii Sanders & DeLong, Floridonus
 taxodium DeLong, Idiocerus
 teapae Oman, Agallia
 teapensis Fowler, Gypona
 tecta carbonata McAtee. See Erythroneura (Erasmoneura)
 carbonata.
 tecta McAtee, Erythroneura (Erasmoneura)
 tectona Davidson & DeLong, Empoasca
 tectus Oman, Sanctanus
 teizonis Matsumura, Zyigma
 tejedae Lindberg, Erythroneura
 telifera Walker, Nisitrania
 teliformis Walker, Rhotidus
 teliformis Walker. See Graphocephala coccinea.
 telus DeLong & Hershberger, Idiocerus
 tempora DeLong, Stenocoelidia (Eurycoelidia)
 tenasserimensis Distant, Coelidia
 tenebricosa Melichar, Teletusa
 tenebrosa Knoll, Erythroneura (Erythridula)
 tenebrosa Walker. See Oncometopia (Oncometopia)
 nigricans.
 tenebrosus Distant, Selenocephalus
 tenella Fallén, Cicadella [Duméril 1806]
 tenella Osborn & Ball, Agalliosis
 tenella Spångberg, Gyponana (Gyponana)
 tenella Walker. See Tylozygus bifidus.
 tenellus ambiguosus Young & Frazier, Circulifer
 tenellus Baker, Circulifer
 tener Beamer & Tuthill, Cabrulus
 tenera Ball & Beamer, Athysanella (Athysanella)
 tenera Beamer, Kunzeana
 tenera Fowler, Metascarta
 tenerifae Lindberg, Erythroneura
 tenerrima disjuncta Zachvatkin, Ribautiana
 tenerrima Herrich-Schaeffer, Ribautiana
 tengu Ishihara, Tengirhinus
 tenilla Ross & DeLong, Erythroneura (Eratoneura)
 tennessus DeLong, Paraphlepsius
 tenuata Lawson, Xerophloea
 tenuens DeLong & Caldwell, Idiocerus
 tenuiculus Dlabola. See Adarrus pygmaeus.
 tenuifrons Baker, Platymetopius
 tenuifrons Sanders & DeLong. See Paraphlepsius ramosus.
 tenuifrons Walker, Petalocephala
 tenuis Beamer, Osbornellus
 tenuis DeLong. See Scaphytopius (Cloanthanus) acutus.
 tenuis Germar, Hardya (Hardya)
 tenuis Matsumura, Agallia
 tenuispica Beamer, Erythroneura (Erythridula)
 tenuitarsis Knoll, Erythroneura (Eratoneura)
 tepperi Evans, Oncopsis
 teratocera Kusnezov, Bobacella
 terauchia Matsumura, Aconura
 terebrans Gillette & Baker, Athysanella (Athysanella)
 teres Beamer, Erythroneura (Eratoneura)
 teres DeLong, Acusana
 teres Fowler, Allogonia
 teretus Beamer, Lonatura
 teretus Beamer, Paracoelidea
 tergata Fowler. See Ponana (Ponana) propior.
 tergata McAtee, Empoasca
 tergata Van Duzee, Ceratagallia
 tergatus DeLong, Scaphoideus
 tergatus Fitch, Chlorotettix
 tergitus melanotus DeLong. See Chlorotettix melanotus.
 tergemina Van Duzee, Zyigma
 tergipicta Jacobi, Coelidia
 tergiplagatula Jacobi, Poecilocarda
 termina DeLong & Caldwell, Dikranura
 terminalis Ball, Bonneyana
 terminalis Distant, Empoasca
 terminalis Osborn, Alebra
 terminalis Osborn, Tettigella
 terminalis Walker, Eurymelita
 terminalis Walker, Oncometopia (Lebora)
 terminalis Walker. See Aulacizes maculata.
 terminalis Walker. See Aulacizes quadripunctata.
 terminalis Walker. See Coelidia sexguttata terminalis.
 terminata Baker, Protalebrella
 terminus DeLong. See Parabolocratus viridis.
 termiticola Poisson, Ulopella
 ternaria Van Duzee, Zyigma
 terraereginae Paoli, Austroasca (Austroasca)
 tersa Edwards, Edwardsiana
 tersa Knoll, Erythroneura (Eratoneura)
 tertius Lindberg, Canariotettix
 tesquicola Zachvatkin. See Selenocephalus rossicus
 tesquicola.
 tessellatus Osborn, Atanus
 tessellatus Osborn, Scaphoideus
 tessellata beata McAtee. See Parallaxis beata.
 tessellata hungarica Ribaut. See Empoasca hungarica.
 tessellata Kirkaldy, Kyphocotis
 tessellata Lethierry, Empoasca (Eremochlorita)
 tessellata McAtee, Parallaxis
 tessellata mendica McAtee, Parallaxis
 tessellata Rey. See Euscelis incisa tessellata.
 tessellata Ruppel & DeLong, Kunzeana
 tessellata Signoret, Apogonalia
 tessellatus Distant, Coroticus
 tessellatus Distant. See Scaphoideus ineffectus.
 tessellatus Lindberg, Platyproctus
 tessellatus Van Duzee, Xestocephalus
 testacea Distant, Ledropsis
 testacea Metcalf, Gypona
 testacea Metcalf, Marganalana
 testacea Osborn, Nesophyla
 testacea Walker, Coelidia
 testacea Walker, Conogonia
 testaceus Distant. See Eurymeloides punctata.
 testaceus Walker, Iassus
 testaceus Walker. See Krisna walkeri.
 testaceus Walker. See Teletusa ornata.
 testudinaria Fowler, Amblyscarta
 testudinarius Burmeister. See Paraphlepsius irroratus.
 testudinea Evans, Penthimia
 testudo Curtis. See Aphrodes albifrons dispar.

- tethys Van Duzee, *Chlorotettix*
 tetraspila Jacobi, *Bhandara*
 tetrasticta Horváth. See *Macrosteles frontalis*.
 tetrops Jacobi, *Iassus*
tettigoniformis Matsumura, *Idioceroides*
tettigonoides Baker, *Makilingia*
teucrui Cerutti, *Dikraneura*
teucrui impunctata Cerutti, *Dikraneura*
teucrui incompleta Cerutti, *Dikraneura*
texana Ball, *Norvellina*
texana Beamer, *Erythroneura (Eratoneura)*
texana Beamer, *Kunzeana*
texana DeLong, *Polyamia*
texana Oman, *Aceratagallia (Aceratagallia)*
texana Oman, *Stenocoelidia*
texana Osborn, *Athysanella (Amphipyga)*
texanus Baker, *Paraphlepsius*
texanus DeLong, *Scaphytopius (Scaphytopius)*
texanus Osborn & Ball, *Deltanus*
tezuyae Matsumura, *Deltcephalus*
thalassica Sidorskii. See *Balclutha punctata thalassica*.
thalia Distant, *Tettigella*
thea Distant, *Empoasca*
thea Distant, *Tettigella*
thea Matsumura, *Penthimia*
thecla Ferrari. See *Ribautiana ulmi thecla*.
thela Davidson & DeLong, *Empoasca (Empoasca)*
thenii albostriatus Strobl, *Sotanus*
thenii Edwards. See *Psammotettix confinis*.
thenii Löw, *Sotanus*
theryi Horváth, *Allygus*
thiogaster Kirschbaum. See *Laburus (Laburus)*
 impictifrons.
thoantias Kirkaldy, *Macropsis*
thomsonii Stål, *Clavena*
thoracica Distant, *Carvaka*
thoracica Distant, *Kana*
thoracica Distant, *Penthimia*
thoracica Fabricius, *Gypona*
thoracica Fieber. See *Eurhadina pulchella thoracica*.
thoracica Panzer. See *Penthimia nigra ruficollis*.
thoracica Ribaute. See *Macropsis fuscinervis thoracica*.
thoracica Walker. See *Gypona testacea*.
thoracicus Distant. See *Deltcephalus deletus*.
thoracicus Fieber. See *Adarrus (Adarrus) multinotatus*.
thoracicus Jacobi, *Prosopoxys*
thoulessi Edwards, *Cicadella [Duméril 1806]*
thunbergii Stål, *Aulacizes*
thyia Kirkaldy, *Macropsis*
thymele Kirkaldy, *Macropsis*
tiaja DeLong, *Ballana*
tiarata Stål, *Coelidia*
tiarata Stål, *Phera*
tiaratus Fieber, *Diplocolenus (Diplocolenus)*
tibialis Fieber. See *Idiocerus vittifrons*.
tibialis Schmidt, *Pseudophera*
tibialis Scott. See *Macropsis fuscula tibialis*.
tibiellus Rey. See *Cosmotettix (Cosmotettix) panzeri*
tibiellus.
- tietzi Ross & DeLong, *Erythroneura*
tigrina DeLong, *Stenocoelidia*
tigrina Distant, *Kolla*
tigrinula Osborn, *Tettigella*
tigrinus Ball, *Paraphlepsius*
tigripes Lethierry, *Athysanus*
tiliae Boheman. See *Iassus bohemani*.
tiliae Fallén, *Zygina*
tiliae Germar, *Macropsis*
tiliae peruncta Ribaut, *Zygina*
timberlakei Osborn, *Balclutha*
timorensis Distant, *Bothrogonia*
timorensis Distant, *Tituria*
tincta DeLong, *Empoasca (Empoasca)*
tincta McAtee. See *Alebra (Alebra) albostriella tincta*.
tincta Oman, *Agalliopsis*
tincta Osborn. See *Osbornitettix metrosideri tincta*.
tinctorius Sanders & DeLong. See *Orientus ishidae*.
tinctorula Osborn, *Tettigella*
tinctus Zetterstedt. See *Thamnotettix confinis tinctus*.
tintarella Osborn, *Cicadula*
tissa Distant, *Abana (Abana)*
titanus Ball, *Scaphoideus*
tithide decolorata Cerutti, *Zygina*
tithide Ferrari, *Zygina*
tithide nudata Ribaut. See *Zygina tithide nudista*.
tithide nudior Cerutti, *Zygina*
tithide nudista Knoll, *Zygina*
tithide unipunctata Cerutti, *Zygina*
titonii Signoret, *Bothrogonia*
titulus DeLong, *Idiodonus*
titusi Ball, *Ballana*
titusi vivata Ball. See *Ballana vivata*.
tobae hyalinatus Matsumura, *Thamnotettix*
tobae Matsumura, *Deltcephalus*
tobae Matsumura, *Thamnotettix*
todo Matsumura, *Empoasca (Chlorita)*
toetoe Cumber, *Erythroneura*
tokitonis Matsumura, *Athysanus*
tolana DeLong & Guevara, *Empoasca*
tolerata Knoll, *Erythroneura (Erythridula)*
tolla Singh-Pruthi, *Aconura*
tolosa Distant, *Amblyscarta*
tomentosa Distant, *Oncometopia (Oncometopia)*
tomentosa Walker, *Proconia*
tonnoiri Evans, *Eurymelella*
tonnoiri Evans, *Macroceps*
tontonus Ball & Parker, *Idiocerus*
torella Robinson, *Erythroneura (Eratoneura)*
torneellus oxalidis Fieber, *Colladonus*
torneellus Zetterstedt, *Colladonus*
tornowii Bréthes, *Coelidia*
toroensis Matsumura, *Alebroides*
toroensis Matsumura, *Xestocephalus*
torosa Ruppel & DeLong, *Alconeura*
torpens Jacobi, *Ipo*
torqua DeLong & Davidson, *Empoasca (Empoasca)*
torquea DeLong, *Omanana*
torqus DeLong & Beery, *Scaphoideus*

torra Robinson. See *Erythroneura (Erythridula) clavata*.
 torrida Evans, Nehela
 torridus Ball, *Scaphytopius (Convelinus)*
 torridus Lathrop, *Paraphlepsius*
 torta DeLong & Caldwell, *Dikraneura (Dikraneura)*
 tortilla Caldwell, *Cicadulina*
 tortolita Ball, *Omanana*
 tortosa Ross & DeLong, *Typhlocyba*
 torva Beamer, *Erythroneura (Erythridula)*
 totalus DeLong & Davidson, *Psammotettix*
 touchardii Osborn, *Nesophrosyne (Nesophrosyne)*
 towadensis Matsumura, *Deltoccephalus*
 towadensis Matsumura, *Idiocerus*
 towadensis Matsumura, *Oncopsis*
 tractatula Jacobi, *Mesogonia*
 transea DeLong, *Ballana*
 transeus DeLong, *Scaphoideus*
 transfuga Fowler, *Oragua*
 transita Rey. See *Oncopsis flavidollis transita*.
 translucent Evans, *Hackeriana*
 translucent Evans, *Ipooides*
 translucent Evans, *Oncopsis*
 translucent Metcalf, *Gypona*
 translucentis cinctus Perris, *Chiasmus*
 translucentis Haupt, *Athyisanus*
 translucentis heydenii Kirschbaum, *Chiasmus*
 translucentis Mulsant & Rey, *Chiasmus*
 transparipennis Motschulsky, *Deltoccephalus*
 transulcidus Evans, *Eurinoscopus*
 transversa Costa, *Tettigella*
 transversa DeLong, *Hamana*
 transversa Fabricius. See *Aphrodes bicincta*.
 transversa Fallen, *Ophiola*
 transversa Lindberg. See *Empoasca (Chlorita) transversalis*.
 transversa Melichar. See *Poeciloscarta flavifrons transversa*.
 transversa Metcalf, *Euscelis*
 transversa obscurior Costa, *Tettigella*
 transversa pallidior Costa, *Tettigella*
 transversa paradoxa Linnavuori, *Ophiola*
 transversa Signoret. See *Amblyscarta transversalis*.
 transversa Van Duzee, *Empoasca (Kybos)*
 transversalis Baker, *Protalebra*
 transversalis Fourcroy. See *Aphrodes serratulae*.
 transversalis Matsumura, *Exitianus*
 transversalis Metcalf, *Amblyscarta*
 transversalis Metcalf, *Empoasca (Chlorita)*
 transversalis Puton. See *Circulifer fenestratus transversalis*.
 transversula Osborn, *Tettigella*
 transversus Distant, *Xestocephalus*
 transversus Walker. See *Tartessus fulvus*.
 transviridis Christian, *Typhlocyba*
 trautmanae Knoll, *Erythroneura (Eratoneura)*
 tredecimpunctata Ball, *Pagaronia*
 tredecimpunctata octopunctata Kirkaldy, *Pagaronia*
 tredecimpunctata Signoret, *Oncometopia (Egidemia)*
 tredecimpunctata triunata Ball. See *Pagaronia triunata*.
 tredecimpunctatus Lindberg, *Paralimnus*

tremulae Estlund, *Idiocerus*
 triangularis DeLong, *Ascis*
 triangularis DeLong, *Scaphytopius (Cloanthanus)*
 triangularis Fabricius. See *Homalodisca fabricii*.
 triangularis Fabricius. See *Oncopsis flavidollis triangularis*.
 triangularis Matsumura, *Cicadella [Duméril 1806]*
 triangularis Metcalf & Bruner, *Lucumius*
 triangularis Osborn, *Coelidia*
 triangulata Beamer, *Erythroneura (Eratoneura)*
 triangulifera Young, *Empoasca*
 triatus Caldwell, *Xestocephalus*
 tribunica Berg, *Tettigella*
 triceroprocta Beamer, *Zygina*
 tricincta calycula McAtee. See *Erythroneura (Erythroneura) calycula*.
 tricincta Curtis, *Aphrodes*
 tricincta cymbium McAtee. See *Erythroneura (Erythroneura) cymbium*.
 tricincta diva McAtee. See *Erythroneura (Erythroneura) diva*.
 tricincta Fitch, *Erythroneura (Erythroneura)*
 tricincta integra McAtee. See *Erythroneura (Erythroneura) integra*.
 tricincta integra Wagner, *Aphrodes*
 tricincta noncincta Johnson. See *Erythroneura noncincta*.
 tricincta rubravitta Robinson. See *Erythroneura (Erythroneura) rubravitta*.
 tridens Beamer, *Erythroneura (Erythridula)*
 tridentata Edwards. See *Edwardsiana diversa*.
 trifasciata albata McAtee, *Hymetta*
 trifasciata Amyot & Serville. See *Amblyscarta servillei*.
 trifasciata anthisma McAtee. See *Hymetta anthisma*.
 trifasciata balteata McAtee. See *Hymetta balteata*.
 trifasciata De Geer. See *Aphrodes bifasciata*.
 trifasciata Fourcroy, *Aphrodes*
 trifasciata Gillette, *Empoasca (Kybos)*
 trifasciata laeva Rey, *Aphrodes*
 trifasciata nigra Kusnezov, *Aphrodes*
 trifasciata Say, *Hymetta*
 trifasciata Signoret. See *Eurymeloides punctata*.
 trifasciatus Kirschbaum, *Idiocerus*
 trifasciatus Lindberg, *Deltoccephalus*
 trifasciatus Osborn. See *Idiocerus bakeri*.
 trifasciatus Signoret. See *Dilobopterus trinotatus*.
 trifoveolata Melichar, *Orechona*
 trifurcata Oman, *Empoasca*
 trigona DeLong, *Gyponana (Gyponana)*
 trigonus Spinola, *Hemipeltis*
 triguttata Cerutti. See *Cicadella [Duméril 1806] calcarata*

- triguttata Nottingham, Carneocephala
 triguttatus Melichar, Allygus
 triinfulatus Breddin, Deltoccephalus
 trilineata Fowler. See *Amblyscarta ruficeps trilineata*.
 trilineata Melichar. See *Tettigella chinensis*.
 trilineaticeps Signoret, Exogonia
 trilineatus Ball, Scaphytopius (*Cloanthanus*)
 trilineatus Kirkaldy, Cephalelus
 trilineatus spicatus Hepner, Scaphytopius (*Cloanthanus*)
 trilobata DeLong, Empoasca (*Kybos*)
 trilobata DeLong, Polyamia
 trilobata Melichar, Oncometopia (*Oncometopia*)
 trilobata Ribaut. See *Cicadella* [Duméril 1806] cyclops
 trilobata.
 trimaculata Fitch, Macropsis
 trimaculata Gillette, Habralebra
 trimaculata Motschulsky, Penthimia
 trimaculata Schmidt, Kolla
 trimaculata Schmidt, Propetes
 trimaculatus DeLong, Osbornellus
 trimaculatus Distant, Deltoccephalus
 trimaculatus Peters, Xestocephalus
 trinalis Metcalf & Bruner, Hadria
 trinotatus Signoret, Dilobopterus
 triodana Ball & Beamer, Athysanella (*Amphipyga*)
 tripars Walker, Bothrogonia
 tripartita Walker, Tettigella
 tripartitus DeLong, Ollarianus
 tripartitus DeLong, Osbornellus
 tripartitus Kusnezov, Deltoccephalus
 triplaga Walker. See *Coccus viridivitta*.
 triplicula Jacobi, Erythrogenia
 tripunctata Ball, Stenocoelidia (*Eurycoelidia*)
 tripunctata Beamer, Zygina
 tripunctata Davidson & DeLong, Empoasca
 tripunctata Fitch, Plesiommata
 tripunctata Gmelin. See *Cicadella* [Duméril 1806]
 atropunctata.
 tripunctata Walker. See *Conogonia ceramensis*.
 tripunctatus DeLong, Scaphytopius (*Cloanthanus*)
 tripunctatus Matsumura, Parabolocratus
 tripunctifrons Banks. See *Cofana quinquenotata*.
 tripunctula Melichar, Typhlocyba
 triqueta DeLong & Caldwell, Forcipata
 triqueta Fabricius, Homalodisca
 trispinosus Linnauvori, Handianus
 tristicula Melichar, Erythrogenia
 tristis Ball, Eutettix
 tristis Fabricius. See *Poeciloscarta smidti*.
 tristis Haupt, Symphyypga
 tristis Kirschbaum. See *Psammotettix cephalotes*.
 tristis Melichar, Typhlocyba
 tristis Oman, Ceratagallia
 tristis Signoret, Caelidioides
 tristis Signoret, Scaris
 tristis Spångberg, Gypona
 tristis Van Duzee, Macropsis
 tristis Zetterstedt, Oncopsis
 trita Walker, Bhandara

 tritici Matsumura, Deltoccephalus
 tritus Beamer & Tuthill, Laevicephalus
 triumata Ball, Aceratagallia (*Ionia*)
 triumata Ball, Pagaronia
 triumata Ball. See *Neocoelidiana* (*Neocoelidiana*) obscura.
 triumata Ball, Scaphoideus
 trivia Germar, Ulopa
 trivialis Ball, Macropsis
 trivialis Spångberg, Gypona
 trivialis Spångberg, Tartessus
 trivirgata Fowler, Graphocephala
 trivittata Robinson, Erythroneura (*Eratoneura*)
 trivittata Signoret, Graphocephala
 trivittata Spångberg, Coelidia
 trochlearis Ribaut. See *Cicadella* [Duméril 1806]
 decemnotata trochlearis.
 tropicalis Osborn, Beamerana
 tropicalis Van Duzee. See *Agalliopsis* (*Agalliopsis*)
 novella tropicalis.
 tropicus DeLong, Baldulus
 troza Ross & DeLong, Ossiannilssonola
 trucidula Breddin, Conogonia
 truncata Ball & Beamer, Athysanella (*Gladionura*)
 truncata Oman, Aceratagallia (*Aceratagallia*)
 truncata Spångberg, Coelidia
 truncata Young, Empoasca
 truncatifrons Walker, Ledra
 truncatipenne Schmidt, Diestostemma
 truncatipennis Rambur, Tettigella
 truncatipennis Signoret, Ortega
 truncatula Rambur, Tettigella
 truncatus Baker. See *Oncopsis sobria*.
 truncatus Beamer & Tuthill, Hebecephalus
 truncatus Löw. See *Sotanus thenii*.
 truncatus Melichar, Deltoccephalus
 truncatus Osborn, Chlorotettix
 truncatus Sleesman, Limotettix
 truncatus Van Duzee, Paraphlepsius
 tsaratananus Evans, Neodartus
 tshinari Zachvatkin, Edwardsiana
 tuba Osborn, Coelidia
 tubera DeLong, Gyponana (*Gyponana*)
 tuberculata Baker, Paracoelidea
 tuberculata Kato, Funkionia
 tuberculata Osborn, Xerophloea
 tuberculatus Walker, Nacolus
 tuberculicollis Blanchard & Brullé, Proconia
 tuberculifrons Walker, Ledra
 tubulus DeLong, Idiodonus
 tubus Ball, Paraphlepsius
 tucsoni Knull, Xestocephalus
 tucumana Taschenberg, Tettigella
 tudella Robinson. See *Erythroneura* (*Erythroneura*)
 delicata.
 tullahomi DeLong, Paraphlepsius
 tullgreni Ribaut. See *Empoasca* (*Chlorita*) solani.
 tumida Baker, Balclutha
 tumida Gillette. See *Empoasca* (*Hebata*) alboneura.

- tumida Knoll, *Erythroneura* (*Eratoneura*)
 tumida Osborn, *Benala*
 tumidatus Crowder, *Phlepsanus*
 tumidifrons DeLong. See *Oncopsis variabilis*.
 tumidifrons Gillette & Baker, *Neocoelidia*
 tumidifrons *vittapennis* DeLong. See *Neocoelidia vittapennis*.
 tumidulus Osborn, *Idiocerus*
 tumidus DeLong, *Osbornellus*
 tumidus Melichar, *Phlepsius*
tunicabubra Gillette, *Ossiannilssonola*
tunicata Fowler, *Graphocephala*
tunicatus Ball, *Chlorotettix*
tunisiana Matsumura, *Cicadula*
tura Ross & DeLong, *Erythroneura*
turanica Horváth, *Bobacella*
turanica Zachvatkin, Hardy (Hardya)
turbatrix Ribaut. See *Cicadella* [Duméril 1806]
 decemnotata *turbatrix*.
turbina DeLong, *Gyponana* (*Gyponana*)
turbinata Ball, *Aligia*
turbinella Ball. See *Gyponana* (*Rugosana*) *chadana*.
turbineus DeLong & Davidson. See *Lonatura salsura*.
turgida Ball & Beamer, *Athysanella* (*Amphipyga*)
turgida Beamer & Lawson, *Stragania*
turgida Beamer, *Erythroneura* (*Eratoneura*)
turkestanica Kusnezov, *Sympphyga*
turkestanica Linnavuori, *Diplocolenus*
turkestanica Linnavuori. See *Diplocolenoidea macilenta*.
turkestanicus Kusnezov, *Goniagnathus*
turkistanicus Kusnezov. See *Platymetopius turkestanicus*
 [sic].
turneri China, *Macropsis*
turneri Evans, *Caffretus*
turneri Evans, *Caplopa*
turneri Evans, *Cephalelus*
turneri Evans, *Stenopsoides*
turneri Evans, *Tettigella*
turpiculus Ball, *Paraphlepsius*
turpis Spångberg, *Gypona*
turpiter DeLong, *Idiodonus*
tutuilana Osborn. See *Nesosteles incisus*.
tutuilanus Osborn, *Iassus*
tutuilanus Osborn, *Idiocerus*
tutuilanus Osborn, *Xestocephalus*
tuxpana DeLong, *Neocoelidiana*
twiningi Uhler, *Fitchana*
tympana DeLong, *Acusana*
typhlocyboides Gillette & Baker. See *Empoasca* (*Hebata*)
 nigra *typhlocyboides*.
typhlocyboides Signoret, *Diedrocephala*
typica Distant, *Alebra*
typica Distant, *Galboa*
typica Distant, *Jukaruka*
typica Distant, *Mileewa*
typica Distant. See *Hodoedocus acuminifrons*.
typica Evans, *Paramelia*
typicus Distant, *Kronos*
typicus Distant, *Omaranus*
- typicus Distant, *Ootacamundus*
typicus Distant, *Porcorhinus*
typicus Lang. See *Diplocolenus* (*Erdianus*) *penthopittus*
 typicus.
typicus Oman, *Agudus*
u-nigrum Matsumura. See *Cicadella* [Duméril 1806]
 triangularis.
uapouana Osborn, *Nesophyla*
uapouensis Osborn, *Empoasca*
ugandensis Evans, *Gunghuyana*
uhleri Baker, *Lystridea*
uhleri Ball, *Colladonus*
uhleri Ball, *Keonolla*
uhleri Ball, *Ophiola*
uhleri lutzi Olsen, *Keonolla*
uhleri Oman, *Sorhoanus*
uhleri speculata Ball, *Ophiola*
uhleri Van Duzee, *Aceratagallia* (*Aceratagallia*)
uhleri Van Duzee. See *Paraphlepsius strobi*.
uladus Beirne, *Coulinus*
ulaula Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
ulaula nigrolineata Kirkaldy, *Nesophrosyne*
 (Nesophrosyne)
ulcerata Signoret, *Tapajosa*
ulcus Hepner, *Ascius*
ulcis Ribaut, *Euscelis*
ulla Distant, *Poeciloscarta*
ulmalatae Ross & DeLong, *Erythroneura*
ulmi Kusnezov, *Batracomorphus*
ulmi Linnaeus, Ribautiana
ulmi Scott. See *Macropsis glandacea*.
ulmi thecla Ferrari, *Ribautiana*
ulmosa Ross & DeLong, *Erythroneura*
ulopae Evans, *Cephalelus*
ultratus DeLong, *Texananus* (*Texananus*)
ulusa Davidson & DeLong, *Empoasca* (*Empoasca*)
umballaensis Distant, *Hecalus*
umbrata Melichar. See *Zygina angusta moesta*.
umbrata Ribaut. See *Eurhadina ribauti umbrata*.
umbratica Ball, *Calanana*
umbratilis Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
umbratus Melichar, *Paralimnus*
umbricola Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
umbrigena Kirkaldy, *Nesophrosyne* (*Nesophrosyne*)
umbrina Linnavuori, *Bahita*
umbrinus Schumacher, *Scaphoideus*
umbrosa Distant, *Petalocephala*
umbrosus Sanders & DeLong, *Paraphlepsius*
umnovi Kusnezov, *Goniagnathus*
unca DeLong & Davidson, *Empoasca* (*Empoasca*)
unca Knoll, *Erythroneura* (*Eratoneura*)
unca McAtee, *Ribautiana*
unciger Ribaut, *Psammotettix*
uncigera Ribaut, *Anaceratagallia*
uncinata Ball & Beamer, *Athysanella* (*Gladionura*)
uncinata Beamer, *Erythroneura* (*Eratoneura*)
uncinata Ribaut. See *Erythroneura velata*.
uncinatus Beamer & Tuthill, *Latalus*
uncinatus DeLong, *Texananus*

- uncus DeLong, Texananus
 undata Fabricius. See Oncometopia (Oncometopia)
 nigricans.
 undata garryae Cockerell. See Oncometopia
 (Oncometopia) alpha.
 undatus chosenensis Matsumura, Platymetopius
 undatus De Geer, Platymetopius
 undatus DeLong, Chlorotettix
 undatus distinctus Melichar, Platymetopius
 undatus Linnavuori, Mesadorus
 undomarginata Lindberg, Cicadella [Duméril 1806]
 undulata White, Stonasla
 uneolus Ball, Limotettix
 ungulata Beamer, Dikraneura (Dikraneura)
 ungulata Beamer, Erythroneura (Eratoneura)
 unica Beamer, Erythroneura (Eratoneura)
 unica Oman, Bergallia
 unica Oman, Scaphoidula
 unica Provancher, Empoasca (Kybos)
 unica Ruppel & DeLong, Dikrella
 unicolor Beamer, Zygina
 unicolor Curtis. See Aphrodes bicincta.
 unicolor Distant, Leofa
 unicolor Fitch, Chlorotettix
 unicolor Gillette. See Empoasca (Kybos) maligna.
 unicolor Haupt. See Circulifer opacipennis.
 unicolor Jacobi, Parabolocratus
 unicolor Lang. See Diplocolenus (Erdianus) penthopittus
 unicolor.
 unicolor Lindberg, Macropsis
 unicolor Lindberg. See Empoasca canariensis.
 unicolor Melichar, Circulifer
 unicolor nigrodorsalis Spångberg, Gyponana (Gyponana)
 unicolor Osborn, Osbornellus
 unicolor pellucens Lindberg, Macropsis
 unicolor Stål, Gyponana (Gyponana)
 unicolor Stål. See Idiocerus brasiliensis.
 unicolor Walker, Stenocotis
 unicolor Walker. See Iassus walkeri.
 unicoloratus Gillette & Baker, Laevicephalus
 unicuspidis Beamer, Erythroneura (Erythridula)
 unidecimmaculata Fowler, Platygonia
 unifasciata Evans, Mileewa
 unifasciata Fabricius, Strictogonia
 unifasciata Walker. See Coelidia luteifascia.
 unifasciatus Curtis. See Idiocerus tremulae.
 unifasciatus Haupt, Limotettix
 uniformis Distant, Goniagnathus
 uniformis Distant, Krisna
 uniformis Distant, Petalocephala
 uniformis Metcalf, Nesotheles
 uniformis Schumacher, Turitia
 uniformis Spångberg, Tartessus
 uniguttata Jacobi, Typhlocyba
 uniguttata Walker, Amblyscarta
 unimaculata Curtiss, Aphrodes
 unimaculata Evans, Anipo
 unimaculata Naude, Cicadula
 unimaculata Signoret, Kolla
 unimaculatus Melichar, Pedioscopus
 unipuncta Baker, Aphanalebra
 unipuncta DeLong, Acocoelidia
 unipuncta dorsalis DeLong. See Alconeura (Alconeura)
 dorsalis.
 unipuncta Gillette, Alconeura (Alconeura)
 unipuncta Matsumura, Typhlocyba
 unipuncta McAtee. See Empoa albicans.
 unipuncta nudata Ball & DeLong. See Alconeura
 (Alconeura) nudata.
 unipunctata Cerutti. See Zygina tithide unipunctata.
 unipunctata Evans, Phera
 unipunctum Rey. See Macropsis graminea.
 unispinosus Beamer, Cochlorhinus
 unita Cerutti. See Cicadella [Duméril 1806] alticola unita.
 univittata Robinson, Erythroneura (Eratoneura)
 upembae Evans, Paradorydium
 upoluana Osborn, Empoasca (Homa)
 urakawensis Matsumura, Idiocerus
 urbana Ball & DeLong, Dikraneura (Dikraneura)
 urbana Stål, Mareja
 ursina Ball, Ballana
 ursinus Ball, Lycoides
 urticae basalis Rey, Cicadella [Duméril 1806]
 urticae conjuncta Rey, Cicadella [Duméril 1806]
 urticae deficiens Ribaut, Cicadella [Duméril 1806]
 urticae Fabricius, Cicadella [Duméril 1806]
 urticae glomerata Ribaut, Cicadella [Duméril 1806]
 urticae haupti Wagner, Cicadella [Duméril 1806]
 urticae leucocnema Oshanin, Cicadella [Duméril 1806]
 urticae octonotata Hardy, Cicadella [Duméril 1806]
 uruguayensis Berg, Spangbergiella
 usambarensis Melichar, Selenocephalus
 usambarensis Melichar, Igerna
 usitata Beamer, Erythroneura (Eratoneura)
 usitata Ruppel & DeLong, Idona
 usitata Ruppel & DeLong, Kunzeana
 usnus Beirne, Coulinus
 ussuriensis Melichar, Sorhoanus (Sorhoanus)
 ustulata Uhler. See Agalliana sticticollis.
 ustulatus Mulsant & Rey, Idiocerus
 ustulatus salicetorum Mulsant & Rey, Idiocerus
 utahensis Hepner, Scaphytopius (Cloanthanus)
 utahna Beamer, Zygina
 utahna Hepner, Aligia
 utahna Osborn, Athysanella (Athysanella)
 utahnus Ball & Parker, Idiocerus
 utahnus Ball, Dixianus
 utahnus Lawson, Limotettix
 utrica Davidson & DeLong, Empoasca (Empoasca)
 uvalda Davidson & DeLong, Empoasca (Empoasca)
 uvaldeana Knull, Erythroneura (Eratoneura)
 uvarovi Zachvatkin, Selenocephalus
 uvaroviana azerbeidzhanica Zachvatkin, Empoasca
 (Eremochlorita)
 uvaroviana Zachvatkin, Empoasca (Eremochlorita)
 uzelli Melichar, Chiasmus
 v-nigrum Lindberg. See Batracomorphus signatus v-
 nigrum.

v-nigrum Linnavouri, Eusceloidia
 v-nigrum Matsumura. See *Psammotettix alboniger*.
 vaccinii Van Duzee, Ophiola
 vaccinium DeLong. See *Scaphytopius (Cloanthanus) magdalensis*.
 vacillans McAtee, Parallaxis
 vacua Knoll, Erythroneura (Eratoneura)
 vacunus Crumb, Chlorotettix
 vaecors Kirkaldy, Neodartus
 vaedulcis Kirkaldy, Neodartus
 vafer Knoll, Laevicephalus
 vaga Johnson, Erythroneura (Erythroneura)
 vaga Melichar, Cicadula
 vagabunda Knoll, Erythroneura (Erythroneura)
 vagans Distant, Scaphoideus
 vagans Melichar, Microgoniella
 vagata Melichar, Oncometopia (Lebora)
 vagatus Melichar, Raphirhinus
 vaginata Kirschbaum, Cicadula
 vaginata Stål, Ledromorpha
 vagus Ball. See *Idiocerus suturalis vagus*.
 vagus Beamer & Tuthill, Telusus
 valdiviana Berg, Agallia
 valens Beamer & Tuthill, Deltocephalus
 valga DeLong, Ballana
 valida Knoll, Erythroneura (Eratoneura)
 valida Walker. See *Stenocotis caudata*.
 validinervis Fieber, Empoasca (Chlorita)
 validinervis Kirschbaum. See *Macustus grisescens*.
 validus Crowder, Texananus (Texananus)
 vallicola Lindberg, Erythroneura
 vallonia Distant, Poeciloscarta
 valvata Osborn, Empoasca
 vana Ball & Beamer. See *Athysanella (Gladionura) blanda vana*.
 vanduzeei [sic] Gillette & Baker, Deltocephalus
 vanduzeei Kirkaldy, Neodartus
 vanduzei Kirkaldy, Penthimia
 vanduzei Lawson, Xerophloea
 vanduzei Baker. See *Chlorotettix unicolor*.
 vanduzei Ball, Phlepsanus
 vanduzei DeLong & Knoll, Dorycephalus (Attenuipyga)
 vanduzei Gillette, Cicadella [Duméril 1806]
 vanduzei Gillette & Baker. See *Sonronius maculipes*.
 vanduzei Osborn & Ball, Dorycephalus (Attenuipyga)
 vannus Knoll, Laevicephalus
 vapida Ball, Ballana
 vappus Kirkaldy, Neodartus
 vara Ball, Ophiola
 varaspina Oman & Wheeler, Empoasca (Hebata)
 varia Lindsay, Norvellina
 varia McAtee, Erythroneura (Erythridula)
 varia Walker. See *Eurymeloides punctata*.
 varia Walker. See *Stenocotis depressa*.
 variabilis Baker. See *Makilingia intermedia*.
 variabilis Beamer, Erythroneura (Erasmoneura)
 variabilis coloradensis Baker. See *Oncopsis coloradensis*.
 variabilis DeLong, Chlorotettix
 variabilis Distant, Moonia

variabilis Distant, Penthimia
 variabilis Evans, Macropsis
 variabilis Evans, Neodartus
 variabilis Evans, Selenocephalus
 variabilis Fitch, Oncopsis
 variabilis Haglund, Coelidia
 variabilis Hepner, Eutettix
 variabilis Metcalf, Scarisana
 variabilis Oman, Agalliopsis (Agalliopsis)
 variabilis Osborn. See *Sanctanus (Cruciatus) fasciatus variabilis*.
 variabilis Signoret, Amblyscarta
 varians Spångberg, Gypona
 variata Hardy, Dikraneura (Dikraneura)
 variata Osborn, Nesophyla
 variata Ruppel & DeLong, Protalebra
 variatus Fallen, Macrosteles
 varicolor Distant, Balclutha
 varicolor Kirkaldy, Kosmiopelex
 varicolor Signoret, Amblyscarta
 varicolor Spångberg, Coelidia
 variegata Fabricius, Diedrocephala
 variegata Fabricius. See *Aphrodes bicincta*.
 variegata Germar, Coelidia
 variegata Osborn, Prairiana
 variegata Ribaut. See *Erythroneura ordinaria variegata*.
 variegatus Ball. See *Acinopterus viridis variegatus*.
 variegatus Berg. See *Phlepsius bergi*.
 variegatus doderi Ferrari, Euscelidius
 variegatus Kirschbaum, Euscelidius
 variegatus Motschulsky, Deltocephalus
 variegatus Ribaut. See *Idiocerus mesopyrrhus variegatus*.
 variolata Melichar, Acharista
 variolosa Signoret, Oragua
 variolosa Walker, Penthimia
 varipennis Herrich-Schaeffer. See *Psammotettix striatus varipennis*.
 varipes Walker, Nisitrana
 varius Beamer, Allygianus
 varius DeLong & Hershberger, Idiocerus
 varius DeLong. See *Scaphytopius (Cloanthanus) scriptus*.
 varius Evans, Tumocerus
 varius Osborn, Dilobopterus
 varius Signoret, Selenocephalus
 vasta DeLong, Gyponana (Gyponana)
 vastitatis Oman & Wheeler, Empoasca (Hebata)
 vastitatis Oman, Ceratagallia
 vastula Ball, Ballana
 veinatus Singh-Pruthi, Thamnotettix
 velata Ribaut, Erythroneura
 vellana Ball, Agalliopsis (Agalliopsis)
 velocissima Melichar, Poeciloscarta
 velosa DeLong, Ballana
 velox Matsumura, Deltocephalus
 velox Melichar, Erythrogonia
 velox Vayssiere, Molopopterus
 velutina Fowler, Oragua
 venata Distant, Bundera
 venator Melichar, Poeciloscarta

- venatus Osborn, Haldorus
 venditaria Ball, Ballana
 venella Ruppel & DeLong, Dikrella
 venosa aciculata Horváth, Anaceratagallia
 venosa DeLong, Costamia
 venosa DeLong, Neocoelidiana (Coelella)
 venosa eleganta Vismara, Anaceratagallia
 venosa Fieber. See Circulifer guttulatus.
 venosa Fourcroy, Anaceratagallia
 venosa Germar, Coelidia
 venosa Kirschbaum, Euscelis
 venosa Signoret, Amblyscarta
 venosa Stål, Ponana
 venosula Distant, Oncometopia (Oncometopia)
 venosulus Berg, Phlepsius
 venosus DeLong, Acunasus
 venosus DeLong, Chlorotettix
 venosus Osborn. See Extrusanus extrusus.
 ventosus DeLong, Phlepsius
 ventralis Fallen, Graphocraerus
 ventralis Signoret, Metascarta
 ventralis Van Duzee, Lonatura
 ventura Knoll & Auten, Erythroneura (Eratoneura)
 ventura Oman, Tiaja
 venusta DeLong & Davidson, Empoasca (Empoasca)
 venusta Evans, Aneono
 venusta McAtee, Empoa
 venusta McAtee. See Erythroneura (Erythroneura) vitis.
 venusta Stål, Poeciloscarta
 venustus Scott. See Idiocerus poecilus.
 veprecola DeLong, Acusana
 verdana Ross & DeLong, Erythroneura
 verecunda cuernavaca Fowler, Stenocoelidia
 (Eurycoelidia)
 verecunda Fowler, Stenocoelidia (Eurycoelidia)
 verecunda Spångberg, Gypona
 verecundus DeLong, Idiodonus
 verecundus Van Duzee, Scaphytopius (Cloanthanus)
 vergena DeLong & Caldwell, Empoasca (Empoasca)
 vermiculata Baker, Balclutha
 vermiculata Beamer, Mesamia
 vermiculata Lindsay, Norvellina
 vermiculata Signoret, Amblyscarta
 vermiculatus Blanchard, Iassus
 vermiculatus DeLong, Scaphytopius (Cloanthanus)
 vermiculatus DeLong, Texanus (Texanus)
 vermiculatus Melichar, Eutettix
 vermispiña Oman & Wheeler, Empoasca (Hebata)
 vernalis Hofmänner. See Verdanus abdominalis vernalis.
 vernalis Müller. See Euscelis incisa vernalis.
 vernicosa Peletier & Serville, Poeciloscarta
 vernicosa Spångberg, Gypona
 verralli Scott. See Paramesus obtusifrons.
 verrucosa DeLong, Gyponana (Rugosana)
 verrucosa Haupt. See Batracomorphus irroratus.
 verrucosus Ball, Idiocerus
 versicolor Distant, Cestius
 versicolor Flor. See Agallia consobrina.
 versicolora Ruppel & DeLong, Kunzeana
 versuta Melichar, Zygina
 versuta Say, Graphocephala
 versuta Spångberg, Gypona
 verticalis Distant, Gessius
 verticalis Distant, Traiguma
 verticalis Signoret, Amblyscarta
 verticalis Stål, Gypona
 verticalis Walker, Coelidia
 verticis Baker, Donidea
 verticis Say, Oncopsis
 verticus Singh-Pruthi, Paternus
 veruta Van Duzee, Ballana
 vesca Ball, Ballana
 vespertina Ball, Ballana
 vespertinula Breddin, Gununga
 vespiformis Fabricius, Lissoscarta
 vespiformis micans Fabricius, Lissoscarta
 vesta Distant, Kolla
 vesta McAtee. See Ossiannilssonola flavomarginata.
 vestigii DeLong, Ollarianus
 vestita McAtee, Empoa
 vestita Ribaut, Macropsis
 veterator DeLong & Beery, Scaphoideus
 vetula Ball, Ballana
 vexana DeLong, Gypona
 vexata Melichar, Zaruma
 vexillifera Baker, Protalebra
 vexillum Distant, Gurawa
 viadensis Wagner, Erythroneura
 vicaria Horváth. See Aphrodes serratulae vicaria.
 vicaria Walker. See Penthimia americana.
 vicilinus Crumb. See Laevicephalus melsheimerii.
 vicina Horváth, Macropsis
 vicina Signoret. See Eurymela fenestrata.
 vicinus Melichar, Idiocerus
 vicinus Signoret, Dilobopterus
 vicosa Oman. See Agalliopsis (Agalliopsis) novella vicosa.
 victima Germar, Poeciloscarta
 victorialis Knoll, Erythroneura (Erythridula)
 victoriensis Evans, Austrolopa
 victoriensis Evans, Ledraprora
 victoriensis Evans, Macropsis
 viduatus Edwards. See Idiocerus elegans.
 viduus Stål, Iassus
 viequensis Caldwell, Gypona
 vilior Fowler, Gypona
 vilis Snellen. See Megophthalmus scanicus.
 villica Crumb, Graminella
 vinaria Beamer, Erythroneura (Erythridula)
 vincula DeLong, Empoasca (Empoasca)
 vincula DeLong, Gyponana (Gyponana)
 vinculatus Ball, Hebecephalus
 vinculus DeLong, Idiodonus
 vinculus DeLong, Scaphytopius (Cloanthanus)
 vinnula Crumb, Polyamia
 vinula ornata Fowler, Ponana
 vinula Stål, Ponana
 vinulus Stål, Neodartus
 violacea Distant, Nehela

vires Haupt, Rhombopsana
 vires Turton. See Xerophloea viridis.
 virescens Blanchard, Typhlocyba
 virescens costalis Matsumura, Macropsis
 virescens DeLong. See Hamana dictitoria virescens.
 virescens Distant, Oncometopia (Lebora)
 virescens Distant, Paganalia
 virescens Distant, Parabolocratus
 virescens Distant, Selenocephalus
 virescens Fabricius. See Macropsis virescens.
 virescens flava Prohaska, Macropsis
 virescens Gmelin, Macropsis
 virescens Haupt, Balclutha
 virescens latifasciata Breakey, Macropsis
 virescens lineola Horváth, Macropsis
 virescens Matsumura, Coelidia
 virescens melanostigma Kupka. See Macropsis notata.
 virescens Metcalf, Capinota
 virescens notata Prohaska. See Macropsis notata.
 virescens Osborn, Nesosteles
 virescens Stål. See Xerophloea viridis.
 virescens stigmatipennis Matsumura, Macropsis
 virescens unipunctum Rey. See Macropsis graminea.
 virescens vittata Matsumura, Macropsis
 virgata DeLong, Stenocoelidia (Stenocoelidia)
 virgata McAtee, Empoasca (Endeia)
 virgata Ribaut. See Erythroneura eburnea virgata.
 virgaticeps Fowler, Graphocephala
 virgator Ribaut, Empoasca (Kybos)
 virgator saageri Wagner, Empoasca (Kybos)
 virgatus DeLong & Hershberger, Sanctanus (Cruciatus)
 virgidemina Kirkaldy, Vulturnus
 virginea Fabricius. See Diedocephala variegata.
 virginiana Sanders & DeLong, Graminella
 virgulatus Uhler. See Stirellus bicolor.
 viridans Turton. See Macropsis virescens.
 viridella Lindberg. See Balclutha pellucens.
 viridescens Kirkaldy, Rhotidus
 viridescens Walker, Draeculacephala
 viridescens Walker, Gypona
 viridescens Walsh. See Empoasca (Empoasca) fabae.
 viridia Osborn, Athysanella (Gladionura)
 viridia Osborn, Dryadomorpha
 viridicans Amyot & Serville, Acopsis
 viridicans Distant, Nandidrug
 viridicatus Osborn, Idiocerus
 viridicephalus Hepner, Scaphytopius (Cloanthanus)
 viridiceps Evans, Idiocerus
 viridiceps Evans, Macropsis
 viridiceps Wagner. See Macropsis glandacea viridiceps.
 viridiflavus Lindberg. See Circulifer opacipennis.
 viridigrisea Paoli, Austroasca (Austroasca)
 viridigriseus Edwards, Macrosteles
 viridinervis Kirschbaum, Oxytettigella
 viridinervis Matsumura, Balclutha
 viridinervis Wagner, Macropsis
 viridipennis Latreille, Ledra
 viridipennis Metcalf & Bruner, Arezzia
 viridipennis Signoret, Acostemma

viridipes Curtis. See Empoasca (Kybos) smaragdula.
 viridipes Distant, Eurinoscopus
 viridipes Distant, Selenocephalus
 viridirufa Walker. See Gypona glauca.
 viridis arundinis Germar, Tettigella
 viridis Ball, Acinopterus
 viridis concolor Haupt, Tettigella
 viridis Distant. See Parabolocratus rusticus.
 viridis Evans, Deltodorydium
 viridis Evans, Eurinoscopus
 viridis Evans, Newmaniana
 viridis Evans, Parabolocratialis
 viridis Evans, Platyzassus
 viridis Evans, Stenomiella
 viridis Fabricius, Xerophloea
 viridis Fitch, Macropsis
 viridis Kirschbaum, Discocephalana
 viridis Linnaeus, Tettigella
 viridis Linnavuori, Atanus
 viridis Matsumura, Balclutha
 viridis Matsumura, Scaphotettix
 viridis Metcalf, Nesosteles
 viridis Osborn, Polyamia
 viridis Osborn. See Balclutha impicta osborni.
 viridis Provancher. See Draeculacephala mollipes.
 viridis Rey. See Alebra (Alebra) albostriella viridis.
 viridis Schrank. See Idiocerus ustulatus.
 viridis Singh-Pruthi, Balcluthina
 viridis Singh-Pruthi, Rhombopsana
 viridis Uhler, Parabolocratus
 viridis variegatus Ball, Acinopterus
 viridiscens DeLong, Tinobregmus
 viridissima Lindberg, Brachyptera
 viridius Van Duze, Chlorotettix
 viridivitta Walker, Ciccus
 viridoflavidus Metcalf, Iassus
 viridula Fallén, Empoasca (Chlorita)
 viridula Melichar, Oncometopia (Oncometopia)
 viridula Melichar. See Macropsis africana.
 viridula Osborn, Gypona
 viridulus Melichar, Batracomorphus
 viridulus Singh-Pruthi, Paternus
 viriosa Ball, Ballana
 visalia Ball, Ballana
 visalia Ball, Mesamia
 visenda Crumb, Flexamia
 vitellina Fitch, Fitchana
 viticola Targioni-Tozzetti, Typhlocyba
 vitiensis Kirkaldy, Cicadula
 vitiensis Kirkaldy, Xestocephalus
 vitifex coloradoensis Gillette. See Erythroneura
 (Erythroneura) coloradensis [sic].
 vitifex Fitch, Erythroneura (Erythroneura)
 vitis bistrata McAtee. See Erythroneura (Erythroneura)
 bistrata.
 vitis corona McAtee, Erythroneura (Erythroneura)
 vitis flava Robinson. See Erythroneura (Erythroneura)
 vitis.

vitis fuscoclava Beamer. See *Erythroneura (Erythroneura) bistrata*.
 vitis Göthe, Empoasca
 vitis Harris, *Erythroneura (Erythroneura)*
 vitium Paoli. See *Empoasca (Empoasca) flavesrens*.
 vitrea Osborn, Gypona
 vitreicosta Walker. See *Platyretus tricolor*.
 vitreus Fabricius, Idiocerus
 vitreus Schmidt, Drabescus
 vitripennis Flor, Rhopalopyx
 vitripennis Germar. See *Homalodisca triquetra*.
 vittapennis DeLong, Neocoelidia
 vittata Ball, Driotura
 vittata Borland, Dikraneura
 vittata Hartzell. See *Empoasca (Kybos) aureoviridis hartzelli*.
 vittata Knoll & Auten, *Erythroneura (Eratoneura)*
 vittata Lethierry, Empoasca (*Chlorita*)
 vittata Linnaeus, Cicadella [Duméril 1806]
 vittata Matsumura, Henschia
 vittata Matsumura, Petalocephala
 vittata Matsumura. See *Macropsis virescens vittata*.
 vittata Montrouzier, Coelidia
 vittata nigra Lawson, Driotura
 vittatifrons Distant, Penthimia
 vittatipes Uhler. See *Laburrus (Laburrus) impictifrons*.
 vittatus clavatus DeLong, Tinobregmus
 vittatus Osborn, Chlorotettix
 vittatus Osborn, Idiocerus
 vittatus Van Duzee, Tinobregmus
 vitticollis Matsumura, Idiocerus
 vitticollis Spångberg, Gypona
 vitticollis Stål, Rubria
 vittifacies Signoret, Amblyscarta
 vittifrons cinctus Dlabola, Idiocerus
 vittifrons Hepner, Scaphytopius (*Cloanthanus*)
 vittifrons Kirschbaum, Idiocerus
 vittifrons Walker, Euryogonia
 vittipennis Sanders & DeLong. See *Cicadula smithi*.
 vittipennis Spångberg, Coelidia
 vittiventris Lethierry. See *Circulifer opacipennis*.
 vittulata Stål, Gypona
 vittulatus Berg, Athysanus
 vivata Ball, Ballana
 vividus Crumb, Doleranus
 volans McAtee, Ossiannilssonola
 volcanicola Kirkaldy, Balclutha
 volgensis Fieber, Deltocephalus
 volgensis Lethierry, Aconura
 volumna Kirkaldy, Vulturnus
 volucris Beamer, *Erythroneura (Erythridula)*
 vomerella Ruppel & DeLong, Kunzeana
 vonella Oman, Agalliopsis
 vulgaris Oman, Aceratagallia (*Aceratagallia*)
 vulnerans Bergevin, Exitianus
 vulnerata convexa Lawson, Spangbergiella
 vulnerata Fitch, *Erythroneura (Erasmoneura)*
 vulnerata fulmina McAtee. See *Erythroneura (Erasmoneura) fulmina*.

vulnerata gradata Robinson, *Erythroneura (Erasmoneura)*
 vulnerata lativittata Lawson, Spangbergiella
 vulnerata nigerrima McAtee. See *Erythroneura (Erasmoneura) nigerrima*.
 vulnerata nigra Gillette. See *Erythroneura (Erasmoneura) nigra*.
 vulnerata Signoret, Sibovia
 vulnerata Uhler, Spangbergiella
 vulnerata Walker, Gypona
 vultuosus Kirkaldy, Neodartus
 vulturina White, Nehela
 vulturnus Kirkaldy, Vulturnus
 wagneri Haupt. See *Synophropsis lauri*.
 wagneri Lindberg, Balclutha
 wagneri Ossiannilsson. See *Streptanus confinis*.
 wahlbergi Boheman, Alebra
 wahlbergi brunnea Ribaut. See *Alebra (Alebra) albostriella*.
 wahlbergi pallescens Ribaut, Alebra
 wahlbergi Stål, Petalocephala
 wakabae Kato, Ledropsis
 waldanus Ball, Colladonus
 walker Distant, Eurymeloides
 walker Kirkaldy, Acostemma
 walker Melichar, Petalocephala
 walker Metcalf, Eurymela
 walker Metcalf, Iassus
 walker Metcalf, Krisna
 walker Metcalf, Tretogonia
 walker Signoret. See *Amblyscarta decorata*.
 wallabensis Evans, Chunroides
 wallacei Distant, Tettigella
 wallengreni Stål, Gypona
 wallengreni Stål, Phera
 wallengreni Stål. See *Cicadella*[Duméril 1806] notata.
 wallengrenii Stål, Parabolocratus
 walshi Beamer. See *Erythroneura (Erythroneura) zizzac walshi*.
 wanakena Ball. See *Cicadula straminea*.
 wanrianus Matsumura, Thamnotettix
 warioni Bellevoye, Thamnotettix
 warioni Lethierry, Cicadula
 warioni Puton, Carchariacephalus
 weedi Van Duzee, Polyamia
 wellingtonensis Evans, Macropsis
 westwoodi Signoret, Amblyscarta
 westwoodi White, Notocephalius
 wetterensis Distant, Bothrogonia
 whiteheadi Distant, Tettigella
 whitei China, Australoscopus
 wickhami Ball, Idiodonus
 wilburi Ball & Beamer, Athysanella (*Amphyipyga*)
 wilburi Dorst. See *Macrosteles fascifrons*.
 willeyi Kirkaldy, Conogonia
 willinki Young, Empoasca
 wilsoni Evans, Macropsis
 wilsoni Evans, Rhotidus
 wilsoni Oman. See *Sorhoanus lenis*.
 windmuelleri Berg, Dilobopterus

wiyotus Bliven, *Idiocerus wolcottii* Dozier, *Coelidia wolfei* Oman, *Errhomus wollastoni* White, *Coelidia woodworthi* Baker, *Makilingia woodworthi* Van Duzee. See *Ponana (Ponana) pectoralis.* *wrighti* Evans, *Astroagalloides wulfsonae* Kusnezov, *Goniagnathus wygodzinskyi* Linnavuori, *Alaca wysongi* Ross & DeLong, *Erythroneura xanthanus* Ball. See *Scaphytopius (Convelinus) irroratus xanthanus.* *xanthippe* McAtee. See *Edwardsiana australis.* *xantho* Kirkaldy, *Idiocerus xanthocephala* Germar, *Oncometopia (Lebora) xanthocephala* Robinson, *Erythroneura (Erythridula) xanthogramma* Signoret, *Microgoniella xantholues* Walker, *Iassus xanthoneurus* Fieber, *Cazenus xanthonota* Signoret, *Sibovia xanthophis* Berg, *Bucephalogonia xanthus* Fieber, *Arthaldeus xanthus Melichar.* See *Evacanthus interruptus xanthus.* *xerophila* Oman & Wheeler, *Empoasca (Hebata) yakushimensis* Ishihara, *Yakunopona yamashiroensis* Matsumura, *Zygina yancheinensis* Evans, *Eusceloscopus yanonis* Matsumura, *Idiocerus yanonis* Matsumura, *Yanocephalus yanonis* Matsumura, *Zygina yatungensis* Singh-Pruthi, *Ophiola yavapai* Tuthill, *Polyamia yayeyamae* Matsumura, *Coelidia yezoensis* Matsumura, *Idiocerus yona* Metcalf, *Empoasca youngi* Beirne, *Hardya youngi Ruppel & DeLong,* *Kunzeana ypsilon* Cerutti. See *Cicadella [Duméril 1806] calcarata ypsilon.* *yuccae* Oman & Beamer, *Cuerna yumana* Osborn, *Athysanella (Athysanella zamora* DeLong & Hershberger, *Flexamia zampa* Distant, *Penthimia zeae* Distant. See *Platygonia praestantior.* *zeae* China. See *Cicadulina bipunctella zeae.* *zealandica* Myers, *Novothymbris zealandica* Myers, *Zygina zelleri* decussata Ribaut, *Cicadella [Duméril 1806]* *zelleri hippoides* Horváth, *Cicadella [Duméril 1806]* *zelleri Kirschbaum*, *Cicadella [Duméril 1806]* *zelleri Kirschbaum*, *Thamnotettix zelleri Kirschbaum.* See *Eupelix cuspidata zelleri.* *zephyr* Ross & DeLong, *Erythroneura zephyrius* Van Duzee, *Deltocephalus zetterstedti* Melichar. See *Euscelidius schenckii.* *zetterstedtii* Boheman. See *Typhlocyba jucunda.* *ziczac* Ball, *Cochlorhinus ziczac* Crumb. See *Dixianus utahnsus.* *ziczac* Osborn, *Protalebra*

ziczac Walsh, *Erythroneura (Erythroneura) ziczac walshi* Beamer, *Erythroneura (Erythroneura) zinnevia* Walker, *Iassus ziona* DeLong & Davidson, *Empoasca (Kybos) zioni* Beamer, *Erythroneura (Eratoneura) zionis* Lawson, *Xerophloea zionensis* Matsumura, *Balclutha zizyphi* Bergevin, *Platymetopius zolotovi* Kusnezov, *Doraturopsis zombana* Distant, *Ledropsis zonalis* Osborn, *Empoasca zonatus beppuanus* Matsumura, *Naratettix zonatus bizonatus* Matsumura, *Naratettix zonatus disciguttus* Matsumura, *Naratettix zonatus Distant.* See *Eurymeloides marmorata.* *zonatus fallax* Matsumura, *Naratettix zonatus ibukisanus* Matsumura, *Naratettix zonatus inornatus* Matsumura, *Naratettix zonatus issikii* Matsumura, *Naratettix zonatus koreanus* Matsumura, *Naratettix zonatus l-nigrum* Matsumura, *Naratettix zonatus latus* Matsumura, *Naratettix zonatus* Matsumura, *Naratettix zonatus rubrovittatus* Matsumura, *Naratettix zonatus sapporensis* Matsumura, *Naratettix zygophylli* Lindberg, *Circulifer zyxia* Caldwell, *Empoasca*